

## Acacia Park-Noise Monitor-April, 2025

Events	Date and Time of Airplane Noise Event	Decibels as reported by Acacia's noise Monitor	max recommend ed dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	2025-04-01 00:01:07	74.37	45dB	7.7	666%	Night
2	2025-04-01 00:13:03	82.48	45dB	13.4	1244%	Night
3	2025-04-01 00:15:45	71.39	45dB	6.2	523%	Night
4	2025-04-01 00:17:18	75.43	45dB	8.2	724%	Night
5	2025-04-01 00:19:14	76.55	45dB	8.9	791%	Night
6	2025-04-01 00:23:26	73.68	45dB	7.3	630%	Night
7	2025-04-01 00:25:02	75.30	45dB	8.2	717%	Night
8	2025-04-01 00:27:08	79.67	45dB	11.1	1006%	Night
9	2025-04-01 00:33:15	69.56	45dB	5.5	449%	Night
10	2025-04-01 00:34:57	75.35	45dB	8.2	720%	Night
11	2025-04-01 00:36:40	N/A	45dB	N/A	N/A	Night
12	2025-04-01 00:42:50	72.73	45dB	6.8	584%	Night
13	2025-04-01 00:48:26	79.95	45dB	11.3	1027%	Night
14	2025-04-01 00:50:58	76.71	45dB	9.0	801%	Night
15	2025-04-01 00:53:08	71.81	45dB	6.4	541%	Night
16	2025-04-01 00:57:26	72.18	45dB	6.6	558%	Night
17	2025-04-01 01:04:08	68.30	45dB	5.0	403%	Night
18	2025-04-01 01:09:17	70.21	45dB	5.7	474%	Night
19	2025-04-01 01:13:43	67.73	45dB	4.8	383%	Night
20	2025-04-01 01:30:11	66.06	45dB	4.3	330%	Night
21	2025-04-01 01:33:05	70.70	45dB	5.9	494%	Night
22	2025-04-01 01:38:46	71.30	45dB	6.2	519%	Night
23	2025-04-01 01:43:22	69.48	45dB	5.5	446%	Night
24	2025-04-01 01:52:17	72.76	45dB	6.8	585%	Night
25	2025-04-01 01:55:21	73.29	45dB	7.1	611%	Night
26	2025-04-01 01:58:04	70.69	45dB	5.9	493%	Night
27	2025-04-01 02:03:11	73.68	45dB	7.3	630%	Night
28	2025-04-01 02:06:04	76.64	45dB	9.0	796%	Night
29	2025-04-01 02:10:46	72.65	45dB	6.8	580%	Night
30	2025-04-01 02:20:00	74.23	45dB	7.6	658%	Night
31	2025-04-01 02:22:03	74.00	45dB	7.5	646%	Night
32	2025-04-01 02:23:37	75.62	45dB	8.4	735%	Night
33	2025-04-01 02:25:42	73.47	45dB	7.2	620%	Night
34	2025-04-01 02:27:54	75.79	45dB	8.5	745%	Night
35	2025-04-01 02:30:05	74.55	45dB	7.8	675%	Night
36	2025-04-01 02:33:02	72.42	45dB	6.7	569%	Night
37	2025-04-01 02:41:09	75.96	45dB	8.6	755%	Night
38	2025-04-01 02:45:10	76.46	45dB	8.9	785%	Night

39	2025-04-01 02:47:52	75.13	45dB	8.1	707%	Night
40	2025-04-01 03:38:09	64.99	45dB	4.0	300%	Night
41	2025-04-01 05:08:57	69.07	45dB	5.3	430%	Night
42	2025-04-01 06:31:43	N/A	45dB	N/A	N/A	Night
43	2025-04-01 06:41:36	66.91	45dB	4.6	357%	Night
44	2025-04-01 08:15:17	N/A	55dB	N/A	N/A	Day
45	2025-04-01 08:16:10	68.60	55dB	2.6	157%	Day
46	2025-04-01 08:17:09	74.61	55dB	3.9	289%	Day
47	2025-04-01 08:18:00	74.48	55dB	3.9	286%	Day
48	2025-04-01 08:19:51	73.19	55dB	3.5	253%	Day
49	2025-04-01 08:21:54	75.56	55dB	4.2	316%	Day
50	2025-04-01 08:22:34	N/A	55dB	N/A	N/A	Day
51	2025-04-01 08:23:21	N/A	55dB	N/A	N/A	Day
52	2025-04-01 08:26:50	69.71	55dB	2.8	177%	Day
53	2025-04-01 08:28:15	N/A	55dB	N/A	N/A	Day
54	2025-04-01 08:29:26	68.96	55dB	2.6	163%	Day
55	2025-04-01 08:31:55	82.65	55dB	6.8	580%	Day
56	2025-04-01 08:33:45	77.38	55dB	4.7	372%	Day
57	2025-04-01 08:34:32	72.12	55dB	3.3	228%	Day
58	2025-04-01 08:35:05	67.97	55dB	2.5	146%	Day
59	2025-04-01 08:36:30	69.52	55dB	2.7	174%	Day
60	2025-04-01 08:37:22	70.48	55dB	2.9	192%	Day
61	2025-04-01 08:38:34	N/A	55dB	N/A	N/A	Day
62	2025-04-01 08:39:51	69.29	55dB	2.7	169%	Day
63	2025-04-01 08:41:47	70.49	55dB	2.9	193%	Day
64	2025-04-01 08:43:37	78.66	55dB	5.2	416%	Day
65	2025-04-01 08:44:18	72.91	55dB	3.5	246%	Day
66	2025-04-01 08:45:10	74.35	55dB	3.8	282%	Day
67	2025-04-01 08:48:25	71.01	55dB	3.0	203%	Day
68	2025-04-01 08:49:39	68.57	55dB	2.6	156%	Day
69	2025-04-01 08:50:38	N/A	55dB	N/A	N/A	Day
70	2025-04-01 08:51:33	71.57	55dB	3.2	215%	Day
71	2025-04-01 08:52:39	70.29	55dB	2.9	189%	Day
72	2025-04-01 08:55:33	72.97	55dB	3.5	247%	Day
73	2025-04-01 08:56:25	77.85	55dB	4.9	387%	Day
74	2025-04-01 08:57:41	73.29	55dB	3.6	255%	Day
75	2025-04-01 08:59:35	N/A	55dB	N/A	N/A	Day
76	2025-04-01 09:00:52	N/A	55dB	N/A	N/A	Day
77	2025-04-01 09:05:50	N/A	55dB	N/A	N/A	Day
78	2025-04-01 09:10:00	73.36	55dB	3.6	257%	Day
79	2025-04-01 09:16:49	67.19	55dB	2.3	133%	Day
80	2025-04-01 09:19:51	75.47	55dB	4.1	313%	Day
81	2025-04-01 09:21:21	82.02	55dB	6.5	551%	Day
82	2025-04-01 09:23:25	N/A	55dB	N/A	N/A	Day

83	2025-04-01 09:24:30	72.06	55dB	3.3	226%	Day
84	2025-04-01 09:25:47	N/A	55dB	N/A	N/A	Day
85	2025-04-01 09:30:54	68.00	55dB	2.5	146%	Day
86	2025-04-01 09:32:18	73.56	55dB	3.6	262%	Day
87	2025-04-01 09:33:27	N/A	55dB	N/A	N/A	Day
88	2025-04-01 11:52:25	N/A	55dB	N/A	N/A	Day
89	2025-04-01 14:09:34	73.78	55dB	3.7	268%	Day
90	2025-04-01 15:28:38	79.66	55dB	5.5	453%	Day
91	2025-04-01 16:06:50	N/A	55dB	N/A	N/A	Day
92	2025-04-01 16:18:38	N/A	55dB	N/A	N/A	Day
93	2025-04-01 16:36:06	N/A	55dB	N/A	N/A	Day
94	2025-04-01 17:21:46	N/A	55dB	N/A	N/A	Day
95	2025-04-01 17:42:55	N/A	55dB	N/A	N/A	Day
96	2025-04-01 18:25:25	N/A	55dB	N/A	N/A	Day
97	2025-04-01 18:50:23	N/A	55dB	N/A	N/A	Day
98	2025-04-01 19:06:39	N/A	55dB	N/A	N/A	Day
99	2025-04-01 23:11:03	N/A	45dB	N/A	N/A	Night
100	2025-04-02 02:06:31	67.41	45dB	4.7	373%	Night
101	2025-04-02 02:12:02	N/A	45dB	N/A	N/A	Night
102	2025-04-02 03:05:33	68.92	45dB	5.2	425%	Night
103	2025-04-02 03:10:36	84.69	45dB	15.7	1466%	Night
104	2025-04-02 04:16:02	77.16	45dB	9.3	829%	Night
105	2025-04-02 06:31:30	N/A	45dB	N/A	N/A	Night
106	2025-04-02 06:32:30	85.69	45dB	16.8	1578%	Night
107	2025-04-02 06:33:32	78.57	45dB	10.2	925%	Night
108	2025-04-02 06:34:32	81.81	45dB	12.8	1183%	Night
109	2025-04-02 06:35:38	76.64	45dB	9.0	796%	Night
110	2025-04-02 06:36:46	81.35	45dB	12.4	1142%	Night
111	2025-04-02 06:38:00	86.45	45dB	17.7	1669%	Night
112	2025-04-02 06:38:47	74.96	45dB	8.0	698%	Night
113	2025-04-02 06:39:41	83.98	45dB	14.9	1391%	Night
114	2025-04-02 06:40:46	84.96	45dB	16.0	1496%	Night
115	2025-04-02 06:41:30	84.66	45dB	15.6	1463%	Night
116	2025-04-02 06:43:49	77.18	45dB	9.3	830%	Night
117	2025-04-02 06:44:34	74.36	45dB	7.7	665%	Night
118	2025-04-02 06:45:17	76.58	45dB	8.9	793%	Night
119	2025-04-02 06:46:35	84.57	45dB	15.5	1453%	Night
120	2025-04-02 06:48:45	74.44	45dB	7.7	670%	Night
121	2025-04-02 06:49:18	83.30	45dB	14.2	1322%	Night
122	2025-04-02 06:50:35	75.43	45dB	8.2	724%	Night
123	2025-04-02 06:51:21	67.57	45dB	4.8	378%	Night
124	2025-04-02 06:52:30	75.50	45dB	8.3	728%	Night
125	2025-04-02 06:54:20	85.51	45dB	16.6	1558%	Night
126	2025-04-02 06:56:16	85.06	45dB	16.1	1507%	Night

127	2025-04-02 06:58:02	82.94	45dB	13.9	1287%	Night
128	2025-04-02 06:59:01	88.01	45dB	19.7	1871%	Night
129	2025-04-02 06:59:48	67.42	45dB	4.7	373%	Night
130	2025-04-02 07:01:55	85.90	55dB	8.5	751%	Day
131	2025-04-02 07:05:25	81.91	55dB	6.5	546%	Day
132	2025-04-02 07:08:28	77.05	55dB	4.6	361%	Day
133	2025-04-02 07:14:15	75.90	55dB	4.3	326%	Day
134	2025-04-02 07:15:18	81.30	55dB	6.2	519%	Day
135	2025-04-02 07:16:57	80.21	55dB	5.7	474%	Day
136	2025-04-02 07:18:57	78.40	55dB	5.1	406%	Day
137	2025-04-02 07:20:16	76.38	55dB	4.4	340%	Day
138	2025-04-02 07:21:31	68.56	55dB	2.6	156%	Day
139	2025-04-02 07:26:37	68.76	55dB	2.6	160%	Day
140	2025-04-02 07:27:53	83.62	55dB	7.3	627%	Day
141	2025-04-02 07:29:21	71.77	55dB	3.2	220%	Day
142	2025-04-02 07:30:23	80.07	55dB	5.7	468%	Day
143	2025-04-02 07:31:10	72.11	55dB	3.3	227%	Day
144	2025-04-02 07:35:21	73.03	55dB	3.5	249%	Day
145	2025-04-02 07:36:34	80.78	55dB	6.0	497%	Day
146	2025-04-02 07:37:42	84.45	55dB	7.7	670%	Day
147	2025-04-02 07:40:43	76.84	55dB	4.5	354%	Day
148	2025-04-02 07:42:21	79.80	55dB	5.6	458%	Day
149	2025-04-02 07:46:25	72.00	55dB	3.2	225%	Day
150	2025-04-02 07:49:25	73.83	55dB	3.7	269%	Day
151	2025-04-02 07:54:37	71.72	55dB	3.2	219%	Day
152	2025-04-02 07:58:13	N/A	55dB	N/A	N/A	Day
153	2025-04-02 07:59:55	N/A	55dB	N/A	N/A	Day
154	2025-04-02 08:06:24	79.39	55dB	5.4	442%	Day
155	2025-04-02 08:08:32	68.58	55dB	2.6	156%	Day
156	2025-04-02 08:11:00	72.37	55dB	3.3	233%	Day
157	2025-04-02 08:12:15	67.64	55dB	2.4	140%	Day
158	2025-04-02 08:13:03	N/A	55dB	N/A	N/A	Day
159	2025-04-02 08:16:05	77.94	55dB	4.9	390%	Day
160	2025-04-02 08:16:51	86.25	55dB	8.7	772%	Day
161	2025-04-02 08:18:46	N/A	55dB	N/A	N/A	Day
162	2025-04-02 08:19:39	69.66	55dB	2.8	176%	Day
163	2025-04-02 08:20:27	79.81	55dB	5.6	458%	Day
164	2025-04-02 08:21:24	71.54	55dB	3.1	215%	Day
165	2025-04-02 08:23:13	82.74	55dB	6.8	584%	Day
166	2025-04-02 08:24:19	83.71	55dB	7.3	632%	Day
167	2025-04-02 08:26:24	84.81	55dB	7.9	690%	Day
168	2025-04-02 08:27:57	72.63	55dB	3.4	239%	Day
169	2025-04-02 08:28:57	79.63	55dB	5.5	451%	Day
170	2025-04-02 08:30:03	78.03	55dB	4.9	393%	Day

171	2025-04-02 08:31:02	81.73	55dB	6.4	538%	Day
172	2025-04-02 08:34:13	70.73	55dB	3.0	198%	Day
173	2025-04-02 08:35:41	68.45	55dB	2.5	154%	Day
174	2025-04-02 08:38:14	N/A	55dB	N/A	N/A	Day
175	2025-04-02 08:43:17	69.44	55dB	2.7	172%	Day
176	2025-04-02 08:44:43	85.55	55dB	8.3	731%	Day
177	2025-04-02 08:46:01	N/A	55dB	N/A	N/A	Day
178	2025-04-02 08:48:09	N/A	55dB	N/A	N/A	Day
179	2025-04-02 08:50:36	68.02	55dB	2.5	147%	Day
180	2025-04-02 08:51:43	85.83	55dB	8.5	747%	Day
181	2025-04-02 08:52:55	N/A	55dB	N/A	N/A	Day
182	2025-04-02 08:53:49	71.58	55dB	3.2	216%	Day
183	2025-04-02 08:54:56	85.05	55dB	8.0	703%	Day
184	2025-04-02 08:56:10	N/A	55dB	N/A	N/A	Day
185	2025-04-02 08:58:04	N/A	55dB	N/A	N/A	Day
186	2025-04-02 08:59:04	85.85	55dB	8.5	749%	Day
187	2025-04-02 09:01:30	N/A	55dB	N/A	N/A	Day
188	2025-04-02 09:05:16	74.68	55dB	3.9	291%	Day
189	2025-04-02 09:10:23	71.46	55dB	3.1	213%	Day
190	2025-04-02 09:11:48	N/A	55dB	N/A	N/A	Day
191	2025-04-02 09:13:18	80.85	55dB	6.0	500%	Day
192	2025-04-02 09:14:57	71.05	55dB	3.0	204%	Day
193	2025-04-02 09:19:02	71.57	55dB	3.2	215%	Day
194	2025-04-02 09:20:10	79.95	55dB	5.6	464%	Day
195	2025-04-02 09:22:41	75.84	55dB	4.2	324%	Day
196	2025-04-02 09:24:49	N/A	55dB	N/A	N/A	Day
197	2025-04-02 09:28:30	N/A	55dB	N/A	N/A	Day
198	2025-04-02 09:29:44	N/A	55dB	N/A	N/A	Day
199	2025-04-02 09:32:40	N/A	55dB	N/A	N/A	Day
200	2025-04-02 09:34:00	79.50	55dB	5.5	446%	Day
201	2025-04-02 09:36:47	76.01	55dB	4.3	329%	Day
202	2025-04-02 09:38:22	86.63	55dB	9.0	796%	Day
203	2025-04-02 09:39:24	85.91	55dB	8.5	752%	Day
204	2025-04-02 09:43:02	N/A	55dB	N/A	N/A	Day
205	2025-04-02 09:45:49	74.68	55dB	3.9	291%	Day
206	2025-04-02 09:47:17	68.99	55dB	2.6	164%	Day
207	2025-04-02 09:48:16	85.25	55dB	8.1	714%	Day
208	2025-04-02 09:50:16	N/A	55dB	N/A	N/A	Day
209	2025-04-02 09:52:48	69.10	55dB	2.7	166%	Day
210	2025-04-02 09:55:24	N/A	55dB	N/A	N/A	Day
211	2025-04-02 09:59:15	74.44	55dB	3.8	285%	Day
212	2025-04-02 10:00:25	N/A	55dB	N/A	N/A	Day
213	2025-04-02 10:03:26	72.77	55dB	3.4	243%	Day
214	2025-04-02 10:05:26	86.17	55dB	8.7	768%	Day

215	2025-04-02 10:09:23	78.67	55dB	5.2	416%	Day
216	2025-04-02 10:12:52	73.69	55dB	3.7	265%	Day
217	2025-04-02 10:15:11	72.76	55dB	3.4	242%	Day
218	2025-04-02 10:16:56	84.07	55dB	7.5	650%	Day
219	2025-04-02 10:23:07	90.29	55dB	11.5	1054%	Day
220	2025-04-02 10:23:59	88.11	55dB	9.9	892%	Day
221	2025-04-02 10:24:51	83.76	55dB	7.3	634%	Day
222	2025-04-02 10:28:33	90.07	55dB	11.4	1037%	Day
223	2025-04-02 10:29:26	84.42	55dB	7.7	668%	Day
224	2025-04-02 10:30:37	N/A	55dB	N/A	N/A	Day
225	2025-04-02 10:33:23	75.54	55dB	4.2	315%	Day
226	2025-04-02 10:37:15	75.45	55dB	4.1	313%	Day
227	2025-04-02 10:39:38	73.06	55dB	3.5	250%	Day
228	2025-04-02 10:44:26	88.48	55dB	10.2	918%	Day
229	2025-04-02 10:45:09	88.48	55dB	10.2	918%	Day
230	2025-04-02 10:45:45	85.43	55dB	8.2	724%	Day
231	2025-04-02 10:49:13	84.86	55dB	7.9	692%	Day
232	2025-04-02 11:05:56	89.19	55dB	10.7	970%	Day
233	2025-04-02 11:12:33	78.75	55dB	5.2	419%	Day
234	2025-04-02 11:15:01	88.88	55dB	10.5	947%	Day
235	2025-04-02 11:26:11	81.92	55dB	6.5	546%	Day
236	2025-04-02 11:29:29	72.34	55dB	3.3	233%	Day
237	2025-04-02 11:32:34	83.17	55dB	7.0	605%	Day
238	2025-04-02 11:40:33	81.80	55dB	6.4	541%	Day
239	2025-04-02 11:42:37	86.98	55dB	9.2	818%	Day
240	2025-04-02 11:49:12	N/A	55dB	N/A	N/A	Day
241	2025-04-02 11:50:42	86.21	55dB	8.7	770%	Day
242	2025-04-02 11:52:01	68.82	55dB	2.6	161%	Day
243	2025-04-02 11:53:02	71.12	55dB	3.1	206%	Day
244	2025-04-02 11:53:46	80.98	55dB	6.1	505%	Day
245	2025-04-02 12:05:53	70.62	55dB	3.0	195%	Day
246	2025-04-02 12:17:10	N/A	55dB	N/A	N/A	Day
247	2025-04-02 12:18:25	86.70	55dB	9.0	800%	Day
248	2025-04-02 12:22:46	N/A	55dB	N/A	N/A	Day
249	2025-04-02 12:23:55	82.81	55dB	6.9	587%	Day
250	2025-04-02 12:25:23	74.56	55dB	3.9	288%	Day
251	2025-04-02 12:28:53	84.99	55dB	8.0	699%	Day
252	2025-04-02 12:33:43	77.18	55dB	4.7	365%	Day
253	2025-04-02 12:36:32	82.68	55dB	6.8	581%	Day
254	2025-04-02 12:39:06	81.57	55dB	6.3	531%	Day
255	2025-04-02 12:42:28	81.02	55dB	6.1	507%	Day
256	2025-04-02 12:44:54	74.54	55dB	3.9	287%	Day
257	2025-04-02 12:46:21	73.15	55dB	3.5	252%	Day
258	2025-04-02 12:48:22	N/A	55dB	N/A	N/A	Day

259	2025-04-02 13:10:38	78.14	55dB	5.0	397%	Day
260	2025-04-02 13:13:15	76.58	55dB	4.5	346%	Day
261	2025-04-02 13:14:31	N/A	55dB	N/A	N/A	Day
262	2025-04-02 13:17:26	N/A	55dB	N/A	N/A	Day
263	2025-04-02 13:22:47	N/A	55dB	N/A	N/A	Day
264	2025-04-02 13:29:54	N/A	55dB	N/A	N/A	Day
265	2025-04-02 13:33:05	N/A	55dB	N/A	N/A	Day
266	2025-04-02 13:34:44	69.69	55dB	2.8	177%	Day
267	2025-04-02 13:48:21	69.35	55dB	2.7	170%	Day
268	2025-04-02 14:01:49	N/A	55dB	N/A	N/A	Day
269	2025-04-02 14:50:24	72.44	55dB	3.3	235%	Day
270	2025-04-02 15:09:21	75.81	55dB	4.2	323%	Day
271	2025-04-02 15:10:56	89.18	55dB	10.7	969%	Day
272	2025-04-02 15:57:41	70.97	55dB	3.0	203%	Day
273	2025-04-02 16:04:16	71.19	55dB	3.1	207%	Day
274	2025-04-02 16:15:44	73.31	55dB	3.6	256%	Day
275	2025-04-02 16:22:13	N/A	55dB	N/A	N/A	Day
276	2025-04-02 16:25:23	N/A	55dB	N/A	N/A	Day
277	2025-04-02 16:28:28	78.26	55dB	5.0	401%	Day
278	2025-04-02 17:01:17	N/A	55dB	N/A	N/A	Day
279	2025-04-02 17:13:05	71.34	55dB	3.1	210%	Day
280	2025-04-02 17:14:30	82.74	55dB	6.8	584%	Day
281	2025-04-02 17:18:55	84.03	55dB	7.5	648%	Day
282	2025-04-02 17:36:25	71.05	55dB	3.0	204%	Day
283	2025-04-02 17:38:18	81.47	55dB	6.3	526%	Day
284	2025-04-02 17:59:35	72.27	55dB	3.3	231%	Day
285	2025-04-02 18:06:11	71.20	55dB	3.1	207%	Day
286	2025-04-02 18:12:02	N/A	55dB	N/A	N/A	Day
287	2025-04-02 18:15:40	78.35	55dB	5.0	405%	Day
288	2025-04-02 18:18:27	81.99	55dB	6.5	549%	Day
289	2025-04-02 18:19:44	72.07	55dB	3.3	226%	Day
290	2025-04-02 18:21:34	74.49	55dB	3.9	286%	Day
291	2025-04-02 18:30:48	73.12	55dB	3.5	251%	Day
292	2025-04-02 18:36:09	79.12	55dB	5.3	432%	Day
293	2025-04-02 18:40:06	68.15	55dB	2.5	149%	Day
294	2025-04-02 18:46:40	77.18	55dB	4.7	365%	Day
295	2025-04-02 18:48:04	N/A	55dB	N/A	N/A	Day
296	2025-04-02 18:50:54	77.18	55dB	4.7	365%	Day
297	2025-04-02 18:58:08	84.12	55dB	7.5	653%	Day
298	2025-04-02 19:01:17	N/A	55dB	N/A	N/A	Day
299	2025-04-02 19:03:06	72.84	55dB	3.4	244%	Day
300	2025-04-02 19:07:35	74.02	55dB	3.7	274%	Day
301	2025-04-02 19:09:44	66.31	55dB	2.2	119%	Day
302	2025-04-02 19:12:18	75.39	55dB	4.1	311%	Day

303	2025-04-02 19:23:23	N/A	55dB	N/A	N/A	Day
304	2025-04-02 19:33:38	74.34	55dB	3.8	282%	Day
305	2025-04-02 19:36:19	74.75	55dB	3.9	293%	Day
306	2025-04-02 19:38:37	79.15	55dB	5.3	433%	Day
307	2025-04-02 19:40:34	70.06	55dB	2.8	184%	Day
308	2025-04-02 19:41:55	N/A	55dB	N/A	N/A	Day
309	2025-04-02 19:43:35	69.30	55dB	2.7	169%	Day
310	2025-04-02 19:44:48	73.93	55dB	3.7	271%	Day
311	2025-04-02 19:46:07	73.72	55dB	3.7	266%	Day
312	2025-04-02 19:47:23	73.80	55dB	3.7	268%	Day
313	2025-04-02 19:48:38	74.45	55dB	3.9	285%	Day
314	2025-04-02 19:50:05	79.37	55dB	5.4	442%	Day
315	2025-04-02 19:51:22	N/A	55dB	N/A	N/A	Day
316	2025-04-02 19:52:49	81.53	55dB	6.3	529%	Day
317	2025-04-02 19:54:08	80.32	55dB	5.8	478%	Day
318	2025-04-02 19:56:26	72.47	55dB	3.4	236%	Day
319	2025-04-02 19:57:45	68.17	55dB	2.5	149%	Day
320	2025-04-02 19:59:00	N/A	55dB	N/A	N/A	Day
321	2025-04-02 20:01:08	71.16	55dB	3.1	207%	Day
322	2025-04-02 20:02:44	71.77	55dB	3.2	220%	Day
323	2025-04-02 20:04:46	N/A	55dB	N/A	N/A	Day
324	2025-04-02 20:06:18	79.14	55dB	5.3	433%	Day
325	2025-04-02 20:09:54	75.81	55dB	4.2	323%	Day
326	2025-04-02 20:11:31	72.10	55dB	3.3	227%	Day
327	2025-04-02 20:17:50	70.82	55dB	3.0	199%	Day
328	2025-04-02 20:19:22	N/A	55dB	N/A	N/A	Day
329	2025-04-02 20:20:55	74.63	55dB	3.9	290%	Day
330	2025-04-02 20:22:32	71.96	55dB	3.2	224%	Day
331	2025-04-02 20:24:04	75.23	55dB	4.1	306%	Day
332	2025-04-02 20:26:30	75.98	55dB	4.3	328%	Day
333	2025-04-02 20:28:00	79.46	55dB	5.4	445%	Day
334	2025-04-02 20:29:47	71.28	55dB	3.1	209%	Day
335	2025-04-02 20:32:23	73.28	55dB	3.6	255%	Day
336	2025-04-02 20:39:19	77.50	55dB	4.8	376%	Day
337	2025-04-02 20:41:05	73.94	55dB	3.7	272%	Day
338	2025-04-02 20:44:48	75.18	55dB	4.1	305%	Day
339	2025-04-02 20:59:15	84.81	55dB	7.9	690%	Day
340	2025-04-02 21:02:13	74.66	55dB	3.9	291%	Day
341	2025-04-02 21:03:56	82.94	55dB	6.9	594%	Day
342	2025-04-02 21:05:49	84.07	55dB	7.5	650%	Day
343	2025-04-02 21:07:09	71.96	55dB	3.2	224%	Day
344	2025-04-02 21:08:26	N/A	55dB	N/A	N/A	Day
345	2025-04-02 21:10:03	N/A	55dB	N/A	N/A	Day
346	2025-04-02 21:11:43	85.31	55dB	8.2	717%	Day

347	2025-04-02 21:18:54	69.37	55dB	2.7	171%	Day
348	2025-04-02 21:29:36	77.94	55dB	4.9	390%	Day
349	2025-04-02 21:35:28	74.77	55dB	3.9	294%	Day
350	2025-04-02 21:36:54	78.08	55dB	5.0	395%	Day
351	2025-04-02 21:41:38	71.41	55dB	3.1	212%	Day
352	2025-04-02 21:43:50	72.40	55dB	3.3	234%	Day
353	2025-04-02 21:45:19	75.25	55dB	4.1	307%	Day
354	2025-04-02 21:46:38	71.98	55dB	3.2	224%	Day
355	2025-04-02 21:48:09	68.40	55dB	2.5	153%	Day
356	2025-04-02 21:49:37	75.13	55dB	4.0	304%	Day
357	2025-04-02 21:51:51	N/A	55dB	N/A	N/A	Day
358	2025-04-02 21:53:18	70.27	55dB	2.9	188%	Day
359	2025-04-02 21:54:54	67.43	55dB	2.4	137%	Day
360	2025-04-02 21:56:35	73.00	55dB	3.5	248%	Day
361	2025-04-02 21:58:33	74.84	55dB	4.0	296%	Day
362	2025-04-02 21:59:36	N/A	55dB	N/A	N/A	Day
363	2025-04-02 22:01:05	N/A	55dB	N/A	N/A	Day
364	2025-04-02 22:03:04	N/A	55dB	N/A	N/A	Day
365	2025-04-02 22:06:21	72.23	55dB	3.3	230%	Day
366	2025-04-02 22:10:48	80.51	55dB	5.9	486%	Day
367	2025-04-02 22:13:31	N/A	55dB	N/A	N/A	Day
368	2025-04-02 22:16:28	76.50	55dB	4.4	344%	Day
369	2025-04-02 22:18:38	68.52	55dB	2.6	155%	Day
370	2025-04-02 22:22:08	68.81	55dB	2.6	160%	Day
371	2025-04-02 22:23:53	N/A	55dB	N/A	N/A	Day
372	2025-04-02 22:26:30	N/A	55dB	N/A	N/A	Day
373	2025-04-02 22:34:46	N/A	55dB	N/A	N/A	Day
374	2025-04-02 22:36:41	73.60	55dB	3.6	263%	Day
375	2025-04-02 22:40:14	N/A	55dB	N/A	N/A	Day
376	2025-04-02 22:44:56	N/A	55dB	N/A	N/A	Day
377	2025-04-02 22:46:33	74.19	55dB	3.8	278%	Day
378	2025-04-02 22:57:43	65.82	55dB	2.1	112%	Day
379	2025-04-02 22:59:17	76.39	55dB	4.4	340%	Day
380	2025-04-02 23:02:32	73.35	45dB	7.1	614%	Night
381	2025-04-02 23:08:21	77.44	45dB	9.5	847%	Night
382	2025-04-02 23:11:30	N/A	45dB	N/A	N/A	Night
383	2025-04-02 23:13:51	73.36	45dB	7.1	614%	Night
384	2025-04-02 23:15:37	78.52	45dB	10.2	921%	Night
385	2025-04-02 23:17:40	70.25	45dB	5.8	476%	Night
386	2025-04-02 23:20:11	N/A	45dB	N/A	N/A	Night
387	2025-04-02 23:22:06	78.64	45dB	10.3	930%	Night
388	2025-04-02 23:24:11	N/A	45dB	N/A	N/A	Night
389	2025-04-02 23:26:06	76.51	45dB	8.9	788%	Night
390	2025-04-02 23:28:02	73.23	45dB	7.1	608%	Night

391	2025-04-02 23:29:21	74.57	45dB	7.8	677%	Night
392	2025-04-02 23:31:08	N/A	45dB	N/A	N/A	Night
393	2025-04-02 23:33:19	69.26	45dB	5.4	437%	Night
394	2025-04-02 23:35:13	72.76	45dB	6.8	585%	Night
395	2025-04-02 23:39:38	74.43	45dB	7.7	669%	Night
396	2025-04-02 23:42:25	80.78	45dB	11.9	1094%	Night
397	2025-04-02 23:46:57	75.50	45dB	8.3	728%	Night
398	2025-04-02 23:51:11	N/A	45dB	N/A	N/A	Night
399	2025-04-02 23:54:12	74.93	45dB	8.0	696%	Night
400	2025-04-03 00:00:07	72.40	45dB	6.7	568%	Night
401	2025-04-03 00:01:37	78.44	45dB	10.2	915%	Night
402	2025-04-03 00:03:25	74.61	45dB	7.8	679%	Night
403	2025-04-03 00:05:43	72.37	45dB	6.7	567%	Night
404	2025-04-03 00:10:26	76.97	45dB	9.2	817%	Night
405	2025-04-03 00:15:10	79.42	45dB	10.9	987%	Night
406	2025-04-03 00:17:16	77.73	45dB	9.7	867%	Night
407	2025-04-03 00:19:48	78.35	45dB	10.1	909%	Night
408	2025-04-03 00:29:55	N/A	45dB	N/A	N/A	Night
409	2025-04-03 00:37:44	80.28	45dB	11.5	1054%	Night
410	2025-04-03 00:40:03	74.63	45dB	7.8	680%	Night
411	2025-04-03 00:41:23	69.89	45dB	5.6	461%	Night
412	2025-04-03 00:43:25	78.40	45dB	10.1	913%	Night
413	2025-04-03 00:45:28	69.48	45dB	5.5	446%	Night
414	2025-04-03 00:50:12	66.86	45dB	4.6	355%	Night
415	2025-04-03 00:54:47	78.28	45dB	10.0	904%	Night
416	2025-04-03 00:56:10	74.49	45dB	7.7	672%	Night
417	2025-04-03 00:58:00	72.47	45dB	6.7	571%	Night
418	2025-04-03 01:01:56	80.46	45dB	11.7	1068%	Night
419	2025-04-03 01:04:35	79.22	45dB	10.7	972%	Night
420	2025-04-03 01:10:41	66.57	45dB	4.5	346%	Night
421	2025-04-03 01:13:24	71.19	45dB	6.1	514%	Night
422	2025-04-03 01:17:30	68.30	45dB	5.0	403%	Night
423	2025-04-03 01:29:38	79.67	45dB	11.1	1006%	Night
424	2025-04-03 01:32:13	85.11	45dB	16.1	1512%	Night
425	2025-04-03 02:38:32	73.79	45dB	7.4	636%	Night
426	2025-04-03 02:41:24	69.60	45dB	5.5	450%	Night
427	2025-04-03 03:00:47	80.70	45dB	11.9	1088%	Night
428	2025-04-03 03:15:40	63.97	45dB	3.7	272%	Night
429	2025-04-03 03:26:41	72.02	45dB	6.5	551%	Night
430	2025-04-03 03:43:55	83.67	45dB	14.6	1359%	Night
431	2025-04-03 04:50:15	N/A	45dB	N/A	N/A	Night
432	2025-04-03 05:45:26	67.85	45dB	4.9	387%	Night
433	2025-04-03 05:51:36	71.12	45dB	6.1	511%	Night
434	2025-04-03 05:56:22	70.69	45dB	5.9	493%	Night

435	2025-04-03 06:00:36	75.94	45dB	8.5	754%	Night
436	2025-04-03 06:14:22	70.94	45dB	6.0	504%	Night
437	2025-04-03 06:20:39	71.39	45dB	6.2	523%	Night
438	2025-04-03 06:23:04	70.07	45dB	5.7	468%	Night
439	2025-04-03 06:29:44	72.84	45dB	6.9	589%	Night
440	2025-04-03 06:32:02	70.44	45dB	5.8	483%	Night
441	2025-04-03 06:34:31	69.03	45dB	5.3	429%	Night
442	2025-04-03 06:36:18	71.61	45dB	6.3	532%	Night
443	2025-04-03 06:38:23	71.79	45dB	6.4	540%	Night
444	2025-04-03 06:40:33	73.16	45dB	7.0	604%	Night
445	2025-04-03 06:42:52	72.37	45dB	6.7	567%	Night
446	2025-04-03 06:47:36	68.71	45dB	5.2	417%	Night
447	2025-04-03 06:51:33	70.66	45dB	5.9	492%	Night
448	2025-04-03 06:54:12	75.21	45dB	8.1	712%	Night
449	2025-04-03 07:01:58	69.22	55dB	2.7	168%	Day
450	2025-04-03 07:04:00	74.16	55dB	3.8	277%	Day
451	2025-04-03 07:05:50	71.25	55dB	3.1	208%	Day
452	2025-04-03 07:09:07	68.92	55dB	2.6	162%	Day
453	2025-04-03 07:11:28	74.14	55dB	3.8	277%	Day
454	2025-04-03 07:14:19	70.83	55dB	3.0	200%	Day
455	2025-04-03 07:16:26	70.22	55dB	2.9	187%	Day
456	2025-04-03 07:18:45	70.67	55dB	3.0	196%	Day
457	2025-04-03 07:25:23	77.77	55dB	4.8	385%	Day
458	2025-04-03 07:27:48	71.86	55dB	3.2	222%	Day
459	2025-04-03 07:30:05	70.24	55dB	2.9	188%	Day
460	2025-04-03 07:37:07	75.23	55dB	4.1	306%	Day
461	2025-04-03 07:39:49	70.33	55dB	2.9	189%	Day
462	2025-04-03 07:42:24	75.24	55dB	4.1	307%	Day
463	2025-04-03 07:46:02	66.86	55dB	2.3	128%	Day
464	2025-04-03 07:51:53	73.20	55dB	3.5	253%	Day
465	2025-04-03 07:59:09	71.83	55dB	3.2	221%	Day
466	2025-04-03 08:02:48	83.28	55dB	7.1	610%	Day
467	2025-04-03 08:05:49	72.28	55dB	3.3	231%	Day
468	2025-04-03 08:08:07	74.76	55dB	3.9	293%	Day
469	2025-04-03 08:10:05	71.05	55dB	3.0	204%	Day
470	2025-04-03 08:12:49	72.44	55dB	3.3	235%	Day
471	2025-04-03 08:14:34	72.60	55dB	3.4	239%	Day
472	2025-04-03 08:16:16	75.17	55dB	4.0	305%	Day
473	2025-04-03 08:18:03	74.48	55dB	3.9	286%	Day
474	2025-04-03 08:20:36	72.24	55dB	3.3	230%	Day
475	2025-04-03 08:22:56	70.83	55dB	3.0	200%	Day
476	2025-04-03 08:25:05	73.46	55dB	3.6	260%	Day
477	2025-04-03 08:27:19	N/A	55dB	N/A	N/A	Day
478	2025-04-03 08:29:03	72.32	55dB	3.3	232%	Day

479	2025-04-03 08:31:16	71.19	55dB	3.1	207%	Day
480	2025-04-03 08:33:18	73.04	55dB	3.5	249%	Day
481	2025-04-03 08:55:18	N/A	55dB	N/A	N/A	Day
482	2025-04-03 08:59:05	70.32	55dB	2.9	189%	Day
483	2025-04-03 09:05:04	71.02	55dB	3.0	204%	Day
484	2025-04-03 09:10:08	70.82	55dB	3.0	199%	Day
485	2025-04-03 09:15:12	72.80	55dB	3.4	243%	Day
486	2025-04-03 09:17:41	81.15	55dB	6.1	513%	Day
487	2025-04-03 09:20:17	75.50	55dB	4.1	314%	Day
488	2025-04-03 09:22:48	71.26	55dB	3.1	209%	Day
489	2025-04-03 09:24:37	71.11	55dB	3.1	205%	Day
490	2025-04-03 09:26:16	71.28	55dB	3.1	209%	Day
491	2025-04-03 09:28:25	76.41	55dB	4.4	341%	Day
492	2025-04-03 09:32:34	75.38	55dB	4.1	311%	Day
493	2025-04-03 09:36:16	72.11	55dB	3.3	227%	Day
494	2025-04-03 09:40:42	82.54	55dB	6.7	575%	Day
495	2025-04-03 09:46:32	72.48	55dB	3.4	236%	Day
496	2025-04-03 09:49:11	73.35	55dB	3.6	257%	Day
497	2025-04-03 09:51:14	71.42	55dB	3.1	212%	Day
498	2025-04-03 09:53:16	73.63	55dB	3.6	264%	Day
499	2025-04-03 09:55:02	N/A	55dB	N/A	N/A	Day
500	2025-04-03 09:57:03	76.26	55dB	4.4	337%	Day
501	2025-04-03 09:59:31	71.89	55dB	3.2	222%	Day
502	2025-04-03 10:04:57	82.62	55dB	6.8	578%	Day
503	2025-04-03 10:06:58	77.48	55dB	4.8	375%	Day
504	2025-04-03 10:10:02	77.09	55dB	4.6	362%	Day
505	2025-04-03 10:13:43	76.08	55dB	4.3	331%	Day
506	2025-04-03 10:16:42	N/A	55dB	N/A	N/A	Day
507	2025-04-03 10:20:29	76.71	55dB	4.5	350%	Day
508	2025-04-03 10:23:54	71.57	55dB	3.2	215%	Day
509	2025-04-03 10:34:40	68.78	55dB	2.6	160%	Day
510	2025-04-03 10:37:45	81.16	55dB	6.1	513%	Day
511	2025-04-03 10:39:30	80.72	55dB	5.9	495%	Day
512	2025-04-03 10:41:07	73.51	55dB	3.6	261%	Day
513	2025-04-03 10:42:45	84.73	55dB	7.9	685%	Day
514	2025-04-03 10:44:10	85.53	55dB	8.3	730%	Day
515	2025-04-03 10:45:41	75.50	55dB	4.1	314%	Day
516	2025-04-03 10:47:47	75.08	55dB	4.0	302%	Day
517	2025-04-03 10:49:37	82.61	55dB	6.8	578%	Day
518	2025-04-03 10:51:38	74.17	55dB	3.8	278%	Day
519	2025-04-03 10:53:30	75.97	55dB	4.3	328%	Day
520	2025-04-03 10:58:47	76.61	55dB	4.5	347%	Day
521	2025-04-03 11:00:51	85.68	55dB	8.4	739%	Day
522	2025-04-03 11:04:21	71.85	55dB	3.2	222%	Day

523	2025-04-03 11:07:16	73.94	55dB	3.7	272%	Day
524	2025-04-03 11:09:47	N/A	55dB	N/A	N/A	Day
525	2025-04-03 11:11:42	69.58	55dB	2.7	175%	Day
526	2025-04-03 11:13:32	82.91	55dB	6.9	592%	Day
527	2025-04-03 11:17:51	80.69	55dB	5.9	493%	Day
528	2025-04-03 11:19:39	79.02	55dB	5.3	429%	Day
529	2025-04-03 11:21:14	70.01	55dB	2.8	183%	Day
530	2025-04-03 11:23:43	88.71	55dB	10.3	935%	Day
531	2025-04-03 11:25:26	74.96	55dB	4.0	299%	Day
532	2025-04-03 11:27:04	70.89	55dB	3.0	201%	Day
533	2025-04-03 11:28:56	76.11	55dB	4.3	332%	Day
534	2025-04-03 11:33:52	84.58	55dB	7.8	677%	Day
535	2025-04-03 11:36:24	73.58	55dB	3.6	263%	Day
536	2025-04-03 11:38:24	72.67	55dB	3.4	240%	Day
537	2025-04-03 11:44:15	72.47	55dB	3.4	236%	Day
538	2025-04-03 11:46:49	80.58	55dB	5.9	489%	Day
539	2025-04-03 11:49:01	79.15	55dB	5.3	433%	Day
540	2025-04-03 11:50:52	90.77	55dB	11.9	1093%	Day
541	2025-04-03 11:53:11	71.40	55dB	3.1	212%	Day
542	2025-04-03 11:55:53	84.07	55dB	7.5	650%	Day
543	2025-04-03 12:08:56	85.04	55dB	8.0	702%	Day
544	2025-04-03 12:10:33	80.22	55dB	5.7	474%	Day
545	2025-04-03 12:12:40	84.02	55dB	7.5	647%	Day
546	2025-04-03 12:16:42	90.14	55dB	11.4	1042%	Day
547	2025-04-03 12:18:31	81.02	55dB	6.1	507%	Day
548	2025-04-03 12:20:09	86.34	55dB	8.8	778%	Day
549	2025-04-03 12:22:08	81.18	55dB	6.1	514%	Day
550	2025-04-03 12:24:12	80.81	55dB	6.0	498%	Day
551	2025-04-03 12:25:58	84.94	55dB	8.0	697%	Day
552	2025-04-03 12:28:44	88.73	55dB	10.4	936%	Day
553	2025-04-03 12:32:36	71.67	55dB	3.2	218%	Day
554	2025-04-03 12:34:38	82.60	55dB	6.8	577%	Day
555	2025-04-03 12:36:05	83.05	55dB	7.0	599%	Day
556	2025-04-03 12:38:01	82.02	55dB	6.5	551%	Day
557	2025-04-03 12:39:58	83.94	55dB	7.4	643%	Day
558	2025-04-03 12:41:36	81.52	55dB	6.3	529%	Day
559	2025-04-03 12:43:41	82.60	55dB	6.8	577%	Day
560	2025-04-03 12:45:02	76.55	55dB	4.5	345%	Day
561	2025-04-03 12:46:30	77.70	55dB	4.8	382%	Day
562	2025-04-03 12:47:52	81.86	55dB	6.4	544%	Day
563	2025-04-03 12:49:23	73.51	55dB	3.6	261%	Day
564	2025-04-03 12:54:54	87.46	55dB	9.5	849%	Day
565	2025-04-03 12:57:11	77.35	55dB	4.7	371%	Day
566	2025-04-03 13:01:09	80.24	55dB	5.8	475%	Day

567	2025-04-03 13:04:08	87.19	55dB	9.3	831%	Day
568	2025-04-03 13:06:46	87.47	55dB	9.5	849%	Day
569	2025-04-03 13:10:50	83.11	55dB	7.0	602%	Day
570	2025-04-03 13:13:01	85.72	55dB	8.4	741%	Day
571	2025-04-03 13:16:02	83.00	55dB	7.0	596%	Day
572	2025-04-03 13:20:38	74.72	55dB	3.9	292%	Day
573	2025-04-03 13:22:16	75.51	55dB	4.1	314%	Day
574	2025-04-03 13:23:46	N/A	55dB	N/A	N/A	Day
575	2025-04-03 13:25:21	86.10	55dB	8.6	763%	Day
576	2025-04-03 13:27:11	66.90	55dB	2.3	128%	Day
577	2025-04-03 13:29:21	75.53	55dB	4.1	315%	Day
578	2025-04-03 13:30:58	84.61	55dB	7.8	679%	Day
579	2025-04-03 13:32:30	88.64	55dB	10.3	930%	Day
580	2025-04-03 13:34:00	91.62	55dB	12.7	1166%	Day
581	2025-04-03 13:35:22	91.62	55dB	12.7	1166%	Day
582	2025-04-03 13:41:36	77.27	55dB	4.7	368%	Day
583	2025-04-03 13:43:14	76.97	55dB	4.6	359%	Day
584	2025-04-03 13:44:53	75.24	55dB	4.1	307%	Day
585	2025-04-03 13:47:49	70.57	55dB	2.9	194%	Day
586	2025-04-03 13:49:26	87.13	55dB	9.3	827%	Day
587	2025-04-03 13:51:13	86.17	55dB	8.7	768%	Day
588	2025-04-03 13:52:50	86.47	55dB	8.9	786%	Day
589	2025-04-03 13:54:40	90.10	55dB	11.4	1039%	Day
590	2025-04-03 13:56:54	82.11	55dB	6.5	555%	Day
591	2025-04-03 13:58:48	80.87	55dB	6.0	501%	Day
592	2025-04-03 14:00:25	85.49	55dB	8.3	728%	Day
593	2025-04-03 14:02:14	72.42	55dB	3.3	234%	Day
594	2025-04-03 14:04:25	75.23	55dB	4.1	306%	Day
595	2025-04-03 14:12:08	82.30	55dB	6.6	563%	Day
596	2025-04-03 14:13:51	71.20	55dB	3.1	207%	Day
597	2025-04-03 14:15:14	86.09	55dB	8.6	763%	Day
598	2025-04-03 14:16:48	70.74	55dB	3.0	198%	Day
599	2025-04-03 14:18:25	N/A	55dB	N/A	N/A	Day
600	2025-04-03 14:21:23	77.79	55dB	4.9	385%	Day
601	2025-04-03 14:22:49	83.67	55dB	7.3	630%	Day
602	2025-04-03 14:24:24	86.43	55dB	8.8	783%	Day
603	2025-04-03 14:25:37	78.70	55dB	5.2	417%	Day
604	2025-04-03 14:30:24	77.65	55dB	4.8	381%	Day
605	2025-04-03 14:33:49	74.79	55dB	3.9	294%	Day
606	2025-04-03 14:35:13	70.75	55dB	3.0	198%	Day
607	2025-04-03 14:36:26	72.97	55dB	3.5	247%	Day
608	2025-04-03 14:39:33	82.37	55dB	6.7	567%	Day
609	2025-04-03 14:41:39	75.84	55dB	4.2	324%	Day
610	2025-04-03 14:43:35	88.08	55dB	9.9	890%	Day

611	2025-04-03 14:44:55	83.79	55dB	7.4	636%	Day
612	2025-04-03 14:46:34	79.42	55dB	5.4	443%	Day
613	2025-04-03 14:47:45	68.65	55dB	2.6	158%	Day
614	2025-04-03 14:48:56	74.40	55dB	3.8	284%	Day
615	2025-04-03 14:50:43	82.90	55dB	6.9	592%	Day
616	2025-04-03 14:57:13	72.25	55dB	3.3	231%	Day
617	2025-04-03 15:00:34	77.86	55dB	4.9	388%	Day
618	2025-04-03 15:02:45	70.20	55dB	2.9	187%	Day
619	2025-04-03 15:03:56	78.10	55dB	5.0	396%	Day
620	2025-04-03 15:06:39	76.68	55dB	4.5	349%	Day
621	2025-04-03 15:08:19	80.80	55dB	6.0	498%	Day
622	2025-04-03 15:14:21	82.21	55dB	6.6	559%	Day
623	2025-04-03 15:16:25	82.18	55dB	6.6	558%	Day
624	2025-04-03 15:18:15	N/A	55dB	N/A	N/A	Day
625	2025-04-03 15:20:23	67.50	55dB	2.4	138%	Day
626	2025-04-03 15:22:07	71.56	55dB	3.2	215%	Day
627	2025-04-03 15:23:56	86.03	55dB	8.6	759%	Day
628	2025-04-03 15:26:25	78.81	55dB	5.2	421%	Day
629	2025-04-03 15:27:37	84.76	55dB	7.9	687%	Day
630	2025-04-03 15:29:06	84.65	55dB	7.8	681%	Day
631	2025-04-03 15:30:47	69.91	55dB	2.8	181%	Day
632	2025-04-03 15:32:46	79.26	55dB	5.4	437%	Day
633	2025-04-03 15:34:41	78.05	55dB	4.9	394%	Day
634	2025-04-03 15:37:01	76.78	55dB	4.5	353%	Day
635	2025-04-03 15:38:17	70.98	55dB	3.0	203%	Day
636	2025-04-03 15:42:06	N/A	55dB	N/A	N/A	Day
637	2025-04-03 15:46:28	N/A	55dB	N/A	N/A	Day
638	2025-04-03 15:49:41	72.33	55dB	3.3	232%	Day
639	2025-04-03 15:51:04	83.38	55dB	7.2	615%	Day
640	2025-04-03 15:53:16	70.06	55dB	2.8	184%	Day
641	2025-04-03 15:55:49	81.87	55dB	6.4	544%	Day
642	2025-04-03 15:58:11	79.43	55dB	5.4	444%	Day
643	2025-04-03 16:00:10	78.25	55dB	5.0	401%	Day
644	2025-04-03 16:02:04	87.11	55dB	9.3	826%	Day
645	2025-04-03 16:03:45	86.46	55dB	8.9	785%	Day
646	2025-04-03 16:05:06	85.80	55dB	8.5	746%	Day
647	2025-04-03 16:07:55	89.53	55dB	11.0	995%	Day
648	2025-04-03 16:11:51	N/A	55dB	N/A	N/A	Day
649	2025-04-03 16:18:09	70.50	55dB	2.9	193%	Day
650	2025-04-03 16:19:39	87.42	55dB	9.5	846%	Day
651	2025-04-03 16:22:55	85.42	55dB	8.2	724%	Day
652	2025-04-03 16:25:00	66.52	55dB	2.2	122%	Day
653	2025-04-03 16:27:00	76.96	55dB	4.6	358%	Day
654	2025-04-03 16:29:30	82.29	55dB	6.6	563%	Day

655	2025-04-03 16:32:36	76.47	55dB	4.4	343%	Day
656	2025-04-03 16:38:54	86.48	55dB	8.9	786%	Day
657	2025-04-03 16:40:44	89.80	55dB	11.2	1016%	Day
658	2025-04-03 16:43:48	86.16	55dB	8.7	767%	Day
659	2025-04-03 16:45:19	80.20	55dB	5.7	474%	Day
660	2025-04-03 16:49:43	69.99	55dB	2.8	183%	Day
661	2025-04-03 16:51:30	80.70	55dB	5.9	494%	Day
662	2025-04-03 16:53:09	68.60	55dB	2.6	157%	Day
663	2025-04-03 16:54:42	N/A	55dB	N/A	N/A	Day
664	2025-04-03 16:56:10	85.75	55dB	8.4	743%	Day
665	2025-04-03 16:57:47	87.94	55dB	9.8	881%	Day
666	2025-04-03 16:59:00	83.15	55dB	7.0	604%	Day
667	2025-04-03 17:00:31	76.93	55dB	4.6	357%	Day
668	2025-04-03 17:01:32	75.91	55dB	4.3	326%	Day
669	2025-04-03 17:02:53	N/A	55dB	N/A	N/A	Day
670	2025-04-03 17:04:46	69.57	55dB	2.7	175%	Day
671	2025-04-03 17:07:09	72.74	55dB	3.4	242%	Day
672	2025-04-03 17:08:33	69.89	55dB	2.8	181%	Day
673	2025-04-03 17:09:57	74.15	55dB	3.8	277%	Day
674	2025-04-03 17:11:21	68.80	55dB	2.6	160%	Day
675	2025-04-03 17:18:08	81.97	55dB	6.5	548%	Day
676	2025-04-03 17:21:10	80.14	55dB	5.7	471%	Day
677	2025-04-03 17:23:56	81.77	55dB	6.4	540%	Day
678	2025-04-03 17:25:26	74.66	55dB	3.9	291%	Day
679	2025-04-03 17:26:43	87.27	55dB	9.4	836%	Day
680	2025-04-03 17:28:57	84.44	55dB	7.7	670%	Day
681	2025-04-03 17:30:51	78.29	55dB	5.0	402%	Day
682	2025-04-03 17:32:14	71.39	55dB	3.1	211%	Day
683	2025-04-03 17:33:45	71.15	55dB	3.1	206%	Day
684	2025-04-03 17:35:09	69.75	55dB	2.8	178%	Day
685	2025-04-03 17:36:46	70.06	55dB	2.8	184%	Day
686	2025-04-03 17:38:03	82.66	55dB	6.8	580%	Day
687	2025-04-03 17:39:20	79.95	55dB	5.6	464%	Day
688	2025-04-03 17:40:45	83.94	55dB	7.4	643%	Day
689	2025-04-03 17:42:11	78.35	55dB	5.0	405%	Day
690	2025-04-03 17:44:13	81.59	55dB	6.3	532%	Day
691	2025-04-03 17:45:57	N/A	55dB	N/A	N/A	Day
692	2025-04-03 17:48:47	N/A	55dB	N/A	N/A	Day
693	2025-04-03 17:51:03	73.90	55dB	3.7	271%	Day
694	2025-04-03 17:52:35	79.07	55dB	5.3	430%	Day
695	2025-04-03 18:00:17	N/A	55dB	N/A	N/A	Day
696	2025-04-03 18:02:12	75.23	55dB	4.1	306%	Day
697	2025-04-03 18:04:20	N/A	55dB	N/A	N/A	Day
698	2025-04-03 18:06:21	N/A	55dB	N/A	N/A	Day

699	2025-04-03 18:08:29	N/A	55dB	N/A	N/A	Day
700	2025-04-03 18:11:25	73.92	55dB	3.7	271%	Day
701	2025-04-03 18:13:32	76.44	55dB	4.4	342%	Day
702	2025-04-03 18:15:19	74.31	55dB	3.8	281%	Day
703	2025-04-03 18:16:37	86.34	55dB	8.8	778%	Day
704	2025-04-03 18:17:51	82.85	55dB	6.9	589%	Day
705	2025-04-03 18:19:22	72.26	55dB	3.3	231%	Day
706	2025-04-03 18:20:36	73.65	55dB	3.6	264%	Day
707	2025-04-03 18:21:57	67.04	55dB	2.3	130%	Day
708	2025-04-03 18:23:15	70.94	55dB	3.0	202%	Day
709	2025-04-03 18:24:36	76.83	55dB	4.5	354%	Day
710	2025-04-03 18:25:55	76.08	55dB	4.3	331%	Day
711	2025-04-03 18:27:32	81.25	55dB	6.2	517%	Day
712	2025-04-03 18:28:45	76.68	55dB	4.5	349%	Day
713	2025-04-03 18:30:07	N/A	55dB	N/A	N/A	Day
714	2025-04-03 18:31:25	N/A	55dB	N/A	N/A	Day
715	2025-04-03 18:32:49	70.40	55dB	2.9	191%	Day
716	2025-04-03 18:34:15	71.53	55dB	3.1	214%	Day
717	2025-04-03 18:36:09	71.99	55dB	3.2	225%	Day
718	2025-04-03 18:38:15	70.01	55dB	2.8	183%	Day
719	2025-04-03 18:39:47	69.88	55dB	2.8	180%	Day
720	2025-04-03 18:43:26	78.63	55dB	5.1	414%	Day
721	2025-04-03 18:45:44	79.20	55dB	5.4	435%	Day
722	2025-04-03 18:48:09	76.06	55dB	4.3	330%	Day
723	2025-04-03 18:49:22	76.72	55dB	4.5	351%	Day
724	2025-04-03 18:51:40	74.79	55dB	3.9	294%	Day
725	2025-04-03 18:52:57	82.45	55dB	6.7	570%	Day
726	2025-04-03 18:54:08	65.97	55dB	2.1	114%	Day
727	2025-04-03 18:55:32	79.55	55dB	5.5	448%	Day
728	2025-04-03 18:56:46	73.91	55dB	3.7	271%	Day
729	2025-04-03 18:58:40	83.83	55dB	7.4	638%	Day
730	2025-04-03 19:00:54	77.77	55dB	4.8	385%	Day
731	2025-04-03 19:02:55	74.77	55dB	3.9	294%	Day
732	2025-04-03 19:05:18	77.27	55dB	4.7	368%	Day
733	2025-04-03 19:07:18	N/A	55dB	N/A	N/A	Day
734	2025-04-03 19:11:42	78.09	55dB	5.0	396%	Day
735	2025-04-03 19:14:58	82.99	55dB	7.0	596%	Day
736	2025-04-03 19:17:21	76.49	55dB	4.4	344%	Day
737	2025-04-03 19:19:25	74.26	55dB	3.8	280%	Day
738	2025-04-03 19:22:02	77.89	55dB	4.9	389%	Day
739	2025-04-03 19:24:16	69.66	55dB	2.8	176%	Day
740	2025-04-03 19:26:51	69.21	55dB	2.7	168%	Day
741	2025-04-03 19:28:52	71.35	55dB	3.1	211%	Day
742	2025-04-03 19:30:46	73.70	55dB	3.7	266%	Day

743	2025-04-03 19:32:55	75.64	55dB	4.2	318%	Day
744	2025-04-03 19:35:09	74.15	55dB	3.8	277%	Day
745	2025-04-03 19:37:00	82.03	55dB	6.5	551%	Day
746	2025-04-03 19:38:52	73.94	55dB	3.7	272%	Day
747	2025-04-03 19:40:47	74.80	55dB	3.9	294%	Day
748	2025-04-03 19:43:16	76.95	55dB	4.6	358%	Day
749	2025-04-03 19:45:21	72.13	55dB	3.3	228%	Day
750	2025-04-03 19:48:28	86.50	55dB	8.9	788%	Day
751	2025-04-03 19:50:38	74.37	55dB	3.8	283%	Day
752	2025-04-03 19:52:49	N/A	55dB	N/A	N/A	Day
753	2025-04-03 19:56:27	75.43	55dB	4.1	312%	Day
754	2025-04-03 19:58:37	74.75	55dB	3.9	293%	Day
755	2025-04-03 20:00:10	71.22	55dB	3.1	208%	Day
756	2025-04-03 20:02:16	70.62	55dB	3.0	195%	Day
757	2025-04-03 20:04:13	N/A	55dB	N/A	N/A	Day
758	2025-04-03 20:05:34	82.22	55dB	6.6	560%	Day
759	2025-04-03 20:06:54	75.46	55dB	4.1	313%	Day
760	2025-04-03 20:09:06	73.04	55dB	3.5	249%	Day
761	2025-04-03 20:10:52	73.42	55dB	3.6	259%	Day
762	2025-04-03 20:16:53	69.83	55dB	2.8	180%	Day
763	2025-04-03 20:20:01	70.79	55dB	3.0	199%	Day
764	2025-04-03 20:22:58	N/A	55dB	N/A	N/A	Day
765	2025-04-03 20:24:25	69.42	55dB	2.7	172%	Day
766	2025-04-03 20:25:39	70.63	55dB	3.0	195%	Day
767	2025-04-03 20:26:58	N/A	55dB	N/A	N/A	Day
768	2025-04-03 20:28:23	74.13	55dB	3.8	277%	Day
769	2025-04-03 20:29:40	65.61	55dB	2.1	109%	Day
770	2025-04-03 20:31:33	N/A	55dB	N/A	N/A	Day
771	2025-04-03 20:32:42	73.22	55dB	3.5	254%	Day
772	2025-04-03 20:34:01	69.93	55dB	2.8	181%	Day
773	2025-04-03 20:35:30	67.64	55dB	2.4	140%	Day
774	2025-04-03 20:37:04	78.78	55dB	5.2	420%	Day
775	2025-04-03 20:38:56	70.90	55dB	3.0	201%	Day
776	2025-04-03 20:40:30	74.07	55dB	3.8	275%	Day
777	2025-04-03 20:42:26	65.99	55dB	2.1	114%	Day
778	2025-04-03 20:44:13	73.80	55dB	3.7	268%	Day
779	2025-04-03 20:47:47	N/A	55dB	N/A	N/A	Day
780	2025-04-03 20:49:17	73.99	55dB	3.7	273%	Day
781	2025-04-03 20:50:56	69.82	55dB	2.8	179%	Day
782	2025-04-03 20:52:02	70.57	55dB	2.9	194%	Day
783	2025-04-03 20:53:30	71.00	55dB	3.0	203%	Day
784	2025-04-03 20:54:51	72.57	55dB	3.4	238%	Day
785	2025-04-03 20:56:05	68.83	55dB	2.6	161%	Day
786	2025-04-03 20:58:08	66.97	55dB	2.3	129%	Day

787	2025-04-03 21:01:11	N/A	55dB	N/A	N/A	Day
788	2025-04-03 21:04:10	73.51	55dB	3.6	261%	Day
789	2025-04-03 21:05:29	65.85	55dB	2.1	112%	Day
790	2025-04-03 21:07:06	74.57	55dB	3.9	288%	Day
791	2025-04-03 21:09:01	71.50	55dB	3.1	214%	Day
792	2025-04-03 21:10:24	68.67	55dB	2.6	158%	Day
793	2025-04-03 21:11:35	69.68	55dB	2.8	177%	Day
794	2025-04-03 21:12:55	79.91	55dB	5.6	462%	Day
795	2025-04-03 21:14:24	70.75	55dB	3.0	198%	Day
796	2025-04-03 21:17:19	69.30	55dB	2.7	169%	Day
797	2025-04-03 21:19:20	72.18	55dB	3.3	229%	Day
798	2025-04-03 21:21:11	69.52	55dB	2.7	174%	Day
799	2025-04-03 21:22:31	70.70	55dB	3.0	197%	Day
800	2025-04-03 21:23:55	67.38	55dB	2.4	136%	Day
801	2025-04-03 21:25:16	66.94	55dB	2.3	129%	Day
802	2025-04-03 21:26:31	N/A	55dB	N/A	N/A	Day
803	2025-04-03 21:28:22	69.26	55dB	2.7	169%	Day
804	2025-04-03 21:30:03	72.93	55dB	3.5	247%	Day
805	2025-04-03 21:31:27	N/A	55dB	N/A	N/A	Day
806	2025-04-03 21:32:44	70.10	55dB	2.8	185%	Day
807	2025-04-03 21:34:02	78.60	55dB	5.1	413%	Day
808	2025-04-03 21:35:38	71.45	55dB	3.1	213%	Day
809	2025-04-03 21:37:25	70.32	55dB	2.9	189%	Day
810	2025-04-03 21:39:16	72.76	55dB	3.4	242%	Day
811	2025-04-03 21:40:50	67.18	55dB	2.3	133%	Day
812	2025-04-03 21:42:39	68.74	55dB	2.6	159%	Day
813	2025-04-03 21:43:54	71.03	55dB	3.0	204%	Day
814	2025-04-03 21:45:51	76.36	55dB	4.4	340%	Day
815	2025-04-03 21:49:56	70.17	55dB	2.9	186%	Day
816	2025-04-03 21:53:56	71.58	55dB	3.2	216%	Day
817	2025-04-03 21:56:44	71.81	55dB	3.2	221%	Day
818	2025-04-03 21:58:05	72.34	55dB	3.3	233%	Day
819	2025-04-03 22:00:37	68.04	55dB	2.5	147%	Day
820	2025-04-03 22:02:48	71.08	55dB	3.0	205%	Day
821	2025-04-03 22:04:20	N/A	55dB	N/A	N/A	Day
822	2025-04-03 22:06:08	71.33	55dB	3.1	210%	Day
823	2025-04-03 22:07:36	74.03	55dB	3.7	274%	Day
824	2025-04-03 22:09:03	N/A	55dB	N/A	N/A	Day
825	2025-04-03 22:12:46	N/A	55dB	N/A	N/A	Day
826	2025-04-03 22:14:20	70.56	55dB	2.9	194%	Day
827	2025-04-03 22:15:56	68.88	55dB	2.6	162%	Day
828	2025-04-03 22:18:41	70.66	55dB	3.0	196%	Day
829	2025-04-03 22:20:09	N/A	55dB	N/A	N/A	Day
830	2025-04-03 22:21:54	67.77	55dB	2.4	142%	Day

831	2025-04-03 22:25:17	69.23	55dB	2.7	168%	Day
832	2025-04-03 22:27:00	N/A	55dB	N/A	N/A	Day
833	2025-04-03 22:28:33	67.43	55dB	2.4	137%	Day
834	2025-04-03 22:30:37	70.46	55dB	2.9	192%	Day
835	2025-04-03 22:34:37	71.57	55dB	3.2	215%	Day
836	2025-04-03 22:36:27	71.71	55dB	3.2	218%	Day
837	2025-04-03 22:38:06	70.11	55dB	2.9	185%	Day
838	2025-04-03 22:44:33	74.20	55dB	3.8	278%	Day
839	2025-04-03 22:59:27	68.03	55dB	2.5	147%	Day
840	2025-04-03 23:04:32	N/A	45dB	N/A	N/A	Night
841	2025-04-03 23:06:19	75.88	45dB	8.5	750%	Night
842	2025-04-03 23:09:39	70.87	45dB	6.0	501%	Night
843	2025-04-03 23:11:27	68.84	45dB	5.2	422%	Night
844	2025-04-03 23:13:11	69.71	45dB	5.5	454%	Night
845	2025-04-03 23:15:04	N/A	45dB	N/A	N/A	Night
846	2025-04-03 23:16:41	N/A	45dB	N/A	N/A	Night
847	2025-04-03 23:18:12	67.41	45dB	4.7	373%	Night
848	2025-04-03 23:19:52	69.67	45dB	5.5	453%	Night
849	2025-04-03 23:21:21	73.98	45dB	7.5	645%	Night
850	2025-04-03 23:24:18	72.97	45dB	6.9	595%	Night
851	2025-04-03 23:26:38	N/A	45dB	N/A	N/A	Night
852	2025-04-03 23:28:22	72.42	45dB	6.7	569%	Night
853	2025-04-03 23:31:17	N/A	45dB	N/A	N/A	Night
854	2025-04-03 23:33:03	N/A	45dB	N/A	N/A	Night
855	2025-04-03 23:36:41	69.19	45dB	5.3	435%	Night
856	2025-04-03 23:42:39	N/A	45dB	N/A	N/A	Night
857	2025-04-03 23:44:17	68.14	45dB	5.0	397%	Night
858	2025-04-03 23:46:26	71.59	45dB	6.3	532%	Night
859	2025-04-03 23:48:21	71.03	45dB	6.1	508%	Night
860	2025-04-03 23:52:00	67.10	45dB	4.6	363%	Night
861	2025-04-03 23:53:56	71.35	45dB	6.2	521%	Night
862	2025-04-03 23:57:30	69.17	45dB	5.3	434%	Night
863	2025-04-04 00:00:21	N/A	45dB	N/A	N/A	Night
864	2025-04-04 00:04:43	74.05	45dB	7.5	649%	Night
865	2025-04-04 00:08:04	72.91	45dB	6.9	592%	Night
866	2025-04-04 00:12:45	93.15	45dB	28.1	2715%	Night
867	2025-04-04 00:16:14	70.61	45dB	5.9	490%	Night
868	2025-04-04 00:24:12	69.99	45dB	5.7	465%	Night
869	2025-04-04 00:30:33	70.10	45dB	5.7	470%	Night
870	2025-04-04 00:32:26	69.32	45dB	5.4	440%	Night
871	2025-04-04 00:36:53	69.22	45dB	5.4	436%	Night
872	2025-04-04 00:49:13	68.85	45dB	5.2	422%	Night
873	2025-04-04 00:51:43	68.19	45dB	5.0	399%	Night
874	2025-04-04 00:55:13	69.35	45dB	5.4	441%	Night

875	2025-04-04 00:56:57	69.43	45dB	5.4	444%	Night
876	2025-04-04 01:01:55	72.09	45dB	6.5	554%	Night
877	2025-04-04 01:09:38	69.61	45dB	5.5	451%	Night
878	2025-04-04 01:13:16	69.83	45dB	5.6	459%	Night
879	2025-04-04 01:18:06	71.63	45dB	6.3	533%	Night
880	2025-04-04 01:44:26	69.82	45dB	5.6	459%	Night
881	2025-04-04 01:48:27	69.76	45dB	5.6	456%	Night
882	2025-04-04 01:53:51	68.66	45dB	5.2	416%	Night
883	2025-04-04 01:56:57	72.27	45dB	6.6	562%	Night
884	2025-04-04 01:59:23	72.24	45dB	6.6	561%	Night
885	2025-04-04 02:02:41	76.67	45dB	9.0	798%	Night
886	2025-04-04 02:16:03	74.62	45dB	7.8	679%	Night
887	2025-04-04 02:52:57	77.83	45dB	9.7	873%	Night
888	2025-04-04 02:56:11	74.78	45dB	7.9	688%	Night
889	2025-04-04 04:25:57	65.78	45dB	4.2	322%	Night
890	2025-04-04 06:31:39	N/A	45dB	N/A	N/A	Night
891	2025-04-04 06:32:51	73.18	45dB	7.1	605%	Night
892	2025-04-04 06:33:54	73.56	45dB	7.2	624%	Night
893	2025-04-04 06:35:00	72.26	45dB	6.6	562%	Night
894	2025-04-04 06:36:02	76.23	45dB	8.7	771%	Night
895	2025-04-04 06:36:54	70.68	45dB	5.9	493%	Night
896	2025-04-04 06:39:28	72.60	45dB	6.8	577%	Night
897	2025-04-04 06:40:31	69.72	45dB	5.5	455%	Night
898	2025-04-04 06:41:46	74.15	45dB	7.5	654%	Night
899	2025-04-04 06:44:20	N/A	45dB	N/A	N/A	Night
900	2025-04-04 06:46:17	71.69	45dB	6.4	536%	Night
901	2025-04-04 06:46:57	70.73	45dB	6.0	495%	Night
902	2025-04-04 06:47:47	74.83	45dB	7.9	691%	Night
903	2025-04-04 06:48:54	74.90	45dB	7.9	694%	Night
904	2025-04-04 06:49:27	67.77	45dB	4.8	385%	Night
905	2025-04-04 06:50:19	81.77	45dB	12.8	1179%	Night
906	2025-04-04 06:51:01	73.68	45dB	7.3	630%	Night
907	2025-04-04 06:52:03	72.57	45dB	6.8	576%	Night
908	2025-04-04 06:52:54	71.60	45dB	6.3	532%	Night
909	2025-04-04 06:54:02	72.62	45dB	6.8	578%	Night
910	2025-04-04 06:55:48	65.33	45dB	4.1	309%	Night
911	2025-04-04 06:56:50	80.20	45dB	11.5	1047%	Night
912	2025-04-04 06:57:32	68.48	45dB	5.1	409%	Night
913	2025-04-04 06:58:35	68.76	45dB	5.2	419%	Night
914	2025-04-04 06:59:52	73.25	45dB	7.1	609%	Night
915	2025-04-04 07:01:44	71.50	55dB	3.1	214%	Day
916	2025-04-04 07:02:55	71.85	55dB	3.2	222%	Day
917	2025-04-04 07:03:52	74.27	55dB	3.8	280%	Day
918	2025-04-04 07:06:18	N/A	55dB	N/A	N/A	Day

919	2025-04-04 07:07:41	75.09	55dB	4.0	303%	Day
920	2025-04-04 07:13:18	69.47	55dB	2.7	173%	Day
921	2025-04-04 07:15:04	N/A	55dB	N/A	N/A	Day
922	2025-04-04 07:16:27	67.23	55dB	2.3	133%	Day
923	2025-04-04 07:17:41	71.10	55dB	3.1	205%	Day
924	2025-04-04 07:18:42	71.76	55dB	3.2	220%	Day
925	2025-04-04 07:26:57	N/A	55dB	N/A	N/A	Day
926	2025-04-04 07:28:00	74.51	55dB	3.9	287%	Day
927	2025-04-04 07:28:49	69.17	55dB	2.7	167%	Day
928	2025-04-04 07:29:54	68.25	55dB	2.5	151%	Day
929	2025-04-04 07:32:03	68.15	55dB	2.5	149%	Day
930	2025-04-04 07:33:25	72.17	55dB	3.3	229%	Day
931	2025-04-04 07:34:34	75.52	55dB	4.1	315%	Day
932	2025-04-04 07:35:16	69.18	55dB	2.7	167%	Day
933	2025-04-04 07:36:33	72.78	55dB	3.4	243%	Day
934	2025-04-04 07:37:52	74.35	55dB	3.8	282%	Day
935	2025-04-04 07:38:37	N/A	55dB	N/A	N/A	Day
936	2025-04-04 07:39:57	N/A	55dB	N/A	N/A	Day
937	2025-04-04 07:41:02	74.32	55dB	3.8	282%	Day
938	2025-04-04 07:41:56	68.88	55dB	2.6	162%	Day
939	2025-04-04 07:42:54	72.13	55dB	3.3	228%	Day
940	2025-04-04 07:43:57	N/A	55dB	N/A	N/A	Day
941	2025-04-04 07:45:50	68.86	55dB	2.6	161%	Day
942	2025-04-04 07:46:56	75.33	55dB	4.1	309%	Day
943	2025-04-04 07:47:43	79.21	55dB	5.4	436%	Day
944	2025-04-04 07:48:28	76.31	55dB	4.4	338%	Day
945	2025-04-04 07:49:55	69.18	55dB	2.7	167%	Day
946	2025-04-04 07:52:20	73.73	55dB	3.7	266%	Day
947	2025-04-04 07:52:53	69.37	55dB	2.7	171%	Day
948	2025-04-04 07:54:19	75.99	55dB	4.3	328%	Day
949	2025-04-04 07:57:56	72.86	55dB	3.4	245%	Day
950	2025-04-04 08:04:44	N/A	55dB	N/A	N/A	Day
951	2025-04-04 08:05:41	67.90	55dB	2.4	145%	Day
952	2025-04-04 08:08:21	71.37	55dB	3.1	211%	Day
953	2025-04-04 08:09:52	73.82	55dB	3.7	269%	Day
954	2025-04-04 08:14:07	74.98	55dB	4.0	299%	Day
955	2025-04-04 08:14:58	69.83	55dB	2.8	180%	Day
956	2025-04-04 08:16:56	67.88	55dB	2.4	144%	Day
957	2025-04-04 08:18:55	81.83	55dB	6.4	542%	Day
958	2025-04-04 08:19:46	74.85	55dB	4.0	296%	Day
959	2025-04-04 08:20:34	73.08	55dB	3.5	250%	Day
960	2025-04-04 08:21:19	74.25	55dB	3.8	280%	Day
961	2025-04-04 08:22:11	78.09	55dB	5.0	396%	Day
962	2025-04-04 08:22:51	74.63	55dB	3.9	290%	Day

963	2025-04-04 08:23:43	77.51	55dB	4.8	376%	Day
964	2025-04-04 08:24:35	74.12	55dB	3.8	276%	Day
965	2025-04-04 08:25:26	69.62	55dB	2.8	175%	Day
966	2025-04-04 08:27:22	73.10	55dB	3.5	251%	Day
967	2025-04-04 08:28:17	74.19	55dB	3.8	278%	Day
968	2025-04-04 08:28:53	75.84	55dB	4.2	324%	Day
969	2025-04-04 08:29:39	78.03	55dB	4.9	393%	Day
970	2025-04-04 08:30:22	75.90	55dB	4.3	326%	Day
971	2025-04-04 08:31:20	82.01	55dB	6.5	550%	Day
972	2025-04-04 08:32:05	75.78	55dB	4.2	322%	Day
973	2025-04-04 08:32:55	N/A	55dB	N/A	N/A	Day
974	2025-04-04 08:33:47	80.18	55dB	5.7	473%	Day
975	2025-04-04 08:34:43	75.27	55dB	4.1	308%	Day
976	2025-04-04 08:35:33	66.30	55dB	2.2	119%	Day
977	2025-04-04 08:37:33	68.72	55dB	2.6	159%	Day
978	2025-04-04 08:38:34	72.42	55dB	3.3	234%	Day
979	2025-04-04 08:40:22	68.42	55dB	2.5	154%	Day
980	2025-04-04 08:41:19	79.70	55dB	5.5	454%	Day
981	2025-04-04 08:42:09	73.90	55dB	3.7	271%	Day
982	2025-04-04 08:43:13	71.27	55dB	3.1	209%	Day
983	2025-04-04 08:44:40	72.58	55dB	3.4	238%	Day
984	2025-04-04 08:45:39	71.27	55dB	3.1	209%	Day
985	2025-04-04 08:47:18	N/A	55dB	N/A	N/A	Day
986	2025-04-04 08:48:17	71.62	55dB	3.2	216%	Day
987	2025-04-04 08:49:12	68.75	55dB	2.6	159%	Day
988	2025-04-04 08:50:12	N/A	55dB	N/A	N/A	Day
989	2025-04-04 08:51:16	N/A	55dB	N/A	N/A	Day
990	2025-04-04 08:52:56	N/A	55dB	N/A	N/A	Day
991	2025-04-04 08:54:25	68.53	55dB	2.6	155%	Day
992	2025-04-04 08:55:47	71.87	55dB	3.2	222%	Day
993	2025-04-04 08:58:08	72.82	55dB	3.4	244%	Day
994	2025-04-04 08:59:08	N/A	55dB	N/A	N/A	Day
995	2025-04-04 09:00:26	70.25	55dB	2.9	188%	Day
996	2025-04-04 09:06:22	72.55	55dB	3.4	238%	Day
997	2025-04-04 09:08:17	73.20	55dB	3.5	253%	Day
998	2025-04-04 09:10:08	69.98	55dB	2.8	182%	Day
999	2025-04-04 09:12:01	74.03	55dB	3.7	274%	Day
1000	2025-04-04 09:14:58	73.80	55dB	3.7	268%	Day
1001	2025-04-04 09:16:24	72.40	55dB	3.3	234%	Day
1002	2025-04-04 09:19:13	75.83	55dB	4.2	324%	Day
1003	2025-04-04 09:20:08	72.76	55dB	3.4	242%	Day
1004	2025-04-04 09:21:06	73.27	55dB	3.5	255%	Day
1005	2025-04-04 09:23:51	N/A	55dB	N/A	N/A	Day
1006	2025-04-04 09:24:53	N/A	55dB	N/A	N/A	Day

1007	2025-04-04 09:27:25	73.93	55dB	3.7	271%	Day
1008	2025-04-04 09:28:24	77.28	55dB	4.7	368%	Day
1009	2025-04-04 09:29:17	74.77	55dB	3.9	294%	Day
1010	2025-04-04 09:30:01	70.06	55dB	2.8	184%	Day
1011	2025-04-04 09:31:06	74.07	55dB	3.8	275%	Day
1012	2025-04-04 09:32:28	N/A	55dB	N/A	N/A	Day
1013	2025-04-04 09:33:25	N/A	55dB	N/A	N/A	Day
1014	2025-04-04 09:34:23	68.76	55dB	2.6	160%	Day
1015	2025-04-04 09:35:20	72.36	55dB	3.3	233%	Day
1016	2025-04-04 09:36:41	75.47	55dB	4.1	313%	Day
1017	2025-04-04 09:39:20	N/A	55dB	N/A	N/A	Day
1018	2025-04-04 09:42:03	67.83	55dB	2.4	143%	Day
1019	2025-04-04 09:43:32	76.54	55dB	4.5	345%	Day
1020	2025-04-04 09:44:15	73.30	55dB	3.6	256%	Day
1021	2025-04-04 09:45:16	69.81	55dB	2.8	179%	Day
1022	2025-04-04 09:46:15	69.91	55dB	2.8	181%	Day
1023	2025-04-04 09:47:49	68.02	55dB	2.5	147%	Day
1024	2025-04-04 11:11:11	68.90	55dB	2.6	162%	Day
1025	2025-04-04 11:47:46	N/A	55dB	N/A	N/A	Day
1026	2025-04-04 12:36:58	N/A	55dB	N/A	N/A	Day
1027	2025-04-04 12:51:45	76.98	55dB	4.6	359%	Day
1028	2025-04-04 13:02:36	N/A	55dB	N/A	N/A	Day
1029	2025-04-04 13:24:15	N/A	55dB	N/A	N/A	Day
1030	2025-04-04 13:38:24	76.70	55dB	4.5	350%	Day
1031	2025-04-04 17:21:11	74.23	55dB	3.8	279%	Day
1032	2025-04-04 18:20:56	66.49	55dB	2.2	122%	Day
1033	2025-04-04 19:31:56	68.30	55dB	2.5	151%	Day
1034	2025-04-04 19:33:45	75.01	55dB	4.0	300%	Day
1035	2025-04-04 20:55:16	75.10	55dB	4.0	303%	Day
1036	2025-04-05 00:21:30	N/A	45dB	N/A	N/A	Night
1037	2025-04-05 07:14:13	N/A	55dB	N/A	N/A	Day
1038	2025-04-05 07:58:43	72.71	55dB	3.4	241%	Day
1039	2025-04-05 08:07:26	73.59	55dB	3.6	263%	Day
1040	2025-04-05 08:08:43	N/A	55dB	N/A	N/A	Day
1041	2025-04-05 08:13:47	N/A	55dB	N/A	N/A	Day
1042	2025-04-05 08:15:59	68.28	55dB	2.5	151%	Day
1043	2025-04-05 08:20:07	68.33	55dB	2.5	152%	Day
1044	2025-04-05 08:21:13	71.61	55dB	3.2	216%	Day
1045	2025-04-05 08:22:10	N/A	55dB	N/A	N/A	Day
1046	2025-04-05 08:23:17	67.48	55dB	2.4	138%	Day
1047	2025-04-05 08:24:22	68.76	55dB	2.6	160%	Day
1048	2025-04-05 08:25:27	74.38	55dB	3.8	283%	Day
1049	2025-04-05 08:26:42	69.60	55dB	2.8	175%	Day
1050	2025-04-05 08:29:14	74.66	55dB	3.9	291%	Day

1051	2025-04-05 08:30:24	N/A	55dB	N/A	N/A	Day
1052	2025-04-05 08:31:37	74.76	55dB	3.9	293%	Day
1053	2025-04-05 08:33:37	73.08	55dB	3.5	250%	Day
1054	2025-04-05 08:35:49	71.61	55dB	3.2	216%	Day
1055	2025-04-05 08:37:08	69.79	55dB	2.8	179%	Day
1056	2025-04-05 08:39:50	74.54	55dB	3.9	287%	Day
1057	2025-04-05 08:40:49	65.86	55dB	2.1	112%	Day
1058	2025-04-05 08:42:41	73.51	55dB	3.6	261%	Day
1059	2025-04-05 08:43:56	74.52	55dB	3.9	287%	Day
1060	2025-04-05 08:46:39	N/A	55dB	N/A	N/A	Day
1061	2025-04-05 08:47:47	70.56	55dB	2.9	194%	Day
1062	2025-04-05 08:49:06	70.28	55dB	2.9	188%	Day
1063	2025-04-05 08:52:27	77.63	55dB	4.8	380%	Day
1064	2025-04-05 08:53:34	76.07	55dB	4.3	331%	Day
1065	2025-04-05 08:54:48	73.57	55dB	3.6	262%	Day
1066	2025-04-05 08:56:09	70.91	55dB	3.0	201%	Day
1067	2025-04-05 10:21:30	69.16	55dB	2.7	167%	Day
1068	2025-04-05 11:41:08	71.01	55dB	3.0	203%	Day
1069	2025-04-05 11:43:47	68.95	55dB	2.6	163%	Day
1070	2025-04-05 11:45:14	74.39	55dB	3.8	283%	Day
1071	2025-04-05 11:48:06	70.75	55dB	3.0	198%	Day
1072	2025-04-05 11:49:45	N/A	55dB	N/A	N/A	Day
1073	2025-04-05 11:51:16	71.19	55dB	3.1	207%	Day
1074	2025-04-05 11:53:11	72.99	55dB	3.5	248%	Day
1075	2025-04-05 11:54:49	N/A	55dB	N/A	N/A	Day
1076	2025-04-05 11:56:13	70.91	55dB	3.0	201%	Day
1077	2025-04-05 11:57:44	71.71	55dB	3.2	218%	Day
1078	2025-04-05 11:59:07	73.48	55dB	3.6	260%	Day
1079	2025-04-05 12:00:22	N/A	55dB	N/A	N/A	Day
1080	2025-04-05 12:02:58	73.12	55dB	3.5	251%	Day
1081	2025-04-05 12:04:39	70.91	55dB	3.0	201%	Day
1082	2025-04-05 12:08:09	68.55	55dB	2.6	156%	Day
1083	2025-04-05 12:10:24	73.06	55dB	3.5	250%	Day
1084	2025-04-05 12:11:55	N/A	55dB	N/A	N/A	Day
1085	2025-04-05 12:13:12	70.36	55dB	2.9	190%	Day
1086	2025-04-05 12:14:32	71.01	55dB	3.0	203%	Day
1087	2025-04-05 12:16:06	68.70	55dB	2.6	158%	Day
1088	2025-04-05 12:17:43	70.04	55dB	2.8	184%	Day
1089	2025-04-05 12:24:26	68.69	55dB	2.6	158%	Day
1090	2025-04-05 12:28:52	72.44	55dB	3.3	235%	Day
1091	2025-04-05 12:31:11	70.79	55dB	3.0	199%	Day
1092	2025-04-05 12:32:49	71.67	55dB	3.2	218%	Day
1093	2025-04-05 12:36:26	72.21	55dB	3.3	230%	Day
1094	2025-04-05 12:38:36	N/A	55dB	N/A	N/A	Day

1095	2025-04-05 12:40:32	70.58	55dB	2.9	194%	Day
1096	2025-04-05 12:52:17	70.57	55dB	2.9	194%	Day
1097	2025-04-05 12:53:45	N/A	55dB	N/A	N/A	Day
1098	2025-04-05 12:55:24	68.94	55dB	2.6	163%	Day
1099	2025-04-05 12:57:01	70.88	55dB	3.0	201%	Day
1100	2025-04-05 12:59:02	N/A	55dB	N/A	N/A	Day
1101	2025-04-05 13:01:39	N/A	55dB	N/A	N/A	Day
1102	2025-04-05 13:14:35	N/A	55dB	N/A	N/A	Day
1103	2025-04-05 13:16:46	81.18	55dB	6.1	514%	Day
1104	2025-04-05 13:19:20	70.41	55dB	2.9	191%	Day
1105	2025-04-05 13:21:13	73.91	55dB	3.7	271%	Day
1106	2025-04-05 13:23:03	74.41	55dB	3.8	284%	Day
1107	2025-04-05 13:26:02	67.64	55dB	2.4	140%	Day
1108	2025-04-05 13:28:14	72.44	55dB	3.3	235%	Day
1109	2025-04-05 13:36:53	72.86	55dB	3.4	245%	Day
1110	2025-04-05 13:38:39	73.66	55dB	3.6	265%	Day
1111	2025-04-05 13:40:26	78.06	55dB	4.9	395%	Day
1112	2025-04-05 13:42:34	79.01	55dB	5.3	428%	Day
1113	2025-04-05 13:44:03	N/A	55dB	N/A	N/A	Day
1114	2025-04-05 13:46:11	N/A	55dB	N/A	N/A	Day
1115	2025-04-05 13:47:35	72.90	55dB	3.5	246%	Day
1116	2025-04-05 13:48:50	80.29	55dB	5.8	477%	Day
1117	2025-04-05 13:50:19	74.26	55dB	3.8	280%	Day
1118	2025-04-05 13:51:31	67.69	55dB	2.4	141%	Day
1119	2025-04-05 13:53:36	70.84	55dB	3.0	200%	Day
1120	2025-04-05 13:55:04	73.26	55dB	3.5	255%	Day
1121	2025-04-05 13:56:34	73.26	55dB	3.5	255%	Day
1122	2025-04-05 13:58:43	72.82	55dB	3.4	244%	Day
1123	2025-04-05 14:02:40	72.36	55dB	3.3	233%	Day
1124	2025-04-05 14:05:03	77.26	55dB	4.7	368%	Day
1125	2025-04-05 14:08:00	72.45	55dB	3.4	235%	Day
1126	2025-04-05 14:09:55	73.01	55dB	3.5	248%	Day
1127	2025-04-05 14:11:54	79.88	55dB	5.6	461%	Day
1128	2025-04-05 14:14:57	77.50	55dB	4.8	376%	Day
1129	2025-04-05 14:17:48	74.70	55dB	3.9	292%	Day
1130	2025-04-05 14:22:04	77.05	55dB	4.6	361%	Day
1131	2025-04-05 14:24:12	84.66	55dB	7.8	681%	Day
1132	2025-04-05 14:26:19	73.87	55dB	3.7	270%	Day
1133	2025-04-05 14:29:34	73.19	55dB	3.5	253%	Day
1134	2025-04-05 14:31:08	73.92	55dB	3.7	271%	Day
1135	2025-04-05 14:33:40	70.27	55dB	2.9	188%	Day
1136	2025-04-05 14:35:54	70.81	55dB	3.0	199%	Day
1137	2025-04-05 14:37:41	73.98	55dB	3.7	273%	Day
1138	2025-04-05 14:40:17	70.23	55dB	2.9	187%	Day

1139	2025-04-05 14:42:04	72.65	55dB	3.4	240%	Day
1140	2025-04-05 14:43:25	71.11	55dB	3.1	205%	Day
1141	2025-04-05 14:45:02	78.30	55dB	5.0	403%	Day
1142	2025-04-05 14:47:45	73.35	55dB	3.6	257%	Day
1143	2025-04-05 14:49:12	74.47	55dB	3.9	286%	Day
1144	2025-04-05 14:50:58	75.93	55dB	4.3	327%	Day
1145	2025-04-05 14:53:58	73.91	55dB	3.7	271%	Day
1146	2025-04-05 14:55:34	72.07	55dB	3.3	226%	Day
1147	2025-04-05 14:59:54	73.35	55dB	3.6	257%	Day
1148	2025-04-05 15:05:19	73.20	55dB	3.5	253%	Day
1149	2025-04-05 15:07:05	72.80	55dB	3.4	243%	Day
1150	2025-04-05 15:09:04	71.55	55dB	3.1	215%	Day
1151	2025-04-05 15:12:01	73.04	55dB	3.5	249%	Day
1152	2025-04-05 15:13:49	73.20	55dB	3.5	253%	Day
1153	2025-04-05 15:15:19	71.02	55dB	3.0	204%	Day
1154	2025-04-05 15:17:07	86.60	55dB	8.9	794%	Day
1155	2025-04-05 15:19:43	73.31	55dB	3.6	256%	Day
1156	2025-04-05 15:21:51	74.06	55dB	3.7	275%	Day
1157	2025-04-05 15:23:15	78.98	55dB	5.3	427%	Day
1158	2025-04-05 15:24:42	69.22	55dB	2.7	168%	Day
1159	2025-04-05 15:26:00	70.60	55dB	2.9	195%	Day
1160	2025-04-05 15:27:20	70.93	55dB	3.0	202%	Day
1161	2025-04-05 15:29:08	82.18	55dB	6.6	558%	Day
1162	2025-04-05 15:31:11	72.41	55dB	3.3	234%	Day
1163	2025-04-05 15:33:07	78.67	55dB	5.2	416%	Day
1164	2025-04-05 15:35:44	N/A	55dB	N/A	N/A	Day
1165	2025-04-05 15:37:12	N/A	55dB	N/A	N/A	Day
1166	2025-04-05 15:38:45	71.52	55dB	3.1	214%	Day
1167	2025-04-05 15:41:11	75.63	55dB	4.2	318%	Day
1168	2025-04-05 15:43:39	72.25	55dB	3.3	231%	Day
1169	2025-04-05 15:45:25	72.80	55dB	3.4	243%	Day
1170	2025-04-05 15:47:16	76.58	55dB	4.5	346%	Day
1171	2025-04-05 15:50:09	69.95	55dB	2.8	182%	Day
1172	2025-04-05 15:51:50	72.35	55dB	3.3	233%	Day
1173	2025-04-05 15:53:38	73.87	55dB	3.7	270%	Day
1174	2025-04-05 15:55:38	72.02	55dB	3.3	225%	Day
1175	2025-04-05 15:57:00	68.87	55dB	2.6	162%	Day
1176	2025-04-05 15:58:21	66.54	55dB	2.2	123%	Day
1177	2025-04-05 15:59:30	69.16	55dB	2.7	167%	Day
1178	2025-04-05 16:01:00	71.26	55dB	3.1	209%	Day
1179	2025-04-05 16:02:27	74.79	55dB	3.9	294%	Day
1180	2025-04-05 16:06:27	72.98	55dB	3.5	248%	Day
1181	2025-04-05 16:09:26	70.14	55dB	2.9	186%	Day
1182	2025-04-05 16:11:20	69.80	55dB	2.8	179%	Day

1183	2025-04-05 16:13:16	72.89	55dB	3.5	246%	Day
1184	2025-04-05 16:14:53	77.19	55dB	4.7	366%	Day
1185	2025-04-05 16:17:02	71.66	55dB	3.2	217%	Day
1186	2025-04-05 16:18:23	70.26	55dB	2.9	188%	Day
1187	2025-04-05 16:23:56	71.44	55dB	3.1	213%	Day
1188	2025-04-05 16:25:49	68.99	55dB	2.6	164%	Day
1189	2025-04-05 16:27:30	72.30	55dB	3.3	232%	Day
1190	2025-04-05 16:29:00	70.97	55dB	3.0	203%	Day
1191	2025-04-05 16:30:15	79.67	55dB	5.5	453%	Day
1192	2025-04-05 16:31:36	71.02	55dB	3.0	204%	Day
1193	2025-04-05 16:33:32	70.81	55dB	3.0	199%	Day
1194	2025-04-05 16:35:12	69.78	55dB	2.8	179%	Day
1195	2025-04-05 16:36:46	N/A	55dB	N/A	N/A	Day
1196	2025-04-05 16:39:49	75.15	55dB	4.0	304%	Day
1197	2025-04-05 16:43:38	70.77	55dB	3.0	198%	Day
1198	2025-04-05 16:45:20	69.59	55dB	2.7	175%	Day
1199	2025-04-05 16:46:41	71.21	55dB	3.1	208%	Day
1200	2025-04-05 16:48:20	72.40	55dB	3.3	234%	Day
1201	2025-04-05 16:52:12	70.19	55dB	2.9	187%	Day
1202	2025-04-05 16:53:49	71.19	55dB	3.1	207%	Day
1203	2025-04-05 16:57:33	71.84	55dB	3.2	221%	Day
1204	2025-04-05 17:02:03	71.94	55dB	3.2	224%	Day
1205	2025-04-05 17:03:38	70.88	55dB	3.0	201%	Day
1206	2025-04-05 17:05:12	75.54	55dB	4.2	315%	Day
1207	2025-04-05 17:08:01	70.37	55dB	2.9	190%	Day
1208	2025-04-05 17:09:41	72.07	55dB	3.3	226%	Day
1209	2025-04-05 17:15:17	70.26	55dB	2.9	188%	Day
1210	2025-04-05 17:20:23	70.29	55dB	2.9	189%	Day
1211	2025-04-05 17:22:43	71.15	55dB	3.1	206%	Day
1212	2025-04-05 17:24:57	71.75	55dB	3.2	219%	Day
1213	2025-04-05 17:26:17	72.17	55dB	3.3	229%	Day
1214	2025-04-05 17:27:41	70.44	55dB	2.9	192%	Day
1215	2025-04-05 17:29:08	75.22	55dB	4.1	306%	Day
1216	2025-04-05 17:31:10	79.73	55dB	5.6	455%	Day
1217	2025-04-05 17:32:44	75.90	55dB	4.3	326%	Day
1218	2025-04-05 17:34:54	70.22	55dB	2.9	187%	Day
1219	2025-04-05 17:36:14	71.41	55dB	3.1	212%	Day
1220	2025-04-05 17:39:08	71.26	55dB	3.1	209%	Day
1221	2025-04-05 17:40:36	71.93	55dB	3.2	223%	Day
1222	2025-04-05 17:42:23	72.28	55dB	3.3	231%	Day
1223	2025-04-05 17:45:18	72.07	55dB	3.3	226%	Day
1224	2025-04-05 17:46:45	69.96	55dB	2.8	182%	Day
1225	2025-04-05 17:48:03	73.26	55dB	3.5	255%	Day
1226	2025-04-05 17:50:00	73.54	55dB	3.6	262%	Day

1227	2025-04-05 17:53:34	77.46	55dB	4.7	374%	Day
1228	2025-04-05 18:00:42	70.59	55dB	2.9	195%	Day
1229	2025-04-05 18:02:10	N/A	55dB	N/A	N/A	Day
1230	2025-04-05 18:03:38	75.54	55dB	4.2	315%	Day
1231	2025-04-05 18:04:55	70.56	55dB	2.9	194%	Day
1232	2025-04-05 18:06:22	N/A	55dB	N/A	N/A	Day
1233	2025-04-05 18:08:06	73.84	55dB	3.7	269%	Day
1234	2025-04-05 18:09:39	71.15	55dB	3.1	206%	Day
1235	2025-04-05 18:12:47	74.77	55dB	3.9	294%	Day
1236	2025-04-05 18:16:20	N/A	55dB	N/A	N/A	Day
1237	2025-04-05 18:17:58	72.31	55dB	3.3	232%	Day
1238	2025-04-05 18:21:23	69.29	55dB	2.7	169%	Day
1239	2025-04-05 18:22:52	71.09	55dB	3.1	205%	Day
1240	2025-04-05 18:24:02	75.06	55dB	4.0	302%	Day
1241	2025-04-05 18:26:01	74.29	55dB	3.8	281%	Day
1242	2025-04-05 18:27:17	70.98	55dB	3.0	203%	Day
1243	2025-04-05 18:28:45	73.57	55dB	3.6	262%	Day
1244	2025-04-05 18:30:17	73.82	55dB	3.7	269%	Day
1245	2025-04-05 18:31:44	71.76	55dB	3.2	220%	Day
1246	2025-04-05 18:33:04	69.06	55dB	2.7	165%	Day
1247	2025-04-05 18:34:34	68.68	55dB	2.6	158%	Day
1248	2025-04-05 18:35:52	74.29	55dB	3.8	281%	Day
1249	2025-04-05 18:38:09	77.60	55dB	4.8	379%	Day
1250	2025-04-05 18:39:25	74.70	55dB	3.9	292%	Day
1251	2025-04-05 18:40:43	73.43	55dB	3.6	259%	Day
1252	2025-04-05 18:42:23	79.03	55dB	5.3	429%	Day
1253	2025-04-05 18:43:25	N/A	55dB	N/A	N/A	Day
1254	2025-04-05 18:44:41	73.53	55dB	3.6	261%	Day
1255	2025-04-05 18:46:31	78.84	55dB	5.2	422%	Day
1256	2025-04-05 18:47:44	73.94	55dB	3.7	272%	Day
1257	2025-04-05 18:49:04	71.67	55dB	3.2	218%	Day
1258	2025-04-05 18:50:37	68.59	55dB	2.6	157%	Day
1259	2025-04-05 18:53:19	74.88	55dB	4.0	297%	Day
1260	2025-04-05 18:55:07	71.00	55dB	3.0	203%	Day
1261	2025-04-05 18:56:47	70.65	55dB	3.0	196%	Day
1262	2025-04-05 19:00:34	70.48	55dB	2.9	192%	Day
1263	2025-04-05 19:02:24	70.53	55dB	2.9	193%	Day
1264	2025-04-05 19:03:31	69.85	55dB	2.8	180%	Day
1265	2025-04-05 19:04:45	71.81	55dB	3.2	221%	Day
1266	2025-04-05 19:07:10	68.54	55dB	2.6	156%	Day
1267	2025-04-05 19:08:24	73.11	55dB	3.5	251%	Day
1268	2025-04-05 19:09:38	70.11	55dB	2.9	185%	Day
1269	2025-04-05 19:10:52	74.26	55dB	3.8	280%	Day
1270	2025-04-05 19:13:43	70.77	55dB	3.0	198%	Day

1271	2025-04-05 19:15:01	73.32	55dB	3.6	256%	Day
1272	2025-04-05 19:17:32	70.09	55dB	2.8	185%	Day
1273	2025-04-05 19:18:50	77.12	55dB	4.6	363%	Day
1274	2025-04-05 19:20:02	73.52	55dB	3.6	261%	Day
1275	2025-04-05 19:23:33	69.09	55dB	2.7	166%	Day
1276	2025-04-05 19:24:54	68.87	55dB	2.6	162%	Day
1277	2025-04-05 19:26:07	71.01	55dB	3.0	203%	Day
1278	2025-04-05 19:27:14	74.99	55dB	4.0	300%	Day
1279	2025-04-05 19:29:25	69.79	55dB	2.8	179%	Day
1280	2025-04-05 19:30:37	69.96	55dB	2.8	182%	Day
1281	2025-04-05 19:32:02	72.57	55dB	3.4	238%	Day
1282	2025-04-05 19:33:24	N/A	55dB	N/A	N/A	Day
1283	2025-04-05 19:41:23	76.15	55dB	4.3	333%	Day
1284	2025-04-05 19:47:27	71.17	55dB	3.1	207%	Day
1285	2025-04-05 19:49:20	73.01	55dB	3.5	248%	Day
1286	2025-04-05 19:50:25	71.50	55dB	3.1	214%	Day
1287	2025-04-05 19:51:49	72.43	55dB	3.3	235%	Day
1288	2025-04-05 19:53:33	75.04	55dB	4.0	301%	Day
1289	2025-04-05 19:55:27	73.96	55dB	3.7	272%	Day
1290	2025-04-05 19:57:15	N/A	55dB	N/A	N/A	Day
1291	2025-04-05 19:59:16	74.22	55dB	3.8	279%	Day
1292	2025-04-05 20:00:50	79.49	55dB	5.5	446%	Day
1293	2025-04-05 20:02:21	78.18	55dB	5.0	399%	Day
1294	2025-04-05 20:05:19	70.43	55dB	2.9	191%	Day
1295	2025-04-05 20:07:54	76.32	55dB	4.4	338%	Day
1296	2025-04-05 20:09:21	69.24	55dB	2.7	168%	Day
1297	2025-04-05 20:11:25	73.88	55dB	3.7	270%	Day
1298	2025-04-05 20:13:02	72.49	55dB	3.4	236%	Day
1299	2025-04-05 20:15:05	79.27	55dB	5.4	438%	Day
1300	2025-04-05 20:17:06	68.81	55dB	2.6	160%	Day
1301	2025-04-05 20:18:36	70.61	55dB	3.0	195%	Day
1302	2025-04-05 20:20:58	N/A	55dB	N/A	N/A	Day
1303	2025-04-05 20:22:28	72.66	55dB	3.4	240%	Day
1304	2025-04-05 20:24:20	68.86	55dB	2.6	161%	Day
1305	2025-04-05 20:25:50	77.55	55dB	4.8	377%	Day
1306	2025-04-05 20:28:13	82.90	55dB	6.9	592%	Day
1307	2025-04-05 20:29:35	71.58	55dB	3.2	216%	Day
1308	2025-04-05 20:33:44	71.33	55dB	3.1	210%	Day
1309	2025-04-05 20:35:19	75.14	55dB	4.0	304%	Day
1310	2025-04-05 20:37:02	70.34	55dB	2.9	190%	Day
1311	2025-04-05 20:41:49	N/A	55dB	N/A	N/A	Day
1312	2025-04-05 20:44:27	70.98	55dB	3.0	203%	Day
1313	2025-04-05 20:45:56	71.79	55dB	3.2	220%	Day
1314	2025-04-05 20:47:30	73.18	55dB	3.5	253%	Day

1315	2025-04-05 20:49:38	78.33	55dB	5.0	404%	Day
1316	2025-04-05 20:50:58	69.90	55dB	2.8	181%	Day
1317	2025-04-05 20:52:18	73.66	55dB	3.6	265%	Day
1318	2025-04-05 20:53:49	72.84	55dB	3.4	244%	Day
1319	2025-04-05 20:55:55	73.43	55dB	3.6	259%	Day
1320	2025-04-05 20:57:35	72.22	55dB	3.3	230%	Day
1321	2025-04-05 20:59:36	72.65	55dB	3.4	240%	Day
1322	2025-04-05 21:01:37	N/A	55dB	N/A	N/A	Day
1323	2025-04-05 21:03:02	73.00	55dB	3.5	248%	Day
1324	2025-04-05 21:04:07	77.86	55dB	4.9	388%	Day
1325	2025-04-05 21:05:19	67.30	55dB	2.3	135%	Day
1326	2025-04-05 21:06:36	79.39	55dB	5.4	442%	Day
1327	2025-04-05 21:08:07	69.59	55dB	2.7	175%	Day
1328	2025-04-05 21:09:45	67.00	55dB	2.3	130%	Day
1329	2025-04-05 21:11:37	71.40	55dB	3.1	212%	Day
1330	2025-04-05 21:13:36	68.69	55dB	2.6	158%	Day
1331	2025-04-05 21:15:30	70.32	55dB	2.9	189%	Day
1332	2025-04-05 21:16:56	69.08	55dB	2.7	165%	Day
1333	2025-04-05 21:18:21	70.44	55dB	2.9	192%	Day
1334	2025-04-05 21:19:41	72.16	55dB	3.3	229%	Day
1335	2025-04-05 21:22:32	73.73	55dB	3.7	266%	Day
1336	2025-04-05 21:24:02	68.51	55dB	2.6	155%	Day
1337	2025-04-05 21:26:41	71.67	55dB	3.2	218%	Day
1338	2025-04-05 21:29:44	76.31	55dB	4.4	338%	Day
1339	2025-04-05 21:32:13	75.89	55dB	4.3	325%	Day
1340	2025-04-05 21:35:15	72.67	55dB	3.4	240%	Day
1341	2025-04-05 21:38:03	69.28	55dB	2.7	169%	Day
1342	2025-04-05 21:39:36	79.75	55dB	5.6	456%	Day
1343	2025-04-05 21:41:10	68.27	55dB	2.5	151%	Day
1344	2025-04-05 21:42:54	N/A	55dB	N/A	N/A	Day
1345	2025-04-05 21:44:30	68.80	55dB	2.6	160%	Day
1346	2025-04-05 21:46:37	N/A	55dB	N/A	N/A	Day
1347	2025-04-05 21:48:25	68.66	55dB	2.6	158%	Day
1348	2025-04-05 21:49:49	69.11	55dB	2.7	166%	Day
1349	2025-04-05 21:51:18	N/A	55dB	N/A	N/A	Day
1350	2025-04-05 21:52:32	70.99	55dB	3.0	203%	Day
1351	2025-04-05 21:53:58	70.92	55dB	3.0	201%	Day
1352	2025-04-05 21:55:52	69.71	55dB	2.8	177%	Day
1353	2025-04-05 21:57:16	70.66	55dB	3.0	196%	Day
1354	2025-04-05 21:58:56	N/A	55dB	N/A	N/A	Day
1355	2025-04-05 22:00:32	67.84	55dB	2.4	144%	Day
1356	2025-04-05 22:02:09	67.64	55dB	2.4	140%	Day
1357	2025-04-05 22:04:41	N/A	55dB	N/A	N/A	Day
1358	2025-04-05 22:10:27	71.25	55dB	3.1	208%	Day

1359	2025-04-05 22:11:46	70.63	55dB	3.0	195%	Day
1360	2025-04-05 22:13:18	70.62	55dB	3.0	195%	Day
1361	2025-04-05 22:14:38	70.31	55dB	2.9	189%	Day
1362	2025-04-05 22:16:40	73.27	55dB	3.5	255%	Day
1363	2025-04-05 22:19:18	66.64	55dB	2.2	124%	Day
1364	2025-04-05 22:24:28	73.38	55dB	3.6	258%	Day
1365	2025-04-05 22:27:03	N/A	55dB	N/A	N/A	Day
1366	2025-04-05 22:32:41	68.12	55dB	2.5	148%	Day
1367	2025-04-05 22:39:44	68.97	55dB	2.6	163%	Day
1368	2025-04-05 22:42:36	70.45	55dB	2.9	192%	Day
1369	2025-04-05 22:45:48	69.37	55dB	2.7	171%	Day
1370	2025-04-05 22:51:15	71.67	55dB	3.2	218%	Day
1371	2025-04-05 22:53:39	68.54	55dB	2.6	156%	Day
1372	2025-04-05 22:55:26	70.64	55dB	3.0	196%	Day
1373	2025-04-05 22:59:50	70.82	55dB	3.0	199%	Day
1374	2025-04-05 23:01:53	N/A	45dB	N/A	N/A	Night
1375	2025-04-05 23:09:35	69.25	45dB	5.4	437%	Night
1376	2025-04-05 23:15:52	N/A	45dB	N/A	N/A	Night
1377	2025-04-05 23:19:04	69.75	45dB	5.6	456%	Night
1378	2025-04-05 23:20:41	71.52	45dB	6.3	529%	Night
1379	2025-04-05 23:22:31	N/A	45dB	N/A	N/A	Night
1380	2025-04-05 23:29:25	69.51	45dB	5.5	447%	Night
1381	2025-04-05 23:31:44	70.12	45dB	5.7	470%	Night
1382	2025-04-05 23:33:26	72.47	45dB	6.7	571%	Night
1383	2025-04-05 23:35:34	72.43	45dB	6.7	569%	Night
1384	2025-04-05 23:37:36	75.19	45dB	8.1	711%	Night
1385	2025-04-05 23:39:48	77.09	45dB	9.2	825%	Night
1386	2025-04-05 23:41:48	68.58	45dB	5.1	413%	Night
1387	2025-04-05 23:43:52	75.33	45dB	8.2	719%	Night
1388	2025-04-05 23:45:47	N/A	45dB	N/A	N/A	Night
1389	2025-04-05 23:47:28	N/A	45dB	N/A	N/A	Night
1390	2025-04-05 23:49:10	N/A	45dB	N/A	N/A	Night
1391	2025-04-05 23:54:17	72.78	45dB	6.9	586%	Night
1392	2025-04-05 23:57:15	76.18	45dB	8.7	768%	Night
1393	2025-04-06 00:03:12	76.19	45dB	8.7	769%	Night
1394	2025-04-06 00:05:34	76.08	45dB	8.6	762%	Night
1395	2025-04-06 00:07:31	70.10	45dB	5.7	470%	Night
1396	2025-04-06 00:09:04	70.19	45dB	5.7	473%	Night
1397	2025-04-06 00:10:50	76.25	45dB	8.7	772%	Night
1398	2025-04-06 00:18:43	71.42	45dB	6.2	524%	Night
1399	2025-04-06 00:20:33	71.09	45dB	6.1	510%	Night
1400	2025-04-06 00:24:54	75.42	45dB	8.2	724%	Night
1401	2025-04-06 00:27:02	69.03	45dB	5.3	429%	Night
1402	2025-04-06 00:28:55	69.49	45dB	5.5	446%	Night

1403	2025-04-06 00:36:35	75.46	45dB	8.3	726%	Night
1404	2025-04-06 00:49:33	67.93	45dB	4.9	390%	Night
1405	2025-04-06 00:57:14	71.38	45dB	6.2	522%	Night
1406	2025-04-06 01:00:03	68.87	45dB	5.2	423%	Night
1407	2025-04-06 01:09:38	80.44	45dB	11.7	1066%	Night
1408	2025-04-06 01:22:13	72.03	45dB	6.5	551%	Night
1409	2025-04-06 01:31:12	72.49	45dB	6.7	572%	Night
1410	2025-04-06 01:38:44	76.74	45dB	9.0	803%	Night
1411	2025-04-06 01:44:55	71.07	45dB	6.1	509%	Night
1412	2025-04-06 01:46:45	73.91	45dB	7.4	642%	Night
1413	2025-04-06 02:00:56	72.09	45dB	6.5	554%	Night
1414	2025-04-06 02:08:38	68.94	45dB	5.3	426%	Night
1415	2025-04-06 02:12:32	72.84	45dB	6.9	589%	Night
1416	2025-04-06 03:35:42	66.59	45dB	4.5	347%	Night
1417	2025-04-06 03:49:11	72.60	45dB	6.8	577%	Night
1418	2025-04-06 04:24:10	68.22	45dB	5.0	400%	Night
1419	2025-04-06 05:13:14	70.13	45dB	5.7	471%	Night
1420	2025-04-06 05:17:23	71.91	45dB	6.5	546%	Night
1421	2025-04-06 05:20:33	68.46	45dB	5.1	408%	Night
1422	2025-04-06 05:26:05	65.15	45dB	4.0	304%	Night
1423	2025-04-06 05:35:28	66.75	45dB	4.5	352%	Night
1424	2025-04-06 05:40:42	74.58	45dB	7.8	677%	Night
1425	2025-04-06 05:49:24	68.71	45dB	5.2	417%	Night
1426	2025-04-06 05:57:40	74.26	45dB	7.6	660%	Night
1427	2025-04-06 06:01:02	73.98	45dB	7.5	645%	Night
1428	2025-04-06 06:06:04	67.51	45dB	4.8	376%	Night
1429	2025-04-06 06:09:42	N/A	45dB	N/A	N/A	Night
1430	2025-04-06 06:11:42	70.49	45dB	5.9	485%	Night
1431	2025-04-06 06:27:07	69.10	45dB	5.3	431%	Night
1432	2025-04-06 06:28:55	N/A	45dB	N/A	N/A	Night
1433	2025-04-06 06:31:28	N/A	45dB	N/A	N/A	Night
1434	2025-04-06 06:33:31	68.70	45dB	5.2	417%	Night
1435	2025-04-06 06:35:15	75.38	45dB	8.2	721%	Night
1436	2025-04-06 06:37:21	71.65	45dB	6.3	534%	Night
1437	2025-04-06 06:38:58	70.74	45dB	6.0	495%	Night
1438	2025-04-06 06:40:36	67.59	45dB	4.8	379%	Night
1439	2025-04-06 06:42:18	N/A	45dB	N/A	N/A	Night
1440	2025-04-06 06:44:03	68.27	45dB	5.0	402%	Night
1441	2025-04-06 06:46:21	69.99	45dB	5.7	465%	Night
1442	2025-04-06 06:48:15	70.91	45dB	6.0	503%	Night
1443	2025-04-06 06:50:25	69.93	45dB	5.6	463%	Night
1444	2025-04-06 06:52:18	N/A	45dB	N/A	N/A	Night
1445	2025-04-06 06:54:02	N/A	45dB	N/A	N/A	Night
1446	2025-04-06 06:55:46	N/A	45dB	N/A	N/A	Night

1447	2025-04-06 06:57:38	71.59	45dB	6.3	532%	Night
1448	2025-04-06 06:59:20	68.83	45dB	5.2	422%	Night
1449	2025-04-06 07:01:03	78.72	55dB	5.2	418%	Day
1450	2025-04-06 07:02:39	67.43	55dB	2.4	137%	Day
1451	2025-04-06 07:04:22	69.83	55dB	2.8	180%	Day
1452	2025-04-06 07:06:34	70.50	55dB	2.9	193%	Day
1453	2025-04-06 07:08:13	73.71	55dB	3.7	266%	Day
1454	2025-04-06 07:10:13	N/A	55dB	N/A	N/A	Day
1455	2025-04-06 07:13:31	68.33	55dB	2.5	152%	Day
1456	2025-04-06 07:15:41	N/A	55dB	N/A	N/A	Day
1457	2025-04-06 07:17:23	69.92	55dB	2.8	181%	Day
1458	2025-04-06 07:19:12	N/A	55dB	N/A	N/A	Day
1459	2025-04-06 07:21:03	69.37	55dB	2.7	171%	Day
1460	2025-04-06 07:22:57	N/A	55dB	N/A	N/A	Day
1461	2025-04-06 07:35:02	N/A	55dB	N/A	N/A	Day
1462	2025-04-06 07:54:14	N/A	55dB	N/A	N/A	Day
1463	2025-04-06 08:02:27	N/A	55dB	N/A	N/A	Day
1464	2025-04-06 11:16:33	N/A	55dB	N/A	N/A	Day
1465	2025-04-06 18:25:04	N/A	55dB	N/A	N/A	Day
1466	2025-04-06 18:58:56	71.29	55dB	3.1	209%	Day
1467	2025-04-07 00:39:40	62.16	45dB	3.3	229%	Night
1468	2025-04-07 00:42:35	69.02	45dB	5.3	429%	Night
1469	2025-04-07 00:45:51	69.18	45dB	5.3	434%	Night
1470	2025-04-07 00:49:51	66.21	45dB	4.3	335%	Night
1471	2025-04-07 00:51:28	65.88	45dB	4.3	325%	Night
1472	2025-04-07 00:53:33	76.74	45dB	9.0	803%	Night
1473	2025-04-07 00:56:20	71.70	45dB	6.4	536%	Night
1474	2025-04-07 00:57:54	66.89	45dB	4.6	356%	Night
1475	2025-04-07 01:02:15	70.01	45dB	5.7	466%	Night
1476	2025-04-07 01:04:08	68.80	45dB	5.2	421%	Night
1477	2025-04-07 01:11:32	62.85	45dB	3.4	245%	Night
1478	2025-04-07 01:17:28	N/A	45dB	N/A	N/A	Night
1479	2025-04-07 01:37:39	69.98	45dB	5.6	465%	Night
1480	2025-04-07 01:41:26	69.68	45dB	5.5	453%	Night
1481	2025-04-07 02:02:26	68.86	45dB	5.2	423%	Night
1482	2025-04-07 02:18:13	68.62	45dB	5.1	414%	Night
1483	2025-04-07 02:35:45	67.22	45dB	4.7	367%	Night
1484	2025-04-07 03:28:01	68.63	45dB	5.1	414%	Night
1485	2025-04-07 03:30:37	67.28	45dB	4.7	368%	Night
1486	2025-04-07 05:17:42	69.39	45dB	5.4	442%	Night
1487	2025-04-07 05:22:02	68.52	45dB	5.1	411%	Night
1488	2025-04-07 05:24:38	69.55	45dB	5.5	448%	Night
1489	2025-04-07 05:28:33	68.71	45dB	5.2	417%	Night
1490	2025-04-07 05:45:48	71.22	45dB	6.2	516%	Night

1491	2025-04-07 05:47:24	73.40	45dB	7.2	616%	Night
1492	2025-04-07 05:49:33	69.22	45dB	5.4	436%	Night
1493	2025-04-07 05:51:26	68.78	45dB	5.2	420%	Night
1494	2025-04-07 05:53:12	70.82	45dB	6.0	499%	Night
1495	2025-04-07 05:54:39	69.67	45dB	5.5	453%	Night
1496	2025-04-07 05:58:34	70.18	45dB	5.7	473%	Night
1497	2025-04-07 06:03:48	66.95	45dB	4.6	358%	Night
1498	2025-04-07 06:10:03	72.91	45dB	6.9	592%	Night
1499	2025-04-07 06:22:34	68.16	45dB	5.0	398%	Night
1500	2025-04-07 06:24:23	71.58	45dB	6.3	531%	Night
1501	2025-04-07 06:27:22	69.23	45dB	5.4	436%	Night
1502	2025-04-07 06:29:17	70.26	45dB	5.8	476%	Night
1503	2025-04-07 06:30:42	68.84	45dB	5.2	422%	Night
1504	2025-04-07 06:32:09	71.13	45dB	6.1	512%	Night
1505	2025-04-07 06:33:41	66.75	45dB	4.5	352%	Night
1506	2025-04-07 06:34:45	69.76	45dB	5.6	456%	Night
1507	2025-04-07 06:36:08	70.40	45dB	5.8	482%	Night
1508	2025-04-07 06:37:32	68.92	45dB	5.2	425%	Night
1509	2025-04-07 06:39:17	69.30	45dB	5.4	439%	Night
1510	2025-04-07 06:40:48	68.58	45dB	5.1	413%	Night
1511	2025-04-07 06:43:11	69.61	45dB	5.5	451%	Night
1512	2025-04-07 06:44:47	68.44	45dB	5.1	408%	Night
1513	2025-04-07 06:46:13	70.24	45dB	5.8	475%	Night
1514	2025-04-07 06:47:26	70.16	45dB	5.7	472%	Night
1515	2025-04-07 06:48:38	69.53	45dB	5.5	448%	Night
1516	2025-04-07 06:49:44	69.23	45dB	5.4	436%	Night
1517	2025-04-07 06:51:20	69.56	45dB	5.5	449%	Night
1518	2025-04-07 06:53:21	68.36	45dB	5.0	405%	Night
1519	2025-04-07 06:54:39	69.22	45dB	5.4	436%	Night
1520	2025-04-07 06:56:25	N/A	45dB	N/A	N/A	Night
1521	2025-04-07 06:57:50	70.10	45dB	5.7	470%	Night
1522	2025-04-07 06:59:23	69.77	45dB	5.6	457%	Night
1523	2025-04-07 07:00:41	70.84	55dB	3.0	200%	Day
1524	2025-04-07 07:02:18	70.13	55dB	2.9	185%	Day
1525	2025-04-07 07:05:43	67.34	55dB	2.4	135%	Day
1526	2025-04-07 07:10:19	69.30	55dB	2.7	169%	Day
1527	2025-04-07 07:17:50	78.71	55dB	5.2	417%	Day
1528	2025-04-07 07:20:31	72.43	55dB	3.3	235%	Day
1529	2025-04-07 07:35:58	70.08	55dB	2.8	184%	Day
1530	2025-04-07 07:37:40	69.67	55dB	2.8	176%	Day
1531	2025-04-07 07:42:27	72.78	55dB	3.4	243%	Day
1532	2025-04-07 07:45:55	N/A	55dB	N/A	N/A	Day
1533	2025-04-07 07:48:44	68.73	55dB	2.6	159%	Day
1534	2025-04-07 07:52:16	67.80	55dB	2.4	143%	Day

1535	2025-04-07 07:58:18	71.22	55dB	3.1	208%	Day
1536	2025-04-07 08:00:23	N/A	55dB	N/A	N/A	Day
1537	2025-04-07 08:03:27	70.82	55dB	3.0	199%	Day
1538	2025-04-07 08:05:23	67.55	55dB	2.4	139%	Day
1539	2025-04-07 08:07:33	70.46	55dB	2.9	192%	Day
1540	2025-04-07 08:10:43	67.37	55dB	2.4	136%	Day
1541	2025-04-07 08:11:57	70.28	55dB	2.9	188%	Day
1542	2025-04-07 08:15:24	69.85	55dB	2.8	180%	Day
1543	2025-04-07 08:16:48	N/A	55dB	N/A	N/A	Day
1544	2025-04-07 08:18:08	67.61	55dB	2.4	140%	Day
1545	2025-04-07 08:19:34	70.87	55dB	3.0	200%	Day
1546	2025-04-07 08:23:49	N/A	55dB	N/A	N/A	Day
1547	2025-04-07 08:30:11	69.84	55dB	2.8	180%	Day
1548	2025-04-07 08:32:25	N/A	55dB	N/A	N/A	Day
1549	2025-04-07 08:39:32	70.57	55dB	2.9	194%	Day
1550	2025-04-07 08:41:41	73.28	55dB	3.6	255%	Day
1551	2025-04-07 08:46:19	76.04	55dB	4.3	330%	Day
1552	2025-04-07 08:50:16	69.33	55dB	2.7	170%	Day
1553	2025-04-07 08:53:14	76.49	55dB	4.4	344%	Day
1554	2025-04-07 08:55:32	N/A	55dB	N/A	N/A	Day
1555	2025-04-07 08:56:37	N/A	55dB	N/A	N/A	Day
1556	2025-04-07 08:59:04	68.71	55dB	2.6	159%	Day
1557	2025-04-07 09:04:09	67.22	55dB	2.3	133%	Day
1558	2025-04-07 09:10:05	71.69	55dB	3.2	218%	Day
1559	2025-04-07 09:23:50	N/A	55dB	N/A	N/A	Day
1560	2025-04-07 09:27:00	68.94	55dB	2.6	163%	Day
1561	2025-04-07 09:28:37	70.80	55dB	3.0	199%	Day
1562	2025-04-07 09:30:25	70.44	55dB	2.9	192%	Day
1563	2025-04-07 09:35:03	71.00	55dB	3.0	203%	Day
1564	2025-04-07 09:41:57	72.55	55dB	3.4	238%	Day
1565	2025-04-07 09:45:23	75.70	55dB	4.2	320%	Day
1566	2025-04-07 09:46:35	72.35	55dB	3.3	233%	Day
1567	2025-04-07 09:47:55	N/A	55dB	N/A	N/A	Day
1568	2025-04-07 09:50:27	71.12	55dB	3.1	206%	Day
1569	2025-04-07 09:54:52	N/A	55dB	N/A	N/A	Day
1570	2025-04-07 10:05:30	N/A	55dB	N/A	N/A	Day
1571	2025-04-07 10:07:07	74.68	55dB	3.9	291%	Day
1572	2025-04-07 10:09:09	69.75	55dB	2.8	178%	Day
1573	2025-04-07 10:10:28	71.22	55dB	3.1	208%	Day
1574	2025-04-07 10:14:08	N/A	55dB	N/A	N/A	Day
1575	2025-04-07 10:15:54	71.14	55dB	3.1	206%	Day
1576	2025-04-07 10:17:25	74.45	55dB	3.9	285%	Day
1577	2025-04-07 10:19:40	N/A	55dB	N/A	N/A	Day
1578	2025-04-07 10:21:18	68.41	55dB	2.5	153%	Day

1579	2025-04-07 10:23:11	N/A	55dB	N/A	N/A	Day
1580	2025-04-07 10:30:11	73.67	55dB	3.6	265%	Day
1581	2025-04-07 10:36:01	70.18	55dB	2.9	186%	Day
1582	2025-04-07 10:39:53	N/A	55dB	N/A	N/A	Day
1583	2025-04-07 10:42:41	69.71	55dB	2.8	177%	Day
1584	2025-04-07 10:44:31	74.58	55dB	3.9	289%	Day
1585	2025-04-07 10:46:48	70.88	55dB	3.0	201%	Day
1586	2025-04-07 10:48:52	76.07	55dB	4.3	331%	Day
1587	2025-04-07 10:50:26	83.50	55dB	7.2	621%	Day
1588	2025-04-07 10:52:26	N/A	55dB	N/A	N/A	Day
1589	2025-04-07 10:54:48	74.02	55dB	3.7	274%	Day
1590	2025-04-07 10:56:58	72.52	55dB	3.4	237%	Day
1591	2025-04-07 10:58:57	N/A	55dB	N/A	N/A	Day
1592	2025-04-07 11:02:50	68.56	55dB	2.6	156%	Day
1593	2025-04-07 11:06:03	N/A	55dB	N/A	N/A	Day
1594	2025-04-07 11:07:16	70.29	55dB	2.9	189%	Day
1595	2025-04-07 11:08:39	N/A	55dB	N/A	N/A	Day
1596	2025-04-07 11:09:53	72.19	55dB	3.3	229%	Day
1597	2025-04-07 11:12:46	N/A	55dB	N/A	N/A	Day
1598	2025-04-07 11:14:35	67.31	55dB	2.3	135%	Day
1599	2025-04-07 11:17:23	70.76	55dB	3.0	198%	Day
1600	2025-04-07 11:19:18	71.37	55dB	3.1	211%	Day
1601	2025-04-07 11:20:43	69.85	55dB	2.8	180%	Day
1602	2025-04-07 11:22:13	69.29	55dB	2.7	169%	Day
1603	2025-04-07 11:24:21	68.84	55dB	2.6	161%	Day
1604	2025-04-07 11:27:33	75.66	55dB	4.2	319%	Day
1605	2025-04-07 11:30:16	70.42	55dB	2.9	191%	Day
1606	2025-04-07 11:32:37	71.61	55dB	3.2	216%	Day
1607	2025-04-07 11:35:13	N/A	55dB	N/A	N/A	Day
1608	2025-04-07 11:39:57	N/A	55dB	N/A	N/A	Day
1609	2025-04-07 11:41:03	70.48	55dB	2.9	192%	Day
1610	2025-04-07 11:42:19	71.54	55dB	3.1	215%	Day
1611	2025-04-07 11:44:44	N/A	55dB	N/A	N/A	Day
1612	2025-04-07 11:45:54	N/A	55dB	N/A	N/A	Day
1613	2025-04-07 11:47:39	67.64	55dB	2.4	140%	Day
1614	2025-04-07 11:49:13	67.53	55dB	2.4	138%	Day
1615	2025-04-07 11:50:26	70.97	55dB	3.0	203%	Day
1616	2025-04-07 11:52:17	72.89	55dB	3.5	246%	Day
1617	2025-04-07 12:03:25	N/A	55dB	N/A	N/A	Day
1618	2025-04-07 12:09:49	N/A	55dB	N/A	N/A	Day
1619	2025-04-07 12:11:36	N/A	55dB	N/A	N/A	Day
1620	2025-04-07 12:13:12	77.96	55dB	4.9	391%	Day
1621	2025-04-07 12:17:19	69.96	55dB	2.8	182%	Day
1622	2025-04-07 12:18:43	72.17	55dB	3.3	229%	Day

1623	2025-04-07 12:21:15	69.81	55dB	2.8	179%	Day
1624	2025-04-07 12:24:07	78.65	55dB	5.2	415%	Day
1625	2025-04-07 12:27:56	73.72	55dB	3.7	266%	Day
1626	2025-04-07 12:34:14	72.17	55dB	3.3	229%	Day
1627	2025-04-07 12:35:41	70.76	55dB	3.0	198%	Day
1628	2025-04-07 12:37:10	74.23	55dB	3.8	279%	Day
1629	2025-04-07 12:39:28	76.12	55dB	4.3	332%	Day
1630	2025-04-07 12:41:20	72.32	55dB	3.3	232%	Day
1631	2025-04-07 12:43:36	69.39	55dB	2.7	171%	Day
1632	2025-04-07 12:47:04	78.78	55dB	5.2	420%	Day
1633	2025-04-07 12:49:31	75.89	55dB	4.3	325%	Day
1634	2025-04-07 12:52:48	72.17	55dB	3.3	229%	Day
1635	2025-04-07 12:57:24	N/A	55dB	N/A	N/A	Day
1636	2025-04-07 12:59:24	71.26	55dB	3.1	209%	Day
1637	2025-04-07 13:01:24	71.88	55dB	3.2	222%	Day
1638	2025-04-07 13:03:17	82.67	55dB	6.8	581%	Day
1639	2025-04-07 13:11:03	67.79	55dB	2.4	143%	Day
1640	2025-04-07 13:13:22	74.47	55dB	3.9	286%	Day
1641	2025-04-07 13:15:11	N/A	55dB	N/A	N/A	Day
1642	2025-04-07 13:21:36	67.82	55dB	2.4	143%	Day
1643	2025-04-07 13:25:50	70.39	55dB	2.9	191%	Day
1644	2025-04-07 13:27:55	N/A	55dB	N/A	N/A	Day
1645	2025-04-07 13:29:24	77.38	55dB	4.7	372%	Day
1646	2025-04-07 13:30:39	69.90	55dB	2.8	181%	Day
1647	2025-04-07 13:32:20	85.25	55dB	8.1	714%	Day
1648	2025-04-07 13:33:45	74.70	55dB	3.9	292%	Day
1649	2025-04-07 13:35:54	69.98	55dB	2.8	182%	Day
1650	2025-04-07 13:38:18	N/A	55dB	N/A	N/A	Day
1651	2025-04-07 13:40:35	69.52	55dB	2.7	174%	Day
1652	2025-04-07 13:44:05	73.40	55dB	3.6	258%	Day
1653	2025-04-07 13:46:00	75.89	55dB	4.3	325%	Day
1654	2025-04-07 13:48:09	78.16	55dB	5.0	398%	Day
1655	2025-04-07 13:49:44	N/A	55dB	N/A	N/A	Day
1656	2025-04-07 13:51:07	76.07	55dB	4.3	331%	Day
1657	2025-04-07 13:52:46	72.78	55dB	3.4	243%	Day
1658	2025-04-07 13:54:33	74.90	55dB	4.0	297%	Day
1659	2025-04-07 13:56:23	79.15	55dB	5.3	433%	Day
1660	2025-04-07 13:58:57	72.57	55dB	3.4	238%	Day
1661	2025-04-07 14:07:56	74.50	55dB	3.9	286%	Day
1662	2025-04-07 14:09:50	N/A	55dB	N/A	N/A	Day
1663	2025-04-07 14:11:09	N/A	55dB	N/A	N/A	Day
1664	2025-04-07 14:13:14	69.78	55dB	2.8	179%	Day
1665	2025-04-07 14:14:36	71.74	55dB	3.2	219%	Day
1666	2025-04-07 14:20:24	74.20	55dB	3.8	278%	Day

1667	2025-04-07 14:21:48	N/A	55dB	N/A	N/A	Day
1668	2025-04-07 14:24:34	74.25	55dB	3.8	280%	Day
1669	2025-04-07 14:28:31	75.87	55dB	4.2	325%	Day
1670	2025-04-07 14:30:36	69.35	55dB	2.7	170%	Day
1671	2025-04-07 14:32:24	N/A	55dB	N/A	N/A	Day
1672	2025-04-07 14:34:14	75.01	55dB	4.0	300%	Day
1673	2025-04-07 14:36:10	73.38	55dB	3.6	258%	Day
1674	2025-04-07 14:38:11	83.80	55dB	7.4	636%	Day
1675	2025-04-07 14:41:03	69.28	55dB	2.7	169%	Day
1676	2025-04-07 14:48:08	69.80	55dB	2.8	179%	Day
1677	2025-04-07 14:49:47	72.46	55dB	3.4	235%	Day
1678	2025-04-07 14:51:37	69.33	55dB	2.7	170%	Day
1679	2025-04-07 14:53:33	72.60	55dB	3.4	239%	Day
1680	2025-04-07 14:56:28	73.59	55dB	3.6	263%	Day
1681	2025-04-07 15:00:24	72.09	55dB	3.3	227%	Day
1682	2025-04-07 15:02:35	N/A	55dB	N/A	N/A	Day
1683	2025-04-07 15:05:07	N/A	55dB	N/A	N/A	Day
1684	2025-04-07 15:07:58	74.07	55dB	3.8	275%	Day
1685	2025-04-07 15:09:34	70.85	55dB	3.0	200%	Day
1686	2025-04-07 15:10:56	72.09	55dB	3.3	227%	Day
1687	2025-04-07 15:12:43	83.05	55dB	7.0	599%	Day
1688	2025-04-07 15:15:05	N/A	55dB	N/A	N/A	Day
1689	2025-04-07 15:16:41	74.84	55dB	4.0	296%	Day
1690	2025-04-07 15:17:52	N/A	55dB	N/A	N/A	Day
1691	2025-04-07 15:19:15	78.25	55dB	5.0	401%	Day
1692	2025-04-07 15:21:33	71.60	55dB	3.2	216%	Day
1693	2025-04-07 15:23:05	74.10	55dB	3.8	276%	Day
1694	2025-04-07 15:24:56	N/A	55dB	N/A	N/A	Day
1695	2025-04-07 15:26:25	77.03	55dB	4.6	360%	Day
1696	2025-04-07 15:28:48	67.14	55dB	2.3	132%	Day
1697	2025-04-07 15:30:17	72.50	55dB	3.4	236%	Day
1698	2025-04-07 15:32:06	69.34	55dB	2.7	170%	Day
1699	2025-04-07 15:36:04	77.97	55dB	4.9	391%	Day
1700	2025-04-07 15:37:16	73.56	55dB	3.6	262%	Day
1701	2025-04-07 15:38:41	71.82	55dB	3.2	221%	Day
1702	2025-04-07 15:42:41	73.80	55dB	3.7	268%	Day
1703	2025-04-07 15:45:16	75.24	55dB	4.1	307%	Day
1704	2025-04-07 15:47:41	68.82	55dB	2.6	161%	Day
1705	2025-04-07 15:49:28	73.21	55dB	3.5	253%	Day
1706	2025-04-07 15:50:48	74.76	55dB	3.9	293%	Day
1707	2025-04-07 15:52:09	68.02	55dB	2.5	147%	Day
1708	2025-04-07 15:54:51	67.63	55dB	2.4	140%	Day
1709	2025-04-07 15:56:28	74.38	55dB	3.8	283%	Day
1710	2025-04-07 15:58:32	73.18	55dB	3.5	253%	Day

1711	2025-04-07 16:03:07	73.22	55dB	3.5	254%	Day
1712	2025-04-07 16:04:26	69.03	55dB	2.6	164%	Day
1713	2025-04-07 16:06:18	73.86	55dB	3.7	270%	Day
1714	2025-04-07 16:07:54	74.03	55dB	3.7	274%	Day
1715	2025-04-07 16:10:18	66.63	55dB	2.2	124%	Day
1716	2025-04-07 16:11:43	71.74	55dB	3.2	219%	Day
1717	2025-04-07 16:13:19	73.68	55dB	3.7	265%	Day
1718	2025-04-07 16:15:27	67.91	55dB	2.4	145%	Day
1719	2025-04-07 16:16:45	72.90	55dB	3.5	246%	Day
1720	2025-04-07 16:18:01	67.71	55dB	2.4	141%	Day
1721	2025-04-07 16:19:54	N/A	55dB	N/A	N/A	Day
1722	2025-04-07 16:21:31	N/A	55dB	N/A	N/A	Day
1723	2025-04-07 16:23:01	77.95	55dB	4.9	391%	Day
1724	2025-04-07 16:25:40	71.45	55dB	3.1	213%	Day
1725	2025-04-07 16:27:19	84.83	55dB	7.9	691%	Day
1726	2025-04-07 16:29:21	70.08	55dB	2.8	184%	Day
1727	2025-04-07 16:33:26	N/A	55dB	N/A	N/A	Day
1728	2025-04-07 16:35:55	71.01	55dB	3.0	203%	Day
1729	2025-04-07 16:37:21	68.30	55dB	2.5	151%	Day
1730	2025-04-07 16:38:43	73.30	55dB	3.6	256%	Day
1731	2025-04-07 16:41:02	N/A	55dB	N/A	N/A	Day
1732	2025-04-07 16:42:23	N/A	55dB	N/A	N/A	Day
1733	2025-04-07 16:44:00	73.72	55dB	3.7	266%	Day
1734	2025-04-07 16:47:01	N/A	55dB	N/A	N/A	Day
1735	2025-04-07 16:48:17	70.61	55dB	3.0	195%	Day
1736	2025-04-07 16:49:44	N/A	55dB	N/A	N/A	Day
1737	2025-04-07 16:51:11	N/A	55dB	N/A	N/A	Day
1738	2025-04-07 16:53:25	69.62	55dB	2.8	175%	Day
1739	2025-04-07 16:55:12	69.62	55dB	2.8	175%	Day
1740	2025-04-07 16:56:54	69.77	55dB	2.8	178%	Day
1741	2025-04-07 16:59:17	N/A	55dB	N/A	N/A	Day
1742	2025-04-07 17:00:49	69.24	55dB	2.7	168%	Day
1743	2025-04-07 17:02:28	81.30	55dB	6.2	519%	Day
1744	2025-04-07 17:06:37	73.62	55dB	3.6	264%	Day
1745	2025-04-07 17:12:16	71.58	55dB	3.2	216%	Day
1746	2025-04-07 17:14:37	70.06	55dB	2.8	184%	Day
1747	2025-04-07 17:15:54	73.00	55dB	3.5	248%	Day
1748	2025-04-07 17:18:44	71.22	55dB	3.1	208%	Day
1749	2025-04-07 17:20:34	71.46	55dB	3.1	213%	Day
1750	2025-04-07 17:22:58	74.58	55dB	3.9	289%	Day
1751	2025-04-07 17:24:23	N/A	55dB	N/A	N/A	Day
1752	2025-04-07 17:25:45	76.17	55dB	4.3	334%	Day
1753	2025-04-07 17:27:32	70.71	55dB	3.0	197%	Day
1754	2025-04-07 17:30:57	71.52	55dB	3.1	214%	Day

1755	2025-04-07 17:32:28	70.66	55dB	3.0	196%	Day
1756	2025-04-07 17:35:41	70.98	55dB	3.0	203%	Day
1757	2025-04-07 17:37:02	71.70	55dB	3.2	218%	Day
1758	2025-04-07 17:38:17	71.90	55dB	3.2	223%	Day
1759	2025-04-07 17:40:22	73.03	55dB	3.5	249%	Day
1760	2025-04-07 17:42:47	N/A	55dB	N/A	N/A	Day
1761	2025-04-07 17:44:07	77.98	55dB	4.9	392%	Day
1762	2025-04-07 17:46:02	75.70	55dB	4.2	320%	Day
1763	2025-04-07 17:47:16	72.82	55dB	3.4	244%	Day
1764	2025-04-07 17:48:38	76.89	55dB	4.6	356%	Day
1765	2025-04-07 17:50:03	73.52	55dB	3.6	261%	Day
1766	2025-04-07 17:53:18	68.80	55dB	2.6	160%	Day
1767	2025-04-07 17:54:46	71.24	55dB	3.1	208%	Day
1768	2025-04-07 17:58:43	73.86	55dB	3.7	270%	Day
1769	2025-04-07 18:00:10	N/A	55dB	N/A	N/A	Day
1770	2025-04-07 18:01:28	73.47	55dB	3.6	260%	Day
1771	2025-04-07 18:03:01	72.49	55dB	3.4	236%	Day
1772	2025-04-07 18:04:34	77.59	55dB	4.8	379%	Day
1773	2025-04-07 18:07:10	69.09	55dB	2.7	166%	Day
1774	2025-04-07 18:08:32	80.96	55dB	6.0	505%	Day
1775	2025-04-07 18:10:09	N/A	55dB	N/A	N/A	Day
1776	2025-04-07 18:11:31	N/A	55dB	N/A	N/A	Day
1777	2025-04-07 18:13:01	88.46	55dB	10.2	917%	Day
1778	2025-04-07 18:14:22	69.65	55dB	2.8	176%	Day
1779	2025-04-07 18:17:54	74.13	55dB	3.8	277%	Day
1780	2025-04-07 18:19:15	76.02	55dB	4.3	329%	Day
1781	2025-04-07 18:20:33	84.20	55dB	7.6	657%	Day
1782	2025-04-07 18:22:06	78.07	55dB	4.9	395%	Day
1783	2025-04-07 18:24:17	81.55	55dB	6.3	530%	Day
1784	2025-04-07 18:25:33	75.91	55dB	4.3	326%	Day
1785	2025-04-07 18:28:47	N/A	55dB	N/A	N/A	Day
1786	2025-04-07 18:30:26	79.67	55dB	5.5	453%	Day
1787	2025-04-07 18:31:50	79.32	55dB	5.4	440%	Day
1788	2025-04-07 18:33:24	83.95	55dB	7.4	644%	Day
1789	2025-04-07 18:34:44	80.40	55dB	5.8	482%	Day
1790	2025-04-07 18:37:17	79.83	55dB	5.6	459%	Day
1791	2025-04-07 18:38:28	73.82	55dB	3.7	269%	Day
1792	2025-04-07 18:39:56	81.09	55dB	6.1	510%	Day
1793	2025-04-07 18:42:01	76.32	55dB	4.4	338%	Day
1794	2025-04-07 18:43:47	76.71	55dB	4.5	350%	Day
1795	2025-04-07 18:46:16	79.70	55dB	5.5	454%	Day
1796	2025-04-07 18:54:20	80.51	55dB	5.9	486%	Day
1797	2025-04-07 19:00:56	77.41	55dB	4.7	373%	Day
1798	2025-04-07 19:03:02	73.66	55dB	3.6	265%	Day

1799	2025-04-07 19:04:47	75.15	55dB	4.0	304%	Day
1800	2025-04-07 19:07:43	80.53	55dB	5.9	487%	Day
1801	2025-04-07 19:12:28	79.49	55dB	5.5	446%	Day
1802	2025-04-07 19:14:41	77.80	55dB	4.9	386%	Day
1803	2025-04-07 19:16:11	77.14	55dB	4.6	364%	Day
1804	2025-04-07 19:17:31	75.90	55dB	4.3	326%	Day
1805	2025-04-07 19:18:53	71.40	55dB	3.1	212%	Day
1806	2025-04-07 19:20:10	87.46	55dB	9.5	849%	Day
1807	2025-04-07 19:21:46	82.53	55dB	6.7	574%	Day
1808	2025-04-07 19:23:24	80.66	55dB	5.9	492%	Day
1809	2025-04-07 19:25:08	90.40	55dB	11.6	1063%	Day
1810	2025-04-07 19:26:28	88.82	55dB	10.4	943%	Day
1811	2025-04-07 19:28:08	81.52	55dB	6.3	529%	Day
1812	2025-04-07 19:29:47	83.30	55dB	7.1	611%	Day
1813	2025-04-07 19:31:46	87.43	55dB	9.5	847%	Day
1814	2025-04-07 19:33:11	87.75	55dB	9.7	868%	Day
1815	2025-04-07 19:34:37	68.73	55dB	2.6	159%	Day
1816	2025-04-07 19:36:04	73.88	55dB	3.7	270%	Day
1817	2025-04-07 19:38:08	88.76	55dB	10.4	938%	Day
1818	2025-04-07 19:39:49	73.41	55dB	3.6	258%	Day
1819	2025-04-07 19:43:28	85.09	55dB	8.1	705%	Day
1820	2025-04-07 19:44:51	81.52	55dB	6.3	529%	Day
1821	2025-04-07 19:46:18	88.48	55dB	10.2	918%	Day
1822	2025-04-07 19:47:44	87.02	55dB	9.2	820%	Day
1823	2025-04-07 19:49:01	86.51	55dB	8.9	788%	Day
1824	2025-04-07 19:50:18	86.62	55dB	9.0	795%	Day
1825	2025-04-07 19:52:26	84.07	55dB	7.5	650%	Day
1826	2025-04-07 19:53:34	80.81	55dB	6.0	498%	Day
1827	2025-04-07 19:54:49	80.42	55dB	5.8	482%	Day
1828	2025-04-07 19:56:24	81.19	55dB	6.1	514%	Day
1829	2025-04-07 19:58:21	83.74	55dB	7.3	633%	Day
1830	2025-04-08 05:28:23	70.19	45dB	5.7	473%	Night
1831	2025-04-08 05:30:05	74.68	45dB	7.8	682%	Night
1832	2025-04-08 05:35:51	68.31	45dB	5.0	403%	Night
1833	2025-04-08 05:37:44	74.21	45dB	7.6	657%	Night
1834	2025-04-08 05:40:15	69.95	45dB	5.6	464%	Night
1835	2025-04-08 05:47:32	80.84	45dB	12.0	1099%	Night
1836	2025-04-08 05:50:18	80.52	45dB	11.7	1073%	Night
1837	2025-04-08 05:57:32	67.12	45dB	4.6	363%	Night
1838	2025-04-08 05:59:53	72.75	45dB	6.8	584%	Night
1839	2025-04-08 06:02:55	75.43	45dB	8.2	724%	Night
1840	2025-04-08 17:01:43	80.73	55dB	6.0	495%	Day
1841	2025-04-08 17:06:12	74.31	55dB	3.8	281%	Day
1842	2025-04-08 17:08:16	79.76	55dB	5.6	456%	Day

1843	2025-04-08 17:12:51	74.11	55dB	3.8	276%	Day
1844	2025-04-08 17:19:10	81.05	55dB	6.1	508%	Day
1845	2025-04-08 17:29:48	71.37	55dB	3.1	211%	Day
1846	2025-04-08 17:32:12	73.74	55dB	3.7	267%	Day
1847	2025-04-08 17:34:14	78.43	55dB	5.1	407%	Day
1848	2025-04-08 17:40:19	76.02	55dB	4.3	329%	Day
1849	2025-04-08 17:43:27	66.81	55dB	2.3	127%	Day
1850	2025-04-08 17:46:42	74.68	55dB	3.9	291%	Day
1851	2025-04-08 17:49:11	71.67	55dB	3.2	218%	Day
1852	2025-04-08 17:52:12	77.53	55dB	4.8	377%	Day
1853	2025-04-08 18:03:15	N/A	55dB	N/A	N/A	Day
1854	2025-04-08 18:05:19	78.10	55dB	5.0	396%	Day
1855	2025-04-08 18:09:05	N/A	55dB	N/A	N/A	Day
1856	2025-04-08 18:11:38	72.06	55dB	3.3	226%	Day
1857	2025-04-08 18:14:07	72.67	55dB	3.4	240%	Day
1858	2025-04-08 18:16:06	N/A	55dB	N/A	N/A	Day
1859	2025-04-08 18:18:38	80.20	55dB	5.7	474%	Day
1860	2025-04-08 18:20:53	72.81	55dB	3.4	244%	Day
1861	2025-04-08 18:23:32	83.26	55dB	7.1	609%	Day
1862	2025-04-08 18:25:26	70.82	55dB	3.0	199%	Day
1863	2025-04-08 18:27:56	72.13	55dB	3.3	228%	Day
1864	2025-04-08 18:30:08	N/A	55dB	N/A	N/A	Day
1865	2025-04-08 18:32:22	81.14	55dB	6.1	512%	Day
1866	2025-04-08 18:35:27	70.70	55dB	3.0	197%	Day
1867	2025-04-08 18:37:36	80.89	55dB	6.0	502%	Day
1868	2025-04-08 18:39:46	80.25	55dB	5.8	476%	Day
1869	2025-04-08 18:42:02	84.83	55dB	7.9	691%	Day
1870	2025-04-08 18:44:17	N/A	55dB	N/A	N/A	Day
1871	2025-04-08 18:47:41	75.27	55dB	4.1	308%	Day
1872	2025-04-08 18:51:20	80.33	55dB	5.8	479%	Day
1873	2025-04-08 18:53:35	69.82	55dB	2.8	179%	Day
1874	2025-04-08 18:55:47	69.15	55dB	2.7	167%	Day
1875	2025-04-08 18:57:47	74.26	55dB	3.8	280%	Day
1876	2025-04-08 19:01:50	N/A	55dB	N/A	N/A	Day
1877	2025-04-08 19:08:07	76.80	55dB	4.5	353%	Day
1878	2025-04-08 19:10:43	79.00	55dB	5.3	428%	Day
1879	2025-04-08 19:13:21	74.55	55dB	3.9	288%	Day
1880	2025-04-08 19:18:16	73.17	55dB	3.5	252%	Day
1881	2025-04-08 19:20:51	78.52	55dB	5.1	411%	Day
1882	2025-04-08 19:22:50	70.97	55dB	3.0	203%	Day
1883	2025-04-08 19:24:55	72.97	55dB	3.5	247%	Day
1884	2025-04-08 19:29:39	76.23	55dB	4.4	336%	Day
1885	2025-04-08 19:32:55	72.71	55dB	3.4	241%	Day
1886	2025-04-08 19:35:19	N/A	55dB	N/A	N/A	Day

1887	2025-04-08 19:37:18	72.92	55dB	3.5	246%	Day
1888	2025-04-08 19:39:52	74.92	55dB	4.0	298%	Day
1889	2025-04-08 19:42:04	74.67	55dB	3.9	291%	Day
1890	2025-04-08 19:47:53	71.25	55dB	3.1	208%	Day
1891	2025-04-08 19:50:49	72.78	55dB	3.4	243%	Day
1892	2025-04-08 19:57:10	N/A	55dB	N/A	N/A	Day
1893	2025-04-08 20:01:15	73.18	55dB	3.5	253%	Day
1894	2025-04-08 20:05:58	78.85	55dB	5.2	422%	Day
1895	2025-04-08 20:12:30	72.49	55dB	3.4	236%	Day
1896	2025-04-08 20:14:27	72.61	55dB	3.4	239%	Day
1897	2025-04-08 20:16:33	73.21	55dB	3.5	253%	Day
1898	2025-04-08 20:18:31	70.70	55dB	3.0	197%	Day
1899	2025-04-08 20:24:17	73.88	55dB	3.7	270%	Day
1900	2025-04-08 20:26:40	72.35	55dB	3.3	233%	Day
1901	2025-04-08 20:28:49	79.14	55dB	5.3	433%	Day
1902	2025-04-08 20:35:38	N/A	55dB	N/A	N/A	Day
1903	2025-04-08 20:40:54	69.04	55dB	2.6	165%	Day
1904	2025-04-08 20:45:58	72.80	55dB	3.4	243%	Day
1905	2025-04-08 20:48:20	73.59	55dB	3.6	263%	Day
1906	2025-04-08 20:50:50	72.49	55dB	3.4	236%	Day
1907	2025-04-08 20:54:34	71.72	55dB	3.2	219%	Day
1908	2025-04-08 20:58:20	72.67	55dB	3.4	240%	Day
1909	2025-04-08 20:59:36	72.15	55dB	3.3	228%	Day
1910	2025-04-08 21:01:15	69.06	55dB	2.7	165%	Day
1911	2025-04-08 21:02:43	N/A	55dB	N/A	N/A	Day
1912	2025-04-08 21:03:49	71.69	55dB	3.2	218%	Day
1913	2025-04-08 21:05:27	67.51	55dB	2.4	138%	Day
1914	2025-04-08 21:07:09	71.13	55dB	3.1	206%	Day
1915	2025-04-08 21:10:19	N/A	55dB	N/A	N/A	Day
1916	2025-04-08 21:11:39	N/A	55dB	N/A	N/A	Day
1917	2025-04-08 21:12:47	N/A	55dB	N/A	N/A	Day
1918	2025-04-08 21:14:28	N/A	55dB	N/A	N/A	Day
1919	2025-04-08 21:15:58	75.98	55dB	4.3	328%	Day
1920	2025-04-08 21:17:19	67.83	55dB	2.4	143%	Day
1921	2025-04-08 21:19:00	N/A	55dB	N/A	N/A	Day
1922	2025-04-08 21:20:52	73.71	55dB	3.7	266%	Day
1923	2025-04-08 21:22:28	N/A	55dB	N/A	N/A	Day
1924	2025-04-08 21:23:40	67.51	55dB	2.4	138%	Day
1925	2025-04-08 21:25:24	N/A	55dB	N/A	N/A	Day
1926	2025-04-08 21:27:42	70.92	55dB	3.0	201%	Day
1927	2025-04-08 21:30:30	N/A	55dB	N/A	N/A	Day
1928	2025-04-08 21:34:44	68.68	55dB	2.6	158%	Day
1929	2025-04-08 21:37:36	68.13	55dB	2.5	148%	Day
1930	2025-04-08 21:39:28	73.43	55dB	3.6	259%	Day

1931	2025-04-08 21:46:50	83.50	55dB	7.2	621%	Day
1932	2025-04-08 21:48:42	N/A	55dB	N/A	N/A	Day
1933	2025-04-08 21:50:04	N/A	55dB	N/A	N/A	Day
1934	2025-04-08 21:51:24	N/A	55dB	N/A	N/A	Day
1935	2025-04-08 21:52:40	N/A	55dB	N/A	N/A	Day
1936	2025-04-08 21:53:55	68.36	55dB	2.5	152%	Day
1937	2025-04-08 21:55:34	68.27	55dB	2.5	151%	Day
1938	2025-04-08 21:57:02	N/A	55dB	N/A	N/A	Day
1939	2025-04-08 21:59:26	N/A	55dB	N/A	N/A	Day
1940	2025-04-08 22:01:39	N/A	55dB	N/A	N/A	Day
1941	2025-04-08 22:07:18	N/A	55dB	N/A	N/A	Day
1942	2025-04-08 22:15:33	N/A	55dB	N/A	N/A	Day
1943	2025-04-08 22:17:07	N/A	55dB	N/A	N/A	Day
1944	2025-04-08 22:24:34	N/A	55dB	N/A	N/A	Day
1945	2025-04-08 22:28:53	N/A	55dB	N/A	N/A	Day
1946	2025-04-08 22:30:43	N/A	55dB	N/A	N/A	Day
1947	2025-04-08 22:32:17	N/A	55dB	N/A	N/A	Day
1948	2025-04-08 22:34:33	N/A	55dB	N/A	N/A	Day
1949	2025-04-08 22:38:42	N/A	55dB	N/A	N/A	Day
1950	2025-04-08 22:40:36	67.87	55dB	2.4	144%	Day
1951	2025-04-08 22:42:31	N/A	55dB	N/A	N/A	Day
1952	2025-04-08 22:45:03	N/A	55dB	N/A	N/A	Day
1953	2025-04-08 22:46:51	N/A	55dB	N/A	N/A	Day
1954	2025-04-08 22:51:09	N/A	55dB	N/A	N/A	Day
1955	2025-04-08 22:52:43	65.98	55dB	2.1	114%	Day
1956	2025-04-08 22:55:25	77.40	55dB	4.7	372%	Day
1957	2025-04-08 23:05:11	N/A	45dB	N/A	N/A	Night
1958	2025-04-08 23:07:03	N/A	45dB	N/A	N/A	Night
1959	2025-04-08 23:12:56	N/A	45dB	N/A	N/A	Night
1960	2025-04-08 23:17:03	N/A	45dB	N/A	N/A	Night
1961	2025-04-08 23:22:11	66.33	45dB	4.4	339%	Night
1962	2025-04-08 23:23:54	N/A	45dB	N/A	N/A	Night
1963	2025-04-08 23:25:23	N/A	45dB	N/A	N/A	Night
1964	2025-04-08 23:27:00	N/A	45dB	N/A	N/A	Night
1965	2025-04-08 23:28:27	N/A	45dB	N/A	N/A	Night
1966	2025-04-08 23:29:56	69.66	45dB	5.5	453%	Night
1967	2025-04-08 23:31:37	72.89	45dB	6.9	591%	Night
1968	2025-04-08 23:34:17	N/A	45dB	N/A	N/A	Night
1969	2025-04-08 23:36:49	68.85	45dB	5.2	422%	Night
1970	2025-04-08 23:38:24	N/A	45dB	N/A	N/A	Night
1971	2025-04-08 23:40:02	67.14	45dB	4.6	364%	Night
1972	2025-04-08 23:41:28	69.62	45dB	5.5	451%	Night
1973	2025-04-08 23:43:40	N/A	45dB	N/A	N/A	Night
1974	2025-04-08 23:45:18	67.28	45dB	4.7	368%	Night

1975	2025-04-08 23:47:10	N/A	45dB	N/A	N/A	Night
1976	2025-04-08 23:49:27	N/A	45dB	N/A	N/A	Night
1977	2025-04-08 23:52:22	74.65	45dB	7.8	681%	Night
1978	2025-04-08 23:54:32	70.94	45dB	6.0	504%	Night
1979	2025-04-08 23:56:06	70.27	45dB	5.8	476%	Night
1980	2025-04-08 23:57:33	70.54	45dB	5.9	487%	Night
1981	2025-04-08 23:59:05	72.13	45dB	6.6	556%	Night
1982	2025-04-09 00:00:43	73.34	45dB	7.1	613%	Night
1983	2025-04-09 00:02:52	70.55	45dB	5.9	488%	Night
1984	2025-04-09 00:04:25	70.59	45dB	5.9	489%	Night
1985	2025-04-09 00:05:44	71.24	45dB	6.2	516%	Night
1986	2025-04-09 00:07:08	70.23	45dB	5.7	475%	Night
1987	2025-04-09 00:08:27	69.71	45dB	5.5	454%	Night
1988	2025-04-09 00:10:52	69.14	45dB	5.3	433%	Night
1989	2025-04-09 00:19:03	73.79	45dB	7.4	636%	Night
1990	2025-04-09 00:28:46	72.62	45dB	6.8	578%	Night
1991	2025-04-09 00:36:39	71.85	45dB	6.4	543%	Night
1992	2025-04-09 00:42:24	74.58	45dB	7.8	677%	Night
1993	2025-04-09 00:44:10	71.35	45dB	6.2	521%	Night
1994	2025-04-09 00:46:28	70.11	45dB	5.7	470%	Night
1995	2025-04-09 00:48:05	72.71	45dB	6.8	583%	Night
1996	2025-04-09 00:52:53	71.26	45dB	6.2	517%	Night
1997	2025-04-09 01:11:01	71.07	45dB	6.1	509%	Night
1998	2025-04-09 01:13:51	71.01	45dB	6.1	507%	Night
1999	2025-04-09 01:41:58	69.91	45dB	5.6	462%	Night
2000	2025-04-09 01:56:58	72.65	45dB	6.8	580%	Night
2001	2025-04-09 04:05:02	69.98	45dB	5.6	465%	Night
2002	2025-04-09 05:19:00	72.30	45dB	6.6	563%	Night
2003	2025-04-09 05:24:04	73.33	45dB	7.1	613%	Night
2004	2025-04-09 05:27:43	69.92	45dB	5.6	463%	Night
2005	2025-04-09 05:43:19	73.59	45dB	7.3	626%	Night
2006	2025-04-09 05:45:34	70.95	45dB	6.0	504%	Night
2007	2025-04-09 05:47:40	71.00	45dB	6.1	506%	Night
2008	2025-04-09 05:50:20	74.62	45dB	7.8	679%	Night
2009	2025-04-09 05:52:41	72.51	45dB	6.7	573%	Night
2010	2025-04-09 05:54:57	75.74	45dB	8.4	742%	Night
2011	2025-04-09 05:57:05	71.39	45dB	6.2	523%	Night
2012	2025-04-09 06:00:21	N/A	45dB	N/A	N/A	Night
2013	2025-04-09 06:03:17	72.98	45dB	7.0	595%	Night
2014	2025-04-09 06:05:52	71.44	45dB	6.3	525%	Night
2015	2025-04-09 06:08:34	72.58	45dB	6.8	576%	Night
2016	2025-04-09 06:29:36	71.07	45dB	6.1	509%	Night
2017	2025-04-09 06:31:43	65.90	45dB	4.3	326%	Night
2018	2025-04-09 06:32:57	70.30	45dB	5.8	478%	Night

2019	2025-04-09 06:34:15	67.53	45dB	4.8	377%	Night
2020	2025-04-09 06:35:48	68.92	45dB	5.2	425%	Night
2021	2025-04-09 06:37:44	70.33	45dB	5.8	479%	Night
2022	2025-04-09 06:40:15	69.29	45dB	5.4	439%	Night
2023	2025-04-09 06:41:37	68.99	45dB	5.3	427%	Night
2024	2025-04-09 06:42:51	68.52	45dB	5.1	411%	Night
2025	2025-04-09 06:44:06	67.36	45dB	4.7	371%	Night
2026	2025-04-09 06:47:03	72.29	45dB	6.6	563%	Night
2027	2025-04-09 06:48:26	68.56	45dB	5.1	412%	Night
2028	2025-04-09 06:49:47	68.54	45dB	5.1	411%	Night
2029	2025-04-09 06:51:14	70.18	45dB	5.7	473%	Night
2030	2025-04-09 06:53:01	69.08	45dB	5.3	431%	Night
2031	2025-04-09 06:54:17	N/A	45dB	N/A	N/A	Night
2032	2025-04-09 06:55:37	N/A	45dB	N/A	N/A	Night
2033	2025-04-09 06:56:48	67.84	45dB	4.9	387%	Night
2034	2025-04-09 06:58:19	72.53	45dB	6.7	574%	Night
2035	2025-04-09 06:59:31	68.72	45dB	5.2	418%	Night
2036	2025-04-09 07:00:44	69.42	55dB	2.7	172%	Day
2037	2025-04-09 07:02:02	69.12	55dB	2.7	166%	Day
2038	2025-04-09 07:03:14	N/A	55dB	N/A	N/A	Day
2039	2025-04-09 07:05:08	67.54	55dB	2.4	139%	Day
2040	2025-04-09 07:07:17	66.33	55dB	2.2	119%	Day
2041	2025-04-09 07:11:49	N/A	55dB	N/A	N/A	Day
2042	2025-04-09 07:20:01	67.06	55dB	2.3	131%	Day
2043	2025-04-09 07:23:16	68.57	55dB	2.6	156%	Day
2044	2025-04-09 07:24:48	67.05	55dB	2.3	131%	Day
2045	2025-04-09 07:26:25	N/A	55dB	N/A	N/A	Day
2046	2025-04-09 07:30:26	70.71	55dB	3.0	197%	Day
2047	2025-04-09 07:33:09	68.88	55dB	2.6	162%	Day
2048	2025-04-09 07:43:44	N/A	55dB	N/A	N/A	Day
2049	2025-04-09 07:49:29	72.71	55dB	3.4	241%	Day
2050	2025-04-09 07:51:35	73.15	55dB	3.5	252%	Day
2051	2025-04-09 07:56:42	71.28	55dB	3.1	209%	Day
2052	2025-04-09 07:58:50	71.56	55dB	3.2	215%	Day
2053	2025-04-09 08:01:48	70.75	55dB	3.0	198%	Day
2054	2025-04-09 08:04:44	71.07	55dB	3.0	205%	Day
2055	2025-04-09 08:11:41	73.28	55dB	3.6	255%	Day
2056	2025-04-09 08:15:08	71.91	55dB	3.2	223%	Day
2057	2025-04-09 08:17:14	68.26	55dB	2.5	151%	Day
2058	2025-04-09 08:23:30	69.58	55dB	2.7	175%	Day
2059	2025-04-09 08:27:47	N/A	55dB	N/A	N/A	Day
2060	2025-04-09 08:31:35	69.99	55dB	2.8	183%	Day
2061	2025-04-09 08:55:11	73.28	55dB	3.6	255%	Day
2062	2025-04-09 08:59:14	75.68	55dB	4.2	319%	Day

2063	2025-04-09 09:02:14	79.39	55dB	5.4	442%	Day
2064	2025-04-09 09:04:25	N/A	55dB	N/A	N/A	Day
2065	2025-04-09 09:18:25	N/A	55dB	N/A	N/A	Day
2066	2025-04-09 09:24:41	69.13	55dB	2.7	166%	Day
2067	2025-04-09 09:30:47	72.90	55dB	3.5	246%	Day
2068	2025-04-09 09:38:01	70.03	55dB	2.8	183%	Day
2069	2025-04-09 09:40:20	72.42	55dB	3.3	234%	Day
2070	2025-04-09 09:42:43	76.75	55dB	4.5	352%	Day
2071	2025-04-09 09:45:01	74.20	55dB	3.8	278%	Day
2072	2025-04-09 09:49:36	72.20	55dB	3.3	229%	Day
2073	2025-04-09 09:51:45	66.34	55dB	2.2	119%	Day
2074	2025-04-09 09:53:17	72.98	55dB	3.5	248%	Day
2075	2025-04-09 09:55:09	N/A	55dB	N/A	N/A	Day
2076	2025-04-09 09:57:09	N/A	55dB	N/A	N/A	Day
2077	2025-04-09 10:00:45	66.95	55dB	2.3	129%	Day
2078	2025-04-09 10:05:07	69.72	55dB	2.8	177%	Day
2079	2025-04-09 10:11:53	73.06	55dB	3.5	250%	Day
2080	2025-04-09 10:14:35	N/A	55dB	N/A	N/A	Day
2081	2025-04-09 10:16:39	77.22	55dB	4.7	367%	Day
2082	2025-04-09 10:19:37	69.30	55dB	2.7	169%	Day
2083	2025-04-09 10:21:36	69.42	55dB	2.7	172%	Day
2084	2025-04-09 10:23:42	78.84	55dB	5.2	422%	Day
2085	2025-04-09 10:25:14	68.95	55dB	2.6	163%	Day
2086	2025-04-09 10:26:53	71.61	55dB	3.2	216%	Day
2087	2025-04-09 10:29:06	71.62	55dB	3.2	216%	Day
2088	2025-04-09 10:30:48	69.40	55dB	2.7	171%	Day
2089	2025-04-09 10:32:32	67.17	55dB	2.3	132%	Day
2090	2025-04-09 10:34:14	71.99	55dB	3.2	225%	Day
2091	2025-04-09 10:36:30	75.09	55dB	4.0	303%	Day
2092	2025-04-09 10:39:33	71.39	55dB	3.1	211%	Day
2093	2025-04-09 10:42:12	69.48	55dB	2.7	173%	Day
2094	2025-04-09 10:46:09	74.97	55dB	4.0	299%	Day
2095	2025-04-09 10:52:01	70.56	55dB	2.9	194%	Day
2096	2025-04-09 10:54:07	74.37	55dB	3.8	283%	Day
2097	2025-04-09 10:55:26	N/A	55dB	N/A	N/A	Day
2098	2025-04-09 10:56:42	74.84	55dB	4.0	296%	Day
2099	2025-04-09 10:58:03	67.08	55dB	2.3	131%	Day
2100	2025-04-09 10:59:23	N/A	55dB	N/A	N/A	Day
2101	2025-04-09 11:00:41	N/A	55dB	N/A	N/A	Day
2102	2025-04-09 11:01:54	N/A	55dB	N/A	N/A	Day
2103	2025-04-09 11:03:10	N/A	55dB	N/A	N/A	Day
2104	2025-04-09 11:04:26	68.66	55dB	2.6	158%	Day
2105	2025-04-09 11:05:47	N/A	55dB	N/A	N/A	Day
2106	2025-04-09 11:06:57	66.67	55dB	2.2	125%	Day

2107	2025-04-09 11:10:49	76.13	55dB	4.3	333%	Day
2108	2025-04-09 11:12:14	66.29	55dB	2.2	119%	Day
2109	2025-04-09 11:13:55	70.91	55dB	3.0	201%	Day
2110	2025-04-09 11:17:01	N/A	55dB	N/A	N/A	Day
2111	2025-04-09 11:18:27	67.77	55dB	2.4	142%	Day
2112	2025-04-09 11:20:02	N/A	55dB	N/A	N/A	Day
2113	2025-04-09 11:21:28	N/A	55dB	N/A	N/A	Day
2114	2025-04-09 11:23:40	71.73	55dB	3.2	219%	Day
2115	2025-04-09 11:24:58	68.94	55dB	2.6	163%	Day
2116	2025-04-09 11:26:21	N/A	55dB	N/A	N/A	Day
2117	2025-04-09 11:27:47	68.67	55dB	2.6	158%	Day
2118	2025-04-09 11:29:48	N/A	55dB	N/A	N/A	Day
2119	2025-04-09 11:31:30	N/A	55dB	N/A	N/A	Day
2120	2025-04-09 11:33:42	70.87	55dB	3.0	200%	Day
2121	2025-04-09 11:36:24	68.95	55dB	2.6	163%	Day
2122	2025-04-09 11:37:42	67.86	55dB	2.4	144%	Day
2123	2025-04-09 11:39:20	N/A	55dB	N/A	N/A	Day
2124	2025-04-09 11:42:06	N/A	55dB	N/A	N/A	Day
2125	2025-04-09 11:50:32	N/A	55dB	N/A	N/A	Day
2126	2025-04-09 11:53:13	68.76	55dB	2.6	160%	Day
2127	2025-04-09 11:54:47	70.31	55dB	2.9	189%	Day
2128	2025-04-09 11:59:47	N/A	55dB	N/A	N/A	Day
2129	2025-04-09 12:01:53	N/A	55dB	N/A	N/A	Day
2130	2025-04-09 12:03:52	75.97	55dB	4.3	328%	Day
2131	2025-04-09 12:05:33	70.67	55dB	3.0	196%	Day
2132	2025-04-09 12:07:29	67.12	55dB	2.3	132%	Day
2133	2025-04-09 12:09:18	N/A	55dB	N/A	N/A	Day
2134	2025-04-09 12:11:24	N/A	55dB	N/A	N/A	Day
2135	2025-04-09 12:12:56	71.95	55dB	3.2	224%	Day
2136	2025-04-09 12:15:02	66.40	55dB	2.2	120%	Day
2137	2025-04-09 12:16:28	72.85	55dB	3.4	245%	Day
2138	2025-04-09 12:17:49	N/A	55dB	N/A	N/A	Day
2139	2025-04-09 12:23:21	77.95	55dB	4.9	391%	Day
2140	2025-04-09 12:25:10	70.49	55dB	2.9	193%	Day
2141	2025-04-09 12:27:36	67.27	55dB	2.3	134%	Day
2142	2025-04-09 12:29:49	69.96	55dB	2.8	182%	Day
2143	2025-04-09 12:34:39	69.49	55dB	2.7	173%	Day
2144	2025-04-09 12:35:54	69.98	55dB	2.8	182%	Day
2145	2025-04-09 12:41:41	72.56	55dB	3.4	238%	Day
2146	2025-04-09 12:46:39	72.78	55dB	3.4	243%	Day
2147	2025-04-09 12:48:11	N/A	55dB	N/A	N/A	Day
2148	2025-04-09 12:49:36	N/A	55dB	N/A	N/A	Day
2149	2025-04-09 12:54:54	78.12	55dB	5.0	397%	Day
2150	2025-04-09 12:57:33	N/A	55dB	N/A	N/A	Day

2151	2025-04-09 13:02:15	67.41	55dB	2.4	136%	Day
2152	2025-04-09 13:03:35	78.22	55dB	5.0	400%	Day
2153	2025-04-09 13:05:12	79.68	55dB	5.5	453%	Day
2154	2025-04-09 13:07:19	N/A	55dB	N/A	N/A	Day
2155	2025-04-09 13:13:35	78.36	55dB	5.0	405%	Day
2156	2025-04-09 13:15:54	N/A	55dB	N/A	N/A	Day
2157	2025-04-09 13:17:14	71.28	55dB	3.1	209%	Day
2158	2025-04-09 13:23:11	N/A	55dB	N/A	N/A	Day
2159	2025-04-09 13:25:10	75.42	55dB	4.1	312%	Day
2160	2025-04-09 13:29:42	N/A	55dB	N/A	N/A	Day
2161	2025-04-09 13:34:23	68.27	55dB	2.5	151%	Day
2162	2025-04-09 13:35:41	N/A	55dB	N/A	N/A	Day
2163	2025-04-09 13:37:26	70.05	55dB	2.8	184%	Day
2164	2025-04-09 13:39:28	68.66	55dB	2.6	158%	Day
2165	2025-04-09 13:41:06	70.08	55dB	2.8	184%	Day
2166	2025-04-09 13:42:20	70.46	55dB	2.9	192%	Day
2167	2025-04-09 13:47:49	76.29	55dB	4.4	337%	Day
2168	2025-04-09 13:49:09	N/A	55dB	N/A	N/A	Day
2169	2025-04-09 13:50:25	72.08	55dB	3.3	227%	Day
2170	2025-04-09 13:52:06	69.97	55dB	2.8	182%	Day
2171	2025-04-09 13:53:15	N/A	55dB	N/A	N/A	Day
2172	2025-04-09 13:55:04	N/A	55dB	N/A	N/A	Day
2173	2025-04-09 13:57:00	N/A	55dB	N/A	N/A	Day
2174	2025-04-09 13:58:27	N/A	55dB	N/A	N/A	Day
2175	2025-04-09 14:00:02	73.04	55dB	3.5	249%	Day
2176	2025-04-09 14:08:40	N/A	55dB	N/A	N/A	Day
2177	2025-04-09 14:11:04	67.36	55dB	2.4	136%	Day
2178	2025-04-09 14:12:49	72.45	55dB	3.4	235%	Day
2179	2025-04-09 14:14:53	67.29	55dB	2.3	134%	Day
2180	2025-04-09 14:16:44	70.22	55dB	2.9	187%	Day
2181	2025-04-09 14:18:15	67.93	55dB	2.5	145%	Day
2182	2025-04-09 14:19:54	70.24	55dB	2.9	188%	Day
2183	2025-04-09 14:21:35	N/A	55dB	N/A	N/A	Day
2184	2025-04-09 14:23:33	72.18	55dB	3.3	229%	Day
2185	2025-04-09 14:26:32	N/A	55dB	N/A	N/A	Day
2186	2025-04-09 14:28:02	N/A	55dB	N/A	N/A	Day
2187	2025-04-09 14:30:01	68.35	55dB	2.5	152%	Day
2188	2025-04-09 14:31:23	78.28	55dB	5.0	402%	Day
2189	2025-04-09 14:33:16	N/A	55dB	N/A	N/A	Day
2190	2025-04-09 14:34:47	67.04	55dB	2.3	130%	Day
2191	2025-04-09 14:36:05	67.54	55dB	2.4	139%	Day
2192	2025-04-09 14:37:45	N/A	55dB	N/A	N/A	Day
2193	2025-04-09 14:39:55	68.80	55dB	2.6	160%	Day
2194	2025-04-09 14:51:45	N/A	55dB	N/A	N/A	Day

2195	2025-04-09 14:55:02	68.04	55dB	2.5	147%	Day
2196	2025-04-09 14:56:31	N/A	55dB	N/A	N/A	Day
2197	2025-04-09 14:58:06	69.28	55dB	2.7	169%	Day
2198	2025-04-09 14:59:37	69.27	55dB	2.7	169%	Day
2199	2025-04-09 15:02:37	70.98	55dB	3.0	203%	Day
2200	2025-04-09 15:03:57	72.02	55dB	3.3	225%	Day
2201	2025-04-09 15:05:43	77.81	55dB	4.9	386%	Day
2202	2025-04-09 15:08:06	70.35	55dB	2.9	190%	Day
2203	2025-04-09 15:10:46	N/A	55dB	N/A	N/A	Day
2204	2025-04-09 15:12:02	78.25	55dB	5.0	401%	Day
2205	2025-04-09 15:15:47	N/A	55dB	N/A	N/A	Day
2206	2025-04-09 15:17:18	66.12	55dB	2.2	116%	Day
2207	2025-04-09 15:18:40	68.21	55dB	2.5	150%	Day
2208	2025-04-09 15:20:00	70.79	55dB	3.0	199%	Day
2209	2025-04-09 15:22:01	N/A	55dB	N/A	N/A	Day
2210	2025-04-09 15:23:41	68.37	55dB	2.5	153%	Day
2211	2025-04-09 15:25:00	N/A	55dB	N/A	N/A	Day
2212	2025-04-09 15:26:17	74.47	55dB	3.9	286%	Day
2213	2025-04-09 15:27:58	81.69	55dB	6.4	536%	Day
2214	2025-04-09 15:32:21	75.10	55dB	4.0	303%	Day
2215	2025-04-09 15:33:57	70.70	55dB	3.0	197%	Day
2216	2025-04-09 15:35:20	74.13	55dB	3.8	277%	Day
2217	2025-04-09 15:36:49	79.44	55dB	5.4	444%	Day
2218	2025-04-09 15:38:38	72.76	55dB	3.4	242%	Day
2219	2025-04-09 15:40:47	N/A	55dB	N/A	N/A	Day
2220	2025-04-09 15:42:04	N/A	55dB	N/A	N/A	Day
2221	2025-04-09 15:43:30	N/A	55dB	N/A	N/A	Day
2222	2025-04-09 15:45:47	73.72	55dB	3.7	266%	Day
2223	2025-04-09 15:47:26	N/A	55dB	N/A	N/A	Day
2224	2025-04-09 15:49:31	N/A	55dB	N/A	N/A	Day
2225	2025-04-09 15:51:18	N/A	55dB	N/A	N/A	Day
2226	2025-04-09 15:52:43	N/A	55dB	N/A	N/A	Day
2227	2025-04-09 15:54:47	N/A	55dB	N/A	N/A	Day
2228	2025-04-09 15:59:35	66.09	55dB	2.2	116%	Day
2229	2025-04-09 16:01:43	73.97	55dB	3.7	272%	Day
2230	2025-04-09 16:04:57	N/A	55dB	N/A	N/A	Day
2231	2025-04-09 16:07:30	70.01	55dB	2.8	183%	Day
2232	2025-04-09 16:09:01	68.70	55dB	2.6	158%	Day
2233	2025-04-09 16:12:35	70.26	55dB	2.9	188%	Day
2234	2025-04-09 16:14:39	69.33	55dB	2.7	170%	Day
2235	2025-04-09 16:15:54	79.82	55dB	5.6	459%	Day
2236	2025-04-09 16:17:15	68.52	55dB	2.6	155%	Day
2237	2025-04-09 16:19:39	72.10	55dB	3.3	227%	Day
2238	2025-04-09 16:22:52	71.17	55dB	3.1	207%	Day

2239	2025-04-09 16:28:40	76.97	55dB	4.6	359%	Day
2240	2025-04-09 16:31:10	N/A	55dB	N/A	N/A	Day
2241	2025-04-09 16:32:30	67.26	55dB	2.3	134%	Day
2242	2025-04-09 16:35:26	N/A	55dB	N/A	N/A	Day
2243	2025-04-09 16:37:12	68.78	55dB	2.6	160%	Day
2244	2025-04-09 16:39:41	72.29	55dB	3.3	231%	Day
2245	2025-04-09 16:41:47	N/A	55dB	N/A	N/A	Day
2246	2025-04-09 16:43:44	N/A	55dB	N/A	N/A	Day
2247	2025-04-09 16:45:10	67.94	55dB	2.5	145%	Day
2248	2025-04-09 16:48:04	70.52	55dB	2.9	193%	Day
2249	2025-04-09 16:49:24	72.99	55dB	3.5	248%	Day
2250	2025-04-09 16:50:44	69.94	55dB	2.8	182%	Day
2251	2025-04-09 16:52:51	68.90	55dB	2.6	162%	Day
2252	2025-04-09 16:54:55	85.39	55dB	8.2	722%	Day
2253	2025-04-09 16:56:45	N/A	55dB	N/A	N/A	Day
2254	2025-04-09 16:58:52	69.67	55dB	2.8	176%	Day
2255	2025-04-09 17:00:37	84.33	55dB	7.6	664%	Day
2256	2025-04-09 17:02:28	73.77	55dB	3.7	267%	Day
2257	2025-04-09 17:08:58	72.27	55dB	3.3	231%	Day
2258	2025-04-09 17:11:08	72.48	55dB	3.4	236%	Day
2259	2025-04-09 17:12:27	68.65	55dB	2.6	158%	Day
2260	2025-04-09 17:16:08	73.76	55dB	3.7	267%	Day
2261	2025-04-09 17:18:00	69.67	55dB	2.8	176%	Day
2262	2025-04-09 17:19:42	69.13	55dB	2.7	166%	Day
2263	2025-04-09 17:22:41	73.00	55dB	3.5	248%	Day
2264	2025-04-09 17:24:07	73.91	55dB	3.7	271%	Day
2265	2025-04-09 17:26:17	70.64	55dB	3.0	196%	Day
2266	2025-04-09 17:27:32	70.26	55dB	2.9	188%	Day
2267	2025-04-09 17:28:48	69.48	55dB	2.7	173%	Day
2268	2025-04-09 17:29:58	N/A	55dB	N/A	N/A	Day
2269	2025-04-09 17:31:12	68.81	55dB	2.6	160%	Day
2270	2025-04-09 17:32:26	72.26	55dB	3.3	231%	Day
2271	2025-04-09 17:34:48	70.07	55dB	2.8	184%	Day
2272	2025-04-09 17:36:16	66.51	55dB	2.2	122%	Day
2273	2025-04-09 17:38:32	68.12	55dB	2.5	148%	Day
2274	2025-04-09 17:40:21	74.10	55dB	3.8	276%	Day
2275	2025-04-09 17:43:35	77.04	55dB	4.6	361%	Day
2276	2025-04-09 17:45:14	73.79	55dB	3.7	268%	Day
2277	2025-04-09 17:46:41	72.77	55dB	3.4	243%	Day
2278	2025-04-09 17:48:25	72.62	55dB	3.4	239%	Day
2279	2025-04-09 17:50:07	76.07	55dB	4.3	331%	Day
2280	2025-04-09 17:52:17	72.99	55dB	3.5	248%	Day
2281	2025-04-09 17:53:49	78.71	55dB	5.2	417%	Day
2282	2025-04-09 17:56:01	74.99	55dB	4.0	300%	Day

2283	2025-04-09 17:58:01	75.51	55dB	4.1	314%	Day
2284	2025-04-09 18:00:04	N/A	55dB	N/A	N/A	Day
2285	2025-04-09 18:02:16	70.81	55dB	3.0	199%	Day
2286	2025-04-09 18:04:17	71.21	55dB	3.1	208%	Day
2287	2025-04-09 18:06:31	68.82	55dB	2.6	161%	Day
2288	2025-04-09 18:08:36	73.60	55dB	3.6	263%	Day
2289	2025-04-09 18:10:50	75.66	55dB	4.2	319%	Day
2290	2025-04-09 18:15:32	72.44	55dB	3.3	235%	Day
2291	2025-04-09 18:19:16	72.04	55dB	3.3	226%	Day
2292	2025-04-09 18:21:26	68.22	55dB	2.5	150%	Day
2293	2025-04-09 18:23:37	67.48	55dB	2.4	138%	Day
2294	2025-04-09 18:25:50	72.92	55dB	3.5	246%	Day
2295	2025-04-09 18:28:00	78.65	55dB	5.2	415%	Day
2296	2025-04-09 18:30:10	73.72	55dB	3.7	266%	Day
2297	2025-04-09 18:32:13	74.75	55dB	3.9	293%	Day
2298	2025-04-09 18:34:23	73.19	55dB	3.5	253%	Day
2299	2025-04-09 18:36:23	72.63	55dB	3.4	239%	Day
2300	2025-04-09 18:38:30	72.95	55dB	3.5	247%	Day
2301	2025-04-09 18:40:47	73.57	55dB	3.6	262%	Day
2302	2025-04-09 18:42:54	77.52	55dB	4.8	376%	Day
2303	2025-04-09 18:45:08	80.45	55dB	5.8	484%	Day
2304	2025-04-09 18:48:30	74.69	55dB	3.9	291%	Day
2305	2025-04-09 18:52:09	72.39	55dB	3.3	234%	Day
2306	2025-04-09 18:54:26	77.24	55dB	4.7	367%	Day
2307	2025-04-09 18:56:26	72.98	55dB	3.5	248%	Day
2308	2025-04-09 18:58:30	76.63	55dB	4.5	348%	Day
2309	2025-04-09 19:06:42	69.74	55dB	2.8	178%	Day
2310	2025-04-09 19:09:37	73.50	55dB	3.6	261%	Day
2311	2025-04-09 19:12:20	82.60	55dB	6.8	577%	Day
2312	2025-04-09 19:15:02	74.08	55dB	3.8	275%	Day
2313	2025-04-09 19:17:17	73.55	55dB	3.6	262%	Day
2314	2025-04-09 19:19:28	74.36	55dB	3.8	283%	Day
2315	2025-04-09 19:25:14	77.07	55dB	4.6	362%	Day
2316	2025-04-09 19:30:20	N/A	55dB	N/A	N/A	Day
2317	2025-04-09 19:35:38	69.30	55dB	2.7	169%	Day
2318	2025-04-09 19:38:01	69.90	55dB	2.8	181%	Day
2319	2025-04-09 19:39:22	71.04	55dB	3.0	204%	Day
2320	2025-04-09 19:40:46	69.63	55dB	2.8	176%	Day
2321	2025-04-09 19:42:06	N/A	55dB	N/A	N/A	Day
2322	2025-04-09 19:43:30	73.03	55dB	3.5	249%	Day
2323	2025-04-09 19:45:32	76.63	55dB	4.5	348%	Day
2324	2025-04-09 19:46:56	69.57	55dB	2.7	175%	Day
2325	2025-04-09 19:48:04	67.37	55dB	2.4	136%	Day
2326	2025-04-09 19:49:22	69.04	55dB	2.6	165%	Day

2327	2025-04-09 19:50:39	72.50	55dB	3.4	236%	Day
2328	2025-04-09 19:51:52	75.62	55dB	4.2	318%	Day
2329	2025-04-09 19:55:06	N/A	55dB	N/A	N/A	Day
2330	2025-04-09 19:56:20	69.98	55dB	2.8	182%	Day
2331	2025-04-09 19:57:49	70.89	55dB	3.0	201%	Day
2332	2025-04-09 19:59:07	69.78	55dB	2.8	179%	Day
2333	2025-04-09 20:00:30	68.95	55dB	2.6	163%	Day
2334	2025-04-09 20:02:41	71.56	55dB	3.2	215%	Day
2335	2025-04-09 20:04:02	69.88	55dB	2.8	180%	Day
2336	2025-04-09 20:05:18	72.77	55dB	3.4	243%	Day
2337	2025-04-09 20:08:52	69.95	55dB	2.8	182%	Day
2338	2025-04-09 20:10:13	68.78	55dB	2.6	160%	Day
2339	2025-04-09 20:11:37	69.02	55dB	2.6	164%	Day
2340	2025-04-09 20:13:56	70.51	55dB	2.9	193%	Day
2341	2025-04-09 20:15:44	70.96	55dB	3.0	202%	Day
2342	2025-04-09 20:17:57	70.00	55dB	2.8	183%	Day
2343	2025-04-09 20:20:56	67.50	55dB	2.4	138%	Day
2344	2025-04-09 20:24:54	69.26	55dB	2.7	169%	Day
2345	2025-04-09 20:33:03	72.89	55dB	3.5	246%	Day
2346	2025-04-09 20:34:52	69.72	55dB	2.8	177%	Day
2347	2025-04-09 20:37:51	72.91	55dB	3.5	246%	Day
2348	2025-04-09 20:39:56	68.67	55dB	2.6	158%	Day
2349	2025-04-09 20:41:54	71.02	55dB	3.0	204%	Day
2350	2025-04-09 20:44:13	N/A	55dB	N/A	N/A	Day
2351	2025-04-09 20:45:31	67.41	55dB	2.4	136%	Day
2352	2025-04-09 20:48:57	N/A	55dB	N/A	N/A	Day
2353	2025-04-09 20:50:22	N/A	55dB	N/A	N/A	Day
2354	2025-04-09 20:51:53	68.05	55dB	2.5	147%	Day
2355	2025-04-09 20:53:08	69.41	55dB	2.7	172%	Day
2356	2025-04-09 20:54:21	N/A	55dB	N/A	N/A	Day
2357	2025-04-09 20:56:26	69.36	55dB	2.7	171%	Day
2358	2025-04-09 20:57:45	69.25	55dB	2.7	169%	Day
2359	2025-04-09 20:58:56	68.83	55dB	2.6	161%	Day
2360	2025-04-09 21:00:12	67.13	55dB	2.3	132%	Day
2361	2025-04-09 21:01:53	68.38	55dB	2.5	153%	Day
2362	2025-04-09 21:04:41	68.38	55dB	2.5	153%	Day
2363	2025-04-09 21:06:13	69.08	55dB	2.7	165%	Day
2364	2025-04-09 21:07:45	69.43	55dB	2.7	172%	Day
2365	2025-04-09 21:09:01	70.24	55dB	2.9	188%	Day
2366	2025-04-09 21:10:19	65.59	55dB	2.1	108%	Day
2367	2025-04-09 21:11:34	71.99	55dB	3.2	225%	Day
2368	2025-04-09 21:13:43	N/A	55dB	N/A	N/A	Day
2369	2025-04-09 21:15:07	N/A	55dB	N/A	N/A	Day
2370	2025-04-09 21:16:25	68.62	55dB	2.6	157%	Day

2371	2025-04-09 21:19:53	68.17	55dB	2.5	149%	Day
2372	2025-04-09 21:25:15	75.05	55dB	4.0	301%	Day
2373	2025-04-09 21:27:31	79.45	55dB	5.4	445%	Day
2374	2025-04-09 21:29:32	70.57	55dB	2.9	194%	Day
2375	2025-04-09 21:31:20	69.23	55dB	2.7	168%	Day
2376	2025-04-09 21:33:09	75.34	55dB	4.1	310%	Day
2377	2025-04-09 21:35:18	68.47	55dB	2.5	154%	Day
2378	2025-04-09 21:36:43	80.08	55dB	5.7	469%	Day
2379	2025-04-09 21:38:06	68.29	55dB	2.5	151%	Day
2380	2025-04-09 21:39:23	79.19	55dB	5.3	435%	Day
2381	2025-04-09 21:41:01	N/A	55dB	N/A	N/A	Day
2382	2025-04-09 21:45:42	N/A	55dB	N/A	N/A	Day
2383	2025-04-09 21:50:15	N/A	55dB	N/A	N/A	Day
2384	2025-04-09 21:52:01	67.27	55dB	2.3	134%	Day
2385	2025-04-09 21:53:50	71.53	55dB	3.1	214%	Day
2386	2025-04-09 21:57:54	N/A	55dB	N/A	N/A	Day
2387	2025-04-09 22:00:33	67.32	55dB	2.3	135%	Day
2388	2025-04-09 22:03:14	69.85	55dB	2.8	180%	Day
2389	2025-04-09 22:05:26	69.06	55dB	2.7	165%	Day
2390	2025-04-09 22:07:04	65.74	55dB	2.1	111%	Day
2391	2025-04-09 22:10:15	67.24	55dB	2.3	134%	Day
2392	2025-04-09 22:12:47	68.91	55dB	2.6	162%	Day
2393	2025-04-09 22:15:21	N/A	55dB	N/A	N/A	Day
2394	2025-04-09 22:20:07	N/A	55dB	N/A	N/A	Day
2395	2025-04-09 22:24:03	69.14	55dB	2.7	166%	Day
2396	2025-04-09 22:26:16	71.68	55dB	3.2	218%	Day
2397	2025-04-09 22:34:10	68.77	55dB	2.6	160%	Day
2398	2025-04-09 22:36:39	N/A	55dB	N/A	N/A	Day
2399	2025-04-09 22:39:05	66.48	55dB	2.2	122%	Day
2400	2025-04-09 22:40:37	67.10	55dB	2.3	131%	Day
2401	2025-04-09 22:42:32	67.87	55dB	2.4	144%	Day
2402	2025-04-09 22:44:15	N/A	55dB	N/A	N/A	Day
2403	2025-04-09 22:45:32	66.98	55dB	2.3	129%	Day
2404	2025-04-09 22:48:11	74.43	55dB	3.8	285%	Day
2405	2025-04-09 22:50:23	67.90	55dB	2.4	145%	Day
2406	2025-04-09 22:52:03	68.07	55dB	2.5	147%	Day
2407	2025-04-09 22:53:33	67.02	55dB	2.3	130%	Day
2408	2025-04-09 22:55:00	67.68	55dB	2.4	141%	Day
2409	2025-04-09 22:56:36	69.49	55dB	2.7	173%	Day
2410	2025-04-09 22:58:23	68.99	55dB	2.6	164%	Day
2411	2025-04-09 23:01:03	67.47	45dB	4.7	375%	Night
2412	2025-04-09 23:06:28	67.89	45dB	4.9	389%	Night
2413	2025-04-09 23:18:27	68.21	45dB	5.0	400%	Night
2414	2025-04-09 23:25:33	66.94	45dB	4.6	358%	Night

2415	2025-04-09 23:27:19	67.45	45dB	4.7	374%	Night
2416	2025-04-09 23:29:15	69.65	45dB	5.5	452%	Night
2417	2025-04-09 23:32:55	N/A	45dB	N/A	N/A	Night
2418	2025-04-09 23:41:09	67.93	45dB	4.9	390%	Night
2419	2025-04-09 23:42:42	N/A	45dB	N/A	N/A	Night
2420	2025-04-09 23:46:01	68.94	45dB	5.3	426%	Night
2421	2025-04-09 23:48:04	74.15	45dB	7.5	654%	Night
2422	2025-04-09 23:50:05	68.34	45dB	5.0	404%	Night
2423	2025-04-09 23:51:26	N/A	45dB	N/A	N/A	Night
2424	2025-04-09 23:52:48	67.12	45dB	4.6	363%	Night
2425	2025-04-09 23:54:28	70.70	45dB	5.9	494%	Night
2426	2025-04-09 23:56:05	70.79	45dB	6.0	498%	Night
2427	2025-04-09 23:57:42	67.76	45dB	4.8	384%	Night
2428	2025-04-09 23:59:04	69.83	45dB	5.6	459%	Night
2429	2025-04-10 00:00:36	68.24	45dB	5.0	401%	Night
2430	2025-04-10 06:31:15	67.17	45dB	4.6	365%	Night
2431	2025-04-10 06:32:16	N/A	45dB	N/A	N/A	Night
2432	2025-04-10 06:34:57	74.90	45dB	7.9	694%	Night
2433	2025-04-10 06:36:06	70.24	45dB	5.8	475%	Night
2434	2025-04-10 06:37:02	72.09	45dB	6.5	554%	Night
2435	2025-04-10 06:38:12	74.76	45dB	7.9	687%	Night
2436	2025-04-10 06:39:05	N/A	45dB	N/A	N/A	Night
2437	2025-04-10 06:39:42	N/A	45dB	N/A	N/A	Night
2438	2025-04-10 06:41:48	N/A	45dB	N/A	N/A	Night
2439	2025-04-10 06:42:57	76.69	45dB	9.0	799%	Night
2440	2025-04-10 06:44:52	66.86	45dB	4.6	355%	Night
2441	2025-04-10 06:46:46	69.13	45dB	5.3	433%	Night
2442	2025-04-10 06:48:58	73.89	45dB	7.4	641%	Night
2443	2025-04-10 06:50:16	74.82	45dB	7.9	690%	Night
2444	2025-04-10 06:52:01	73.18	45dB	7.1	605%	Night
2445	2025-04-10 06:52:55	N/A	45dB	N/A	N/A	Night
2446	2025-04-10 06:55:23	N/A	45dB	N/A	N/A	Night
2447	2025-04-10 06:57:06	72.27	45dB	6.6	562%	Night
2448	2025-04-10 06:58:09	75.09	45dB	8.1	705%	Night
2449	2025-04-10 06:59:21	67.49	45dB	4.8	375%	Night
2450	2025-04-10 07:00:20	71.03	55dB	3.0	204%	Day
2451	2025-04-10 07:01:03	71.59	55dB	3.2	216%	Day
2452	2025-04-10 07:02:02	71.31	55dB	3.1	210%	Day
2453	2025-04-10 07:02:38	72.83	55dB	3.4	244%	Day
2454	2025-04-10 07:03:42	N/A	55dB	N/A	N/A	Day
2455	2025-04-10 07:05:23	N/A	55dB	N/A	N/A	Day
2456	2025-04-10 07:06:14	N/A	55dB	N/A	N/A	Day
2457	2025-04-10 07:07:17	68.53	55dB	2.6	155%	Day
2458	2025-04-10 07:08:10	73.73	55dB	3.7	266%	Day

2459	2025-04-10 07:09:01	73.53	55dB	3.6	261%	Day
2460	2025-04-10 07:11:44	72.34	55dB	3.3	233%	Day
2461	2025-04-10 07:12:33	N/A	55dB	N/A	N/A	Day
2462	2025-04-10 07:13:43	71.34	55dB	3.1	210%	Day
2463	2025-04-10 07:17:40	74.92	55dB	4.0	298%	Day
2464	2025-04-10 07:24:06	66.43	55dB	2.2	121%	Day
2465	2025-04-10 07:26:25	69.95	55dB	2.8	182%	Day
2466	2025-04-10 07:27:32	N/A	55dB	N/A	N/A	Day
2467	2025-04-10 07:28:39	N/A	55dB	N/A	N/A	Day
2468	2025-04-10 07:29:53	67.77	55dB	2.4	142%	Day
2469	2025-04-10 07:31:04	67.91	55dB	2.4	145%	Day
2470	2025-04-10 07:32:41	76.26	55dB	4.4	337%	Day
2471	2025-04-10 07:33:38	79.40	55dB	5.4	443%	Day
2472	2025-04-10 07:34:56	69.71	55dB	2.8	177%	Day
2473	2025-04-10 07:36:05	78.86	55dB	5.2	423%	Day
2474	2025-04-10 07:37:07	71.55	55dB	3.1	215%	Day
2475	2025-04-10 07:38:30	68.28	55dB	2.5	151%	Day
2476	2025-04-10 07:39:38	77.19	55dB	4.7	366%	Day
2477	2025-04-10 07:40:43	73.69	55dB	3.7	265%	Day
2478	2025-04-10 07:41:51	N/A	55dB	N/A	N/A	Day
2479	2025-04-10 07:43:02	76.73	55dB	4.5	351%	Day
2480	2025-04-10 07:45:50	72.96	55dB	3.5	247%	Day
2481	2025-04-10 07:47:06	72.09	55dB	3.3	227%	Day
2482	2025-04-10 07:48:27	N/A	55dB	N/A	N/A	Day
2483	2025-04-10 07:49:25	68.90	55dB	2.6	162%	Day
2484	2025-04-10 07:51:21	N/A	55dB	N/A	N/A	Day
2485	2025-04-10 07:58:32	69.23	55dB	2.7	168%	Day
2486	2025-04-10 08:06:14	76.09	55dB	4.3	331%	Day
2487	2025-04-10 08:09:00	76.59	55dB	4.5	347%	Day
2488	2025-04-10 08:10:17	75.78	55dB	4.2	322%	Day
2489	2025-04-10 08:11:33	74.75	55dB	3.9	293%	Day
2490	2025-04-10 08:12:52	77.13	55dB	4.6	364%	Day
2491	2025-04-10 08:15:05	75.07	55dB	4.0	302%	Day
2492	2025-04-10 08:20:14	70.06	55dB	2.8	184%	Day
2493	2025-04-10 08:22:08	72.24	55dB	3.3	230%	Day
2494	2025-04-10 08:25:03	68.07	55dB	2.5	147%	Day
2495	2025-04-10 08:29:34	70.68	55dB	3.0	196%	Day
2496	2025-04-10 08:31:55	N/A	55dB	N/A	N/A	Day
2497	2025-04-10 08:33:04	69.17	55dB	2.7	167%	Day
2498	2025-04-10 08:35:17	66.63	55dB	2.2	124%	Day
2499	2025-04-10 08:36:20	73.72	55dB	3.7	266%	Day
2500	2025-04-10 08:38:22	71.47	55dB	3.1	213%	Day
2501	2025-04-10 08:40:27	77.00	55dB	4.6	359%	Day
2502	2025-04-10 08:43:28	N/A	55dB	N/A	N/A	Day

2503	2025-04-10 08:46:22	75.42	55dB	4.1	312%	Day
2504	2025-04-10 08:49:05	72.58	55dB	3.4	238%	Day
2505	2025-04-10 08:50:30	N/A	55dB	N/A	N/A	Day
2506	2025-04-10 12:44:25	N/A	55dB	N/A	N/A	Day
2507	2025-04-10 14:04:24	N/A	55dB	N/A	N/A	Day
2508	2025-04-10 15:08:37	N/A	55dB	N/A	N/A	Day
2509	2025-04-10 15:54:45	66.74	55dB	2.3	126%	Day
2510	2025-04-10 17:02:43	N/A	55dB	N/A	N/A	Day
2511	2025-04-10 17:20:00	N/A	55dB	N/A	N/A	Day
2512	2025-04-10 17:32:39	N/A	55dB	N/A	N/A	Day
2513	2025-04-10 17:39:23	N/A	55dB	N/A	N/A	Day
2514	2025-04-10 18:08:28	N/A	55dB	N/A	N/A	Day
2515	2025-04-10 18:59:03	N/A	55dB	N/A	N/A	Day
2516	2025-04-10 20:01:31	N/A	55dB	N/A	N/A	Day
2517	2025-04-10 20:46:14	71.79	55dB	3.2	220%	Day
2518	2025-04-10 23:58:02	N/A	45dB	N/A	N/A	Night
2519	2025-04-10 23:59:36	N/A	45dB	N/A	N/A	Night
2520	2025-04-11 00:08:15	78.09	45dB	9.9	891%	Night
2521	2025-04-11 00:09:21	78.71	45dB	10.3	935%	Night
2522	2025-04-11 00:11:56	67.29	45dB	4.7	369%	Night
2523	2025-04-11 00:18:58	74.39	45dB	7.7	667%	Night
2524	2025-04-11 00:38:24	64.57	45dB	3.9	288%	Night
2525	2025-04-11 00:40:48	66.70	45dB	4.5	350%	Night
2526	2025-04-11 00:49:48	69.84	45dB	5.6	459%	Night
2527	2025-04-11 01:05:27	62.78	45dB	3.4	243%	Night
2528	2025-04-11 01:15:25	65.04	45dB	4.0	301%	Night
2529	2025-04-11 01:22:02	71.52	45dB	6.3	529%	Night
2530	2025-04-11 01:57:11	63.10	45dB	3.5	251%	Night
2531	2025-04-11 02:28:00	74.37	45dB	7.7	666%	Night
2532	2025-04-11 03:05:40	N/A	45dB	N/A	N/A	Night
2533	2025-04-11 03:34:42	N/A	45dB	N/A	N/A	Night
2534	2025-04-11 04:32:34	66.90	45dB	4.6	356%	Night
2535	2025-04-11 05:30:44	76.03	45dB	8.6	759%	Night
2536	2025-04-11 06:31:27	N/A	45dB	N/A	N/A	Night
2537	2025-04-11 06:34:08	N/A	45dB	N/A	N/A	Night
2538	2025-04-11 06:35:11	76.80	45dB	9.1	806%	Night
2539	2025-04-11 06:36:14	77.10	45dB	9.3	825%	Night
2540	2025-04-11 06:37:18	71.35	45dB	6.2	521%	Night
2541	2025-04-11 06:38:24	76.85	45dB	9.1	809%	Night
2542	2025-04-11 06:39:44	74.27	45dB	7.6	661%	Night
2543	2025-04-11 06:41:24	72.80	45dB	6.9	587%	Night
2544	2025-04-11 06:43:53	74.04	45dB	7.5	648%	Night
2545	2025-04-11 06:45:08	N/A	45dB	N/A	N/A	Night
2546	2025-04-11 06:46:32	75.63	45dB	8.4	736%	Night

2547	2025-04-11 06:48:37	68.71	45dB	5.2	417%	Night
2548	2025-04-11 06:51:27	71.20	45dB	6.1	515%	Night
2549	2025-04-11 06:52:21	76.86	45dB	9.1	810%	Night
2550	2025-04-11 06:53:32	73.29	45dB	7.1	611%	Night
2551	2025-04-11 06:54:53	75.45	45dB	8.3	725%	Night
2552	2025-04-11 06:57:26	66.07	45dB	4.3	331%	Night
2553	2025-04-11 06:58:26	70.74	45dB	6.0	495%	Night
2554	2025-04-11 06:59:40	70.91	45dB	6.0	503%	Night
2555	2025-04-11 07:01:31	74.51	55dB	3.9	287%	Day
2556	2025-04-11 07:03:11	81.79	55dB	6.4	540%	Day
2557	2025-04-11 07:04:19	71.01	55dB	3.0	203%	Day
2558	2025-04-11 07:05:32	69.58	55dB	2.7	175%	Day
2559	2025-04-11 07:06:26	72.55	55dB	3.4	238%	Day
2560	2025-04-11 07:07:27	N/A	55dB	N/A	N/A	Day
2561	2025-04-11 07:08:23	66.47	55dB	2.2	121%	Day
2562	2025-04-11 07:09:36	73.65	55dB	3.6	264%	Day
2563	2025-04-11 07:10:48	72.22	55dB	3.3	230%	Day
2564	2025-04-11 07:11:57	N/A	55dB	N/A	N/A	Day
2565	2025-04-11 07:13:00	69.51	55dB	2.7	173%	Day
2566	2025-04-11 07:14:00	73.56	55dB	3.6	262%	Day
2567	2025-04-11 07:21:10	70.32	55dB	2.9	189%	Day
2568	2025-04-11 07:25:31	68.44	55dB	2.5	154%	Day
2569	2025-04-11 07:28:52	N/A	55dB	N/A	N/A	Day
2570	2025-04-11 07:34:32	77.44	55dB	4.7	374%	Day
2571	2025-04-11 07:36:40	68.48	55dB	2.5	155%	Day
2572	2025-04-11 07:38:53	70.23	55dB	2.9	187%	Day
2573	2025-04-11 07:40:00	69.75	55dB	2.8	178%	Day
2574	2025-04-11 07:41:16	N/A	55dB	N/A	N/A	Day
2575	2025-04-11 07:42:32	76.75	55dB	4.5	352%	Day
2576	2025-04-11 07:43:55	67.79	55dB	2.4	143%	Day
2577	2025-04-11 07:45:28	71.15	55dB	3.1	206%	Day
2578	2025-04-11 07:46:50	68.31	55dB	2.5	152%	Day
2579	2025-04-11 07:48:56	76.11	55dB	4.3	332%	Day
2580	2025-04-11 07:50:17	74.97	55dB	4.0	299%	Day
2581	2025-04-11 07:51:30	71.57	55dB	3.2	215%	Day
2582	2025-04-11 07:53:42	N/A	55dB	N/A	N/A	Day
2583	2025-04-11 07:54:57	69.18	55dB	2.7	167%	Day
2584	2025-04-11 07:56:31	N/A	55dB	N/A	N/A	Day
2585	2025-04-11 07:57:37	70.75	55dB	3.0	198%	Day
2586	2025-04-11 07:58:40	70.02	55dB	2.8	183%	Day
2587	2025-04-11 07:59:55	N/A	55dB	N/A	N/A	Day
2588	2025-04-11 08:01:56	73.55	55dB	3.6	262%	Day
2589	2025-04-11 08:04:36	68.16	55dB	2.5	149%	Day
2590	2025-04-11 08:05:45	68.91	55dB	2.6	162%	Day

2591	2025-04-11 08:06:53	69.81	55dB	2.8	179%	Day
2592	2025-04-11 08:08:08	67.78	55dB	2.4	143%	Day
2593	2025-04-11 08:10:09	74.98	55dB	4.0	299%	Day
2594	2025-04-11 08:11:09	72.41	55dB	3.3	234%	Day
2595	2025-04-11 08:13:25	69.84	55dB	2.8	180%	Day
2596	2025-04-11 08:15:32	74.95	55dB	4.0	299%	Day
2597	2025-04-11 08:20:37	N/A	55dB	N/A	N/A	Day
2598	2025-04-11 08:21:51	73.29	55dB	3.6	255%	Day
2599	2025-04-11 08:23:06	N/A	55dB	N/A	N/A	Day
2600	2025-04-11 08:24:15	74.59	55dB	3.9	289%	Day
2601	2025-04-11 08:25:42	69.78	55dB	2.8	179%	Day
2602	2025-04-11 08:26:57	69.59	55dB	2.7	175%	Day
2603	2025-04-11 08:27:57	70.71	55dB	3.0	197%	Day
2604	2025-04-11 08:30:32	71.22	55dB	3.1	208%	Day
2605	2025-04-11 08:32:12	72.85	55dB	3.4	245%	Day
2606	2025-04-11 08:35:15	68.72	55dB	2.6	159%	Day
2607	2025-04-11 08:36:26	N/A	55dB	N/A	N/A	Day
2608	2025-04-11 08:39:39	73.26	55dB	3.5	255%	Day
2609	2025-04-11 08:41:33	74.83	55dB	4.0	295%	Day
2610	2025-04-11 08:42:43	76.77	55dB	4.5	352%	Day
2611	2025-04-11 08:46:09	77.81	55dB	4.9	386%	Day
2612	2025-04-11 08:48:00	72.34	55dB	3.3	233%	Day
2613	2025-04-11 08:49:15	70.22	55dB	2.9	187%	Day
2614	2025-04-11 08:51:11	66.51	55dB	2.2	122%	Day
2615	2025-04-11 08:52:16	70.15	55dB	2.9	186%	Day
2616	2025-04-11 08:53:42	70.84	55dB	3.0	200%	Day
2617	2025-04-11 08:54:43	70.66	55dB	3.0	196%	Day
2618	2025-04-11 08:56:51	69.20	55dB	2.7	168%	Day
2619	2025-04-11 08:58:46	71.90	55dB	3.2	223%	Day
2620	2025-04-11 08:59:48	74.95	55dB	4.0	299%	Day
2621	2025-04-11 09:00:55	75.44	55dB	4.1	312%	Day
2622	2025-04-11 09:02:18	N/A	55dB	N/A	N/A	Day
2623	2025-04-11 09:05:00	73.47	55dB	3.6	260%	Day
2624	2025-04-11 09:06:08	72.72	55dB	3.4	242%	Day
2625	2025-04-11 09:07:11	68.62	55dB	2.6	157%	Day
2626	2025-04-11 09:08:20	N/A	55dB	N/A	N/A	Day
2627	2025-04-11 09:09:31	69.40	55dB	2.7	171%	Day
2628	2025-04-11 09:10:53	N/A	55dB	N/A	N/A	Day
2629	2025-04-11 09:14:33	71.16	55dB	3.1	207%	Day
2630	2025-04-11 09:17:25	73.48	55dB	3.6	260%	Day
2631	2025-04-11 09:19:44	75.13	55dB	4.0	304%	Day
2632	2025-04-11 09:22:26	N/A	55dB	N/A	N/A	Day
2633	2025-04-11 09:28:46	72.08	55dB	3.3	227%	Day
2634	2025-04-11 09:30:23	70.12	55dB	2.9	185%	Day

2635	2025-04-11 09:31:26	N/A	55dB	N/A	N/A	Day
2636	2025-04-11 09:33:02	68.74	55dB	2.6	159%	Day
2637	2025-04-11 09:34:50	75.48	55dB	4.1	314%	Day
2638	2025-04-11 09:38:32	73.63	55dB	3.6	264%	Day
2639	2025-04-11 09:39:53	N/A	55dB	N/A	N/A	Day
2640	2025-04-11 09:44:04	75.20	55dB	4.1	306%	Day
2641	2025-04-11 09:47:00	78.01	55dB	4.9	393%	Day
2642	2025-04-11 09:48:04	N/A	55dB	N/A	N/A	Day
2643	2025-04-11 09:49:08	79.55	55dB	5.5	448%	Day
2644	2025-04-11 09:50:18	70.84	55dB	3.0	200%	Day
2645	2025-04-11 09:51:28	70.44	55dB	2.9	192%	Day
2646	2025-04-11 09:52:40	76.90	55dB	4.6	356%	Day
2647	2025-04-11 09:53:52	N/A	55dB	N/A	N/A	Day
2648	2025-04-11 09:57:52	N/A	55dB	N/A	N/A	Day
2649	2025-04-11 09:58:57	72.95	55dB	3.5	247%	Day
2650	2025-04-11 10:00:02	N/A	55dB	N/A	N/A	Day
2651	2025-04-11 10:00:58	N/A	55dB	N/A	N/A	Day
2652	2025-04-11 10:02:17	72.34	55dB	3.3	233%	Day
2653	2025-04-11 10:05:28	70.17	55dB	2.9	186%	Day
2654	2025-04-11 10:10:44	N/A	55dB	N/A	N/A	Day
2655	2025-04-11 10:17:19	N/A	55dB	N/A	N/A	Day
2656	2025-04-11 10:40:10	N/A	55dB	N/A	N/A	Day
2657	2025-04-11 11:57:38	N/A	55dB	N/A	N/A	Day
2658	2025-04-11 12:23:41	N/A	55dB	N/A	N/A	Day
2659	2025-04-11 12:58:30	N/A	55dB	N/A	N/A	Day
2660	2025-04-11 14:56:27	N/A	55dB	N/A	N/A	Day
2661	2025-04-11 15:48:39	N/A	55dB	N/A	N/A	Day
2662	2025-04-11 18:21:02	N/A	55dB	N/A	N/A	Day
2663	2025-04-11 18:23:10	73.96	55dB	3.7	272%	Day
2664	2025-04-11 18:25:34	N/A	55dB	N/A	N/A	Day
2665	2025-04-11 18:27:49	69.33	55dB	2.7	170%	Day
2666	2025-04-11 18:32:12	75.37	55dB	4.1	310%	Day
2667	2025-04-11 18:34:56	N/A	55dB	N/A	N/A	Day
2668	2025-04-11 18:37:04	N/A	55dB	N/A	N/A	Day
2669	2025-04-11 18:39:15	69.91	55dB	2.8	181%	Day
2670	2025-04-11 18:40:41	68.65	55dB	2.6	158%	Day
2671	2025-04-11 18:44:18	68.63	55dB	2.6	157%	Day
2672	2025-04-11 18:47:21	N/A	55dB	N/A	N/A	Day
2673	2025-04-11 18:49:30	67.59	55dB	2.4	139%	Day
2674	2025-04-11 18:51:53	N/A	55dB	N/A	N/A	Day
2675	2025-04-11 18:53:06	75.52	55dB	4.1	315%	Day
2676	2025-04-11 18:55:01	67.65	55dB	2.4	140%	Day
2677	2025-04-11 18:56:11	N/A	55dB	N/A	N/A	Day
2678	2025-04-11 18:57:22	68.81	55dB	2.6	160%	Day

2679	2025-04-11 19:01:32	73.59	55dB	3.6	263%	Day
2680	2025-04-11 19:02:35	N/A	55dB	N/A	N/A	Day
2681	2025-04-11 19:03:50	76.20	55dB	4.3	335%	Day
2682	2025-04-11 19:06:30	N/A	55dB	N/A	N/A	Day
2683	2025-04-11 19:11:07	72.02	55dB	3.3	225%	Day
2684	2025-04-11 19:16:21	75.64	55dB	4.2	318%	Day
2685	2025-04-11 19:21:00	N/A	55dB	N/A	N/A	Day
2686	2025-04-11 19:23:53	N/A	55dB	N/A	N/A	Day
2687	2025-04-11 19:35:50	69.05	55dB	2.6	165%	Day
2688	2025-04-11 19:36:56	N/A	55dB	N/A	N/A	Day
2689	2025-04-11 19:39:53	N/A	55dB	N/A	N/A	Day
2690	2025-04-11 19:41:03	N/A	55dB	N/A	N/A	Day
2691	2025-04-11 19:46:52	75.77	55dB	4.2	322%	Day
2692	2025-04-11 19:48:41	N/A	55dB	N/A	N/A	Day
2693	2025-04-11 19:57:32	68.77	55dB	2.6	160%	Day
2694	2025-04-11 19:59:54	74.51	55dB	3.9	287%	Day
2695	2025-04-11 20:04:23	N/A	55dB	N/A	N/A	Day
2696	2025-04-11 20:05:33	77.34	55dB	4.7	370%	Day
2697	2025-04-11 20:07:51	N/A	55dB	N/A	N/A	Day
2698	2025-04-11 20:11:02	66.61	55dB	2.2	124%	Day
2699	2025-04-11 20:13:13	71.40	55dB	3.1	212%	Day
2700	2025-04-11 20:15:17	N/A	55dB	N/A	N/A	Day
2701	2025-04-11 20:18:50	69.24	55dB	2.7	168%	Day
2702	2025-04-11 20:21:23	74.43	55dB	3.8	285%	Day
2703	2025-04-11 20:23:52	80.21	55dB	5.7	474%	Day
2704	2025-04-11 20:25:44	75.94	55dB	4.3	327%	Day
2705	2025-04-11 20:36:54	74.27	55dB	3.8	280%	Day
2706	2025-04-11 20:42:09	74.55	55dB	3.9	288%	Day
2707	2025-04-11 20:44:21	N/A	55dB	N/A	N/A	Day
2708	2025-04-11 20:46:52	N/A	55dB	N/A	N/A	Day
2709	2025-04-11 20:56:09	75.25	55dB	4.1	307%	Day
2710	2025-04-11 20:58:58	78.86	55dB	5.2	423%	Day
2711	2025-04-11 21:01:44	N/A	55dB	N/A	N/A	Day
2712	2025-04-11 21:05:32	N/A	55dB	N/A	N/A	Day
2713	2025-04-11 21:08:11	71.29	55dB	3.1	209%	Day
2714	2025-04-11 21:23:10	70.24	55dB	2.9	188%	Day
2715	2025-04-12 06:31:43	N/A	45dB	N/A	N/A	Night
2716	2025-04-12 06:32:35	74.86	45dB	7.9	692%	Night
2717	2025-04-12 06:33:54	76.07	45dB	8.6	762%	Night
2718	2025-04-12 06:36:26	68.27	45dB	5.0	402%	Night
2719	2025-04-12 06:37:30	N/A	45dB	N/A	N/A	Night
2720	2025-04-12 06:38:25	N/A	45dB	N/A	N/A	Night
2721	2025-04-12 06:39:28	N/A	45dB	N/A	N/A	Night
2722	2025-04-12 06:40:46	66.34	45dB	4.4	339%	Night

2723	2025-04-12 06:42:18	N/A	45dB	N/A	N/A	Night
2724	2025-04-12 06:43:19	N/A	45dB	N/A	N/A	Night
2725	2025-04-12 06:46:33	74.26	45dB	7.6	660%	Night
2726	2025-04-12 06:47:39	74.59	45dB	7.8	678%	Night
2727	2025-04-12 06:48:43	N/A	45dB	N/A	N/A	Night
2728	2025-04-12 06:49:50	N/A	45dB	N/A	N/A	Night
2729	2025-04-12 06:50:54	74.46	45dB	7.7	671%	Night
2730	2025-04-12 06:52:40	N/A	45dB	N/A	N/A	Night
2731	2025-04-12 06:53:58	74.56	45dB	7.8	676%	Night
2732	2025-04-12 06:55:41	70.58	45dB	5.9	489%	Night
2733	2025-04-12 06:56:58	74.43	45dB	7.7	669%	Night
2734	2025-04-12 06:58:11	69.97	45dB	5.6	465%	Night
2735	2025-04-12 06:59:21	72.14	45dB	6.6	556%	Night
2736	2025-04-12 07:00:11	N/A	55dB	N/A	N/A	Day
2737	2025-04-12 07:01:16	81.24	55dB	6.2	516%	Day
2738	2025-04-12 07:02:33	72.25	55dB	3.3	231%	Day
2739	2025-04-12 07:03:46	69.24	55dB	2.7	168%	Day
2740	2025-04-12 07:04:58	N/A	55dB	N/A	N/A	Day
2741	2025-04-12 07:06:12	75.18	55dB	4.1	305%	Day
2742	2025-04-12 07:07:21	75.45	55dB	4.1	313%	Day
2743	2025-04-12 07:08:37	73.64	55dB	3.6	264%	Day
2744	2025-04-12 07:09:54	68.46	55dB	2.5	154%	Day
2745	2025-04-12 07:11:14	76.03	55dB	4.3	330%	Day
2746	2025-04-12 07:12:18	73.76	55dB	3.7	267%	Day
2747	2025-04-12 07:13:40	N/A	55dB	N/A	N/A	Day
2748	2025-04-12 07:15:17	79.86	55dB	5.6	460%	Day
2749	2025-04-12 07:16:15	75.28	55dB	4.1	308%	Day
2750	2025-04-12 07:18:06	74.28	55dB	3.8	281%	Day
2751	2025-04-12 07:19:33	77.58	55dB	4.8	378%	Day
2752	2025-04-12 07:21:37	69.63	55dB	2.8	176%	Day
2753	2025-04-12 07:23:15	75.94	55dB	4.3	327%	Day
2754	2025-04-12 07:25:11	N/A	55dB	N/A	N/A	Day
2755	2025-04-12 07:27:06	72.94	55dB	3.5	247%	Day
2756	2025-04-12 07:28:25	N/A	55dB	N/A	N/A	Day
2757	2025-04-12 07:31:45	N/A	55dB	N/A	N/A	Day
2758	2025-04-12 07:32:56	N/A	55dB	N/A	N/A	Day
2759	2025-04-12 07:35:31	N/A	55dB	N/A	N/A	Day
2760	2025-04-12 07:37:02	N/A	55dB	N/A	N/A	Day
2761	2025-04-12 07:39:03	67.88	55dB	2.4	144%	Day
2762	2025-04-12 07:40:14	69.10	55dB	2.7	166%	Day
2763	2025-04-12 07:41:26	N/A	55dB	N/A	N/A	Day
2764	2025-04-12 07:45:43	77.08	55dB	4.6	362%	Day
2765	2025-04-12 07:47:06	76.29	55dB	4.4	337%	Day
2766	2025-04-12 07:50:23	N/A	55dB	N/A	N/A	Day

2767	2025-04-12 07:51:40	68.99	55dB	2.6	164%	Day
2768	2025-04-12 07:53:00	N/A	55dB	N/A	N/A	Day
2769	2025-04-12 07:54:19	N/A	55dB	N/A	N/A	Day
2770	2025-04-12 07:56:33	70.47	55dB	2.9	192%	Day
2771	2025-04-12 07:57:58	70.09	55dB	2.8	185%	Day
2772	2025-04-12 07:59:10	66.42	55dB	2.2	121%	Day
2773	2025-04-12 08:00:35	N/A	55dB	N/A	N/A	Day
2774	2025-04-12 08:07:40	68.87	55dB	2.6	162%	Day
2775	2025-04-12 08:10:11	N/A	55dB	N/A	N/A	Day
2776	2025-04-12 08:11:19	73.87	55dB	3.7	270%	Day
2777	2025-04-12 08:12:41	66.91	55dB	2.3	128%	Day
2778	2025-04-12 08:13:49	N/A	55dB	N/A	N/A	Day
2779	2025-04-12 08:16:33	N/A	55dB	N/A	N/A	Day
2780	2025-04-12 08:17:42	N/A	55dB	N/A	N/A	Day
2781	2025-04-12 08:18:47	70.90	55dB	3.0	201%	Day
2782	2025-04-12 08:21:26	74.59	55dB	3.9	289%	Day
2783	2025-04-12 08:22:35	N/A	55dB	N/A	N/A	Day
2784	2025-04-12 08:24:02	73.08	55dB	3.5	250%	Day
2785	2025-04-12 08:25:12	68.31	55dB	2.5	152%	Day
2786	2025-04-12 08:26:23	73.93	55dB	3.7	271%	Day
2787	2025-04-12 08:29:36	68.84	55dB	2.6	161%	Day
2788	2025-04-12 08:31:01	76.09	55dB	4.3	331%	Day
2789	2025-04-12 08:32:17	69.94	55dB	2.8	182%	Day
2790	2025-04-12 08:34:01	68.03	55dB	2.5	147%	Day
2791	2025-04-12 08:35:48	67.55	55dB	2.4	139%	Day
2792	2025-04-12 08:37:31	77.09	55dB	4.6	362%	Day
2793	2025-04-12 08:38:42	73.55	55dB	3.6	262%	Day
2794	2025-04-12 08:39:46	67.08	55dB	2.3	131%	Day
2795	2025-04-12 08:41:01	68.41	55dB	2.5	153%	Day
2796	2025-04-12 08:42:13	N/A	55dB	N/A	N/A	Day
2797	2025-04-12 08:44:20	70.54	55dB	2.9	194%	Day
2798	2025-04-12 08:45:24	69.11	55dB	2.7	166%	Day
2799	2025-04-12 08:46:22	75.96	55dB	4.3	328%	Day
2800	2025-04-12 08:47:33	77.18	55dB	4.7	365%	Day
2801	2025-04-12 08:48:33	69.65	55dB	2.8	176%	Day
2802	2025-04-12 08:49:43	72.90	55dB	3.5	246%	Day
2803	2025-04-12 08:50:55	74.44	55dB	3.8	285%	Day
2804	2025-04-12 08:52:50	N/A	55dB	N/A	N/A	Day
2805	2025-04-12 08:54:02	70.03	55dB	2.8	183%	Day
2806	2025-04-12 08:55:02	71.25	55dB	3.1	208%	Day
2807	2025-04-12 08:56:16	69.12	55dB	2.7	166%	Day
2808	2025-04-12 08:57:19	76.09	55dB	4.3	331%	Day
2809	2025-04-12 08:58:32	77.30	55dB	4.7	369%	Day
2810	2025-04-12 08:58:33	77.30	55dB	4.7	369%	Day

2811	2025-04-12 09:00:37	75.21	55dB	4.1	306%	Day
2812	2025-04-12 09:01:56	N/A	55dB	N/A	N/A	Day
2813	2025-04-12 09:02:55	N/A	55dB	N/A	N/A	Day
2814	2025-04-12 09:04:09	75.66	55dB	4.2	319%	Day
2815	2025-04-12 09:06:15	75.24	55dB	4.1	307%	Day
2816	2025-04-12 09:07:21	N/A	55dB	N/A	N/A	Day
2817	2025-04-12 09:08:32	N/A	55dB	N/A	N/A	Day
2818	2025-04-12 09:09:55	N/A	55dB	N/A	N/A	Day
2819	2025-04-12 09:11:09	N/A	55dB	N/A	N/A	Day
2820	2025-04-12 09:12:58	N/A	55dB	N/A	N/A	Day
2821	2025-04-12 09:14:11	70.82	55dB	3.0	199%	Day
2822	2025-04-12 09:15:11	77.35	55dB	4.7	371%	Day
2823	2025-04-12 09:16:28	N/A	55dB	N/A	N/A	Day
2824	2025-04-12 09:18:33	67.92	55dB	2.4	145%	Day
2825	2025-04-12 09:21:22	75.64	55dB	4.2	318%	Day
2826	2025-04-12 09:23:43	72.59	55dB	3.4	238%	Day
2827	2025-04-12 09:24:58	75.25	55dB	4.1	307%	Day
2828	2025-04-12 09:26:15	69.41	55dB	2.7	172%	Day
2829	2025-04-12 09:27:26	N/A	55dB	N/A	N/A	Day
2830	2025-04-12 09:28:34	74.16	55dB	3.8	277%	Day
2831	2025-04-12 09:29:43	68.58	55dB	2.6	156%	Day
2832	2025-04-12 09:30:47	74.21	55dB	3.8	279%	Day
2833	2025-04-12 09:32:26	76.54	55dB	4.5	345%	Day
2834	2025-04-12 09:36:36	73.02	55dB	3.5	249%	Day
2835	2025-04-12 09:38:04	71.90	55dB	3.2	223%	Day
2836	2025-04-12 09:40:19	74.08	55dB	3.8	275%	Day
2837	2025-04-12 09:41:37	N/A	55dB	N/A	N/A	Day
2838	2025-04-12 09:42:35	74.42	55dB	3.8	284%	Day
2839	2025-04-12 09:44:23	74.01	55dB	3.7	273%	Day
2840	2025-04-12 09:45:26	71.94	55dB	3.2	224%	Day
2841	2025-04-12 09:48:16	77.46	55dB	4.7	374%	Day
2842	2025-04-12 09:51:14	67.85	55dB	2.4	144%	Day
2843	2025-04-12 09:53:19	66.71	55dB	2.3	125%	Day
2844	2025-04-12 09:54:39	73.68	55dB	3.7	265%	Day
2845	2025-04-12 09:55:43	76.01	55dB	4.3	329%	Day
2846	2025-04-12 09:56:52	76.61	55dB	4.5	347%	Day
2847	2025-04-12 09:58:15	68.66	55dB	2.6	158%	Day
2848	2025-04-12 09:59:16	69.90	55dB	2.8	181%	Day
2849	2025-04-12 10:00:09	74.88	55dB	4.0	297%	Day
2850	2025-04-12 10:01:00	72.44	55dB	3.3	235%	Day
2851	2025-04-12 10:02:19	71.36	55dB	3.1	211%	Day
2852	2025-04-12 10:03:26	76.84	55dB	4.5	354%	Day
2853	2025-04-12 10:04:09	78.09	55dB	5.0	396%	Day
2854	2025-04-12 10:05:07	73.14	55dB	3.5	252%	Day

2855	2025-04-12 10:06:22	70.62	55dB	3.0	195%	Day
2856	2025-04-12 10:07:10	N/A	55dB	N/A	N/A	Day
2857	2025-04-12 10:09:20	77.34	55dB	4.7	370%	Day
2858	2025-04-12 10:10:11	70.00	55dB	2.8	183%	Day
2859	2025-04-12 10:11:31	70.73	55dB	3.0	198%	Day
2860	2025-04-12 10:12:37	69.62	55dB	2.8	175%	Day
2861	2025-04-12 10:16:05	69.58	55dB	2.7	175%	Day
2862	2025-04-12 10:17:23	76.10	55dB	4.3	332%	Day
2863	2025-04-12 10:18:20	77.86	55dB	4.9	388%	Day
2864	2025-04-12 10:19:20	70.30	55dB	2.9	189%	Day
2865	2025-04-12 10:20:20	75.32	55dB	4.1	309%	Day
2866	2025-04-12 10:21:25	70.80	55dB	3.0	199%	Day
2867	2025-04-12 10:22:31	67.30	55dB	2.3	135%	Day
2868	2025-04-12 10:23:57	70.30	55dB	2.9	189%	Day
2869	2025-04-12 10:24:56	78.11	55dB	5.0	396%	Day
2870	2025-04-12 10:26:03	68.95	55dB	2.6	163%	Day
2871	2025-04-12 11:10:57	N/A	55dB	N/A	N/A	Day
2872	2025-04-12 12:54:02	70.57	55dB	2.9	194%	Day
2873	2025-04-12 13:36:04	68.08	55dB	2.5	148%	Day
2874	2025-04-12 15:06:25	N/A	55dB	N/A	N/A	Day
2875	2025-04-12 15:35:13	69.69	55dB	2.8	177%	Day
2876	2025-04-12 16:34:09	N/A	55dB	N/A	N/A	Day
2877	2025-04-12 17:14:33	N/A	55dB	N/A	N/A	Day
2878	2025-04-12 17:41:57	N/A	55dB	N/A	N/A	Day
2879	2025-04-12 19:12:58	70.15	55dB	2.9	186%	Day
2880	2025-04-12 19:14:06	69.38	55dB	2.7	171%	Day
2881	2025-04-12 19:15:16	73.27	55dB	3.5	255%	Day
2882	2025-04-12 19:17:07	71.31	55dB	3.1	210%	Day
2883	2025-04-12 19:18:33	69.59	55dB	2.7	175%	Day
2884	2025-04-12 19:19:37	69.59	55dB	2.7	175%	Day
2885	2025-04-12 19:20:47	68.94	55dB	2.6	163%	Day
2886	2025-04-12 19:22:14	68.65	55dB	2.6	158%	Day
2887	2025-04-12 19:23:41	72.18	55dB	3.3	229%	Day
2888	2025-04-12 19:25:58	69.17	55dB	2.7	167%	Day
2889	2025-04-12 19:27:33	71.86	55dB	3.2	222%	Day
2890	2025-04-12 19:28:52	69.30	55dB	2.7	169%	Day
2891	2025-04-12 19:30:02	74.54	55dB	3.9	287%	Day
2892	2025-04-12 19:31:58	69.18	55dB	2.7	167%	Day
2893	2025-04-12 19:33:22	68.52	55dB	2.6	155%	Day
2894	2025-04-12 19:35:20	72.95	55dB	3.5	247%	Day
2895	2025-04-12 19:36:42	68.08	55dB	2.5	148%	Day
2896	2025-04-12 19:38:28	85.29	55dB	8.2	716%	Day
2897	2025-04-12 19:39:54	70.65	55dB	3.0	196%	Day
2898	2025-04-12 19:41:48	71.26	55dB	3.1	209%	Day

2899	2025-04-12 19:44:11	82.91	55dB	6.9	592%	Day
2900	2025-04-12 19:45:31	69.91	55dB	2.8	181%	Day
2901	2025-04-12 19:46:45	74.50	55dB	3.9	286%	Day
2902	2025-04-12 19:48:19	73.03	55dB	3.5	249%	Day
2903	2025-04-12 19:50:31	69.48	55dB	2.7	173%	Day
2904	2025-04-12 19:52:18	70.29	55dB	2.9	189%	Day
2905	2025-04-12 19:54:25	70.54	55dB	2.9	194%	Day
2906	2025-04-12 19:57:53	N/A	55dB	N/A	N/A	Day
2907	2025-04-12 20:00:14	70.33	55dB	2.9	189%	Day
2908	2025-04-12 20:04:11	74.50	55dB	3.9	286%	Day
2909	2025-04-12 20:05:54	69.51	55dB	2.7	173%	Day
2910	2025-04-12 20:07:27	72.99	55dB	3.5	248%	Day
2911	2025-04-12 20:09:17	69.40	55dB	2.7	171%	Day
2912	2025-04-12 20:11:53	70.35	55dB	2.9	190%	Day
2913	2025-04-12 20:14:14	70.70	55dB	3.0	197%	Day
2914	2025-04-12 20:15:57	73.45	55dB	3.6	259%	Day
2915	2025-04-12 20:18:47	70.55	55dB	2.9	194%	Day
2916	2025-04-12 20:20:40	73.17	55dB	3.5	252%	Day
2917	2025-04-12 20:22:55	71.95	55dB	3.2	224%	Day
2918	2025-04-12 20:24:09	69.73	55dB	2.8	178%	Day
2919	2025-04-12 20:25:40	70.49	55dB	2.9	193%	Day
2920	2025-04-12 20:27:26	69.51	55dB	2.7	173%	Day
2921	2025-04-12 20:29:34	69.30	55dB	2.7	169%	Day
2922	2025-04-12 20:33:26	73.07	55dB	3.5	250%	Day
2923	2025-04-12 20:34:57	70.19	55dB	2.9	187%	Day
2924	2025-04-12 20:36:13	69.17	55dB	2.7	167%	Day
2925	2025-04-12 20:40:17	72.33	55dB	3.3	232%	Day
2926	2025-04-12 20:42:24	70.64	55dB	3.0	196%	Day
2927	2025-04-12 20:43:51	69.07	55dB	2.7	165%	Day
2928	2025-04-12 20:47:28	71.82	55dB	3.2	221%	Day
2929	2025-04-12 20:49:01	71.41	55dB	3.1	212%	Day
2930	2025-04-12 20:50:17	67.84	55dB	2.4	144%	Day
2931	2025-04-12 20:52:10	71.15	55dB	3.1	206%	Day
2932	2025-04-12 20:53:28	72.03	55dB	3.3	226%	Day
2933	2025-04-12 20:54:46	70.58	55dB	2.9	194%	Day
2934	2025-04-12 20:56:02	68.33	55dB	2.5	152%	Day
2935	2025-04-12 20:58:14	70.73	55dB	3.0	198%	Day
2936	2025-04-12 20:59:45	68.32	55dB	2.5	152%	Day
2937	2025-04-12 21:01:54	71.28	55dB	3.1	209%	Day
2938	2025-04-12 21:03:35	71.91	55dB	3.2	223%	Day
2939	2025-04-12 21:05:22	68.57	55dB	2.6	156%	Day
2940	2025-04-12 21:06:49	67.48	55dB	2.4	138%	Day
2941	2025-04-12 21:08:14	70.62	55dB	3.0	195%	Day
2942	2025-04-12 21:11:15	74.45	55dB	3.9	285%	Day

2943	2025-04-12 21:12:45	71.03	55dB	3.0	204%	Day
2944	2025-04-12 21:14:26	72.37	55dB	3.3	233%	Day
2945	2025-04-12 21:16:32	68.60	55dB	2.6	157%	Day
2946	2025-04-12 21:18:08	69.52	55dB	2.7	174%	Day
2947	2025-04-12 21:19:17	69.54	55dB	2.7	174%	Day
2948	2025-04-12 21:20:33	70.70	55dB	3.0	197%	Day
2949	2025-04-12 21:22:12	74.60	55dB	3.9	289%	Day
2950	2025-04-12 21:25:04	73.62	55dB	3.6	264%	Day
2951	2025-04-12 21:26:56	75.10	55dB	4.0	303%	Day
2952	2025-04-12 21:29:02	69.84	55dB	2.8	180%	Day
2953	2025-04-12 21:35:02	70.22	55dB	2.9	187%	Day
2954	2025-04-12 21:36:36	72.05	55dB	3.3	226%	Day
2955	2025-04-12 21:37:58	66.62	55dB	2.2	124%	Day
2956	2025-04-12 21:41:48	73.99	55dB	3.7	273%	Day
2957	2025-04-12 21:45:28	71.12	55dB	3.1	206%	Day
2958	2025-04-12 21:49:58	68.86	55dB	2.6	161%	Day
2959	2025-04-12 21:51:20	66.03	55dB	2.1	115%	Day
2960	2025-04-12 21:52:36	70.42	55dB	2.9	191%	Day
2961	2025-04-12 21:53:54	69.21	55dB	2.7	168%	Day
2962	2025-04-12 21:55:20	69.95	55dB	2.8	182%	Day
2963	2025-04-12 21:56:34	N/A	55dB	N/A	N/A	Day
2964	2025-04-12 21:57:50	70.55	55dB	2.9	194%	Day
2965	2025-04-12 21:59:10	71.18	55dB	3.1	207%	Day
2966	2025-04-12 22:00:49	68.52	55dB	2.6	155%	Day
2967	2025-04-12 22:04:51	72.24	55dB	3.3	230%	Day
2968	2025-04-12 22:13:12	69.54	55dB	2.7	174%	Day
2969	2025-04-12 22:19:51	N/A	55dB	N/A	N/A	Day
2970	2025-04-12 22:23:12	70.05	55dB	2.8	184%	Day
2971	2025-04-12 22:26:02	67.56	55dB	2.4	139%	Day
2972	2025-04-12 22:28:13	69.44	55dB	2.7	172%	Day
2973	2025-04-12 22:30:46	70.67	55dB	3.0	196%	Day
2974	2025-04-12 22:32:09	70.72	55dB	3.0	197%	Day
2975	2025-04-12 22:33:18	72.12	55dB	3.3	228%	Day
2976	2025-04-12 22:34:55	74.18	55dB	3.8	278%	Day
2977	2025-04-12 22:36:12	67.98	55dB	2.5	146%	Day
2978	2025-04-12 22:37:41	70.28	55dB	2.9	188%	Day
2979	2025-04-12 22:39:53	67.63	55dB	2.4	140%	Day
2980	2025-04-12 22:43:18	69.22	55dB	2.7	168%	Day
2981	2025-04-12 22:45:32	75.21	55dB	4.1	306%	Day
2982	2025-04-12 22:47:39	67.57	55dB	2.4	139%	Day
2983	2025-04-12 22:58:08	68.20	55dB	2.5	150%	Day
2984	2025-04-12 23:00:45	70.38	45dB	5.8	481%	Night
2985	2025-04-12 23:04:52	68.77	45dB	5.2	419%	Night
2986	2025-04-12 23:06:48	70.01	45dB	5.7	466%	Night

2987	2025-04-12 23:08:28	67.94	45dB	4.9	390%	Night
2988	2025-04-12 23:10:54	66.64	45dB	4.5	348%	Night
2989	2025-04-12 23:14:25	80.46	45dB	11.7	1068%	Night
2990	2025-04-12 23:17:01	N/A	45dB	N/A	N/A	Night
2991	2025-04-12 23:23:18	70.91	45dB	6.0	503%	Night
2992	2025-04-12 23:25:27	70.45	45dB	5.8	484%	Night
2993	2025-04-12 23:27:02	69.23	45dB	5.4	436%	Night
2994	2025-04-12 23:31:01	67.67	45dB	4.8	381%	Night
2995	2025-04-12 23:33:15	73.39	45dB	7.2	616%	Night
2996	2025-04-12 23:35:42	68.12	45dB	5.0	397%	Night
2997	2025-04-12 23:37:31	70.50	45dB	5.9	486%	Night
2998	2025-04-12 23:39:18	68.31	45dB	5.0	403%	Night
2999	2025-04-12 23:40:54	68.62	45dB	5.1	414%	Night
3000	2025-04-12 23:42:26	69.95	45dB	5.6	464%	Night
3001	2025-04-12 23:44:08	70.21	45dB	5.7	474%	Night
3002	2025-04-12 23:46:12	69.54	45dB	5.5	448%	Night
3003	2025-04-12 23:48:04	69.91	45dB	5.6	462%	Night
3004	2025-04-12 23:50:07	78.55	45dB	10.2	923%	Night
3005	2025-04-12 23:52:02	N/A	45dB	N/A	N/A	Night
3006	2025-04-12 23:54:56	70.42	45dB	5.8	482%	Night
3007	2025-04-12 23:58:52	70.26	45dB	5.8	476%	Night
3008	2025-04-13 00:01:32	68.23	45dB	5.0	400%	Night
3009	2025-04-13 06:29:35	67.47	45dB	4.7	375%	Night
3010	2025-04-13 06:31:22	70.51	45dB	5.9	486%	Night
3011	2025-04-13 06:33:28	73.21	45dB	7.1	607%	Night
3012	2025-04-13 06:34:57	67.98	45dB	4.9	392%	Night
3013	2025-04-13 06:37:00	71.78	45dB	6.4	540%	Night
3014	2025-04-13 06:38:06	67.84	45dB	4.9	387%	Night
3015	2025-04-13 06:39:16	N/A	45dB	N/A	N/A	Night
3016	2025-04-13 06:40:25	68.88	45dB	5.2	423%	Night
3017	2025-04-13 06:41:35	N/A	45dB	N/A	N/A	Night
3018	2025-04-13 06:42:56	72.76	45dB	6.8	585%	Night
3019	2025-04-13 06:44:23	67.09	45dB	4.6	362%	Night
3020	2025-04-13 06:45:36	N/A	45dB	N/A	N/A	Night
3021	2025-04-13 06:46:56	N/A	45dB	N/A	N/A	Night
3022	2025-04-13 06:48:27	N/A	45dB	N/A	N/A	Night
3023	2025-04-13 06:51:52	67.86	45dB	4.9	388%	Night
3024	2025-04-13 06:57:42	N/A	45dB	N/A	N/A	Night
3025	2025-04-13 07:00:53	71.19	55dB	3.1	207%	Day
3026	2025-04-13 07:03:33	N/A	55dB	N/A	N/A	Day
3027	2025-04-13 07:05:18	68.45	55dB	2.5	154%	Day
3028	2025-04-13 07:06:48	67.77	55dB	2.4	142%	Day
3029	2025-04-13 07:08:10	N/A	55dB	N/A	N/A	Day
3030	2025-04-13 07:09:48	N/A	55dB	N/A	N/A	Day

3031	2025-04-13 07:11:33	67.08	55dB	2.3	131%	Day
3032	2025-04-13 07:17:34	66.11	55dB	2.2	116%	Day
3033	2025-04-13 07:22:32	70.49	55dB	2.9	193%	Day
3034	2025-04-13 07:26:10	66.89	55dB	2.3	128%	Day
3035	2025-04-13 07:27:28	N/A	55dB	N/A	N/A	Day
3036	2025-04-13 07:36:07	N/A	55dB	N/A	N/A	Day
3037	2025-04-13 07:38:57	N/A	55dB	N/A	N/A	Day
3038	2025-04-13 07:40:32	N/A	55dB	N/A	N/A	Day
3039	2025-04-13 07:45:32	N/A	55dB	N/A	N/A	Day
3040	2025-04-13 07:47:53	N/A	55dB	N/A	N/A	Day
3041	2025-04-13 07:49:23	67.38	55dB	2.4	136%	Day
3042	2025-04-13 07:51:50	67.40	55dB	2.4	136%	Day
3043	2025-04-13 07:53:14	66.09	55dB	2.2	116%	Day
3044	2025-04-13 07:56:33	68.75	55dB	2.6	159%	Day
3045	2025-04-13 07:58:19	68.01	55dB	2.5	146%	Day
3046	2025-04-13 08:03:56	69.94	55dB	2.8	182%	Day
3047	2025-04-13 08:07:10	71.25	55dB	3.1	208%	Day
3048	2025-04-13 08:24:49	70.31	55dB	2.9	189%	Day
3049	2025-04-13 08:46:37	N/A	55dB	N/A	N/A	Day
3050	2025-04-13 08:48:44	68.69	55dB	2.6	158%	Day
3051	2025-04-13 08:58:39	68.64	55dB	2.6	157%	Day
3052	2025-04-13 09:02:23	70.63	55dB	3.0	195%	Day
3053	2025-04-13 09:20:33	N/A	55dB	N/A	N/A	Day
3054	2025-04-13 09:22:44	70.80	55dB	3.0	199%	Day
3055	2025-04-13 09:26:34	66.55	55dB	2.2	123%	Day
3056	2025-04-13 09:40:24	N/A	55dB	N/A	N/A	Day
3057	2025-04-13 09:41:55	N/A	55dB	N/A	N/A	Day
3058	2025-04-13 09:43:32	66.76	55dB	2.3	126%	Day
3059	2025-04-13 09:44:46	N/A	55dB	N/A	N/A	Day
3060	2025-04-13 09:46:11	N/A	55dB	N/A	N/A	Day
3061	2025-04-13 09:47:52	N/A	55dB	N/A	N/A	Day
3062	2025-04-13 09:50:01	N/A	55dB	N/A	N/A	Day
3063	2025-04-13 09:51:49	68.05	55dB	2.5	147%	Day
3064	2025-04-13 10:07:14	N/A	55dB	N/A	N/A	Day
3065	2025-04-13 10:08:56	67.84	55dB	2.4	144%	Day
3066	2025-04-13 10:13:27	N/A	55dB	N/A	N/A	Day
3067	2025-04-13 10:15:28	69.86	55dB	2.8	180%	Day
3068	2025-04-13 10:18:57	70.13	55dB	2.9	185%	Day
3069	2025-04-13 10:21:07	72.89	55dB	3.5	246%	Day
3070	2025-04-13 10:23:47	67.04	55dB	2.3	130%	Day
3071	2025-04-13 10:26:32	70.86	55dB	3.0	200%	Day
3072	2025-04-13 10:27:50	N/A	55dB	N/A	N/A	Day
3073	2025-04-13 10:29:11	68.35	55dB	2.5	152%	Day
3074	2025-04-13 10:30:53	N/A	55dB	N/A	N/A	Day

3075	2025-04-13 10:36:53	69.32	55dB	2.7	170%	Day
3076	2025-04-13 10:39:09	68.37	55dB	2.5	153%	Day
3077	2025-04-13 10:41:13	69.49	55dB	2.7	173%	Day
3078	2025-04-13 10:42:54	N/A	55dB	N/A	N/A	Day
3079	2025-04-13 10:44:16	N/A	55dB	N/A	N/A	Day
3080	2025-04-13 10:47:07	N/A	55dB	N/A	N/A	Day
3081	2025-04-13 10:48:27	69.18	55dB	2.7	167%	Day
3082	2025-04-13 10:50:49	71.12	55dB	3.1	206%	Day
3083	2025-04-13 10:52:21	N/A	55dB	N/A	N/A	Day
3084	2025-04-13 10:54:32	66.47	55dB	2.2	121%	Day
3085	2025-04-13 10:57:10	N/A	55dB	N/A	N/A	Day
3086	2025-04-13 10:59:01	73.38	55dB	3.6	258%	Day
3087	2025-04-13 11:01:32	70.69	55dB	3.0	197%	Day
3088	2025-04-13 11:03:08	69.38	55dB	2.7	171%	Day
3089	2025-04-13 11:09:24	66.68	55dB	2.2	125%	Day
3090	2025-04-13 11:10:39	68.37	55dB	2.5	153%	Day
3091	2025-04-13 11:13:00	68.24	55dB	2.5	150%	Day
3092	2025-04-13 11:14:08	N/A	55dB	N/A	N/A	Day
3093	2025-04-13 11:15:39	71.36	55dB	3.1	211%	Day
3094	2025-04-13 11:17:56	N/A	55dB	N/A	N/A	Day
3095	2025-04-13 11:19:23	N/A	55dB	N/A	N/A	Day
3096	2025-04-13 11:22:02	N/A	55dB	N/A	N/A	Day
3097	2025-04-13 11:23:20	N/A	55dB	N/A	N/A	Day
3098	2025-04-13 11:26:37	N/A	55dB	N/A	N/A	Day
3099	2025-04-13 11:29:16	N/A	55dB	N/A	N/A	Day
3100	2025-04-13 11:32:24	67.87	55dB	2.4	144%	Day
3101	2025-04-13 11:34:07	71.04	55dB	3.0	204%	Day
3102	2025-04-13 11:35:58	70.40	55dB	2.9	191%	Day
3103	2025-04-13 11:44:06	N/A	55dB	N/A	N/A	Day
3104	2025-04-13 11:49:06	N/A	55dB	N/A	N/A	Day
3105	2025-04-13 11:51:00	66.60	55dB	2.2	123%	Day
3106	2025-04-13 11:52:36	N/A	55dB	N/A	N/A	Day
3107	2025-04-13 11:53:44	N/A	55dB	N/A	N/A	Day
3108	2025-04-13 11:54:54	N/A	55dB	N/A	N/A	Day
3109	2025-04-13 11:56:37	68.59	55dB	2.6	157%	Day
3110	2025-04-13 11:58:02	N/A	55dB	N/A	N/A	Day
3111	2025-04-13 11:59:10	N/A	55dB	N/A	N/A	Day
3112	2025-04-13 12:02:13	73.92	55dB	3.7	271%	Day
3113	2025-04-13 12:05:52	75.08	55dB	4.0	302%	Day
3114	2025-04-13 12:08:13	N/A	55dB	N/A	N/A	Day
3115	2025-04-13 12:12:09	N/A	55dB	N/A	N/A	Day
3116	2025-04-13 12:14:09	66.18	55dB	2.2	117%	Day
3117	2025-04-13 12:17:10	N/A	55dB	N/A	N/A	Day
3118	2025-04-13 12:18:38	67.53	55dB	2.4	138%	Day

3119	2025-04-13 12:20:04	70.14	55dB	2.9	186%	Day
3120	2025-04-13 12:21:31	N/A	55dB	N/A	N/A	Day
3121	2025-04-13 12:22:46	70.58	55dB	2.9	194%	Day
3122	2025-04-13 12:24:01	68.43	55dB	2.5	154%	Day
3123	2025-04-13 12:32:03	71.80	55dB	3.2	220%	Day
3124	2025-04-13 12:34:33	74.25	55dB	3.8	280%	Day
3125	2025-04-13 12:35:36	N/A	55dB	N/A	N/A	Day
3126	2025-04-13 12:36:54	68.49	55dB	2.5	155%	Day
3127	2025-04-13 12:38:12	69.20	55dB	2.7	168%	Day
3128	2025-04-13 12:39:33	68.47	55dB	2.5	154%	Day
3129	2025-04-13 12:40:54	71.89	55dB	3.2	222%	Day
3130	2025-04-13 12:42:13	68.52	55dB	2.6	155%	Day
3131	2025-04-13 12:51:52	N/A	55dB	N/A	N/A	Day
3132	2025-04-13 12:54:31	N/A	55dB	N/A	N/A	Day
3133	2025-04-13 12:56:37	N/A	55dB	N/A	N/A	Day
3134	2025-04-13 12:57:46	N/A	55dB	N/A	N/A	Day
3135	2025-04-13 12:59:04	79.84	55dB	5.6	459%	Day
3136	2025-04-13 13:01:51	N/A	55dB	N/A	N/A	Day
3137	2025-04-13 13:05:22	72.57	55dB	3.4	238%	Day
3138	2025-04-13 13:07:37	69.30	55dB	2.7	169%	Day
3139	2025-04-13 13:09:14	67.49	55dB	2.4	138%	Day
3140	2025-04-13 13:12:07	N/A	55dB	N/A	N/A	Day
3141	2025-04-13 13:13:38	68.65	55dB	2.6	158%	Day
3142	2025-04-13 13:15:19	N/A	55dB	N/A	N/A	Day
3143	2025-04-13 13:16:41	N/A	55dB	N/A	N/A	Day
3144	2025-04-13 13:18:16	N/A	55dB	N/A	N/A	Day
3145	2025-04-13 13:20:37	N/A	55dB	N/A	N/A	Day
3146	2025-04-13 13:22:25	67.63	55dB	2.4	140%	Day
3147	2025-04-13 13:24:18	70.89	55dB	3.0	201%	Day
3148	2025-04-13 13:27:23	N/A	55dB	N/A	N/A	Day
3149	2025-04-13 13:31:00	N/A	55dB	N/A	N/A	Day
3150	2025-04-13 13:32:56	N/A	55dB	N/A	N/A	Day
3151	2025-04-13 13:34:57	70.53	55dB	2.9	193%	Day
3152	2025-04-13 13:37:23	70.03	55dB	2.8	183%	Day
3153	2025-04-13 13:45:56	N/A	55dB	N/A	N/A	Day
3154	2025-04-13 13:47:56	75.27	55dB	4.1	308%	Day
3155	2025-04-13 13:50:09	N/A	55dB	N/A	N/A	Day
3156	2025-04-13 13:51:35	N/A	55dB	N/A	N/A	Day
3157	2025-04-13 13:52:58	N/A	55dB	N/A	N/A	Day
3158	2025-04-13 13:54:37	N/A	55dB	N/A	N/A	Day
3159	2025-04-13 13:57:07	69.95	55dB	2.8	182%	Day
3160	2025-04-13 13:58:43	N/A	55dB	N/A	N/A	Day
3161	2025-04-13 14:02:26	74.26	55dB	3.8	280%	Day
3162	2025-04-13 14:04:44	70.30	55dB	2.9	189%	Day

3163	2025-04-13 14:06:52	68.17	55dB	2.5	149%	Day
3164	2025-04-13 14:08:28	68.21	55dB	2.5	150%	Day
3165	2025-04-13 14:12:07	N/A	55dB	N/A	N/A	Day
3166	2025-04-13 14:15:14	70.01	55dB	2.8	183%	Day
3167	2025-04-13 14:16:44	72.87	55dB	3.5	245%	Day
3168	2025-04-13 14:18:00	75.96	55dB	4.3	328%	Day
3169	2025-04-13 14:19:10	69.43	55dB	2.7	172%	Day
3170	2025-04-13 14:20:19	73.34	55dB	3.6	257%	Day
3171	2025-04-13 14:21:57	71.21	55dB	3.1	208%	Day
3172	2025-04-13 14:24:07	67.24	55dB	2.3	134%	Day
3173	2025-04-13 14:25:39	68.65	55dB	2.6	158%	Day
3174	2025-04-13 14:26:46	74.41	55dB	3.8	284%	Day
3175	2025-04-13 14:27:55	69.46	55dB	2.7	172%	Day
3176	2025-04-13 14:29:03	N/A	55dB	N/A	N/A	Day
3177	2025-04-13 14:30:30	73.11	55dB	3.5	251%	Day
3178	2025-04-13 14:33:21	N/A	55dB	N/A	N/A	Day
3179	2025-04-13 14:37:41	N/A	55dB	N/A	N/A	Day
3180	2025-04-13 14:40:53	73.91	55dB	3.7	271%	Day
3181	2025-04-13 14:43:04	68.91	55dB	2.6	162%	Day
3182	2025-04-13 14:44:54	N/A	55dB	N/A	N/A	Day
3183	2025-04-13 14:46:34	N/A	55dB	N/A	N/A	Day
3184	2025-04-13 14:47:45	70.45	55dB	2.9	192%	Day
3185	2025-04-13 14:50:04	75.75	55dB	4.2	321%	Day
3186	2025-04-13 14:51:49	78.09	55dB	5.0	396%	Day
3187	2025-04-13 14:53:50	68.48	55dB	2.5	155%	Day
3188	2025-04-13 14:55:21	76.52	55dB	4.4	344%	Day
3189	2025-04-13 14:56:50	68.90	55dB	2.6	162%	Day
3190	2025-04-13 15:04:14	71.43	55dB	3.1	212%	Day
3191	2025-04-13 15:05:35	70.72	55dB	3.0	197%	Day
3192	2025-04-13 15:07:01	67.02	55dB	2.3	130%	Day
3193	2025-04-13 15:08:15	N/A	55dB	N/A	N/A	Day
3194	2025-04-13 15:09:28	77.76	55dB	4.8	384%	Day
3195	2025-04-13 15:11:45	N/A	55dB	N/A	N/A	Day
3196	2025-04-13 15:13:01	70.56	55dB	2.9	194%	Day
3197	2025-04-13 15:14:09	72.66	55dB	3.4	240%	Day
3198	2025-04-13 15:15:40	69.24	55dB	2.7	168%	Day
3199	2025-04-13 15:17:11	71.37	55dB	3.1	211%	Day
3200	2025-04-13 15:18:44	81.01	55dB	6.1	507%	Day
3201	2025-04-13 15:20:22	69.40	55dB	2.7	171%	Day
3202	2025-04-13 15:21:40	76.43	55dB	4.4	342%	Day
3203	2025-04-13 15:22:53	73.73	55dB	3.7	266%	Day
3204	2025-04-13 15:24:49	81.20	55dB	6.1	515%	Day
3205	2025-04-13 15:27:22	72.26	55dB	3.3	231%	Day
3206	2025-04-13 15:29:03	N/A	55dB	N/A	N/A	Day

3207	2025-04-13 15:30:32	N/A	55dB	N/A	N/A	Day
3208	2025-04-13 15:33:28	72.92	55dB	3.5	246%	Day
3209	2025-04-13 15:35:10	72.82	55dB	3.4	244%	Day
3210	2025-04-13 15:37:52	66.94	55dB	2.3	129%	Day
3211	2025-04-13 15:39:25	80.19	55dB	5.7	473%	Day
3212	2025-04-13 15:40:40	70.79	55dB	3.0	199%	Day
3213	2025-04-13 15:42:45	75.78	55dB	4.2	322%	Day
3214	2025-04-13 15:44:04	74.31	55dB	3.8	281%	Day
3215	2025-04-13 15:46:20	69.24	55dB	2.7	168%	Day
3216	2025-04-13 15:47:31	N/A	55dB	N/A	N/A	Day
3217	2025-04-13 15:48:41	75.51	55dB	4.1	314%	Day
3218	2025-04-13 15:50:15	70.95	55dB	3.0	202%	Day
3219	2025-04-13 15:51:24	73.18	55dB	3.5	253%	Day
3220	2025-04-13 15:53:49	N/A	55dB	N/A	N/A	Day
3221	2025-04-13 15:55:02	78.04	55dB	4.9	394%	Day
3222	2025-04-13 15:56:56	77.02	55dB	4.6	360%	Day
3223	2025-04-13 15:58:40	67.01	55dB	2.3	130%	Day
3224	2025-04-13 16:04:03	69.42	55dB	2.7	172%	Day
3225	2025-04-13 16:05:53	N/A	55dB	N/A	N/A	Day
3226	2025-04-13 16:07:10	82.55	55dB	6.8	575%	Day
3227	2025-04-13 16:09:11	70.62	55dB	3.0	195%	Day
3228	2025-04-13 16:11:05	72.08	55dB	3.3	227%	Day
3229	2025-04-13 16:18:07	71.80	55dB	3.2	220%	Day
3230	2025-04-13 16:20:05	75.39	55dB	4.1	311%	Day
3231	2025-04-13 16:21:46	75.58	55dB	4.2	316%	Day
3232	2025-04-13 16:23:46	70.76	55dB	3.0	198%	Day
3233	2025-04-13 16:25:23	75.83	55dB	4.2	324%	Day
3234	2025-04-13 16:27:28	70.72	55dB	3.0	197%	Day
3235	2025-04-13 16:29:40	67.33	55dB	2.4	135%	Day
3236	2025-04-13 16:32:04	68.64	55dB	2.6	157%	Day
3237	2025-04-13 16:35:19	69.34	55dB	2.7	170%	Day
3238	2025-04-13 16:38:46	74.47	55dB	3.9	286%	Day
3239	2025-04-13 16:41:21	72.98	55dB	3.5	248%	Day
3240	2025-04-13 16:43:47	70.39	55dB	2.9	191%	Day
3241	2025-04-13 16:45:21	N/A	55dB	N/A	N/A	Day
3242	2025-04-13 16:46:40	72.87	55dB	3.5	245%	Day
3243	2025-04-13 16:48:37	78.74	55dB	5.2	418%	Day
3244	2025-04-13 16:53:17	74.82	55dB	4.0	295%	Day
3245	2025-04-13 16:57:19	76.51	55dB	4.4	344%	Day
3246	2025-04-13 16:59:33	70.52	55dB	2.9	193%	Day
3247	2025-04-13 17:01:21	70.22	55dB	2.9	187%	Day
3248	2025-04-13 17:02:53	68.55	55dB	2.6	156%	Day
3249	2025-04-13 17:05:26	72.94	55dB	3.5	247%	Day
3250	2025-04-13 17:07:19	69.71	55dB	2.8	177%	Day

3251	2025-04-13 17:09:06	67.13	55dB	2.3	132%	Day
3252	2025-04-13 17:11:09	N/A	55dB	N/A	N/A	Day
3253	2025-04-13 17:13:50	74.72	55dB	3.9	292%	Day
3254	2025-04-13 17:15:20	71.09	55dB	3.1	205%	Day
3255	2025-04-13 17:16:51	70.75	55dB	3.0	198%	Day
3256	2025-04-13 17:18:08	N/A	55dB	N/A	N/A	Day
3257	2025-04-13 17:19:26	73.97	55dB	3.7	272%	Day
3258	2025-04-13 17:20:45	67.83	55dB	2.4	143%	Day
3259	2025-04-13 17:22:39	69.23	55dB	2.7	168%	Day
3260	2025-04-13 17:24:10	69.32	55dB	2.7	170%	Day
3261	2025-04-13 17:25:50	N/A	55dB	N/A	N/A	Day
3262	2025-04-13 17:28:00	N/A	55dB	N/A	N/A	Day
3263	2025-04-13 17:31:49	70.22	55dB	2.9	187%	Day
3264	2025-04-13 17:34:43	70.78	55dB	3.0	199%	Day
3265	2025-04-13 17:36:18	66.83	55dB	2.3	127%	Day
3266	2025-04-13 17:38:16	68.63	55dB	2.6	157%	Day
3267	2025-04-13 17:40:55	68.05	55dB	2.5	147%	Day
3268	2025-04-13 17:43:18	68.71	55dB	2.6	159%	Day
3269	2025-04-13 17:46:48	73.38	55dB	3.6	258%	Day
3270	2025-04-13 17:49:38	67.91	55dB	2.4	145%	Day
3271	2025-04-13 17:50:57	69.07	55dB	2.7	165%	Day
3272	2025-04-13 17:52:19	68.80	55dB	2.6	160%	Day
3273	2025-04-13 17:54:34	N/A	55dB	N/A	N/A	Day
3274	2025-04-13 17:55:51	73.52	55dB	3.6	261%	Day
3275	2025-04-13 17:57:40	71.53	55dB	3.1	214%	Day
3276	2025-04-13 17:58:54	71.37	55dB	3.1	211%	Day
3277	2025-04-13 18:00:16	N/A	55dB	N/A	N/A	Day
3278	2025-04-13 18:01:31	68.34	55dB	2.5	152%	Day
3279	2025-04-13 18:02:52	68.54	55dB	2.6	156%	Day
3280	2025-04-13 18:04:10	71.52	55dB	3.1	214%	Day
3281	2025-04-13 18:05:26	N/A	55dB	N/A	N/A	Day
3282	2025-04-13 18:06:41	68.42	55dB	2.5	154%	Day
3283	2025-04-13 18:08:11	72.66	55dB	3.4	240%	Day
3284	2025-04-13 18:11:00	N/A	55dB	N/A	N/A	Day
3285	2025-04-13 18:12:32	74.04	55dB	3.7	274%	Day
3286	2025-04-13 18:16:29	69.06	55dB	2.7	165%	Day
3287	2025-04-13 18:18:39	N/A	55dB	N/A	N/A	Day
3288	2025-04-13 18:21:25	67.38	55dB	2.4	136%	Day
3289	2025-04-13 18:24:09	N/A	55dB	N/A	N/A	Day
3290	2025-04-13 18:25:19	67.45	55dB	2.4	137%	Day
3291	2025-04-13 18:28:36	73.15	55dB	3.5	252%	Day
3292	2025-04-13 18:31:19	72.44	55dB	3.3	235%	Day
3293	2025-04-13 18:34:37	72.72	55dB	3.4	242%	Day
3294	2025-04-13 18:37:04	67.75	55dB	2.4	142%	Day

3295	2025-04-13 18:38:53	N/A	55dB	N/A	N/A	Day
3296	2025-04-13 18:40:26	73.53	55dB	3.6	261%	Day
3297	2025-04-13 18:42:58	69.33	55dB	2.7	170%	Day
3298	2025-04-13 18:44:18	70.04	55dB	2.8	184%	Day
3299	2025-04-13 18:54:15	70.58	55dB	2.9	194%	Day
3300	2025-04-13 18:56:13	N/A	55dB	N/A	N/A	Day
3301	2025-04-13 18:59:37	68.20	55dB	2.5	150%	Day
3302	2025-04-13 19:00:56	70.76	55dB	3.0	198%	Day
3303	2025-04-13 19:04:05	73.09	55dB	3.5	250%	Day
3304	2025-04-13 19:07:06	75.03	55dB	4.0	301%	Day
3305	2025-04-13 19:09:34	69.23	55dB	2.7	168%	Day
3306	2025-04-13 19:11:10	69.04	55dB	2.6	165%	Day
3307	2025-04-13 19:12:30	N/A	55dB	N/A	N/A	Day
3308	2025-04-13 19:14:03	70.16	55dB	2.9	186%	Day
3309	2025-04-13 19:15:24	N/A	55dB	N/A	N/A	Day
3310	2025-04-13 19:16:57	69.72	55dB	2.8	177%	Day
3311	2025-04-13 19:18:13	72.32	55dB	3.3	232%	Day
3312	2025-04-13 19:21:21	69.92	55dB	2.8	181%	Day
3313	2025-04-13 19:23:14	74.97	55dB	4.0	299%	Day
3314	2025-04-13 19:25:20	73.69	55dB	3.7	265%	Day
3315	2025-04-13 19:28:32	75.53	55dB	4.1	315%	Day
3316	2025-04-13 19:30:48	74.38	55dB	3.8	283%	Day
3317	2025-04-13 19:32:57	71.45	55dB	3.1	213%	Day
3318	2025-04-13 19:35:07	69.36	55dB	2.7	171%	Day
3319	2025-04-13 19:37:23	70.88	55dB	3.0	201%	Day
3320	2025-04-13 19:40:05	67.39	55dB	2.4	136%	Day
3321	2025-04-13 19:42:25	70.38	55dB	2.9	190%	Day
3322	2025-04-13 19:44:26	69.12	55dB	2.7	166%	Day
3323	2025-04-13 19:50:02	70.94	55dB	3.0	202%	Day
3324	2025-04-13 19:52:12	76.14	55dB	4.3	333%	Day
3325	2025-04-13 19:54:25	74.56	55dB	3.9	288%	Day
3326	2025-04-13 19:56:26	74.42	55dB	3.8	284%	Day
3327	2025-04-13 19:58:34	72.47	55dB	3.4	236%	Day
3328	2025-04-13 20:03:14	72.12	55dB	3.3	228%	Day
3329	2025-04-13 20:06:03	72.78	55dB	3.4	243%	Day
3330	2025-04-13 20:08:25	75.07	55dB	4.0	302%	Day
3331	2025-04-13 20:10:13	70.84	55dB	3.0	200%	Day
3332	2025-04-13 20:11:47	74.02	55dB	3.7	274%	Day
3333	2025-04-13 20:13:56	N/A	55dB	N/A	N/A	Day
3334	2025-04-13 20:15:16	68.73	55dB	2.6	159%	Day
3335	2025-04-13 20:17:24	73.83	55dB	3.7	269%	Day
3336	2025-04-13 20:20:21	70.12	55dB	2.9	185%	Day
3337	2025-04-13 20:22:43	68.04	55dB	2.5	147%	Day
3338	2025-04-13 20:24:02	71.12	55dB	3.1	206%	Day

3339	2025-04-13 20:25:08	69.52	55dB	2.7	174%	Day
3340	2025-04-13 20:26:35	70.72	55dB	3.0	197%	Day
3341	2025-04-13 20:28:01	71.01	55dB	3.0	203%	Day
3342	2025-04-13 20:30:07	69.20	55dB	2.7	168%	Day
3343	2025-04-13 20:39:10	69.02	55dB	2.6	164%	Day
3344	2025-04-13 20:40:43	69.37	55dB	2.7	171%	Day
3345	2025-04-13 20:42:08	68.59	55dB	2.6	157%	Day
3346	2025-04-13 20:43:28	76.23	55dB	4.4	336%	Day
3347	2025-04-13 20:44:41	70.82	55dB	3.0	199%	Day
3348	2025-04-13 20:46:10	71.24	55dB	3.1	208%	Day
3349	2025-04-13 20:47:31	68.86	55dB	2.6	161%	Day
3350	2025-04-13 20:49:48	N/A	55dB	N/A	N/A	Day
3351	2025-04-13 20:51:05	79.39	55dB	5.4	442%	Day
3352	2025-04-13 20:52:26	71.21	55dB	3.1	208%	Day
3353	2025-04-13 20:56:04	70.02	55dB	2.8	183%	Day
3354	2025-04-13 20:58:42	71.41	55dB	3.1	212%	Day
3355	2025-04-13 21:00:27	75.32	55dB	4.1	309%	Day
3356	2025-04-13 21:02:27	69.06	55dB	2.7	165%	Day
3357	2025-04-13 21:03:48	71.80	55dB	3.2	220%	Day
3358	2025-04-13 21:05:02	77.36	55dB	4.7	371%	Day
3359	2025-04-13 21:06:18	70.30	55dB	2.9	189%	Day
3360	2025-04-13 21:07:37	69.19	55dB	2.7	167%	Day
3361	2025-04-13 21:09:14	70.18	55dB	2.9	186%	Day
3362	2025-04-13 21:10:30	71.55	55dB	3.1	215%	Day
3363	2025-04-13 21:11:48	69.76	55dB	2.8	178%	Day
3364	2025-04-13 21:13:07	70.43	55dB	2.9	191%	Day
3365	2025-04-13 21:14:33	69.44	55dB	2.7	172%	Day
3366	2025-04-13 21:19:09	68.10	55dB	2.5	148%	Day
3367	2025-04-13 21:20:48	71.66	55dB	3.2	217%	Day
3368	2025-04-13 21:22:30	80.63	55dB	5.9	491%	Day
3369	2025-04-13 21:24:35	68.50	55dB	2.5	155%	Day
3370	2025-04-13 21:27:40	73.00	55dB	3.5	248%	Day
3371	2025-04-13 21:29:14	74.18	55dB	3.8	278%	Day
3372	2025-04-13 21:31:11	69.80	55dB	2.8	179%	Day
3373	2025-04-13 21:32:32	69.68	55dB	2.8	177%	Day
3374	2025-04-13 21:33:40	69.72	55dB	2.8	177%	Day
3375	2025-04-13 21:35:27	69.66	55dB	2.8	176%	Day
3376	2025-04-13 21:37:14	75.20	55dB	4.1	306%	Day
3377	2025-04-13 21:39:08	73.06	55dB	3.5	250%	Day
3378	2025-04-13 21:42:02	70.94	55dB	3.0	202%	Day
3379	2025-04-13 21:44:09	71.63	55dB	3.2	217%	Day
3380	2025-04-13 21:45:18	73.78	55dB	3.7	268%	Day
3381	2025-04-13 21:46:27	N/A	55dB	N/A	N/A	Day
3382	2025-04-13 21:47:56	68.92	55dB	2.6	162%	Day

3383	2025-04-13 21:49:49	N/A	55dB	N/A	N/A	Day
3384	2025-04-13 21:51:21	N/A	55dB	N/A	N/A	Day
3385	2025-04-13 21:54:03	69.39	55dB	2.7	171%	Day
3386	2025-04-13 21:56:09	N/A	55dB	N/A	N/A	Day
3387	2025-04-13 21:58:42	67.09	55dB	2.3	131%	Day
3388	2025-04-13 21:59:54	77.05	55dB	4.6	361%	Day
3389	2025-04-13 22:03:15	66.70	55dB	2.3	125%	Day
3390	2025-04-13 22:05:58	68.68	55dB	2.6	158%	Day
3391	2025-04-13 22:07:28	66.81	55dB	2.3	127%	Day
3392	2025-04-13 22:08:37	68.89	55dB	2.6	162%	Day
3393	2025-04-13 22:10:12	N/A	55dB	N/A	N/A	Day
3394	2025-04-13 22:11:35	N/A	55dB	N/A	N/A	Day
3395	2025-04-13 22:13:11	71.77	55dB	3.2	220%	Day
3396	2025-04-13 22:14:26	68.43	55dB	2.5	154%	Day
3397	2025-04-13 22:15:52	N/A	55dB	N/A	N/A	Day
3398	2025-04-13 22:19:50	N/A	55dB	N/A	N/A	Day
3399	2025-04-13 22:23:30	66.10	55dB	2.2	116%	Day
3400	2025-04-13 22:25:02	69.78	55dB	2.8	179%	Day
3401	2025-04-13 22:26:41	N/A	55dB	N/A	N/A	Day
3402	2025-04-13 22:29:16	69.26	55dB	2.7	169%	Day
3403	2025-04-13 22:36:49	70.23	55dB	2.9	187%	Day
3404	2025-04-13 22:38:25	68.75	55dB	2.6	159%	Day
3405	2025-04-13 22:39:58	68.10	55dB	2.5	148%	Day
3406	2025-04-13 22:49:46	69.71	55dB	2.8	177%	Day
3407	2025-04-13 22:51:32	N/A	55dB	N/A	N/A	Day
3408	2025-04-13 22:52:44	N/A	55dB	N/A	N/A	Day
3409	2025-04-13 22:54:09	69.19	55dB	2.7	167%	Day
3410	2025-04-13 22:55:40	N/A	55dB	N/A	N/A	Day
3411	2025-04-13 23:03:25	N/A	45dB	N/A	N/A	Night
3412	2025-04-13 23:04:56	70.86	45dB	6.0	500%	Night
3413	2025-04-13 23:08:12	N/A	45dB	N/A	N/A	Night
3414	2025-04-13 23:12:44	69.26	45dB	5.4	437%	Night
3415	2025-04-13 23:14:33	N/A	45dB	N/A	N/A	Night
3416	2025-04-13 23:16:04	68.77	45dB	5.2	419%	Night
3417	2025-04-13 23:17:38	70.26	45dB	5.8	476%	Night
3418	2025-04-13 23:19:30	67.65	45dB	4.8	381%	Night
3419	2025-04-13 23:22:41	N/A	45dB	N/A	N/A	Night
3420	2025-04-13 23:27:40	69.32	45dB	5.4	440%	Night
3421	2025-04-13 23:30:50	N/A	45dB	N/A	N/A	Night
3422	2025-04-13 23:33:43	67.05	45dB	4.6	361%	Night
3423	2025-04-13 23:36:34	N/A	45dB	N/A	N/A	Night
3424	2025-04-13 23:38:17	68.06	45dB	4.9	395%	Night
3425	2025-04-13 23:41:00	70.15	45dB	5.7	472%	Night
3426	2025-04-13 23:42:44	68.99	45dB	5.3	427%	Night

3427	2025-04-13 23:44:26	70.67	45dB	5.9	493%	Night
3428	2025-04-13 23:52:06	70.75	45dB	6.0	496%	Night
3429	2025-04-13 23:55:44	69.61	45dB	5.5	451%	Night
3430	2025-04-13 23:57:46	69.83	45dB	5.6	459%	Night
3431	2025-04-13 23:59:18	70.76	45dB	6.0	496%	Night
3432	2025-04-14 00:02:26	69.03	45dB	5.3	429%	Night
3433	2025-04-14 00:05:13	67.86	45dB	4.9	388%	Night
3434	2025-04-14 00:07:56	69.13	45dB	5.3	433%	Night
3435	2025-04-14 00:11:10	68.13	45dB	5.0	397%	Night
3436	2025-04-14 00:13:52	69.07	45dB	5.3	430%	Night
3437	2025-04-14 00:15:14	68.89	45dB	5.2	424%	Night
3438	2025-04-14 00:17:04	70.19	45dB	5.7	473%	Night
3439	2025-04-14 00:18:32	71.70	45dB	6.4	536%	Night
3440	2025-04-14 00:20:34	71.23	45dB	6.2	516%	Night
3441	2025-04-14 00:22:46	68.73	45dB	5.2	418%	Night
3442	2025-04-14 00:24:41	80.76	45dB	11.9	1093%	Night
3443	2025-04-14 00:26:27	67.59	45dB	4.8	379%	Night
3444	2025-04-14 00:28:45	76.10	45dB	8.6	763%	Night
3445	2025-04-14 00:31:19	67.47	45dB	4.7	375%	Night
3446	2025-04-14 00:35:56	69.02	45dB	5.3	429%	Night
3447	2025-04-14 00:39:36	67.58	45dB	4.8	378%	Night
3448	2025-04-14 00:42:57	69.75	45dB	5.6	456%	Night
3449	2025-04-14 00:48:16	69.11	45dB	5.3	432%	Night
3450	2025-04-14 00:53:26	67.50	45dB	4.8	376%	Night
3451	2025-04-14 00:57:45	71.80	45dB	6.4	541%	Night
3452	2025-04-14 01:11:39	68.38	45dB	5.1	406%	Night
3453	2025-04-14 01:13:22	71.97	45dB	6.5	548%	Night
3454	2025-04-14 01:39:36	68.76	45dB	5.2	419%	Night
3455	2025-04-14 01:48:16	72.27	45dB	6.6	562%	Night
3456	2025-04-14 01:50:38	70.19	45dB	5.7	473%	Night
3457	2025-04-14 01:57:39	68.97	45dB	5.3	427%	Night
3458	2025-04-14 03:05:27	75.50	45dB	8.3	728%	Night
3459	2025-04-14 05:18:55	73.24	45dB	7.1	608%	Night
3460	2025-04-14 05:21:49	73.98	45dB	7.5	645%	Night
3461	2025-04-14 05:24:49	77.53	45dB	9.5	853%	Night
3462	2025-04-14 05:27:12	73.91	45dB	7.4	642%	Night
3463	2025-04-14 05:32:47	82.11	45dB	13.1	1210%	Night
3464	2025-04-14 05:40:39	71.04	45dB	6.1	508%	Night
3465	2025-04-14 05:43:47	74.28	45dB	7.6	661%	Night
3466	2025-04-14 05:45:43	74.49	45dB	7.7	672%	Night
3467	2025-04-14 05:47:52	72.83	45dB	6.9	588%	Night
3468	2025-04-14 05:51:23	73.43	45dB	7.2	618%	Night
3469	2025-04-14 05:53:02	75.19	45dB	8.1	711%	Night
3470	2025-04-14 05:54:26	74.45	45dB	7.7	670%	Night

3471	2025-04-14 05:55:40	71.97	45dB	6.5	548%	Night
3472	2025-04-14 05:57:28	75.29	45dB	8.2	716%	Night
3473	2025-04-14 06:01:08	72.78	45dB	6.9	586%	Night
3474	2025-04-14 06:05:30	72.08	45dB	6.5	553%	Night
3475	2025-04-14 06:29:04	69.27	45dB	5.4	438%	Night
3476	2025-04-14 06:30:32	71.53	45dB	6.3	529%	Night
3477	2025-04-14 06:32:56	67.79	45dB	4.9	385%	Night
3478	2025-04-14 06:34:26	N/A	45dB	N/A	N/A	Night
3479	2025-04-14 06:35:36	70.92	45dB	6.0	503%	Night
3480	2025-04-14 06:36:51	69.41	45dB	5.4	443%	Night
3481	2025-04-14 06:38:23	73.31	45dB	7.1	612%	Night
3482	2025-04-14 06:39:32	72.12	45dB	6.6	555%	Night
3483	2025-04-14 06:41:32	70.64	45dB	5.9	491%	Night
3484	2025-04-14 06:42:49	71.03	45dB	6.1	508%	Night
3485	2025-04-14 06:44:17	70.91	45dB	6.0	503%	Night
3486	2025-04-14 06:45:52	72.17	45dB	6.6	558%	Night
3487	2025-04-14 06:48:13	70.69	45dB	5.9	493%	Night
3488	2025-04-14 06:49:38	68.59	45dB	5.1	413%	Night
3489	2025-04-14 06:51:00	72.01	45dB	6.5	550%	Night
3490	2025-04-14 06:52:14	69.06	45dB	5.3	430%	Night
3491	2025-04-14 06:55:23	71.23	45dB	6.2	516%	Night
3492	2025-04-14 06:57:11	71.19	45dB	6.1	514%	Night
3493	2025-04-14 07:01:46	68.76	55dB	2.6	160%	Day
3494	2025-04-14 07:04:53	67.55	55dB	2.4	139%	Day
3495	2025-04-14 07:06:36	72.20	55dB	3.3	229%	Day
3496	2025-04-14 07:08:12	69.85	55dB	2.8	180%	Day
3497	2025-04-14 07:11:20	69.06	55dB	2.7	165%	Day
3498	2025-04-14 07:12:34	67.43	55dB	2.4	137%	Day
3499	2025-04-14 07:14:04	71.77	55dB	3.2	220%	Day
3500	2025-04-14 07:16:33	67.60	55dB	2.4	139%	Day
3501	2025-04-14 07:19:26	72.85	55dB	3.4	245%	Day
3502	2025-04-14 07:26:23	77.23	55dB	4.7	367%	Day
3503	2025-04-14 07:29:38	69.23	55dB	2.7	168%	Day
3504	2025-04-14 07:32:15	70.58	55dB	2.9	194%	Day
3505	2025-04-14 07:35:13	69.62	55dB	2.8	175%	Day
3506	2025-04-14 07:41:42	71.38	55dB	3.1	211%	Day
3507	2025-04-14 07:47:11	69.04	55dB	2.6	165%	Day
3508	2025-04-14 07:51:10	69.50	55dB	2.7	173%	Day
3509	2025-04-14 07:53:45	68.10	55dB	2.5	148%	Day
3510	2025-04-14 07:56:34	71.65	55dB	3.2	217%	Day
3511	2025-04-14 08:00:28	70.88	55dB	3.0	201%	Day
3512	2025-04-14 08:02:18	70.50	55dB	2.9	193%	Day
3513	2025-04-14 08:04:24	71.34	55dB	3.1	210%	Day
3514	2025-04-14 08:09:46	68.33	55dB	2.5	152%	Day

3515	2025-04-14 08:23:24	69.10	55dB	2.7	166%	Day
3516	2025-04-14 08:24:48	66.10	55dB	2.2	116%	Day
3517	2025-04-14 08:26:32	73.33	55dB	3.6	256%	Day
3518	2025-04-14 08:28:58	68.80	55dB	2.6	160%	Day
3519	2025-04-14 08:30:25	72.90	55dB	3.5	246%	Day
3520	2025-04-14 08:33:08	N/A	55dB	N/A	N/A	Day
3521	2025-04-14 08:35:57	70.79	55dB	3.0	199%	Day
3522	2025-04-14 08:37:49	73.42	55dB	3.6	259%	Day
3523	2025-04-14 08:45:02	68.73	55dB	2.6	159%	Day
3524	2025-04-14 08:54:35	72.14	55dB	3.3	228%	Day
3525	2025-04-14 09:01:36	71.56	55dB	3.2	215%	Day
3526	2025-04-14 09:03:08	69.31	55dB	2.7	170%	Day
3527	2025-04-14 09:07:06	76.65	55dB	4.5	348%	Day
3528	2025-04-14 09:13:37	74.63	55dB	3.9	290%	Day
3529	2025-04-14 09:24:07	79.25	55dB	5.4	437%	Day
3530	2025-04-14 09:27:08	70.74	55dB	3.0	198%	Day
3531	2025-04-14 09:34:56	73.18	55dB	3.5	253%	Day
3532	2025-04-14 09:37:40	81.90	55dB	6.5	545%	Day
3533	2025-04-14 09:39:26	86.91	55dB	9.1	813%	Day
3534	2025-04-14 09:41:05	78.49	55dB	5.1	409%	Day
3535	2025-04-14 09:43:11	72.23	55dB	3.3	230%	Day
3536	2025-04-14 09:47:47	70.32	55dB	2.9	189%	Day
3537	2025-04-14 09:53:04	71.21	55dB	3.1	208%	Day
3538	2025-04-14 09:54:45	72.83	55dB	3.4	244%	Day
3539	2025-04-14 09:57:03	74.74	55dB	3.9	293%	Day
3540	2025-04-14 09:58:55	72.10	55dB	3.3	227%	Day
3541	2025-04-14 10:01:32	72.19	55dB	3.3	229%	Day
3542	2025-04-14 10:03:32	70.83	55dB	3.0	200%	Day
3543	2025-04-14 10:05:45	74.13	55dB	3.8	277%	Day
3544	2025-04-14 10:11:03	71.12	55dB	3.1	206%	Day
3545	2025-04-14 10:14:54	74.67	55dB	3.9	291%	Day
3546	2025-04-14 10:17:18	70.64	55dB	3.0	196%	Day
3547	2025-04-14 10:19:11	74.21	55dB	3.8	279%	Day
3548	2025-04-14 10:20:34	70.90	55dB	3.0	201%	Day
3549	2025-04-14 10:22:26	71.93	55dB	3.2	223%	Day
3550	2025-04-14 10:23:48	N/A	55dB	N/A	N/A	Day
3551	2025-04-14 10:25:46	74.11	55dB	3.8	276%	Day
3552	2025-04-14 10:30:21	76.77	55dB	4.5	352%	Day
3553	2025-04-14 10:37:17	70.81	55dB	3.0	199%	Day
3554	2025-04-14 10:40:51	76.34	55dB	4.4	339%	Day
3555	2025-04-14 10:44:56	74.89	55dB	4.0	297%	Day
3556	2025-04-14 10:47:02	71.53	55dB	3.1	214%	Day
3557	2025-04-14 10:48:30	74.04	55dB	3.7	274%	Day
3558	2025-04-14 10:50:02	69.12	55dB	2.7	166%	Day

3559	2025-04-14 10:51:45	75.54	55dB	4.2	315%	Day
3560	2025-04-14 10:54:02	73.43	55dB	3.6	259%	Day
3561	2025-04-14 10:57:45	71.12	55dB	3.1	206%	Day
3562	2025-04-14 10:59:39	67.92	55dB	2.4	145%	Day
3563	2025-04-14 11:04:10	76.63	55dB	4.5	348%	Day
3564	2025-04-14 11:06:05	72.10	55dB	3.3	227%	Day
3565	2025-04-14 11:07:13	68.87	55dB	2.6	162%	Day
3566	2025-04-14 11:08:27	68.40	55dB	2.5	153%	Day
3567	2025-04-14 11:09:39	N/A	55dB	N/A	N/A	Day
3568	2025-04-14 11:12:44	N/A	55dB	N/A	N/A	Day
3569	2025-04-14 11:14:42	69.30	55dB	2.7	169%	Day
3570	2025-04-14 11:17:02	70.72	55dB	3.0	197%	Day
3571	2025-04-14 11:19:14	69.96	55dB	2.8	182%	Day
3572	2025-04-14 11:21:13	73.55	55dB	3.6	262%	Day
3573	2025-04-14 11:23:30	75.85	55dB	4.2	324%	Day
3574	2025-04-14 11:25:47	70.82	55dB	3.0	199%	Day
3575	2025-04-14 11:27:30	77.21	55dB	4.7	366%	Day
3576	2025-04-14 11:29:10	69.81	55dB	2.8	179%	Day
3577	2025-04-14 11:30:52	72.13	55dB	3.3	228%	Day
3578	2025-04-14 11:38:18	70.11	55dB	2.9	185%	Day
3579	2025-04-14 11:43:43	69.25	55dB	2.7	169%	Day
3580	2025-04-14 11:46:42	69.85	55dB	2.8	180%	Day
3581	2025-04-14 11:48:56	69.82	55dB	2.8	179%	Day
3582	2025-04-14 11:51:46	71.43	55dB	3.1	212%	Day
3583	2025-04-14 11:53:04	68.05	55dB	2.5	147%	Day
3584	2025-04-14 11:54:12	71.10	55dB	3.1	205%	Day
3585	2025-04-14 11:56:31	72.42	55dB	3.3	234%	Day
3586	2025-04-14 12:01:46	73.66	55dB	3.6	265%	Day
3587	2025-04-14 12:03:23	72.15	55dB	3.3	228%	Day
3588	2025-04-14 12:05:01	73.65	55dB	3.6	264%	Day
3589	2025-04-14 12:06:46	67.37	55dB	2.4	136%	Day
3590	2025-04-14 12:09:10	75.58	55dB	4.2	316%	Day
3591	2025-04-14 12:11:33	71.47	55dB	3.1	213%	Day
3592	2025-04-14 12:13:01	69.49	55dB	2.7	173%	Day
3593	2025-04-14 12:14:40	77.18	55dB	4.7	365%	Day
3594	2025-04-14 12:16:33	70.74	55dB	3.0	198%	Day
3595	2025-04-14 12:18:01	77.72	55dB	4.8	383%	Day
3596	2025-04-14 12:21:00	76.62	55dB	4.5	348%	Day
3597	2025-04-14 12:23:01	71.62	55dB	3.2	216%	Day
3598	2025-04-14 12:24:22	73.49	55dB	3.6	260%	Day
3599	2025-04-14 12:25:43	70.66	55dB	3.0	196%	Day
3600	2025-04-14 12:27:46	68.00	55dB	2.5	146%	Day
3601	2025-04-14 12:31:50	68.36	55dB	2.5	152%	Day
3602	2025-04-14 12:33:32	73.21	55dB	3.5	253%	Day

3603	2025-04-14 12:35:30	72.14	55dB	3.3	228%	Day
3604	2025-04-14 12:43:03	70.01	55dB	2.8	183%	Day
3605	2025-04-14 12:45:13	73.29	55dB	3.6	255%	Day
3606	2025-04-14 12:46:37	71.20	55dB	3.1	207%	Day
3607	2025-04-14 12:47:54	74.64	55dB	3.9	290%	Day
3608	2025-04-14 12:51:32	71.03	55dB	3.0	204%	Day
3609	2025-04-14 12:53:14	69.94	55dB	2.8	182%	Day
3610	2025-04-14 12:55:14	N/A	55dB	N/A	N/A	Day
3611	2025-04-14 12:57:03	73.29	55dB	3.6	255%	Day
3612	2025-04-14 13:00:02	72.25	55dB	3.3	231%	Day
3613	2025-04-14 13:02:50	68.22	55dB	2.5	150%	Day
3614	2025-04-14 13:04:09	N/A	55dB	N/A	N/A	Day
3615	2025-04-14 13:07:40	75.55	55dB	4.2	316%	Day
3616	2025-04-14 13:13:44	68.39	55dB	2.5	153%	Day
3617	2025-04-14 13:15:36	71.57	55dB	3.2	215%	Day
3618	2025-04-14 13:17:34	70.50	55dB	2.9	193%	Day
3619	2025-04-14 13:19:11	70.42	55dB	2.9	191%	Day
3620	2025-04-14 13:20:48	71.56	55dB	3.2	215%	Day
3621	2025-04-14 13:22:31	73.26	55dB	3.5	255%	Day
3622	2025-04-14 13:25:09	69.54	55dB	2.7	174%	Day
3623	2025-04-14 13:28:40	68.91	55dB	2.6	162%	Day
3624	2025-04-14 13:30:13	70.42	55dB	2.9	191%	Day
3625	2025-04-14 13:31:45	68.74	55dB	2.6	159%	Day
3626	2025-04-14 13:35:23	70.72	55dB	3.0	197%	Day
3627	2025-04-14 13:44:17	72.18	55dB	3.3	229%	Day
3628	2025-04-14 13:47:02	N/A	55dB	N/A	N/A	Day
3629	2025-04-14 13:48:45	70.54	55dB	2.9	194%	Day
3630	2025-04-14 13:50:56	71.82	55dB	3.2	221%	Day
3631	2025-04-14 13:54:10	74.03	55dB	3.7	274%	Day
3632	2025-04-14 13:56:21	72.12	55dB	3.3	228%	Day
3633	2025-04-14 13:57:39	71.09	55dB	3.1	205%	Day
3634	2025-04-14 13:59:25	70.83	55dB	3.0	200%	Day
3635	2025-04-14 14:00:50	69.03	55dB	2.6	164%	Day
3636	2025-04-14 14:02:52	68.75	55dB	2.6	159%	Day
3637	2025-04-14 14:04:58	71.07	55dB	3.0	205%	Day
3638	2025-04-14 14:06:58	68.53	55dB	2.6	155%	Day
3639	2025-04-14 14:08:24	N/A	55dB	N/A	N/A	Day
3640	2025-04-14 14:13:22	74.26	55dB	3.8	280%	Day
3641	2025-04-14 14:15:18	72.83	55dB	3.4	244%	Day
3642	2025-04-14 14:17:16	69.79	55dB	2.8	179%	Day
3643	2025-04-14 14:21:32	N/A	55dB	N/A	N/A	Day
3644	2025-04-14 14:23:02	68.33	55dB	2.5	152%	Day
3645	2025-04-14 14:24:25	76.33	55dB	4.4	339%	Day
3646	2025-04-14 14:26:13	N/A	55dB	N/A	N/A	Day

3647	2025-04-14 14:28:48	73.09	55dB	3.5	250%	Day
3648	2025-04-14 14:30:23	73.38	55dB	3.6	258%	Day
3649	2025-04-14 14:33:21	75.19	55dB	4.1	305%	Day
3650	2025-04-14 14:35:11	73.38	55dB	3.6	258%	Day
3651	2025-04-14 14:37:22	70.68	55dB	3.0	196%	Day
3652	2025-04-14 14:40:13	71.35	55dB	3.1	211%	Day
3653	2025-04-14 14:45:23	71.79	55dB	3.2	220%	Day
3654	2025-04-14 14:47:42	71.13	55dB	3.1	206%	Day
3655	2025-04-14 14:49:19	72.68	55dB	3.4	241%	Day
3656	2025-04-14 14:51:10	75.92	55dB	4.3	326%	Day
3657	2025-04-14 14:53:21	72.71	55dB	3.4	241%	Day
3658	2025-04-14 14:54:50	69.92	55dB	2.8	181%	Day
3659	2025-04-14 14:56:19	N/A	55dB	N/A	N/A	Day
3660	2025-04-14 14:57:44	70.22	55dB	2.9	187%	Day
3661	2025-04-14 14:59:03	68.85	55dB	2.6	161%	Day
3662	2025-04-14 15:00:32	71.11	55dB	3.1	205%	Day
3663	2025-04-14 15:02:02	70.96	55dB	3.0	202%	Day
3664	2025-04-14 15:03:57	N/A	55dB	N/A	N/A	Day
3665	2025-04-14 15:07:31	72.26	55dB	3.3	231%	Day
3666	2025-04-14 15:10:06	N/A	55dB	N/A	N/A	Day
3667	2025-04-14 15:11:17	72.58	55dB	3.4	238%	Day
3668	2025-04-14 15:13:27	77.83	55dB	4.9	387%	Day
3669	2025-04-14 15:16:47	70.79	55dB	3.0	199%	Day
3670	2025-04-14 15:18:10	78.72	55dB	5.2	418%	Day
3671	2025-04-14 15:19:49	69.54	55dB	2.7	174%	Day
3672	2025-04-14 15:21:19	73.60	55dB	3.6	263%	Day
3673	2025-04-14 15:23:20	74.09	55dB	3.8	276%	Day
3674	2025-04-14 15:24:52	75.55	55dB	4.2	316%	Day
3675	2025-04-14 15:27:02	77.15	55dB	4.6	364%	Day
3676	2025-04-14 15:28:34	75.14	55dB	4.0	304%	Day
3677	2025-04-14 15:31:07	71.31	55dB	3.1	210%	Day
3678	2025-04-14 15:33:36	81.71	55dB	6.4	537%	Day
3679	2025-04-14 15:39:07	69.83	55dB	2.8	180%	Day
3680	2025-04-14 15:40:28	66.17	55dB	2.2	117%	Day
3681	2025-04-14 15:44:31	N/A	55dB	N/A	N/A	Day
3682	2025-04-14 15:46:28	67.92	55dB	2.4	145%	Day
3683	2025-04-14 15:48:02	76.70	55dB	4.5	350%	Day
3684	2025-04-14 15:49:11	68.06	55dB	2.5	147%	Day
3685	2025-04-14 15:50:21	68.49	55dB	2.5	155%	Day
3686	2025-04-14 15:51:55	71.61	55dB	3.2	216%	Day
3687	2025-04-14 15:54:21	69.48	55dB	2.7	173%	Day
3688	2025-04-14 15:55:37	78.73	55dB	5.2	418%	Day
3689	2025-04-14 15:58:04	70.88	55dB	3.0	201%	Day
3690	2025-04-14 15:59:31	76.61	55dB	4.5	347%	Day

3691	2025-04-14 16:00:48	73.00	55dB	3.5	248%	Day
3692	2025-04-14 16:02:44	N/A	55dB	N/A	N/A	Day
3693	2025-04-14 16:04:01	69.76	55dB	2.8	178%	Day
3694	2025-04-14 16:05:18	68.28	55dB	2.5	151%	Day
3695	2025-04-14 16:06:22	67.79	55dB	2.4	143%	Day
3696	2025-04-14 16:07:38	74.32	55dB	3.8	282%	Day
3697	2025-04-14 16:09:05	N/A	55dB	N/A	N/A	Day
3698	2025-04-14 16:10:23	72.53	55dB	3.4	237%	Day
3699	2025-04-14 16:11:51	84.48	55dB	7.7	672%	Day
3700	2025-04-14 16:13:39	66.88	55dB	2.3	128%	Day
3701	2025-04-14 16:15:05	71.60	55dB	3.2	216%	Day
3702	2025-04-14 16:16:23	69.49	55dB	2.7	173%	Day
3703	2025-04-14 16:22:54	71.69	55dB	3.2	218%	Day
3704	2025-04-14 16:24:44	N/A	55dB	N/A	N/A	Day
3705	2025-04-14 16:26:24	68.45	55dB	2.5	154%	Day
3706	2025-04-14 16:28:17	71.97	55dB	3.2	224%	Day
3707	2025-04-14 16:34:49	72.89	55dB	3.5	246%	Day
3708	2025-04-14 16:37:15	74.39	55dB	3.8	283%	Day
3709	2025-04-14 16:40:46	69.39	55dB	2.7	171%	Day
3710	2025-04-14 16:42:18	71.62	55dB	3.2	216%	Day
3711	2025-04-14 16:43:56	71.60	55dB	3.2	216%	Day
3712	2025-04-14 16:46:18	N/A	55dB	N/A	N/A	Day
3713	2025-04-14 16:47:45	69.57	55dB	2.7	175%	Day
3714	2025-04-14 16:51:52	76.85	55dB	4.5	355%	Day
3715	2025-04-14 16:54:02	69.47	55dB	2.7	173%	Day
3716	2025-04-14 16:55:49	68.56	55dB	2.6	156%	Day
3717	2025-04-14 16:57:39	73.39	55dB	3.6	258%	Day
3718	2025-04-14 17:00:34	71.20	55dB	3.1	207%	Day
3719	2025-04-14 17:02:46	71.79	55dB	3.2	220%	Day
3720	2025-04-14 17:04:14	N/A	55dB	N/A	N/A	Day
3721	2025-04-14 17:07:17	N/A	55dB	N/A	N/A	Day
3722	2025-04-14 17:08:26	76.48	55dB	4.4	343%	Day
3723	2025-04-14 17:09:49	72.20	55dB	3.3	229%	Day
3724	2025-04-14 17:11:27	77.82	55dB	4.9	386%	Day
3725	2025-04-14 17:13:16	78.37	55dB	5.1	405%	Day
3726	2025-04-14 17:16:08	N/A	55dB	N/A	N/A	Day
3727	2025-04-14 17:18:32	71.31	55dB	3.1	210%	Day
3728	2025-04-14 17:19:56	69.65	55dB	2.8	176%	Day
3729	2025-04-14 17:21:35	71.33	55dB	3.1	210%	Day
3730	2025-04-14 17:22:53	73.87	55dB	3.7	270%	Day
3731	2025-04-14 17:24:21	70.13	55dB	2.9	185%	Day
3732	2025-04-14 17:25:57	N/A	55dB	N/A	N/A	Day
3733	2025-04-14 17:29:08	70.27	55dB	2.9	188%	Day
3734	2025-04-14 17:31:45	76.46	55dB	4.4	343%	Day

3735	2025-04-14 17:34:03	75.30	55dB	4.1	308%	Day
3736	2025-04-14 17:36:33	69.44	55dB	2.7	172%	Day
3737	2025-04-14 17:39:08	74.15	55dB	3.8	277%	Day
3738	2025-04-14 17:42:02	73.83	55dB	3.7	269%	Day
3739	2025-04-14 17:51:19	73.95	55dB	3.7	272%	Day
3740	2025-04-14 17:57:26	84.46	55dB	7.7	671%	Day
3741	2025-04-14 17:59:53	77.89	55dB	4.9	389%	Day
3742	2025-04-14 18:02:13	N/A	55dB	N/A	N/A	Day
3743	2025-04-14 18:04:30	74.62	55dB	3.9	290%	Day
3744	2025-04-14 18:07:11	74.17	55dB	3.8	278%	Day
3745	2025-04-14 18:09:06	69.54	55dB	2.7	174%	Day
3746	2025-04-14 18:11:06	73.55	55dB	3.6	262%	Day
3747	2025-04-14 18:15:53	75.52	55dB	4.1	315%	Day
3748	2025-04-14 18:18:34	74.66	55dB	3.9	291%	Day
3749	2025-04-14 18:20:30	79.52	55dB	5.5	447%	Day
3750	2025-04-14 18:22:46	73.68	55dB	3.7	265%	Day
3751	2025-04-14 18:25:05	72.27	55dB	3.3	231%	Day
3752	2025-04-14 18:27:12	72.55	55dB	3.4	238%	Day
3753	2025-04-14 18:33:08	74.22	55dB	3.8	279%	Day
3754	2025-04-14 18:35:54	76.77	55dB	4.5	352%	Day
3755	2025-04-14 18:39:23	77.65	55dB	4.8	381%	Day
3756	2025-04-14 18:44:32	73.88	55dB	3.7	270%	Day
3757	2025-04-14 18:46:31	72.01	55dB	3.3	225%	Day
3758	2025-04-14 18:48:49	75.53	55dB	4.1	315%	Day
3759	2025-04-14 18:51:02	72.13	55dB	3.3	228%	Day
3760	2025-04-14 18:53:21	73.73	55dB	3.7	266%	Day
3761	2025-04-14 18:57:54	79.38	55dB	5.4	442%	Day
3762	2025-04-14 19:00:17	73.00	55dB	3.5	248%	Day
3763	2025-04-14 19:02:59	74.35	55dB	3.8	282%	Day
3764	2025-04-14 19:05:13	74.56	55dB	3.9	288%	Day
3765	2025-04-14 19:07:16	74.16	55dB	3.8	277%	Day
3766	2025-04-14 19:10:19	72.41	55dB	3.3	234%	Day
3767	2025-04-14 19:12:37	72.67	55dB	3.4	240%	Day
3768	2025-04-14 19:14:53	N/A	55dB	N/A	N/A	Day
3769	2025-04-14 19:17:09	73.31	55dB	3.6	256%	Day
3770	2025-04-14 19:21:10	74.98	55dB	4.0	299%	Day
3771	2025-04-14 19:23:39	71.92	55dB	3.2	223%	Day
3772	2025-04-14 19:26:53	75.24	55dB	4.1	307%	Day
3773	2025-04-14 19:30:24	80.07	55dB	5.7	468%	Day
3774	2025-04-14 19:33:43	71.88	55dB	3.2	222%	Day
3775	2025-04-14 19:35:28	70.14	55dB	2.9	186%	Day
3776	2025-04-14 19:37:53	75.12	55dB	4.0	303%	Day
3777	2025-04-14 19:40:12	71.36	55dB	3.1	211%	Day
3778	2025-04-14 19:42:04	70.37	55dB	2.9	190%	Day

3779	2025-04-14 19:43:58	70.16	55dB	2.9	186%	Day
3780	2025-04-14 19:45:33	73.98	55dB	3.7	273%	Day
3781	2025-04-14 19:47:02	70.27	55dB	2.9	188%	Day
3782	2025-04-14 19:48:25	70.29	55dB	2.9	189%	Day
3783	2025-04-14 19:49:49	74.56	55dB	3.9	288%	Day
3784	2025-04-14 19:51:19	67.40	55dB	2.4	136%	Day
3785	2025-04-14 19:52:48	73.12	55dB	3.5	251%	Day
3786	2025-04-14 19:54:00	69.29	55dB	2.7	169%	Day
3787	2025-04-14 19:55:16	69.16	55dB	2.7	167%	Day
3788	2025-04-14 19:56:49	72.13	55dB	3.3	228%	Day
3789	2025-04-14 19:58:20	71.92	55dB	3.2	223%	Day
3790	2025-04-14 19:59:43	70.08	55dB	2.8	184%	Day
3791	2025-04-14 20:01:18	69.30	55dB	2.7	169%	Day
3792	2025-04-14 20:02:55	68.13	55dB	2.5	148%	Day
3793	2025-04-14 20:04:14	71.36	55dB	3.1	211%	Day
3794	2025-04-14 20:05:35	73.53	55dB	3.6	261%	Day
3795	2025-04-14 20:10:25	67.95	55dB	2.5	145%	Day
3796	2025-04-14 20:12:01	71.65	55dB	3.2	217%	Day
3797	2025-04-14 20:13:27	71.11	55dB	3.1	205%	Day
3798	2025-04-14 20:15:22	73.46	55dB	3.6	260%	Day
3799	2025-04-14 20:17:32	71.85	55dB	3.2	222%	Day
3800	2025-04-14 20:18:56	73.17	55dB	3.5	252%	Day
3801	2025-04-14 20:20:56	69.38	55dB	2.7	171%	Day
3802	2025-04-14 20:23:15	69.94	55dB	2.8	182%	Day
3803	2025-04-14 20:25:14	70.15	55dB	2.9	186%	Day
3804	2025-04-14 20:27:35	72.60	55dB	3.4	239%	Day
3805	2025-04-14 20:29:02	69.64	55dB	2.8	176%	Day
3806	2025-04-14 20:30:39	70.38	55dB	2.9	190%	Day
3807	2025-04-14 20:32:04	72.39	55dB	3.3	234%	Day
3808	2025-04-14 20:33:27	74.04	55dB	3.7	274%	Day
3809	2025-04-14 20:37:16	68.11	55dB	2.5	148%	Day
3810	2025-04-14 20:42:03	69.23	55dB	2.7	168%	Day
3811	2025-04-14 20:45:05	69.40	55dB	2.7	171%	Day
3812	2025-04-14 20:46:40	72.89	55dB	3.5	246%	Day
3813	2025-04-14 20:48:07	70.03	55dB	2.8	183%	Day
3814	2025-04-14 20:49:27	68.92	55dB	2.6	162%	Day
3815	2025-04-14 20:51:06	69.86	55dB	2.8	180%	Day
3816	2025-04-14 20:52:57	66.97	55dB	2.3	129%	Day
3817	2025-04-14 20:54:44	69.03	55dB	2.6	164%	Day
3818	2025-04-14 20:56:11	70.16	55dB	2.9	186%	Day
3819	2025-04-14 20:57:35	69.93	55dB	2.8	181%	Day
3820	2025-04-14 20:59:05	68.13	55dB	2.5	148%	Day
3821	2025-04-14 21:01:40	70.41	55dB	2.9	191%	Day
3822	2025-04-14 21:04:39	69.57	55dB	2.7	175%	Day

3823	2025-04-14 21:07:08	68.23	55dB	2.5	150%	Day
3824	2025-04-14 21:12:31	N/A	55dB	N/A	N/A	Day
3825	2025-04-14 21:17:14	68.23	55dB	2.5	150%	Day
3826	2025-04-14 21:19:56	69.97	55dB	2.8	182%	Day
3827	2025-04-14 21:22:19	70.09	55dB	2.8	185%	Day
3828	2025-04-14 21:23:44	71.02	55dB	3.0	204%	Day
3829	2025-04-14 21:25:00	67.66	55dB	2.4	140%	Day
3830	2025-04-14 21:27:02	70.38	55dB	2.9	190%	Day
3831	2025-04-14 21:28:26	67.44	55dB	2.4	137%	Day
3832	2025-04-14 21:31:21	68.61	55dB	2.6	157%	Day
3833	2025-04-14 21:41:03	69.75	55dB	2.8	178%	Day
3834	2025-04-14 21:42:33	67.04	55dB	2.3	130%	Day
3835	2025-04-14 21:46:53	69.28	55dB	2.7	169%	Day
3836	2025-04-14 21:48:24	67.44	55dB	2.4	137%	Day
3837	2025-04-14 21:57:43	68.05	55dB	2.5	147%	Day
3838	2025-04-14 21:59:12	N/A	55dB	N/A	N/A	Day
3839	2025-04-14 22:00:38	71.06	55dB	3.0	204%	Day
3840	2025-04-14 22:02:04	N/A	55dB	N/A	N/A	Day
3841	2025-04-14 22:06:49	N/A	55dB	N/A	N/A	Day
3842	2025-04-14 22:08:18	68.96	55dB	2.6	163%	Day
3843	2025-04-14 22:09:41	68.09	55dB	2.5	148%	Day
3844	2025-04-14 22:11:08	70.56	55dB	2.9	194%	Day
3845	2025-04-14 22:12:35	67.89	55dB	2.4	144%	Day
3846	2025-04-14 22:14:00	70.19	55dB	2.9	187%	Day
3847	2025-04-14 22:15:35	N/A	55dB	N/A	N/A	Day
3848	2025-04-14 22:19:26	73.01	55dB	3.5	248%	Day
3849	2025-04-14 22:20:49	71.99	55dB	3.2	225%	Day
3850	2025-04-14 22:22:18	67.66	55dB	2.4	140%	Day
3851	2025-04-14 22:23:51	73.13	55dB	3.5	251%	Day
3852	2025-04-14 22:26:52	72.81	55dB	3.4	244%	Day
3853	2025-04-14 22:28:21	68.27	55dB	2.5	151%	Day
3854	2025-04-14 22:30:38	N/A	55dB	N/A	N/A	Day
3855	2025-04-14 22:35:57	69.52	55dB	2.7	174%	Day
3856	2025-04-14 22:37:41	69.97	55dB	2.8	182%	Day
3857	2025-04-14 22:39:03	N/A	55dB	N/A	N/A	Day
3858	2025-04-14 22:40:19	68.27	55dB	2.5	151%	Day
3859	2025-04-14 22:41:46	N/A	55dB	N/A	N/A	Day
3860	2025-04-14 22:42:58	69.42	55dB	2.7	172%	Day
3861	2025-04-14 22:50:34	N/A	55dB	N/A	N/A	Day
3862	2025-04-14 22:53:06	70.04	55dB	2.8	184%	Day
3863	2025-04-14 22:57:34	70.57	55dB	2.9	194%	Day
3864	2025-04-14 22:59:12	67.06	55dB	2.3	131%	Day
3865	2025-04-14 23:00:28	72.63	45dB	6.8	579%	Night
3866	2025-04-14 23:01:51	71.01	45dB	6.1	507%	Night

3867	2025-04-14 23:03:03	70.17	45dB	5.7	472%	Night
3868	2025-04-14 23:04:20	67.67	45dB	4.8	381%	Night
3869	2025-04-14 23:05:37	N/A	45dB	N/A	N/A	Night
3870	2025-04-14 23:06:52	N/A	45dB	N/A	N/A	Night
3871	2025-04-14 23:08:14	70.47	45dB	5.8	484%	Night
3872	2025-04-14 23:09:56	68.48	45dB	5.1	409%	Night
3873	2025-04-14 23:17:49	77.55	45dB	9.5	855%	Night
3874	2025-04-14 23:19:37	68.45	45dB	5.1	408%	Night
3875	2025-04-14 23:23:42	71.41	45dB	6.2	524%	Night
3876	2025-04-14 23:26:21	71.50	45dB	6.3	528%	Night
3877	2025-04-14 23:31:55	72.81	45dB	6.9	587%	Night
3878	2025-04-14 23:34:09	68.92	45dB	5.2	425%	Night
3879	2025-04-14 23:35:51	68.15	45dB	5.0	398%	Night
3880	2025-04-14 23:38:08	72.10	45dB	6.5	554%	Night
3881	2025-04-14 23:40:44	N/A	45dB	N/A	N/A	Night
3882	2025-04-14 23:42:21	N/A	45dB	N/A	N/A	Night
3883	2025-04-14 23:44:08	69.50	45dB	5.5	446%	Night
3884	2025-04-14 23:47:36	69.67	45dB	5.5	453%	Night
3885	2025-04-14 23:50:01	70.45	45dB	5.8	484%	Night
3886	2025-04-14 23:52:31	70.84	45dB	6.0	500%	Night
3887	2025-04-14 23:54:24	70.07	45dB	5.7	468%	Night
3888	2025-04-14 23:56:01	71.62	45dB	6.3	533%	Night
3889	2025-04-14 23:58:11	68.69	45dB	5.2	417%	Night
3890	2025-04-15 00:01:02	70.78	45dB	6.0	497%	Night
3891	2025-04-15 00:03:49	70.38	45dB	5.8	481%	Night
3892	2025-04-15 00:05:51	68.51	45dB	5.1	410%	Night
3893	2025-04-15 00:07:42	69.43	45dB	5.4	444%	Night
3894	2025-04-15 00:13:10	70.83	45dB	6.0	499%	Night
3895	2025-04-15 00:15:27	68.36	45dB	5.0	405%	Night
3896	2025-04-15 00:21:40	68.77	45dB	5.2	419%	Night
3897	2025-04-15 00:23:35	68.44	45dB	5.1	408%	Night
3898	2025-04-15 00:32:19	68.88	45dB	5.2	423%	Night
3899	2025-04-15 00:34:13	70.21	45dB	5.7	474%	Night
3900	2025-04-15 00:40:34	69.28	45dB	5.4	438%	Night
3901	2025-04-15 00:45:38	68.63	45dB	5.1	414%	Night
3902	2025-04-15 01:04:42	69.66	45dB	5.5	453%	Night
3903	2025-04-15 01:40:06	69.71	45dB	5.5	454%	Night
3904	2025-04-15 01:50:06	70.81	45dB	6.0	498%	Night
3905	2025-04-15 02:18:34	70.50	45dB	5.9	486%	Night
3906	2025-04-15 02:34:58	N/A	45dB	N/A	N/A	Night
3907	2025-04-15 02:38:47	73.81	45dB	7.4	637%	Night
3908	2025-04-15 02:46:29	71.18	45dB	6.1	514%	Night
3909	2025-04-15 02:49:49	71.35	45dB	6.2	521%	Night
3910	2025-04-15 03:29:35	70.51	45dB	5.9	486%	Night

3911	2025-04-15 05:12:43	68.07	45dB	4.9	395%	Night
3912	2025-04-15 05:29:45	70.26	45dB	5.8	476%	Night
3913	2025-04-15 05:33:56	N/A	45dB	N/A	N/A	Night
3914	2025-04-15 05:36:56	69.66	45dB	5.5	453%	Night
3915	2025-04-15 05:44:26	73.03	45dB	7.0	598%	Night
3916	2025-04-15 05:47:05	68.86	45dB	5.2	423%	Night
3917	2025-04-15 05:49:53	70.93	45dB	6.0	503%	Night
3918	2025-04-15 05:51:53	72.13	45dB	6.6	556%	Night
3919	2025-04-15 05:53:36	71.25	45dB	6.2	517%	Night
3920	2025-04-15 05:55:27	72.66	45dB	6.8	580%	Night
3921	2025-04-15 05:57:32	73.49	45dB	7.2	621%	Night
3922	2025-04-15 05:59:30	70.46	45dB	5.8	484%	Night
3923	2025-04-15 06:02:45	N/A	45dB	N/A	N/A	Night
3924	2025-04-15 06:19:58	71.34	45dB	6.2	521%	Night
3925	2025-04-15 06:22:13	75.09	45dB	8.1	705%	Night
3926	2025-04-15 06:24:52	72.74	45dB	6.8	584%	Night
3927	2025-04-15 06:28:09	74.53	45dB	7.7	674%	Night
3928	2025-04-15 06:29:23	69.90	45dB	5.6	462%	Night
3929	2025-04-15 06:30:49	74.46	45dB	7.7	671%	Night
3930	2025-04-15 06:32:10	70.20	45dB	5.7	474%	Night
3931	2025-04-15 06:33:39	N/A	45dB	N/A	N/A	Night
3932	2025-04-15 06:35:54	71.50	45dB	6.3	528%	Night
3933	2025-04-15 06:37:26	71.41	45dB	6.2	524%	Night
3934	2025-04-15 06:39:01	71.60	45dB	6.3	532%	Night
3935	2025-04-15 06:40:48	78.04	45dB	9.9	888%	Night
3936	2025-04-15 06:42:18	72.52	45dB	6.7	574%	Night
3937	2025-04-15 06:45:28	72.71	45dB	6.8	583%	Night
3938	2025-04-15 06:47:53	78.06	45dB	9.9	889%	Night
3939	2025-04-15 06:49:54	71.53	45dB	6.3	529%	Night
3940	2025-04-15 06:51:55	76.61	45dB	8.9	794%	Night
3941	2025-04-15 06:55:46	86.25	45dB	17.4	1645%	Night
3942	2025-04-15 06:59:48	71.75	45dB	6.4	539%	Night
3943	2025-04-15 07:01:21	70.65	55dB	3.0	196%	Day
3944	2025-04-15 07:04:03	74.79	55dB	3.9	294%	Day
3945	2025-04-15 07:07:56	68.55	55dB	2.6	156%	Day
3946	2025-04-15 07:09:57	72.29	55dB	3.3	231%	Day
3947	2025-04-15 07:11:37	74.30	55dB	3.8	281%	Day
3948	2025-04-15 07:13:38	70.76	55dB	3.0	198%	Day
3949	2025-04-15 07:15:16	70.25	55dB	2.9	188%	Day
3950	2025-04-15 07:19:47	73.15	55dB	3.5	252%	Day
3951	2025-04-15 07:22:19	N/A	55dB	N/A	N/A	Day
3952	2025-04-15 07:33:03	70.97	55dB	3.0	203%	Day
3953	2025-04-15 07:35:36	70.54	55dB	2.9	194%	Day
3954	2025-04-15 07:44:03	76.64	55dB	4.5	348%	Day

3955	2025-04-15 07:46:11	78.05	55dB	4.9	394%	Day
3956	2025-04-15 07:48:55	84.17	55dB	7.6	655%	Day
3957	2025-04-15 07:50:57	70.27	55dB	2.9	188%	Day
3958	2025-04-15 07:52:43	86.27	55dB	8.7	774%	Day
3959	2025-04-15 07:54:43	69.94	55dB	2.8	182%	Day
3960	2025-04-15 08:02:41	78.24	55dB	5.0	401%	Day
3961	2025-04-15 08:06:11	72.55	55dB	3.4	238%	Day
3962	2025-04-15 08:08:21	77.50	55dB	4.8	376%	Day
3963	2025-04-15 08:09:48	76.88	55dB	4.6	356%	Day
3964	2025-04-15 08:11:50	76.26	55dB	4.4	337%	Day
3965	2025-04-15 08:13:27	N/A	55dB	N/A	N/A	Day
3966	2025-04-15 08:15:32	83.83	55dB	7.4	638%	Day
3967	2025-04-15 08:22:32	79.46	55dB	5.4	445%	Day
3968	2025-04-15 08:27:01	69.08	55dB	2.7	165%	Day
3969	2025-04-15 08:29:44	N/A	55dB	N/A	N/A	Day
3970	2025-04-15 08:35:42	82.43	55dB	6.7	569%	Day
3971	2025-04-15 08:38:32	74.77	55dB	3.9	294%	Day
3972	2025-04-15 08:49:37	75.79	55dB	4.2	323%	Day
3973	2025-04-15 08:54:08	69.57	55dB	2.7	175%	Day
3974	2025-04-15 09:02:04	75.86	55dB	4.2	325%	Day
3975	2025-04-15 09:05:46	74.67	55dB	3.9	291%	Day
3976	2025-04-15 09:08:41	72.80	55dB	3.4	243%	Day
3977	2025-04-15 09:16:43	70.77	55dB	3.0	198%	Day
3978	2025-04-15 09:22:11	79.40	55dB	5.4	443%	Day
3979	2025-04-15 09:24:56	77.87	55dB	4.9	388%	Day
3980	2025-04-15 09:27:07	70.56	55dB	2.9	194%	Day
3981	2025-04-15 09:28:49	72.45	55dB	3.4	235%	Day
3982	2025-04-15 09:32:54	66.34	55dB	2.2	119%	Day
3983	2025-04-15 09:34:35	N/A	55dB	N/A	N/A	Day
3984	2025-04-15 09:38:24	75.15	55dB	4.0	304%	Day
3985	2025-04-15 09:44:00	70.93	55dB	3.0	202%	Day
3986	2025-04-15 09:48:20	86.46	55dB	8.9	785%	Day
3987	2025-04-15 09:50:11	N/A	55dB	N/A	N/A	Day
3988	2025-04-15 09:51:41	69.71	55dB	2.8	177%	Day
3989	2025-04-15 09:53:08	N/A	55dB	N/A	N/A	Day
3990	2025-04-15 09:55:24	N/A	55dB	N/A	N/A	Day
3991	2025-04-15 10:00:40	72.69	55dB	3.4	241%	Day
3992	2025-04-15 10:02:37	84.76	55dB	7.9	687%	Day
3993	2025-04-15 10:05:01	81.03	55dB	6.1	508%	Day
3994	2025-04-15 10:13:44	82.88	55dB	6.9	591%	Day
3995	2025-04-15 10:17:01	70.61	55dB	3.0	195%	Day
3996	2025-04-15 10:19:52	81.93	55dB	6.5	547%	Day
3997	2025-04-15 10:22:07	72.15	55dB	3.3	228%	Day
3998	2025-04-15 10:24:17	89.56	55dB	11.0	997%	Day

3999	2025-04-15 10:26:05	68.68	55dB	2.6	158%	Day
4000	2025-04-15 10:27:56	83.74	55dB	7.3	633%	Day
4001	2025-04-15 10:30:13	N/A	55dB	N/A	N/A	Day
4002	2025-04-15 10:33:23	N/A	55dB	N/A	N/A	Day
4003	2025-04-15 10:35:31	75.70	55dB	4.2	320%	Day
4004	2025-04-15 10:37:24	70.32	55dB	2.9	189%	Day
4005	2025-04-15 10:43:44	77.65	55dB	4.8	381%	Day
4006	2025-04-15 10:45:39	69.53	55dB	2.7	174%	Day
4007	2025-04-15 10:47:40	72.19	55dB	3.3	229%	Day
4008	2025-04-15 10:49:53	77.31	55dB	4.7	369%	Day
4009	2025-04-15 10:52:41	73.08	55dB	3.5	250%	Day
4010	2025-04-15 10:54:11	N/A	55dB	N/A	N/A	Day
4011	2025-04-15 10:55:45	84.05	55dB	7.5	649%	Day
4012	2025-04-15 10:57:03	84.11	55dB	7.5	652%	Day
4013	2025-04-15 10:59:11	N/A	55dB	N/A	N/A	Day
4014	2025-04-15 11:00:45	N/A	55dB	N/A	N/A	Day
4015	2025-04-15 11:02:18	74.47	55dB	3.9	286%	Day
4016	2025-04-15 11:03:55	75.96	55dB	4.3	328%	Day
4017	2025-04-15 11:06:19	80.36	55dB	5.8	480%	Day
4018	2025-04-15 11:07:43	68.62	55dB	2.6	157%	Day
4019	2025-04-15 11:09:17	78.27	55dB	5.0	402%	Day
4020	2025-04-15 11:10:50	79.10	55dB	5.3	431%	Day
4021	2025-04-15 11:16:25	82.90	55dB	6.9	592%	Day
4022	2025-04-15 11:19:58	74.93	55dB	4.0	298%	Day
4023	2025-04-15 11:22:26	74.55	55dB	3.9	288%	Day
4024	2025-04-15 11:26:50	79.80	55dB	5.6	458%	Day
4025	2025-04-15 11:29:11	67.78	55dB	2.4	143%	Day
4026	2025-04-15 11:30:52	71.38	55dB	3.1	211%	Day
4027	2025-04-15 11:32:18	80.37	55dB	5.8	480%	Day
4028	2025-04-15 11:33:35	N/A	55dB	N/A	N/A	Day
4029	2025-04-15 11:35:12	83.04	55dB	7.0	598%	Day
4030	2025-04-15 11:37:36	80.25	55dB	5.8	476%	Day
4031	2025-04-15 11:38:54	72.10	55dB	3.3	227%	Day
4032	2025-04-15 11:40:18	77.18	55dB	4.7	365%	Day
4033	2025-04-15 11:41:44	79.91	55dB	5.6	462%	Day
4034	2025-04-15 11:43:18	75.22	55dB	4.1	306%	Day
4035	2025-04-15 11:45:36	74.36	55dB	3.8	283%	Day
4036	2025-04-15 11:48:51	71.05	55dB	3.0	204%	Day
4037	2025-04-15 11:54:39	83.55	55dB	7.2	624%	Day
4038	2025-04-15 11:56:18	73.65	55dB	3.6	264%	Day
4039	2025-04-15 11:57:41	N/A	55dB	N/A	N/A	Day
4040	2025-04-15 11:59:22	69.16	55dB	2.7	167%	Day
4041	2025-04-15 12:02:42	N/A	55dB	N/A	N/A	Day
4042	2025-04-15 12:08:44	88.21	55dB	10.0	899%	Day

4043	2025-04-15 12:10:55	84.99	55dB	8.0	699%	Day
4044	2025-04-15 12:13:15	N/A	55dB	N/A	N/A	Day
4045	2025-04-15 12:14:34	85.02	55dB	8.0	701%	Day
4046	2025-04-15 12:17:17	74.83	55dB	4.0	295%	Day
4047	2025-04-15 12:19:01	78.64	55dB	5.1	415%	Day
4048	2025-04-15 12:22:28	73.55	55dB	3.6	262%	Day
4049	2025-04-15 12:23:56	N/A	55dB	N/A	N/A	Day
4050	2025-04-15 12:25:48	79.85	55dB	5.6	460%	Day
4051	2025-04-15 12:27:03	75.99	55dB	4.3	328%	Day
4052	2025-04-15 12:28:26	70.74	55dB	3.0	198%	Day
4053	2025-04-15 12:29:38	69.09	55dB	2.7	166%	Day
4054	2025-04-15 12:31:03	78.13	55dB	5.0	397%	Day
4055	2025-04-15 12:33:09	77.08	55dB	4.6	362%	Day
4056	2025-04-15 12:34:32	77.85	55dB	4.9	387%	Day
4057	2025-04-15 12:36:07	71.92	55dB	3.2	223%	Day
4058	2025-04-15 12:49:38	N/A	55dB	N/A	N/A	Day
4059	2025-04-15 12:52:07	77.13	55dB	4.6	364%	Day
4060	2025-04-15 12:54:47	88.04	55dB	9.9	888%	Day
4061	2025-04-15 12:58:27	80.32	55dB	5.8	478%	Day
4062	2025-04-15 13:00:07	85.23	55dB	8.1	713%	Day
4063	2025-04-15 13:02:25	72.65	55dB	3.4	240%	Day
4064	2025-04-15 13:04:35	86.89	55dB	9.1	812%	Day
4065	2025-04-15 13:06:38	75.47	55dB	4.1	313%	Day
4066	2025-04-15 13:09:23	73.87	55dB	3.7	270%	Day
4067	2025-04-15 13:13:26	87.08	55dB	9.2	824%	Day
4068	2025-04-15 13:15:07	77.17	55dB	4.6	365%	Day
4069	2025-04-15 13:19:25	83.71	55dB	7.3	632%	Day
4070	2025-04-15 13:23:16	77.20	55dB	4.7	366%	Day
4071	2025-04-15 13:30:03	88.02	55dB	9.9	886%	Day
4072	2025-04-15 13:37:03	84.02	55dB	7.5	647%	Day
4073	2025-04-15 13:44:15	72.67	55dB	3.4	240%	Day
4074	2025-04-15 13:46:09	90.32	55dB	11.6	1057%	Day
4075	2025-04-15 13:47:45	73.52	55dB	3.6	261%	Day
4076	2025-04-15 13:48:52	74.26	55dB	3.8	280%	Day
4077	2025-04-15 13:50:57	79.50	55dB	5.5	446%	Day
4078	2025-04-15 13:52:27	83.45	55dB	7.2	619%	Day
4079	2025-04-15 13:54:41	72.25	55dB	3.3	231%	Day
4080	2025-04-15 13:56:51	N/A	55dB	N/A	N/A	Day
4081	2025-04-15 13:58:26	81.19	55dB	6.1	514%	Day
4082	2025-04-15 21:09:26	N/A	55dB	N/A	N/A	Day
4083	2025-04-15 21:13:04	71.61	55dB	3.2	216%	Day
4084	2025-04-15 21:14:39	75.19	55dB	4.1	305%	Day
4085	2025-04-15 21:16:10	73.99	55dB	3.7	273%	Day
4086	2025-04-15 21:17:38	72.64	55dB	3.4	240%	Day

4087	2025-04-15 21:18:58	67.36	55dB	2.4	136%	Day
4088	2025-04-15 21:20:24	71.90	55dB	3.2	223%	Day
4089	2025-04-15 21:22:01	75.00	55dB	4.0	300%	Day
4090	2025-04-15 21:23:51	75.73	55dB	4.2	321%	Day
4091	2025-04-15 21:26:47	76.96	55dB	4.6	358%	Day
4092	2025-04-15 21:29:15	81.43	55dB	6.2	525%	Day
4093	2025-04-15 21:31:04	69.53	55dB	2.7	174%	Day
4094	2025-04-15 21:33:05	78.41	55dB	5.1	407%	Day
4095	2025-04-15 21:34:28	86.87	55dB	9.1	811%	Day
4096	2025-04-15 21:38:03	82.56	55dB	6.8	576%	Day
4097	2025-04-15 21:39:22	80.16	55dB	5.7	472%	Day
4098	2025-04-15 21:41:35	N/A	55dB	N/A	N/A	Day
4099	2025-04-15 21:49:04	74.62	55dB	3.9	290%	Day
4100	2025-04-15 21:53:30	73.28	55dB	3.6	255%	Day
4101	2025-04-15 21:56:03	84.23	55dB	7.6	658%	Day
4102	2025-04-15 22:08:55	80.84	55dB	6.0	500%	Day
4103	2025-04-15 22:10:18	N/A	55dB	N/A	N/A	Day
4104	2025-04-15 22:11:31	N/A	55dB	N/A	N/A	Day
4105	2025-04-15 22:13:09	71.72	55dB	3.2	219%	Day
4106	2025-04-15 22:20:03	70.99	55dB	3.0	203%	Day
4107	2025-04-15 22:21:46	75.55	55dB	4.2	316%	Day
4108	2025-04-15 22:23:05	N/A	55dB	N/A	N/A	Day
4109	2025-04-15 22:24:57	76.38	55dB	4.4	340%	Day
4110	2025-04-15 22:27:13	N/A	55dB	N/A	N/A	Day
4111	2025-04-15 22:35:38	N/A	55dB	N/A	N/A	Day
4112	2025-04-15 22:38:10	N/A	55dB	N/A	N/A	Day
4113	2025-04-15 22:39:44	N/A	55dB	N/A	N/A	Day
4114	2025-04-15 22:41:04	76.91	55dB	4.6	357%	Day
4115	2025-04-15 22:43:55	72.16	55dB	3.3	229%	Day
4116	2025-04-15 22:46:23	79.06	55dB	5.3	430%	Day
4117	2025-04-15 22:48:24	73.16	55dB	3.5	252%	Day
4118	2025-04-15 22:50:15	78.05	55dB	4.9	394%	Day
4119	2025-04-15 22:53:17	N/A	55dB	N/A	N/A	Day
4120	2025-04-15 22:54:52	74.28	55dB	3.8	281%	Day
4121	2025-04-15 23:00:20	71.10	45dB	6.1	511%	Night
4122	2025-04-15 23:04:49	75.67	45dB	8.4	738%	Night
4123	2025-04-15 23:07:39	75.57	45dB	8.3	732%	Night
4124	2025-04-15 23:09:10	77.76	45dB	9.7	869%	Night
4125	2025-04-15 23:11:36	78.68	45dB	10.3	932%	Night
4126	2025-04-15 23:18:32	74.03	45dB	7.5	648%	Night
4127	2025-04-15 23:20:05	78.32	45dB	10.1	907%	Night
4128	2025-04-15 23:22:11	76.48	45dB	8.9	786%	Night
4129	2025-04-15 23:23:58	73.86	45dB	7.4	639%	Night
4130	2025-04-15 23:27:03	73.11	45dB	7.0	602%	Night

4131	2025-04-15 23:29:18	69.47	45dB	5.5	445%	Night
4132	2025-04-15 23:32:07	83.54	45dB	14.5	1346%	Night
4133	2025-04-15 23:35:06	79.60	45dB	11.0	1000%	Night
4134	2025-04-15 23:37:02	N/A	45dB	N/A	N/A	Night
4135	2025-04-15 23:40:16	79.87	45dB	11.2	1021%	Night
4136	2025-04-15 23:43:21	79.02	45dB	10.6	957%	Night
4137	2025-04-15 23:45:40	73.72	45dB	7.3	632%	Night
4138	2025-04-15 23:50:25	N/A	45dB	N/A	N/A	Night
4139	2025-04-15 23:52:35	69.78	45dB	5.6	457%	Night
4140	2025-04-15 23:54:11	N/A	45dB	N/A	N/A	Night
4141	2025-04-16 00:03:40	67.83	45dB	4.9	387%	Night
4142	2025-04-16 00:06:22	N/A	45dB	N/A	N/A	Night
4143	2025-04-16 00:09:28	77.31	45dB	9.4	839%	Night
4144	2025-04-16 00:13:16	75.83	45dB	8.5	747%	Night
4145	2025-04-16 00:16:11	68.93	45dB	5.3	425%	Night
4146	2025-04-16 00:21:02	70.11	45dB	5.7	470%	Night
4147	2025-04-16 00:23:51	74.80	45dB	7.9	689%	Night
4148	2025-04-16 00:33:49	80.52	45dB	11.7	1073%	Night
4149	2025-04-16 00:52:30	70.01	45dB	5.7	466%	Night
4150	2025-04-16 01:53:49	73.76	45dB	7.3	634%	Night
4151	2025-04-16 02:04:34	71.21	45dB	6.2	515%	Night
4152	2025-04-16 02:26:19	72.75	45dB	6.8	584%	Night
4153	2025-04-16 02:32:36	80.08	45dB	11.4	1038%	Night
4154	2025-04-16 02:40:58	72.53	45dB	6.7	574%	Night
4155	2025-04-16 03:23:05	69.06	45dB	5.3	430%	Night
4156	2025-04-16 03:56:39	78.85	45dB	10.4	945%	Night
4157	2025-04-16 04:25:57	70.60	45dB	5.9	490%	Night
4158	2025-04-16 04:59:17	73.96	45dB	7.4	644%	Night
4159	2025-04-16 05:19:18	70.40	45dB	5.8	482%	Night
4160	2025-04-16 05:29:37	76.62	45dB	9.0	795%	Night
4161	2025-04-16 05:34:44	71.16	45dB	6.1	513%	Night
4162	2025-04-16 05:41:37	77.83	45dB	9.7	873%	Night
4163	2025-04-16 05:43:46	78.98	45dB	10.5	954%	Night
4164	2025-04-16 05:46:01	69.66	45dB	5.5	453%	Night
4165	2025-04-16 05:48:31	69.48	45dB	5.5	446%	Night
4166	2025-04-16 05:50:52	79.78	45dB	11.1	1014%	Night
4167	2025-04-16 05:53:28	77.56	45dB	9.6	855%	Night
4168	2025-04-16 05:56:08	76.18	45dB	8.7	768%	Night
4169	2025-04-16 05:57:36	75.83	45dB	8.5	747%	Night
4170	2025-04-16 05:59:14	68.65	45dB	5.2	415%	Night
4171	2025-04-16 06:01:17	70.85	45dB	6.0	500%	Night
4172	2025-04-16 06:05:02	83.23	45dB	14.2	1315%	Night
4173	2025-04-16 06:29:56	71.26	45dB	6.2	517%	Night
4174	2025-04-16 06:31:33	71.72	45dB	6.4	537%	Night

4175	2025-04-16 06:32:56	70.99	45dB	6.1	506%	Night
4176	2025-04-16 06:34:57	70.63	45dB	5.9	491%	Night
4177	2025-04-16 06:36:12	69.15	45dB	5.3	433%	Night
4178	2025-04-16 06:37:34	69.24	45dB	5.4	437%	Night
4179	2025-04-16 06:39:02	N/A	45dB	N/A	N/A	Night
4180	2025-04-16 06:40:21	N/A	45dB	N/A	N/A	Night
4181	2025-04-16 06:41:35	75.04	45dB	8.0	702%	Night
4182	2025-04-16 06:42:47	75.80	45dB	8.5	746%	Night
4183	2025-04-16 06:43:52	76.40	45dB	8.8	782%	Night
4184	2025-04-16 06:45:12	71.76	45dB	6.4	539%	Night
4185	2025-04-16 06:46:26	70.99	45dB	6.1	506%	Night
4186	2025-04-16 06:48:56	75.12	45dB	8.1	707%	Night
4187	2025-04-16 06:50:07	75.74	45dB	8.4	742%	Night
4188	2025-04-16 06:51:35	70.92	45dB	6.0	503%	Night
4189	2025-04-16 06:53:23	N/A	45dB	N/A	N/A	Night
4190	2025-04-16 06:55:34	70.70	45dB	5.9	494%	Night
4191	2025-04-16 06:57:09	71.25	45dB	6.2	517%	Night
4192	2025-04-16 06:58:34	75.14	45dB	8.1	708%	Night
4193	2025-04-16 07:00:16	68.78	55dB	2.6	160%	Day
4194	2025-04-16 07:02:14	68.64	55dB	2.6	157%	Day
4195	2025-04-16 07:03:38	69.64	55dB	2.8	176%	Day
4196	2025-04-16 07:05:17	71.93	55dB	3.2	223%	Day
4197	2025-04-16 07:06:45	71.11	55dB	3.1	205%	Day
4198	2025-04-16 08:45:36	72.13	55dB	3.3	228%	Day
4199	2025-04-16 11:59:01	70.60	55dB	2.9	195%	Day
4200	2025-04-16 12:00:37	70.95	55dB	3.0	202%	Day
4201	2025-04-16 12:02:26	70.33	55dB	2.9	189%	Day
4202	2025-04-16 12:03:46	72.60	55dB	3.4	239%	Day
4203	2025-04-16 12:07:04	72.25	55dB	3.3	231%	Day
4204	2025-04-16 12:08:55	72.95	55dB	3.5	247%	Day
4205	2025-04-16 12:10:21	72.65	55dB	3.4	240%	Day
4206	2025-04-16 12:11:48	79.69	55dB	5.5	454%	Day
4207	2025-04-16 12:13:23	68.54	55dB	2.6	156%	Day
4208	2025-04-16 12:15:28	72.39	55dB	3.3	234%	Day
4209	2025-04-16 12:17:14	70.16	55dB	2.9	186%	Day
4210	2025-04-16 12:19:27	71.03	55dB	3.0	204%	Day
4211	2025-04-16 12:22:23	70.95	55dB	3.0	202%	Day
4212	2025-04-16 12:24:07	70.34	55dB	2.9	190%	Day
4213	2025-04-16 12:25:45	72.96	55dB	3.5	247%	Day
4214	2025-04-16 12:30:17	79.14	55dB	5.3	433%	Day
4215	2025-04-16 12:32:13	68.54	55dB	2.6	156%	Day
4216	2025-04-16 12:49:38	85.44	55dB	8.2	725%	Day
4217	2025-04-16 12:51:10	75.16	55dB	4.0	304%	Day
4218	2025-04-16 12:53:06	82.66	55dB	6.8	580%	Day

4219	2025-04-16 12:59:00	72.10	55dB	3.3	227%	Day
4220	2025-04-16 13:02:10	75.69	55dB	4.2	320%	Day
4221	2025-04-16 13:04:08	68.02	55dB	2.5	147%	Day
4222	2025-04-16 13:06:43	83.06	55dB	7.0	599%	Day
4223	2025-04-16 13:08:41	N/A	55dB	N/A	N/A	Day
4224	2025-04-16 13:10:47	82.29	55dB	6.6	563%	Day
4225	2025-04-16 13:16:56	82.17	55dB	6.6	558%	Day
4226	2025-04-16 13:20:28	N/A	55dB	N/A	N/A	Day
4227	2025-04-16 13:23:07	76.78	55dB	4.5	353%	Day
4228	2025-04-16 13:25:00	72.74	55dB	3.4	242%	Day
4229	2025-04-16 13:27:05	N/A	55dB	N/A	N/A	Day
4230	2025-04-16 13:31:41	84.12	55dB	7.5	653%	Day
4231	2025-04-16 13:34:06	79.98	55dB	5.6	465%	Day
4232	2025-04-16 13:35:24	72.71	55dB	3.4	241%	Day
4233	2025-04-16 13:37:19	N/A	55dB	N/A	N/A	Day
4234	2025-04-16 13:39:10	78.59	55dB	5.1	413%	Day
4235	2025-04-16 13:40:28	76.17	55dB	4.3	334%	Day
4236	2025-04-16 13:41:49	N/A	55dB	N/A	N/A	Day
4237	2025-04-16 13:43:55	70.42	55dB	2.9	191%	Day
4238	2025-04-16 13:45:08	70.32	55dB	2.9	189%	Day
4239	2025-04-16 13:47:04	81.42	55dB	6.2	524%	Day
4240	2025-04-16 13:48:23	82.73	55dB	6.8	584%	Day
4241	2025-04-16 13:51:12	77.19	55dB	4.7	366%	Day
4242	2025-04-16 13:53:32	N/A	55dB	N/A	N/A	Day
4243	2025-04-16 13:59:51	77.31	55dB	4.7	369%	Day
4244	2025-04-16 14:02:26	68.73	55dB	2.6	159%	Day
4245	2025-04-16 14:03:50	73.04	55dB	3.5	249%	Day
4246	2025-04-16 14:05:50	70.69	55dB	3.0	197%	Day
4247	2025-04-16 14:08:20	76.58	55dB	4.5	346%	Day
4248	2025-04-16 14:10:20	68.33	55dB	2.5	152%	Day
4249	2025-04-16 14:11:41	N/A	55dB	N/A	N/A	Day
4250	2025-04-16 14:13:26	80.56	55dB	5.9	488%	Day
4251	2025-04-16 14:18:11	80.10	55dB	5.7	470%	Day
4252	2025-04-16 14:20:58	85.43	55dB	8.2	724%	Day
4253	2025-04-16 14:22:16	70.56	55dB	2.9	194%	Day
4254	2025-04-16 14:24:02	73.62	55dB	3.6	264%	Day
4255	2025-04-16 14:25:48	69.71	55dB	2.8	177%	Day
4256	2025-04-16 14:27:04	74.95	55dB	4.0	299%	Day
4257	2025-04-16 14:29:14	75.28	55dB	4.1	308%	Day
4258	2025-04-16 14:31:27	80.32	55dB	5.8	478%	Day
4259	2025-04-16 14:34:01	82.31	55dB	6.6	564%	Day
4260	2025-04-16 14:35:51	76.99	55dB	4.6	359%	Day
4261	2025-04-16 14:37:41	72.26	55dB	3.3	231%	Day
4262	2025-04-16 14:39:24	74.20	55dB	3.8	278%	Day

4263	2025-04-16 14:41:12	75.01	55dB	4.0	300%	Day
4264	2025-04-16 14:44:48	N/A	55dB	N/A	N/A	Day
4265	2025-04-16 14:49:35	73.05	55dB	3.5	249%	Day
4266	2025-04-16 14:51:23	N/A	55dB	N/A	N/A	Day
4267	2025-04-16 14:52:34	N/A	55dB	N/A	N/A	Day
4268	2025-04-16 14:55:05	71.64	55dB	3.2	217%	Day
4269	2025-04-16 14:56:25	71.01	55dB	3.0	203%	Day
4270	2025-04-16 14:57:56	69.20	55dB	2.7	168%	Day
4271	2025-04-16 15:00:38	72.59	55dB	3.4	238%	Day
4272	2025-04-16 15:02:13	74.64	55dB	3.9	290%	Day
4273	2025-04-16 15:03:42	73.29	55dB	3.6	255%	Day
4274	2025-04-16 15:05:54	78.76	55dB	5.2	419%	Day
4275	2025-04-16 15:07:21	74.78	55dB	3.9	294%	Day
4276	2025-04-16 15:09:40	74.58	55dB	3.9	289%	Day
4277	2025-04-16 15:11:15	72.88	55dB	3.5	245%	Day
4278	2025-04-16 15:12:43	77.87	55dB	4.9	388%	Day
4279	2025-04-16 15:15:50	88.36	55dB	10.1	910%	Day
4280	2025-04-16 15:17:54	83.90	55dB	7.4	641%	Day
4281	2025-04-16 15:19:27	78.30	55dB	5.0	403%	Day
4282	2025-04-16 15:20:55	85.35	55dB	8.2	720%	Day
4283	2025-04-16 15:22:53	69.82	55dB	2.8	179%	Day
4284	2025-04-16 15:24:30	76.10	55dB	4.3	332%	Day
4285	2025-04-16 15:26:15	78.74	55dB	5.2	418%	Day
4286	2025-04-16 15:27:42	75.16	55dB	4.0	304%	Day
4287	2025-04-16 15:29:01	68.52	55dB	2.6	155%	Day
4288	2025-04-16 15:30:35	80.28	55dB	5.8	477%	Day
4289	2025-04-16 15:32:07	N/A	55dB	N/A	N/A	Day
4290	2025-04-16 15:33:30	74.27	55dB	3.8	280%	Day
4291	2025-04-16 15:36:53	77.73	55dB	4.8	383%	Day
4292	2025-04-16 15:38:55	73.04	55dB	3.5	249%	Day
4293	2025-04-16 15:40:56	85.99	55dB	8.6	757%	Day
4294	2025-04-16 15:42:36	78.28	55dB	5.0	402%	Day
4295	2025-04-16 15:44:52	N/A	55dB	N/A	N/A	Day
4296	2025-04-16 15:46:07	76.13	55dB	4.3	333%	Day
4297	2025-04-16 15:49:01	68.62	55dB	2.6	157%	Day
4298	2025-04-16 15:54:05	68.76	55dB	2.6	160%	Day
4299	2025-04-16 15:55:41	87.12	55dB	9.3	827%	Day
4300	2025-04-16 15:57:05	77.11	55dB	4.6	363%	Day
4301	2025-04-16 15:58:41	N/A	55dB	N/A	N/A	Day
4302	2025-04-16 16:00:36	79.59	55dB	5.5	450%	Day
4303	2025-04-16 16:03:56	76.71	55dB	4.5	350%	Day
4304	2025-04-16 16:05:16	88.91	55dB	10.5	949%	Day
4305	2025-04-16 16:08:00	70.94	55dB	3.0	202%	Day
4306	2025-04-16 16:09:49	N/A	55dB	N/A	N/A	Day

4307	2025-04-16 16:10:56	N/A	55dB	N/A	N/A	Day
4308	2025-04-16 16:13:02	N/A	55dB	N/A	N/A	Day
4309	2025-04-16 16:14:09	76.16	55dB	4.3	333%	Day
4310	2025-04-16 16:15:35	77.64	55dB	4.8	380%	Day
4311	2025-04-16 16:18:49	86.11	55dB	8.6	764%	Day
4312	2025-04-16 16:23:15	71.84	55dB	3.2	221%	Day
4313	2025-04-16 16:24:51	78.31	55dB	5.0	403%	Day
4314	2025-04-16 16:26:11	79.71	55dB	5.5	454%	Day
4315	2025-04-16 16:27:32	84.18	55dB	7.6	656%	Day
4316	2025-04-16 16:34:57	N/A	55dB	N/A	N/A	Day
4317	2025-04-16 16:36:23	N/A	55dB	N/A	N/A	Day
4318	2025-04-16 16:38:31	83.94	55dB	7.4	643%	Day
4319	2025-04-16 16:39:56	68.85	55dB	2.6	161%	Day
4320	2025-04-16 16:41:32	69.42	55dB	2.7	172%	Day
4321	2025-04-16 16:44:34	84.12	55dB	7.5	653%	Day
4322	2025-04-16 16:53:16	75.27	55dB	4.1	308%	Day
4323	2025-04-16 16:55:36	71.40	55dB	3.1	212%	Day
4324	2025-04-16 16:56:58	71.10	55dB	3.1	205%	Day
4325	2025-04-16 16:59:02	72.09	55dB	3.3	227%	Day
4326	2025-04-16 17:00:17	72.73	55dB	3.4	242%	Day
4327	2025-04-16 17:01:55	74.27	55dB	3.8	280%	Day
4328	2025-04-16 17:09:34	69.37	55dB	2.7	171%	Day
4329	2025-04-16 17:12:03	71.60	55dB	3.2	216%	Day
4330	2025-04-16 17:13:14	70.93	55dB	3.0	202%	Day
4331	2025-04-16 17:15:55	69.69	55dB	2.8	177%	Day
4332	2025-04-16 17:17:49	78.09	55dB	5.0	396%	Day
4333	2025-04-16 17:19:39	70.12	55dB	2.9	185%	Day
4334	2025-04-16 17:21:21	74.73	55dB	3.9	293%	Day
4335	2025-04-16 17:23:36	N/A	55dB	N/A	N/A	Day
4336	2025-04-16 17:24:50	69.00	55dB	2.6	164%	Day
4337	2025-04-16 17:26:13	N/A	55dB	N/A	N/A	Day
4338	2025-04-16 17:27:32	78.13	55dB	5.0	397%	Day
4339	2025-04-16 17:28:54	69.58	55dB	2.7	175%	Day
4340	2025-04-16 17:30:17	68.15	55dB	2.5	149%	Day
4341	2025-04-16 17:31:40	75.24	55dB	4.1	307%	Day
4342	2025-04-16 17:32:50	69.37	55dB	2.7	171%	Day
4343	2025-04-16 17:34:15	72.58	55dB	3.4	238%	Day
4344	2025-04-16 17:35:32	N/A	55dB	N/A	N/A	Day
4345	2025-04-16 17:36:57	72.70	55dB	3.4	241%	Day
4346	2025-04-16 17:38:39	69.88	55dB	2.8	180%	Day
4347	2025-04-16 17:41:35	73.52	55dB	3.6	261%	Day
4348	2025-04-16 17:44:07	N/A	55dB	N/A	N/A	Day
4349	2025-04-16 17:46:15	77.42	55dB	4.7	373%	Day
4350	2025-04-16 17:47:53	69.00	55dB	2.6	164%	Day

4351	2025-04-16 17:49:14	81.67	55dB	6.4	535%	Day
4352	2025-04-16 17:50:28	75.44	55dB	4.1	312%	Day
4353	2025-04-16 17:51:55	72.59	55dB	3.4	238%	Day
4354	2025-04-16 17:53:39	81.46	55dB	6.3	526%	Day
4355	2025-04-16 17:55:28	70.75	55dB	3.0	198%	Day
4356	2025-04-16 18:00:02	N/A	55dB	N/A	N/A	Day
4357	2025-04-16 18:02:49	70.04	55dB	2.8	184%	Day
4358	2025-04-16 18:06:53	79.72	55dB	5.5	455%	Day
4359	2025-04-16 18:09:43	N/A	55dB	N/A	N/A	Day
4360	2025-04-16 18:11:31	77.02	55dB	4.6	360%	Day
4361	2025-04-16 18:13:03	69.70	55dB	2.8	177%	Day
4362	2025-04-16 18:14:47	N/A	55dB	N/A	N/A	Day
4363	2025-04-16 18:16:05	84.64	55dB	7.8	680%	Day
4364	2025-04-16 18:17:22	66.81	55dB	2.3	127%	Day
4365	2025-04-16 18:18:45	69.01	55dB	2.6	164%	Day
4366	2025-04-16 18:20:12	73.19	55dB	3.5	253%	Day
4367	2025-04-16 18:21:36	73.39	55dB	3.6	258%	Day
4368	2025-04-16 18:23:01	72.63	55dB	3.4	239%	Day
4369	2025-04-16 18:25:54	77.44	55dB	4.7	374%	Day
4370	2025-04-16 18:27:18	84.12	55dB	7.5	653%	Day
4371	2025-04-16 18:29:49	N/A	55dB	N/A	N/A	Day
4372	2025-04-16 18:31:07	71.41	55dB	3.1	212%	Day
4373	2025-04-16 18:32:30	88.58	55dB	10.3	925%	Day
4374	2025-04-16 18:33:45	70.33	55dB	2.9	189%	Day
4375	2025-04-16 18:35:03	72.21	55dB	3.3	230%	Day
4376	2025-04-16 18:36:22	76.30	55dB	4.4	338%	Day
4377	2025-04-16 18:38:32	71.01	55dB	3.0	203%	Day
4378	2025-04-16 18:39:48	71.70	55dB	3.2	218%	Day
4379	2025-04-16 18:41:02	70.76	55dB	3.0	198%	Day
4380	2025-04-16 18:42:26	70.32	55dB	2.9	189%	Day
4381	2025-04-16 18:44:07	73.52	55dB	3.6	261%	Day
4382	2025-04-16 18:47:02	81.39	55dB	6.2	523%	Day
4383	2025-04-16 18:48:34	68.19	55dB	2.5	149%	Day
4384	2025-04-16 18:49:46	67.98	55dB	2.5	146%	Day
4385	2025-04-16 18:51:19	72.85	55dB	3.4	245%	Day
4386	2025-04-16 18:54:07	68.35	55dB	2.5	152%	Day
4387	2025-04-16 18:55:29	79.07	55dB	5.3	430%	Day
4388	2025-04-16 18:56:47	69.62	55dB	2.8	175%	Day
4389	2025-04-16 18:57:56	74.19	55dB	3.8	278%	Day
4390	2025-04-16 18:59:46	78.10	55dB	5.0	396%	Day
4391	2025-04-16 19:02:04	N/A	55dB	N/A	N/A	Day
4392	2025-04-16 19:05:22	N/A	55dB	N/A	N/A	Day
4393	2025-04-16 19:07:06	72.55	55dB	3.4	238%	Day
4394	2025-04-16 19:08:25	N/A	55dB	N/A	N/A	Day

4395	2025-04-16 19:09:49	N/A	55dB	N/A	N/A	Day
4396	2025-04-16 19:11:22	N/A	55dB	N/A	N/A	Day
4397	2025-04-16 19:12:46	69.92	55dB	2.8	181%	Day
4398	2025-04-16 19:14:11	71.10	55dB	3.1	205%	Day
4399	2025-04-16 19:15:14	71.16	55dB	3.1	207%	Day
4400	2025-04-16 19:16:38	73.81	55dB	3.7	268%	Day
4401	2025-04-16 19:18:56	74.23	55dB	3.8	279%	Day
4402	2025-04-16 19:20:06	N/A	55dB	N/A	N/A	Day
4403	2025-04-16 19:22:42	72.03	55dB	3.3	226%	Day
4404	2025-04-16 19:24:22	70.28	55dB	2.9	188%	Day
4405	2025-04-16 19:25:42	69.37	55dB	2.7	171%	Day
4406	2025-04-16 19:26:53	67.03	55dB	2.3	130%	Day
4407	2025-04-16 19:28:07	78.93	55dB	5.3	425%	Day
4408	2025-04-16 19:30:35	80.35	55dB	5.8	480%	Day
4409	2025-04-16 19:32:02	69.98	55dB	2.8	182%	Day
4410	2025-04-16 19:33:33	72.13	55dB	3.3	228%	Day
4411	2025-04-16 19:34:37	81.76	55dB	6.4	539%	Day
4412	2025-04-16 19:36:24	69.48	55dB	2.7	173%	Day
4413	2025-04-16 19:37:49	70.87	55dB	3.0	200%	Day
4414	2025-04-16 19:39:26	75.28	55dB	4.1	308%	Day
4415	2025-04-16 19:41:30	68.72	55dB	2.6	159%	Day
4416	2025-04-16 19:42:49	71.28	55dB	3.1	209%	Day
4417	2025-04-16 19:44:04	67.03	55dB	2.3	130%	Day
4418	2025-04-16 19:45:22	N/A	55dB	N/A	N/A	Day
4419	2025-04-16 19:46:57	69.87	55dB	2.8	180%	Day
4420	2025-04-16 19:48:28	69.95	55dB	2.8	182%	Day
4421	2025-04-16 19:49:49	72.04	55dB	3.3	226%	Day
4422	2025-04-16 19:51:04	71.38	55dB	3.1	211%	Day
4423	2025-04-16 19:52:21	67.88	55dB	2.4	144%	Day
4424	2025-04-16 19:53:43	N/A	55dB	N/A	N/A	Day
4425	2025-04-16 19:55:02	70.26	55dB	2.9	188%	Day
4426	2025-04-16 19:56:26	76.36	55dB	4.4	340%	Day
4427	2025-04-16 19:57:46	69.66	55dB	2.8	176%	Day
4428	2025-04-16 19:59:20	N/A	55dB	N/A	N/A	Day
4429	2025-04-16 20:01:25	68.22	55dB	2.5	150%	Day
4430	2025-04-16 20:04:36	70.00	55dB	2.8	183%	Day
4431	2025-04-16 20:09:45	72.13	55dB	3.3	228%	Day
4432	2025-04-16 20:12:21	N/A	55dB	N/A	N/A	Day
4433	2025-04-16 20:13:56	N/A	55dB	N/A	N/A	Day
4434	2025-04-16 20:15:24	70.14	55dB	2.9	186%	Day
4435	2025-04-16 20:17:21	70.71	55dB	3.0	197%	Day
4436	2025-04-16 20:19:46	71.71	55dB	3.2	218%	Day
4437	2025-04-16 20:21:19	71.71	55dB	3.2	218%	Day
4438	2025-04-16 20:24:23	73.93	55dB	3.7	271%	Day

4439	2025-04-16 20:26:18	72.58	55dB	3.4	238%	Day
4440	2025-04-16 20:29:44	75.41	55dB	4.1	312%	Day
4441	2025-04-16 20:31:33	78.08	55dB	5.0	395%	Day
4442	2025-04-16 20:36:01	N/A	55dB	N/A	N/A	Day
4443	2025-04-16 20:39:11	72.18	55dB	3.3	229%	Day
4444	2025-04-16 20:41:46	68.82	55dB	2.6	161%	Day
4445	2025-04-16 20:43:30	69.73	55dB	2.8	178%	Day
4446	2025-04-16 20:45:13	70.87	55dB	3.0	200%	Day
4447	2025-04-16 20:47:25	68.73	55dB	2.6	159%	Day
4448	2025-04-16 20:49:11	N/A	55dB	N/A	N/A	Day
4449	2025-04-16 20:50:28	70.79	55dB	3.0	199%	Day
4450	2025-04-16 20:51:43	N/A	55dB	N/A	N/A	Day
4451	2025-04-16 20:54:20	69.05	55dB	2.6	165%	Day
4452	2025-04-16 20:55:52	71.14	55dB	3.1	206%	Day
4453	2025-04-16 20:58:22	74.40	55dB	3.8	284%	Day
4454	2025-04-16 21:04:40	69.19	55dB	2.7	167%	Day
4455	2025-04-16 21:07:35	73.50	55dB	3.6	261%	Day
4456	2025-04-16 21:09:30	70.17	55dB	2.9	186%	Day
4457	2025-04-16 21:10:56	74.83	55dB	4.0	295%	Day
4458	2025-04-16 21:12:14	70.90	55dB	3.0	201%	Day
4459	2025-04-16 21:14:21	67.44	55dB	2.4	137%	Day
4460	2025-04-16 21:15:39	N/A	55dB	N/A	N/A	Day
4461	2025-04-16 21:17:04	N/A	55dB	N/A	N/A	Day
4462	2025-04-16 21:18:18	79.23	55dB	5.4	436%	Day
4463	2025-04-16 21:20:05	70.08	55dB	2.8	184%	Day
4464	2025-04-16 21:22:07	75.04	55dB	4.0	301%	Day
4465	2025-04-16 21:23:20	N/A	55dB	N/A	N/A	Day
4466	2025-04-16 21:25:22	72.47	55dB	3.4	236%	Day
4467	2025-04-16 21:27:11	N/A	55dB	N/A	N/A	Day
4468	2025-04-16 21:32:52	70.81	55dB	3.0	199%	Day
4469	2025-04-16 21:37:45	72.90	55dB	3.5	246%	Day
4470	2025-04-16 21:39:37	N/A	55dB	N/A	N/A	Day
4471	2025-04-16 21:40:46	70.72	55dB	3.0	197%	Day
4472	2025-04-16 21:43:53	70.25	55dB	2.9	188%	Day
4473	2025-04-16 21:45:34	69.18	55dB	2.7	167%	Day
4474	2025-04-16 21:47:17	73.69	55dB	3.7	265%	Day
4475	2025-04-16 21:48:32	N/A	55dB	N/A	N/A	Day
4476	2025-04-16 21:49:51	68.18	55dB	2.5	149%	Day
4477	2025-04-16 21:51:22	67.44	55dB	2.4	137%	Day
4478	2025-04-16 21:53:41	70.56	55dB	2.9	194%	Day
4479	2025-04-16 21:55:12	69.77	55dB	2.8	178%	Day
4480	2025-04-16 21:56:46	N/A	55dB	N/A	N/A	Day
4481	2025-04-16 22:00:50	N/A	55dB	N/A	N/A	Day
4482	2025-04-16 22:14:43	68.72	55dB	2.6	159%	Day

4483	2025-04-16 22:18:25	N/A	55dB	N/A	N/A	Day
4484	2025-04-16 22:20:07	69.92	55dB	2.8	181%	Day
4485	2025-04-16 22:21:45	N/A	55dB	N/A	N/A	Day
4486	2025-04-16 22:23:03	N/A	55dB	N/A	N/A	Day
4487	2025-04-16 22:25:36	67.75	55dB	2.4	142%	Day
4488	2025-04-16 22:35:28	N/A	55dB	N/A	N/A	Day
4489	2025-04-16 22:43:09	N/A	55dB	N/A	N/A	Day
4490	2025-04-16 22:46:37	68.50	55dB	2.5	155%	Day
4491	2025-04-16 22:53:03	67.71	55dB	2.4	141%	Day
4492	2025-04-16 22:54:42	69.74	55dB	2.8	178%	Day
4493	2025-04-16 22:57:19	N/A	55dB	N/A	N/A	Day
4494	2025-04-16 22:59:41	N/A	55dB	N/A	N/A	Day
4495	2025-04-16 23:01:27	N/A	45dB	N/A	N/A	Night
4496	2025-04-16 23:03:56	N/A	45dB	N/A	N/A	Night
4497	2025-04-16 23:05:20	N/A	45dB	N/A	N/A	Night
4498	2025-04-16 23:07:07	68.77	45dB	5.2	419%	Night
4499	2025-04-16 23:09:03	75.88	45dB	8.5	750%	Night
4500	2025-04-16 23:10:46	67.89	45dB	4.9	389%	Night
4501	2025-04-16 23:12:51	N/A	45dB	N/A	N/A	Night
4502	2025-04-16 23:17:32	69.11	45dB	5.3	432%	Night
4503	2025-04-16 23:19:26	N/A	45dB	N/A	N/A	Night
4504	2025-04-16 23:21:10	N/A	45dB	N/A	N/A	Night
4505	2025-04-16 23:28:19	71.81	45dB	6.4	541%	Night
4506	2025-04-16 23:32:14	67.83	45dB	4.9	387%	Night
4507	2025-04-16 23:34:11	69.70	45dB	5.5	454%	Night
4508	2025-04-16 23:37:10	68.19	45dB	5.0	399%	Night
4509	2025-04-16 23:38:43	69.02	45dB	5.3	429%	Night
4510	2025-04-16 23:40:50	68.26	45dB	5.0	401%	Night
4511	2025-04-16 23:42:45	N/A	45dB	N/A	N/A	Night
4512	2025-04-16 23:44:15	N/A	45dB	N/A	N/A	Night
4513	2025-04-16 23:48:33	N/A	45dB	N/A	N/A	Night
4514	2025-04-16 23:51:56	71.13	45dB	6.1	512%	Night
4515	2025-04-16 23:54:20	68.22	45dB	5.0	400%	Night
4516	2025-04-16 23:55:45	N/A	45dB	N/A	N/A	Night
4517	2025-04-16 23:57:09	67.86	45dB	4.9	388%	Night
4518	2025-04-17 00:00:00	N/A	45dB	N/A	N/A	Night
4519	2025-04-17 00:02:49	70.15	45dB	5.7	472%	Night
4520	2025-04-17 00:11:44	69.00	45dB	5.3	428%	Night
4521	2025-04-17 00:12:58	66.90	45dB	4.6	356%	Night
4522	2025-04-17 00:14:28	69.05	45dB	5.3	430%	Night
4523	2025-04-17 00:16:17	70.93	45dB	6.0	503%	Night
4524	2025-04-17 00:18:38	65.45	45dB	4.1	313%	Night
4525	2025-04-17 00:25:58	71.61	45dB	6.3	532%	Night
4526	2025-04-17 00:36:47	67.53	45dB	4.8	377%	Night

4527	2025-04-17 00:38:47	67.16	45dB	4.6	365%	Night
4528	2025-04-17 00:47:08	71.31	45dB	6.2	519%	Night
4529	2025-04-17 00:57:12	69.00	45dB	5.3	428%	Night
4530	2025-04-17 01:00:08	66.50	45dB	4.4	344%	Night
4531	2025-04-17 01:10:53	68.31	45dB	5.0	403%	Night
4532	2025-04-17 01:26:07	67.40	45dB	4.7	372%	Night
4533	2025-04-17 01:42:17	68.62	45dB	5.1	414%	Night
4534	2025-04-17 01:52:48	72.20	45dB	6.6	559%	Night
4535	2025-04-17 01:58:31	79.00	45dB	10.6	956%	Night
4536	2025-04-17 02:03:15	72.52	45dB	6.7	574%	Night
4537	2025-04-17 02:16:26	72.17	45dB	6.6	558%	Night
4538	2025-04-17 02:19:01	74.10	45dB	7.5	652%	Night
4539	2025-04-17 02:21:33	73.19	45dB	7.1	606%	Night
4540	2025-04-17 02:26:44	73.07	45dB	7.0	600%	Night
4541	2025-04-17 03:09:31	70.07	45dB	5.7	468%	Night
4542	2025-04-17 03:29:01	70.58	45dB	5.9	489%	Night
4543	2025-04-17 03:38:06	72.43	45dB	6.7	569%	Night
4544	2025-04-17 05:12:07	67.64	45dB	4.8	380%	Night
4545	2025-04-17 05:14:51	73.47	45dB	7.2	620%	Night
4546	2025-04-17 05:18:17	70.96	45dB	6.0	505%	Night
4547	2025-04-17 05:20:31	79.20	45dB	10.7	970%	Night
4548	2025-04-17 05:26:13	73.24	45dB	7.1	608%	Night
4549	2025-04-17 05:38:32	69.36	45dB	5.4	441%	Night
4550	2025-04-17 05:42:39	74.09	45dB	7.5	651%	Night
4551	2025-04-17 05:45:38	72.64	45dB	6.8	579%	Night
4552	2025-04-17 05:48:08	73.24	45dB	7.1	608%	Night
4553	2025-04-17 05:50:04	71.85	45dB	6.4	543%	Night
4554	2025-04-17 05:52:05	77.15	45dB	9.3	829%	Night
4555	2025-04-17 05:54:49	72.64	45dB	6.8	579%	Night
4556	2025-04-17 05:56:22	72.95	45dB	6.9	594%	Night
4557	2025-04-17 05:58:08	72.29	45dB	6.6	563%	Night
4558	2025-04-17 05:59:55	73.22	45dB	7.1	607%	Night
4559	2025-04-17 06:02:02	73.09	45dB	7.0	601%	Night
4560	2025-04-17 06:07:28	70.21	45dB	5.7	474%	Night
4561	2025-04-17 06:08:59	76.95	45dB	9.2	816%	Night
4562	2025-04-17 06:29:36	67.59	45dB	4.8	379%	Night
4563	2025-04-17 06:31:33	N/A	45dB	N/A	N/A	Night
4564	2025-04-17 06:33:17	68.78	45dB	5.2	420%	Night
4565	2025-04-17 06:34:56	74.60	45dB	7.8	678%	Night
4566	2025-04-17 06:37:07	82.71	45dB	13.7	1265%	Night
4567	2025-04-17 06:38:44	69.89	45dB	5.6	461%	Night
4568	2025-04-17 06:40:12	68.47	45dB	5.1	409%	Night
4569	2025-04-17 06:42:41	68.21	45dB	5.0	400%	Night
4570	2025-04-17 06:44:32	67.95	45dB	4.9	391%	Night

4571	2025-04-17 06:46:08	68.17	45dB	5.0	398%	Night
4572	2025-04-17 06:47:41	68.60	45dB	5.1	413%	Night
4573	2025-04-17 06:49:08	68.95	45dB	5.3	426%	Night
4574	2025-04-17 06:51:53	70.28	45dB	5.8	477%	Night
4575	2025-04-17 06:53:39	71.25	45dB	6.2	517%	Night
4576	2025-04-17 06:55:56	66.39	45dB	4.4	340%	Night
4577	2025-04-17 06:57:22	70.13	45dB	5.7	471%	Night
4578	2025-04-17 06:59:15	73.24	45dB	7.1	608%	Night
4579	2025-04-17 07:01:13	69.57	55dB	2.7	175%	Day
4580	2025-04-17 07:03:03	75.09	55dB	4.0	303%	Day
4581	2025-04-17 07:04:56	70.41	55dB	2.9	191%	Day
4582	2025-04-17 07:06:28	67.93	55dB	2.5	145%	Day
4583	2025-04-17 07:08:01	69.52	55dB	2.7	174%	Day
4584	2025-04-17 07:09:51	69.16	55dB	2.7	167%	Day
4585	2025-04-17 07:11:36	69.51	55dB	2.7	173%	Day
4586	2025-04-17 07:13:20	70.09	55dB	2.8	185%	Day
4587	2025-04-17 07:15:02	68.67	55dB	2.6	158%	Day
4588	2025-04-17 07:16:40	68.99	55dB	2.6	164%	Day
4589	2025-04-17 07:18:14	N/A	55dB	N/A	N/A	Day
4590	2025-04-17 07:19:53	68.88	55dB	2.6	162%	Day
4591	2025-04-17 07:21:28	68.13	55dB	2.5	148%	Day
4592	2025-04-17 07:23:30	69.06	55dB	2.7	165%	Day
4593	2025-04-17 07:25:14	68.99	55dB	2.6	164%	Day
4594	2025-04-17 07:26:45	71.57	55dB	3.2	215%	Day
4595	2025-04-17 07:32:45	72.33	55dB	3.3	232%	Day
4596	2025-04-17 07:38:48	67.84	55dB	2.4	144%	Day
4597	2025-04-17 07:42:09	66.91	55dB	2.3	128%	Day
4598	2025-04-17 07:43:56	67.56	55dB	2.4	139%	Day
4599	2025-04-17 07:50:50	71.50	55dB	3.1	214%	Day
4600	2025-04-17 07:52:47	69.69	55dB	2.8	177%	Day
4601	2025-04-17 07:54:40	67.01	55dB	2.3	130%	Day
4602	2025-04-17 07:56:34	N/A	55dB	N/A	N/A	Day
4603	2025-04-17 07:58:14	69.15	55dB	2.7	167%	Day
4604	2025-04-17 08:00:07	71.36	55dB	3.1	211%	Day
4605	2025-04-17 08:01:50	N/A	55dB	N/A	N/A	Day
4606	2025-04-17 08:03:41	N/A	55dB	N/A	N/A	Day
4607	2025-04-17 08:05:35	67.72	55dB	2.4	141%	Day
4608	2025-04-17 08:08:18	68.60	55dB	2.6	157%	Day
4609	2025-04-17 08:10:54	73.39	55dB	3.6	258%	Day
4610	2025-04-17 08:13:24	69.42	55dB	2.7	172%	Day
4611	2025-04-17 08:28:18	75.29	55dB	4.1	308%	Day
4612	2025-04-17 08:30:30	82.39	55dB	6.7	568%	Day
4613	2025-04-17 08:33:30	N/A	55dB	N/A	N/A	Day
4614	2025-04-17 08:38:16	69.38	55dB	2.7	171%	Day

4615	2025-04-17 08:52:37	72.79	55dB	3.4	243%	Day
4616	2025-04-17 09:03:50	N/A	55dB	N/A	N/A	Day
4617	2025-04-17 09:09:22	93.52	55dB	14.4	1344%	Day
4618	2025-04-17 09:12:42	90.92	55dB	12.1	1106%	Day
4619	2025-04-17 09:15:12	68.31	55dB	2.5	152%	Day
4620	2025-04-17 09:25:14	75.08	55dB	4.0	302%	Day
4621	2025-04-17 09:27:52	N/A	55dB	N/A	N/A	Day
4622	2025-04-17 09:31:41	N/A	55dB	N/A	N/A	Day
4623	2025-04-17 09:34:41	72.97	55dB	3.5	247%	Day
4624	2025-04-17 09:40:22	72.74	55dB	3.4	242%	Day
4625	2025-04-17 09:42:22	72.52	55dB	3.4	237%	Day
4626	2025-04-17 09:43:31	73.43	55dB	3.6	259%	Day
4627	2025-04-17 09:45:36	68.78	55dB	2.6	160%	Day
4628	2025-04-17 09:47:28	N/A	55dB	N/A	N/A	Day
4629	2025-04-17 09:51:09	68.66	55dB	2.6	158%	Day
4630	2025-04-17 09:53:36	N/A	55dB	N/A	N/A	Day
4631	2025-04-17 10:01:34	N/A	55dB	N/A	N/A	Day
4632	2025-04-17 10:03:42	N/A	55dB	N/A	N/A	Day
4633	2025-04-17 10:06:02	N/A	55dB	N/A	N/A	Day
4634	2025-04-17 10:07:38	69.61	55dB	2.8	175%	Day
4635	2025-04-17 10:09:32	70.18	55dB	2.9	186%	Day
4636	2025-04-17 10:11:58	N/A	55dB	N/A	N/A	Day
4637	2025-04-17 10:14:47	69.56	55dB	2.7	174%	Day
4638	2025-04-17 10:16:44	68.31	55dB	2.5	152%	Day
4639	2025-04-17 10:19:38	N/A	55dB	N/A	N/A	Day
4640	2025-04-17 10:24:49	71.11	55dB	3.1	205%	Day
4641	2025-04-17 10:28:01	73.12	55dB	3.5	251%	Day
4642	2025-04-17 10:31:02	71.20	55dB	3.1	207%	Day
4643	2025-04-17 10:33:31	69.87	55dB	2.8	180%	Day
4644	2025-04-17 10:35:49	70.44	55dB	2.9	192%	Day
4645	2025-04-17 10:37:30	69.22	55dB	2.7	168%	Day
4646	2025-04-17 10:38:52	66.72	55dB	2.3	125%	Day
4647	2025-04-17 10:40:28	72.79	55dB	3.4	243%	Day
4648	2025-04-17 10:42:34	66.05	55dB	2.2	115%	Day
4649	2025-04-17 10:44:02	66.34	55dB	2.2	119%	Day
4650	2025-04-17 10:45:22	70.71	55dB	3.0	197%	Day
4651	2025-04-17 10:48:43	67.24	55dB	2.3	134%	Day
4652	2025-04-17 10:50:45	70.72	55dB	3.0	197%	Day
4653	2025-04-17 10:52:08	71.70	55dB	3.2	218%	Day
4654	2025-04-17 10:53:56	71.02	55dB	3.0	204%	Day
4655	2025-04-17 10:55:54	66.48	55dB	2.2	122%	Day
4656	2025-04-17 10:57:17	N/A	55dB	N/A	N/A	Day
4657	2025-04-17 11:04:32	N/A	55dB	N/A	N/A	Day
4658	2025-04-17 11:06:48	N/A	55dB	N/A	N/A	Day

4659	2025-04-17 11:08:21	73.53	55dB	3.6	261%	Day
4660	2025-04-17 11:09:53	69.24	55dB	2.7	168%	Day
4661	2025-04-17 11:11:26	69.33	55dB	2.7	170%	Day
4662	2025-04-17 11:12:48	N/A	55dB	N/A	N/A	Day
4663	2025-04-17 11:14:28	N/A	55dB	N/A	N/A	Day
4664	2025-04-17 11:17:39	N/A	55dB	N/A	N/A	Day
4665	2025-04-17 11:18:58	N/A	55dB	N/A	N/A	Day
4666	2025-04-17 11:21:58	70.14	55dB	2.9	186%	Day
4667	2025-04-17 11:24:09	69.60	55dB	2.8	175%	Day
4668	2025-04-17 11:25:46	N/A	55dB	N/A	N/A	Day
4669	2025-04-17 11:28:10	72.44	55dB	3.3	235%	Day
4670	2025-04-17 11:30:23	N/A	55dB	N/A	N/A	Day
4671	2025-04-17 11:31:47	N/A	55dB	N/A	N/A	Day
4672	2025-04-17 11:33:24	69.13	55dB	2.7	166%	Day
4673	2025-04-17 11:34:37	N/A	55dB	N/A	N/A	Day
4674	2025-04-17 11:41:15	69.47	55dB	2.7	173%	Day
4675	2025-04-17 11:42:53	68.62	55dB	2.6	157%	Day
4676	2025-04-17 11:44:33	68.09	55dB	2.5	148%	Day
4677	2025-04-17 11:48:46	N/A	55dB	N/A	N/A	Day
4678	2025-04-17 11:52:24	N/A	55dB	N/A	N/A	Day
4679	2025-04-17 11:54:18	N/A	55dB	N/A	N/A	Day
4680	2025-04-17 11:56:02	N/A	55dB	N/A	N/A	Day
4681	2025-04-17 11:57:49	87.29	55dB	9.4	838%	Day
4682	2025-04-17 11:59:13	N/A	55dB	N/A	N/A	Day
4683	2025-04-17 12:00:56	N/A	55dB	N/A	N/A	Day
4684	2025-04-17 12:02:26	71.51	55dB	3.1	214%	Day
4685	2025-04-17 12:03:46	67.90	55dB	2.4	145%	Day
4686	2025-04-17 12:05:12	67.13	55dB	2.3	132%	Day
4687	2025-04-17 12:06:47	N/A	55dB	N/A	N/A	Day
4688	2025-04-17 12:08:30	N/A	55dB	N/A	N/A	Day
4689	2025-04-17 12:10:39	66.14	55dB	2.2	116%	Day
4690	2025-04-17 12:12:32	73.63	55dB	3.6	264%	Day
4691	2025-04-17 12:14:51	84.08	55dB	7.5	651%	Day
4692	2025-04-17 12:16:24	N/A	55dB	N/A	N/A	Day
4693	2025-04-17 12:19:39	N/A	55dB	N/A	N/A	Day
4694	2025-04-17 12:21:09	72.00	55dB	3.2	225%	Day
4695	2025-04-17 12:22:39	76.69	55dB	4.5	350%	Day
4696	2025-04-17 12:24:33	N/A	55dB	N/A	N/A	Day
4697	2025-04-17 12:26:32	N/A	55dB	N/A	N/A	Day
4698	2025-04-17 12:27:58	72.63	55dB	3.4	239%	Day
4699	2025-04-17 12:33:09	N/A	55dB	N/A	N/A	Day
4700	2025-04-17 12:38:05	N/A	55dB	N/A	N/A	Day
4701	2025-04-17 12:45:16	68.57	55dB	2.6	156%	Day
4702	2025-04-17 12:48:22	69.98	55dB	2.8	182%	Day

4703	2025-04-17 12:50:23	67.43	55dB	2.4	137%	Day
4704	2025-04-17 12:53:46	N/A	55dB	N/A	N/A	Day
4705	2025-04-17 12:59:50	71.04	55dB	3.0	204%	Day
4706	2025-04-17 13:03:19	N/A	55dB	N/A	N/A	Day
4707	2025-04-17 13:05:37	71.37	55dB	3.1	211%	Day
4708	2025-04-17 13:12:20	73.10	55dB	3.5	251%	Day
4709	2025-04-17 13:14:52	N/A	55dB	N/A	N/A	Day
4710	2025-04-17 13:16:34	N/A	55dB	N/A	N/A	Day
4711	2025-04-17 13:18:10	N/A	55dB	N/A	N/A	Day
4712	2025-04-17 13:19:52	N/A	55dB	N/A	N/A	Day
4713	2025-04-17 13:21:22	N/A	55dB	N/A	N/A	Day
4714	2025-04-17 13:22:37	66.94	55dB	2.3	129%	Day
4715	2025-04-17 13:23:58	70.75	55dB	3.0	198%	Day
4716	2025-04-17 13:26:05	N/A	55dB	N/A	N/A	Day
4717	2025-04-17 13:28:28	N/A	55dB	N/A	N/A	Day
4718	2025-04-17 13:30:01	70.35	55dB	2.9	190%	Day
4719	2025-04-17 13:31:45	N/A	55dB	N/A	N/A	Day
4720	2025-04-17 13:33:28	74.74	55dB	3.9	293%	Day
4721	2025-04-17 13:34:46	69.98	55dB	2.8	182%	Day
4722	2025-04-17 13:37:03	N/A	55dB	N/A	N/A	Day
4723	2025-04-17 13:38:48	69.92	55dB	2.8	181%	Day
4724	2025-04-17 13:40:25	N/A	55dB	N/A	N/A	Day
4725	2025-04-17 13:41:57	N/A	55dB	N/A	N/A	Day
4726	2025-04-17 13:43:28	68.98	55dB	2.6	164%	Day
4727	2025-04-17 13:45:12	N/A	55dB	N/A	N/A	Day
4728	2025-04-17 13:47:23	N/A	55dB	N/A	N/A	Day
4729	2025-04-17 13:49:02	N/A	55dB	N/A	N/A	Day
4730	2025-04-17 13:50:32	72.27	55dB	3.3	231%	Day
4731	2025-04-17 13:52:17	70.53	55dB	2.9	193%	Day
4732	2025-04-17 13:54:22	N/A	55dB	N/A	N/A	Day
4733	2025-04-17 13:56:25	73.51	55dB	3.6	261%	Day
4734	2025-04-17 13:58:47	N/A	55dB	N/A	N/A	Day
4735	2025-04-17 14:00:36	71.93	55dB	3.2	223%	Day
4736	2025-04-17 14:02:26	74.93	55dB	4.0	298%	Day
4737	2025-04-17 14:04:56	68.96	55dB	2.6	163%	Day
4738	2025-04-17 14:06:09	68.06	55dB	2.5	147%	Day
4739	2025-04-17 14:07:56	N/A	55dB	N/A	N/A	Day
4740	2025-04-17 14:09:31	69.05	55dB	2.6	165%	Day
4741	2025-04-17 14:11:12	67.64	55dB	2.4	140%	Day
4742	2025-04-17 14:12:41	N/A	55dB	N/A	N/A	Day
4743	2025-04-17 14:14:04	69.47	55dB	2.7	173%	Day
4744	2025-04-17 14:15:48	72.08	55dB	3.3	227%	Day
4745	2025-04-17 14:17:48	70.25	55dB	2.9	188%	Day
4746	2025-04-17 14:19:28	73.47	55dB	3.6	260%	Day

4747	2025-04-17 14:21:42	70.80	55dB	3.0	199%	Day
4748	2025-04-17 14:23:28	71.93	55dB	3.2	223%	Day
4749	2025-04-17 14:26:04	82.18	55dB	6.6	558%	Day
4750	2025-04-17 14:29:10	N/A	55dB	N/A	N/A	Day
4751	2025-04-17 14:31:06	69.77	55dB	2.8	178%	Day
4752	2025-04-17 14:32:36	69.20	55dB	2.7	168%	Day
4753	2025-04-17 14:34:31	72.95	55dB	3.5	247%	Day
4754	2025-04-17 14:36:16	70.97	55dB	3.0	203%	Day
4755	2025-04-17 14:38:51	66.58	55dB	2.2	123%	Day
4756	2025-04-17 14:40:16	N/A	55dB	N/A	N/A	Day
4757	2025-04-17 14:41:41	76.66	55dB	4.5	349%	Day
4758	2025-04-17 14:46:48	73.08	55dB	3.5	250%	Day
4759	2025-04-17 14:48:39	74.65	55dB	3.9	290%	Day
4760	2025-04-17 14:51:16	69.26	55dB	2.7	169%	Day
4761	2025-04-17 14:54:56	70.84	55dB	3.0	200%	Day
4762	2025-04-17 14:58:55	N/A	55dB	N/A	N/A	Day
4763	2025-04-17 15:00:56	N/A	55dB	N/A	N/A	Day
4764	2025-04-17 15:02:32	N/A	55dB	N/A	N/A	Day
4765	2025-04-17 15:03:54	71.98	55dB	3.2	224%	Day
4766	2025-04-17 15:05:07	N/A	55dB	N/A	N/A	Day
4767	2025-04-17 15:06:20	69.11	55dB	2.7	166%	Day
4768	2025-04-17 15:08:05	N/A	55dB	N/A	N/A	Day
4769	2025-04-17 15:11:57	73.80	55dB	3.7	268%	Day
4770	2025-04-17 15:13:51	72.09	55dB	3.3	227%	Day
4771	2025-04-17 15:15:38	71.40	55dB	3.1	212%	Day
4772	2025-04-17 15:17:03	75.60	55dB	4.2	317%	Day
4773	2025-04-17 15:18:57	N/A	55dB	N/A	N/A	Day
4774	2025-04-17 15:20:09	N/A	55dB	N/A	N/A	Day
4775	2025-04-17 15:21:26	N/A	55dB	N/A	N/A	Day
4776	2025-04-17 15:22:33	66.48	55dB	2.2	122%	Day
4777	2025-04-17 15:23:53	69.76	55dB	2.8	178%	Day
4778	2025-04-17 15:26:03	71.20	55dB	3.1	207%	Day
4779	2025-04-17 15:27:56	71.83	55dB	3.2	221%	Day
4780	2025-04-17 15:29:10	N/A	55dB	N/A	N/A	Day
4781	2025-04-17 15:30:44	71.95	55dB	3.2	224%	Day
4782	2025-04-17 15:32:08	72.50	55dB	3.4	236%	Day
4783	2025-04-17 15:36:12	68.30	55dB	2.5	151%	Day
4784	2025-04-17 15:38:05	N/A	55dB	N/A	N/A	Day
4785	2025-04-17 15:40:00	73.14	55dB	3.5	252%	Day
4786	2025-04-17 15:42:52	73.27	55dB	3.5	255%	Day
4787	2025-04-17 15:44:50	71.15	55dB	3.1	206%	Day
4788	2025-04-17 15:46:31	68.71	55dB	2.6	159%	Day
4789	2025-04-17 15:47:55	N/A	55dB	N/A	N/A	Day
4790	2025-04-17 15:49:19	N/A	55dB	N/A	N/A	Day

4791	2025-04-17 15:51:06	N/A	55dB	N/A	N/A	Day
4792	2025-04-17 15:52:36	68.97	55dB	2.6	163%	Day
4793	2025-04-17 15:54:09	N/A	55dB	N/A	N/A	Day
4794	2025-04-17 15:55:15	81.06	55dB	6.1	509%	Day
4795	2025-04-17 15:56:36	68.82	55dB	2.6	161%	Day
4796	2025-04-17 15:57:46	N/A	55dB	N/A	N/A	Day
4797	2025-04-17 15:59:02	71.16	55dB	3.1	207%	Day
4798	2025-04-17 16:00:21	N/A	55dB	N/A	N/A	Day
4799	2025-04-17 16:02:51	71.59	55dB	3.2	216%	Day
4800	2025-04-17 16:04:28	75.10	55dB	4.0	303%	Day
4801	2025-04-17 16:06:34	67.43	55dB	2.4	137%	Day
4802	2025-04-17 16:07:46	68.83	55dB	2.6	161%	Day
4803	2025-04-17 16:09:02	71.82	55dB	3.2	221%	Day
4804	2025-04-17 16:10:40	75.16	55dB	4.0	304%	Day
4805	2025-04-17 16:12:23	73.71	55dB	3.7	266%	Day
4806	2025-04-17 16:15:32	76.18	55dB	4.3	334%	Day
4807	2025-04-17 16:18:48	N/A	55dB	N/A	N/A	Day
4808	2025-04-17 16:22:15	68.78	55dB	2.6	160%	Day
4809	2025-04-17 16:23:42	70.69	55dB	3.0	197%	Day
4810	2025-04-17 16:26:21	70.88	55dB	3.0	201%	Day
4811	2025-04-17 16:28:02	78.55	55dB	5.1	412%	Day
4812	2025-04-17 16:30:36	68.35	55dB	2.5	152%	Day
4813	2025-04-17 16:31:47	66.46	55dB	2.2	121%	Day
4814	2025-04-17 16:35:36	N/A	55dB	N/A	N/A	Day
4815	2025-04-17 16:37:04	75.93	55dB	4.3	327%	Day
4816	2025-04-17 16:41:26	N/A	55dB	N/A	N/A	Day
4817	2025-04-17 16:42:53	N/A	55dB	N/A	N/A	Day
4818	2025-04-17 16:44:10	N/A	55dB	N/A	N/A	Day
4819	2025-04-17 16:46:20	70.66	55dB	3.0	196%	Day
4820	2025-04-17 16:48:01	74.32	55dB	3.8	282%	Day
4821	2025-04-17 16:50:00	71.88	55dB	3.2	222%	Day
4822	2025-04-17 16:53:33	67.07	55dB	2.3	131%	Day
4823	2025-04-17 16:55:51	68.30	55dB	2.5	151%	Day
4824	2025-04-17 16:57:41	N/A	55dB	N/A	N/A	Day
4825	2025-04-17 16:59:44	N/A	55dB	N/A	N/A	Day
4826	2025-04-17 17:01:47	N/A	55dB	N/A	N/A	Day
4827	2025-04-17 17:03:09	72.59	55dB	3.4	238%	Day
4828	2025-04-17 17:04:23	67.72	55dB	2.4	141%	Day
4829	2025-04-17 17:05:43	72.24	55dB	3.3	230%	Day
4830	2025-04-17 17:08:26	68.19	55dB	2.5	149%	Day
4831	2025-04-17 17:09:38	N/A	55dB	N/A	N/A	Day
4832	2025-04-17 17:10:53	73.43	55dB	3.6	259%	Day
4833	2025-04-17 17:12:09	70.68	55dB	3.0	196%	Day
4834	2025-04-17 17:13:30	68.91	55dB	2.6	162%	Day

4835	2025-04-17 17:19:12	76.85	55dB	4.5	355%	Day
4836	2025-04-17 17:20:48	67.79	55dB	2.4	143%	Day
4837	2025-04-17 17:22:13	70.52	55dB	2.9	193%	Day
4838	2025-04-17 17:25:04	71.93	55dB	3.2	223%	Day
4839	2025-04-17 17:27:30	70.01	55dB	2.8	183%	Day
4840	2025-04-17 17:28:46	68.88	55dB	2.6	162%	Day
4841	2025-04-17 17:30:51	69.75	55dB	2.8	178%	Day
4842	2025-04-17 17:32:15	81.37	55dB	6.2	522%	Day
4843	2025-04-17 17:33:28	75.46	55dB	4.1	313%	Day
4844	2025-04-17 17:35:04	77.28	55dB	4.7	368%	Day
4845	2025-04-17 17:37:54	72.83	55dB	3.4	244%	Day
4846	2025-04-17 17:40:18	79.32	55dB	5.4	440%	Day
4847	2025-04-17 17:42:04	77.13	55dB	4.6	364%	Day
4848	2025-04-17 17:44:03	N/A	55dB	N/A	N/A	Day
4849	2025-04-17 17:46:32	74.63	55dB	3.9	290%	Day
4850	2025-04-17 17:48:15	N/A	55dB	N/A	N/A	Day
4851	2025-04-17 17:51:49	N/A	55dB	N/A	N/A	Day
4852	2025-04-17 17:54:37	79.95	55dB	5.6	464%	Day
4853	2025-04-17 17:58:18	71.83	55dB	3.2	221%	Day
4854	2025-04-17 17:59:55	72.09	55dB	3.3	227%	Day
4855	2025-04-17 18:01:08	N/A	55dB	N/A	N/A	Day
4856	2025-04-17 18:02:30	N/A	55dB	N/A	N/A	Day
4857	2025-04-17 18:03:56	67.59	55dB	2.4	139%	Day
4858	2025-04-17 18:06:44	73.56	55dB	3.6	262%	Day
4859	2025-04-17 18:08:56	N/A	55dB	N/A	N/A	Day
4860	2025-04-17 18:10:16	72.55	55dB	3.4	238%	Day
4861	2025-04-17 18:11:35	80.73	55dB	6.0	495%	Day
4862	2025-04-17 18:13:03	N/A	55dB	N/A	N/A	Day
4863	2025-04-17 18:14:21	75.99	55dB	4.3	328%	Day
4864	2025-04-17 18:15:50	73.66	55dB	3.6	265%	Day
4865	2025-04-17 18:17:47	69.75	55dB	2.8	178%	Day
4866	2025-04-17 18:18:56	N/A	55dB	N/A	N/A	Day
4867	2025-04-17 18:20:16	N/A	55dB	N/A	N/A	Day
4868	2025-04-17 18:21:43	79.45	55dB	5.4	445%	Day
4869	2025-04-17 18:22:51	N/A	55dB	N/A	N/A	Day
4870	2025-04-17 18:24:09	N/A	55dB	N/A	N/A	Day
4871	2025-04-17 18:25:41	70.47	55dB	2.9	192%	Day
4872	2025-04-17 18:27:10	76.21	55dB	4.3	335%	Day
4873	2025-04-17 18:28:48	N/A	55dB	N/A	N/A	Day
4874	2025-04-17 18:30:07	77.14	55dB	4.6	364%	Day
4875	2025-04-17 18:31:26	N/A	55dB	N/A	N/A	Day
4876	2025-04-17 18:32:49	73.11	55dB	3.5	251%	Day
4877	2025-04-17 18:34:24	N/A	55dB	N/A	N/A	Day
4878	2025-04-17 18:35:52	73.61	55dB	3.6	263%	Day

4879	2025-04-17 18:38:54	N/A	55dB	N/A	N/A	Day
4880	2025-04-17 18:40:52	73.68	55dB	3.7	265%	Day
4881	2025-04-17 18:42:09	70.00	55dB	2.8	183%	Day
4882	2025-04-17 18:43:33	68.13	55dB	2.5	148%	Day
4883	2025-04-17 18:45:01	69.59	55dB	2.7	175%	Day
4884	2025-04-17 18:46:28	70.87	55dB	3.0	200%	Day
4885	2025-04-17 18:47:47	70.78	55dB	3.0	199%	Day
4886	2025-04-17 18:49:42	78.59	55dB	5.1	413%	Day
4887	2025-04-17 18:51:37	74.84	55dB	4.0	296%	Day
4888	2025-04-17 18:53:44	74.03	55dB	3.7	274%	Day
4889	2025-04-17 18:57:47	72.98	55dB	3.5	248%	Day
4890	2025-04-17 18:59:21	73.79	55dB	3.7	268%	Day
4891	2025-04-17 19:01:22	72.03	55dB	3.3	226%	Day
4892	2025-04-17 19:02:41	72.35	55dB	3.3	233%	Day
4893	2025-04-17 19:03:56	70.01	55dB	2.8	183%	Day
4894	2025-04-17 19:05:14	71.51	55dB	3.1	214%	Day
4895	2025-04-17 19:06:58	N/A	55dB	N/A	N/A	Day
4896	2025-04-17 19:09:51	N/A	55dB	N/A	N/A	Day
4897	2025-04-17 19:11:14	72.51	55dB	3.4	237%	Day
4898	2025-04-17 19:14:05	73.37	55dB	3.6	257%	Day
4899	2025-04-17 19:16:01	70.66	55dB	3.0	196%	Day
4900	2025-04-17 19:18:44	72.42	55dB	3.3	234%	Day
4901	2025-04-17 19:20:45	69.17	55dB	2.7	167%	Day
4902	2025-04-17 19:22:36	67.47	55dB	2.4	137%	Day
4903	2025-04-17 19:24:09	70.87	55dB	3.0	200%	Day
4904	2025-04-17 19:25:32	N/A	55dB	N/A	N/A	Day
4905	2025-04-17 19:26:48	N/A	55dB	N/A	N/A	Day
4906	2025-04-17 19:28:05	66.90	55dB	2.3	128%	Day
4907	2025-04-17 19:29:23	N/A	55dB	N/A	N/A	Day
4908	2025-04-17 19:30:34	71.64	55dB	3.2	217%	Day
4909	2025-04-17 19:33:27	68.68	55dB	2.6	158%	Day
4910	2025-04-17 19:34:35	71.74	55dB	3.2	219%	Day
4911	2025-04-17 19:35:51	N/A	55dB	N/A	N/A	Day
4912	2025-04-17 19:37:13	75.31	55dB	4.1	309%	Day
4913	2025-04-17 19:38:35	69.55	55dB	2.7	174%	Day
4914	2025-04-17 19:39:49	71.05	55dB	3.0	204%	Day
4915	2025-04-17 19:41:01	69.44	55dB	2.7	172%	Day
4916	2025-04-17 19:42:18	N/A	55dB	N/A	N/A	Day
4917	2025-04-17 19:43:40	68.68	55dB	2.6	158%	Day
4918	2025-04-17 19:44:55	N/A	55dB	N/A	N/A	Day
4919	2025-04-17 19:46:23	67.70	55dB	2.4	141%	Day
4920	2025-04-17 19:47:47	71.01	55dB	3.0	203%	Day
4921	2025-04-17 19:49:47	68.39	55dB	2.5	153%	Day
4922	2025-04-17 19:52:01	67.02	55dB	2.3	130%	Day

4923	2025-04-17 19:53:49	N/A	55dB	N/A	N/A	Day
4924	2025-04-17 19:55:15	69.90	55dB	2.8	181%	Day
4925	2025-04-17 19:56:32	70.87	55dB	3.0	200%	Day
4926	2025-04-17 19:58:00	N/A	55dB	N/A	N/A	Day
4927	2025-04-17 19:59:23	69.57	55dB	2.7	175%	Day
4928	2025-04-17 20:00:34	72.26	55dB	3.3	231%	Day
4929	2025-04-17 20:02:25	72.46	55dB	3.4	235%	Day
4930	2025-04-17 20:04:22	70.52	55dB	2.9	193%	Day
4931	2025-04-17 20:06:25	71.44	55dB	3.1	213%	Day
4932	2025-04-17 20:07:42	68.56	55dB	2.6	156%	Day
4933	2025-04-17 20:09:12	68.68	55dB	2.6	158%	Day
4934	2025-04-17 20:10:49	69.28	55dB	2.7	169%	Day
4935	2025-04-17 20:12:33	70.65	55dB	3.0	196%	Day
4936	2025-04-17 20:14:47	N/A	55dB	N/A	N/A	Day
4937	2025-04-17 20:16:00	69.05	55dB	2.6	165%	Day
4938	2025-04-17 20:17:33	70.62	55dB	3.0	195%	Day
4939	2025-04-17 20:18:37	68.08	55dB	2.5	148%	Day
4940	2025-04-17 20:20:37	67.41	55dB	2.4	136%	Day
4941	2025-04-17 20:22:08	68.31	55dB	2.5	152%	Day
4942	2025-04-17 20:23:33	70.09	55dB	2.8	185%	Day
4943	2025-04-17 20:24:56	N/A	55dB	N/A	N/A	Day
4944	2025-04-17 20:26:14	N/A	55dB	N/A	N/A	Day
4945	2025-04-17 20:27:35	70.86	55dB	3.0	200%	Day
4946	2025-04-17 20:28:40	71.01	55dB	3.0	203%	Day
4947	2025-04-17 20:30:44	N/A	55dB	N/A	N/A	Day
4948	2025-04-17 20:32:22	70.33	55dB	2.9	189%	Day
4949	2025-04-17 20:33:55	70.16	55dB	2.9	186%	Day
4950	2025-04-17 20:35:23	68.60	55dB	2.6	157%	Day
4951	2025-04-17 20:36:48	N/A	55dB	N/A	N/A	Day
4952	2025-04-17 20:38:10	69.95	55dB	2.8	182%	Day
4953	2025-04-17 20:39:19	67.52	55dB	2.4	138%	Day
4954	2025-04-17 20:41:17	N/A	55dB	N/A	N/A	Day
4955	2025-04-17 20:42:30	70.45	55dB	2.9	192%	Day
4956	2025-04-17 20:43:52	67.97	55dB	2.5	146%	Day
4957	2025-04-17 20:48:30	71.47	55dB	3.1	213%	Day
4958	2025-04-17 20:51:41	68.78	55dB	2.6	160%	Day
4959	2025-04-17 20:53:02	68.52	55dB	2.6	155%	Day
4960	2025-04-17 20:54:15	71.35	55dB	3.1	211%	Day
4961	2025-04-17 20:56:18	70.29	55dB	2.9	189%	Day
4962	2025-04-17 20:57:32	68.70	55dB	2.6	158%	Day
4963	2025-04-17 20:59:08	69.50	55dB	2.7	173%	Day
4964	2025-04-17 21:00:33	68.52	55dB	2.6	155%	Day
4965	2025-04-17 21:01:51	N/A	55dB	N/A	N/A	Day
4966	2025-04-17 21:03:36	70.71	55dB	3.0	197%	Day

4967	2025-04-17 21:04:43	68.46	55dB	2.5	154%	Day
4968	2025-04-17 21:06:08	N/A	55dB	N/A	N/A	Day
4969	2025-04-17 21:07:24	69.33	55dB	2.7	170%	Day
4970	2025-04-17 21:09:06	66.97	55dB	2.3	129%	Day
4971	2025-04-17 21:10:31	67.80	55dB	2.4	143%	Day
4972	2025-04-17 21:11:57	70.01	55dB	2.8	183%	Day
4973	2025-04-17 21:13:11	N/A	55dB	N/A	N/A	Day
4974	2025-04-17 21:14:34	68.51	55dB	2.6	155%	Day
4975	2025-04-17 21:18:16	N/A	55dB	N/A	N/A	Day
4976	2025-04-17 21:21:31	67.79	55dB	2.4	143%	Day
4977	2025-04-17 21:22:55	N/A	55dB	N/A	N/A	Day
4978	2025-04-17 21:24:21	70.21	55dB	2.9	187%	Day
4979	2025-04-17 21:27:55	N/A	55dB	N/A	N/A	Day
4980	2025-04-17 21:29:45	67.83	55dB	2.4	143%	Day
4981	2025-04-17 21:32:19	71.36	55dB	3.1	211%	Day
4982	2025-04-17 21:34:17	67.04	55dB	2.3	130%	Day
4983	2025-04-17 21:35:40	67.66	55dB	2.4	140%	Day
4984	2025-04-17 21:36:48	67.94	55dB	2.5	145%	Day
4985	2025-04-17 21:38:19	69.54	55dB	2.7	174%	Day
4986	2025-04-17 21:39:47	N/A	55dB	N/A	N/A	Day
4987	2025-04-17 21:42:49	69.48	55dB	2.7	173%	Day
4988	2025-04-17 21:45:38	70.24	55dB	2.9	188%	Day
4989	2025-04-17 21:55:25	71.03	55dB	3.0	204%	Day
4990	2025-04-17 21:57:34	N/A	55dB	N/A	N/A	Day
4991	2025-04-17 22:01:16	N/A	55dB	N/A	N/A	Day
4992	2025-04-17 22:03:10	N/A	55dB	N/A	N/A	Day
4993	2025-04-17 22:07:39	67.53	55dB	2.4	138%	Day
4994	2025-04-17 22:09:14	N/A	55dB	N/A	N/A	Day
4995	2025-04-17 22:10:35	68.19	55dB	2.5	149%	Day
4996	2025-04-17 22:12:09	76.18	55dB	4.3	334%	Day
4997	2025-04-17 22:15:19	67.81	55dB	2.4	143%	Day
4998	2025-04-17 22:16:53	66.96	55dB	2.3	129%	Day
4999	2025-04-17 22:19:06	66.31	55dB	2.2	119%	Day
5000	2025-04-17 22:21:25	68.28	55dB	2.5	151%	Day
5001	2025-04-17 22:24:17	66.91	55dB	2.3	128%	Day
5002	2025-04-17 22:25:48	69.40	55dB	2.7	171%	Day
5003	2025-04-17 22:27:32	N/A	55dB	N/A	N/A	Day
5004	2025-04-17 22:29:00	N/A	55dB	N/A	N/A	Day
5005	2025-04-17 22:31:52	71.92	55dB	3.2	223%	Day
5006	2025-04-17 22:36:23	82.74	55dB	6.8	584%	Day
5007	2025-04-17 22:37:59	N/A	55dB	N/A	N/A	Day
5008	2025-04-17 22:39:25	68.13	55dB	2.5	148%	Day
5009	2025-04-17 22:41:02	68.25	55dB	2.5	151%	Day
5010	2025-04-17 22:42:39	N/A	55dB	N/A	N/A	Day

5011	2025-04-17 22:44:42	N/A	55dB	N/A	N/A	Day
5012	2025-04-17 22:47:58	N/A	55dB	N/A	N/A	Day
5013	2025-04-17 22:57:00	66.67	55dB	2.2	125%	Day
5014	2025-04-17 23:03:56	70.68	45dB	5.9	493%	Night
5015	2025-04-17 23:05:52	84.26	45dB	15.2	1420%	Night
5016	2025-04-17 23:08:16	N/A	45dB	N/A	N/A	Night
5017	2025-04-17 23:10:10	N/A	45dB	N/A	N/A	Night
5018	2025-04-17 23:11:42	N/A	45dB	N/A	N/A	Night
5019	2025-04-17 23:13:19	67.23	45dB	4.7	367%	Night
5020	2025-04-17 23:15:13	67.60	45dB	4.8	379%	Night
5021	2025-04-17 23:16:56	69.79	45dB	5.6	458%	Night
5022	2025-04-17 23:27:45	66.01	45dB	4.3	329%	Night
5023	2025-04-17 23:29:34	67.02	45dB	4.6	360%	Night
5024	2025-04-17 23:31:18	68.33	45dB	5.0	404%	Night
5025	2025-04-17 23:32:46	N/A	45dB	N/A	N/A	Night
5026	2025-04-17 23:34:19	70.10	45dB	5.7	470%	Night
5027	2025-04-17 23:36:13	76.30	45dB	8.8	775%	Night
5028	2025-04-17 23:39:00	N/A	45dB	N/A	N/A	Night
5029	2025-04-17 23:40:35	N/A	45dB	N/A	N/A	Night
5030	2025-04-17 23:42:47	69.43	45dB	5.4	444%	Night
5031	2025-04-17 23:45:02	N/A	45dB	N/A	N/A	Night
5032	2025-04-17 23:46:41	N/A	45dB	N/A	N/A	Night
5033	2025-04-17 23:48:19	75.10	45dB	8.1	706%	Night
5034	2025-04-17 23:52:07	N/A	45dB	N/A	N/A	Night
5035	2025-04-18 06:28:48	74.27	45dB	7.6	661%	Night
5036	2025-04-18 06:30:10	67.57	45dB	4.8	378%	Night
5037	2025-04-18 06:31:38	71.72	45dB	6.4	537%	Night
5038	2025-04-18 06:33:38	71.89	45dB	6.4	545%	Night
5039	2025-04-18 06:34:52	69.77	45dB	5.6	457%	Night
5040	2025-04-18 06:36:19	72.49	45dB	6.7	572%	Night
5041	2025-04-18 06:37:50	69.78	45dB	5.6	457%	Night
5042	2025-04-18 06:39:19	70.87	45dB	6.0	501%	Night
5043	2025-04-18 06:41:26	68.19	45dB	5.0	399%	Night
5044	2025-04-18 06:42:52	68.98	45dB	5.3	427%	Night
5045	2025-04-18 06:44:13	69.93	45dB	5.6	463%	Night
5046	2025-04-18 06:45:41	68.47	45dB	5.1	409%	Night
5047	2025-04-18 06:47:28	N/A	45dB	N/A	N/A	Night
5048	2025-04-18 06:49:22	68.93	45dB	5.3	425%	Night
5049	2025-04-18 06:50:51	67.22	45dB	4.7	367%	Night
5050	2025-04-18 06:52:27	68.56	45dB	5.1	412%	Night
5051	2025-04-18 06:54:10	71.58	45dB	6.3	531%	Night
5052	2025-04-18 06:57:04	71.01	45dB	6.1	507%	Night
5053	2025-04-18 06:58:20	69.25	45dB	5.4	437%	Night
5054	2025-04-18 06:59:55	67.37	45dB	4.7	371%	Night

5055	2025-04-18 07:01:39	71.58	55dB	3.2	216%	Day
5056	2025-04-18 07:02:53	71.47	55dB	3.1	213%	Day
5057	2025-04-18 07:04:19	70.86	55dB	3.0	200%	Day
5058	2025-04-18 07:05:46	N/A	55dB	N/A	N/A	Day
5059	2025-04-18 07:07:38	N/A	55dB	N/A	N/A	Day
5060	2025-04-18 07:09:18	72.27	55dB	3.3	231%	Day
5061	2025-04-18 07:10:57	71.24	55dB	3.1	208%	Day
5062	2025-04-18 07:13:38	70.88	55dB	3.0	201%	Day
5063	2025-04-18 07:16:04	N/A	55dB	N/A	N/A	Day
5064	2025-04-18 07:20:09	70.86	55dB	3.0	200%	Day
5065	2025-04-18 07:36:15	70.92	55dB	3.0	201%	Day
5066	2025-04-18 07:38:38	N/A	55dB	N/A	N/A	Day
5067	2025-04-18 07:40:42	N/A	55dB	N/A	N/A	Day
5068	2025-04-18 07:53:20	72.97	55dB	3.5	247%	Day
5069	2025-04-18 07:56:19	68.00	55dB	2.5	146%	Day
5070	2025-04-18 08:02:15	68.93	55dB	2.6	163%	Day
5071	2025-04-18 08:05:30	68.92	55dB	2.6	162%	Day
5072	2025-04-18 08:08:00	74.17	55dB	3.8	278%	Day
5073	2025-04-18 08:10:00	72.07	55dB	3.3	226%	Day
5074	2025-04-18 08:11:42	N/A	55dB	N/A	N/A	Day
5075	2025-04-18 08:14:14	N/A	55dB	N/A	N/A	Day
5076	2025-04-18 08:21:15	70.85	55dB	3.0	200%	Day
5077	2025-04-18 08:24:36	68.82	55dB	2.6	161%	Day
5078	2025-04-18 08:26:33	N/A	55dB	N/A	N/A	Day
5079	2025-04-18 08:28:19	N/A	55dB	N/A	N/A	Day
5080	2025-04-18 08:30:23	68.03	55dB	2.5	147%	Day
5081	2025-04-18 08:33:33	71.33	55dB	3.1	210%	Day
5082	2025-04-18 08:46:34	69.36	55dB	2.7	171%	Day
5083	2025-04-18 08:48:39	69.69	55dB	2.8	177%	Day
5084	2025-04-18 09:09:50	68.79	55dB	2.6	160%	Day
5085	2025-04-18 09:16:01	69.67	55dB	2.8	176%	Day
5086	2025-04-18 09:18:54	N/A	55dB	N/A	N/A	Day
5087	2025-04-18 09:20:41	69.59	55dB	2.7	175%	Day
5088	2025-04-18 09:23:16	75.36	55dB	4.1	310%	Day
5089	2025-04-18 09:26:12	N/A	55dB	N/A	N/A	Day
5090	2025-04-18 09:28:51	N/A	55dB	N/A	N/A	Day
5091	2025-04-18 09:44:58	N/A	55dB	N/A	N/A	Day
5092	2025-04-18 09:47:30	N/A	55dB	N/A	N/A	Day
5093	2025-04-18 09:49:25	74.00	55dB	3.7	273%	Day
5094	2025-04-18 09:52:05	N/A	55dB	N/A	N/A	Day
5095	2025-04-18 09:53:44	76.79	55dB	4.5	353%	Day
5096	2025-04-18 09:56:09	N/A	55dB	N/A	N/A	Day
5097	2025-04-18 09:57:50	72.08	55dB	3.3	227%	Day
5098	2025-04-18 10:00:11	N/A	55dB	N/A	N/A	Day

5099	2025-04-18 10:04:23	N/A	55dB	N/A	N/A	Day
5100	2025-04-18 10:07:08	72.85	55dB	3.4	245%	Day
5101	2025-04-18 10:11:02	N/A	55dB	N/A	N/A	Day
5102	2025-04-18 10:12:34	71.16	55dB	3.1	207%	Day
5103	2025-04-18 10:23:14	N/A	55dB	N/A	N/A	Day
5104	2025-04-18 10:25:20	73.04	55dB	3.5	249%	Day
5105	2025-04-18 10:26:47	67.52	55dB	2.4	138%	Day
5106	2025-04-18 10:28:22	72.96	55dB	3.5	247%	Day
5107	2025-04-18 10:29:54	68.25	55dB	2.5	151%	Day
5108	2025-04-18 10:33:04	71.12	55dB	3.1	206%	Day
5109	2025-04-18 10:36:08	75.17	55dB	4.0	305%	Day
5110	2025-04-18 10:38:20	N/A	55dB	N/A	N/A	Day
5111	2025-04-18 10:39:54	72.76	55dB	3.4	242%	Day
5112	2025-04-18 10:41:42	72.86	55dB	3.4	245%	Day
5113	2025-04-18 10:43:34	72.86	55dB	3.4	245%	Day
5114	2025-04-18 10:45:16	72.91	55dB	3.5	246%	Day
5115	2025-04-18 10:46:40	72.45	55dB	3.4	235%	Day
5116	2025-04-18 10:48:13	N/A	55dB	N/A	N/A	Day
5117	2025-04-18 10:49:46	N/A	55dB	N/A	N/A	Day
5118	2025-04-18 10:52:08	N/A	55dB	N/A	N/A	Day
5119	2025-04-18 10:54:49	N/A	55dB	N/A	N/A	Day
5120	2025-04-18 10:57:17	N/A	55dB	N/A	N/A	Day
5121	2025-04-18 10:58:53	73.22	55dB	3.5	254%	Day
5122	2025-04-18 11:00:57	71.86	55dB	3.2	222%	Day
5123	2025-04-18 11:02:47	66.78	55dB	2.3	126%	Day
5124	2025-04-18 11:06:52	68.64	55dB	2.6	157%	Day
5125	2025-04-18 11:08:33	N/A	55dB	N/A	N/A	Day
5126	2025-04-18 11:10:07	N/A	55dB	N/A	N/A	Day
5127	2025-04-18 11:11:43	66.31	55dB	2.2	119%	Day
5128	2025-04-18 11:13:11	67.71	55dB	2.4	141%	Day
5129	2025-04-18 11:15:47	70.69	55dB	3.0	197%	Day
5130	2025-04-18 11:17:52	66.72	55dB	2.3	125%	Day
5131	2025-04-18 11:19:22	N/A	55dB	N/A	N/A	Day
5132	2025-04-18 11:21:04	68.16	55dB	2.5	149%	Day
5133	2025-04-18 11:22:33	N/A	55dB	N/A	N/A	Day
5134	2025-04-18 11:26:02	72.47	55dB	3.4	236%	Day
5135	2025-04-18 11:28:20	N/A	55dB	N/A	N/A	Day
5136	2025-04-18 11:30:17	N/A	55dB	N/A	N/A	Day
5137	2025-04-18 11:33:08	67.47	55dB	2.4	137%	Day
5138	2025-04-18 11:35:03	68.20	55dB	2.5	150%	Day
5139	2025-04-18 11:36:22	N/A	55dB	N/A	N/A	Day
5140	2025-04-18 11:38:09	69.69	55dB	2.8	177%	Day
5141	2025-04-18 11:39:52	68.81	55dB	2.6	160%	Day
5142	2025-04-18 11:41:39	N/A	55dB	N/A	N/A	Day

5143	2025-04-18 11:43:04	66.90	55dB	2.3	128%	Day
5144	2025-04-18 11:45:01	68.34	55dB	2.5	152%	Day
5145	2025-04-18 11:46:57	70.73	55dB	3.0	198%	Day
5146	2025-04-18 11:48:31	N/A	55dB	N/A	N/A	Day
5147	2025-04-18 11:50:05	N/A	55dB	N/A	N/A	Day
5148	2025-04-18 11:55:25	N/A	55dB	N/A	N/A	Day
5149	2025-04-18 11:57:14	70.68	55dB	3.0	196%	Day
5150	2025-04-18 11:58:45	71.02	55dB	3.0	204%	Day
5151	2025-04-18 12:00:38	N/A	55dB	N/A	N/A	Day
5152	2025-04-18 12:03:15	71.65	55dB	3.2	217%	Day
5153	2025-04-18 12:05:18	69.87	55dB	2.8	180%	Day
5154	2025-04-18 12:08:04	74.85	55dB	4.0	296%	Day
5155	2025-04-18 12:10:16	69.57	55dB	2.7	175%	Day
5156	2025-04-18 12:12:06	68.07	55dB	2.5	147%	Day
5157	2025-04-18 12:14:31	69.31	55dB	2.7	170%	Day
5158	2025-04-18 12:16:35	N/A	55dB	N/A	N/A	Day
5159	2025-04-18 12:19:05	N/A	55dB	N/A	N/A	Day
5160	2025-04-18 12:20:56	67.42	55dB	2.4	137%	Day
5161	2025-04-18 12:23:50	67.89	55dB	2.4	144%	Day
5162	2025-04-18 12:25:26	70.58	55dB	2.9	194%	Day
5163	2025-04-18 12:27:11	70.44	55dB	2.9	192%	Day
5164	2025-04-18 12:29:30	68.64	55dB	2.6	157%	Day
5165	2025-04-18 12:32:18	74.53	55dB	3.9	287%	Day
5166	2025-04-18 12:34:40	68.74	55dB	2.6	159%	Day
5167	2025-04-18 12:36:56	73.46	55dB	3.6	260%	Day
5168	2025-04-18 12:38:32	69.50	55dB	2.7	173%	Day
5169	2025-04-18 12:41:30	73.45	55dB	3.6	259%	Day
5170	2025-04-18 12:49:27	69.02	55dB	2.6	164%	Day
5171	2025-04-18 12:52:26	N/A	55dB	N/A	N/A	Day
5172	2025-04-18 12:55:16	70.12	55dB	2.9	185%	Day
5173	2025-04-18 12:57:41	69.47	55dB	2.7	173%	Day
5174	2025-04-18 13:01:49	68.35	55dB	2.5	152%	Day
5175	2025-04-18 13:03:26	73.87	55dB	3.7	270%	Day
5176	2025-04-18 13:10:04	72.27	55dB	3.3	231%	Day
5177	2025-04-18 13:12:34	N/A	55dB	N/A	N/A	Day
5178	2025-04-18 13:14:13	75.41	55dB	4.1	312%	Day
5179	2025-04-18 13:16:28	70.23	55dB	2.9	187%	Day
5180	2025-04-18 13:17:58	68.59	55dB	2.6	157%	Day
5181	2025-04-18 13:19:55	68.60	55dB	2.6	157%	Day
5182	2025-04-18 13:21:44	N/A	55dB	N/A	N/A	Day
5183	2025-04-18 13:25:08	70.30	55dB	2.9	189%	Day
5184	2025-04-18 13:26:46	N/A	55dB	N/A	N/A	Day
5185	2025-04-18 13:30:42	77.80	55dB	4.9	386%	Day
5186	2025-04-18 13:33:03	69.44	55dB	2.7	172%	Day

5187	2025-04-18 13:34:57	69.44	55dB	2.7	172%	Day
5188	2025-04-18 13:36:36	72.06	55dB	3.3	226%	Day
5189	2025-04-18 13:38:53	68.74	55dB	2.6	159%	Day
5190	2025-04-18 13:40:37	73.21	55dB	3.5	253%	Day
5191	2025-04-18 13:42:02	69.87	55dB	2.8	180%	Day
5192	2025-04-18 13:43:32	72.35	55dB	3.3	233%	Day
5193	2025-04-18 13:45:01	68.95	55dB	2.6	163%	Day
5194	2025-04-18 13:47:02	72.42	55dB	3.3	234%	Day
5195	2025-04-18 13:49:10	67.05	55dB	2.3	131%	Day
5196	2025-04-18 13:51:52	73.34	55dB	3.6	257%	Day
5197	2025-04-18 13:54:10	66.15	55dB	2.2	117%	Day
5198	2025-04-18 13:55:39	70.36	55dB	2.9	190%	Day
5199	2025-04-18 13:58:19	71.39	55dB	3.1	211%	Day
5200	2025-04-18 14:00:06	74.76	55dB	3.9	293%	Day
5201	2025-04-18 14:03:16	74.52	55dB	3.9	287%	Day
5202	2025-04-18 14:08:05	70.75	55dB	3.0	198%	Day
5203	2025-04-18 14:09:53	69.58	55dB	2.7	175%	Day
5204	2025-04-18 14:13:14	72.74	55dB	3.4	242%	Day
5205	2025-04-18 14:15:04	72.55	55dB	3.4	238%	Day
5206	2025-04-18 14:17:05	71.87	55dB	3.2	222%	Day
5207	2025-04-18 14:20:02	71.92	55dB	3.2	223%	Day
5208	2025-04-18 14:21:56	75.64	55dB	4.2	318%	Day
5209	2025-04-18 14:24:44	70.35	55dB	2.9	190%	Day
5210	2025-04-18 14:26:03	68.97	55dB	2.6	163%	Day
5211	2025-04-18 14:27:44	72.50	55dB	3.4	236%	Day
5212	2025-04-18 14:29:46	68.91	55dB	2.6	162%	Day
5213	2025-04-18 14:31:08	72.60	55dB	3.4	239%	Day
5214	2025-04-18 14:32:35	69.15	55dB	2.7	167%	Day
5215	2025-04-18 14:34:30	73.76	55dB	3.7	267%	Day
5216	2025-04-18 14:37:00	67.62	55dB	2.4	140%	Day
5217	2025-04-18 14:39:26	73.87	55dB	3.7	270%	Day
5218	2025-04-18 14:42:12	70.17	55dB	2.9	186%	Day
5219	2025-04-18 14:45:19	74.50	55dB	3.9	286%	Day
5220	2025-04-18 14:47:46	69.48	55dB	2.7	173%	Day
5221	2025-04-18 14:49:32	71.92	55dB	3.2	223%	Day
5222	2025-04-18 14:51:57	70.78	55dB	3.0	199%	Day
5223	2025-04-18 14:53:31	71.49	55dB	3.1	214%	Day
5224	2025-04-18 14:55:25	73.34	55dB	3.6	257%	Day
5225	2025-04-18 14:58:21	73.61	55dB	3.6	263%	Day
5226	2025-04-18 15:00:34	71.71	55dB	3.2	218%	Day
5227	2025-04-18 15:02:12	72.38	55dB	3.3	234%	Day
5228	2025-04-18 15:03:53	71.24	55dB	3.1	208%	Day
5229	2025-04-18 15:05:36	76.26	55dB	4.4	337%	Day
5230	2025-04-18 15:07:01	N/A	55dB	N/A	N/A	Day

5231	2025-04-18 15:08:21	83.07	55dB	7.0	600%	Day
5232	2025-04-18 15:09:55	70.49	55dB	2.9	193%	Day
5233	2025-04-18 15:11:30	74.71	55dB	3.9	292%	Day
5234	2025-04-18 15:13:03	78.58	55dB	5.1	413%	Day
5235	2025-04-18 15:14:41	72.33	55dB	3.3	232%	Day
5236	2025-04-18 15:16:06	75.06	55dB	4.0	302%	Day
5237	2025-04-18 15:18:07	N/A	55dB	N/A	N/A	Day
5238	2025-04-18 15:19:50	69.60	55dB	2.8	175%	Day
5239	2025-04-18 15:21:17	77.15	55dB	4.6	364%	Day
5240	2025-04-18 15:23:12	77.76	55dB	4.8	384%	Day
5241	2025-04-18 15:24:54	72.24	55dB	3.3	230%	Day
5242	2025-04-18 15:27:23	76.58	55dB	4.5	346%	Day
5243	2025-04-18 15:28:50	86.60	55dB	8.9	794%	Day
5244	2025-04-18 15:30:17	83.54	55dB	7.2	623%	Day
5245	2025-04-18 15:31:42	86.53	55dB	8.9	790%	Day
5246	2025-04-18 15:33:39	84.70	55dB	7.8	684%	Day
5247	2025-04-18 15:35:36	79.25	55dB	5.4	437%	Day
5248	2025-04-18 15:37:14	76.94	55dB	4.6	358%	Day
5249	2025-04-18 15:39:35	72.95	55dB	3.5	247%	Day
5250	2025-04-18 15:41:49	67.70	55dB	2.4	141%	Day
5251	2025-04-18 15:43:23	73.99	55dB	3.7	273%	Day
5252	2025-04-18 15:45:04	72.35	55dB	3.3	233%	Day
5253	2025-04-18 15:48:08	N/A	55dB	N/A	N/A	Day
5254	2025-04-18 15:49:56	76.35	55dB	4.4	339%	Day
5255	2025-04-18 15:52:02	75.85	55dB	4.2	324%	Day
5256	2025-04-18 15:54:07	71.25	55dB	3.1	208%	Day
5257	2025-04-18 15:55:36	77.57	55dB	4.8	378%	Day
5258	2025-04-18 15:57:30	73.84	55dB	3.7	269%	Day
5259	2025-04-18 15:58:47	75.42	55dB	4.1	312%	Day
5260	2025-04-18 16:00:10	75.95	55dB	4.3	327%	Day
5261	2025-04-18 16:02:09	77.35	55dB	4.7	371%	Day
5262	2025-04-18 16:03:40	71.43	55dB	3.1	212%	Day
5263	2025-04-18 16:05:09	73.86	55dB	3.7	270%	Day
5264	2025-04-18 16:08:30	72.69	55dB	3.4	241%	Day
5265	2025-04-18 16:10:15	72.79	55dB	3.4	243%	Day
5266	2025-04-18 16:11:42	76.00	55dB	4.3	329%	Day
5267	2025-04-18 16:14:06	71.76	55dB	3.2	220%	Day
5268	2025-04-18 16:15:54	72.54	55dB	3.4	237%	Day
5269	2025-04-18 16:23:03	70.90	55dB	3.0	201%	Day
5270	2025-04-18 16:25:33	75.43	55dB	4.1	312%	Day
5271	2025-04-18 16:27:30	74.20	55dB	3.8	278%	Day
5272	2025-04-18 16:28:56	72.62	55dB	3.4	239%	Day
5273	2025-04-18 16:30:07	74.16	55dB	3.8	277%	Day
5274	2025-04-18 16:31:31	68.59	55dB	2.6	157%	Day

5275	2025-04-18 16:35:48	N/A	55dB	N/A	N/A	Day
5276	2025-04-18 16:38:00	73.23	55dB	3.5	254%	Day
5277	2025-04-18 16:40:07	80.20	55dB	5.7	474%	Day
5278	2025-04-18 16:42:03	75.16	55dB	4.0	304%	Day
5279	2025-04-18 16:44:27	94.24	55dB	15.2	1418%	Day
5280	2025-04-18 16:45:51	82.46	55dB	6.7	571%	Day
5281	2025-04-18 16:47:02	69.44	55dB	2.7	172%	Day
5282	2025-04-18 16:48:20	N/A	55dB	N/A	N/A	Day
5283	2025-04-18 16:49:53	N/A	55dB	N/A	N/A	Day
5284	2025-04-18 16:52:13	74.49	55dB	3.9	286%	Day
5285	2025-04-18 16:54:41	70.51	55dB	2.9	193%	Day
5286	2025-04-18 16:56:39	N/A	55dB	N/A	N/A	Day
5287	2025-04-18 17:00:56	73.20	55dB	3.5	253%	Day
5288	2025-04-18 17:04:30	68.81	55dB	2.6	160%	Day
5289	2025-04-18 17:13:19	N/A	55dB	N/A	N/A	Day
5290	2025-04-18 17:15:13	70.24	55dB	2.9	188%	Day
5291	2025-04-18 17:16:39	70.63	55dB	3.0	195%	Day
5292	2025-04-18 17:18:30	68.11	55dB	2.5	148%	Day
5293	2025-04-18 17:19:52	N/A	55dB	N/A	N/A	Day
5294	2025-04-18 17:21:32	73.73	55dB	3.7	266%	Day
5295	2025-04-18 17:24:27	N/A	55dB	N/A	N/A	Day
5296	2025-04-18 17:26:05	70.11	55dB	2.9	185%	Day
5297	2025-04-18 17:27:31	69.58	55dB	2.7	175%	Day
5298	2025-04-18 17:29:40	73.88	55dB	3.7	270%	Day
5299	2025-04-18 17:32:08	N/A	55dB	N/A	N/A	Day
5300	2025-04-18 17:34:28	70.42	55dB	2.9	191%	Day
5301	2025-04-18 17:36:08	74.86	55dB	4.0	296%	Day
5302	2025-04-18 17:37:21	69.44	55dB	2.7	172%	Day
5303	2025-04-18 17:39:14	71.53	55dB	3.1	214%	Day
5304	2025-04-18 17:41:24	80.65	55dB	5.9	492%	Day
5305	2025-04-18 17:42:44	N/A	55dB	N/A	N/A	Day
5306	2025-04-18 17:43:58	71.77	55dB	3.2	220%	Day
5307	2025-04-18 17:45:08	69.97	55dB	2.8	182%	Day
5308	2025-04-18 17:46:41	73.24	55dB	3.5	254%	Day
5309	2025-04-18 17:48:42	69.33	55dB	2.7	170%	Day
5310	2025-04-18 17:50:00	72.01	55dB	3.3	225%	Day
5311	2025-04-18 17:51:24	69.60	55dB	2.8	175%	Day
5312	2025-04-18 17:52:43	68.15	55dB	2.5	149%	Day
5313	2025-04-18 17:54:16	71.53	55dB	3.1	214%	Day
5314	2025-04-18 17:55:39	N/A	55dB	N/A	N/A	Day
5315	2025-04-18 17:59:57	70.79	55dB	3.0	199%	Day
5316	2025-04-18 18:02:37	72.24	55dB	3.3	230%	Day
5317	2025-04-18 18:04:24	N/A	55dB	N/A	N/A	Day
5318	2025-04-18 18:05:52	N/A	55dB	N/A	N/A	Day

5319	2025-04-18 18:07:32	67.86	55dB	2.4	144%	Day
5320	2025-04-18 18:08:52	68.74	55dB	2.6	159%	Day
5321	2025-04-18 18:10:11	73.00	55dB	3.5	248%	Day
5322	2025-04-18 18:11:30	80.14	55dB	5.7	471%	Day
5323	2025-04-18 18:12:52	69.45	55dB	2.7	172%	Day
5324	2025-04-18 18:14:12	70.51	55dB	2.9	193%	Day
5325	2025-04-18 18:16:30	76.07	55dB	4.3	331%	Day
5326	2025-04-18 18:17:58	N/A	55dB	N/A	N/A	Day
5327	2025-04-18 18:19:37	72.97	55dB	3.5	247%	Day
5328	2025-04-18 18:21:07	70.12	55dB	2.9	185%	Day
5329	2025-04-18 18:22:27	72.77	55dB	3.4	243%	Day
5330	2025-04-18 18:24:25	73.44	55dB	3.6	259%	Day
5331	2025-04-18 18:27:09	71.83	55dB	3.2	221%	Day
5332	2025-04-18 18:28:52	70.51	55dB	2.9	193%	Day
5333	2025-04-18 18:31:36	74.31	55dB	3.8	281%	Day
5334	2025-04-18 18:33:13	72.94	55dB	3.5	247%	Day
5335	2025-04-18 18:35:32	70.02	55dB	2.8	183%	Day
5336	2025-04-18 18:36:58	84.11	55dB	7.5	652%	Day
5337	2025-04-18 18:38:25	69.42	55dB	2.7	172%	Day
5338	2025-04-18 18:39:52	72.71	55dB	3.4	241%	Day
5339	2025-04-18 18:42:52	N/A	55dB	N/A	N/A	Day
5340	2025-04-18 18:44:24	68.41	55dB	2.5	153%	Day
5341	2025-04-18 18:46:04	74.53	55dB	3.9	287%	Day
5342	2025-04-18 18:48:22	69.41	55dB	2.7	172%	Day
5343	2025-04-18 18:51:04	N/A	55dB	N/A	N/A	Day
5344	2025-04-18 18:52:33	82.57	55dB	6.8	576%	Day
5345	2025-04-18 18:54:07	72.36	55dB	3.3	233%	Day
5346	2025-04-18 18:56:06	68.47	55dB	2.5	154%	Day
5347	2025-04-18 18:57:15	68.85	55dB	2.6	161%	Day
5348	2025-04-18 18:58:36	67.06	55dB	2.3	131%	Day
5349	2025-04-18 18:59:49	70.78	55dB	3.0	199%	Day
5350	2025-04-18 19:01:10	75.36	55dB	4.1	310%	Day
5351	2025-04-18 19:02:44	73.91	55dB	3.7	271%	Day
5352	2025-04-18 19:04:38	69.81	55dB	2.8	179%	Day
5353	2025-04-18 19:06:03	69.47	55dB	2.7	173%	Day
5354	2025-04-18 19:11:20	69.86	55dB	2.8	180%	Day
5355	2025-04-18 19:12:58	72.21	55dB	3.3	230%	Day
5356	2025-04-18 19:14:33	69.92	55dB	2.8	181%	Day
5357	2025-04-18 19:16:16	71.89	55dB	3.2	222%	Day
5358	2025-04-18 19:18:20	71.29	55dB	3.1	209%	Day
5359	2025-04-18 19:19:50	67.49	55dB	2.4	138%	Day
5360	2025-04-18 19:21:09	68.87	55dB	2.6	162%	Day
5361	2025-04-18 19:22:33	71.99	55dB	3.2	225%	Day
5362	2025-04-18 19:23:47	68.62	55dB	2.6	157%	Day

5363	2025-04-18 19:25:12	74.62	55dB	3.9	290%	Day
5364	2025-04-18 19:26:44	71.69	55dB	3.2	218%	Day
5365	2025-04-18 19:30:35	69.21	55dB	2.7	168%	Day
5366	2025-04-18 19:31:58	66.55	55dB	2.2	123%	Day
5367	2025-04-18 19:33:19	72.10	55dB	3.3	227%	Day
5368	2025-04-18 19:35:58	70.58	55dB	2.9	194%	Day
5369	2025-04-18 19:38:10	78.38	55dB	5.1	406%	Day
5370	2025-04-18 19:39:40	70.87	55dB	3.0	200%	Day
5371	2025-04-18 19:43:38	71.28	55dB	3.1	209%	Day
5372	2025-04-18 19:45:03	74.08	55dB	3.8	275%	Day
5373	2025-04-18 19:46:26	79.50	55dB	5.5	446%	Day
5374	2025-04-18 19:47:52	68.19	55dB	2.5	149%	Day
5375	2025-04-18 19:50:50	69.27	55dB	2.7	169%	Day
5376	2025-04-18 19:52:23	N/A	55dB	N/A	N/A	Day
5377	2025-04-18 19:54:47	74.21	55dB	3.8	279%	Day
5378	2025-04-18 19:58:03	71.08	55dB	3.0	205%	Day
5379	2025-04-18 20:00:08	N/A	55dB	N/A	N/A	Day
5380	2025-04-18 20:02:38	70.48	55dB	2.9	192%	Day
5381	2025-04-18 20:05:53	70.97	55dB	3.0	203%	Day
5382	2025-04-18 20:10:02	82.87	55dB	6.9	590%	Day
5383	2025-04-18 20:16:57	70.47	55dB	2.9	192%	Day
5384	2025-04-18 20:21:57	74.86	55dB	4.0	296%	Day
5385	2025-04-18 20:23:52	76.43	55dB	4.4	342%	Day
5386	2025-04-18 20:25:09	70.52	55dB	2.9	193%	Day
5387	2025-04-18 20:26:14	N/A	55dB	N/A	N/A	Day
5388	2025-04-18 20:27:27	69.96	55dB	2.8	182%	Day
5389	2025-04-18 20:28:44	69.39	55dB	2.7	171%	Day
5390	2025-04-18 20:30:42	70.70	55dB	3.0	197%	Day
5391	2025-04-18 20:32:16	70.23	55dB	2.9	187%	Day
5392	2025-04-18 20:33:43	71.17	55dB	3.1	207%	Day
5393	2025-04-18 20:35:48	71.32	55dB	3.1	210%	Day
5394	2025-04-18 20:38:11	70.56	55dB	2.9	194%	Day
5395	2025-04-18 20:39:35	72.02	55dB	3.3	225%	Day
5396	2025-04-18 20:41:09	77.93	55dB	4.9	390%	Day
5397	2025-04-18 20:42:19	68.63	55dB	2.6	157%	Day
5398	2025-04-18 20:43:45	70.80	55dB	3.0	199%	Day
5399	2025-04-18 20:45:11	71.62	55dB	3.2	216%	Day
5400	2025-04-18 20:46:46	70.58	55dB	2.9	194%	Day
5401	2025-04-18 20:48:17	69.50	55dB	2.7	173%	Day
5402	2025-04-18 20:49:42	69.24	55dB	2.7	168%	Day
5403	2025-04-18 20:50:58	N/A	55dB	N/A	N/A	Day
5404	2025-04-18 20:52:15	70.35	55dB	2.9	190%	Day
5405	2025-04-18 20:53:28	68.99	55dB	2.6	164%	Day
5406	2025-04-18 20:54:57	70.16	55dB	2.9	186%	Day

5407	2025-04-18 20:56:27	67.90	55dB	2.4	145%	Day
5408	2025-04-18 20:57:56	70.79	55dB	3.0	199%	Day
5409	2025-04-18 20:59:09	70.27	55dB	2.9	188%	Day
5410	2025-04-18 21:00:38	68.73	55dB	2.6	159%	Day
5411	2025-04-18 21:03:03	70.01	55dB	2.8	183%	Day
5412	2025-04-18 21:04:49	69.21	55dB	2.7	168%	Day
5413	2025-04-18 21:06:26	68.34	55dB	2.5	152%	Day
5414	2025-04-18 21:08:21	68.89	55dB	2.6	162%	Day
5415	2025-04-18 21:09:43	68.53	55dB	2.6	155%	Day
5416	2025-04-18 21:11:20	70.33	55dB	2.9	189%	Day
5417	2025-04-18 21:13:33	70.31	55dB	2.9	189%	Day
5418	2025-04-18 21:15:23	72.52	55dB	3.4	237%	Day
5419	2025-04-18 21:21:02	68.52	55dB	2.6	155%	Day
5420	2025-04-18 21:22:30	66.28	55dB	2.2	119%	Day
5421	2025-04-18 21:24:01	68.12	55dB	2.5	148%	Day
5422	2025-04-18 21:32:27	70.48	55dB	2.9	192%	Day
5423	2025-04-18 21:34:23	73.39	55dB	3.6	258%	Day
5424	2025-04-18 21:36:49	70.49	55dB	2.9	193%	Day
5425	2025-04-18 21:38:38	70.51	55dB	2.9	193%	Day
5426	2025-04-18 21:40:15	N/A	55dB	N/A	N/A	Day
5427	2025-04-18 21:42:14	67.56	55dB	2.4	139%	Day
5428	2025-04-18 21:47:52	82.89	55dB	6.9	591%	Day
5429	2025-04-18 21:50:24	69.85	55dB	2.8	180%	Day
5430	2025-04-18 21:52:17	71.76	55dB	3.2	220%	Day
5431	2025-04-18 21:53:39	67.56	55dB	2.4	139%	Day
5432	2025-04-18 21:55:00	68.96	55dB	2.6	163%	Day
5433	2025-04-18 21:56:33	70.53	55dB	2.9	193%	Day
5434	2025-04-18 21:58:07	68.28	55dB	2.5	151%	Day
5435	2025-04-18 21:59:48	68.96	55dB	2.6	163%	Day
5436	2025-04-18 22:01:24	N/A	55dB	N/A	N/A	Day
5437	2025-04-18 22:03:07	72.61	55dB	3.4	239%	Day
5438	2025-04-18 22:04:41	72.61	55dB	3.4	239%	Day
5439	2025-04-18 22:06:32	N/A	55dB	N/A	N/A	Day
5440	2025-04-18 22:08:05	71.11	55dB	3.1	205%	Day
5441	2025-04-18 22:12:32	69.00	55dB	2.6	164%	Day
5442	2025-04-18 22:14:58	73.23	55dB	3.5	254%	Day
5443	2025-04-18 22:16:42	74.00	55dB	3.7	273%	Day
5444	2025-04-18 22:19:11	70.91	55dB	3.0	201%	Day
5445	2025-04-18 22:22:37	N/A	55dB	N/A	N/A	Day
5446	2025-04-18 22:31:55	68.88	55dB	2.6	162%	Day
5447	2025-04-18 22:34:50	70.63	55dB	3.0	195%	Day
5448	2025-04-18 22:37:03	N/A	55dB	N/A	N/A	Day
5449	2025-04-18 22:38:57	N/A	55dB	N/A	N/A	Day
5450	2025-04-18 22:41:46	70.79	55dB	3.0	199%	Day

5451	2025-04-18 22:55:27	74.57	55dB	3.9	288%	Day
5452	2025-04-18 22:58:38	71.65	55dB	3.2	217%	Day
5453	2025-04-18 23:00:25	73.06	45dB	7.0	599%	Night
5454	2025-04-18 23:04:55	67.69	45dB	4.8	382%	Night
5455	2025-04-18 23:09:14	69.32	45dB	5.4	440%	Night
5456	2025-04-18 23:14:54	70.60	45dB	5.9	490%	Night
5457	2025-04-18 23:23:02	71.16	45dB	6.1	513%	Night
5458	2025-04-18 23:27:26	72.25	45dB	6.6	561%	Night
5459	2025-04-18 23:31:02	71.09	45dB	6.1	510%	Night
5460	2025-04-18 23:33:08	71.35	45dB	6.2	521%	Night
5461	2025-04-18 23:34:46	72.74	45dB	6.8	584%	Night
5462	2025-04-18 23:36:21	72.22	45dB	6.6	560%	Night
5463	2025-04-18 23:38:05	68.62	45dB	5.1	414%	Night
5464	2025-04-18 23:40:06	N/A	45dB	N/A	N/A	Night
5465	2025-04-18 23:41:47	72.69	45dB	6.8	582%	Night
5466	2025-04-18 23:44:10	69.23	45dB	5.4	436%	Night
5467	2025-04-18 23:46:03	74.10	45dB	7.5	652%	Night
5468	2025-04-18 23:55:30	73.69	45dB	7.3	631%	Night
5469	2025-04-19 00:02:33	69.07	45dB	5.3	430%	Night
5470	2025-04-19 00:04:25	81.68	45dB	12.7	1171%	Night
5471	2025-04-19 00:06:02	73.91	45dB	7.4	642%	Night
5472	2025-04-19 00:07:52	71.76	45dB	6.4	539%	Night
5473	2025-04-19 00:10:45	71.46	45dB	6.3	526%	Night
5474	2025-04-19 00:12:34	68.98	45dB	5.3	427%	Night
5475	2025-04-19 00:15:02	76.37	45dB	8.8	780%	Night
5476	2025-04-19 04:00:53	N/A	45dB	N/A	N/A	Night
5477	2025-04-19 06:29:02	72.41	45dB	6.7	569%	Night
5478	2025-04-19 06:30:33	68.94	45dB	5.3	426%	Night
5479	2025-04-19 06:32:02	69.00	45dB	5.3	428%	Night
5480	2025-04-19 06:33:30	74.28	45dB	7.6	661%	Night
5481	2025-04-19 06:35:31	70.32	45dB	5.8	478%	Night
5482	2025-04-19 06:36:46	68.91	45dB	5.2	425%	Night
5483	2025-04-19 06:38:14	70.23	45dB	5.7	475%	Night
5484	2025-04-19 06:40:04	69.24	45dB	5.4	437%	Night
5485	2025-04-19 06:41:35	73.05	45dB	7.0	599%	Night
5486	2025-04-19 06:43:32	76.49	45dB	8.9	787%	Night
5487	2025-04-19 06:45:19	72.03	45dB	6.5	551%	Night
5488	2025-04-19 06:47:41	70.55	45dB	5.9	488%	Night
5489	2025-04-19 06:49:02	68.85	45dB	5.2	422%	Night
5490	2025-04-19 06:50:21	72.39	45dB	6.7	568%	Night
5491	2025-04-19 06:51:55	70.52	45dB	5.9	486%	Night
5492	2025-04-19 06:53:26	71.32	45dB	6.2	520%	Night
5493	2025-04-19 06:55:35	69.99	45dB	5.7	465%	Night
5494	2025-04-19 06:57:21	N/A	45dB	N/A	N/A	Night

5495	2025-04-19 06:59:13	N/A	45dB	N/A	N/A	Night
5496	2025-04-19 07:00:49	76.19	55dB	4.3	334%	Day
5497	2025-04-19 07:02:09	N/A	55dB	N/A	N/A	Day
5498	2025-04-19 07:03:37	N/A	55dB	N/A	N/A	Day
5499	2025-04-19 07:05:10	74.21	55dB	3.8	279%	Day
5500	2025-04-19 07:07:09	71.98	55dB	3.2	224%	Day
5501	2025-04-19 07:08:51	70.87	55dB	3.0	200%	Day
5502	2025-04-19 07:10:34	N/A	55dB	N/A	N/A	Day
5503	2025-04-19 07:13:03	71.84	55dB	3.2	221%	Day
5504	2025-04-19 07:16:56	N/A	55dB	N/A	N/A	Day
5505	2025-04-19 07:20:31	70.75	55dB	3.0	198%	Day
5506	2025-04-19 07:29:09	69.64	55dB	2.8	176%	Day
5507	2025-04-19 07:41:52	68.47	55dB	2.5	154%	Day
5508	2025-04-19 07:43:49	70.91	55dB	3.0	201%	Day
5509	2025-04-19 07:45:33	69.36	55dB	2.7	171%	Day
5510	2025-04-19 07:50:16	72.27	55dB	3.3	231%	Day
5511	2025-04-19 07:52:47	N/A	55dB	N/A	N/A	Day
5512	2025-04-19 07:54:25	70.47	55dB	2.9	192%	Day
5513	2025-04-19 07:57:24	70.35	55dB	2.9	190%	Day
5514	2025-04-19 07:58:51	69.62	55dB	2.8	175%	Day
5515	2025-04-19 08:01:09	66.38	55dB	2.2	120%	Day
5516	2025-04-19 08:03:51	73.97	55dB	3.7	272%	Day
5517	2025-04-19 08:06:12	N/A	55dB	N/A	N/A	Day
5518	2025-04-19 08:07:20	70.56	55dB	2.9	194%	Day
5519	2025-04-19 08:08:55	70.96	55dB	3.0	202%	Day
5520	2025-04-19 08:10:09	68.61	55dB	2.6	157%	Day
5521	2025-04-19 08:12:21	N/A	55dB	N/A	N/A	Day
5522	2025-04-19 08:23:34	71.49	55dB	3.1	214%	Day
5523	2025-04-19 08:28:02	N/A	55dB	N/A	N/A	Day
5524	2025-04-19 08:30:12	N/A	55dB	N/A	N/A	Day
5525	2025-04-19 08:32:28	73.29	55dB	3.6	255%	Day
5526	2025-04-19 08:49:08	72.53	55dB	3.4	237%	Day
5527	2025-04-19 08:53:01	N/A	55dB	N/A	N/A	Day
5528	2025-04-19 09:19:12	N/A	55dB	N/A	N/A	Day
5529	2025-04-19 09:22:51	68.80	55dB	2.6	160%	Day
5530	2025-04-19 09:30:45	68.40	55dB	2.5	153%	Day
5531	2025-04-19 09:36:44	73.61	55dB	3.6	263%	Day
5532	2025-04-19 09:39:41	67.52	55dB	2.4	138%	Day
5533	2025-04-19 09:41:13	70.21	55dB	2.9	187%	Day
5534	2025-04-19 09:44:09	69.31	55dB	2.7	170%	Day
5535	2025-04-19 09:45:51	70.37	55dB	2.9	190%	Day
5536	2025-04-19 09:49:35	67.79	55dB	2.4	143%	Day
5537	2025-04-19 09:55:16	N/A	55dB	N/A	N/A	Day
5538	2025-04-19 10:05:21	86.63	55dB	9.0	796%	Day

5539	2025-04-19 10:08:25	N/A	55dB	N/A	N/A	Day
5540	2025-04-19 10:10:51	81.11	55dB	6.1	511%	Day
5541	2025-04-19 10:13:36	73.50	55dB	3.6	261%	Day
5542	2025-04-19 10:15:32	72.92	55dB	3.5	246%	Day
5543	2025-04-19 10:17:08	N/A	55dB	N/A	N/A	Day
5544	2025-04-19 10:20:27	79.89	55dB	5.6	461%	Day
5545	2025-04-19 10:22:23	69.30	55dB	2.7	169%	Day
5546	2025-04-19 10:24:25	68.93	55dB	2.6	163%	Day
5547	2025-04-19 10:26:15	70.88	55dB	3.0	201%	Day
5548	2025-04-19 10:28:52	70.92	55dB	3.0	201%	Day
5549	2025-04-19 10:30:25	83.60	55dB	7.3	626%	Day
5550	2025-04-19 10:31:53	74.03	55dB	3.7	274%	Day
5551	2025-04-19 10:33:26	76.58	55dB	4.5	346%	Day
5552	2025-04-19 10:37:43	70.76	55dB	3.0	198%	Day
5553	2025-04-19 10:41:52	71.00	55dB	3.0	203%	Day
5554	2025-04-19 10:43:57	73.37	55dB	3.6	257%	Day
5555	2025-04-19 10:45:37	70.32	55dB	2.9	189%	Day
5556	2025-04-19 10:47:01	73.19	55dB	3.5	253%	Day
5557	2025-04-19 10:48:55	69.37	55dB	2.7	171%	Day
5558	2025-04-19 10:51:09	72.15	55dB	3.3	228%	Day
5559	2025-04-19 10:53:07	73.18	55dB	3.5	253%	Day
5560	2025-04-19 10:54:52	75.25	55dB	4.1	307%	Day
5561	2025-04-19 10:57:17	N/A	55dB	N/A	N/A	Day
5562	2025-04-19 10:58:49	N/A	55dB	N/A	N/A	Day
5563	2025-04-19 11:00:37	79.76	55dB	5.6	456%	Day
5564	2025-04-19 11:02:02	71.86	55dB	3.2	222%	Day
5565	2025-04-19 11:09:55	76.25	55dB	4.4	336%	Day
5566	2025-04-19 11:11:47	76.93	55dB	4.6	357%	Day
5567	2025-04-19 11:13:02	72.59	55dB	3.4	238%	Day
5568	2025-04-19 11:14:22	68.90	55dB	2.6	162%	Day
5569	2025-04-19 11:15:44	N/A	55dB	N/A	N/A	Day
5570	2025-04-19 11:18:16	N/A	55dB	N/A	N/A	Day
5571	2025-04-19 11:19:31	N/A	55dB	N/A	N/A	Day
5572	2025-04-19 11:21:33	78.16	55dB	5.0	398%	Day
5573	2025-04-19 11:23:48	74.71	55dB	3.9	292%	Day
5574	2025-04-19 11:26:13	70.96	55dB	3.0	202%	Day
5575	2025-04-19 11:29:49	70.02	55dB	2.8	183%	Day
5576	2025-04-19 11:31:12	77.22	55dB	4.7	367%	Day
5577	2025-04-19 11:32:33	74.55	55dB	3.9	288%	Day
5578	2025-04-19 11:34:05	76.23	55dB	4.4	336%	Day
5579	2025-04-19 11:35:33	N/A	55dB	N/A	N/A	Day
5580	2025-04-19 11:36:48	68.93	55dB	2.6	163%	Day
5581	2025-04-19 11:38:01	70.74	55dB	3.0	198%	Day
5582	2025-04-19 11:39:19	69.98	55dB	2.8	182%	Day

5583	2025-04-19 11:40:55	75.15	55dB	4.0	304%	Day
5584	2025-04-19 11:43:26	68.50	55dB	2.5	155%	Day
5585	2025-04-19 11:50:07	80.99	55dB	6.1	506%	Day
5586	2025-04-19 11:54:15	69.13	55dB	2.7	166%	Day
5587	2025-04-19 12:00:46	N/A	55dB	N/A	N/A	Day
5588	2025-04-19 12:02:18	67.35	55dB	2.4	135%	Day
5589	2025-04-19 12:03:27	N/A	55dB	N/A	N/A	Day
5590	2025-04-19 12:05:02	76.76	55dB	4.5	352%	Day
5591	2025-04-19 12:06:28	N/A	55dB	N/A	N/A	Day
5592	2025-04-19 12:07:46	N/A	55dB	N/A	N/A	Day
5593	2025-04-19 12:10:25	74.07	55dB	3.8	275%	Day
5594	2025-04-19 12:14:46	82.61	55dB	6.8	578%	Day
5595	2025-04-19 12:17:17	72.34	55dB	3.3	233%	Day
5596	2025-04-19 12:18:33	68.80	55dB	2.6	160%	Day
5597	2025-04-19 12:19:49	69.17	55dB	2.7	167%	Day
5598	2025-04-19 12:21:55	70.17	55dB	2.9	186%	Day
5599	2025-04-19 12:28:08	76.54	55dB	4.5	345%	Day
5600	2025-04-19 12:30:58	72.47	55dB	3.4	236%	Day
5601	2025-04-19 12:33:21	N/A	55dB	N/A	N/A	Day
5602	2025-04-19 12:37:13	71.40	55dB	3.1	212%	Day
5603	2025-04-19 12:41:17	72.14	55dB	3.3	228%	Day
5604	2025-04-19 12:46:00	70.51	55dB	2.9	193%	Day
5605	2025-04-19 12:53:11	73.37	55dB	3.6	257%	Day
5606	2025-04-19 12:56:51	70.15	55dB	2.9	186%	Day
5607	2025-04-19 13:01:11	69.63	55dB	2.8	176%	Day
5608	2025-04-19 13:08:56	74.11	55dB	3.8	276%	Day
5609	2025-04-19 13:16:24	N/A	55dB	N/A	N/A	Day
5610	2025-04-19 13:19:19	68.84	55dB	2.6	161%	Day
5611	2025-04-19 13:20:45	74.90	55dB	4.0	297%	Day
5612	2025-04-19 13:22:50	71.99	55dB	3.2	225%	Day
5613	2025-04-19 13:24:09	69.90	55dB	2.8	181%	Day
5614	2025-04-19 13:25:56	74.48	55dB	3.9	286%	Day
5615	2025-04-19 13:28:31	72.32	55dB	3.3	232%	Day
5616	2025-04-19 13:30:02	72.43	55dB	3.3	235%	Day
5617	2025-04-19 13:32:07	69.90	55dB	2.8	181%	Day
5618	2025-04-19 13:33:56	78.25	55dB	5.0	401%	Day
5619	2025-04-19 13:35:47	80.39	55dB	5.8	481%	Day
5620	2025-04-19 13:37:31	73.08	55dB	3.5	250%	Day
5621	2025-04-19 13:39:31	72.40	55dB	3.3	234%	Day
5622	2025-04-19 13:41:00	76.06	55dB	4.3	330%	Day
5623	2025-04-19 13:43:17	66.58	55dB	2.2	123%	Day
5624	2025-04-19 13:47:35	83.66	55dB	7.3	629%	Day
5625	2025-04-19 13:49:13	78.85	55dB	5.2	422%	Day
5626	2025-04-19 13:50:37	74.96	55dB	4.0	299%	Day

5627	2025-04-19 13:52:09	73.98	55dB	3.7	273%	Day
5628	2025-04-19 13:53:55	79.70	55dB	5.5	454%	Day
5629	2025-04-19 13:56:13	N/A	55dB	N/A	N/A	Day
5630	2025-04-19 13:59:02	82.39	55dB	6.7	568%	Day
5631	2025-04-19 14:00:22	83.72	55dB	7.3	632%	Day
5632	2025-04-19 14:05:44	90.15	55dB	11.4	1043%	Day
5633	2025-04-19 14:10:52	70.14	55dB	2.9	186%	Day
5634	2025-04-19 14:12:38	85.90	55dB	8.5	751%	Day
5635	2025-04-19 14:14:03	79.75	55dB	5.6	456%	Day
5636	2025-04-19 14:16:04	72.65	55dB	3.4	240%	Day
5637	2025-04-19 14:17:36	N/A	55dB	N/A	N/A	Day
5638	2025-04-19 14:19:16	75.38	55dB	4.1	311%	Day
5639	2025-04-19 14:26:21	69.99	55dB	2.8	183%	Day
5640	2025-04-19 14:28:48	86.69	55dB	9.0	799%	Day
5641	2025-04-19 14:31:26	73.83	55dB	3.7	269%	Day
5642	2025-04-19 14:33:42	70.32	55dB	2.9	189%	Day
5643	2025-04-19 14:35:02	69.81	55dB	2.8	179%	Day
5644	2025-04-19 14:36:40	69.57	55dB	2.7	175%	Day
5645	2025-04-19 14:37:56	N/A	55dB	N/A	N/A	Day
5646	2025-04-19 14:39:16	81.69	55dB	6.4	536%	Day
5647	2025-04-19 14:40:52	70.00	55dB	2.8	183%	Day
5648	2025-04-19 14:42:31	70.25	55dB	2.9	188%	Day
5649	2025-04-19 14:44:11	71.18	55dB	3.1	207%	Day
5650	2025-04-19 14:45:46	68.97	55dB	2.6	163%	Day
5651	2025-04-19 14:47:35	81.38	55dB	6.2	522%	Day
5652	2025-04-19 14:49:37	72.34	55dB	3.3	233%	Day
5653	2025-04-19 14:50:56	77.68	55dB	4.8	382%	Day
5654	2025-04-19 14:52:34	72.42	55dB	3.3	234%	Day
5655	2025-04-19 14:53:38	N/A	55dB	N/A	N/A	Day
5656	2025-04-19 14:55:35	70.97	55dB	3.0	203%	Day
5657	2025-04-19 15:01:25	79.56	55dB	5.5	449%	Day
5658	2025-04-19 15:02:53	72.74	55dB	3.4	242%	Day
5659	2025-04-19 15:04:51	77.12	55dB	4.6	363%	Day
5660	2025-04-19 15:07:38	70.01	55dB	2.8	183%	Day
5661	2025-04-19 15:09:28	77.29	55dB	4.7	369%	Day
5662	2025-04-19 15:10:46	80.57	55dB	5.9	488%	Day
5663	2025-04-19 15:12:41	73.54	55dB	3.6	262%	Day
5664	2025-04-19 15:14:55	N/A	55dB	N/A	N/A	Day
5665	2025-04-19 15:16:24	78.22	55dB	5.0	400%	Day
5666	2025-04-19 15:19:07	77.13	55dB	4.6	364%	Day
5667	2025-04-19 15:21:16	70.54	55dB	2.9	194%	Day
5668	2025-04-19 15:23:09	74.19	55dB	3.8	278%	Day
5669	2025-04-19 15:27:38	73.04	55dB	3.5	249%	Day
5670	2025-04-19 15:30:34	77.47	55dB	4.7	375%	Day

5671	2025-04-19 15:32:32	81.47	55dB	6.3	526%	Day
5672	2025-04-19 15:34:25	73.46	55dB	3.6	260%	Day
5673	2025-04-19 15:35:45	76.99	55dB	4.6	359%	Day
5674	2025-04-19 15:38:54	N/A	55dB	N/A	N/A	Day
5675	2025-04-19 15:41:13	75.97	55dB	4.3	328%	Day
5676	2025-04-19 15:43:37	71.38	55dB	3.1	211%	Day
5677	2025-04-19 15:45:43	79.08	55dB	5.3	431%	Day
5678	2025-04-19 15:47:50	70.54	55dB	2.9	194%	Day
5679	2025-04-19 15:49:31	79.84	55dB	5.6	459%	Day
5680	2025-04-19 15:51:08	76.90	55dB	4.6	356%	Day
5681	2025-04-19 15:52:54	75.56	55dB	4.2	316%	Day
5682	2025-04-19 15:54:53	77.42	55dB	4.7	373%	Day
5683	2025-04-19 15:57:02	75.21	55dB	4.1	306%	Day
5684	2025-04-19 15:58:49	79.27	55dB	5.4	438%	Day
5685	2025-04-19 16:00:42	71.77	55dB	3.2	220%	Day
5686	2025-04-19 16:02:07	70.88	55dB	3.0	201%	Day
5687	2025-04-19 16:03:31	N/A	55dB	N/A	N/A	Day
5688	2025-04-19 16:05:04	75.44	55dB	4.1	312%	Day
5689	2025-04-19 16:07:45	76.79	55dB	4.5	353%	Day
5690	2025-04-19 16:09:03	N/A	55dB	N/A	N/A	Day
5691	2025-04-19 16:10:28	N/A	55dB	N/A	N/A	Day
5692	2025-04-19 16:11:51	N/A	55dB	N/A	N/A	Day
5693	2025-04-19 16:13:13	73.78	55dB	3.7	268%	Day
5694	2025-04-19 16:14:43	74.46	55dB	3.9	285%	Day
5695	2025-04-19 16:16:30	73.68	55dB	3.7	265%	Day
5696	2025-04-19 16:19:04	76.76	55dB	4.5	352%	Day
5697	2025-04-19 16:22:30	72.98	55dB	3.5	248%	Day
5698	2025-04-19 16:26:30	73.13	55dB	3.5	251%	Day
5699	2025-04-19 16:28:16	68.71	55dB	2.6	159%	Day
5700	2025-04-19 16:30:15	70.36	55dB	2.9	190%	Day
5701	2025-04-19 16:31:37	80.12	55dB	5.7	470%	Day
5702	2025-04-19 16:33:55	N/A	55dB	N/A	N/A	Day
5703	2025-04-19 16:36:12	76.12	55dB	4.3	332%	Day
5704	2025-04-19 16:38:04	70.32	55dB	2.9	189%	Day
5705	2025-04-19 16:40:09	70.23	55dB	2.9	187%	Day
5706	2025-04-19 16:42:12	74.92	55dB	4.0	298%	Day
5707	2025-04-19 16:45:36	71.84	55dB	3.2	221%	Day
5708	2025-04-19 16:47:03	N/A	55dB	N/A	N/A	Day
5709	2025-04-19 16:48:55	68.68	55dB	2.6	158%	Day
5710	2025-04-19 16:50:25	71.21	55dB	3.1	208%	Day
5711	2025-04-19 16:51:52	71.17	55dB	3.1	207%	Day
5712	2025-04-19 16:53:10	72.47	55dB	3.4	236%	Day
5713	2025-04-19 16:55:06	74.69	55dB	3.9	291%	Day
5714	2025-04-19 16:56:31	N/A	55dB	N/A	N/A	Day

5715	2025-04-19 16:57:47	67.37	55dB	2.4	136%	Day
5716	2025-04-19 16:59:14	71.32	55dB	3.1	210%	Day
5717	2025-04-19 17:01:45	72.23	55dB	3.3	230%	Day
5718	2025-04-19 17:06:23	83.26	55dB	7.1	609%	Day
5719	2025-04-19 17:07:37	78.19	55dB	5.0	399%	Day
5720	2025-04-19 17:08:52	80.68	55dB	5.9	493%	Day
5721	2025-04-19 17:10:10	76.87	55dB	4.6	355%	Day
5722	2025-04-19 17:11:16	80.80	55dB	6.0	498%	Day
5723	2025-04-19 17:12:53	68.07	55dB	2.5	147%	Day
5724	2025-04-19 17:14:09	79.78	55dB	5.6	457%	Day
5725	2025-04-19 17:15:46	79.18	55dB	5.3	434%	Day
5726	2025-04-19 17:17:43	83.65	55dB	7.3	629%	Day
5727	2025-04-19 17:19:14	75.43	55dB	4.1	312%	Day
5728	2025-04-19 17:20:49	71.05	55dB	3.0	204%	Day
5729	2025-04-19 17:22:23	69.94	55dB	2.8	182%	Day
5730	2025-04-19 17:24:05	87.32	55dB	9.4	840%	Day
5731	2025-04-19 17:28:19	65.77	55dB	2.1	111%	Day
5732	2025-04-19 17:31:32	81.74	55dB	6.4	538%	Day
5733	2025-04-19 17:34:01	N/A	55dB	N/A	N/A	Day
5734	2025-04-19 17:36:02	84.86	55dB	7.9	692%	Day
5735	2025-04-19 17:38:06	71.63	55dB	3.2	217%	Day
5736	2025-04-19 17:45:34	78.67	55dB	5.2	416%	Day
5737	2025-04-19 17:47:09	78.41	55dB	5.1	407%	Day
5738	2025-04-19 17:51:25	69.10	55dB	2.7	166%	Day
5739	2025-04-19 17:56:51	71.45	55dB	3.1	213%	Day
5740	2025-04-19 17:59:37	78.80	55dB	5.2	421%	Day
5741	2025-04-19 18:01:03	74.90	55dB	4.0	297%	Day
5742	2025-04-19 18:03:18	N/A	55dB	N/A	N/A	Day
5743	2025-04-19 18:04:40	73.84	55dB	3.7	269%	Day
5744	2025-04-19 18:06:16	72.97	55dB	3.5	247%	Day
5745	2025-04-19 18:07:41	70.99	55dB	3.0	203%	Day
5746	2025-04-19 18:09:34	73.00	55dB	3.5	248%	Day
5747	2025-04-19 18:12:20	80.90	55dB	6.0	502%	Day
5748	2025-04-19 18:13:42	78.21	55dB	5.0	400%	Day
5749	2025-04-19 18:15:30	71.80	55dB	3.2	220%	Day
5750	2025-04-19 18:19:38	N/A	55dB	N/A	N/A	Day
5751	2025-04-19 18:21:21	70.98	55dB	3.0	203%	Day
5752	2025-04-19 18:23:07	69.04	55dB	2.6	165%	Day
5753	2025-04-19 18:25:15	N/A	55dB	N/A	N/A	Day
5754	2025-04-19 18:26:57	67.20	55dB	2.3	133%	Day
5755	2025-04-19 18:28:09	82.40	55dB	6.7	568%	Day
5756	2025-04-19 18:30:10	N/A	55dB	N/A	N/A	Day
5757	2025-04-19 18:32:36	79.58	55dB	5.5	449%	Day
5758	2025-04-19 18:34:02	N/A	55dB	N/A	N/A	Day

5759	2025-04-19 18:35:28	N/A	55dB	N/A	N/A	Day
5760	2025-04-19 18:37:26	81.89	55dB	6.4	545%	Day
5761	2025-04-19 18:39:43	N/A	55dB	N/A	N/A	Day
5762	2025-04-19 18:41:12	83.72	55dB	7.3	632%	Day
5763	2025-04-19 18:45:15	86.97	55dB	9.2	817%	Day
5764	2025-04-19 18:47:13	74.91	55dB	4.0	298%	Day
5765	2025-04-19 18:49:23	77.83	55dB	4.9	387%	Day
5766	2025-04-19 18:52:43	80.88	55dB	6.0	501%	Day
5767	2025-04-19 18:54:43	69.82	55dB	2.8	179%	Day
5768	2025-04-19 18:56:10	81.65	55dB	6.3	534%	Day
5769	2025-04-19 19:00:17	76.34	55dB	4.4	339%	Day
5770	2025-04-19 19:02:40	71.62	55dB	3.2	216%	Day
5771	2025-04-19 19:04:31	N/A	55dB	N/A	N/A	Day
5772	2025-04-19 19:05:39	86.93	55dB	9.1	815%	Day
5773	2025-04-19 19:07:05	72.04	55dB	3.3	226%	Day
5774	2025-04-19 19:09:25	84.18	55dB	7.6	656%	Day
5775	2025-04-19 19:10:39	81.99	55dB	6.5	549%	Day
5776	2025-04-19 19:12:10	75.28	55dB	4.1	308%	Day
5777	2025-04-19 19:13:26	72.10	55dB	3.3	227%	Day
5778	2025-04-19 19:15:28	73.70	55dB	3.7	266%	Day
5779	2025-04-19 19:16:45	79.47	55dB	5.5	445%	Day
5780	2025-04-19 19:18:17	79.13	55dB	5.3	433%	Day
5781	2025-04-19 19:22:04	78.89	55dB	5.2	424%	Day
5782	2025-04-19 19:24:26	N/A	55dB	N/A	N/A	Day
5783	2025-04-19 19:25:55	82.57	55dB	6.8	576%	Day
5784	2025-04-19 19:29:17	80.39	55dB	5.8	481%	Day
5785	2025-04-19 19:32:25	83.63	55dB	7.3	628%	Day
5786	2025-04-19 19:33:51	N/A	55dB	N/A	N/A	Day
5787	2025-04-19 19:35:05	74.00	55dB	3.7	273%	Day
5788	2025-04-19 19:36:47	N/A	55dB	N/A	N/A	Day
5789	2025-04-19 19:38:22	76.53	55dB	4.4	345%	Day
5790	2025-04-19 19:40:24	69.68	55dB	2.8	177%	Day
5791	2025-04-19 19:42:24	74.21	55dB	3.8	279%	Day
5792	2025-04-19 19:44:23	82.38	55dB	6.7	567%	Day
5793	2025-04-19 19:47:54	75.10	55dB	4.0	303%	Day
5794	2025-04-19 19:49:56	70.65	55dB	3.0	196%	Day
5795	2025-04-19 19:51:26	69.21	55dB	2.7	168%	Day
5796	2025-04-19 19:53:22	72.28	55dB	3.3	231%	Day
5797	2025-04-19 19:54:54	79.38	55dB	5.4	442%	Day
5798	2025-04-19 19:56:55	75.34	55dB	4.1	310%	Day
5799	2025-04-19 19:58:32	72.50	55dB	3.4	236%	Day
5800	2025-04-19 20:00:39	74.48	55dB	3.9	286%	Day
5801	2025-04-19 20:02:07	70.26	55dB	2.9	188%	Day
5802	2025-04-19 20:04:18	76.96	55dB	4.6	358%	Day

5803	2025-04-19 20:06:52	70.00	55dB	2.8	183%	Day
5804	2025-04-19 20:09:41	68.65	55dB	2.6	158%	Day
5805	2025-04-19 20:11:17	71.85	55dB	3.2	222%	Day
5806	2025-04-19 20:13:57	77.05	55dB	4.6	361%	Day
5807	2025-04-19 20:15:28	74.97	55dB	4.0	299%	Day
5808	2025-04-19 20:20:56	71.23	55dB	3.1	208%	Day
5809	2025-04-19 20:24:34	72.22	55dB	3.3	230%	Day
5810	2025-04-19 20:26:31	70.96	55dB	3.0	202%	Day
5811	2025-04-19 20:27:53	74.41	55dB	3.8	284%	Day
5812	2025-04-19 20:29:56	72.46	55dB	3.4	235%	Day
5813	2025-04-19 20:31:09	68.76	55dB	2.6	160%	Day
5814	2025-04-19 20:32:21	75.80	55dB	4.2	323%	Day
5815	2025-04-19 20:34:13	69.32	55dB	2.7	170%	Day
5816	2025-04-19 20:35:54	71.56	55dB	3.2	215%	Day
5817	2025-04-19 20:38:12	N/A	55dB	N/A	N/A	Day
5818	2025-04-19 20:40:45	70.56	55dB	2.9	194%	Day
5819	2025-04-19 20:43:11	74.73	55dB	3.9	293%	Day
5820	2025-04-19 20:45:35	N/A	55dB	N/A	N/A	Day
5821	2025-04-19 20:47:12	66.82	55dB	2.3	127%	Day
5822	2025-04-19 20:48:56	75.40	55dB	4.1	311%	Day
5823	2025-04-19 20:50:21	78.75	55dB	5.2	419%	Day
5824	2025-04-19 20:51:50	N/A	55dB	N/A	N/A	Day
5825	2025-04-19 20:53:16	75.89	55dB	4.3	325%	Day
5826	2025-04-19 20:55:42	N/A	55dB	N/A	N/A	Day
5827	2025-04-19 20:57:10	71.97	55dB	3.2	224%	Day
5828	2025-04-19 20:58:27	79.91	55dB	5.6	462%	Day
5829	2025-04-19 21:00:16	70.36	55dB	2.9	190%	Day
5830	2025-04-19 21:01:56	71.02	55dB	3.0	204%	Day
5831	2025-04-19 21:03:20	73.25	55dB	3.5	254%	Day
5832	2025-04-19 21:04:45	71.46	55dB	3.1	213%	Day
5833	2025-04-19 21:06:17	69.30	55dB	2.7	169%	Day
5834	2025-04-19 21:07:41	74.18	55dB	3.8	278%	Day
5835	2025-04-19 21:09:19	73.31	55dB	3.6	256%	Day
5836	2025-04-19 21:11:15	N/A	55dB	N/A	N/A	Day
5837	2025-04-19 21:12:30	71.20	55dB	3.1	207%	Day
5838	2025-04-19 21:13:52	71.76	55dB	3.2	220%	Day
5839	2025-04-19 21:17:15	71.77	55dB	3.2	220%	Day
5840	2025-04-19 21:18:41	71.14	55dB	3.1	206%	Day
5841	2025-04-19 21:21:02	74.43	55dB	3.8	285%	Day
5842	2025-04-19 21:23:03	74.84	55dB	4.0	296%	Day
5843	2025-04-19 21:24:26	74.27	55dB	3.8	280%	Day
5844	2025-04-19 21:25:43	71.94	55dB	3.2	224%	Day
5845	2025-04-19 21:32:19	69.82	55dB	2.8	179%	Day
5846	2025-04-19 21:34:07	N/A	55dB	N/A	N/A	Day

5847	2025-04-19 21:36:26	67.84	55dB	2.4	144%	Day
5848	2025-04-19 21:38:25	80.84	55dB	6.0	500%	Day
5849	2025-04-19 21:39:52	77.88	55dB	4.9	388%	Day
5850	2025-04-19 21:41:09	N/A	55dB	N/A	N/A	Day
5851	2025-04-19 21:42:47	76.63	55dB	4.5	348%	Day
5852	2025-04-19 21:45:30	71.48	55dB	3.1	213%	Day
5853	2025-04-19 21:48:04	N/A	55dB	N/A	N/A	Day
5854	2025-04-19 21:50:03	67.88	55dB	2.4	144%	Day
5855	2025-04-19 21:51:48	74.34	55dB	3.8	282%	Day
5856	2025-04-19 21:53:19	N/A	55dB	N/A	N/A	Day
5857	2025-04-19 21:55:19	N/A	55dB	N/A	N/A	Day
5858	2025-04-19 21:57:04	70.85	55dB	3.0	200%	Day
5859	2025-04-19 21:58:47	71.93	55dB	3.2	223%	Day
5860	2025-04-19 22:01:45	67.08	55dB	2.3	131%	Day
5861	2025-04-19 22:03:26	77.13	55dB	4.6	364%	Day
5862	2025-04-19 22:07:44	69.77	55dB	2.8	178%	Day
5863	2025-04-19 22:16:32	78.29	55dB	5.0	402%	Day
5864	2025-04-19 22:18:17	69.94	55dB	2.8	182%	Day
5865	2025-04-19 22:20:07	70.25	55dB	2.9	188%	Day
5866	2025-04-19 22:22:35	N/A	55dB	N/A	N/A	Day
5867	2025-04-19 22:24:11	69.03	55dB	2.6	164%	Day
5868	2025-04-19 22:25:32	68.54	55dB	2.6	156%	Day
5869	2025-04-19 22:26:55	67.92	55dB	2.4	145%	Day
5870	2025-04-19 22:28:25	N/A	55dB	N/A	N/A	Day
5871	2025-04-19 22:29:57	73.38	55dB	3.6	258%	Day
5872	2025-04-19 22:31:25	N/A	55dB	N/A	N/A	Day
5873	2025-04-19 22:40:26	68.87	55dB	2.6	162%	Day
5874	2025-04-19 22:45:42	N/A	55dB	N/A	N/A	Day
5875	2025-04-19 22:47:46	69.17	55dB	2.7	167%	Day
5876	2025-04-19 22:52:49	66.63	55dB	2.2	124%	Day
5877	2025-04-19 22:54:56	N/A	55dB	N/A	N/A	Day
5878	2025-04-19 23:00:45	66.77	45dB	4.5	352%	Night
5879	2025-04-19 23:02:49	77.42	45dB	9.5	846%	Night
5880	2025-04-19 23:06:25	77.07	45dB	9.2	823%	Night
5881	2025-04-19 23:15:00	N/A	45dB	N/A	N/A	Night
5882	2025-04-19 23:17:08	72.17	45dB	6.6	558%	Night
5883	2025-04-19 23:18:58	68.88	45dB	5.2	423%	Night
5884	2025-04-19 23:21:25	71.08	45dB	6.1	510%	Night
5885	2025-04-19 23:26:55	N/A	45dB	N/A	N/A	Night
5886	2025-04-19 23:28:42	67.25	45dB	4.7	368%	Night
5887	2025-04-19 23:31:12	72.62	45dB	6.8	578%	Night
5888	2025-04-19 23:33:42	69.19	45dB	5.3	435%	Night
5889	2025-04-19 23:35:22	71.98	45dB	6.5	549%	Night
5890	2025-04-19 23:37:11	71.59	45dB	6.3	532%	Night

5891	2025-04-19 23:38:32	70.24	45dB	5.8	475%	Night
5892	2025-04-19 23:39:47	69.54	45dB	5.5	448%	Night
5893	2025-04-19 23:41:18	75.77	45dB	8.4	744%	Night
5894	2025-04-19 23:46:03	N/A	45dB	N/A	N/A	Night
5895	2025-04-19 23:57:20	69.04	45dB	5.3	429%	Night
5896	2025-04-19 23:59:04	70.51	45dB	5.9	486%	Night
5897	2025-04-20 00:00:26	N/A	45dB	N/A	N/A	Night
5898	2025-04-20 00:02:37	76.97	45dB	9.2	817%	Night
5899	2025-04-20 00:04:07	76.63	45dB	9.0	796%	Night
5900	2025-04-20 00:08:50	79.24	45dB	10.7	973%	Night
5901	2025-04-20 00:11:17	N/A	45dB	N/A	N/A	Night
5902	2025-04-20 00:12:44	70.12	45dB	5.7	470%	Night
5903	2025-04-20 00:14:09	84.80	45dB	15.8	1478%	Night
5904	2025-04-20 00:15:23	74.60	45dB	7.8	678%	Night
5905	2025-04-20 00:18:42	72.80	45dB	6.9	587%	Night
5906	2025-04-20 00:20:51	73.96	45dB	7.4	644%	Night
5907	2025-04-20 08:13:30	70.01	55dB	2.8	183%	Day
5908	2025-04-20 08:25:24	76.75	55dB	4.5	352%	Day
5909	2025-04-20 09:15:33	75.15	55dB	4.0	304%	Day
5910	2025-04-20 11:18:55	68.27	55dB	2.5	151%	Day
5911	2025-04-20 11:57:34	N/A	55dB	N/A	N/A	Day
5912	2025-04-20 14:42:08	75.52	55dB	4.1	315%	Day
5913	2025-04-20 14:45:56	75.18	55dB	4.1	305%	Day
5914	2025-04-20 14:48:03	68.51	55dB	2.6	155%	Day
5915	2025-04-20 14:49:37	66.47	55dB	2.2	121%	Day
5916	2025-04-20 14:50:50	68.98	55dB	2.6	164%	Day
5917	2025-04-20 14:52:02	N/A	55dB	N/A	N/A	Day
5918	2025-04-20 14:53:13	76.02	55dB	4.3	329%	Day
5919	2025-04-20 14:55:06	68.85	55dB	2.6	161%	Day
5920	2025-04-20 14:56:16	70.17	55dB	2.9	186%	Day
5921	2025-04-20 14:59:35	N/A	55dB	N/A	N/A	Day
5922	2025-04-20 15:00:52	70.58	55dB	2.9	194%	Day
5923	2025-04-20 15:02:13	70.69	55dB	3.0	197%	Day
5924	2025-04-20 15:03:23	74.36	55dB	3.8	283%	Day
5925	2025-04-20 15:05:24	68.92	55dB	2.6	162%	Day
5926	2025-04-20 15:06:27	74.92	55dB	4.0	298%	Day
5927	2025-04-20 15:08:35	69.82	55dB	2.8	179%	Day
5928	2025-04-20 15:09:54	N/A	55dB	N/A	N/A	Day
5929	2025-04-20 15:11:45	71.58	55dB	3.2	216%	Day
5930	2025-04-20 15:13:49	78.71	55dB	5.2	417%	Day
5931	2025-04-20 15:15:21	72.47	55dB	3.4	236%	Day
5932	2025-04-20 15:17:37	68.37	55dB	2.5	153%	Day
5933	2025-04-20 15:18:53	74.47	55dB	3.9	286%	Day
5934	2025-04-20 15:21:59	73.58	55dB	3.6	263%	Day

5935	2025-04-20 15:23:33	74.13	55dB	3.8	277%	Day
5936	2025-04-20 15:26:06	80.98	55dB	6.1	505%	Day
5937	2025-04-20 15:27:35	72.52	55dB	3.4	237%	Day
5938	2025-04-20 15:29:15	70.72	55dB	3.0	197%	Day
5939	2025-04-20 15:31:12	N/A	55dB	N/A	N/A	Day
5940	2025-04-20 15:32:33	74.33	55dB	3.8	282%	Day
5941	2025-04-20 15:34:06	73.44	55dB	3.6	259%	Day
5942	2025-04-20 15:36:07	70.11	55dB	2.9	185%	Day
5943	2025-04-20 15:37:22	70.45	55dB	2.9	192%	Day
5944	2025-04-20 15:38:30	76.92	55dB	4.6	357%	Day
5945	2025-04-20 15:40:16	73.92	55dB	3.7	271%	Day
5946	2025-04-20 15:42:25	74.00	55dB	3.7	273%	Day
5947	2025-04-20 15:43:39	70.09	55dB	2.8	185%	Day
5948	2025-04-20 15:45:49	N/A	55dB	N/A	N/A	Day
5949	2025-04-20 15:47:26	74.14	55dB	3.8	277%	Day
5950	2025-04-20 15:49:05	73.17	55dB	3.5	252%	Day
5951	2025-04-20 15:50:20	74.82	55dB	4.0	295%	Day
5952	2025-04-20 15:52:37	68.73	55dB	2.6	159%	Day
5953	2025-04-20 15:54:00	69.76	55dB	2.8	178%	Day
5954	2025-04-20 15:55:18	72.44	55dB	3.3	235%	Day
5955	2025-04-20 15:57:48	N/A	55dB	N/A	N/A	Day
5956	2025-04-20 15:59:01	68.44	55dB	2.5	154%	Day
5957	2025-04-20 16:00:56	78.19	55dB	5.0	399%	Day
5958	2025-04-20 16:02:26	71.10	55dB	3.1	205%	Day
5959	2025-04-20 16:04:11	74.88	55dB	4.0	297%	Day
5960	2025-04-20 16:06:33	72.92	55dB	3.5	246%	Day
5961	2025-04-20 16:08:04	71.85	55dB	3.2	222%	Day
5962	2025-04-20 16:09:33	70.90	55dB	3.0	201%	Day
5963	2025-04-20 16:10:58	69.65	55dB	2.8	176%	Day
5964	2025-04-20 16:15:14	72.81	55dB	3.4	244%	Day
5965	2025-04-20 16:17:39	69.18	55dB	2.7	167%	Day
5966	2025-04-20 16:19:44	70.89	55dB	3.0	201%	Day
5967	2025-04-20 16:21:55	N/A	55dB	N/A	N/A	Day
5968	2025-04-20 16:23:06	70.67	55dB	3.0	196%	Day
5969	2025-04-20 16:24:32	70.76	55dB	3.0	198%	Day
5970	2025-04-20 16:25:45	71.28	55dB	3.1	209%	Day
5971	2025-04-20 16:27:53	N/A	55dB	N/A	N/A	Day
5972	2025-04-20 16:29:05	72.79	55dB	3.4	243%	Day
5973	2025-04-20 16:30:23	71.74	55dB	3.2	219%	Day
5974	2025-04-20 16:32:14	71.36	55dB	3.1	211%	Day
5975	2025-04-20 16:33:25	71.03	55dB	3.0	204%	Day
5976	2025-04-20 16:35:31	75.44	55dB	4.1	312%	Day
5977	2025-04-20 16:38:02	N/A	55dB	N/A	N/A	Day
5978	2025-04-20 16:41:38	70.39	55dB	2.9	191%	Day

5979	2025-04-20 16:42:49	70.58	55dB	2.9	194%	Day
5980	2025-04-20 16:44:20	75.75	55dB	4.2	321%	Day
5981	2025-04-20 16:46:20	73.62	55dB	3.6	264%	Day
5982	2025-04-20 16:48:25	74.23	55dB	3.8	279%	Day
5983	2025-04-20 16:50:40	74.38	55dB	3.8	283%	Day
5984	2025-04-20 16:52:18	77.65	55dB	4.8	381%	Day
5985	2025-04-20 16:56:23	74.53	55dB	3.9	287%	Day
5986	2025-04-20 16:58:11	68.93	55dB	2.6	163%	Day
5987	2025-04-20 17:00:37	N/A	55dB	N/A	N/A	Day
5988	2025-04-20 17:02:43	N/A	55dB	N/A	N/A	Day
5989	2025-04-20 17:04:55	73.01	55dB	3.5	248%	Day
5990	2025-04-20 17:06:27	69.46	55dB	2.7	172%	Day
5991	2025-04-20 17:09:51	68.48	55dB	2.5	155%	Day
5992	2025-04-20 17:12:00	67.57	55dB	2.4	139%	Day
5993	2025-04-20 17:15:07	69.49	55dB	2.7	173%	Day
5994	2025-04-20 17:16:26	65.55	55dB	2.1	108%	Day
5995	2025-04-20 17:19:26	71.10	55dB	3.1	205%	Day
5996	2025-04-20 17:23:52	68.94	55dB	2.6	163%	Day
5997	2025-04-20 17:25:10	76.06	55dB	4.3	330%	Day
5998	2025-04-20 17:26:47	80.91	55dB	6.0	503%	Day
5999	2025-04-20 17:30:00	71.03	55dB	3.0	204%	Day
6000	2025-04-20 17:32:18	67.17	55dB	2.3	132%	Day
6001	2025-04-20 17:34:01	69.39	55dB	2.7	171%	Day
6002	2025-04-20 17:36:02	71.62	55dB	3.2	216%	Day
6003	2025-04-20 17:37:19	71.28	55dB	3.1	209%	Day
6004	2025-04-20 17:39:01	68.37	55dB	2.5	153%	Day
6005	2025-04-20 17:40:13	71.54	55dB	3.1	215%	Day
6006	2025-04-20 17:41:31	70.06	55dB	2.8	184%	Day
6007	2025-04-20 17:42:44	77.21	55dB	4.7	366%	Day
6008	2025-04-20 17:44:15	N/A	55dB	N/A	N/A	Day
6009	2025-04-20 17:45:28	69.68	55dB	2.8	177%	Day
6010	2025-04-20 17:46:49	69.82	55dB	2.8	179%	Day
6011	2025-04-20 17:48:50	67.20	55dB	2.3	133%	Day
6012	2025-04-20 17:50:09	N/A	55dB	N/A	N/A	Day
6013	2025-04-20 17:51:40	68.48	55dB	2.5	155%	Day
6014	2025-04-20 17:53:04	68.60	55dB	2.6	157%	Day
6015	2025-04-20 17:54:17	N/A	55dB	N/A	N/A	Day
6016	2025-04-20 17:55:27	69.26	55dB	2.7	169%	Day
6017	2025-04-20 17:56:51	74.04	55dB	3.7	274%	Day
6018	2025-04-20 17:58:47	68.08	55dB	2.5	148%	Day
6019	2025-04-20 18:00:02	N/A	55dB	N/A	N/A	Day
6020	2025-04-20 18:01:39	N/A	55dB	N/A	N/A	Day
6021	2025-04-20 18:02:43	N/A	55dB	N/A	N/A	Day
6022	2025-04-20 18:04:17	71.15	55dB	3.1	206%	Day

6023	2025-04-20 18:05:38	69.44	55dB	2.7	172%	Day
6024	2025-04-20 18:06:57	75.56	55dB	4.2	316%	Day
6025	2025-04-20 18:08:16	71.85	55dB	3.2	222%	Day
6026	2025-04-20 18:09:28	70.65	55dB	3.0	196%	Day
6027	2025-04-20 18:11:38	67.65	55dB	2.4	140%	Day
6028	2025-04-20 18:12:58	N/A	55dB	N/A	N/A	Day
6029	2025-04-20 18:14:28	72.87	55dB	3.5	245%	Day
6030	2025-04-20 18:18:30	78.35	55dB	5.0	405%	Day
6031	2025-04-20 18:19:48	N/A	55dB	N/A	N/A	Day
6032	2025-04-20 18:21:19	68.42	55dB	2.5	154%	Day
6033	2025-04-20 18:23:02	74.77	55dB	3.9	294%	Day
6034	2025-04-20 18:24:31	75.14	55dB	4.0	304%	Day
6035	2025-04-20 18:26:25	N/A	55dB	N/A	N/A	Day
6036	2025-04-20 18:28:37	68.94	55dB	2.6	163%	Day
6037	2025-04-20 18:29:52	70.12	55dB	2.9	185%	Day
6038	2025-04-20 18:31:39	68.27	55dB	2.5	151%	Day
6039	2025-04-20 18:33:00	74.24	55dB	3.8	279%	Day
6040	2025-04-20 18:34:49	82.65	55dB	6.8	580%	Day
6041	2025-04-20 18:36:24	69.46	55dB	2.7	172%	Day
6042	2025-04-20 18:37:37	70.59	55dB	2.9	195%	Day
6043	2025-04-20 18:38:56	74.11	55dB	3.8	276%	Day
6044	2025-04-20 18:41:06	69.81	55dB	2.8	179%	Day
6045	2025-04-20 18:42:39	67.47	55dB	2.4	137%	Day
6046	2025-04-20 18:44:02	69.98	55dB	2.8	182%	Day
6047	2025-04-20 18:45:12	70.66	55dB	3.0	196%	Day
6048	2025-04-20 18:46:21	70.59	55dB	2.9	195%	Day
6049	2025-04-20 18:47:46	69.77	55dB	2.8	178%	Day
6050	2025-04-20 18:49:15	70.60	55dB	2.9	195%	Day
6051	2025-04-20 18:50:41	72.25	55dB	3.3	231%	Day
6052	2025-04-20 18:52:03	N/A	55dB	N/A	N/A	Day
6053	2025-04-20 18:53:53	N/A	55dB	N/A	N/A	Day
6054	2025-04-20 18:56:07	71.18	55dB	3.1	207%	Day
6055	2025-04-20 18:59:28	68.84	55dB	2.6	161%	Day
6056	2025-04-20 19:01:25	66.99	55dB	2.3	130%	Day
6057	2025-04-20 19:02:45	N/A	55dB	N/A	N/A	Day
6058	2025-04-20 19:05:37	69.04	55dB	2.6	165%	Day
6059	2025-04-20 19:07:01	N/A	55dB	N/A	N/A	Day
6060	2025-04-20 19:08:34	69.25	55dB	2.7	169%	Day
6061	2025-04-20 19:10:03	78.90	55dB	5.2	424%	Day
6062	2025-04-20 19:14:49	71.78	55dB	3.2	220%	Day
6063	2025-04-20 19:16:10	N/A	55dB	N/A	N/A	Day
6064	2025-04-20 19:18:28	71.85	55dB	3.2	222%	Day
6065	2025-04-20 19:19:58	71.77	55dB	3.2	220%	Day
6066	2025-04-20 19:22:12	68.09	55dB	2.5	148%	Day

6067	2025-04-20 19:23:33	N/A	55dB	N/A	N/A	Day
6068	2025-04-20 19:24:55	N/A	55dB	N/A	N/A	Day
6069	2025-04-20 19:26:12	68.54	55dB	2.6	156%	Day
6070	2025-04-20 19:27:30	68.28	55dB	2.5	151%	Day
6071	2025-04-20 19:28:35	71.38	55dB	3.1	211%	Day
6072	2025-04-20 19:29:43	69.65	55dB	2.8	176%	Day
6073	2025-04-20 19:31:09	N/A	55dB	N/A	N/A	Day
6074	2025-04-20 19:32:39	71.44	55dB	3.1	213%	Day
6075	2025-04-20 19:34:42	71.87	55dB	3.2	222%	Day
6076	2025-04-20 19:35:57	69.84	55dB	2.8	180%	Day
6077	2025-04-20 19:37:06	71.47	55dB	3.1	213%	Day
6078	2025-04-20 19:39:09	N/A	55dB	N/A	N/A	Day
6079	2025-04-20 19:40:30	N/A	55dB	N/A	N/A	Day
6080	2025-04-20 19:42:31	70.28	55dB	2.9	188%	Day
6081	2025-04-20 19:44:05	69.83	55dB	2.8	180%	Day
6082	2025-04-20 19:45:50	70.87	55dB	3.0	200%	Day
6083	2025-04-20 19:48:33	79.07	55dB	5.3	430%	Day
6084	2025-04-20 19:50:56	74.32	55dB	3.8	282%	Day
6085	2025-04-20 19:52:19	70.74	55dB	3.0	198%	Day
6086	2025-04-20 19:53:43	81.35	55dB	6.2	521%	Day
6087	2025-04-20 19:55:41	69.72	55dB	2.8	177%	Day
6088	2025-04-20 19:57:16	68.51	55dB	2.6	155%	Day
6089	2025-04-20 19:59:54	69.30	55dB	2.7	169%	Day
6090	2025-04-20 20:01:06	70.75	55dB	3.0	198%	Day
6091	2025-04-20 20:03:08	N/A	55dB	N/A	N/A	Day
6092	2025-04-20 20:08:40	70.72	55dB	3.0	197%	Day
6093	2025-04-20 20:10:36	72.26	55dB	3.3	231%	Day
6094	2025-04-20 20:19:16	68.60	55dB	2.6	157%	Day
6095	2025-04-20 20:20:46	72.27	55dB	3.3	231%	Day
6096	2025-04-20 20:22:35	70.73	55dB	3.0	198%	Day
6097	2025-04-20 20:24:44	N/A	55dB	N/A	N/A	Day
6098	2025-04-20 20:27:11	69.90	55dB	2.8	181%	Day
6099	2025-04-20 20:30:12	70.89	55dB	3.0	201%	Day
6100	2025-04-20 20:31:44	68.29	55dB	2.5	151%	Day
6101	2025-04-20 20:33:56	70.21	55dB	2.9	187%	Day
6102	2025-04-20 20:36:35	73.19	55dB	3.5	253%	Day
6103	2025-04-20 20:38:48	68.85	55dB	2.6	161%	Day
6104	2025-04-20 20:40:14	69.35	55dB	2.7	170%	Day
6105	2025-04-20 20:41:54	71.72	55dB	3.2	219%	Day
6106	2025-04-20 20:43:07	70.32	55dB	2.9	189%	Day
6107	2025-04-20 20:45:02	N/A	55dB	N/A	N/A	Day
6108	2025-04-20 20:46:28	69.10	55dB	2.7	166%	Day
6109	2025-04-20 20:47:44	69.60	55dB	2.8	175%	Day
6110	2025-04-20 20:48:56	67.40	55dB	2.4	136%	Day

6111	2025-04-20 20:50:18	69.87	55dB	2.8	180%	Day
6112	2025-04-20 20:52:13	N/A	55dB	N/A	N/A	Day
6113	2025-04-20 20:53:33	72.05	55dB	3.3	226%	Day
6114	2025-04-20 20:54:40	76.81	55dB	4.5	353%	Day
6115	2025-04-20 20:56:50	N/A	55dB	N/A	N/A	Day
6116	2025-04-20 20:58:13	N/A	55dB	N/A	N/A	Day
6117	2025-04-20 21:00:46	70.53	55dB	2.9	193%	Day
6118	2025-04-20 21:02:00	N/A	55dB	N/A	N/A	Day
6119	2025-04-20 21:03:33	72.35	55dB	3.3	233%	Day
6120	2025-04-20 21:05:19	69.76	55dB	2.8	178%	Day
6121	2025-04-20 21:06:32	67.38	55dB	2.4	136%	Day
6122	2025-04-20 21:07:44	68.66	55dB	2.6	158%	Day
6123	2025-04-20 21:08:52	69.83	55dB	2.8	180%	Day
6124	2025-04-20 21:10:07	69.20	55dB	2.7	168%	Day
6125	2025-04-20 21:11:47	78.26	55dB	5.0	401%	Day
6126	2025-04-20 21:16:22	71.94	55dB	3.2	224%	Day
6127	2025-04-20 21:17:37	69.67	55dB	2.8	176%	Day
6128	2025-04-20 21:19:10	N/A	55dB	N/A	N/A	Day
6129	2025-04-20 21:20:39	67.72	55dB	2.4	141%	Day
6130	2025-04-20 21:21:47	71.08	55dB	3.0	205%	Day
6131	2025-04-20 21:22:50	78.46	55dB	5.1	408%	Day
6132	2025-04-20 21:24:11	68.76	55dB	2.6	160%	Day
6133	2025-04-20 21:25:36	70.42	55dB	2.9	191%	Day
6134	2025-04-20 21:26:51	71.12	55dB	3.1	206%	Day
6135	2025-04-20 21:28:07	69.20	55dB	2.7	168%	Day
6136	2025-04-20 21:29:16	67.31	55dB	2.3	135%	Day
6137	2025-04-20 21:30:43	69.46	55dB	2.7	172%	Day
6138	2025-04-20 21:32:17	69.36	55dB	2.7	171%	Day
6139	2025-04-20 21:33:50	69.85	55dB	2.8	180%	Day
6140	2025-04-20 21:35:36	68.63	55dB	2.6	157%	Day
6141	2025-04-20 21:37:38	70.18	55dB	2.9	186%	Day
6142	2025-04-20 21:38:55	67.94	55dB	2.5	145%	Day
6143	2025-04-20 21:40:21	70.78	55dB	3.0	199%	Day
6144	2025-04-20 21:42:27	69.10	55dB	2.7	166%	Day
6145	2025-04-20 21:44:21	75.11	55dB	4.0	303%	Day
6146	2025-04-20 21:47:33	N/A	55dB	N/A	N/A	Day
6147	2025-04-20 21:49:10	70.62	55dB	3.0	195%	Day
6148	2025-04-20 21:52:00	69.63	55dB	2.8	176%	Day
6149	2025-04-20 21:53:46	69.26	55dB	2.7	169%	Day
6150	2025-04-21 00:08:00	64.69	45dB	3.9	291%	Night
6151	2025-04-21 00:08:47	69.95	45dB	5.6	464%	Night
6152	2025-04-21 00:10:42	N/A	45dB	N/A	N/A	Night
6153	2025-04-21 00:12:39	68.63	45dB	5.1	414%	Night
6154	2025-04-21 00:17:21	72.38	45dB	6.7	567%	Night

6155	2025-04-21 00:41:31	66.41	45dB	4.4	341%	Night
6156	2025-04-21 00:52:50	65.40	45dB	4.1	311%	Night
6157	2025-04-21 03:45:17	N/A	45dB	N/A	N/A	Night
6158	2025-04-21 05:17:44	72.89	45dB	6.9	591%	Night
6159	2025-04-21 07:43:50	75.53	55dB	4.1	315%	Day
6160	2025-04-21 07:47:13	73.63	55dB	3.6	264%	Day
6161	2025-04-21 07:48:12	77.03	55dB	4.6	360%	Day
6162	2025-04-21 07:50:41	N/A	55dB	N/A	N/A	Day
6163	2025-04-21 07:53:12	67.94	55dB	2.5	145%	Day
6164	2025-04-21 07:54:36	77.00	55dB	4.6	359%	Day
6165	2025-04-21 07:55:54	78.91	55dB	5.2	425%	Day
6166	2025-04-21 08:00:31	80.75	55dB	6.0	496%	Day
6167	2025-04-21 08:06:54	75.89	55dB	4.3	325%	Day
6168	2025-04-21 08:07:55	N/A	55dB	N/A	N/A	Day
6169	2025-04-21 08:08:43	78.85	55dB	5.2	422%	Day
6170	2025-04-21 08:09:50	73.91	55dB	3.7	271%	Day
6171	2025-04-21 08:12:53	86.13	55dB	8.7	765%	Day
6172	2025-04-21 08:15:47	79.24	55dB	5.4	437%	Day
6173	2025-04-21 08:20:37	68.38	55dB	2.5	153%	Day
6174	2025-04-21 08:22:22	N/A	55dB	N/A	N/A	Day
6175	2025-04-21 08:23:23	N/A	55dB	N/A	N/A	Day
6176	2025-04-21 08:25:48	N/A	55dB	N/A	N/A	Day
6177	2025-04-21 08:27:48	N/A	55dB	N/A	N/A	Day
6178	2025-04-21 08:29:03	79.05	55dB	5.3	430%	Day
6179	2025-04-21 08:30:13	77.69	55dB	4.8	382%	Day
6180	2025-04-21 08:31:24	69.02	55dB	2.6	164%	Day
6181	2025-04-21 08:32:45	N/A	55dB	N/A	N/A	Day
6182	2025-04-21 08:33:48	N/A	55dB	N/A	N/A	Day
6183	2025-04-21 08:35:13	71.48	55dB	3.1	213%	Day
6184	2025-04-21 08:38:45	67.87	55dB	2.4	144%	Day
6185	2025-04-21 08:40:00	67.08	55dB	2.3	131%	Day
6186	2025-04-21 08:40:56	N/A	55dB	N/A	N/A	Day
6187	2025-04-21 08:42:10	76.44	55dB	4.4	342%	Day
6188	2025-04-21 08:43:27	76.37	55dB	4.4	340%	Day
6189	2025-04-21 08:44:35	68.40	55dB	2.5	153%	Day
6190	2025-04-21 08:47:46	N/A	55dB	N/A	N/A	Day
6191	2025-04-21 08:49:43	N/A	55dB	N/A	N/A	Day
6192	2025-04-21 08:50:58	69.96	55dB	2.8	182%	Day
6193	2025-04-21 08:52:21	73.13	55dB	3.5	251%	Day
6194	2025-04-21 08:53:32	N/A	55dB	N/A	N/A	Day
6195	2025-04-21 09:07:09	72.75	55dB	3.4	242%	Day
6196	2025-04-21 09:09:23	73.45	55dB	3.6	259%	Day
6197	2025-04-21 09:12:36	75.10	55dB	4.0	303%	Day
6198	2025-04-21 09:13:50	78.98	55dB	5.3	427%	Day

6199	2025-04-21 09:15:41	77.68	55dB	4.8	382%	Day
6200	2025-04-21 09:17:14	N/A	55dB	N/A	N/A	Day
6201	2025-04-21 09:21:47	N/A	55dB	N/A	N/A	Day
6202	2025-04-21 09:23:32	72.73	55dB	3.4	242%	Day
6203	2025-04-21 15:20:47	68.82	55dB	2.6	161%	Day
6204	2025-04-21 15:21:48	73.85	55dB	3.7	269%	Day
6205	2025-04-21 18:18:21	N/A	55dB	N/A	N/A	Day
6206	2025-04-21 18:21:12	N/A	55dB	N/A	N/A	Day
6207	2025-04-21 18:22:52	72.22	55dB	3.3	230%	Day
6208	2025-04-21 18:26:13	71.07	55dB	3.0	205%	Day
6209	2025-04-21 18:27:43	74.37	55dB	3.8	283%	Day
6210	2025-04-21 18:29:18	N/A	55dB	N/A	N/A	Day
6211	2025-04-21 18:30:56	N/A	55dB	N/A	N/A	Day
6212	2025-04-21 18:33:05	70.00	55dB	2.8	183%	Day
6213	2025-04-21 18:36:12	72.77	55dB	3.4	243%	Day
6214	2025-04-21 18:37:53	74.13	55dB	3.8	277%	Day
6215	2025-04-21 18:39:32	74.59	55dB	3.9	289%	Day
6216	2025-04-21 18:40:56	74.05	55dB	3.7	275%	Day
6217	2025-04-21 18:42:26	72.28	55dB	3.3	231%	Day
6218	2025-04-21 18:45:08	78.35	55dB	5.0	405%	Day
6219	2025-04-21 18:46:39	71.74	55dB	3.2	219%	Day
6220	2025-04-21 18:48:03	74.24	55dB	3.8	279%	Day
6221	2025-04-21 18:49:32	68.89	55dB	2.6	162%	Day
6222	2025-04-21 18:51:02	71.49	55dB	3.1	214%	Day
6223	2025-04-21 18:52:27	76.24	55dB	4.4	336%	Day
6224	2025-04-21 18:55:26	74.43	55dB	3.8	285%	Day
6225	2025-04-21 18:57:21	67.00	55dB	2.3	130%	Day
6226	2025-04-21 18:58:42	69.58	55dB	2.7	175%	Day
6227	2025-04-21 19:00:02	73.20	55dB	3.5	253%	Day
6228	2025-04-21 19:01:56	66.18	55dB	2.2	117%	Day
6229	2025-04-21 19:04:05	72.53	55dB	3.4	237%	Day
6230	2025-04-21 19:05:38	70.05	55dB	2.8	184%	Day
6231	2025-04-21 19:06:57	86.64	55dB	9.0	796%	Day
6232	2025-04-21 19:08:16	70.97	55dB	3.0	203%	Day
6233	2025-04-21 19:09:23	73.05	55dB	3.5	249%	Day
6234	2025-04-21 19:12:38	74.03	55dB	3.7	274%	Day
6235	2025-04-21 19:13:57	76.39	55dB	4.4	340%	Day
6236	2025-04-21 19:15:37	79.23	55dB	5.4	436%	Day
6237	2025-04-21 19:17:19	75.22	55dB	4.1	306%	Day
6238	2025-04-21 19:19:20	74.31	55dB	3.8	281%	Day
6239	2025-04-21 19:20:48	76.25	55dB	4.4	336%	Day
6240	2025-04-21 19:22:37	74.16	55dB	3.8	277%	Day
6241	2025-04-21 19:23:51	73.77	55dB	3.7	267%	Day
6242	2025-04-21 19:25:17	73.74	55dB	3.7	267%	Day

6243	2025-04-21 19:27:19	69.52	55dB	2.7	174%	Day
6244	2025-04-21 19:29:35	74.94	55dB	4.0	298%	Day
6245	2025-04-21 19:31:38	72.41	55dB	3.3	234%	Day
6246	2025-04-21 19:33:53	73.83	55dB	3.7	269%	Day
6247	2025-04-21 19:36:03	73.69	55dB	3.7	265%	Day
6248	2025-04-21 19:38:09	74.67	55dB	3.9	291%	Day
6249	2025-04-21 19:40:12	72.73	55dB	3.4	242%	Day
6250	2025-04-21 19:42:17	72.11	55dB	3.3	227%	Day
6251	2025-04-21 19:44:47	77.12	55dB	4.6	363%	Day
6252	2025-04-21 19:46:46	76.68	55dB	4.5	349%	Day
6253	2025-04-21 19:49:07	72.67	55dB	3.4	240%	Day
6254	2025-04-21 19:51:28	73.99	55dB	3.7	273%	Day
6255	2025-04-21 19:54:02	74.14	55dB	3.8	277%	Day
6256	2025-04-21 20:00:58	68.34	55dB	2.5	152%	Day
6257	2025-04-21 20:03:37	78.74	55dB	5.2	418%	Day
6258	2025-04-21 20:06:14	74.82	55dB	4.0	295%	Day
6259	2025-04-21 20:08:37	76.46	55dB	4.4	343%	Day
6260	2025-04-21 20:10:49	72.66	55dB	3.4	240%	Day
6261	2025-04-21 20:13:46	75.57	55dB	4.2	316%	Day
6262	2025-04-21 20:20:17	72.94	55dB	3.5	247%	Day
6263	2025-04-21 20:24:25	73.22	55dB	3.5	254%	Day
6264	2025-04-21 20:26:41	73.20	55dB	3.5	253%	Day
6265	2025-04-21 20:29:25	72.44	55dB	3.3	235%	Day
6266	2025-04-21 20:31:52	69.85	55dB	2.8	180%	Day
6267	2025-04-21 20:35:08	73.89	55dB	3.7	270%	Day
6268	2025-04-21 20:37:44	73.52	55dB	3.6	261%	Day
6269	2025-04-21 20:42:43	75.91	55dB	4.3	326%	Day
6270	2025-04-21 20:45:37	74.94	55dB	4.0	298%	Day
6271	2025-04-21 20:48:51	74.10	55dB	3.8	276%	Day
6272	2025-04-21 20:51:14	72.83	55dB	3.4	244%	Day
6273	2025-04-21 20:53:25	76.20	55dB	4.3	335%	Day
6274	2025-04-21 20:57:39	77.40	55dB	4.7	372%	Day
6275	2025-04-21 21:00:02	74.65	55dB	3.9	290%	Day
6276	2025-04-21 21:02:56	80.46	55dB	5.8	484%	Day
6277	2025-04-21 21:05:05	72.14	55dB	3.3	228%	Day
6278	2025-04-21 21:08:19	73.05	55dB	3.5	249%	Day
6279	2025-04-21 21:10:14	69.02	55dB	2.6	164%	Day
6280	2025-04-21 21:12:46	70.16	55dB	2.9	186%	Day
6281	2025-04-21 21:15:12	70.66	55dB	3.0	196%	Day
6282	2025-04-21 21:17:35	72.90	55dB	3.5	246%	Day
6283	2025-04-21 21:19:49	72.17	55dB	3.3	229%	Day
6284	2025-04-21 21:21:24	72.80	55dB	3.4	243%	Day
6285	2025-04-21 21:23:01	73.97	55dB	3.7	272%	Day
6286	2025-04-21 21:24:20	70.89	55dB	3.0	201%	Day

6287	2025-04-21 21:25:47	68.73	55dB	2.6	159%	Day
6288	2025-04-21 21:27:09	76.54	55dB	4.5	345%	Day
6289	2025-04-21 21:29:58	83.05	55dB	7.0	599%	Day
6290	2025-04-21 21:33:02	69.88	55dB	2.8	180%	Day
6291	2025-04-21 21:34:54	70.30	55dB	2.9	189%	Day
6292	2025-04-21 21:36:14	69.59	55dB	2.7	175%	Day
6293	2025-04-21 21:37:31	69.39	55dB	2.7	171%	Day
6294	2025-04-21 21:40:03	68.21	55dB	2.5	150%	Day
6295	2025-04-21 21:41:58	N/A	55dB	N/A	N/A	Day
6296	2025-04-21 21:44:20	74.72	55dB	3.9	292%	Day
6297	2025-04-21 21:45:42	N/A	55dB	N/A	N/A	Day
6298	2025-04-21 21:47:07	N/A	55dB	N/A	N/A	Day
6299	2025-04-21 21:48:33	70.05	55dB	2.8	184%	Day
6300	2025-04-21 21:50:04	70.13	55dB	2.9	185%	Day
6301	2025-04-21 21:51:55	70.02	55dB	2.8	183%	Day
6302	2025-04-21 21:53:37	75.43	55dB	4.1	312%	Day
6303	2025-04-21 21:55:14	70.11	55dB	2.9	185%	Day
6304	2025-04-21 22:05:09	71.29	55dB	3.1	209%	Day
6305	2025-04-21 22:06:49	69.49	55dB	2.7	173%	Day
6306	2025-04-21 22:08:56	N/A	55dB	N/A	N/A	Day
6307	2025-04-21 22:11:57	68.31	55dB	2.5	152%	Day
6308	2025-04-21 22:14:56	66.48	55dB	2.2	122%	Day
6309	2025-04-21 22:22:57	N/A	55dB	N/A	N/A	Day
6310	2025-04-21 22:26:38	77.21	55dB	4.7	366%	Day
6311	2025-04-21 22:28:37	73.70	55dB	3.7	266%	Day
6312	2025-04-21 22:30:13	82.91	55dB	6.9	592%	Day
6313	2025-04-21 22:31:42	78.11	55dB	5.0	396%	Day
6314	2025-04-21 22:33:22	82.19	55dB	6.6	558%	Day
6315	2025-04-21 22:35:17	79.21	55dB	5.4	436%	Day
6316	2025-04-21 22:36:58	71.88	55dB	3.2	222%	Day
6317	2025-04-21 22:39:39	N/A	55dB	N/A	N/A	Day
6318	2025-04-21 22:43:42	70.54	55dB	2.9	194%	Day
6319	2025-04-21 22:45:47	71.51	55dB	3.1	214%	Day
6320	2025-04-21 22:47:24	79.41	55dB	5.4	443%	Day
6321	2025-04-21 22:50:00	83.89	55dB	7.4	641%	Day
6322	2025-04-21 22:51:39	83.12	55dB	7.0	602%	Day
6323	2025-04-21 22:53:09	80.76	55dB	6.0	496%	Day
6324	2025-04-21 22:54:49	77.04	55dB	4.6	361%	Day
6325	2025-04-21 22:57:38	74.87	55dB	4.0	296%	Day
6326	2025-04-21 23:00:05	76.39	45dB	8.8	781%	Night
6327	2025-04-21 23:02:02	75.60	45dB	8.3	734%	Night
6328	2025-04-21 23:03:43	79.10	45dB	10.6	963%	Night
6329	2025-04-21 23:06:02	76.23	45dB	8.7	771%	Night
6330	2025-04-21 23:08:06	77.37	45dB	9.4	843%	Night

6331	2025-04-21 23:10:22	66.59	45dB	4.5	347%	Night
6332	2025-04-21 23:12:18	68.69	45dB	5.2	417%	Night
6333	2025-04-21 23:14:42	67.61	45dB	4.8	379%	Night
6334	2025-04-21 23:17:23	68.94	45dB	5.3	426%	Night
6335	2025-04-21 23:20:34	70.36	45dB	5.8	480%	Night
6336	2025-04-21 23:24:07	73.26	45dB	7.1	609%	Night
6337	2025-04-21 23:27:08	N/A	45dB	N/A	N/A	Night
6338	2025-04-21 23:30:14	81.38	45dB	12.4	1145%	Night
6339	2025-04-21 23:32:23	73.28	45dB	7.1	610%	Night
6340	2025-04-21 23:34:26	70.37	45dB	5.8	480%	Night
6341	2025-04-21 23:36:27	71.29	45dB	6.2	519%	Night
6342	2025-04-21 23:38:04	68.58	45dB	5.1	413%	Night
6343	2025-04-21 23:39:53	70.49	45dB	5.9	485%	Night
6344	2025-04-21 23:42:01	N/A	45dB	N/A	N/A	Night
6345	2025-04-21 23:44:06	N/A	45dB	N/A	N/A	Night
6346	2025-04-21 23:45:38	N/A	45dB	N/A	N/A	Night
6347	2025-04-21 23:48:00	N/A	45dB	N/A	N/A	Night
6348	2025-04-21 23:50:01	69.59	45dB	5.5	450%	Night
6349	2025-04-21 23:52:10	81.17	45dB	12.3	1127%	Night
6350	2025-04-21 23:54:22	76.44	45dB	8.8	784%	Night
6351	2025-04-21 23:58:02	69.23	45dB	5.4	436%	Night
6352	2025-04-22 00:09:44	75.33	45dB	8.2	719%	Night
6353	2025-04-22 00:11:43	75.89	45dB	8.5	751%	Night
6354	2025-04-22 00:13:34	71.66	45dB	6.3	535%	Night
6355	2025-04-22 00:15:19	74.56	45dB	7.8	676%	Night
6356	2025-04-22 00:16:57	69.73	45dB	5.6	455%	Night
6357	2025-04-22 00:18:53	77.12	45dB	9.3	827%	Night
6358	2025-04-22 00:20:41	68.78	45dB	5.2	420%	Night
6359	2025-04-22 00:22:32	71.17	45dB	6.1	513%	Night
6360	2025-04-22 00:26:26	64.21	45dB	3.8	279%	Night
6361	2025-04-22 00:35:13	70.79	45dB	6.0	498%	Night
6362	2025-04-22 00:38:08	73.68	45dB	7.3	630%	Night
6363	2025-04-22 00:40:56	72.08	45dB	6.5	553%	Night
6364	2025-04-22 00:46:18	75.62	45dB	8.4	735%	Night
6365	2025-04-22 00:55:08	75.10	45dB	8.1	706%	Night
6366	2025-04-22 00:58:19	N/A	45dB	N/A	N/A	Night
6367	2025-04-22 01:06:26	84.16	45dB	15.1	1410%	Night
6368	2025-04-22 01:23:50	86.68	45dB	18.0	1698%	Night
6369	2025-04-22 01:33:54	77.88	45dB	9.8	877%	Night
6370	2025-04-22 02:19:48	85.80	45dB	16.9	1591%	Night
6371	2025-04-22 02:46:35	82.36	45dB	13.3	1232%	Night
6372	2025-04-22 03:06:50	83.66	45dB	14.6	1358%	Night
6373	2025-04-22 03:50:48	70.15	45dB	5.7	472%	Night
6374	2025-04-22 04:22:38	75.42	45dB	8.2	724%	Night

6375	2025-04-22 06:28:28	71.50	45dB	6.3	528%	Night
6376	2025-04-22 06:30:01	76.18	45dB	8.7	768%	Night
6377	2025-04-22 06:32:00	72.64	45dB	6.8	579%	Night
6378	2025-04-22 06:33:46	73.37	45dB	7.1	615%	Night
6379	2025-04-22 06:35:11	70.40	45dB	5.8	482%	Night
6380	2025-04-22 06:36:31	70.26	45dB	5.8	476%	Night
6381	2025-04-22 06:37:58	71.48	45dB	6.3	527%	Night
6382	2025-04-22 06:39:27	70.71	45dB	5.9	494%	Night
6383	2025-04-22 06:40:54	77.18	45dB	9.3	830%	Night
6384	2025-04-22 06:42:11	74.03	45dB	7.5	648%	Night
6385	2025-04-22 06:43:25	73.02	45dB	7.0	597%	Night
6386	2025-04-22 06:44:47	71.21	45dB	6.2	515%	Night
6387	2025-04-22 06:46:18	74.35	45dB	7.6	665%	Night
6388	2025-04-22 06:47:37	71.16	45dB	6.1	513%	Night
6389	2025-04-22 06:49:08	70.13	45dB	5.7	471%	Night
6390	2025-04-22 06:50:22	N/A	45dB	N/A	N/A	Night
6391	2025-04-22 06:51:49	71.31	45dB	6.2	519%	Night
6392	2025-04-22 06:52:57	73.14	45dB	7.0	603%	Night
6393	2025-04-22 06:54:26	73.59	45dB	7.3	626%	Night
6394	2025-04-22 06:56:16	72.02	45dB	6.5	551%	Night
6395	2025-04-22 06:58:14	70.42	45dB	5.8	482%	Night
6396	2025-04-22 07:05:55	N/A	55dB	N/A	N/A	Day
6397	2025-04-22 07:07:40	74.63	55dB	3.9	290%	Day
6398	2025-04-22 07:10:05	72.84	55dB	3.4	244%	Day
6399	2025-04-22 07:13:23	70.51	55dB	2.9	193%	Day
6400	2025-04-22 07:17:25	71.36	55dB	3.1	211%	Day
6401	2025-04-22 07:24:07	77.58	55dB	4.8	378%	Day
6402	2025-04-22 07:31:03	69.17	55dB	2.7	167%	Day
6403	2025-04-22 07:32:52	N/A	55dB	N/A	N/A	Day
6404	2025-04-22 07:40:44	72.82	55dB	3.4	244%	Day
6405	2025-04-22 07:42:38	72.35	55dB	3.3	233%	Day
6406	2025-04-22 07:45:47	N/A	55dB	N/A	N/A	Day
6407	2025-04-22 07:48:05	71.20	55dB	3.1	207%	Day
6408	2025-04-22 07:53:18	72.56	55dB	3.4	238%	Day
6409	2025-04-22 07:54:57	73.53	55dB	3.6	261%	Day
6410	2025-04-22 07:57:27	74.36	55dB	3.8	283%	Day
6411	2025-04-22 07:59:06	72.48	55dB	3.4	236%	Day
6412	2025-04-22 08:00:58	N/A	55dB	N/A	N/A	Day
6413	2025-04-22 08:04:36	N/A	55dB	N/A	N/A	Day
6414	2025-04-22 08:08:51	83.31	55dB	7.1	612%	Day
6415	2025-04-22 08:12:03	83.97	55dB	7.4	645%	Day
6416	2025-04-22 08:13:21	71.51	55dB	3.1	214%	Day
6417	2025-04-22 08:14:46	75.65	55dB	4.2	318%	Day
6418	2025-04-22 08:17:05	70.77	55dB	3.0	198%	Day

6419	2025-04-22 08:19:14	74.57	55dB	3.9	288%	Day
6420	2025-04-22 08:21:32	79.93	55dB	5.6	463%	Day
6421	2025-04-22 08:23:56	71.76	55dB	3.2	220%	Day
6422	2025-04-22 08:29:01	73.42	55dB	3.6	259%	Day
6423	2025-04-22 08:58:39	79.57	55dB	5.5	449%	Day
6424	2025-04-22 09:06:12	72.55	55dB	3.4	238%	Day
6425	2025-04-22 09:32:44	71.30	55dB	3.1	210%	Day
6426	2025-04-22 09:36:25	76.14	55dB	4.3	333%	Day
6427	2025-04-22 09:38:52	75.11	55dB	4.0	303%	Day
6428	2025-04-22 09:43:38	79.17	55dB	5.3	434%	Day
6429	2025-04-22 09:45:54	N/A	55dB	N/A	N/A	Day
6430	2025-04-22 09:57:53	N/A	55dB	N/A	N/A	Day
6431	2025-04-22 10:00:22	N/A	55dB	N/A	N/A	Day
6432	2025-04-22 10:06:03	71.51	55dB	3.1	214%	Day
6433	2025-04-22 10:07:37	73.69	55dB	3.7	265%	Day
6434	2025-04-22 10:09:19	71.28	55dB	3.1	209%	Day
6435	2025-04-22 10:18:25	71.16	55dB	3.1	207%	Day
6436	2025-04-22 10:19:39	78.69	55dB	5.2	417%	Day
6437	2025-04-22 10:21:12	68.16	55dB	2.5	149%	Day
6438	2025-04-22 10:22:59	71.15	55dB	3.1	206%	Day
6439	2025-04-22 10:25:24	68.98	55dB	2.6	164%	Day
6440	2025-04-22 10:29:40	74.42	55dB	3.8	284%	Day
6441	2025-04-22 10:38:25	86.09	55dB	8.6	763%	Day
6442	2025-04-22 10:40:30	80.02	55dB	5.7	466%	Day
6443	2025-04-22 10:42:42	77.65	55dB	4.8	381%	Day
6444	2025-04-22 10:44:25	N/A	55dB	N/A	N/A	Day
6445	2025-04-22 10:45:47	80.89	55dB	6.0	502%	Day
6446	2025-04-22 10:47:13	N/A	55dB	N/A	N/A	Day
6447	2025-04-22 10:49:23	79.09	55dB	5.3	431%	Day
6448	2025-04-22 10:50:52	73.63	55dB	3.6	264%	Day
6449	2025-04-22 10:52:02	N/A	55dB	N/A	N/A	Day
6450	2025-04-22 10:53:18	78.35	55dB	5.0	405%	Day
6451	2025-04-22 10:55:10	77.91	55dB	4.9	389%	Day
6452	2025-04-22 10:56:33	72.71	55dB	3.4	241%	Day
6453	2025-04-22 10:58:26	83.29	55dB	7.1	611%	Day
6454	2025-04-22 10:59:42	79.56	55dB	5.5	449%	Day
6455	2025-04-22 11:01:37	75.27	55dB	4.1	308%	Day
6456	2025-04-22 11:04:38	76.93	55dB	4.6	357%	Day
6457	2025-04-22 11:10:56	66.81	55dB	2.3	127%	Day
6458	2025-04-22 11:13:20	76.43	55dB	4.4	342%	Day
6459	2025-04-22 11:14:56	68.93	55dB	2.6	163%	Day
6460	2025-04-22 11:16:44	73.33	55dB	3.6	256%	Day
6461	2025-04-22 11:18:02	N/A	55dB	N/A	N/A	Day
6462	2025-04-22 11:19:46	67.29	55dB	2.3	134%	Day

6463	2025-04-22 11:21:28	69.58	55dB	2.7	175%	Day
6464	2025-04-22 11:23:05	71.68	55dB	3.2	218%	Day
6465	2025-04-22 11:24:46	N/A	55dB	N/A	N/A	Day
6466	2025-04-22 11:26:30	76.90	55dB	4.6	356%	Day
6467	2025-04-22 11:28:02	74.18	55dB	3.8	278%	Day
6468	2025-04-22 11:29:57	79.28	55dB	5.4	438%	Day
6469	2025-04-22 11:32:36	70.56	55dB	2.9	194%	Day
6470	2025-04-22 11:34:34	73.80	55dB	3.7	268%	Day
6471	2025-04-22 11:36:28	86.22	55dB	8.7	771%	Day
6472	2025-04-22 11:37:56	N/A	55dB	N/A	N/A	Day
6473	2025-04-22 11:39:26	82.34	55dB	6.7	565%	Day
6474	2025-04-22 11:40:33	N/A	55dB	N/A	N/A	Day
6475	2025-04-22 11:41:52	73.29	55dB	3.6	255%	Day
6476	2025-04-22 11:44:17	N/A	55dB	N/A	N/A	Day
6477	2025-04-22 11:46:37	84.02	55dB	7.5	647%	Day
6478	2025-04-22 11:48:26	74.02	55dB	3.7	274%	Day
6479	2025-04-22 11:50:37	81.88	55dB	6.4	544%	Day
6480	2025-04-22 11:54:32	80.57	55dB	5.9	488%	Day
6481	2025-04-22 11:57:26	72.79	55dB	3.4	243%	Day
6482	2025-04-22 12:02:05	N/A	55dB	N/A	N/A	Day
6483	2025-04-22 12:06:37	85.33	55dB	8.2	719%	Day
6484	2025-04-22 12:09:16	78.77	55dB	5.2	419%	Day
6485	2025-04-22 12:10:40	75.49	55dB	4.1	314%	Day
6486	2025-04-22 12:12:05	76.16	55dB	4.3	333%	Day
6487	2025-04-22 12:16:53	81.51	55dB	6.3	528%	Day
6488	2025-04-22 12:18:22	70.45	55dB	2.9	192%	Day
6489	2025-04-22 12:20:06	70.34	55dB	2.9	190%	Day
6490	2025-04-22 12:21:25	68.03	55dB	2.5	147%	Day
6491	2025-04-22 12:23:08	84.24	55dB	7.6	659%	Day
6492	2025-04-22 12:25:07	72.92	55dB	3.5	246%	Day
6493	2025-04-22 12:27:51	75.40	55dB	4.1	311%	Day
6494	2025-04-22 12:30:11	75.24	55dB	4.1	307%	Day
6495	2025-04-22 12:31:50	80.83	55dB	6.0	499%	Day
6496	2025-04-22 12:33:39	80.87	55dB	6.0	501%	Day
6497	2025-04-22 12:36:34	77.28	55dB	4.7	368%	Day
6498	2025-04-22 12:38:39	68.19	55dB	2.5	149%	Day
6499	2025-04-22 12:40:32	69.68	55dB	2.8	177%	Day
6500	2025-04-22 12:42:21	72.88	55dB	3.5	245%	Day
6501	2025-04-22 12:46:46	74.09	55dB	3.8	276%	Day
6502	2025-04-22 12:51:17	72.21	55dB	3.3	230%	Day
6503	2025-04-22 12:57:20	77.55	55dB	4.8	377%	Day
6504	2025-04-22 13:05:29	67.40	55dB	2.4	136%	Day
6505	2025-04-22 13:08:11	68.23	55dB	2.5	150%	Day
6506	2025-04-22 13:10:15	N/A	55dB	N/A	N/A	Day

6507	2025-04-22 13:12:06	77.73	55dB	4.8	383%	Day
6508	2025-04-22 13:13:54	77.59	55dB	4.8	379%	Day
6509	2025-04-22 13:16:19	71.88	55dB	3.2	222%	Day
6510	2025-04-22 13:18:23	N/A	55dB	N/A	N/A	Day
6511	2025-04-22 13:24:03	73.34	55dB	3.6	257%	Day
6512	2025-04-22 13:28:38	73.14	55dB	3.5	252%	Day
6513	2025-04-22 13:30:31	72.47	55dB	3.4	236%	Day
6514	2025-04-22 13:33:45	77.28	55dB	4.7	368%	Day
6515	2025-04-22 13:36:07	74.28	55dB	3.8	281%	Day
6516	2025-04-22 13:39:10	85.64	55dB	8.4	736%	Day
6517	2025-04-22 13:42:43	74.96	55dB	4.0	299%	Day
6518	2025-04-22 13:45:03	73.89	55dB	3.7	270%	Day
6519	2025-04-22 13:46:27	73.72	55dB	3.7	266%	Day
6520	2025-04-22 13:47:38	72.42	55dB	3.3	234%	Day
6521	2025-04-22 13:48:56	75.22	55dB	4.1	306%	Day
6522	2025-04-22 13:50:21	73.88	55dB	3.7	270%	Day
6523	2025-04-22 13:51:43	88.94	55dB	10.5	951%	Day
6524	2025-04-22 13:53:01	82.54	55dB	6.7	575%	Day
6525	2025-04-22 13:54:22	79.21	55dB	5.4	436%	Day
6526	2025-04-22 13:57:46	70.34	55dB	2.9	190%	Day
6527	2025-04-22 13:59:39	84.66	55dB	7.8	681%	Day
6528	2025-04-22 14:03:17	84.64	55dB	7.8	680%	Day
6529	2025-04-22 14:05:36	68.75	55dB	2.6	159%	Day
6530	2025-04-22 14:07:00	78.06	55dB	4.9	395%	Day
6531	2025-04-22 14:08:23	73.35	55dB	3.6	257%	Day
6532	2025-04-22 14:09:49	78.75	55dB	5.2	419%	Day
6533	2025-04-22 14:12:13	73.88	55dB	3.7	270%	Day
6534	2025-04-22 14:14:27	N/A	55dB	N/A	N/A	Day
6535	2025-04-22 14:19:08	N/A	55dB	N/A	N/A	Day
6536	2025-04-22 14:20:50	72.13	55dB	3.3	228%	Day
6537	2025-04-22 14:22:16	84.63	55dB	7.8	680%	Day
6538	2025-04-22 14:24:08	71.46	55dB	3.1	213%	Day
6539	2025-04-22 14:25:41	67.70	55dB	2.4	141%	Day
6540	2025-04-22 14:27:39	77.04	55dB	4.6	361%	Day
6541	2025-04-22 14:29:33	73.04	55dB	3.5	249%	Day
6542	2025-04-22 14:31:01	82.14	55dB	6.6	556%	Day
6543	2025-04-22 14:32:18	82.09	55dB	6.5	554%	Day
6544	2025-04-22 14:33:41	84.85	55dB	7.9	692%	Day
6545	2025-04-22 14:34:57	73.53	55dB	3.6	261%	Day
6546	2025-04-22 14:36:25	83.67	55dB	7.3	630%	Day
6547	2025-04-22 14:39:18	76.28	55dB	4.4	337%	Day
6548	2025-04-22 14:41:31	N/A	55dB	N/A	N/A	Day
6549	2025-04-22 14:43:51	67.80	55dB	2.4	143%	Day
6550	2025-04-22 14:46:26	68.39	55dB	2.5	153%	Day

6551	2025-04-22 14:50:24	N/A	55dB	N/A	N/A	Day
6552	2025-04-22 14:51:43	72.87	55dB	3.5	245%	Day
6553	2025-04-22 14:54:43	76.14	55dB	4.3	333%	Day
6554	2025-04-22 14:57:19	72.99	55dB	3.5	248%	Day
6555	2025-04-22 14:59:43	77.93	55dB	4.9	390%	Day
6556	2025-04-22 15:01:58	79.24	55dB	5.4	437%	Day
6557	2025-04-22 15:04:12	82.47	55dB	6.7	571%	Day
6558	2025-04-22 15:05:50	N/A	55dB	N/A	N/A	Day
6559	2025-04-22 15:07:22	80.83	55dB	6.0	499%	Day
6560	2025-04-22 15:09:26	80.24	55dB	5.8	475%	Day
6561	2025-04-22 15:11:30	N/A	55dB	N/A	N/A	Day
6562	2025-04-22 15:13:04	N/A	55dB	N/A	N/A	Day
6563	2025-04-22 15:14:33	73.25	55dB	3.5	254%	Day
6564	2025-04-22 15:15:47	N/A	55dB	N/A	N/A	Day
6565	2025-04-22 15:17:08	82.57	55dB	6.8	576%	Day
6566	2025-04-22 15:18:44	77.32	55dB	4.7	370%	Day
6567	2025-04-22 15:21:11	68.04	55dB	2.5	147%	Day
6568	2025-04-22 15:22:37	80.45	55dB	5.8	484%	Day
6569	2025-04-22 15:25:01	88.69	55dB	10.3	933%	Day
6570	2025-04-22 15:29:33	81.03	55dB	6.1	508%	Day
6571	2025-04-22 15:34:46	82.58	55dB	6.8	576%	Day
6572	2025-04-22 15:37:21	70.42	55dB	2.9	191%	Day
6573	2025-04-22 15:39:17	78.99	55dB	5.3	427%	Day
6574	2025-04-22 15:44:00	66.31	55dB	2.2	119%	Day
6575	2025-04-22 15:45:47	75.26	55dB	4.1	307%	Day
6576	2025-04-22 15:47:18	73.96	55dB	3.7	272%	Day
6577	2025-04-22 15:48:35	N/A	55dB	N/A	N/A	Day
6578	2025-04-22 15:50:01	75.60	55dB	4.2	317%	Day
6579	2025-04-22 15:52:11	67.57	55dB	2.4	139%	Day
6580	2025-04-22 15:53:47	N/A	55dB	N/A	N/A	Day
6581	2025-04-22 15:55:09	74.34	55dB	3.8	282%	Day
6582	2025-04-22 15:56:36	78.99	55dB	5.3	427%	Day
6583	2025-04-22 15:59:03	N/A	55dB	N/A	N/A	Day
6584	2025-04-22 16:00:32	77.69	55dB	4.8	382%	Day
6585	2025-04-22 16:02:37	70.09	55dB	2.8	185%	Day
6586	2025-04-22 16:03:49	77.54	55dB	4.8	377%	Day
6587	2025-04-22 16:05:11	77.59	55dB	4.8	379%	Day
6588	2025-04-22 16:07:26	67.03	55dB	2.3	130%	Day
6589	2025-04-22 16:08:50	79.05	55dB	5.3	430%	Day
6590	2025-04-22 16:10:18	77.57	55dB	4.8	378%	Day
6591	2025-04-22 16:12:11	82.25	55dB	6.6	561%	Day
6592	2025-04-22 16:13:31	71.96	55dB	3.2	224%	Day
6593	2025-04-22 16:15:04	N/A	55dB	N/A	N/A	Day
6594	2025-04-22 16:16:06	78.88	55dB	5.2	423%	Day

6595	2025-04-22 16:17:25	69.32	55dB	2.7	170%	Day
6596	2025-04-22 16:19:23	77.60	55dB	4.8	379%	Day
6597	2025-04-22 16:20:49	77.49	55dB	4.8	375%	Day
6598	2025-04-22 16:22:10	N/A	55dB	N/A	N/A	Day
6599	2025-04-22 16:28:41	89.71	55dB	11.1	1009%	Day
6600	2025-04-22 16:31:41	74.15	55dB	3.8	277%	Day
6601	2025-04-22 16:33:12	75.84	55dB	4.2	324%	Day
6602	2025-04-22 16:35:09	72.13	55dB	3.3	228%	Day
6603	2025-04-22 16:36:27	77.45	55dB	4.7	374%	Day
6604	2025-04-22 16:38:06	N/A	55dB	N/A	N/A	Day
6605	2025-04-22 16:43:26	70.65	55dB	3.0	196%	Day
6606	2025-04-22 16:45:11	84.36	55dB	7.7	665%	Day
6607	2025-04-22 16:47:03	68.46	55dB	2.5	154%	Day
6608	2025-04-22 16:48:39	73.74	55dB	3.7	267%	Day
6609	2025-04-22 16:50:07	69.43	55dB	2.7	172%	Day
6610	2025-04-22 16:51:38	73.20	55dB	3.5	253%	Day
6611	2025-04-22 16:53:25	69.14	55dB	2.7	166%	Day
6612	2025-04-22 16:54:56	73.68	55dB	3.7	265%	Day
6613	2025-04-22 16:57:03	73.09	55dB	3.5	250%	Day
6614	2025-04-22 16:59:24	78.96	55dB	5.3	426%	Day
6615	2025-04-22 17:00:56	81.08	55dB	6.1	510%	Day
6616	2025-04-22 17:02:56	71.36	55dB	3.1	211%	Day
6617	2025-04-22 17:04:23	N/A	55dB	N/A	N/A	Day
6618	2025-04-22 17:05:39	79.86	55dB	5.6	460%	Day
6619	2025-04-22 17:07:41	N/A	55dB	N/A	N/A	Day
6620	2025-04-22 17:09:02	69.23	55dB	2.7	168%	Day
6621	2025-04-22 17:11:05	73.33	55dB	3.6	256%	Day
6622	2025-04-22 17:14:44	N/A	55dB	N/A	N/A	Day
6623	2025-04-22 17:16:35	69.37	55dB	2.7	171%	Day
6624	2025-04-22 17:18:25	76.36	55dB	4.4	340%	Day
6625	2025-04-22 17:20:43	81.37	55dB	6.2	522%	Day
6626	2025-04-22 17:22:00	71.54	55dB	3.1	215%	Day
6627	2025-04-22 17:23:44	70.59	55dB	2.9	195%	Day
6628	2025-04-22 17:25:15	N/A	55dB	N/A	N/A	Day
6629	2025-04-22 17:28:43	74.77	55dB	3.9	294%	Day
6630	2025-04-22 17:30:12	78.39	55dB	5.1	406%	Day
6631	2025-04-22 17:32:07	68.97	55dB	2.6	163%	Day
6632	2025-04-22 17:33:25	76.81	55dB	4.5	353%	Day
6633	2025-04-22 17:37:57	70.89	55dB	3.0	201%	Day
6634	2025-04-22 17:39:28	N/A	55dB	N/A	N/A	Day
6635	2025-04-22 17:40:41	70.06	55dB	2.8	184%	Day
6636	2025-04-22 17:43:48	72.27	55dB	3.3	231%	Day
6637	2025-04-22 17:45:13	80.32	55dB	5.8	478%	Day
6638	2025-04-22 17:46:27	75.22	55dB	4.1	306%	Day

6639	2025-04-22 17:47:48	76.66	55dB	4.5	349%	Day
6640	2025-04-22 17:49:23	N/A	55dB	N/A	N/A	Day
6641	2025-04-22 17:53:04	79.09	55dB	5.3	431%	Day
6642	2025-04-22 17:54:47	78.24	55dB	5.0	401%	Day
6643	2025-04-22 17:59:08	72.25	55dB	3.3	231%	Day
6644	2025-04-22 18:01:21	72.35	55dB	3.3	233%	Day
6645	2025-04-22 18:03:30	78.34	55dB	5.0	404%	Day
6646	2025-04-22 18:05:44	71.18	55dB	3.1	207%	Day
6647	2025-04-22 18:07:45	73.16	55dB	3.5	252%	Day
6648	2025-04-22 18:10:02	73.12	55dB	3.5	251%	Day
6649	2025-04-22 18:12:09	77.07	55dB	4.6	362%	Day
6650	2025-04-22 18:16:30	73.01	55dB	3.5	248%	Day
6651	2025-04-22 18:18:35	67.03	55dB	2.3	130%	Day
6652	2025-04-22 18:20:35	76.35	55dB	4.4	339%	Day
6653	2025-04-22 18:22:42	N/A	55dB	N/A	N/A	Day
6654	2025-04-22 18:27:48	74.78	55dB	3.9	294%	Day
6655	2025-04-22 18:29:51	75.62	55dB	4.2	318%	Day
6656	2025-04-22 18:32:04	68.70	55dB	2.6	158%	Day
6657	2025-04-22 18:34:18	76.40	55dB	4.4	341%	Day
6658	2025-04-22 18:37:49	78.65	55dB	5.2	415%	Day
6659	2025-04-22 18:42:06	71.87	55dB	3.2	222%	Day
6660	2025-04-22 18:44:02	70.15	55dB	2.9	186%	Day
6661	2025-04-22 18:46:13	75.87	55dB	4.2	325%	Day
6662	2025-04-22 18:50:05	72.32	55dB	3.3	232%	Day
6663	2025-04-22 18:54:13	73.81	55dB	3.7	268%	Day
6664	2025-04-22 18:56:05	75.24	55dB	4.1	307%	Day
6665	2025-04-22 18:58:14	80.45	55dB	5.8	484%	Day
6666	2025-04-22 19:00:36	77.12	55dB	4.6	363%	Day
6667	2025-04-22 19:05:54	76.15	55dB	4.3	333%	Day
6668	2025-04-22 19:08:12	67.16	55dB	2.3	132%	Day
6669	2025-04-22 19:10:24	72.97	55dB	3.5	247%	Day
6670	2025-04-22 19:13:03	71.19	55dB	3.1	207%	Day
6671	2025-04-22 19:15:18	73.63	55dB	3.6	264%	Day
6672	2025-04-22 19:17:27	74.88	55dB	4.0	297%	Day
6673	2025-04-22 19:19:27	72.90	55dB	3.5	246%	Day
6674	2025-04-22 19:22:34	71.18	55dB	3.1	207%	Day
6675	2025-04-22 19:24:23	78.91	55dB	5.2	425%	Day
6676	2025-04-22 19:26:37	N/A	55dB	N/A	N/A	Day
6677	2025-04-22 19:29:08	73.72	55dB	3.7	266%	Day
6678	2025-04-22 19:37:24	73.48	55dB	3.6	260%	Day
6679	2025-04-22 19:39:32	72.96	55dB	3.5	247%	Day
6680	2025-04-22 19:41:42	73.33	55dB	3.6	256%	Day
6681	2025-04-22 19:43:48	71.79	55dB	3.2	220%	Day
6682	2025-04-22 19:46:51	74.36	55dB	3.8	283%	Day

6683	2025-04-22 19:49:09	72.87	55dB	3.5	245%	Day
6684	2025-04-22 19:51:13	77.01	55dB	4.6	360%	Day
6685	2025-04-22 19:54:32	73.12	55dB	3.5	251%	Day
6686	2025-04-22 20:00:49	71.54	55dB	3.1	215%	Day
6687	2025-04-22 20:02:39	67.72	55dB	2.4	141%	Day
6688	2025-04-22 20:03:55	71.53	55dB	3.1	214%	Day
6689	2025-04-22 20:06:01	66.76	55dB	2.3	126%	Day
6690	2025-04-22 20:10:09	69.18	55dB	2.7	167%	Day
6691	2025-04-22 20:11:38	N/A	55dB	N/A	N/A	Day
6692	2025-04-22 20:13:42	68.78	55dB	2.6	160%	Day
6693	2025-04-22 20:15:10	N/A	55dB	N/A	N/A	Day
6694	2025-04-22 20:18:33	70.26	55dB	2.9	188%	Day
6695	2025-04-22 20:20:14	69.78	55dB	2.8	179%	Day
6696	2025-04-22 20:22:00	69.58	55dB	2.7	175%	Day
6697	2025-04-22 20:23:16	69.04	55dB	2.6	165%	Day
6698	2025-04-22 20:24:58	72.01	55dB	3.3	225%	Day
6699	2025-04-22 20:27:40	68.81	55dB	2.6	160%	Day
6700	2025-04-22 20:29:46	67.75	55dB	2.4	142%	Day
6701	2025-04-22 20:31:56	N/A	55dB	N/A	N/A	Day
6702	2025-04-22 20:33:27	71.92	55dB	3.2	223%	Day
6703	2025-04-22 20:35:33	70.09	55dB	2.8	185%	Day
6704	2025-04-22 20:36:43	69.72	55dB	2.8	177%	Day
6705	2025-04-22 20:37:53	67.46	55dB	2.4	137%	Day
6706	2025-04-22 20:39:07	69.22	55dB	2.7	168%	Day
6707	2025-04-22 20:40:13	69.18	55dB	2.7	167%	Day
6708	2025-04-22 20:41:45	67.99	55dB	2.5	146%	Day
6709	2025-04-22 20:42:55	71.16	55dB	3.1	207%	Day
6710	2025-04-22 20:44:02	68.40	55dB	2.5	153%	Day
6711	2025-04-22 20:45:26	N/A	55dB	N/A	N/A	Day
6712	2025-04-22 20:46:45	70.35	55dB	2.9	190%	Day
6713	2025-04-22 20:48:26	69.21	55dB	2.7	168%	Day
6714	2025-04-22 20:51:10	71.09	55dB	3.1	205%	Day
6715	2025-04-22 20:52:49	69.20	55dB	2.7	168%	Day
6716	2025-04-22 20:55:54	71.10	55dB	3.1	205%	Day
6717	2025-04-22 20:57:21	73.39	55dB	3.6	258%	Day
6718	2025-04-22 21:00:24	68.28	55dB	2.5	151%	Day
6719	2025-04-22 21:02:01	67.83	55dB	2.4	143%	Day
6720	2025-04-22 21:03:22	69.77	55dB	2.8	178%	Day
6721	2025-04-22 21:04:45	69.24	55dB	2.7	168%	Day
6722	2025-04-22 21:07:46	67.65	55dB	2.4	140%	Day
6723	2025-04-22 21:09:16	69.49	55dB	2.7	173%	Day
6724	2025-04-22 21:11:09	66.43	55dB	2.2	121%	Day
6725	2025-04-22 21:12:28	68.91	55dB	2.6	162%	Day
6726	2025-04-22 21:15:17	71.67	55dB	3.2	218%	Day

6727	2025-04-22 21:18:06	N/A	55dB	N/A	N/A	Day
6728	2025-04-22 21:20:22	N/A	55dB	N/A	N/A	Day
6729	2025-04-22 21:21:51	68.08	55dB	2.5	148%	Day
6730	2025-04-22 21:23:19	68.17	55dB	2.5	149%	Day
6731	2025-04-22 21:28:16	N/A	55dB	N/A	N/A	Day
6732	2025-04-22 21:30:09	73.30	55dB	3.6	256%	Day
6733	2025-04-22 21:32:53	72.38	55dB	3.3	234%	Day
6734	2025-04-22 21:36:24	67.54	55dB	2.4	139%	Day
6735	2025-04-22 21:40:08	N/A	55dB	N/A	N/A	Day
6736	2025-04-22 21:41:35	68.81	55dB	2.6	160%	Day
6737	2025-04-22 21:45:57	72.36	55dB	3.3	233%	Day
6738	2025-04-22 21:48:26	67.52	55dB	2.4	138%	Day
6739	2025-04-22 21:50:00	N/A	55dB	N/A	N/A	Day
6740	2025-04-22 21:51:21	N/A	55dB	N/A	N/A	Day
6741	2025-04-22 21:52:43	68.87	55dB	2.6	162%	Day
6742	2025-04-22 21:54:18	67.59	55dB	2.4	139%	Day
6743	2025-04-22 21:55:54	N/A	55dB	N/A	N/A	Day
6744	2025-04-22 22:06:51	68.36	55dB	2.5	152%	Day
6745	2025-04-22 22:08:37	N/A	55dB	N/A	N/A	Day
6746	2025-04-22 22:15:53	N/A	55dB	N/A	N/A	Day
6747	2025-04-22 22:19:27	68.61	55dB	2.6	157%	Day
6748	2025-04-22 22:21:12	N/A	55dB	N/A	N/A	Day
6749	2025-04-22 22:22:36	69.28	55dB	2.7	169%	Day
6750	2025-04-22 22:24:12	73.49	55dB	3.6	260%	Day
6751	2025-04-22 22:26:22	N/A	55dB	N/A	N/A	Day
6752	2025-04-22 22:31:52	N/A	55dB	N/A	N/A	Day
6753	2025-04-22 22:33:41	67.44	55dB	2.4	137%	Day
6754	2025-04-22 22:37:34	72.86	55dB	3.4	245%	Day
6755	2025-04-22 22:39:17	67.25	55dB	2.3	134%	Day
6756	2025-04-22 22:41:40	66.41	55dB	2.2	121%	Day
6757	2025-04-22 22:44:43	68.86	55dB	2.6	161%	Day
6758	2025-04-22 22:50:22	67.22	55dB	2.3	133%	Day
6759	2025-04-22 22:52:06	68.61	55dB	2.6	157%	Day
6760	2025-04-22 22:54:47	N/A	55dB	N/A	N/A	Day
6761	2025-04-22 23:11:19	69.24	45dB	5.4	437%	Night
6762	2025-04-22 23:14:14	70.24	45dB	5.8	475%	Night
6763	2025-04-22 23:16:24	N/A	45dB	N/A	N/A	Night
6764	2025-04-22 23:18:53	72.54	45dB	6.7	575%	Night
6765	2025-04-22 23:20:47	70.87	45dB	6.0	501%	Night
6766	2025-04-22 23:22:18	73.36	45dB	7.1	614%	Night
6767	2025-04-22 23:24:04	68.34	45dB	5.0	404%	Night
6768	2025-04-22 23:25:39	66.26	45dB	4.4	337%	Night
6769	2025-04-22 23:28:25	75.14	45dB	8.1	708%	Night
6770	2025-04-22 23:33:51	67.31	45dB	4.7	369%	Night

6771	2025-04-22 23:35:34	N/A	45dB	N/A	N/A	Night
6772	2025-04-22 23:38:03	69.92	45dB	5.6	463%	Night
6773	2025-04-22 23:40:21	75.49	45dB	8.3	728%	Night
6774	2025-04-22 23:42:27	69.39	45dB	5.4	442%	Night
6775	2025-04-22 23:44:18	77.78	45dB	9.7	870%	Night
6776	2025-04-22 23:46:55	70.27	45dB	5.8	476%	Night
6777	2025-04-22 23:49:03	71.33	45dB	6.2	520%	Night
6778	2025-04-22 23:53:20	69.56	45dB	5.5	449%	Night
6779	2025-04-23 02:04:10	74.75	45dB	7.9	686%	Night
6780	2025-04-23 02:17:36	67.71	45dB	4.8	383%	Night
6781	2025-04-23 02:17:36	67.71	45dB	4.8	383%	Night
6782	2025-04-23 03:12:56	73.62	45dB	7.3	627%	Night
6783	2025-04-23 04:25:16	N/A	45dB	N/A	N/A	Night
6784	2025-04-23 04:34:10	N/A	45dB	N/A	N/A	Night
6785	2025-04-23 06:29:20	68.09	45dB	5.0	396%	Night
6786	2025-04-23 06:30:37	70.20	45dB	5.7	474%	Night
6787	2025-04-23 06:32:20	69.17	45dB	5.3	434%	Night
6788	2025-04-23 06:33:36	69.27	45dB	5.4	438%	Night
6789	2025-04-23 06:34:49	69.15	45dB	5.3	433%	Night
6790	2025-04-23 06:35:54	70.56	45dB	5.9	488%	Night
6791	2025-04-23 06:37:15	67.65	45dB	4.8	381%	Night
6792	2025-04-23 06:38:32	80.24	45dB	11.5	1050%	Night
6793	2025-04-23 06:39:45	68.85	45dB	5.2	422%	Night
6794	2025-04-23 06:41:08	69.14	45dB	5.3	433%	Night
6795	2025-04-23 06:42:33	68.83	45dB	5.2	422%	Night
6796	2025-04-23 06:43:44	72.02	45dB	6.5	551%	Night
6797	2025-04-23 06:45:05	68.98	45dB	5.3	427%	Night
6798	2025-04-23 06:46:46	69.27	45dB	5.4	438%	Night
6799	2025-04-23 06:49:03	71.28	45dB	6.2	518%	Night
6800	2025-04-23 06:51:03	66.96	45dB	4.6	358%	Night
6801	2025-04-23 06:52:42	69.92	45dB	5.6	463%	Night
6802	2025-04-23 06:55:40	71.09	45dB	6.1	510%	Night
6803	2025-04-23 06:57:55	68.18	45dB	5.0	399%	Night
6804	2025-04-23 06:59:15	70.33	45dB	5.8	479%	Night
6805	2025-04-23 07:00:20	67.26	55dB	2.3	134%	Day
6806	2025-04-23 07:01:49	68.43	55dB	2.5	154%	Day
6807	2025-04-23 07:03:42	77.93	55dB	4.9	390%	Day
6808	2025-04-23 07:13:45	68.23	55dB	2.5	150%	Day
6809	2025-04-23 07:16:20	69.43	55dB	2.7	172%	Day
6810	2025-04-23 07:21:01	69.43	55dB	2.7	172%	Day
6811	2025-04-23 07:22:34	67.83	55dB	2.4	143%	Day
6812	2025-04-23 07:24:01	69.54	55dB	2.7	174%	Day
6813	2025-04-23 07:29:14	69.51	55dB	2.7	173%	Day
6814	2025-04-23 07:37:18	77.28	55dB	4.7	368%	Day

6815	2025-04-23 07:38:38	68.04	55dB	2.5	147%	Day
6816	2025-04-23 07:40:08	68.91	55dB	2.6	162%	Day
6817	2025-04-23 07:52:38	69.81	55dB	2.8	179%	Day
6818	2025-04-23 07:54:15	67.86	55dB	2.4	144%	Day
6819	2025-04-23 07:55:43	81.06	55dB	6.1	509%	Day
6820	2025-04-23 07:57:35	69.81	55dB	2.8	179%	Day
6821	2025-04-23 07:59:08	68.62	55dB	2.6	157%	Day
6822	2025-04-23 08:05:44	74.15	55dB	3.8	277%	Day
6823	2025-04-23 08:10:11	73.72	55dB	3.7	266%	Day
6824	2025-04-23 08:20:32	66.90	55dB	2.3	128%	Day
6825	2025-04-23 08:22:48	N/A	55dB	N/A	N/A	Day
6826	2025-04-23 08:24:12	71.33	55dB	3.1	210%	Day
6827	2025-04-23 08:25:20	69.92	55dB	2.8	181%	Day
6828	2025-04-23 08:26:17	71.65	55dB	3.2	217%	Day
6829	2025-04-23 08:27:26	73.98	55dB	3.7	273%	Day
6830	2025-04-23 08:29:32	N/A	55dB	N/A	N/A	Day
6831	2025-04-23 08:33:33	66.60	55dB	2.2	123%	Day
6832	2025-04-23 08:34:32	72.19	55dB	3.3	229%	Day
6833	2025-04-23 08:36:44	74.38	55dB	3.8	283%	Day
6834	2025-04-23 08:38:30	68.81	55dB	2.6	160%	Day
6835	2025-04-23 08:39:15	N/A	55dB	N/A	N/A	Day
6836	2025-04-23 08:40:13	75.05	55dB	4.0	301%	Day
6837	2025-04-23 08:40:45	68.35	55dB	2.5	152%	Day
6838	2025-04-23 08:41:30	75.58	55dB	4.2	316%	Day
6839	2025-04-23 08:42:20	68.52	55dB	2.6	155%	Day
6840	2025-04-23 08:43:50	68.96	55dB	2.6	163%	Day
6841	2025-04-23 08:44:56	67.36	55dB	2.4	136%	Day
6842	2025-04-23 08:47:22	N/A	55dB	N/A	N/A	Day
6843	2025-04-23 08:48:12	78.53	55dB	5.1	411%	Day
6844	2025-04-23 08:48:56	80.07	55dB	5.7	468%	Day
6845	2025-04-23 08:52:13	74.85	55dB	4.0	296%	Day
6846	2025-04-23 08:53:27	N/A	55dB	N/A	N/A	Day
6847	2025-04-23 08:55:50	N/A	55dB	N/A	N/A	Day
6848	2025-04-23 08:57:01	71.16	55dB	3.1	207%	Day
6849	2025-04-23 08:57:42	N/A	55dB	N/A	N/A	Day
6850	2025-04-23 08:59:19	76.23	55dB	4.4	336%	Day
6851	2025-04-23 09:01:37	N/A	55dB	N/A	N/A	Day
6852	2025-04-23 09:04:00	74.60	55dB	3.9	289%	Day
6853	2025-04-23 09:31:51	69.64	55dB	2.8	176%	Day
6854	2025-04-23 10:33:56	75.36	55dB	4.1	310%	Day
6855	2025-04-23 10:36:30	N/A	55dB	N/A	N/A	Day
6856	2025-04-23 10:38:08	69.68	55dB	2.8	177%	Day
6857	2025-04-23 10:40:53	N/A	55dB	N/A	N/A	Day
6858	2025-04-23 10:42:31	N/A	55dB	N/A	N/A	Day

6859	2025-04-23 10:44:03	71.03	55dB	3.0	204%	Day
6860	2025-04-23 10:45:16	67.23	55dB	2.3	133%	Day
6861	2025-04-23 10:46:28	69.55	55dB	2.7	174%	Day
6862	2025-04-23 10:48:09	71.91	55dB	3.2	223%	Day
6863	2025-04-23 10:49:31	N/A	55dB	N/A	N/A	Day
6864	2025-04-23 10:50:47	71.74	55dB	3.2	219%	Day
6865	2025-04-23 10:52:13	68.40	55dB	2.5	153%	Day
6866	2025-04-23 10:53:33	68.95	55dB	2.6	163%	Day
6867	2025-04-23 10:54:55	76.84	55dB	4.5	354%	Day
6868	2025-04-23 10:56:30	73.03	55dB	3.5	249%	Day
6869	2025-04-23 11:07:04	N/A	55dB	N/A	N/A	Day
6870	2025-04-23 11:10:39	66.25	55dB	2.2	118%	Day
6871	2025-04-23 11:12:05	69.31	55dB	2.7	170%	Day
6872	2025-04-23 11:13:18	67.50	55dB	2.4	138%	Day
6873	2025-04-23 11:14:32	70.34	55dB	2.9	190%	Day
6874	2025-04-23 11:15:46	70.15	55dB	2.9	186%	Day
6875	2025-04-23 11:17:08	67.40	55dB	2.4	136%	Day
6876	2025-04-23 11:19:02	67.31	55dB	2.3	135%	Day
6877	2025-04-23 11:20:19	69.14	55dB	2.7	166%	Day
6878	2025-04-23 11:21:49	68.59	55dB	2.6	157%	Day
6879	2025-04-23 11:24:45	73.92	55dB	3.7	271%	Day
6880	2025-04-23 11:33:12	68.18	55dB	2.5	149%	Day
6881	2025-04-23 11:34:47	69.27	55dB	2.7	169%	Day
6882	2025-04-23 11:35:58	68.68	55dB	2.6	158%	Day
6883	2025-04-23 11:37:17	69.62	55dB	2.8	175%	Day
6884	2025-04-23 11:38:44	69.74	55dB	2.8	178%	Day
6885	2025-04-23 11:42:24	67.82	55dB	2.4	143%	Day
6886	2025-04-23 11:43:50	68.10	55dB	2.5	148%	Day
6887	2025-04-23 11:45:29	N/A	55dB	N/A	N/A	Day
6888	2025-04-23 11:49:40	69.21	55dB	2.7	168%	Day
6889	2025-04-23 11:52:48	68.98	55dB	2.6	164%	Day
6890	2025-04-23 11:56:10	73.11	55dB	3.5	251%	Day
6891	2025-04-23 11:57:46	70.99	55dB	3.0	203%	Day
6892	2025-04-23 11:59:16	71.11	55dB	3.1	205%	Day
6893	2025-04-23 12:00:56	71.02	55dB	3.0	204%	Day
6894	2025-04-23 12:04:39	68.56	55dB	2.6	156%	Day
6895	2025-04-23 12:05:58	71.05	55dB	3.0	204%	Day
6896	2025-04-23 12:07:31	77.66	55dB	4.8	381%	Day
6897	2025-04-23 12:09:12	79.65	55dB	5.5	452%	Day
6898	2025-04-23 12:12:45	70.20	55dB	2.9	187%	Day
6899	2025-04-23 12:14:14	70.46	55dB	2.9	192%	Day
6900	2025-04-23 12:15:31	65.69	55dB	2.1	110%	Day
6901	2025-04-23 12:16:48	N/A	55dB	N/A	N/A	Day
6902	2025-04-23 12:18:06	70.90	55dB	3.0	201%	Day

6903	2025-04-23 12:21:47	71.48	55dB	3.1	213%	Day
6904	2025-04-23 12:23:17	69.55	55dB	2.7	174%	Day
6905	2025-04-23 12:24:53	N/A	55dB	N/A	N/A	Day
6906	2025-04-23 12:37:15	70.79	55dB	3.0	199%	Day
6907	2025-04-23 12:39:31	68.72	55dB	2.6	159%	Day
6908	2025-04-23 12:41:03	69.10	55dB	2.7	166%	Day
6909	2025-04-23 12:42:51	66.84	55dB	2.3	127%	Day
6910	2025-04-23 12:44:15	72.05	55dB	3.3	226%	Day
6911	2025-04-23 12:45:44	68.55	55dB	2.6	156%	Day
6912	2025-04-23 12:47:36	N/A	55dB	N/A	N/A	Day
6913	2025-04-23 12:50:09	71.18	55dB	3.1	207%	Day
6914	2025-04-23 12:51:35	67.74	55dB	2.4	142%	Day
6915	2025-04-23 12:53:42	68.62	55dB	2.6	157%	Day
6916	2025-04-23 12:58:40	67.95	55dB	2.5	145%	Day
6917	2025-04-23 13:02:49	70.31	55dB	2.9	189%	Day
6918	2025-04-23 13:05:18	74.58	55dB	3.9	289%	Day
6919	2025-04-23 13:08:16	68.89	55dB	2.6	162%	Day
6920	2025-04-23 13:11:05	73.02	55dB	3.5	249%	Day
6921	2025-04-23 13:13:16	70.01	55dB	2.8	183%	Day
6922	2025-04-23 13:16:09	69.26	55dB	2.7	169%	Day
6923	2025-04-23 13:17:40	68.14	55dB	2.5	149%	Day
6924	2025-04-23 13:18:58	70.29	55dB	2.9	189%	Day
6925	2025-04-23 13:21:40	71.11	55dB	3.1	205%	Day
6926	2025-04-23 13:26:18	71.85	55dB	3.2	222%	Day
6927	2025-04-23 13:33:37	73.45	55dB	3.6	259%	Day
6928	2025-04-23 13:35:31	67.69	55dB	2.4	141%	Day
6929	2025-04-23 13:39:50	70.68	55dB	3.0	196%	Day
6930	2025-04-23 13:43:19	68.68	55dB	2.6	158%	Day
6931	2025-04-23 13:44:45	68.57	55dB	2.6	156%	Day
6932	2025-04-23 13:45:58	69.31	55dB	2.7	170%	Day
6933	2025-04-23 13:47:58	N/A	55dB	N/A	N/A	Day
6934	2025-04-23 13:49:11	69.05	55dB	2.6	165%	Day
6935	2025-04-23 13:51:07	N/A	55dB	N/A	N/A	Day
6936	2025-04-23 13:52:32	73.83	55dB	3.7	269%	Day
6937	2025-04-23 13:54:24	N/A	55dB	N/A	N/A	Day
6938	2025-04-23 13:55:39	N/A	55dB	N/A	N/A	Day
6939	2025-04-23 13:58:03	70.77	55dB	3.0	198%	Day
6940	2025-04-23 13:59:30	72.93	55dB	3.5	247%	Day
6941	2025-04-23 14:01:25	70.23	55dB	2.9	187%	Day
6942	2025-04-23 14:02:39	68.04	55dB	2.5	147%	Day
6943	2025-04-23 14:04:00	73.49	55dB	3.6	260%	Day
6944	2025-04-23 14:06:04	N/A	55dB	N/A	N/A	Day
6945	2025-04-23 14:07:35	68.92	55dB	2.6	162%	Day
6946	2025-04-23 14:09:25	77.15	55dB	4.6	364%	Day

6947	2025-04-23 14:11:18	68.29	55dB	2.5	151%	Day
6948	2025-04-23 14:12:50	68.99	55dB	2.6	164%	Day
6949	2025-04-23 14:15:35	68.67	55dB	2.6	158%	Day
6950	2025-04-23 14:18:32	69.42	55dB	2.7	172%	Day
6951	2025-04-23 14:21:21	69.53	55dB	2.7	174%	Day
6952	2025-04-23 14:23:33	72.64	55dB	3.4	240%	Day
6953	2025-04-23 14:25:49	69.25	55dB	2.7	169%	Day
6954	2025-04-23 14:27:12	69.02	55dB	2.6	164%	Day
6955	2025-04-23 14:28:33	73.21	55dB	3.5	253%	Day
6956	2025-04-23 14:30:47	72.06	55dB	3.3	226%	Day
6957	2025-04-23 14:33:00	N/A	55dB	N/A	N/A	Day
6958	2025-04-23 14:34:30	72.75	55dB	3.4	242%	Day
6959	2025-04-23 14:36:02	69.98	55dB	2.8	182%	Day
6960	2025-04-23 14:38:49	68.33	55dB	2.5	152%	Day
6961	2025-04-23 14:43:26	68.60	55dB	2.6	157%	Day
6962	2025-04-23 14:44:34	75.00	55dB	4.0	300%	Day
6963	2025-04-23 14:45:56	N/A	55dB	N/A	N/A	Day
6964	2025-04-23 14:48:10	73.62	55dB	3.6	264%	Day
6965	2025-04-23 14:50:24	69.17	55dB	2.7	167%	Day
6966	2025-04-23 14:53:14	73.42	55dB	3.6	259%	Day
6967	2025-04-23 14:54:34	70.95	55dB	3.0	202%	Day
6968	2025-04-23 14:55:58	69.73	55dB	2.8	178%	Day
6969	2025-04-23 14:57:26	68.53	55dB	2.6	155%	Day
6970	2025-04-23 14:59:06	N/A	55dB	N/A	N/A	Day
6971	2025-04-23 15:01:00	71.79	55dB	3.2	220%	Day
6972	2025-04-23 15:04:10	72.45	55dB	3.4	235%	Day
6973	2025-04-23 15:07:25	72.22	55dB	3.3	230%	Day
6974	2025-04-23 15:09:05	76.31	55dB	4.4	338%	Day
6975	2025-04-23 15:11:39	N/A	55dB	N/A	N/A	Day
6976	2025-04-23 15:13:03	70.35	55dB	2.9	190%	Day
6977	2025-04-23 15:15:13	69.26	55dB	2.7	169%	Day
6978	2025-04-23 15:16:47	68.30	55dB	2.5	151%	Day
6979	2025-04-23 15:19:58	70.22	55dB	2.9	187%	Day
6980	2025-04-23 15:21:44	68.08	55dB	2.5	148%	Day
6981	2025-04-23 15:23:31	67.94	55dB	2.5	145%	Day
6982	2025-04-23 15:24:55	69.03	55dB	2.6	164%	Day
6983	2025-04-23 15:26:01	N/A	55dB	N/A	N/A	Day
6984	2025-04-23 15:27:31	N/A	55dB	N/A	N/A	Day
6985	2025-04-23 15:30:17	76.14	55dB	4.3	333%	Day
6986	2025-04-23 15:33:07	82.61	55dB	6.8	578%	Day
6987	2025-04-23 15:35:10	69.63	55dB	2.8	176%	Day
6988	2025-04-23 15:36:35	67.17	55dB	2.3	132%	Day
6989	2025-04-23 15:38:07	75.01	55dB	4.0	300%	Day
6990	2025-04-23 15:40:06	68.87	55dB	2.6	162%	Day

6991	2025-04-23 15:42:09	73.47	55dB	3.6	260%	Day
6992	2025-04-23 15:45:19	76.60	55dB	4.5	347%	Day
6993	2025-04-23 15:47:15	N/A	55dB	N/A	N/A	Day
6994	2025-04-23 15:48:45	N/A	55dB	N/A	N/A	Day
6995	2025-04-23 15:50:13	70.96	55dB	3.0	202%	Day
6996	2025-04-23 15:52:09	68.54	55dB	2.6	156%	Day
6997	2025-04-23 15:53:33	70.02	55dB	2.8	183%	Day
6998	2025-04-23 15:54:52	70.69	55dB	3.0	197%	Day
6999	2025-04-23 15:56:25	70.25	55dB	2.9	188%	Day
7000	2025-04-23 15:57:58	73.80	55dB	3.7	268%	Day
7001	2025-04-23 16:02:23	73.59	55dB	3.6	263%	Day
7002	2025-04-23 16:04:47	73.47	55dB	3.6	260%	Day
7003	2025-04-23 16:06:22	73.23	55dB	3.5	254%	Day
7004	2025-04-23 16:08:37	71.06	55dB	3.0	204%	Day
7005	2025-04-23 16:10:16	72.47	55dB	3.4	236%	Day
7006	2025-04-23 16:12:35	N/A	55dB	N/A	N/A	Day
7007	2025-04-23 16:14:23	70.21	55dB	2.9	187%	Day
7008	2025-04-23 16:16:05	69.96	55dB	2.8	182%	Day
7009	2025-04-23 16:20:27	69.44	55dB	2.7	172%	Day
7010	2025-04-23 16:22:44	67.66	55dB	2.4	140%	Day
7011	2025-04-23 16:26:39	70.53	55dB	2.9	193%	Day
7012	2025-04-23 16:28:18	68.49	55dB	2.5	155%	Day
7013	2025-04-23 16:31:10	76.20	55dB	4.3	335%	Day
7014	2025-04-23 16:33:18	69.62	55dB	2.8	175%	Day
7015	2025-04-23 16:34:35	69.15	55dB	2.7	167%	Day
7016	2025-04-23 16:35:46	69.25	55dB	2.7	169%	Day
7017	2025-04-23 16:37:03	67.87	55dB	2.4	144%	Day
7018	2025-04-23 16:38:19	70.79	55dB	3.0	199%	Day
7019	2025-04-23 16:39:39	71.06	55dB	3.0	204%	Day
7020	2025-04-23 16:41:30	71.98	55dB	3.2	224%	Day
7021	2025-04-23 16:43:00	70.85	55dB	3.0	200%	Day
7022	2025-04-23 16:44:36	91.82	55dB	12.8	1183%	Day
7023	2025-04-23 16:46:24	71.34	55dB	3.1	210%	Day
7024	2025-04-23 16:50:55	73.57	55dB	3.6	262%	Day
7025	2025-04-23 16:54:34	79.68	55dB	5.5	453%	Day
7026	2025-04-23 16:56:06	73.97	55dB	3.7	272%	Day
7027	2025-04-23 16:57:54	92.28	55dB	13.3	1225%	Day
7028	2025-04-23 16:59:33	69.46	55dB	2.7	172%	Day
7029	2025-04-23 17:00:58	72.04	55dB	3.3	226%	Day
7030	2025-04-23 17:02:46	69.05	55dB	2.6	165%	Day
7031	2025-04-23 17:04:56	69.53	55dB	2.7	174%	Day
7032	2025-04-23 17:07:39	73.86	55dB	3.7	270%	Day
7033	2025-04-23 17:09:19	77.36	55dB	4.7	371%	Day
7034	2025-04-23 17:10:54	76.40	55dB	4.4	341%	Day

7035	2025-04-23 17:12:28	69.28	55dB	2.7	169%	Day
7036	2025-04-23 17:20:08	N/A	55dB	N/A	N/A	Day
7037	2025-04-23 17:23:49	69.62	55dB	2.8	175%	Day
7038	2025-04-23 17:25:32	71.21	55dB	3.1	208%	Day
7039	2025-04-23 17:26:56	N/A	55dB	N/A	N/A	Day
7040	2025-04-23 17:28:54	69.09	55dB	2.7	166%	Day
7041	2025-04-23 17:30:22	83.11	55dB	7.0	602%	Day
7042	2025-04-23 17:32:15	N/A	55dB	N/A	N/A	Day
7043	2025-04-23 17:33:31	N/A	55dB	N/A	N/A	Day
7044	2025-04-23 17:34:55	70.99	55dB	3.0	203%	Day
7045	2025-04-23 17:37:17	N/A	55dB	N/A	N/A	Day
7046	2025-04-23 17:38:33	68.97	55dB	2.6	163%	Day
7047	2025-04-23 17:39:56	72.05	55dB	3.3	226%	Day
7048	2025-04-23 17:41:28	70.68	55dB	3.0	196%	Day
7049	2025-04-23 17:45:36	69.01	55dB	2.6	164%	Day
7050	2025-04-23 17:48:12	67.66	55dB	2.4	140%	Day
7051	2025-04-23 17:54:37	69.12	55dB	2.7	166%	Day
7052	2025-04-23 17:56:09	N/A	55dB	N/A	N/A	Day
7053	2025-04-23 18:00:49	72.80	55dB	3.4	243%	Day
7054	2025-04-23 18:02:48	76.54	55dB	4.5	345%	Day
7055	2025-04-23 18:04:48	74.20	55dB	3.8	278%	Day
7056	2025-04-23 18:06:09	73.85	55dB	3.7	269%	Day
7057	2025-04-23 18:07:19	73.77	55dB	3.7	267%	Day
7058	2025-04-23 18:08:33	74.65	55dB	3.9	290%	Day
7059	2025-04-23 18:10:32	70.77	55dB	3.0	198%	Day
7060	2025-04-23 18:12:36	70.21	55dB	2.9	187%	Day
7061	2025-04-23 18:14:33	74.66	55dB	3.9	291%	Day
7062	2025-04-23 18:20:03	69.33	55dB	2.7	170%	Day
7063	2025-04-23 18:22:19	77.27	55dB	4.7	368%	Day
7064	2025-04-23 18:27:18	71.64	55dB	3.2	217%	Day
7065	2025-04-23 18:31:20	73.55	55dB	3.6	262%	Day
7066	2025-04-23 18:33:20	70.56	55dB	2.9	194%	Day
7067	2025-04-23 18:35:19	74.87	55dB	4.0	296%	Day
7068	2025-04-23 18:37:46	73.41	55dB	3.6	258%	Day
7069	2025-04-23 18:39:34	76.52	55dB	4.4	344%	Day
7070	2025-04-23 18:42:32	72.31	55dB	3.3	232%	Day
7071	2025-04-23 18:45:01	72.11	55dB	3.3	227%	Day
7072	2025-04-23 18:47:16	73.00	55dB	3.5	248%	Day
7073	2025-04-23 18:49:00	71.78	55dB	3.2	220%	Day
7074	2025-04-23 18:54:05	72.04	55dB	3.3	226%	Day
7075	2025-04-23 19:01:46	75.75	55dB	4.2	321%	Day
7076	2025-04-23 19:04:02	75.16	55dB	4.0	304%	Day
7077	2025-04-23 19:09:33	74.96	55dB	4.0	299%	Day
7078	2025-04-23 19:13:00	72.41	55dB	3.3	234%	Day

7079	2025-04-23 19:15:16	70.35	55dB	2.9	190%	Day
7080	2025-04-23 19:17:14	74.58	55dB	3.9	289%	Day
7081	2025-04-23 19:19:22	71.97	55dB	3.2	224%	Day
7082	2025-04-23 19:21:43	76.98	55dB	4.6	359%	Day
7083	2025-04-23 19:24:03	73.20	55dB	3.5	253%	Day
7084	2025-04-23 19:28:17	77.99	55dB	4.9	392%	Day
7085	2025-04-23 19:30:32	74.96	55dB	4.0	299%	Day
7086	2025-04-23 19:35:10	74.32	55dB	3.8	282%	Day
7087	2025-04-23 19:37:12	74.52	55dB	3.9	287%	Day
7088	2025-04-23 19:39:09	73.67	55dB	3.6	265%	Day
7089	2025-04-23 19:41:26	70.98	55dB	3.0	203%	Day
7090	2025-04-23 19:43:03	75.09	55dB	4.0	303%	Day
7091	2025-04-23 19:47:21	73.62	55dB	3.6	264%	Day
7092	2025-04-23 19:53:28	74.05	55dB	3.7	275%	Day
7093	2025-04-23 20:01:40	74.73	55dB	3.9	293%	Day
7094	2025-04-23 20:04:25	74.48	55dB	3.9	286%	Day
7095	2025-04-23 20:08:23	72.44	55dB	3.3	235%	Day
7096	2025-04-23 20:09:46	72.56	55dB	3.4	238%	Day
7097	2025-04-23 20:12:33	66.61	55dB	2.2	124%	Day
7098	2025-04-23 20:13:50	71.67	55dB	3.2	218%	Day
7099	2025-04-23 20:21:05	67.01	55dB	2.3	130%	Day
7100	2025-04-23 20:24:00	68.51	55dB	2.6	155%	Day
7101	2025-04-23 20:27:46	68.96	55dB	2.6	163%	Day
7102	2025-04-23 20:29:14	75.02	55dB	4.0	301%	Day
7103	2025-04-23 20:31:09	72.53	55dB	3.4	237%	Day
7104	2025-04-23 20:33:03	74.02	55dB	3.7	274%	Day
7105	2025-04-23 20:34:50	72.21	55dB	3.3	230%	Day
7106	2025-04-23 20:36:36	68.65	55dB	2.6	158%	Day
7107	2025-04-23 20:37:53	68.85	55dB	2.6	161%	Day
7108	2025-04-23 20:40:49	70.63	55dB	3.0	195%	Day
7109	2025-04-23 20:42:31	70.57	55dB	2.9	194%	Day
7110	2025-04-23 20:43:40	68.87	55dB	2.6	162%	Day
7111	2025-04-23 20:44:49	68.06	55dB	2.5	147%	Day
7112	2025-04-23 20:45:55	69.72	55dB	2.8	177%	Day
7113	2025-04-23 20:47:13	69.80	55dB	2.8	179%	Day
7114	2025-04-23 20:50:02	73.44	55dB	3.6	259%	Day
7115	2025-04-23 20:51:14	70.21	55dB	2.9	187%	Day
7116	2025-04-23 20:52:12	70.62	55dB	3.0	195%	Day
7117	2025-04-23 20:53:34	81.12	55dB	6.1	511%	Day
7118	2025-04-23 20:55:07	N/A	55dB	N/A	N/A	Day
7119	2025-04-23 20:56:11	67.79	55dB	2.4	143%	Day
7120	2025-04-23 20:57:46	68.44	55dB	2.5	154%	Day
7121	2025-04-23 21:02:44	N/A	55dB	N/A	N/A	Day
7122	2025-04-23 21:04:16	68.06	55dB	2.5	147%	Day

7123	2025-04-23 21:05:52	70.28	55dB	2.9	188%	Day
7124	2025-04-23 21:07:30	70.82	55dB	3.0	199%	Day
7125	2025-04-23 21:10:23	67.11	55dB	2.3	131%	Day
7126	2025-04-23 21:12:21	67.78	55dB	2.4	143%	Day
7127	2025-04-23 21:13:57	72.95	55dB	3.5	247%	Day
7128	2025-04-23 21:16:01	75.18	55dB	4.1	305%	Day
7129	2025-04-23 21:19:17	70.07	55dB	2.8	184%	Day
7130	2025-04-23 21:21:12	70.63	55dB	3.0	195%	Day
7131	2025-04-23 21:22:42	70.32	55dB	2.9	189%	Day
7132	2025-04-23 21:28:35	68.44	55dB	2.5	154%	Day
7133	2025-04-23 21:30:54	73.57	55dB	3.6	262%	Day
7134	2025-04-23 21:33:04	71.71	55dB	3.2	218%	Day
7135	2025-04-23 21:35:30	67.99	55dB	2.5	146%	Day
7136	2025-04-23 21:38:38	69.78	55dB	2.8	179%	Day
7137	2025-04-23 21:40:11	74.13	55dB	3.8	277%	Day
7138	2025-04-23 21:41:39	68.37	55dB	2.5	153%	Day
7139	2025-04-23 21:43:48	69.10	55dB	2.7	166%	Day
7140	2025-04-23 21:47:50	70.56	55dB	2.9	194%	Day
7141	2025-04-23 21:49:16	70.97	55dB	3.0	203%	Day
7142	2025-04-23 21:51:05	71.74	55dB	3.2	219%	Day
7143	2025-04-23 21:55:38	68.95	55dB	2.6	163%	Day
7144	2025-04-23 21:57:03	69.60	55dB	2.8	175%	Day
7145	2025-04-23 21:59:10	N/A	55dB	N/A	N/A	Day
7146	2025-04-23 22:00:53	67.11	55dB	2.3	131%	Day
7147	2025-04-23 22:02:46	71.91	55dB	3.2	223%	Day
7148	2025-04-23 22:06:25	68.64	55dB	2.6	157%	Day
7149	2025-04-23 22:09:28	68.63	55dB	2.6	157%	Day
7150	2025-04-23 22:11:07	N/A	55dB	N/A	N/A	Day
7151	2025-04-23 22:12:36	67.42	55dB	2.4	137%	Day
7152	2025-04-23 22:14:28	N/A	55dB	N/A	N/A	Day
7153	2025-04-23 22:16:16	N/A	55dB	N/A	N/A	Day
7154	2025-04-23 22:18:07	N/A	55dB	N/A	N/A	Day
7155	2025-04-23 22:20:07	67.57	55dB	2.4	139%	Day
7156	2025-04-23 22:31:41	N/A	55dB	N/A	N/A	Day
7157	2025-04-23 22:34:21	67.06	55dB	2.3	131%	Day
7158	2025-04-23 22:36:42	71.75	55dB	3.2	219%	Day
7159	2025-04-23 22:39:02	71.16	55dB	3.1	207%	Day
7160	2025-04-23 22:44:58	67.20	55dB	2.3	133%	Day
7161	2025-04-23 22:47:56	69.95	55dB	2.8	182%	Day
7162	2025-04-23 22:49:49	67.68	55dB	2.4	141%	Day
7163	2025-04-23 22:51:34	70.29	55dB	2.9	189%	Day
7164	2025-04-23 22:53:07	72.06	55dB	3.3	226%	Day
7165	2025-04-23 22:54:23	69.29	55dB	2.7	169%	Day
7166	2025-04-23 22:56:03	74.19	55dB	3.8	278%	Day

7167	2025-04-23 22:59:13	N/A	55dB	N/A	N/A	Day
7168	2025-04-23 23:05:58	70.36	45dB	5.8	480%	Night
7169	2025-04-23 23:13:00	71.21	45dB	6.2	515%	Night
7170	2025-04-23 23:14:43	69.33	45dB	5.4	440%	Night
7171	2025-04-23 23:16:38	69.41	45dB	5.4	443%	Night
7172	2025-04-23 23:19:30	70.87	45dB	6.0	501%	Night
7173	2025-04-23 23:26:38	69.67	45dB	5.5	453%	Night
7174	2025-04-23 23:28:17	N/A	45dB	N/A	N/A	Night
7175	2025-04-23 23:31:38	N/A	45dB	N/A	N/A	Night
7176	2025-04-23 23:33:39	72.04	45dB	6.5	552%	Night
7177	2025-04-23 23:35:06	69.39	45dB	5.4	442%	Night
7178	2025-04-23 23:38:19	72.76	45dB	6.8	585%	Night
7179	2025-04-23 23:41:10	68.86	45dB	5.2	423%	Night
7180	2025-04-23 23:42:26	68.63	45dB	5.1	414%	Night
7181	2025-04-23 23:44:57	70.51	45dB	5.9	486%	Night
7182	2025-04-23 23:46:16	69.72	45dB	5.5	455%	Night
7183	2025-04-23 23:47:16	69.12	45dB	5.3	432%	Night
7184	2025-04-23 23:49:36	72.38	45dB	6.7	567%	Night
7185	2025-04-23 23:51:09	69.30	45dB	5.4	439%	Night
7186	2025-04-23 23:52:47	71.67	45dB	6.4	535%	Night
7187	2025-04-24 00:35:07	N/A	45dB	N/A	N/A	Night
7188	2025-04-24 06:31:31	73.14	45dB	7.0	603%	Night
7189	2025-04-24 06:32:27	75.27	45dB	8.2	715%	Night
7190	2025-04-24 06:35:17	76.43	45dB	8.8	783%	Night
7191	2025-04-24 06:36:15	68.77	45dB	5.2	419%	Night
7192	2025-04-24 06:37:26	78.45	45dB	10.2	916%	Night
7193	2025-04-24 06:39:08	77.24	45dB	9.3	834%	Night
7194	2025-04-24 06:41:27	68.63	45dB	5.1	414%	Night
7195	2025-04-24 06:42:40	70.77	45dB	6.0	497%	Night
7196	2025-04-24 06:43:42	N/A	45dB	N/A	N/A	Night
7197	2025-04-24 06:44:55	77.37	45dB	9.4	843%	Night
7198	2025-04-24 06:45:45	75.59	45dB	8.3	733%	Night
7199	2025-04-24 06:47:41	N/A	45dB	N/A	N/A	Night
7200	2025-04-24 06:48:44	68.41	45dB	5.1	407%	Night
7201	2025-04-24 06:49:45	77.40	45dB	9.4	845%	Night
7202	2025-04-24 06:50:38	67.88	45dB	4.9	388%	Night
7203	2025-04-24 06:52:27	N/A	45dB	N/A	N/A	Night
7204	2025-04-24 06:53:43	77.11	45dB	9.3	826%	Night
7205	2025-04-24 06:55:31	76.23	45dB	8.7	771%	Night
7206	2025-04-24 06:56:30	68.43	45dB	5.1	407%	Night
7207	2025-04-24 06:57:14	69.98	45dB	5.6	465%	Night
7208	2025-04-24 06:58:10	73.08	45dB	7.0	600%	Night
7209	2025-04-24 06:59:17	N/A	45dB	N/A	N/A	Night
7210	2025-04-24 07:00:07	73.21	55dB	3.5	253%	Day

7211	2025-04-24 07:00:50	N/A	55dB	N/A	N/A	Day
7212	2025-04-24 07:02:08	78.62	55dB	5.1	414%	Day
7213	2025-04-24 07:03:09	75.91	55dB	4.3	326%	Day
7214	2025-04-24 07:03:45	71.46	55dB	3.1	213%	Day
7215	2025-04-24 07:05:01	77.89	55dB	4.9	389%	Day
7216	2025-04-24 07:07:04	76.77	55dB	4.5	352%	Day
7217	2025-04-24 07:08:00	N/A	55dB	N/A	N/A	Day
7218	2025-04-24 07:09:33	71.10	55dB	3.1	205%	Day
7219	2025-04-24 07:10:45	75.38	55dB	4.1	311%	Day
7220	2025-04-24 07:16:05	78.12	55dB	5.0	397%	Day
7221	2025-04-24 07:19:08	75.39	55dB	4.1	311%	Day
7222	2025-04-24 07:25:49	68.65	55dB	2.6	158%	Day
7223	2025-04-24 07:27:57	69.11	55dB	2.7	166%	Day
7224	2025-04-24 07:30:24	70.63	55dB	3.0	195%	Day
7225	2025-04-24 07:32:18	72.01	55dB	3.3	225%	Day
7226	2025-04-24 07:33:54	70.70	55dB	3.0	197%	Day
7227	2025-04-24 07:35:04	69.33	55dB	2.7	170%	Day
7228	2025-04-24 07:36:25	71.42	55dB	3.1	212%	Day
7229	2025-04-24 07:38:21	72.37	55dB	3.3	233%	Day
7230	2025-04-24 07:40:48	68.15	55dB	2.5	149%	Day
7231	2025-04-24 07:44:09	69.71	55dB	2.8	177%	Day
7232	2025-04-24 07:46:09	73.10	55dB	3.5	251%	Day
7233	2025-04-24 07:47:35	69.54	55dB	2.7	174%	Day
7234	2025-04-24 07:50:31	67.07	55dB	2.3	131%	Day
7235	2025-04-24 07:53:42	N/A	55dB	N/A	N/A	Day
7236	2025-04-24 07:58:00	73.21	55dB	3.5	253%	Day
7237	2025-04-24 08:02:47	70.96	55dB	3.0	202%	Day
7238	2025-04-24 08:04:38	67.80	55dB	2.4	143%	Day
7239	2025-04-24 08:09:02	69.89	55dB	2.8	181%	Day
7240	2025-04-24 08:13:42	72.76	55dB	3.4	242%	Day
7241	2025-04-24 08:20:00	73.62	55dB	3.6	264%	Day
7242	2025-04-24 08:25:04	73.81	55dB	3.7	268%	Day
7243	2025-04-24 08:31:09	70.70	55dB	3.0	197%	Day
7244	2025-04-24 08:49:49	72.00	55dB	3.2	225%	Day
7245	2025-04-24 08:53:25	72.26	55dB	3.3	231%	Day
7246	2025-04-24 08:56:56	74.09	55dB	3.8	276%	Day
7247	2025-04-24 09:12:46	71.63	55dB	3.2	217%	Day
7248	2025-04-24 09:22:12	74.73	55dB	3.9	293%	Day
7249	2025-04-24 09:25:52	70.72	55dB	3.0	197%	Day
7250	2025-04-24 09:32:50	73.80	55dB	3.7	268%	Day
7251	2025-04-24 09:35:27	67.25	55dB	2.3	134%	Day
7252	2025-04-24 09:37:28	N/A	55dB	N/A	N/A	Day
7253	2025-04-24 09:44:11	68.94	55dB	2.6	163%	Day
7254	2025-04-24 09:46:43	69.12	55dB	2.7	166%	Day

7255	2025-04-24 09:51:22	72.76	55dB	3.4	242%	Day
7256	2025-04-24 09:53:55	70.34	55dB	2.9	190%	Day
7257	2025-04-24 09:57:47	75.61	55dB	4.2	317%	Day
7258	2025-04-24 10:00:30	69.19	55dB	2.7	167%	Day
7259	2025-04-24 10:05:38	71.09	55dB	3.1	205%	Day
7260	2025-04-24 10:07:57	N/A	55dB	N/A	N/A	Day
7261	2025-04-24 10:10:11	71.18	55dB	3.1	207%	Day
7262	2025-04-24 10:12:26	74.04	55dB	3.7	274%	Day
7263	2025-04-24 10:17:36	70.85	55dB	3.0	200%	Day
7264	2025-04-24 10:20:46	67.29	55dB	2.3	134%	Day
7265	2025-04-24 10:22:27	N/A	55dB	N/A	N/A	Day
7266	2025-04-24 10:25:20	67.84	55dB	2.4	144%	Day
7267	2025-04-24 10:27:25	69.39	55dB	2.7	171%	Day
7268	2025-04-24 10:30:29	69.78	55dB	2.8	179%	Day
7269	2025-04-24 10:32:47	N/A	55dB	N/A	N/A	Day
7270	2025-04-24 10:37:46	76.35	55dB	4.4	339%	Day
7271	2025-04-24 10:39:56	67.74	55dB	2.4	142%	Day
7272	2025-04-24 10:42:35	70.02	55dB	2.8	183%	Day
7273	2025-04-24 10:46:25	70.60	55dB	2.9	195%	Day
7274	2025-04-24 10:48:06	67.02	55dB	2.3	130%	Day
7275	2025-04-24 10:51:13	71.68	55dB	3.2	218%	Day
7276	2025-04-24 10:55:34	71.60	55dB	3.2	216%	Day
7277	2025-04-24 10:57:06	74.98	55dB	4.0	299%	Day
7278	2025-04-24 10:58:23	69.33	55dB	2.7	170%	Day
7279	2025-04-24 10:59:58	69.78	55dB	2.8	179%	Day
7280	2025-04-24 11:01:24	69.33	55dB	2.7	170%	Day
7281	2025-04-24 11:03:19	74.72	55dB	3.9	292%	Day
7282	2025-04-24 11:04:44	71.52	55dB	3.1	214%	Day
7283	2025-04-24 11:06:04	70.10	55dB	2.8	185%	Day
7284	2025-04-24 11:07:27	70.68	55dB	3.0	196%	Day
7285	2025-04-24 11:08:57	66.89	55dB	2.3	128%	Day
7286	2025-04-24 11:10:14	70.01	55dB	2.8	183%	Day
7287	2025-04-24 11:11:27	73.70	55dB	3.7	266%	Day
7288	2025-04-24 11:12:48	70.65	55dB	3.0	196%	Day
7289	2025-04-24 11:14:53	N/A	55dB	N/A	N/A	Day
7290	2025-04-24 11:16:14	68.56	55dB	2.6	156%	Day
7291	2025-04-24 11:17:55	68.01	55dB	2.5	146%	Day
7292	2025-04-24 11:19:10	68.58	55dB	2.6	156%	Day
7293	2025-04-24 11:20:35	70.93	55dB	3.0	202%	Day
7294	2025-04-24 11:21:53	71.76	55dB	3.2	220%	Day
7295	2025-04-24 11:23:52	70.84	55dB	3.0	200%	Day
7296	2025-04-24 11:25:39	80.82	55dB	6.0	499%	Day
7297	2025-04-24 11:26:54	78.75	55dB	5.2	419%	Day
7298	2025-04-24 11:30:58	74.84	55dB	4.0	296%	Day

7299	2025-04-24 11:35:12	69.69	55dB	2.8	177%	Day
7300	2025-04-24 11:36:33	N/A	55dB	N/A	N/A	Day
7301	2025-04-24 11:38:36	68.65	55dB	2.6	158%	Day
7302	2025-04-24 11:40:00	68.35	55dB	2.5	152%	Day
7303	2025-04-24 11:41:18	68.64	55dB	2.6	157%	Day
7304	2025-04-24 11:42:36	N/A	55dB	N/A	N/A	Day
7305	2025-04-24 11:43:50	68.70	55dB	2.6	158%	Day
7306	2025-04-24 11:45:04	N/A	55dB	N/A	N/A	Day
7307	2025-04-24 11:46:15	70.05	55dB	2.8	184%	Day
7308	2025-04-24 11:48:24	68.47	55dB	2.5	154%	Day
7309	2025-04-24 11:55:17	N/A	55dB	N/A	N/A	Day
7310	2025-04-24 12:00:39	N/A	55dB	N/A	N/A	Day
7311	2025-04-24 12:03:13	70.26	55dB	2.9	188%	Day
7312	2025-04-24 12:06:16	N/A	55dB	N/A	N/A	Day
7313	2025-04-24 12:09:07	67.94	55dB	2.5	145%	Day
7314	2025-04-24 12:10:49	75.44	55dB	4.1	312%	Day
7315	2025-04-24 12:12:14	N/A	55dB	N/A	N/A	Day
7316	2025-04-24 12:13:26	67.22	55dB	2.3	133%	Day
7317	2025-04-24 12:14:42	67.05	55dB	2.3	131%	Day
7318	2025-04-24 12:19:00	68.74	55dB	2.6	159%	Day
7319	2025-04-24 12:20:42	67.37	55dB	2.4	136%	Day
7320	2025-04-24 12:22:27	68.96	55dB	2.6	163%	Day
7321	2025-04-24 12:24:09	68.60	55dB	2.6	157%	Day
7322	2025-04-24 12:28:18	70.10	55dB	2.8	185%	Day
7323	2025-04-24 12:30:04	72.30	55dB	3.3	232%	Day
7324	2025-04-24 12:32:37	N/A	55dB	N/A	N/A	Day
7325	2025-04-24 12:34:40	66.88	55dB	2.3	128%	Day
7326	2025-04-24 12:36:04	71.82	55dB	3.2	221%	Day
7327	2025-04-24 12:38:40	66.77	55dB	2.3	126%	Day
7328	2025-04-24 12:40:17	70.88	55dB	3.0	201%	Day
7329	2025-04-24 12:44:40	76.84	55dB	4.5	354%	Day
7330	2025-04-24 12:51:16	68.42	55dB	2.5	154%	Day
7331	2025-04-24 12:52:50	68.97	55dB	2.6	163%	Day
7332	2025-04-24 12:55:18	N/A	55dB	N/A	N/A	Day
7333	2025-04-24 12:57:55	73.18	55dB	3.5	253%	Day
7334	2025-04-24 13:05:36	67.68	55dB	2.4	141%	Day
7335	2025-04-24 13:07:18	N/A	55dB	N/A	N/A	Day
7336	2025-04-24 13:10:37	N/A	55dB	N/A	N/A	Day
7337	2025-04-24 13:13:42	N/A	55dB	N/A	N/A	Day
7338	2025-04-24 13:16:26	71.43	55dB	3.1	212%	Day
7339	2025-04-24 13:19:03	N/A	55dB	N/A	N/A	Day
7340	2025-04-24 13:21:32	69.77	55dB	2.8	178%	Day
7341	2025-04-24 13:22:57	68.20	55dB	2.5	150%	Day
7342	2025-04-24 13:24:51	67.57	55dB	2.4	139%	Day

7343	2025-04-24 13:26:19	76.59	55dB	4.5	347%	Day
7344	2025-04-24 13:28:03	68.46	55dB	2.5	154%	Day
7345	2025-04-24 13:29:58	73.11	55dB	3.5	251%	Day
7346	2025-04-24 13:31:36	75.77	55dB	4.2	322%	Day
7347	2025-04-24 13:33:42	72.55	55dB	3.4	238%	Day
7348	2025-04-24 13:36:24	N/A	55dB	N/A	N/A	Day
7349	2025-04-24 13:37:43	69.15	55dB	2.7	167%	Day
7350	2025-04-24 13:40:44	69.38	55dB	2.7	171%	Day
7351	2025-04-24 13:45:34	69.61	55dB	2.8	175%	Day
7352	2025-04-24 13:46:50	69.02	55dB	2.6	164%	Day
7353	2025-04-24 13:48:16	68.14	55dB	2.5	149%	Day
7354	2025-04-24 13:49:42	N/A	55dB	N/A	N/A	Day
7355	2025-04-24 13:51:00	68.81	55dB	2.6	160%	Day
7356	2025-04-24 13:52:27	69.74	55dB	2.8	178%	Day
7357	2025-04-24 13:53:52	67.92	55dB	2.4	145%	Day
7358	2025-04-24 13:55:21	72.25	55dB	3.3	231%	Day
7359	2025-04-24 13:57:19	69.30	55dB	2.7	169%	Day
7360	2025-04-24 13:59:03	70.32	55dB	2.9	189%	Day
7361	2025-04-24 14:02:31	74.26	55dB	3.8	280%	Day
7362	2025-04-24 14:07:33	68.57	55dB	2.6	156%	Day
7363	2025-04-24 14:09:16	75.39	55dB	4.1	311%	Day
7364	2025-04-24 14:11:27	66.58	55dB	2.2	123%	Day
7365	2025-04-24 14:12:52	69.66	55dB	2.8	176%	Day
7366	2025-04-24 14:15:11	73.73	55dB	3.7	266%	Day
7367	2025-04-24 14:17:36	67.89	55dB	2.4	144%	Day
7368	2025-04-24 14:18:52	83.24	55dB	7.1	608%	Day
7369	2025-04-24 14:20:58	69.57	55dB	2.7	175%	Day
7370	2025-04-24 14:22:22	69.33	55dB	2.7	170%	Day
7371	2025-04-24 14:23:48	76.71	55dB	4.5	350%	Day
7372	2025-04-24 14:25:30	69.09	55dB	2.7	166%	Day
7373	2025-04-24 14:27:02	68.99	55dB	2.6	164%	Day
7374	2025-04-24 14:28:45	N/A	55dB	N/A	N/A	Day
7375	2025-04-24 14:30:13	N/A	55dB	N/A	N/A	Day
7376	2025-04-24 14:31:32	70.68	55dB	3.0	196%	Day
7377	2025-04-24 14:33:05	67.85	55dB	2.4	144%	Day
7378	2025-04-24 14:34:33	74.47	55dB	3.9	286%	Day
7379	2025-04-24 14:37:26	70.81	55dB	3.0	199%	Day
7380	2025-04-24 14:40:28	71.06	55dB	3.0	204%	Day
7381	2025-04-24 14:41:45	69.81	55dB	2.8	179%	Day
7382	2025-04-24 14:43:47	68.10	55dB	2.5	148%	Day
7383	2025-04-24 14:46:13	N/A	55dB	N/A	N/A	Day
7384	2025-04-24 14:56:18	71.19	55dB	3.1	207%	Day
7385	2025-04-24 14:57:39	N/A	55dB	N/A	N/A	Day
7386	2025-04-24 14:58:49	N/A	55dB	N/A	N/A	Day

7387	2025-04-24 15:00:10	68.80	55dB	2.6	160%	Day
7388	2025-04-24 15:01:24	71.32	55dB	3.1	210%	Day
7389	2025-04-24 15:02:40	71.29	55dB	3.1	209%	Day
7390	2025-04-24 15:04:30	74.87	55dB	4.0	296%	Day
7391	2025-04-24 15:06:02	77.37	55dB	4.7	371%	Day
7392	2025-04-24 15:07:53	69.19	55dB	2.7	167%	Day
7393	2025-04-24 15:09:47	68.97	55dB	2.6	163%	Day
7394	2025-04-24 15:10:55	69.35	55dB	2.7	170%	Day
7395	2025-04-24 15:12:41	N/A	55dB	N/A	N/A	Day
7396	2025-04-24 15:14:05	67.79	55dB	2.4	143%	Day
7397	2025-04-24 15:15:13	N/A	55dB	N/A	N/A	Day
7398	2025-04-24 15:16:22	70.01	55dB	2.8	183%	Day
7399	2025-04-24 15:17:33	73.26	55dB	3.5	255%	Day
7400	2025-04-24 15:19:05	73.51	55dB	3.6	261%	Day
7401	2025-04-24 15:20:58	67.08	55dB	2.3	131%	Day
7402	2025-04-24 15:26:58	N/A	55dB	N/A	N/A	Day
7403	2025-04-24 15:28:22	71.19	55dB	3.1	207%	Day
7404	2025-04-24 15:29:43	73.07	55dB	3.5	250%	Day
7405	2025-04-24 15:31:35	75.08	55dB	4.0	302%	Day
7406	2025-04-24 15:33:32	71.03	55dB	3.0	204%	Day
7407	2025-04-24 15:34:59	69.14	55dB	2.7	166%	Day
7408	2025-04-24 15:36:09	68.11	55dB	2.5	148%	Day
7409	2025-04-24 15:38:20	N/A	55dB	N/A	N/A	Day
7410	2025-04-24 15:41:07	71.77	55dB	3.2	220%	Day
7411	2025-04-24 15:42:35	74.10	55dB	3.8	276%	Day
7412	2025-04-24 15:46:17	71.56	55dB	3.2	215%	Day
7413	2025-04-24 15:47:27	73.84	55dB	3.7	269%	Day
7414	2025-04-24 15:48:49	76.96	55dB	4.6	358%	Day
7415	2025-04-24 15:50:23	77.17	55dB	4.6	365%	Day
7416	2025-04-24 15:51:52	78.13	55dB	5.0	397%	Day
7417	2025-04-24 15:54:00	72.19	55dB	3.3	229%	Day
7418	2025-04-24 15:55:19	71.32	55dB	3.1	210%	Day
7419	2025-04-24 15:56:34	73.10	55dB	3.5	251%	Day
7420	2025-04-24 16:01:55	75.88	55dB	4.3	325%	Day
7421	2025-04-24 16:04:02	81.92	55dB	6.5	546%	Day
7422	2025-04-24 16:06:34	74.07	55dB	3.8	275%	Day
7423	2025-04-24 16:08:55	72.85	55dB	3.4	245%	Day
7424	2025-04-24 16:11:46	73.90	55dB	3.7	271%	Day
7425	2025-04-24 16:13:58	71.10	55dB	3.1	205%	Day
7426	2025-04-24 16:17:21	73.24	55dB	3.5	254%	Day
7427	2025-04-24 16:19:42	71.57	55dB	3.2	215%	Day
7428	2025-04-24 16:24:03	73.31	55dB	3.6	256%	Day
7429	2025-04-24 16:26:51	72.87	55dB	3.5	245%	Day
7430	2025-04-24 16:32:12	70.82	55dB	3.0	199%	Day

7431	2025-04-24 16:34:03	74.72	55dB	3.9	292%	Day
7432	2025-04-24 16:36:10	74.94	55dB	4.0	298%	Day
7433	2025-04-24 16:43:28	71.17	55dB	3.1	207%	Day
7434	2025-04-24 16:47:09	73.55	55dB	3.6	262%	Day
7435	2025-04-24 16:49:13	71.97	55dB	3.2	224%	Day
7436	2025-04-24 16:51:13	74.76	55dB	3.9	293%	Day
7437	2025-04-24 16:54:52	73.84	55dB	3.7	269%	Day
7438	2025-04-24 16:57:45	72.13	55dB	3.3	228%	Day
7439	2025-04-24 17:00:32	79.27	55dB	5.4	438%	Day
7440	2025-04-24 17:04:16	N/A	55dB	N/A	N/A	Day
7441	2025-04-24 17:07:02	72.65	55dB	3.4	240%	Day
7442	2025-04-24 17:09:32	75.14	55dB	4.0	304%	Day
7443	2025-04-24 17:12:21	69.60	55dB	2.8	175%	Day
7444	2025-04-24 17:14:26	70.03	55dB	2.8	183%	Day
7445	2025-04-24 17:16:27	74.76	55dB	3.9	293%	Day
7446	2025-04-24 17:18:51	74.28	55dB	3.8	281%	Day
7447	2025-04-24 17:36:41	76.95	55dB	4.6	358%	Day
7448	2025-04-24 17:42:14	73.80	55dB	3.7	268%	Day
7449	2025-04-24 17:44:46	79.92	55dB	5.6	463%	Day
7450	2025-04-24 17:46:49	71.57	55dB	3.2	215%	Day
7451	2025-04-24 17:49:24	72.52	55dB	3.4	237%	Day
7452	2025-04-24 17:50:53	81.38	55dB	6.2	522%	Day
7453	2025-04-24 17:57:07	68.13	55dB	2.5	148%	Day
7454	2025-04-24 17:59:02	73.16	55dB	3.5	252%	Day
7455	2025-04-24 18:01:24	73.88	55dB	3.7	270%	Day
7456	2025-04-24 18:03:31	73.32	55dB	3.6	256%	Day
7457	2025-04-24 18:05:40	75.29	55dB	4.1	308%	Day
7458	2025-04-24 18:10:10	76.58	55dB	4.5	346%	Day
7459	2025-04-24 18:12:39	72.10	55dB	3.3	227%	Day
7460	2025-04-24 18:14:46	70.28	55dB	2.9	188%	Day
7461	2025-04-24 18:20:08	72.55	55dB	3.4	238%	Day
7462	2025-04-24 18:24:00	71.23	55dB	3.1	208%	Day
7463	2025-04-24 18:26:40	74.33	55dB	3.8	282%	Day
7464	2025-04-24 18:30:04	73.27	55dB	3.5	255%	Day
7465	2025-04-24 18:32:35	71.54	55dB	3.1	215%	Day
7466	2025-04-24 18:34:32	74.57	55dB	3.9	288%	Day
7467	2025-04-24 18:36:30	72.62	55dB	3.4	239%	Day
7468	2025-04-24 18:42:28	74.85	55dB	4.0	296%	Day
7469	2025-04-24 18:45:23	78.43	55dB	5.1	407%	Day
7470	2025-04-24 18:51:00	73.63	55dB	3.6	264%	Day
7471	2025-04-24 18:53:05	N/A	55dB	N/A	N/A	Day
7472	2025-04-24 18:55:08	73.84	55dB	3.7	269%	Day
7473	2025-04-24 18:57:09	74.56	55dB	3.9	288%	Day
7474	2025-04-24 18:59:27	71.23	55dB	3.1	208%	Day

7475	2025-04-24 19:01:41	72.75	55dB	3.4	242%	Day
7476	2025-04-24 19:04:05	72.88	55dB	3.5	245%	Day
7477	2025-04-24 19:07:16	71.96	55dB	3.2	224%	Day
7478	2025-04-24 19:09:14	72.21	55dB	3.3	230%	Day
7479	2025-04-24 19:11:32	75.87	55dB	4.2	325%	Day
7480	2025-04-24 19:13:34	74.46	55dB	3.9	285%	Day
7481	2025-04-24 19:17:43	73.93	55dB	3.7	271%	Day
7482	2025-04-24 19:20:11	74.01	55dB	3.7	273%	Day
7483	2025-04-24 19:26:16	80.00	55dB	5.7	466%	Day
7484	2025-04-24 19:28:11	73.76	55dB	3.7	267%	Day
7485	2025-04-24 19:30:54	72.83	55dB	3.4	244%	Day
7486	2025-04-24 19:32:30	72.49	55dB	3.4	236%	Day
7487	2025-04-24 19:38:07	71.03	55dB	3.0	204%	Day
7488	2025-04-24 19:41:28	73.73	55dB	3.7	266%	Day
7489	2025-04-24 19:44:03	78.67	55dB	5.2	416%	Day
7490	2025-04-24 19:46:28	72.08	55dB	3.3	227%	Day
7491	2025-04-24 19:50:32	72.94	55dB	3.5	247%	Day
7492	2025-04-24 19:52:32	75.78	55dB	4.2	322%	Day
7493	2025-04-24 19:54:45	72.87	55dB	3.5	245%	Day
7494	2025-04-24 19:58:42	75.29	55dB	4.1	308%	Day
7495	2025-04-24 20:00:52	73.14	55dB	3.5	252%	Day
7496	2025-04-24 20:03:28	74.24	55dB	3.8	279%	Day
7497	2025-04-24 20:06:07	72.55	55dB	3.4	238%	Day
7498	2025-04-24 20:08:58	70.58	55dB	2.9	194%	Day
7499	2025-04-24 20:13:02	74.51	55dB	3.9	287%	Day
7500	2025-04-24 20:15:07	75.12	55dB	4.0	303%	Day
7501	2025-04-24 20:17:09	73.65	55dB	3.6	264%	Day
7502	2025-04-24 20:20:34	76.54	55dB	4.5	345%	Day
7503	2025-04-24 20:22:56	71.50	55dB	3.1	214%	Day
7504	2025-04-24 20:27:52	73.74	55dB	3.7	267%	Day
7505	2025-04-24 20:40:24	71.93	55dB	3.2	223%	Day
7506	2025-04-24 23:44:58	70.90	45dB	6.0	502%	Night
7507	2025-04-25 06:31:21	74.32	45dB	7.6	663%	Night
7508	2025-04-25 06:34:22	74.58	45dB	7.8	677%	Night
7509	2025-04-25 06:35:37	79.16	45dB	10.7	967%	Night
7510	2025-04-25 06:36:47	71.75	45dB	6.4	539%	Night
7511	2025-04-25 06:37:40	70.45	45dB	5.8	484%	Night
7512	2025-04-25 06:39:32	N/A	45dB	N/A	N/A	Night
7513	2025-04-25 06:40:26	72.43	45dB	6.7	569%	Night
7514	2025-04-25 06:41:21	76.68	45dB	9.0	799%	Night
7515	2025-04-25 06:42:15	N/A	45dB	N/A	N/A	Night
7516	2025-04-25 06:43:01	70.07	45dB	5.7	468%	Night
7517	2025-04-25 06:44:16	69.84	45dB	5.6	459%	Night
7518	2025-04-25 06:47:02	75.63	45dB	8.4	736%	Night

7519	2025-04-25 06:47:54	70.91	45dB	6.0	503%	Night
7520	2025-04-25 06:48:52	68.89	45dB	5.2	424%	Night
7521	2025-04-25 06:49:57	70.92	45dB	6.0	503%	Night
7522	2025-04-25 06:50:49	N/A	45dB	N/A	N/A	Night
7523	2025-04-25 06:52:06	68.25	45dB	5.0	401%	Night
7524	2025-04-25 06:54:02	N/A	45dB	N/A	N/A	Night
7525	2025-04-25 06:55:02	N/A	45dB	N/A	N/A	Night
7526	2025-04-25 06:55:46	70.24	45dB	5.8	475%	Night
7527	2025-04-25 06:56:55	71.13	45dB	6.1	512%	Night
7528	2025-04-25 06:57:39	70.64	45dB	5.9	491%	Night
7529	2025-04-25 06:58:30	77.52	45dB	9.5	853%	Night
7530	2025-04-25 06:59:31	86.67	45dB	18.0	1696%	Night
7531	2025-04-25 07:00:36	N/A	55dB	N/A	N/A	Day
7532	2025-04-25 07:01:33	77.42	55dB	4.7	373%	Day
7533	2025-04-25 07:03:11	N/A	55dB	N/A	N/A	Day
7534	2025-04-25 07:05:03	N/A	55dB	N/A	N/A	Day
7535	2025-04-25 07:06:05	70.76	55dB	3.0	198%	Day
7536	2025-04-25 07:06:56	73.60	55dB	3.6	263%	Day
7537	2025-04-25 07:07:51	68.45	55dB	2.5	154%	Day
7538	2025-04-25 07:08:48	68.24	55dB	2.5	150%	Day
7539	2025-04-25 07:09:44	72.33	55dB	3.3	232%	Day
7540	2025-04-25 07:10:42	69.00	55dB	2.6	164%	Day
7541	2025-04-25 07:11:40	N/A	55dB	N/A	N/A	Day
7542	2025-04-25 07:12:36	75.54	55dB	4.2	315%	Day
7543	2025-04-25 07:13:43	71.55	55dB	3.1	215%	Day
7544	2025-04-25 07:17:00	71.98	55dB	3.2	224%	Day
7545	2025-04-25 07:20:39	67.94	55dB	2.5	145%	Day
7546	2025-04-25 07:22:39	70.64	55dB	3.0	196%	Day
7547	2025-04-25 07:24:03	83.68	55dB	7.3	630%	Day
7548	2025-04-25 07:25:12	66.65	55dB	2.2	124%	Day
7549	2025-04-25 07:26:28	72.66	55dB	3.4	240%	Day
7550	2025-04-25 07:27:53	76.61	55dB	4.5	347%	Day
7551	2025-04-25 07:30:02	N/A	55dB	N/A	N/A	Day
7552	2025-04-25 07:31:39	69.55	55dB	2.7	174%	Day
7553	2025-04-25 07:32:39	N/A	55dB	N/A	N/A	Day
7554	2025-04-25 07:33:41	81.95	55dB	6.5	548%	Day
7555	2025-04-25 07:35:11	N/A	55dB	N/A	N/A	Day
7556	2025-04-25 07:39:58	72.75	55dB	3.4	242%	Day
7557	2025-04-25 07:41:22	72.88	55dB	3.5	245%	Day
7558	2025-04-25 07:42:12	67.14	55dB	2.3	132%	Day
7559	2025-04-25 07:43:21	69.14	55dB	2.7	166%	Day
7560	2025-04-25 07:45:55	69.87	55dB	2.8	180%	Day
7561	2025-04-25 07:47:01	N/A	55dB	N/A	N/A	Day
7562	2025-04-25 07:48:03	71.36	55dB	3.1	211%	Day

7563	2025-04-25 07:49:09	74.94	55dB	4.0	298%	Day
7564	2025-04-25 07:51:04	73.62	55dB	3.6	264%	Day
7565	2025-04-25 07:52:35	70.61	55dB	3.0	195%	Day
7566	2025-04-25 07:54:41	74.19	55dB	3.8	278%	Day
7567	2025-04-25 07:58:58	74.91	55dB	4.0	298%	Day
7568	2025-04-25 07:59:57	75.45	55dB	4.1	313%	Day
7569	2025-04-25 08:05:30	68.35	55dB	2.5	152%	Day
7570	2025-04-25 08:07:07	73.21	55dB	3.5	253%	Day
7571	2025-04-25 08:09:51	73.52	55dB	3.6	261%	Day
7572	2025-04-25 08:10:51	69.94	55dB	2.8	182%	Day
7573	2025-04-25 08:15:48	69.24	55dB	2.7	168%	Day
7574	2025-04-25 08:17:01	70.25	55dB	2.9	188%	Day
7575	2025-04-25 08:17:53	72.05	55dB	3.3	226%	Day
7576	2025-04-25 08:18:25	71.17	55dB	3.1	207%	Day
7577	2025-04-25 08:21:02	67.20	55dB	2.3	133%	Day
7578	2025-04-25 08:28:13	N/A	55dB	N/A	N/A	Day
7579	2025-04-25 08:29:44	75.69	55dB	4.2	320%	Day
7580	2025-04-25 08:30:53	N/A	55dB	N/A	N/A	Day
7581	2025-04-25 08:32:07	74.09	55dB	3.8	276%	Day
7582	2025-04-25 08:33:41	71.38	55dB	3.1	211%	Day
7583	2025-04-25 08:35:01	72.39	55dB	3.3	234%	Day
7584	2025-04-25 08:39:03	72.84	55dB	3.4	244%	Day
7585	2025-04-25 08:41:03	80.55	55dB	5.9	488%	Day
7586	2025-04-25 08:42:06	79.50	55dB	5.5	446%	Day
7587	2025-04-25 08:43:13	77.99	55dB	4.9	392%	Day
7588	2025-04-25 08:44:24	68.91	55dB	2.6	162%	Day
7589	2025-04-25 08:45:23	77.91	55dB	4.9	389%	Day
7590	2025-04-25 08:48:55	72.04	55dB	3.3	226%	Day
7591	2025-04-25 08:50:40	75.15	55dB	4.0	304%	Day
7592	2025-04-25 08:52:53	73.98	55dB	3.7	273%	Day
7593	2025-04-25 08:54:02	N/A	55dB	N/A	N/A	Day
7594	2025-04-25 08:55:55	76.65	55dB	4.5	348%	Day
7595	2025-04-25 09:14:21	77.71	55dB	4.8	383%	Day
7596	2025-04-25 09:15:45	77.19	55dB	4.7	366%	Day
7597	2025-04-25 09:18:12	76.10	55dB	4.3	332%	Day
7598	2025-04-25 09:19:11	77.12	55dB	4.6	363%	Day
7599	2025-04-25 09:21:38	80.48	55dB	5.8	485%	Day
7600	2025-04-25 09:26:03	67.98	55dB	2.5	146%	Day
7601	2025-04-25 09:27:17	74.68	55dB	3.9	291%	Day
7602	2025-04-25 09:28:13	79.00	55dB	5.3	428%	Day
7603	2025-04-25 09:33:31	N/A	55dB	N/A	N/A	Day
7604	2025-04-25 09:35:26	88.36	55dB	10.1	910%	Day
7605	2025-04-25 09:38:03	71.98	55dB	3.2	224%	Day
7606	2025-04-25 09:41:07	80.41	55dB	5.8	482%	Day

7607	2025-04-25 09:43:24	80.88	55dB	6.0	501%	Day
7608	2025-04-25 09:44:22	77.59	55dB	4.8	379%	Day
7609	2025-04-25 09:45:39	76.56	55dB	4.5	346%	Day
7610	2025-04-25 09:53:18	75.54	55dB	4.2	315%	Day
7611	2025-04-25 09:56:42	70.22	55dB	2.9	187%	Day
7612	2025-04-25 10:01:39	73.09	55dB	3.5	250%	Day
7613	2025-04-25 10:07:21	73.34	55dB	3.6	257%	Day
7614	2025-04-25 10:08:30	N/A	55dB	N/A	N/A	Day
7615	2025-04-25 10:09:27	67.97	55dB	2.5	146%	Day
7616	2025-04-25 10:10:34	77.23	55dB	4.7	367%	Day
7617	2025-04-25 11:43:57	75.29	55dB	4.1	308%	Day
7618	2025-04-25 15:41:02	74.17	55dB	3.8	278%	Day
7619	2025-04-25 16:05:22	75.67	55dB	4.2	319%	Day
7620	2025-04-25 16:08:10	70.42	55dB	2.9	191%	Day
7621	2025-04-25 16:10:25	78.86	55dB	5.2	423%	Day
7622	2025-04-25 16:17:33	75.79	55dB	4.2	323%	Day
7623	2025-04-25 16:18:47	N/A	55dB	N/A	N/A	Day
7624	2025-04-25 16:23:21	73.07	55dB	3.5	250%	Day
7625	2025-04-25 16:25:47	68.90	55dB	2.6	162%	Day
7626	2025-04-25 16:30:31	70.82	55dB	3.0	199%	Day
7627	2025-04-25 16:33:04	76.86	55dB	4.6	355%	Day
7628	2025-04-25 16:35:39	76.87	55dB	4.6	355%	Day
7629	2025-04-25 16:38:15	72.98	55dB	3.5	248%	Day
7630	2025-04-25 16:45:16	74.38	55dB	3.8	283%	Day
7631	2025-04-25 16:48:31	71.69	55dB	3.2	218%	Day
7632	2025-04-25 16:50:33	70.30	55dB	2.9	189%	Day
7633	2025-04-25 16:51:36	82.46	55dB	6.7	571%	Day
7634	2025-04-25 16:56:06	73.82	55dB	3.7	269%	Day
7635	2025-04-25 17:03:24	82.79	55dB	6.9	586%	Day
7636	2025-04-25 17:07:26	80.79	55dB	6.0	498%	Day
7637	2025-04-25 17:09:58	75.16	55dB	4.0	304%	Day
7638	2025-04-25 17:11:30	N/A	55dB	N/A	N/A	Day
7639	2025-04-25 17:11:35	N/A	55dB	N/A	N/A	Day
7640	2025-04-25 17:13:42	78.11	55dB	5.0	396%	Day
7641	2025-04-25 17:16:56	N/A	55dB	N/A	N/A	Day
7642	2025-04-25 17:19:39	76.65	55dB	4.5	348%	Day
7643	2025-04-25 17:23:03	N/A	55dB	N/A	N/A	Day
7644	2025-04-25 17:25:51	69.53	55dB	2.7	174%	Day
7645	2025-04-25 17:27:06	71.07	55dB	3.0	205%	Day
7646	2025-04-25 17:39:43	77.99	55dB	4.9	392%	Day
7647	2025-04-25 17:44:34	72.94	55dB	3.5	247%	Day
7648	2025-04-25 17:46:53	75.03	55dB	4.0	301%	Day
7649	2025-04-25 17:47:51	71.78	55dB	3.2	220%	Day
7650	2025-04-25 17:48:46	70.94	55dB	3.0	202%	Day

7651	2025-04-25 17:57:19	75.50	55dB	4.1	314%	Day
7652	2025-04-25 17:59:40	82.20	55dB	6.6	559%	Day
7653	2025-04-25 18:02:16	82.01	55dB	6.5	550%	Day
7654	2025-04-25 18:04:10	76.54	55dB	4.5	345%	Day
7655	2025-04-25 18:07:07	70.09	55dB	2.8	185%	Day
7656	2025-04-25 18:12:56	71.34	55dB	3.1	210%	Day
7657	2025-04-25 18:16:04	N/A	55dB	N/A	N/A	Day
7658	2025-04-25 18:18:16	72.25	55dB	3.3	231%	Day
7659	2025-04-25 18:20:43	77.59	55dB	4.8	379%	Day
7660	2025-04-25 18:22:42	70.68	55dB	3.0	196%	Day
7661	2025-04-25 18:27:40	N/A	55dB	N/A	N/A	Day
7662	2025-04-25 18:34:06	74.62	55dB	3.9	290%	Day
7663	2025-04-25 18:36:13	82.52	55dB	6.7	574%	Day
7664	2025-04-25 18:40:40	67.72	55dB	2.4	141%	Day
7665	2025-04-25 18:42:47	70.16	55dB	2.9	186%	Day
7666	2025-04-25 18:43:47	69.77	55dB	2.8	178%	Day
7667	2025-04-25 18:46:43	76.00	55dB	4.3	329%	Day
7668	2025-04-25 18:48:42	76.63	55dB	4.5	348%	Day
7669	2025-04-25 18:50:43	65.85	55dB	2.1	112%	Day
7670	2025-04-25 18:53:14	78.10	55dB	5.0	396%	Day
7671	2025-04-25 18:55:07	72.71	55dB	3.4	241%	Day
7672	2025-04-25 18:56:12	70.57	55dB	2.9	194%	Day
7673	2025-04-25 19:06:25	67.63	55dB	2.4	140%	Day
7674	2025-04-25 19:07:33	70.37	55dB	2.9	190%	Day
7675	2025-04-25 19:13:26	77.04	55dB	4.6	361%	Day
7676	2025-04-25 19:15:38	N/A	55dB	N/A	N/A	Day
7677	2025-04-25 19:18:08	74.40	55dB	3.8	284%	Day
7678	2025-04-25 19:20:37	71.22	55dB	3.1	208%	Day
7679	2025-04-25 19:21:15	73.76	55dB	3.7	267%	Day
7680	2025-04-25 19:27:26	71.90	55dB	3.2	223%	Day
7681	2025-04-25 19:29:53	77.35	55dB	4.7	371%	Day
7682	2025-04-25 19:32:10	74.65	55dB	3.9	290%	Day
7683	2025-04-25 19:34:09	74.06	55dB	3.7	275%	Day
7684	2025-04-25 19:36:07	70.34	55dB	2.9	190%	Day
7685	2025-04-25 19:40:31	74.40	55dB	3.8	284%	Day
7686	2025-04-25 19:42:35	80.85	55dB	6.0	500%	Day
7687	2025-04-25 19:49:06	66.49	55dB	2.2	122%	Day
7688	2025-04-25 19:52:08	76.20	55dB	4.3	335%	Day
7689	2025-04-25 19:53:05	79.76	55dB	5.6	456%	Day
7690	2025-04-25 19:54:36	76.53	55dB	4.4	345%	Day
7691	2025-04-25 19:56:19	67.08	55dB	2.3	131%	Day
7692	2025-04-25 19:59:02	N/A	55dB	N/A	N/A	Day
7693	2025-04-25 20:02:16	77.47	55dB	4.7	375%	Day
7694	2025-04-25 20:04:30	74.87	55dB	4.0	296%	Day

7695	2025-04-25 20:08:41	77.58	55dB	4.8	378%	Day
7696	2025-04-25 20:10:55	69.63	55dB	2.8	176%	Day
7697	2025-04-25 20:13:05	67.34	55dB	2.4	135%	Day
7698	2025-04-25 20:27:01	70.68	55dB	3.0	196%	Day
7699	2025-04-25 20:39:27	76.57	55dB	4.5	346%	Day
7700	2025-04-25 20:41:34	N/A	55dB	N/A	N/A	Day
7701	2025-04-25 20:43:08	73.00	55dB	3.5	248%	Day
7702	2025-04-25 20:44:31	76.33	55dB	4.4	339%	Day
7703	2025-04-25 20:49:26	73.22	55dB	3.5	254%	Day
7704	2025-04-25 20:50:23	79.99	55dB	5.7	465%	Day
7705	2025-04-25 20:53:17	67.75	55dB	2.4	142%	Day
7706	2025-04-25 20:57:58	71.09	55dB	3.1	205%	Day
7707	2025-04-25 20:59:13	73.26	55dB	3.5	255%	Day
7708	2025-04-25 21:02:07	N/A	55dB	N/A	N/A	Day
7709	2025-04-25 21:05:30	N/A	55dB	N/A	N/A	Day
7710	2025-04-25 21:07:47	70.29	55dB	2.9	189%	Day
7711	2025-04-25 21:09:02	73.98	55dB	3.7	273%	Day
7712	2025-04-25 21:12:41	N/A	55dB	N/A	N/A	Day
7713	2025-04-25 21:15:47	73.78	55dB	3.7	268%	Day
7714	2025-04-25 21:20:32	71.50	55dB	3.1	214%	Day
7715	2025-04-25 21:24:50	79.57	55dB	5.5	449%	Day
7716	2025-04-25 23:49:30	N/A	45dB	N/A	N/A	Night
7717	2025-04-26 06:29:02	70.39	45dB	5.8	481%	Night
7718	2025-04-26 06:30:35	68.32	45dB	5.0	404%	Night
7719	2025-04-26 06:31:54	70.35	45dB	5.8	480%	Night
7720	2025-04-26 06:33:27	70.25	45dB	5.8	476%	Night
7721	2025-04-26 06:34:40	68.67	45dB	5.2	416%	Night
7722	2025-04-26 06:36:50	69.82	45dB	5.6	459%	Night
7723	2025-04-26 06:38:14	68.01	45dB	4.9	393%	Night
7724	2025-04-26 06:39:33	70.00	45dB	5.7	466%	Night
7725	2025-04-26 06:40:54	69.80	45dB	5.6	458%	Night
7726	2025-04-26 06:42:12	69.11	45dB	5.3	432%	Night
7727	2025-04-26 06:44:01	72.17	45dB	6.6	558%	Night
7728	2025-04-26 06:46:36	73.46	45dB	7.2	619%	Night
7729	2025-04-26 06:47:58	73.85	45dB	7.4	639%	Night
7730	2025-04-26 06:49:54	74.26	45dB	7.6	660%	Night
7731	2025-04-26 06:53:34	71.45	45dB	6.3	525%	Night
7732	2025-04-26 06:56:55	76.01	45dB	8.6	758%	Night
7733	2025-04-26 06:58:18	N/A	45dB	N/A	N/A	Night
7734	2025-04-26 06:59:28	68.25	45dB	5.0	401%	Night
7735	2025-04-26 07:01:02	68.80	55dB	2.6	160%	Day
7736	2025-04-26 07:04:53	N/A	55dB	N/A	N/A	Day
7737	2025-04-26 07:09:38	69.93	55dB	2.8	181%	Day
7738	2025-04-26 07:12:26	74.33	55dB	3.8	282%	Day

7739	2025-04-26 07:20:38	70.83	55dB	3.0	200%	Day
7740	2025-04-26 07:24:56	70.09	55dB	2.8	185%	Day
7741	2025-04-26 07:26:08	69.90	55dB	2.8	181%	Day
7742	2025-04-26 07:30:36	70.99	55dB	3.0	203%	Day
7743	2025-04-26 07:36:52	N/A	55dB	N/A	N/A	Day
7744	2025-04-26 07:40:18	N/A	55dB	N/A	N/A	Day
7745	2025-04-26 07:41:40	70.91	55dB	3.0	201%	Day
7746	2025-04-26 07:44:43	77.51	55dB	4.8	376%	Day
7747	2025-04-26 07:47:07	70.79	55dB	3.0	199%	Day
7748	2025-04-26 07:51:42	74.52	55dB	3.9	287%	Day
7749	2025-04-26 07:54:24	74.03	55dB	3.7	274%	Day
7750	2025-04-26 07:55:33	72.43	55dB	3.3	235%	Day
7751	2025-04-26 07:57:04	71.16	55dB	3.1	207%	Day
7752	2025-04-26 08:01:06	72.72	55dB	3.4	242%	Day
7753	2025-04-26 08:07:53	75.59	55dB	4.2	317%	Day
7754	2025-04-26 08:17:43	80.13	55dB	5.7	471%	Day
7755	2025-04-26 08:20:57	75.13	55dB	4.0	304%	Day
7756	2025-04-26 09:00:46	71.57	55dB	3.2	215%	Day
7757	2025-04-26 09:03:10	78.45	55dB	5.1	408%	Day
7758	2025-04-26 09:14:06	80.52	55dB	5.9	486%	Day
7759	2025-04-26 09:16:02	N/A	55dB	N/A	N/A	Day
7760	2025-04-26 09:17:06	73.55	55dB	3.6	262%	Day
7761	2025-04-26 09:18:27	71.72	55dB	3.2	219%	Day
7762	2025-04-26 09:26:37	77.51	55dB	4.8	376%	Day
7763	2025-04-26 09:29:03	N/A	55dB	N/A	N/A	Day
7764	2025-04-26 09:30:36	75.22	55dB	4.1	306%	Day
7765	2025-04-26 09:32:15	76.92	55dB	4.6	357%	Day
7766	2025-04-26 09:34:52	69.78	55dB	2.8	179%	Day
7767	2025-04-26 09:36:11	77.47	55dB	4.7	375%	Day
7768	2025-04-26 09:37:38	72.96	55dB	3.5	247%	Day
7769	2025-04-26 09:39:02	73.89	55dB	3.7	270%	Day
7770	2025-04-26 09:40:37	N/A	55dB	N/A	N/A	Day
7771	2025-04-26 09:42:24	71.60	55dB	3.2	216%	Day
7772	2025-04-26 09:48:44	78.66	55dB	5.2	416%	Day
7773	2025-04-26 09:52:45	71.09	55dB	3.1	205%	Day
7774	2025-04-26 10:05:32	85.30	55dB	8.2	717%	Day
7775	2025-04-26 10:13:51	71.39	55dB	3.1	211%	Day
7776	2025-04-26 10:15:47	78.97	55dB	5.3	427%	Day
7777	2025-04-26 10:19:33	79.44	55dB	5.4	444%	Day
7778	2025-04-26 10:21:28	68.94	55dB	2.6	163%	Day
7779	2025-04-26 10:24:36	76.33	55dB	4.4	339%	Day
7780	2025-04-26 10:26:39	73.82	55dB	3.7	269%	Day
7781	2025-04-26 10:31:00	67.11	55dB	2.3	131%	Day
7782	2025-04-26 10:33:07	N/A	55dB	N/A	N/A	Day

7783	2025-04-26 10:34:35	78.21	55dB	5.0	400%	Day
7784	2025-04-26 10:36:01	76.74	55dB	4.5	351%	Day
7785	2025-04-26 10:37:23	74.29	55dB	3.8	281%	Day
7786	2025-04-26 10:39:23	82.76	55dB	6.8	585%	Day
7787	2025-04-26 10:42:13	68.06	55dB	2.5	147%	Day
7788	2025-04-26 10:46:33	78.94	55dB	5.3	426%	Day
7789	2025-04-26 10:53:00	75.56	55dB	4.2	316%	Day
7790	2025-04-26 10:54:39	69.13	55dB	2.7	166%	Day
7791	2025-04-26 10:56:23	71.68	55dB	3.2	218%	Day
7792	2025-04-26 11:00:24	77.41	55dB	4.7	373%	Day
7793	2025-04-26 11:02:07	68.88	55dB	2.6	162%	Day
7794	2025-04-26 11:03:35	N/A	55dB	N/A	N/A	Day
7795	2025-04-26 11:05:11	69.03	55dB	2.6	164%	Day
7796	2025-04-26 11:06:57	70.53	55dB	2.9	193%	Day
7797	2025-04-26 11:09:26	70.43	55dB	2.9	191%	Day
7798	2025-04-26 11:11:34	69.12	55dB	2.7	166%	Day
7799	2025-04-26 11:12:56	73.59	55dB	3.6	263%	Day
7800	2025-04-26 11:14:17	N/A	55dB	N/A	N/A	Day
7801	2025-04-26 11:15:32	70.90	55dB	3.0	201%	Day
7802	2025-04-26 11:17:14	76.73	55dB	4.5	351%	Day
7803	2025-04-26 11:24:05	79.91	55dB	5.6	462%	Day
7804	2025-04-26 11:26:19	84.21	55dB	7.6	657%	Day
7805	2025-04-26 11:27:22	81.88	55dB	6.4	544%	Day
7806	2025-04-26 11:28:43	76.06	55dB	4.3	330%	Day
7807	2025-04-26 11:30:12	77.85	55dB	4.9	387%	Day
7808	2025-04-26 11:31:36	71.56	55dB	3.2	215%	Day
7809	2025-04-26 11:32:47	N/A	55dB	N/A	N/A	Day
7810	2025-04-26 11:34:09	73.26	55dB	3.5	255%	Day
7811	2025-04-26 11:35:19	70.01	55dB	2.8	183%	Day
7812	2025-04-26 11:36:44	75.82	55dB	4.2	323%	Day
7813	2025-04-26 11:38:09	70.08	55dB	2.8	184%	Day
7814	2025-04-26 12:10:57	79.39	55dB	5.4	442%	Day
7815	2025-04-26 20:38:51	78.18	55dB	5.0	399%	Day
7816	2025-04-26 23:09:46	N/A	45dB	N/A	N/A	Night
7817	2025-04-27 00:14:52	N/A	45dB	N/A	N/A	Night
7818	2025-04-27 06:32:19	N/A	45dB	N/A	N/A	Night
7819	2025-04-27 06:34:44	74.63	45dB	7.8	680%	Night
7820	2025-04-27 07:26:15	N/A	55dB	N/A	N/A	Day
7821	2025-04-27 07:36:44	67.67	55dB	2.4	141%	Day
7822	2025-04-27 07:48:51	70.87	55dB	3.0	200%	Day
7823	2025-04-27 08:23:02	N/A	55dB	N/A	N/A	Day
7824	2025-04-27 08:45:13	N/A	55dB	N/A	N/A	Day
7825	2025-04-27 09:46:45	74.43	55dB	3.8	285%	Day
7826	2025-04-27 09:49:02	N/A	55dB	N/A	N/A	Day

7827	2025-04-28 05:18:41	68.26	45dB	5.0	401%	Night
7828	2025-04-28 05:27:09	72.96	45dB	6.9	595%	Night
7829	2025-04-28 05:29:30	67.29	45dB	4.7	369%	Night
7830	2025-04-28 05:31:08	67.79	45dB	4.9	385%	Night
7831	2025-04-28 05:32:32	73.15	45dB	7.0	604%	Night
7832	2025-04-28 05:33:56	69.20	45dB	5.4	435%	Night
7833	2025-04-28 05:35:41	71.29	45dB	6.2	519%	Night
7834	2025-04-28 05:38:25	67.01	45dB	4.6	360%	Night
7835	2025-04-28 05:49:10	72.09	45dB	6.5	554%	Night
7836	2025-04-28 05:51:43	74.05	45dB	7.5	649%	Night
7837	2025-04-28 05:53:01	70.52	45dB	5.9	486%	Night
7838	2025-04-28 05:54:39	68.33	45dB	5.0	404%	Night
7839	2025-04-28 05:56:19	68.24	45dB	5.0	401%	Night
7840	2025-04-28 06:01:58	70.19	45dB	5.7	473%	Night
7841	2025-04-28 06:11:32	69.68	45dB	5.5	453%	Night
7842	2025-04-28 06:29:21	78.60	45dB	10.3	927%	Night
7843	2025-04-28 06:30:32	69.07	45dB	5.3	430%	Night
7844	2025-04-28 06:32:18	72.81	45dB	6.9	587%	Night
7845	2025-04-28 06:33:31	75.17	45dB	8.1	709%	Night
7846	2025-04-28 06:34:55	75.14	45dB	8.1	708%	Night
7847	2025-04-28 06:36:15	70.53	45dB	5.9	487%	Night
7848	2025-04-28 06:37:40	70.68	45dB	5.9	493%	Night
7849	2025-04-28 06:39:47	69.51	45dB	5.5	447%	Night
7850	2025-04-28 06:41:17	69.56	45dB	5.5	449%	Night
7851	2025-04-28 06:42:22	72.10	45dB	6.5	554%	Night
7852	2025-04-28 06:44:37	69.61	45dB	5.5	451%	Night
7853	2025-04-28 06:45:48	76.34	45dB	8.8	778%	Night
7854	2025-04-28 06:47:40	67.06	45dB	4.6	361%	Night
7855	2025-04-28 06:48:54	68.28	45dB	5.0	402%	Night
7856	2025-04-28 06:50:17	69.99	45dB	5.7	465%	Night
7857	2025-04-28 06:51:31	68.95	45dB	5.3	426%	Night
7858	2025-04-28 06:52:53	72.73	45dB	6.8	584%	Night
7859	2025-04-28 06:54:00	67.47	45dB	4.7	375%	Night
7860	2025-04-28 06:58:18	68.02	45dB	4.9	393%	Night
7861	2025-04-28 06:59:45	70.11	45dB	5.7	470%	Night
7862	2025-04-28 07:01:16	69.82	55dB	2.8	179%	Day
7863	2025-04-28 07:02:21	69.54	55dB	2.7	174%	Day
7864	2025-04-28 07:03:42	68.85	55dB	2.6	161%	Day
7865	2025-04-28 07:07:21	68.44	55dB	2.5	154%	Day
7866	2025-04-28 07:10:09	73.81	55dB	3.7	268%	Day
7867	2025-04-28 07:11:51	68.08	55dB	2.5	148%	Day
7868	2025-04-28 07:13:13	69.13	55dB	2.7	166%	Day
7869	2025-04-28 07:14:39	68.51	55dB	2.6	155%	Day
7870	2025-04-28 07:16:12	83.95	55dB	7.4	644%	Day

7871	2025-04-28 07:17:55	68.56	55dB	2.6	156%	Day
7872	2025-04-28 07:19:38	66.68	55dB	2.2	125%	Day
7873	2025-04-28 07:27:10	70.69	55dB	3.0	197%	Day
7874	2025-04-28 07:31:09	68.43	55dB	2.5	154%	Day
7875	2025-04-28 07:40:12	67.90	55dB	2.4	145%	Day
7876	2025-04-28 07:42:01	66.33	55dB	2.2	119%	Day
7877	2025-04-28 07:44:18	78.38	55dB	5.1	406%	Day
7878	2025-04-28 07:46:08	68.08	55dB	2.5	148%	Day
7879	2025-04-28 07:48:10	71.44	55dB	3.1	213%	Day
7880	2025-04-28 07:49:54	70.16	55dB	2.9	186%	Day
7881	2025-04-28 07:52:32	69.56	55dB	2.7	174%	Day
7882	2025-04-28 07:58:32	68.40	55dB	2.5	153%	Day
7883	2025-04-28 08:02:32	68.17	55dB	2.5	149%	Day
7884	2025-04-28 08:09:56	67.94	55dB	2.5	145%	Day
7885	2025-04-28 08:12:03	71.40	55dB	3.1	212%	Day
7886	2025-04-28 08:15:56	69.20	55dB	2.7	168%	Day
7887	2025-04-28 08:17:32	72.50	55dB	3.4	236%	Day
7888	2025-04-28 08:20:31	74.86	55dB	4.0	296%	Day
7889	2025-04-28 08:22:04	71.95	55dB	3.2	224%	Day
7890	2025-04-28 08:30:45	71.50	55dB	3.1	214%	Day
7891	2025-04-28 08:36:02	67.37	55dB	2.4	136%	Day
7892	2025-04-28 08:44:54	69.39	55dB	2.7	171%	Day
7893	2025-04-28 08:49:33	74.76	55dB	3.9	293%	Day
7894	2025-04-28 09:02:28	N/A	55dB	N/A	N/A	Day
7895	2025-04-28 09:08:32	73.25	55dB	3.5	254%	Day
7896	2025-04-28 09:11:10	67.04	55dB	2.3	130%	Day
7897	2025-04-28 09:13:53	N/A	55dB	N/A	N/A	Day
7898	2025-04-28 09:18:38	75.70	55dB	4.2	320%	Day
7899	2025-04-28 09:22:57	71.00	55dB	3.0	203%	Day
7900	2025-04-28 09:35:08	73.95	55dB	3.7	272%	Day
7901	2025-04-28 09:43:06	70.87	55dB	3.0	200%	Day
7902	2025-04-28 09:45:39	N/A	55dB	N/A	N/A	Day
7903	2025-04-28 09:51:14	67.10	55dB	2.3	131%	Day
7904	2025-04-28 09:53:41	72.84	55dB	3.4	244%	Day
7905	2025-04-28 09:56:17	67.57	55dB	2.4	139%	Day
7906	2025-04-28 10:01:38	79.41	55dB	5.4	443%	Day
7907	2025-04-28 10:06:30	78.42	55dB	5.1	407%	Day
7908	2025-04-28 10:09:54	68.07	55dB	2.5	147%	Day
7909	2025-04-28 10:12:43	N/A	55dB	N/A	N/A	Day
7910	2025-04-28 10:14:39	N/A	55dB	N/A	N/A	Day
7911	2025-04-28 10:16:08	81.25	55dB	6.2	517%	Day
7912	2025-04-28 10:17:50	N/A	55dB	N/A	N/A	Day
7913	2025-04-28 10:19:27	69.15	55dB	2.7	167%	Day
7914	2025-04-28 10:21:43	70.04	55dB	2.8	184%	Day

7915	2025-04-28 10:26:47	68.15	55dB	2.5	149%	Day
7916	2025-04-28 10:30:10	68.68	55dB	2.6	158%	Day
7917	2025-04-28 10:32:44	75.73	55dB	4.2	321%	Day
7918	2025-04-28 10:36:00	68.20	55dB	2.5	150%	Day
7919	2025-04-28 10:41:36	72.38	55dB	3.3	234%	Day
7920	2025-04-28 10:43:04	68.86	55dB	2.6	161%	Day
7921	2025-04-28 10:44:42	76.76	55dB	4.5	352%	Day
7922	2025-04-28 10:46:01	73.30	55dB	3.6	256%	Day
7923	2025-04-28 10:47:38	81.23	55dB	6.2	516%	Day
7924	2025-04-28 10:48:54	81.90	55dB	6.5	545%	Day
7925	2025-04-28 10:50:11	N/A	55dB	N/A	N/A	Day
7926	2025-04-28 10:51:37	N/A	55dB	N/A	N/A	Day
7927	2025-04-28 10:53:14	70.51	55dB	2.9	193%	Day
7928	2025-04-28 10:54:21	N/A	55dB	N/A	N/A	Day
7929	2025-04-28 10:55:53	78.08	55dB	5.0	395%	Day
7930	2025-04-28 10:57:17	67.52	55dB	2.4	138%	Day
7931	2025-04-28 10:58:39	69.88	55dB	2.8	180%	Day
7932	2025-04-28 11:00:30	71.42	55dB	3.1	212%	Day
7933	2025-04-28 11:04:43	N/A	55dB	N/A	N/A	Day
7934	2025-04-28 11:07:28	72.12	55dB	3.3	228%	Day
7935	2025-04-28 11:09:32	N/A	55dB	N/A	N/A	Day
7936	2025-04-28 11:11:36	71.80	55dB	3.2	220%	Day
7937	2025-04-28 11:13:37	72.74	55dB	3.4	242%	Day
7938	2025-04-28 11:16:08	76.22	55dB	4.4	335%	Day
7939	2025-04-28 11:18:56	71.21	55dB	3.1	208%	Day
7940	2025-04-28 11:21:04	N/A	55dB	N/A	N/A	Day
7941	2025-04-28 11:23:08	73.47	55dB	3.6	260%	Day
7942	2025-04-28 11:25:52	77.87	55dB	4.9	388%	Day
7943	2025-04-28 11:28:32	72.11	55dB	3.3	227%	Day
7944	2025-04-28 11:31:21	74.56	55dB	3.9	288%	Day
7945	2025-04-28 11:33:28	71.75	55dB	3.2	219%	Day
7946	2025-04-28 11:36:46	78.94	55dB	5.3	426%	Day
7947	2025-04-28 11:43:05	69.69	55dB	2.8	177%	Day
7948	2025-04-28 11:45:09	72.47	55dB	3.4	236%	Day
7949	2025-04-28 11:47:07	74.14	55dB	3.8	277%	Day
7950	2025-04-28 11:49:20	N/A	55dB	N/A	N/A	Day
7951	2025-04-28 11:51:43	74.90	55dB	4.0	297%	Day
7952	2025-04-28 11:54:08	72.63	55dB	3.4	239%	Day
7953	2025-04-28 11:56:31	72.33	55dB	3.3	232%	Day
7954	2025-04-28 11:58:47	70.01	55dB	2.8	183%	Day
7955	2025-04-28 12:02:12	71.18	55dB	3.1	207%	Day
7956	2025-04-28 12:03:24	68.92	55dB	2.6	162%	Day
7957	2025-04-28 12:04:41	69.90	55dB	2.8	181%	Day
7958	2025-04-28 12:06:15	N/A	55dB	N/A	N/A	Day

7959	2025-04-28 12:07:40	N/A	55dB	N/A	N/A	Day
7960	2025-04-28 12:09:19	N/A	55dB	N/A	N/A	Day
7961	2025-04-28 12:10:38	78.78	55dB	5.2	420%	Day
7962	2025-04-28 12:12:02	70.46	55dB	2.9	192%	Day
7963	2025-04-28 12:13:14	67.54	55dB	2.4	139%	Day
7964	2025-04-28 12:14:31	71.79	55dB	3.2	220%	Day
7965	2025-04-28 12:15:57	72.56	55dB	3.4	238%	Day
7966	2025-04-28 12:17:33	N/A	55dB	N/A	N/A	Day
7967	2025-04-28 12:19:52	N/A	55dB	N/A	N/A	Day
7968	2025-04-28 12:22:28	77.74	55dB	4.8	384%	Day
7969	2025-04-28 12:25:08	N/A	55dB	N/A	N/A	Day
7970	2025-04-28 12:27:23	N/A	55dB	N/A	N/A	Day
7971	2025-04-28 12:28:50	N/A	55dB	N/A	N/A	Day
7972	2025-04-28 12:40:07	71.08	55dB	3.0	205%	Day
7973	2025-04-28 12:41:32	69.28	55dB	2.7	169%	Day
7974	2025-04-28 12:45:58	78.05	55dB	4.9	394%	Day
7975	2025-04-28 12:47:26	N/A	55dB	N/A	N/A	Day
7976	2025-04-28 12:49:16	N/A	55dB	N/A	N/A	Day
7977	2025-04-28 12:51:26	67.36	55dB	2.4	136%	Day
7978	2025-04-28 12:56:17	72.56	55dB	3.4	238%	Day
7979	2025-04-28 12:58:27	70.09	55dB	2.8	185%	Day
7980	2025-04-28 12:59:55	N/A	55dB	N/A	N/A	Day
7981	2025-04-28 13:02:09	71.44	55dB	3.1	213%	Day
7982	2025-04-28 13:03:28	74.22	55dB	3.8	279%	Day
7983	2025-04-28 13:05:17	N/A	55dB	N/A	N/A	Day
7984	2025-04-28 13:06:48	75.51	55dB	4.1	314%	Day
7985	2025-04-28 13:08:57	N/A	55dB	N/A	N/A	Day
7986	2025-04-28 13:10:17	N/A	55dB	N/A	N/A	Day
7987	2025-04-28 13:11:33	73.71	55dB	3.7	266%	Day
7988	2025-04-28 13:13:48	N/A	55dB	N/A	N/A	Day
7989	2025-04-28 13:15:00	N/A	55dB	N/A	N/A	Day
7990	2025-04-28 13:18:04	73.32	55dB	3.6	256%	Day
7991	2025-04-28 13:20:26	71.45	55dB	3.1	213%	Day
7992	2025-04-28 13:22:27	73.16	55dB	3.5	252%	Day
7993	2025-04-28 13:27:56	N/A	55dB	N/A	N/A	Day
7994	2025-04-28 13:29:30	N/A	55dB	N/A	N/A	Day
7995	2025-04-28 13:31:08	70.44	55dB	2.9	192%	Day
7996	2025-04-28 13:32:53	74.68	55dB	3.9	291%	Day
7997	2025-04-28 13:34:48	70.71	55dB	3.0	197%	Day
7998	2025-04-28 13:37:26	75.04	55dB	4.0	301%	Day
7999	2025-04-28 13:39:24	N/A	55dB	N/A	N/A	Day
8000	2025-04-28 13:40:50	69.89	55dB	2.8	181%	Day
8001	2025-04-28 13:42:07	N/A	55dB	N/A	N/A	Day
8002	2025-04-28 13:43:48	68.21	55dB	2.5	150%	Day

8003	2025-04-28 13:46:46	70.74	55dB	3.0	198%	Day
8004	2025-04-28 13:49:03	70.44	55dB	2.9	192%	Day
8005	2025-04-28 13:53:02	75.50	55dB	4.1	314%	Day
8006	2025-04-28 13:55:17	N/A	55dB	N/A	N/A	Day
8007	2025-04-28 13:58:20	67.47	55dB	2.4	137%	Day
8008	2025-04-28 14:00:22	N/A	55dB	N/A	N/A	Day
8009	2025-04-28 14:02:01	69.37	55dB	2.7	171%	Day
8010	2025-04-28 14:06:21	71.01	55dB	3.0	203%	Day
8011	2025-04-28 14:08:28	68.06	55dB	2.5	147%	Day
8012	2025-04-28 14:10:12	74.49	55dB	3.9	286%	Day
8013	2025-04-28 14:15:23	N/A	55dB	N/A	N/A	Day
8014	2025-04-28 14:19:16	72.16	55dB	3.3	229%	Day
8015	2025-04-28 14:21:27	66.93	55dB	2.3	129%	Day
8016	2025-04-28 14:25:05	N/A	55dB	N/A	N/A	Day
8017	2025-04-28 14:26:20	71.24	55dB	3.1	208%	Day
8018	2025-04-28 14:27:54	N/A	55dB	N/A	N/A	Day
8019	2025-04-28 14:29:47	70.18	55dB	2.9	186%	Day
8020	2025-04-28 14:33:38	67.77	55dB	2.4	142%	Day
8021	2025-04-28 14:36:07	73.15	55dB	3.5	252%	Day
8022	2025-04-28 14:38:25	75.66	55dB	4.2	319%	Day
8023	2025-04-28 14:40:55	66.73	55dB	2.3	125%	Day
8024	2025-04-28 14:42:41	66.78	55dB	2.3	126%	Day
8025	2025-04-28 14:45:37	77.74	55dB	4.8	384%	Day
8026	2025-04-28 14:47:54	67.14	55dB	2.3	132%	Day
8027	2025-04-28 14:49:56	68.16	55dB	2.5	149%	Day
8028	2025-04-28 14:51:39	N/A	55dB	N/A	N/A	Day
8029	2025-04-28 14:53:03	74.63	55dB	3.9	290%	Day
8030	2025-04-28 14:54:38	N/A	55dB	N/A	N/A	Day
8031	2025-04-28 14:56:13	70.78	55dB	3.0	199%	Day
8032	2025-04-28 14:58:32	N/A	55dB	N/A	N/A	Day
8033	2025-04-28 15:00:02	68.39	55dB	2.5	153%	Day
8034	2025-04-28 15:01:17	68.11	55dB	2.5	148%	Day
8035	2025-04-28 15:02:47	71.49	55dB	3.1	214%	Day
8036	2025-04-28 15:04:14	N/A	55dB	N/A	N/A	Day
8037	2025-04-28 15:05:32	N/A	55dB	N/A	N/A	Day
8038	2025-04-28 15:06:49	70.19	55dB	2.9	187%	Day
8039	2025-04-28 15:08:07	N/A	55dB	N/A	N/A	Day
8040	2025-04-28 15:09:17	N/A	55dB	N/A	N/A	Day
8041	2025-04-28 15:10:50	68.60	55dB	2.6	157%	Day
8042	2025-04-28 15:12:18	N/A	55dB	N/A	N/A	Day
8043	2025-04-28 15:14:53	74.72	55dB	3.9	292%	Day
8044	2025-04-28 15:16:43	65.75	55dB	2.1	111%	Day
8045	2025-04-28 15:17:54	74.22	55dB	3.8	279%	Day
8046	2025-04-28 15:19:37	66.79	55dB	2.3	126%	Day

8047	2025-04-28 15:20:53	N/A	55dB	N/A	N/A	Day
8048	2025-04-28 15:22:11	69.25	55dB	2.7	169%	Day
8049	2025-04-28 15:23:28	73.60	55dB	3.6	263%	Day
8050	2025-04-28 15:28:04	N/A	55dB	N/A	N/A	Day
8051	2025-04-28 15:31:14	N/A	55dB	N/A	N/A	Day
8052	2025-04-28 15:32:49	73.30	55dB	3.6	256%	Day
8053	2025-04-28 15:34:04	75.70	55dB	4.2	320%	Day
8054	2025-04-28 15:36:16	71.66	55dB	3.2	217%	Day
8055	2025-04-28 15:37:37	66.56	55dB	2.2	123%	Day
8056	2025-04-28 15:39:47	74.05	55dB	3.7	275%	Day
8057	2025-04-28 15:41:22	71.10	55dB	3.1	205%	Day
8058	2025-04-28 15:43:34	69.26	55dB	2.7	169%	Day
8059	2025-04-28 15:45:20	N/A	55dB	N/A	N/A	Day
8060	2025-04-28 15:48:21	N/A	55dB	N/A	N/A	Day
8061	2025-04-28 15:51:50	N/A	55dB	N/A	N/A	Day
8062	2025-04-28 15:55:05	N/A	55dB	N/A	N/A	Day
8063	2025-04-28 15:57:03	68.48	55dB	2.5	155%	Day
8064	2025-04-28 15:58:44	N/A	55dB	N/A	N/A	Day
8065	2025-04-28 16:00:17	69.58	55dB	2.7	175%	Day
8066	2025-04-28 16:03:32	73.40	55dB	3.6	258%	Day
8067	2025-04-28 16:05:19	76.22	55dB	4.4	335%	Day
8068	2025-04-28 16:08:32	69.03	55dB	2.6	164%	Day
8069	2025-04-28 16:13:42	67.23	55dB	2.3	133%	Day
8070	2025-04-28 16:21:43	67.79	55dB	2.4	143%	Day
8071	2025-04-28 16:25:36	75.03	55dB	4.0	301%	Day
8072	2025-04-28 16:28:18	N/A	55dB	N/A	N/A	Day
8073	2025-04-28 16:29:44	69.26	55dB	2.7	169%	Day
8074	2025-04-28 16:33:26	68.42	55dB	2.5	154%	Day
8075	2025-04-28 16:34:33	73.76	55dB	3.7	267%	Day
8076	2025-04-28 16:36:14	69.25	55dB	2.7	169%	Day
8077	2025-04-28 16:37:43	71.73	55dB	3.2	219%	Day
8078	2025-04-28 16:39:51	N/A	55dB	N/A	N/A	Day
8079	2025-04-28 16:41:05	71.13	55dB	3.1	206%	Day
8080	2025-04-28 16:42:19	75.26	55dB	4.1	307%	Day
8081	2025-04-28 16:43:45	N/A	55dB	N/A	N/A	Day
8082	2025-04-28 16:45:03	N/A	55dB	N/A	N/A	Day
8083	2025-04-28 16:46:41	N/A	55dB	N/A	N/A	Day
8084	2025-04-28 16:47:58	74.84	55dB	4.0	296%	Day
8085	2025-04-28 16:49:31	71.03	55dB	3.0	204%	Day
8086	2025-04-28 16:51:25	68.34	55dB	2.5	152%	Day
8087	2025-04-28 16:52:37	N/A	55dB	N/A	N/A	Day
8088	2025-04-28 16:54:27	71.97	55dB	3.2	224%	Day
8089	2025-04-28 16:55:53	74.13	55dB	3.8	277%	Day
8090	2025-04-28 16:57:40	N/A	55dB	N/A	N/A	Day

8091	2025-04-28 16:59:08	71.44	55dB	3.1	213%	Day
8092	2025-04-28 17:01:37	N/A	55dB	N/A	N/A	Day
8093	2025-04-28 17:02:44	N/A	55dB	N/A	N/A	Day
8094	2025-04-28 17:04:01	N/A	55dB	N/A	N/A	Day
8095	2025-04-28 17:05:17	N/A	55dB	N/A	N/A	Day
8096	2025-04-28 17:06:33	69.86	55dB	2.8	180%	Day
8097	2025-04-28 17:07:51	70.30	55dB	2.9	189%	Day
8098	2025-04-28 17:10:09	70.24	55dB	2.9	188%	Day
8099	2025-04-28 17:12:23	69.71	55dB	2.8	177%	Day
8100	2025-04-28 17:13:46	68.09	55dB	2.5	148%	Day
8101	2025-04-28 17:15:14	72.98	55dB	3.5	248%	Day
8102	2025-04-28 17:19:08	N/A	55dB	N/A	N/A	Day
8103	2025-04-28 17:20:21	N/A	55dB	N/A	N/A	Day
8104	2025-04-28 17:21:47	N/A	55dB	N/A	N/A	Day
8105	2025-04-28 17:25:09	70.43	55dB	2.9	191%	Day
8106	2025-04-28 17:26:35	70.82	55dB	3.0	199%	Day
8107	2025-04-28 17:28:49	73.59	55dB	3.6	263%	Day
8108	2025-04-28 17:30:04	68.62	55dB	2.6	157%	Day
8109	2025-04-28 17:31:42	70.84	55dB	3.0	200%	Day
8110	2025-04-28 17:33:57	N/A	55dB	N/A	N/A	Day
8111	2025-04-28 17:35:24	69.77	55dB	2.8	178%	Day
8112	2025-04-28 17:37:34	N/A	55dB	N/A	N/A	Day
8113	2025-04-28 17:40:56	N/A	55dB	N/A	N/A	Day
8114	2025-04-28 17:42:58	N/A	55dB	N/A	N/A	Day
8115	2025-04-28 17:45:01	N/A	55dB	N/A	N/A	Day
8116	2025-04-28 17:47:20	69.47	55dB	2.7	173%	Day
8117	2025-04-28 17:50:07	N/A	55dB	N/A	N/A	Day
8118	2025-04-28 17:53:15	N/A	55dB	N/A	N/A	Day
8119	2025-04-28 17:54:34	70.69	55dB	3.0	197%	Day
8120	2025-04-28 17:55:54	N/A	55dB	N/A	N/A	Day
8121	2025-04-28 17:57:11	N/A	55dB	N/A	N/A	Day
8122	2025-04-28 17:58:39	68.92	55dB	2.6	162%	Day
8123	2025-04-28 18:00:50	71.42	55dB	3.1	212%	Day
8124	2025-04-28 18:02:24	N/A	55dB	N/A	N/A	Day
8125	2025-04-28 18:03:52	68.79	55dB	2.6	160%	Day
8126	2025-04-28 18:05:35	N/A	55dB	N/A	N/A	Day
8127	2025-04-28 18:07:03	N/A	55dB	N/A	N/A	Day
8128	2025-04-28 18:10:05	70.80	55dB	3.0	199%	Day
8129	2025-04-28 18:11:26	N/A	55dB	N/A	N/A	Day
8130	2025-04-28 18:15:24	70.32	55dB	2.9	189%	Day
8131	2025-04-28 18:16:56	71.87	55dB	3.2	222%	Day
8132	2025-04-28 18:18:12	N/A	55dB	N/A	N/A	Day
8133	2025-04-28 18:21:37	70.70	55dB	3.0	197%	Day
8134	2025-04-28 18:23:45	N/A	55dB	N/A	N/A	Day

8135	2025-04-28 18:25:01	N/A	55dB	N/A	N/A	Day
8136	2025-04-28 18:26:15	N/A	55dB	N/A	N/A	Day
8137	2025-04-28 18:28:15	67.03	55dB	2.3	130%	Day
8138	2025-04-28 18:29:30	N/A	55dB	N/A	N/A	Day
8139	2025-04-28 18:30:46	70.49	55dB	2.9	193%	Day
8140	2025-04-28 18:32:10	68.22	55dB	2.5	150%	Day
8141	2025-04-28 18:33:41	69.00	55dB	2.6	164%	Day
8142	2025-04-28 18:35:51	74.62	55dB	3.9	290%	Day
8143	2025-04-28 18:37:11	68.96	55dB	2.6	163%	Day
8144	2025-04-28 18:39:35	N/A	55dB	N/A	N/A	Day
8145	2025-04-28 18:40:49	N/A	55dB	N/A	N/A	Day
8146	2025-04-28 18:42:02	70.38	55dB	2.9	190%	Day
8147	2025-04-28 18:43:47	72.63	55dB	3.4	239%	Day
8148	2025-04-28 18:45:58	69.46	55dB	2.7	172%	Day
8149	2025-04-28 18:49:09	66.63	55dB	2.2	124%	Day
8150	2025-04-28 18:55:48	68.20	55dB	2.5	150%	Day
8151	2025-04-28 19:00:19	N/A	55dB	N/A	N/A	Day
8152	2025-04-28 19:08:53	70.77	55dB	3.0	198%	Day
8153	2025-04-28 19:15:08	74.08	55dB	3.8	275%	Day
8154	2025-04-28 19:18:20	73.34	55dB	3.6	257%	Day
8155	2025-04-28 19:20:35	73.12	55dB	3.5	251%	Day
8156	2025-04-28 19:23:01	73.24	55dB	3.5	254%	Day
8157	2025-04-28 19:25:14	69.02	55dB	2.6	164%	Day
8158	2025-04-28 19:27:58	N/A	55dB	N/A	N/A	Day
8159	2025-04-28 19:30:55	76.51	55dB	4.4	344%	Day
8160	2025-04-28 19:33:56	74.27	55dB	3.8	280%	Day
8161	2025-04-28 19:38:26	72.09	55dB	3.3	227%	Day
8162	2025-04-28 19:40:18	70.83	55dB	3.0	200%	Day
8163	2025-04-28 19:42:05	N/A	55dB	N/A	N/A	Day
8164	2025-04-28 19:44:14	76.08	55dB	4.3	331%	Day
8165	2025-04-28 19:46:47	73.72	55dB	3.7	266%	Day
8166	2025-04-28 19:51:31	70.33	55dB	2.9	189%	Day
8167	2025-04-28 19:53:32	72.80	55dB	3.4	243%	Day
8168	2025-04-28 19:55:47	72.47	55dB	3.4	236%	Day
8169	2025-04-28 19:58:05	71.32	55dB	3.1	210%	Day
8170	2025-04-28 19:59:58	72.31	55dB	3.3	232%	Day
8171	2025-04-28 20:03:29	71.79	55dB	3.2	220%	Day
8172	2025-04-28 20:06:56	74.53	55dB	3.9	287%	Day
8173	2025-04-28 20:09:32	71.01	55dB	3.0	203%	Day
8174	2025-04-28 20:12:49	71.23	55dB	3.1	208%	Day
8175	2025-04-28 20:17:46	67.14	55dB	2.3	132%	Day
8176	2025-04-28 20:20:17	76.84	55dB	4.5	354%	Day
8177	2025-04-28 20:28:21	74.63	55dB	3.9	290%	Day
8178	2025-04-28 20:36:57	72.48	55dB	3.4	236%	Day

8179	2025-04-28 20:39:11	76.35	55dB	4.4	339%	Day
8180	2025-04-28 20:41:38	72.28	55dB	3.3	231%	Day
8181	2025-04-28 20:48:23	73.83	55dB	3.7	269%	Day
8182	2025-04-28 20:51:25	76.81	55dB	4.5	353%	Day
8183	2025-04-28 20:55:38	71.93	55dB	3.2	223%	Day
8184	2025-04-28 20:58:24	72.71	55dB	3.4	241%	Day
8185	2025-04-28 21:00:46	73.28	55dB	3.6	255%	Day
8186	2025-04-28 21:03:08	74.43	55dB	3.8	285%	Day
8187	2025-04-28 21:05:25	75.04	55dB	4.0	301%	Day
8188	2025-04-28 21:09:24	N/A	55dB	N/A	N/A	Day
8189	2025-04-28 21:12:45	69.10	55dB	2.7	166%	Day
8190	2025-04-28 21:14:26	66.90	55dB	2.3	128%	Day
8191	2025-04-28 21:15:50	67.01	55dB	2.3	130%	Day
8192	2025-04-28 21:17:23	N/A	55dB	N/A	N/A	Day
8193	2025-04-28 21:19:03	68.85	55dB	2.6	161%	Day
8194	2025-04-28 21:20:50	68.89	55dB	2.6	162%	Day
8195	2025-04-28 21:22:32	68.79	55dB	2.6	160%	Day
8196	2025-04-28 21:24:03	66.95	55dB	2.3	129%	Day
8197	2025-04-28 21:27:11	N/A	55dB	N/A	N/A	Day
8198	2025-04-28 21:32:05	N/A	55dB	N/A	N/A	Day
8199	2025-04-28 21:36:00	67.00	55dB	2.3	130%	Day
8200	2025-04-28 21:37:28	68.75	55dB	2.6	159%	Day
8201	2025-04-28 21:38:51	69.50	55dB	2.7	173%	Day
8202	2025-04-28 21:40:07	68.70	55dB	2.6	158%	Day
8203	2025-04-28 21:42:28	N/A	55dB	N/A	N/A	Day
8204	2025-04-28 21:44:07	73.29	55dB	3.6	255%	Day
8205	2025-04-28 21:46:20	N/A	55dB	N/A	N/A	Day
8206	2025-04-28 21:56:46	73.07	55dB	3.5	250%	Day
8207	2025-04-28 22:00:11	72.31	55dB	3.3	232%	Day
8208	2025-04-28 22:01:38	72.12	55dB	3.3	228%	Day
8209	2025-04-28 22:03:20	71.05	55dB	3.0	204%	Day
8210	2025-04-28 22:05:31	68.41	55dB	2.5	153%	Day
8211	2025-04-28 22:07:30	N/A	55dB	N/A	N/A	Day
8212	2025-04-28 22:13:10	N/A	55dB	N/A	N/A	Day
8213	2025-04-28 22:14:51	67.41	55dB	2.4	136%	Day
8214	2025-04-28 22:16:56	72.68	55dB	3.4	241%	Day
8215	2025-04-28 22:18:58	73.97	55dB	3.7	272%	Day
8216	2025-04-28 22:20:35	72.31	55dB	3.3	232%	Day
8217	2025-04-28 22:22:17	66.94	55dB	2.3	129%	Day
8218	2025-04-28 22:23:45	N/A	55dB	N/A	N/A	Day
8219	2025-04-28 22:25:49	N/A	55dB	N/A	N/A	Day
8220	2025-04-28 22:27:44	70.45	55dB	2.9	192%	Day
8221	2025-04-28 22:29:52	66.87	55dB	2.3	128%	Day
8222	2025-04-28 22:31:22	N/A	55dB	N/A	N/A	Day

8223	2025-04-28 22:33:02	67.88	55dB	2.4	144%	Day
8224	2025-04-28 22:40:22	68.57	55dB	2.6	156%	Day
8225	2025-04-28 22:42:21	73.40	55dB	3.6	258%	Day
8226	2025-04-28 22:44:10	N/A	55dB	N/A	N/A	Day
8227	2025-04-28 22:46:16	69.25	55dB	2.7	169%	Day
8228	2025-04-28 22:48:38	N/A	55dB	N/A	N/A	Day
8229	2025-04-28 22:56:49	67.11	55dB	2.3	131%	Day
8230	2025-04-28 23:08:00	72.32	45dB	6.6	564%	Night
8231	2025-04-28 23:09:37	N/A	45dB	N/A	N/A	Night
8232	2025-04-28 23:11:19	68.44	45dB	5.1	408%	Night
8233	2025-04-28 23:13:53	66.39	45dB	4.4	340%	Night
8234	2025-04-28 23:18:36	67.92	45dB	4.9	390%	Night
8235	2025-04-28 23:21:54	N/A	45dB	N/A	N/A	Night
8236	2025-04-28 23:23:29	72.65	45dB	6.8	580%	Night
8237	2025-04-28 23:26:02	69.85	45dB	5.6	460%	Night
8238	2025-04-28 23:28:08	71.03	45dB	6.1	508%	Night
8239	2025-04-28 23:43:53	72.03	45dB	6.5	551%	Night
8240	2025-04-28 23:46:45	N/A	45dB	N/A	N/A	Night
8241	2025-04-28 23:51:10	70.90	45dB	6.0	502%	Night
8242	2025-04-28 23:53:32	72.10	45dB	6.5	554%	Night
8243	2025-04-28 23:54:49	71.65	45dB	6.3	534%	Night
8244	2025-04-28 23:57:19	N/A	45dB	N/A	N/A	Night
8245	2025-04-29 00:02:02	70.34	45dB	5.8	479%	Night
8246	2025-04-29 00:04:52	67.80	45dB	4.9	386%	Night
8247	2025-04-29 00:06:39	69.51	45dB	5.5	447%	Night
8248	2025-04-29 00:08:32	72.70	45dB	6.8	582%	Night
8249	2025-04-29 00:10:03	69.24	45dB	5.4	437%	Night
8250	2025-04-29 00:11:49	72.15	45dB	6.6	557%	Night
8251	2025-04-29 00:15:09	68.82	45dB	5.2	421%	Night
8252	2025-04-29 00:16:34	67.41	45dB	4.7	373%	Night
8253	2025-04-29 00:20:19	69.09	45dB	5.3	431%	Night
8254	2025-04-29 00:21:52	68.30	45dB	5.0	403%	Night
8255	2025-04-29 00:23:05	69.21	45dB	5.4	436%	Night
8256	2025-04-29 00:34:44	70.84	45dB	6.0	500%	Night
8257	2025-04-29 00:37:38	67.76	45dB	4.8	384%	Night
8258	2025-04-29 00:39:40	72.92	45dB	6.9	593%	Night
8259	2025-04-29 06:33:19	73.33	45dB	7.1	613%	Night
8260	2025-04-29 06:35:41	71.89	45dB	6.4	545%	Night
8261	2025-04-29 06:38:22	73.62	45dB	7.3	627%	Night
8262	2025-04-29 06:40:47	72.07	45dB	6.5	553%	Night
8263	2025-04-29 06:43:17	71.13	45dB	6.1	512%	Night
8264	2025-04-29 06:47:22	75.26	45dB	8.1	715%	Night
8265	2025-04-29 06:50:00	73.27	45dB	7.1	610%	Night
8266	2025-04-29 06:52:39	73.33	45dB	7.1	613%	Night

8267	2025-04-29 06:57:28	N/A	45dB	N/A	N/A	Night
8268	2025-04-29 06:59:17	74.82	45dB	7.9	690%	Night
8269	2025-04-29 07:01:34	70.80	55dB	3.0	199%	Day
8270	2025-04-29 07:03:08	N/A	55dB	N/A	N/A	Day
8271	2025-04-29 07:04:43	71.65	55dB	3.2	217%	Day
8272	2025-04-29 07:06:40	72.42	55dB	3.3	234%	Day
8273	2025-04-29 07:10:32	N/A	55dB	N/A	N/A	Day
8274	2025-04-29 07:15:43	69.90	55dB	2.8	181%	Day
8275	2025-04-29 07:18:57	72.01	55dB	3.3	225%	Day
8276	2025-04-29 07:34:45	70.64	55dB	3.0	196%	Day
8277	2025-04-29 07:37:08	69.97	55dB	2.8	182%	Day
8278	2025-04-29 07:38:55	68.37	55dB	2.5	153%	Day
8279	2025-04-29 07:40:25	N/A	55dB	N/A	N/A	Day
8280	2025-04-29 07:41:54	71.02	55dB	3.0	204%	Day
8281	2025-04-29 07:47:32	72.96	55dB	3.5	247%	Day
8282	2025-04-29 07:51:02	70.26	55dB	2.9	188%	Day
8283	2025-04-29 07:54:28	N/A	55dB	N/A	N/A	Day
8284	2025-04-29 07:58:44	73.03	55dB	3.5	249%	Day
8285	2025-04-29 08:01:41	N/A	55dB	N/A	N/A	Day
8286	2025-04-29 08:04:10	72.68	55dB	3.4	241%	Day
8287	2025-04-29 08:05:50	72.86	55dB	3.4	245%	Day
8288	2025-04-29 08:24:14	72.44	55dB	3.3	235%	Day
8289	2025-04-29 08:27:33	72.91	55dB	3.5	246%	Day
8290	2025-04-29 08:30:32	70.64	55dB	3.0	196%	Day
8291	2025-04-29 08:48:36	73.13	55dB	3.5	251%	Day
8292	2025-04-29 09:07:20	74.21	55dB	3.8	279%	Day
8293	2025-04-29 09:13:54	N/A	55dB	N/A	N/A	Day
8294	2025-04-29 09:17:01	72.31	55dB	3.3	232%	Day
8295	2025-04-29 09:27:45	71.95	55dB	3.2	224%	Day
8296	2025-04-29 09:37:25	71.80	55dB	3.2	220%	Day
8297	2025-04-29 09:43:02	70.18	55dB	2.9	186%	Day
8298	2025-04-29 09:45:01	68.60	55dB	2.6	157%	Day
8299	2025-04-29 09:46:53	72.34	55dB	3.3	233%	Day
8300	2025-04-29 09:48:55	N/A	55dB	N/A	N/A	Day
8301	2025-04-29 09:50:51	67.29	55dB	2.3	134%	Day
8302	2025-04-29 09:52:44	N/A	55dB	N/A	N/A	Day
8303	2025-04-29 10:01:25	N/A	55dB	N/A	N/A	Day
8304	2025-04-29 10:10:38	70.05	55dB	2.8	184%	Day
8305	2025-04-29 10:12:21	N/A	55dB	N/A	N/A	Day
8306	2025-04-29 10:15:41	76.59	55dB	4.5	347%	Day
8307	2025-04-29 10:19:57	N/A	55dB	N/A	N/A	Day
8308	2025-04-29 10:22:54	69.15	55dB	2.7	167%	Day
8309	2025-04-29 10:24:31	74.74	55dB	3.9	293%	Day
8310	2025-04-29 10:26:13	69.76	55dB	2.8	178%	Day

8311	2025-04-29 10:28:18	70.72	55dB	3.0	197%	Day
8312	2025-04-29 10:30:51	76.55	55dB	4.5	345%	Day
8313	2025-04-29 10:32:53	70.15	55dB	2.9	186%	Day
8314	2025-04-29 10:35:04	72.76	55dB	3.4	242%	Day
8315	2025-04-29 10:36:49	74.45	55dB	3.9	285%	Day
8316	2025-04-29 10:39:01	N/A	55dB	N/A	N/A	Day
8317	2025-04-29 10:41:07	75.08	55dB	4.0	302%	Day
8318	2025-04-29 10:43:15	75.34	55dB	4.1	310%	Day
8319	2025-04-29 10:46:12	73.27	55dB	3.5	255%	Day
8320	2025-04-29 10:47:51	80.85	55dB	6.0	500%	Day
8321	2025-04-29 10:49:16	79.28	55dB	5.4	438%	Day
8322	2025-04-29 10:51:00	80.42	55dB	5.8	482%	Day
8323	2025-04-29 10:52:31	73.50	55dB	3.6	261%	Day
8324	2025-04-29 10:53:56	81.22	55dB	6.2	516%	Day
8325	2025-04-29 10:57:35	83.48	55dB	7.2	620%	Day
8326	2025-04-29 11:00:16	70.06	55dB	2.8	184%	Day
8327	2025-04-29 11:03:31	71.76	55dB	3.2	220%	Day
8328	2025-04-29 11:04:55	77.51	55dB	4.8	376%	Day
8329	2025-04-29 11:06:30	78.04	55dB	4.9	394%	Day
8330	2025-04-29 11:07:54	76.77	55dB	4.5	352%	Day
8331	2025-04-29 11:09:57	N/A	55dB	N/A	N/A	Day
8332	2025-04-29 11:11:25	80.82	55dB	6.0	499%	Day
8333	2025-04-29 11:12:57	78.71	55dB	5.2	417%	Day
8334	2025-04-29 11:15:05	79.13	55dB	5.3	433%	Day
8335	2025-04-29 11:16:39	77.19	55dB	4.7	366%	Day
8336	2025-04-29 11:17:56	77.24	55dB	4.7	367%	Day
8337	2025-04-29 11:19:20	75.03	55dB	4.0	301%	Day
8338	2025-04-29 11:21:02	81.07	55dB	6.1	509%	Day
8339	2025-04-29 11:22:44	72.92	55dB	3.5	246%	Day
8340	2025-04-29 11:24:11	70.45	55dB	2.9	192%	Day
8341	2025-04-29 11:25:28	71.97	55dB	3.2	224%	Day
8342	2025-04-29 11:26:53	74.89	55dB	4.0	297%	Day
8343	2025-04-29 11:28:14	89.49	55dB	10.9	992%	Day
8344	2025-04-29 11:29:45	71.46	55dB	3.1	213%	Day
8345	2025-04-29 11:31:12	73.64	55dB	3.6	264%	Day
8346	2025-04-29 11:32:42	79.02	55dB	5.3	429%	Day
8347	2025-04-29 11:35:02	84.80	55dB	7.9	689%	Day
8348	2025-04-29 11:38:16	71.30	55dB	3.1	210%	Day
8349	2025-04-29 11:40:21	81.78	55dB	6.4	540%	Day
8350	2025-04-29 11:42:16	77.44	55dB	4.7	374%	Day
8351	2025-04-29 11:43:55	73.07	55dB	3.5	250%	Day
8352	2025-04-29 11:45:39	73.16	55dB	3.5	252%	Day
8353	2025-04-29 11:47:02	N/A	55dB	N/A	N/A	Day
8354	2025-04-29 11:48:25	72.87	55dB	3.5	245%	Day

8355	2025-04-29 11:50:06	76.87	55dB	4.6	355%	Day
8356	2025-04-29 11:52:35	76.53	55dB	4.4	345%	Day
8357	2025-04-29 11:54:30	75.47	55dB	4.1	313%	Day
8358	2025-04-29 11:56:25	76.81	55dB	4.5	353%	Day
8359	2025-04-29 11:58:38	N/A	55dB	N/A	N/A	Day
8360	2025-04-29 12:00:53	86.43	55dB	8.8	783%	Day
8361	2025-04-29 12:02:32	70.53	55dB	2.9	193%	Day
8362	2025-04-29 12:04:50	75.96	55dB	4.3	328%	Day
8363	2025-04-29 12:06:25	71.29	55dB	3.1	209%	Day
8364	2025-04-29 12:07:51	82.78	55dB	6.9	586%	Day
8365	2025-04-29 12:09:58	76.15	55dB	4.3	333%	Day
8366	2025-04-29 12:11:40	76.62	55dB	4.5	348%	Day
8367	2025-04-29 12:13:52	73.05	55dB	3.5	249%	Day
8368	2025-04-29 12:15:36	70.06	55dB	2.8	184%	Day
8369	2025-04-29 12:19:31	71.18	55dB	3.1	207%	Day
8370	2025-04-29 12:21:24	69.54	55dB	2.7	174%	Day
8371	2025-04-29 12:25:04	83.84	55dB	7.4	638%	Day
8372	2025-04-29 12:28:38	78.64	55dB	5.1	415%	Day
8373	2025-04-29 12:31:57	81.05	55dB	6.1	508%	Day
8374	2025-04-29 12:34:45	74.67	55dB	3.9	291%	Day
8375	2025-04-29 12:37:14	70.68	55dB	3.0	196%	Day
8376	2025-04-29 12:38:43	78.15	55dB	5.0	398%	Day
8377	2025-04-29 12:41:35	70.07	55dB	2.8	184%	Day
8378	2025-04-29 12:44:20	83.88	55dB	7.4	640%	Day
8379	2025-04-29 12:47:40	69.36	55dB	2.7	171%	Day
8380	2025-04-29 12:49:33	70.20	55dB	2.9	187%	Day
8381	2025-04-29 12:51:37	N/A	55dB	N/A	N/A	Day
8382	2025-04-29 12:53:21	87.87	55dB	9.8	876%	Day
8383	2025-04-29 12:58:28	78.68	55dB	5.2	416%	Day
8384	2025-04-29 13:00:35	71.77	55dB	3.2	220%	Day
8385	2025-04-29 13:02:47	84.77	55dB	7.9	687%	Day
8386	2025-04-29 13:12:28	83.43	55dB	7.2	618%	Day
8387	2025-04-29 13:14:25	78.50	55dB	5.1	410%	Day
8388	2025-04-29 13:16:26	71.20	55dB	3.1	207%	Day
8389	2025-04-29 13:17:54	73.22	55dB	3.5	254%	Day
8390	2025-04-29 13:19:06	68.62	55dB	2.6	157%	Day
8391	2025-04-29 13:20:38	67.88	55dB	2.4	144%	Day
8392	2025-04-29 13:23:21	68.92	55dB	2.6	162%	Day
8393	2025-04-29 13:24:55	78.73	55dB	5.2	418%	Day
8394	2025-04-29 13:28:38	80.19	55dB	5.7	473%	Day
8395	2025-04-29 13:30:39	N/A	55dB	N/A	N/A	Day
8396	2025-04-29 13:32:52	78.41	55dB	5.1	407%	Day
8397	2025-04-29 13:43:55	74.14	55dB	3.8	277%	Day
8398	2025-04-29 13:45:46	69.85	55dB	2.8	180%	Day

8399	2025-04-29 13:47:07	73.65	55dB	3.6	264%	Day
8400	2025-04-29 13:48:30	N/A	55dB	N/A	N/A	Day
8401	2025-04-29 13:49:52	79.04	55dB	5.3	429%	Day
8402	2025-04-29 13:51:47	79.86	55dB	5.6	460%	Day
8403	2025-04-29 13:54:12	78.45	55dB	5.1	408%	Day
8404	2025-04-29 13:56:02	80.30	55dB	5.8	478%	Day
8405	2025-04-29 13:58:10	82.53	55dB	6.7	574%	Day
8406	2025-04-29 14:01:11	75.71	55dB	4.2	320%	Day
8407	2025-04-29 14:03:08	N/A	55dB	N/A	N/A	Day
8408	2025-04-29 14:04:34	68.09	55dB	2.5	148%	Day
8409	2025-04-29 14:05:56	73.50	55dB	3.6	261%	Day
8410	2025-04-29 14:07:13	72.26	55dB	3.3	231%	Day
8411	2025-04-29 14:08:26	N/A	55dB	N/A	N/A	Day
8412	2025-04-29 14:10:18	N/A	55dB	N/A	N/A	Day
8413	2025-04-29 14:13:51	N/A	55dB	N/A	N/A	Day
8414	2025-04-29 14:15:49	76.45	55dB	4.4	342%	Day
8415	2025-04-29 14:18:22	77.75	55dB	4.8	384%	Day
8416	2025-04-29 14:19:43	73.12	55dB	3.5	251%	Day
8417	2025-04-29 14:22:39	67.93	55dB	2.5	145%	Day
8418	2025-04-29 14:26:35	70.80	55dB	3.0	199%	Day
8419	2025-04-29 14:29:01	76.99	55dB	4.6	359%	Day
8420	2025-04-29 14:31:05	74.98	55dB	4.0	299%	Day
8421	2025-04-29 14:35:03	78.99	55dB	5.3	427%	Day
8422	2025-04-29 14:40:30	74.92	55dB	4.0	298%	Day
8423	2025-04-29 14:42:20	80.25	55dB	5.8	476%	Day
8424	2025-04-29 14:44:26	81.71	55dB	6.4	537%	Day
8425	2025-04-29 14:46:56	82.81	55dB	6.9	587%	Day
8426	2025-04-29 14:48:55	74.22	55dB	3.8	279%	Day
8427	2025-04-29 14:52:53	90.96	55dB	12.1	1109%	Day
8428	2025-04-29 14:54:34	71.68	55dB	3.2	218%	Day
8429	2025-04-29 14:56:19	85.71	55dB	8.4	740%	Day
8430	2025-04-29 14:58:56	77.06	55dB	4.6	361%	Day
8431	2025-04-29 15:00:23	86.10	55dB	8.6	763%	Day
8432	2025-04-29 15:03:47	80.95	55dB	6.0	504%	Day
8433	2025-04-29 15:05:38	78.56	55dB	5.1	412%	Day
8434	2025-04-29 15:07:47	84.87	55dB	7.9	693%	Day
8435	2025-04-29 15:11:18	79.37	55dB	5.4	442%	Day
8436	2025-04-29 15:13:01	86.36	55dB	8.8	779%	Day
8437	2025-04-29 15:16:54	69.77	55dB	2.8	178%	Day
8438	2025-04-29 15:18:39	84.48	55dB	7.7	672%	Day
8439	2025-04-29 15:20:52	88.17	55dB	10.0	897%	Day
8440	2025-04-29 15:28:20	88.73	55dB	10.4	936%	Day
8441	2025-04-29 15:31:12	77.29	55dB	4.7	369%	Day
8442	2025-04-29 15:32:53	82.38	55dB	6.7	567%	Day

8443	2025-04-29 15:35:04	81.17	55dB	6.1	513%	Day
8444	2025-04-29 15:36:44	78.55	55dB	5.1	412%	Day
8445	2025-04-29 15:38:55	76.80	55dB	4.5	353%	Day
8446	2025-04-29 15:40:34	82.97	55dB	6.9	595%	Day
8447	2025-04-29 15:43:04	74.07	55dB	3.8	275%	Day
8448	2025-04-29 15:45:45	75.27	55dB	4.1	308%	Day
8449	2025-04-29 15:47:53	69.33	55dB	2.7	170%	Day
8450	2025-04-29 15:49:27	77.80	55dB	4.9	386%	Day
8451	2025-04-29 15:52:30	77.31	55dB	4.7	369%	Day
8452	2025-04-29 15:54:19	78.04	55dB	4.9	394%	Day
8453	2025-04-29 15:55:45	87.57	55dB	9.6	856%	Day
8454	2025-04-29 15:57:04	76.47	55dB	4.4	343%	Day
8455	2025-04-29 15:58:39	77.77	55dB	4.8	385%	Day
8456	2025-04-29 16:00:14	N/A	55dB	N/A	N/A	Day
8457	2025-04-29 16:02:40	81.30	55dB	6.2	519%	Day
8458	2025-04-29 16:04:16	70.91	55dB	3.0	201%	Day
8459	2025-04-29 16:06:09	80.38	55dB	5.8	481%	Day
8460	2025-04-29 16:07:28	79.67	55dB	5.5	453%	Day
8461	2025-04-29 16:09:23	75.29	55dB	4.1	308%	Day
8462	2025-04-29 16:11:09	76.97	55dB	4.6	359%	Day
8463	2025-04-29 16:12:42	74.03	55dB	3.7	274%	Day
8464	2025-04-29 16:14:15	82.57	55dB	6.8	576%	Day
8465	2025-04-29 16:15:37	77.67	55dB	4.8	381%	Day
8466	2025-04-29 16:20:07	86.16	55dB	8.7	767%	Day
8467	2025-04-29 16:21:54	86.18	55dB	8.7	768%	Day
8468	2025-04-29 16:26:47	77.25	55dB	4.7	368%	Day
8469	2025-04-29 16:28:15	77.63	55dB	4.8	380%	Day
8470	2025-04-29 16:31:50	90.94	55dB	12.1	1108%	Day
8471	2025-04-29 16:37:54	88.85	55dB	10.4	945%	Day
8472	2025-04-29 16:40:21	83.20	55dB	7.1	606%	Day
8473	2025-04-29 16:42:18	84.50	55dB	7.7	673%	Day
8474	2025-04-29 16:45:46	86.69	55dB	9.0	799%	Day
8475	2025-04-29 16:47:33	75.27	55dB	4.1	308%	Day
8476	2025-04-29 16:49:10	83.41	55dB	7.2	617%	Day
8477	2025-04-29 16:51:17	84.73	55dB	7.9	685%	Day
8478	2025-04-29 16:52:50	85.62	55dB	8.4	735%	Day
8479	2025-04-29 16:54:45	79.59	55dB	5.5	450%	Day
8480	2025-04-29 16:56:58	74.84	55dB	4.0	296%	Day
8481	2025-04-29 16:58:58	76.72	55dB	4.5	351%	Day
8482	2025-04-29 17:00:44	78.76	55dB	5.2	419%	Day
8483	2025-04-29 17:02:43	72.99	55dB	3.5	248%	Day
8484	2025-04-29 17:04:11	71.66	55dB	3.2	217%	Day
8485	2025-04-29 17:05:47	78.27	55dB	5.0	402%	Day
8486	2025-04-29 17:10:19	80.09	55dB	5.7	469%	Day

8487	2025-04-29 17:12:00	74.41	55dB	3.8	284%	Day
8488	2025-04-29 17:14:07	87.98	55dB	9.8	884%	Day
8489	2025-04-29 17:15:42	80.60	55dB	5.9	490%	Day
8490	2025-04-29 17:17:34	78.54	55dB	5.1	411%	Day
8491	2025-04-29 17:19:10	73.56	55dB	3.6	262%	Day
8492	2025-04-29 17:20:48	84.60	55dB	7.8	678%	Day
8493	2025-04-29 17:26:31	78.48	55dB	5.1	409%	Day
8494	2025-04-29 17:28:55	75.93	55dB	4.3	327%	Day
8495	2025-04-29 17:30:58	76.15	55dB	4.3	333%	Day
8496	2025-04-29 17:32:35	69.54	55dB	2.7	174%	Day
8497	2025-04-29 17:33:48	82.14	55dB	6.6	556%	Day
8498	2025-04-29 17:35:32	83.92	55dB	7.4	642%	Day
8499	2025-04-29 17:37:32	73.04	55dB	3.5	249%	Day
8500	2025-04-29 17:39:03	81.69	55dB	6.4	536%	Day
8501	2025-04-29 17:40:45	83.46	55dB	7.2	619%	Day
8502	2025-04-29 17:42:50	97.44	55dB	18.9	1795%	Day
8503	2025-04-29 17:44:15	80.91	55dB	6.0	503%	Day
8504	2025-04-29 17:45:42	87.51	55dB	9.5	852%	Day
8505	2025-04-29 17:47:23	86.64	55dB	9.0	796%	Day
8506	2025-04-29 17:49:08	96.64	55dB	17.9	1693%	Day
8507	2025-04-29 17:51:24	97.67	55dB	19.3	1825%	Day
8508	2025-04-29 18:36:16	71.25	55dB	3.1	208%	Day
8509	2025-04-29 18:39:00	73.45	55dB	3.6	259%	Day
8510	2025-04-29 18:40:25	71.26	55dB	3.1	209%	Day
8511	2025-04-29 18:41:40	N/A	55dB	N/A	N/A	Day
8512	2025-04-29 18:43:09	71.39	55dB	3.1	211%	Day
8513	2025-04-29 18:44:28	71.66	55dB	3.2	217%	Day
8514	2025-04-29 18:45:39	69.06	55dB	2.7	165%	Day
8515	2025-04-29 18:47:40	N/A	55dB	N/A	N/A	Day
8516	2025-04-29 18:48:54	74.94	55dB	4.0	298%	Day
8517	2025-04-29 18:50:56	76.24	55dB	4.4	336%	Day
8518	2025-04-29 18:52:11	81.63	55dB	6.3	533%	Day
8519	2025-04-29 18:53:47	79.75	55dB	5.6	456%	Day
8520	2025-04-29 18:55:00	70.68	55dB	3.0	196%	Day
8521	2025-04-29 18:56:30	81.78	55dB	6.4	540%	Day
8522	2025-04-29 19:01:18	75.65	55dB	4.2	318%	Day
8523	2025-04-29 19:03:33	75.59	55dB	4.2	317%	Day
8524	2025-04-29 19:05:36	75.20	55dB	4.1	306%	Day
8525	2025-04-29 19:07:02	74.78	55dB	3.9	294%	Day
8526	2025-04-29 19:09:24	78.94	55dB	5.3	426%	Day
8527	2025-04-29 19:10:45	83.60	55dB	7.3	626%	Day
8528	2025-04-29 19:11:56	78.89	55dB	5.2	424%	Day
8529	2025-04-29 19:13:12	71.64	55dB	3.2	217%	Day
8530	2025-04-29 19:14:24	72.37	55dB	3.3	233%	Day

8531	2025-04-29 19:15:24	70.91	55dB	3.0	201%	Day
8532	2025-04-29 19:16:42	75.41	55dB	4.1	312%	Day
8533	2025-04-29 19:17:57	76.02	55dB	4.3	329%	Day
8534	2025-04-29 19:19:42	75.82	55dB	4.2	323%	Day
8535	2025-04-29 19:22:37	80.03	55dB	5.7	467%	Day
8536	2025-04-29 19:24:02	87.05	55dB	9.2	822%	Day
8537	2025-04-29 19:25:37	74.56	55dB	3.9	288%	Day
8538	2025-04-29 19:27:35	79.37	55dB	5.4	442%	Day
8539	2025-04-29 19:29:18	79.13	55dB	5.3	433%	Day
8540	2025-04-29 19:30:31	80.31	55dB	5.8	478%	Day
8541	2025-04-29 19:31:43	79.25	55dB	5.4	437%	Day
8542	2025-04-29 21:55:17	N/A	55dB	N/A	N/A	Day
8543	2025-04-29 21:56:31	70.01	55dB	2.8	183%	Day
8544	2025-04-29 21:58:56	69.39	55dB	2.7	171%	Day
8545	2025-04-29 22:01:11	78.94	55dB	5.3	426%	Day
8546	2025-04-29 22:02:22	71.05	55dB	3.0	204%	Day
8547	2025-04-29 22:03:41	79.45	55dB	5.4	445%	Day
8548	2025-04-29 22:04:58	71.06	55dB	3.0	204%	Day
8549	2025-04-29 22:06:20	72.07	55dB	3.3	226%	Day
8550	2025-04-29 22:08:09	N/A	55dB	N/A	N/A	Day
8551	2025-04-29 22:10:56	66.07	55dB	2.2	115%	Day
8552	2025-04-29 22:12:15	69.14	55dB	2.7	166%	Day
8553	2025-04-29 22:13:26	81.63	55dB	6.3	533%	Day
8554	2025-04-29 22:14:44	71.01	55dB	3.0	203%	Day
8555	2025-04-29 22:16:25	72.15	55dB	3.3	228%	Day
8556	2025-04-29 22:20:35	79.51	55dB	5.5	447%	Day
8557	2025-04-29 22:23:15	70.01	55dB	2.8	183%	Day
8558	2025-04-29 22:25:06	76.92	55dB	4.6	357%	Day
8559	2025-04-29 22:28:24	73.20	55dB	3.5	253%	Day
8560	2025-04-29 22:30:10	N/A	55dB	N/A	N/A	Day
8561	2025-04-29 22:32:02	75.19	55dB	4.1	305%	Day
8562	2025-04-29 22:33:27	75.79	55dB	4.2	323%	Day
8563	2025-04-29 22:36:34	66.13	55dB	2.2	116%	Day
8564	2025-04-29 22:37:57	75.51	55dB	4.1	314%	Day
8565	2025-04-29 22:39:26	72.72	55dB	3.4	242%	Day
8566	2025-04-29 22:41:44	76.41	55dB	4.4	341%	Day
8567	2025-04-29 22:43:22	70.64	55dB	3.0	196%	Day
8568	2025-04-29 22:44:33	75.34	55dB	4.1	310%	Day
8569	2025-04-29 22:46:11	78.06	55dB	4.9	395%	Day
8570	2025-04-29 22:48:47	76.77	55dB	4.5	352%	Day
8571	2025-04-29 22:50:46	N/A	55dB	N/A	N/A	Day
8572	2025-04-29 22:52:37	71.91	55dB	3.2	223%	Day
8573	2025-04-29 22:55:17	82.70	55dB	6.8	582%	Day
8574	2025-04-29 22:58:32	72.90	55dB	3.5	246%	Day

8575	2025-04-30 01:59:11	73.75	45dB	7.3	634%	Night
8576	2025-04-30 02:06:33	73.77	45dB	7.3	635%	Night
8577	2025-04-30 02:15:22	72.96	45dB	6.9	595%	Night
8578	2025-04-30 04:34:46	65.77	45dB	4.2	322%	Night
8579	2025-04-30 10:47:41	74.75	55dB	3.9	293%	Day
8580	2025-04-30 11:03:15	N/A	55dB	N/A	N/A	Day
8581	2025-04-30 11:04:51	79.26	55dB	5.4	437%	Day
8582	2025-04-30 11:06:36	N/A	55dB	N/A	N/A	Day
8583	2025-04-30 11:07:47	N/A	55dB	N/A	N/A	Day
8584	2025-04-30 11:09:21	67.70	55dB	2.4	141%	Day
8585	2025-04-30 11:11:00	69.11	55dB	2.7	166%	Day
8586	2025-04-30 11:14:05	N/A	55dB	N/A	N/A	Day
8587	2025-04-30 11:16:22	N/A	55dB	N/A	N/A	Day
8588	2025-04-30 11:18:06	N/A	55dB	N/A	N/A	Day
8589	2025-04-30 11:20:39	70.25	55dB	2.9	188%	Day
8590	2025-04-30 11:22:31	68.12	55dB	2.5	148%	Day
8591	2025-04-30 11:23:46	68.44	55dB	2.5	154%	Day
8592	2025-04-30 11:25:11	70.42	55dB	2.9	191%	Day
8593	2025-04-30 11:27:31	71.44	55dB	3.1	213%	Day
8594	2025-04-30 11:29:11	77.02	55dB	4.6	360%	Day
8595	2025-04-30 11:30:36	73.46	55dB	3.6	260%	Day
8596	2025-04-30 11:33:19	69.08	55dB	2.7	165%	Day
8597	2025-04-30 11:37:01	N/A	55dB	N/A	N/A	Day
8598	2025-04-30 11:38:30	68.93	55dB	2.6	163%	Day
8599	2025-04-30 11:40:22	68.88	55dB	2.6	162%	Day
8600	2025-04-30 11:43:01	N/A	55dB	N/A	N/A	Day
8601	2025-04-30 11:45:12	68.01	55dB	2.5	146%	Day
8602	2025-04-30 11:46:55	67.50	55dB	2.4	138%	Day
8603	2025-04-30 11:48:39	N/A	55dB	N/A	N/A	Day
8604	2025-04-30 11:50:08	69.29	55dB	2.7	169%	Day
8605	2025-04-30 11:51:47	71.44	55dB	3.1	213%	Day
8606	2025-04-30 11:53:28	67.36	55dB	2.4	136%	Day
8607	2025-04-30 11:55:44	N/A	55dB	N/A	N/A	Day
8608	2025-04-30 11:57:36	N/A	55dB	N/A	N/A	Day
8609	2025-04-30 12:00:32	N/A	55dB	N/A	N/A	Day
8610	2025-04-30 12:02:22	67.32	55dB	2.3	135%	Day
8611	2025-04-30 12:04:21	72.29	55dB	3.3	231%	Day
8612	2025-04-30 12:06:30	N/A	55dB	N/A	N/A	Day
8613	2025-04-30 12:11:07	76.99	55dB	4.6	359%	Day
8614	2025-04-30 12:12:30	N/A	55dB	N/A	N/A	Day
8615	2025-04-30 12:13:46	69.14	55dB	2.7	166%	Day
8616	2025-04-30 12:19:28	69.50	55dB	2.7	173%	Day
8617	2025-04-30 12:23:56	70.88	55dB	3.0	201%	Day
8618	2025-04-30 12:26:35	69.11	55dB	2.7	166%	Day

8619	2025-04-30 12:28:08	72.50	55dB	3.4	236%	Day
8620	2025-04-30 12:32:44	77.90	55dB	4.9	389%	Day
8621	2025-04-30 12:35:40	73.62	55dB	3.6	264%	Day
8622	2025-04-30 12:38:06	67.45	55dB	2.4	137%	Day
8623	2025-04-30 12:40:03	69.06	55dB	2.7	165%	Day
8624	2025-04-30 12:45:20	69.20	55dB	2.7	168%	Day
8625	2025-04-30 12:47:11	76.69	55dB	4.5	350%	Day
8626	2025-04-30 12:53:08	75.30	55dB	4.1	308%	Day
8627	2025-04-30 13:00:03	67.05	55dB	2.3	131%	Day
8628	2025-04-30 13:01:28	N/A	55dB	N/A	N/A	Day
8629	2025-04-30 13:07:22	N/A	55dB	N/A	N/A	Day
8630	2025-04-30 13:10:21	68.84	55dB	2.6	161%	Day
8631	2025-04-30 13:11:48	69.00	55dB	2.6	164%	Day
8632	2025-04-30 13:13:07	N/A	55dB	N/A	N/A	Day
8633	2025-04-30 13:15:10	72.04	55dB	3.3	226%	Day
8634	2025-04-30 13:17:23	N/A	55dB	N/A	N/A	Day
8635	2025-04-30 13:26:13	68.69	55dB	2.6	158%	Day
8636	2025-04-30 13:28:34	73.45	55dB	3.6	259%	Day
8637	2025-04-30 13:30:15	71.00	55dB	3.0	203%	Day
8638	2025-04-30 13:32:22	68.54	55dB	2.6	156%	Day
8639	2025-04-30 13:36:03	66.63	55dB	2.2	124%	Day
8640	2025-04-30 13:37:47	67.28	55dB	2.3	134%	Day
8641	2025-04-30 13:39:36	69.64	55dB	2.8	176%	Day
8642	2025-04-30 13:41:09	N/A	55dB	N/A	N/A	Day
8643	2025-04-30 13:42:49	69.39	55dB	2.7	171%	Day
8644	2025-04-30 13:44:18	73.01	55dB	3.5	248%	Day
8645	2025-04-30 13:46:25	71.44	55dB	3.1	213%	Day
8646	2025-04-30 13:48:24	67.94	55dB	2.5	145%	Day
8647	2025-04-30 13:49:44	70.92	55dB	3.0	201%	Day
8648	2025-04-30 13:51:08	N/A	55dB	N/A	N/A	Day
8649	2025-04-30 13:52:25	67.15	55dB	2.3	132%	Day
8650	2025-04-30 13:54:16	72.52	55dB	3.4	237%	Day
8651	2025-04-30 13:58:04	69.22	55dB	2.7	168%	Day
8652	2025-04-30 13:59:40	72.37	55dB	3.3	233%	Day
8653	2025-04-30 14:01:37	75.76	55dB	4.2	322%	Day
8654	2025-04-30 14:03:15	72.88	55dB	3.5	245%	Day
8655	2025-04-30 14:05:31	74.76	55dB	3.9	293%	Day
8656	2025-04-30 14:06:52	N/A	55dB	N/A	N/A	Day
8657	2025-04-30 14:08:22	71.40	55dB	3.1	212%	Day
8658	2025-04-30 14:10:03	71.81	55dB	3.2	221%	Day
8659	2025-04-30 14:11:42	73.97	55dB	3.7	272%	Day
8660	2025-04-30 14:13:49	N/A	55dB	N/A	N/A	Day
8661	2025-04-30 14:15:03	N/A	55dB	N/A	N/A	Day
8662	2025-04-30 14:16:30	69.05	55dB	2.6	165%	Day

8663	2025-04-30 14:19:26	70.75	55dB	3.0	198%	Day
8664	2025-04-30 14:21:26	73.97	55dB	3.7	272%	Day
8665	2025-04-30 14:25:13	N/A	55dB	N/A	N/A	Day
8666	2025-04-30 14:26:55	73.73	55dB	3.7	266%	Day
8667	2025-04-30 14:28:55	70.45	55dB	2.9	192%	Day
8668	2025-04-30 14:30:05	73.41	55dB	3.6	258%	Day
8669	2025-04-30 14:31:15	N/A	55dB	N/A	N/A	Day
8670	2025-04-30 14:35:02	66.32	55dB	2.2	119%	Day
8671	2025-04-30 14:36:11	69.36	55dB	2.7	171%	Day
8672	2025-04-30 14:37:20	66.74	55dB	2.3	126%	Day
8673	2025-04-30 14:38:33	N/A	55dB	N/A	N/A	Day
8674	2025-04-30 14:39:49	69.40	55dB	2.7	171%	Day
8675	2025-04-30 14:41:10	N/A	55dB	N/A	N/A	Day
8676	2025-04-30 14:43:34	70.37	55dB	2.9	190%	Day
8677	2025-04-30 14:46:01	N/A	55dB	N/A	N/A	Day
8678	2025-04-30 14:47:26	71.93	55dB	3.2	223%	Day
8679	2025-04-30 14:49:11	75.84	55dB	4.2	324%	Day
8680	2025-04-30 14:51:27	69.84	55dB	2.8	180%	Day
8681	2025-04-30 14:53:04	74.31	55dB	3.8	281%	Day
8682	2025-04-30 14:55:00	71.42	55dB	3.1	212%	Day
8683	2025-04-30 14:56:19	74.87	55dB	4.0	296%	Day
8684	2025-04-30 14:58:19	70.63	55dB	3.0	195%	Day
8685	2025-04-30 14:59:44	N/A	55dB	N/A	N/A	Day
8686	2025-04-30 15:00:46	67.30	55dB	2.3	135%	Day
8687	2025-04-30 15:01:56	73.10	55dB	3.5	251%	Day
8688	2025-04-30 15:03:07	67.18	55dB	2.3	133%	Day
8689	2025-04-30 15:04:23	68.77	55dB	2.6	160%	Day
8690	2025-04-30 15:05:46	74.28	55dB	3.8	281%	Day
8691	2025-04-30 15:07:40	69.73	55dB	2.8	178%	Day
8692	2025-04-30 15:10:56	70.67	55dB	3.0	196%	Day
8693	2025-04-30 15:12:51	N/A	55dB	N/A	N/A	Day
8694	2025-04-30 15:14:06	70.48	55dB	2.9	192%	Day
8695	2025-04-30 15:15:12	68.38	55dB	2.5	153%	Day
8696	2025-04-30 15:16:32	N/A	55dB	N/A	N/A	Day
8697	2025-04-30 15:17:46	72.98	55dB	3.5	248%	Day
8698	2025-04-30 15:19:12	72.01	55dB	3.3	225%	Day
8699	2025-04-30 15:21:21	67.13	55dB	2.3	132%	Day
8700	2025-04-30 15:22:34	69.64	55dB	2.8	176%	Day
8701	2025-04-30 15:23:51	73.02	55dB	3.5	249%	Day
8702	2025-04-30 15:25:49	68.49	55dB	2.5	155%	Day
8703	2025-04-30 15:26:44	N/A	55dB	N/A	N/A	Day
8704	2025-04-30 15:27:53	72.20	55dB	3.3	229%	Day
8705	2025-04-30 15:29:14	74.94	55dB	4.0	298%	Day
8706	2025-04-30 15:30:36	70.94	55dB	3.0	202%	Day

8707	2025-04-30 15:32:26	71.01	55dB	3.0	203%	Day
8708	2025-04-30 15:33:34	71.02	55dB	3.0	204%	Day
8709	2025-04-30 15:34:48	N/A	55dB	N/A	N/A	Day
8710	2025-04-30 15:36:52	N/A	55dB	N/A	N/A	Day
8711	2025-04-30 15:38:26	N/A	55dB	N/A	N/A	Day
8712	2025-04-30 15:39:52	69.98	55dB	2.8	182%	Day
8713	2025-04-30 15:42:34	81.01	55dB	6.1	507%	Day
8714	2025-04-30 15:44:30	72.61	55dB	3.4	239%	Day
8715	2025-04-30 15:46:03	74.43	55dB	3.8	285%	Day
8716	2025-04-30 15:48:07	70.39	55dB	2.9	191%	Day
8717	2025-04-30 15:49:35	68.24	55dB	2.5	150%	Day
8718	2025-04-30 15:50:52	74.07	55dB	3.8	275%	Day
8719	2025-04-30 15:52:22	73.23	55dB	3.5	254%	Day
8720	2025-04-30 15:54:18	70.20	55dB	2.9	187%	Day
8721	2025-04-30 15:56:11	N/A	55dB	N/A	N/A	Day
8722	2025-04-30 15:57:42	N/A	55dB	N/A	N/A	Day
8723	2025-04-30 15:59:02	69.06	55dB	2.7	165%	Day
8724	2025-04-30 16:00:12	70.05	55dB	2.8	184%	Day
8725	2025-04-30 16:01:30	72.64	55dB	3.4	240%	Day
8726	2025-04-30 16:03:17	N/A	55dB	N/A	N/A	Day
8727	2025-04-30 16:04:39	73.46	55dB	3.6	260%	Day
8728	2025-04-30 16:06:28	69.60	55dB	2.8	175%	Day
8729	2025-04-30 16:07:37	71.26	55dB	3.1	209%	Day
8730	2025-04-30 16:09:26	78.82	55dB	5.2	421%	Day
8731	2025-04-30 16:10:49	67.41	55dB	2.4	136%	Day
8732	2025-04-30 16:11:58	71.52	55dB	3.1	214%	Day
8733	2025-04-30 16:15:17	73.36	55dB	3.6	257%	Day
8734	2025-04-30 16:17:23	N/A	55dB	N/A	N/A	Day
8735	2025-04-30 16:18:34	75.03	55dB	4.0	301%	Day
8736	2025-04-30 16:19:44	71.94	55dB	3.2	224%	Day
8737	2025-04-30 16:21:09	77.33	55dB	4.7	370%	Day
8738	2025-04-30 16:22:28	70.91	55dB	3.0	201%	Day
8739	2025-04-30 16:24:12	74.53	55dB	3.9	287%	Day
8740	2025-04-30 16:26:31	70.90	55dB	3.0	201%	Day
8741	2025-04-30 16:27:54	N/A	55dB	N/A	N/A	Day
8742	2025-04-30 16:29:13	73.64	55dB	3.6	264%	Day
8743	2025-04-30 16:31:05	N/A	55dB	N/A	N/A	Day
8744	2025-04-30 16:33:15	N/A	55dB	N/A	N/A	Day
8745	2025-04-30 16:34:40	80.33	55dB	5.8	479%	Day
8746	2025-04-30 16:37:11	70.86	55dB	3.0	200%	Day
8747	2025-04-30 16:38:54	70.64	55dB	3.0	196%	Day
8748	2025-04-30 16:40:14	72.91	55dB	3.5	246%	Day
8749	2025-04-30 16:41:53	79.04	55dB	5.3	429%	Day
8750	2025-04-30 16:43:56	70.20	55dB	2.9	187%	Day

8751	2025-04-30 16:45:05	N/A	55dB	N/A	N/A	Day
8752	2025-04-30 16:46:19	70.63	55dB	3.0	195%	Day
8753	2025-04-30 16:48:38	80.46	55dB	5.8	484%	Day
8754	2025-04-30 16:49:52	N/A	55dB	N/A	N/A	Day
8755	2025-04-30 16:51:03	68.44	55dB	2.5	154%	Day
8756	2025-04-30 16:52:32	N/A	55dB	N/A	N/A	Day
8757	2025-04-30 16:53:47	68.24	55dB	2.5	150%	Day
8758	2025-04-30 16:55:00	N/A	55dB	N/A	N/A	Day
8759	2025-04-30 17:00:04	71.15	55dB	3.1	206%	Day
8760	2025-04-30 17:01:23	N/A	55dB	N/A	N/A	Day
8761	2025-04-30 17:02:48	70.83	55dB	3.0	200%	Day
8762	2025-04-30 17:04:02	69.74	55dB	2.8	178%	Day
8763	2025-04-30 17:05:26	72.46	55dB	3.4	235%	Day
8764	2025-04-30 17:07:05	73.72	55dB	3.7	266%	Day
8765	2025-04-30 17:11:09	70.23	55dB	2.9	187%	Day
8766	2025-04-30 17:12:23	71.28	55dB	3.1	209%	Day
8767	2025-04-30 17:13:38	N/A	55dB	N/A	N/A	Day
8768	2025-04-30 17:14:50	N/A	55dB	N/A	N/A	Day
8769	2025-04-30 17:16:11	77.23	55dB	4.7	367%	Day
8770	2025-04-30 17:17:48	73.41	55dB	3.6	258%	Day
8771	2025-04-30 17:19:42	69.19	55dB	2.7	167%	Day
8772	2025-04-30 17:21:10	N/A	55dB	N/A	N/A	Day
8773	2025-04-30 17:25:06	70.81	55dB	3.0	199%	Day
8774	2025-04-30 17:26:45	82.81	55dB	6.9	587%	Day
8775	2025-04-30 17:29:45	N/A	55dB	N/A	N/A	Day
8776	2025-04-30 17:31:10	N/A	55dB	N/A	N/A	Day
8777	2025-04-30 17:32:34	71.60	55dB	3.2	216%	Day
8778	2025-04-30 17:34:45	67.94	55dB	2.5	145%	Day
8779	2025-04-30 17:36:17	69.39	55dB	2.7	171%	Day
8780	2025-04-30 17:44:40	76.20	55dB	4.3	335%	Day
8781	2025-04-30 17:49:42	69.86	55dB	2.8	180%	Day
8782	2025-04-30 17:51:09	71.79	55dB	3.2	220%	Day
8783	2025-04-30 17:53:25	67.11	55dB	2.3	131%	Day
8784	2025-04-30 17:54:46	70.09	55dB	2.8	185%	Day
8785	2025-04-30 17:58:22	69.11	55dB	2.7	166%	Day
8786	2025-04-30 18:00:11	N/A	55dB	N/A	N/A	Day
8787	2025-04-30 18:02:30	71.74	55dB	3.2	219%	Day
8788	2025-04-30 18:03:57	72.24	55dB	3.3	230%	Day
8789	2025-04-30 18:06:17	67.95	55dB	2.5	145%	Day
8790	2025-04-30 18:07:34	N/A	55dB	N/A	N/A	Day
8791	2025-04-30 18:08:56	69.59	55dB	2.7	175%	Day
8792	2025-04-30 18:10:12	74.15	55dB	3.8	277%	Day
8793	2025-04-30 18:11:32	75.68	55dB	4.2	319%	Day
8794	2025-04-30 18:12:57	N/A	55dB	N/A	N/A	Day

8795	2025-04-30 18:14:09	72.44	55dB	3.3	235%	Day
8796	2025-04-30 18:15:25	69.03	55dB	2.6	164%	Day
8797	2025-04-30 18:16:37	77.61	55dB	4.8	379%	Day
8798	2025-04-30 18:17:45	68.50	55dB	2.5	155%	Day
8799	2025-04-30 18:19:11	N/A	55dB	N/A	N/A	Day
8800	2025-04-30 18:20:19	71.12	55dB	3.1	206%	Day
8801	2025-04-30 18:21:31	76.26	55dB	4.4	337%	Day
8802	2025-04-30 18:23:17	75.27	55dB	4.1	308%	Day
8803	2025-04-30 18:24:56	66.11	55dB	2.2	116%	Day
8804	2025-04-30 18:26:22	70.88	55dB	3.0	201%	Day
8805	2025-04-30 18:28:01	75.25	55dB	4.1	307%	Day
8806	2025-04-30 18:29:34	78.11	55dB	5.0	396%	Day
8807	2025-04-30 18:30:56	73.13	55dB	3.5	251%	Day
8808	2025-04-30 18:32:21	72.66	55dB	3.4	240%	Day
8809	2025-04-30 18:33:26	69.05	55dB	2.6	165%	Day
8810	2025-04-30 18:34:56	70.69	55dB	3.0	197%	Day
8811	2025-04-30 18:36:23	72.76	55dB	3.4	242%	Day
8812	2025-04-30 18:38:18	69.06	55dB	2.7	165%	Day
8813	2025-04-30 18:40:04	72.49	55dB	3.4	236%	Day
8814	2025-04-30 18:41:38	69.53	55dB	2.7	174%	Day
8815	2025-04-30 18:42:53	68.61	55dB	2.6	157%	Day
8816	2025-04-30 18:44:09	73.58	55dB	3.6	263%	Day
8817	2025-04-30 18:45:57	73.18	55dB	3.5	253%	Day
8818	2025-04-30 18:47:17	N/A	55dB	N/A	N/A	Day
8819	2025-04-30 18:48:32	75.54	55dB	4.2	315%	Day
8820	2025-04-30 18:50:43	75.60	55dB	4.2	317%	Day
8821	2025-04-30 18:52:14	73.31	55dB	3.6	256%	Day
8822	2025-04-30 18:53:56	67.75	55dB	2.4	142%	Day
8823	2025-04-30 18:55:13	83.79	55dB	7.4	636%	Day
8824	2025-04-30 18:56:26	69.85	55dB	2.8	180%	Day
8825	2025-04-30 18:57:34	69.58	55dB	2.7	175%	Day
8826	2025-04-30 18:58:47	67.62	55dB	2.4	140%	Day
8827	2025-04-30 19:00:02	75.00	55dB	4.0	300%	Day
8828	2025-04-30 19:02:34	69.58	55dB	2.7	175%	Day
8829	2025-04-30 19:06:06	66.89	55dB	2.3	128%	Day
8830	2025-04-30 19:08:08	71.82	55dB	3.2	221%	Day
8831	2025-04-30 19:09:57	69.30	55dB	2.7	169%	Day
8832	2025-04-30 19:11:30	69.43	55dB	2.7	172%	Day
8833	2025-04-30 19:12:49	N/A	55dB	N/A	N/A	Day
8834	2025-04-30 19:14:17	74.87	55dB	4.0	296%	Day
8835	2025-04-30 19:16:01	78.68	55dB	5.2	416%	Day
8836	2025-04-30 19:18:06	68.91	55dB	2.6	162%	Day
8837	2025-04-30 19:19:32	N/A	55dB	N/A	N/A	Day
8838	2025-04-30 19:21:16	N/A	55dB	N/A	N/A	Day

8839	2025-04-30 19:23:12	N/A	55dB	N/A	N/A	Day
8840	2025-04-30 19:24:36	69.99	55dB	2.8	183%	Day
8841	2025-04-30 19:26:11	69.59	55dB	2.7	175%	Day
8842	2025-04-30 19:28:01	N/A	55dB	N/A	N/A	Day
8843	2025-04-30 19:29:31	69.81	55dB	2.8	179%	Day
8844	2025-04-30 19:30:46	72.66	55dB	3.4	240%	Day
8845	2025-04-30 19:32:06	71.49	55dB	3.1	214%	Day
8846	2025-04-30 19:33:57	69.17	55dB	2.7	167%	Day
8847	2025-04-30 19:35:15	71.09	55dB	3.1	205%	Day
8848	2025-04-30 19:36:56	68.80	55dB	2.6	160%	Day
8849	2025-04-30 19:38:48	66.45	55dB	2.2	121%	Day
8850	2025-04-30 19:40:27	71.88	55dB	3.2	222%	Day
8851	2025-04-30 19:42:35	76.66	55dB	4.5	349%	Day
8852	2025-04-30 19:44:21	72.17	55dB	3.3	229%	Day
8853	2025-04-30 19:46:01	68.54	55dB	2.6	156%	Day
8854	2025-04-30 19:47:20	70.25	55dB	2.9	188%	Day
8855	2025-04-30 19:48:31	76.01	55dB	4.3	329%	Day
8856	2025-04-30 19:50:25	N/A	55dB	N/A	N/A	Day
8857	2025-04-30 19:51:39	70.27	55dB	2.9	188%	Day
8858	2025-04-30 19:52:54	70.18	55dB	2.9	186%	Day
8859	2025-04-30 19:55:06	75.88	55dB	4.3	325%	Day
8860	2025-04-30 19:57:05	N/A	55dB	N/A	N/A	Day
8861	2025-04-30 19:58:36	N/A	55dB	N/A	N/A	Day
8862	2025-04-30 20:00:08	70.75	55dB	3.0	198%	Day
8863	2025-04-30 20:02:25	67.60	55dB	2.4	139%	Day
8864	2025-04-30 20:03:39	70.29	55dB	2.9	189%	Day
8865	2025-04-30 20:04:55	N/A	55dB	N/A	N/A	Day
8866	2025-04-30 20:08:27	N/A	55dB	N/A	N/A	Day
8867	2025-04-30 20:09:39	69.47	55dB	2.7	173%	Day
8868	2025-04-30 20:10:54	67.28	55dB	2.3	134%	Day
8869	2025-04-30 20:12:34	69.54	55dB	2.7	174%	Day
8870	2025-04-30 20:14:34	N/A	55dB	N/A	N/A	Day
8871	2025-04-30 20:16:19	75.14	55dB	4.0	304%	Day
8872	2025-04-30 20:18:31	69.76	55dB	2.8	178%	Day
8873	2025-04-30 20:19:52	74.69	55dB	3.9	291%	Day
8874	2025-04-30 20:21:08	70.68	55dB	3.0	196%	Day
8875	2025-04-30 20:22:57	70.17	55dB	2.9	186%	Day
8876	2025-04-30 20:24:56	69.82	55dB	2.8	179%	Day
8877	2025-04-30 20:26:18	70.67	55dB	3.0	196%	Day
8878	2025-04-30 20:28:09	74.81	55dB	3.9	295%	Day
8879	2025-04-30 20:30:04	N/A	55dB	N/A	N/A	Day
8880	2025-04-30 20:31:15	71.43	55dB	3.1	212%	Day
8881	2025-04-30 20:32:50	72.97	55dB	3.5	247%	Day
8882	2025-04-30 20:34:38	73.94	55dB	3.7	272%	Day

8883	2025-04-30 20:36:01	75.49	55dB	4.1	314%	Day
8884	2025-04-30 20:37:36	71.27	55dB	3.1	209%	Day
8885	2025-04-30 20:39:56	69.35	55dB	2.7	170%	Day
8886	2025-04-30 20:41:18	70.58	55dB	2.9	194%	Day
8887	2025-04-30 20:42:27	71.19	55dB	3.1	207%	Day
8888	2025-04-30 20:43:38	71.34	55dB	3.1	210%	Day
8889	2025-04-30 20:44:47	69.71	55dB	2.8	177%	Day
8890	2025-04-30 20:46:01	69.49	55dB	2.7	173%	Day
8891	2025-04-30 20:47:12	N/A	55dB	N/A	N/A	Day
8892	2025-04-30 20:48:42	71.35	55dB	3.1	211%	Day
8893	2025-04-30 20:50:40	73.85	55dB	3.7	269%	Day
8894	2025-04-30 20:54:55	71.12	55dB	3.1	206%	Day
8895	2025-04-30 20:57:02	72.85	55dB	3.4	245%	Day
8896	2025-04-30 20:58:06	69.31	55dB	2.7	170%	Day
8897	2025-04-30 20:59:22	73.47	55dB	3.6	260%	Day
8898	2025-04-30 21:01:16	73.06	55dB	3.5	250%	Day
8899	2025-04-30 21:03:33	69.57	55dB	2.7	175%	Day
8900	2025-04-30 21:05:00	69.53	55dB	2.7	174%	Day
8901	2025-04-30 21:06:02	69.50	55dB	2.7	173%	Day
8902	2025-04-30 21:07:13	71.82	55dB	3.2	221%	Day
8903	2025-04-30 21:08:24	71.60	55dB	3.2	216%	Day
8904	2025-04-30 21:09:38	74.04	55dB	3.7	274%	Day
8905	2025-04-30 21:11:11	N/A	55dB	N/A	N/A	Day
8906	2025-04-30 21:13:12	N/A	55dB	N/A	N/A	Day
8907	2025-04-30 21:14:43	N/A	55dB	N/A	N/A	Day
8908	2025-04-30 21:15:57	72.71	55dB	3.4	241%	Day
8909	2025-04-30 21:17:02	68.30	55dB	2.5	151%	Day
8910	2025-04-30 21:18:25	67.15	55dB	2.3	132%	Day
8911	2025-04-30 21:22:48	76.68	55dB	4.5	349%	Day
8912	2025-04-30 21:25:36	N/A	55dB	N/A	N/A	Day
8913	2025-04-30 21:27:25	72.02	55dB	3.3	225%	Day
8914	2025-04-30 22:33:33	70.67	55dB	3.0	196%	Day
8915	2025-04-30 22:34:55	77.16	55dB	4.6	365%	Day
8916	2025-04-30 22:36:33	71.52	55dB	3.1	214%	Day
8917	2025-04-30 22:38:15	76.51	55dB	4.4	344%	Day
8918	2025-04-30 22:40:09	N/A	55dB	N/A	N/A	Day
8919	2025-04-30 22:41:40	69.82	55dB	2.8	179%	Day
8920	2025-04-30 22:43:11	N/A	55dB	N/A	N/A	Day
8921	2025-04-30 22:45:12	70.51	55dB	2.9	193%	Day
8922	2025-04-30 22:47:41	N/A	55dB	N/A	N/A	Day
8923	2025-04-30 22:50:01	69.18	55dB	2.7	167%	Day
8924	2025-04-30 22:52:47	N/A	55dB	N/A	N/A	Day
8925	2025-04-30 22:55:52	74.81	55dB	3.9	295%	Day
8926	2025-04-30 22:57:36	70.02	55dB	2.8	183%	Day

8927	2025-04-30 22:58:50	69.27	55dB	2.7	169%	Day
8928	2025-04-30 23:01:02	73.84	45dB	7.4	638%	Night
8929	2025-04-30 23:04:39	N/A	45dB	N/A	N/A	Night
8930	2025-04-30 23:06:17	70.53	45dB	5.9	487%	Night
8931	2025-04-30 23:10:45	69.53	45dB	5.5	448%	Night
8932	2025-04-30 23:18:04	72.05	45dB	6.5	552%	Night
8933	2025-04-30 23:21:21	67.87	45dB	4.9	388%	Night
8934	2025-04-30 23:24:44	68.61	45dB	5.1	414%	Night
8935	2025-04-30 23:26:00	68.72	45dB	5.2	418%	Night
8936	2025-04-30 23:27:36	68.71	45dB	5.2	417%	Night
8937	2025-04-30 23:29:24	67.35	45dB	4.7	371%	Night
8938	2025-04-30 23:30:48	68.41	45dB	5.1	407%	Night
8939	2025-04-30 23:32:13	69.59	45dB	5.5	450%	Night
8940	2025-04-30 23:33:28	69.85	45dB	5.6	460%	Night
8941	2025-04-30 23:34:47	69.92	45dB	5.6	463%	Night
8942	2025-04-30 23:44:34	72.96	45dB	6.9	595%	Night
8943	2025-04-30 23:47:13	68.38	45dB	5.1	406%	Night
8944	2025-04-30 23:49:58	N/A	45dB	N/A	N/A	Night
8945	2025-04-30 23:51:44	N/A	45dB	N/A	N/A	Night
8946	2025-04-30 23:53:46	N/A	45dB	N/A	N/A	Night
8947	2025-04-30 23:55:04	68.55	45dB	5.1	412%	Night
8948	2025-04-30 23:57:10	70.41	45dB	5.8	482%	Night
8949	2025-04-30 23:59:43	N/A	45dB	N/A	N/A	Night