

## Acacia Park-Noise Monitor-December, 2025

Events	Date and Time of Airplane Noise Event	Decibels as reported by Acacia's noise Monitor	max recommend ed dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	2025-12-01 00:00:35	75.65	45dB	8.4	737%	Night
2	2025-12-01 00:02:27	71.52	45dB	6.3	529%	Night
3	2025-12-01 00:03:57	69.99	45dB	5.7	465%	Night
4	2025-12-01 00:06:11	73.63	45dB	7.3	628%	Night
5	2025-12-01 00:10:01	70.53	45dB	5.9	487%	Night
6	2025-12-01 00:11:43	78.09	45dB	9.9	891%	Night
7	2025-12-01 00:13:19	81.57	45dB	12.6	1161%	Night
8	2025-12-01 00:15:38	77.29	45dB	9.4	838%	Night
9	2025-12-01 00:17:09	78.13	45dB	9.9	894%	Night
10	2025-12-01 00:18:53	78.21	45dB	10.0	899%	Night
11	2025-12-01 00:20:22	77.17	45dB	9.3	830%	Night
12	2025-12-01 00:21:56	73.10	45dB	7.0	601%	Night
13	2025-12-01 00:23:43	74.76	45dB	7.9	687%	Night
14	2025-12-01 00:25:24	76.69	45dB	9.0	799%	Night
15	2025-12-01 00:27:05	72.95	45dB	6.9	594%	Night
16	2025-12-01 06:29:18	68.51	45dB	5.1	410%	Night
17	2025-12-01 06:30:49	68.51	45dB	5.1	410%	Night
18	2025-12-01 06:32:28	N/A	45dB	N/A	N/A	Night
19	2025-12-01 06:33:52	82.47	45dB	13.4	1243%	Night
20	2025-12-01 06:35:25	68.73	45dB	5.2	418%	Night
21	2025-12-01 06:36:52	68.12	45dB	5.0	397%	Night
22	2025-12-01 06:38:09	67.99	45dB	4.9	392%	Night
23	2025-12-01 06:39:15	67.67	45dB	4.8	381%	Night
24	2025-12-01 06:40:40	71.97	45dB	6.5	548%	Night
25	2025-12-01 06:42:45	70.53	45dB	5.9	487%	Night
26	2025-12-01 06:45:42	67.04	45dB	4.6	361%	Night
27	2025-12-01 06:49:14	N/A	45dB	N/A	N/A	Night
28	2025-12-01 06:52:42	72.35	45dB	6.7	566%	Night
29	2025-12-01 06:54:01	70.97	45dB	6.1	505%	Night
30	2025-12-01 06:55:16	68.86	45dB	5.2	423%	Night
31	2025-12-01 06:56:36	69.11	45dB	5.3	432%	Night
32	2025-12-01 06:59:50	67.96	45dB	4.9	391%	Night
33	2025-12-01 07:09:06	69.62	55dB	2.8	175%	Day
34	2025-12-01 07:17:05	N/A	55dB	N/A	N/A	Day
35	2025-12-01 07:19:40	67.75	55dB	2.4	142%	Day
36	2025-12-01 07:21:09	67.60	55dB	2.4	139%	Day

37	2025-12-01 07:24:46	75.76	55dB	4.2	322%	Day
38	2025-12-01 07:25:59	N/A	55dB	N/A	N/A	Day
39	2025-12-01 07:29:01	69.70	55dB	2.8	177%	Day
40	2025-12-01 07:34:02	68.01	55dB	2.5	146%	Day
41	2025-12-01 07:39:12	68.43	55dB	2.5	154%	Day
42	2025-12-01 07:42:06	72.42	55dB	3.3	234%	Day
43	2025-12-01 07:44:25	68.24	55dB	2.5	150%	Day
44	2025-12-01 07:49:39	N/A	55dB	N/A	N/A	Day
45	2025-12-01 07:56:44	N/A	55dB	N/A	N/A	Day
46	2025-12-01 08:42:32	71.93	55dB	3.2	223%	Day
47	2025-12-01 10:26:54	N/A	55dB	N/A	N/A	Day
48	2025-12-01 12:18:38	69.35	55dB	2.7	170%	Day
49	2025-12-01 12:40:46	67.51	55dB	2.4	138%	Day
50	2025-12-01 12:43:33	73.20	55dB	3.5	253%	Day
51	2025-12-01 12:45:42	69.71	55dB	2.8	177%	Day
52	2025-12-01 12:47:01	68.23	55dB	2.5	150%	Day
53	2025-12-01 12:48:33	67.40	55dB	2.4	136%	Day
54	2025-12-01 12:50:04	N/A	55dB	N/A	N/A	Day
55	2025-12-01 12:51:24	N/A	55dB	N/A	N/A	Day
56	2025-12-01 12:52:42	70.30	55dB	2.9	189%	Day
57	2025-12-01 12:53:58	70.74	55dB	3.0	198%	Day
58	2025-12-01 12:56:18	67.62	55dB	2.4	140%	Day
59	2025-12-01 12:57:42	67.86	55dB	2.4	144%	Day
60	2025-12-01 12:59:13	N/A	55dB	N/A	N/A	Day
61	2025-12-01 13:00:26	N/A	55dB	N/A	N/A	Day
62	2025-12-01 13:02:10	68.00	55dB	2.5	146%	Day
63	2025-12-01 13:03:33	69.67	55dB	2.8	176%	Day
64	2025-12-01 13:05:25	69.92	55dB	2.8	181%	Day
65	2025-12-01 13:09:26	69.84	55dB	2.8	180%	Day
66	2025-12-01 13:10:49	67.59	55dB	2.4	139%	Day
67	2025-12-01 13:12:00	68.64	55dB	2.6	157%	Day
68	2025-12-01 13:13:29	69.44	55dB	2.7	172%	Day
69	2025-12-01 13:14:52	65.88	55dB	2.1	113%	Day
70	2025-12-01 13:16:12	N/A	55dB	N/A	N/A	Day
71	2025-12-01 13:20:03	69.26	55dB	2.7	169%	Day
72	2025-12-01 13:21:43	66.35	55dB	2.2	120%	Day
73	2025-12-01 13:23:10	70.62	55dB	3.0	195%	Day
74	2025-12-01 13:24:40	68.84	55dB	2.6	161%	Day
75	2025-12-01 13:26:26	76.25	55dB	4.4	336%	Day
76	2025-12-01 13:28:28	66.12	55dB	2.2	116%	Day
77	2025-12-01 13:30:14	67.61	55dB	2.4	140%	Day
78	2025-12-01 13:36:47	68.30	55dB	2.5	151%	Day
79	2025-12-01 13:38:20	70.70	55dB	3.0	197%	Day
80	2025-12-01 13:40:21	69.07	55dB	2.7	165%	Day

81	2025-12-01 13:43:40	70.26	55dB	2.9	188%	Day
82	2025-12-01 13:45:59	68.97	55dB	2.6	163%	Day
83	2025-12-01 13:48:08	68.76	55dB	2.6	160%	Day
84	2025-12-01 13:49:33	66.92	55dB	2.3	128%	Day
85	2025-12-01 13:50:53	65.69	55dB	2.1	110%	Day
86	2025-12-01 13:56:05	73.87	55dB	3.7	270%	Day
87	2025-12-01 14:00:24	71.91	55dB	3.2	223%	Day
88	2025-12-01 14:04:40	68.81	55dB	2.6	160%	Day
89	2025-12-01 14:12:09	N/A	55dB	N/A	N/A	Day
90	2025-12-01 14:14:15	72.37	55dB	3.3	233%	Day
91	2025-12-01 14:15:30	67.02	55dB	2.3	130%	Day
92	2025-12-01 14:18:09	68.15	55dB	2.5	149%	Day
93	2025-12-01 14:19:26	N/A	55dB	N/A	N/A	Day
94	2025-12-01 14:20:45	69.49	55dB	2.7	173%	Day
95	2025-12-01 14:22:12	70.13	55dB	2.9	185%	Day
96	2025-12-01 14:23:26	67.56	55dB	2.4	139%	Day
97	2025-12-01 14:24:43	68.53	55dB	2.6	155%	Day
98	2025-12-01 14:26:01	83.52	55dB	7.2	622%	Day
99	2025-12-01 14:28:18	69.08	55dB	2.7	165%	Day
100	2025-12-01 14:29:44	74.92	55dB	4.0	298%	Day
101	2025-12-01 14:31:01	69.38	55dB	2.7	171%	Day
102	2025-12-01 14:33:09	N/A	55dB	N/A	N/A	Day
103	2025-12-01 14:34:21	69.35	55dB	2.7	170%	Day
104	2025-12-01 14:35:32	68.25	55dB	2.5	151%	Day
105	2025-12-01 14:37:00	69.22	55dB	2.7	168%	Day
106	2025-12-01 14:38:17	72.51	55dB	3.4	237%	Day
107	2025-12-01 14:39:35	71.59	55dB	3.2	216%	Day
108	2025-12-01 14:41:13	76.82	55dB	4.5	354%	Day
109	2025-12-01 14:43:27	70.73	55dB	3.0	198%	Day
110	2025-12-01 14:44:45	67.71	55dB	2.4	141%	Day
111	2025-12-01 14:46:10	66.84	55dB	2.3	127%	Day
112	2025-12-01 14:47:31	69.17	55dB	2.7	167%	Day
113	2025-12-01 14:49:20	74.12	55dB	3.8	276%	Day
114	2025-12-01 14:51:32	71.80	55dB	3.2	220%	Day
115	2025-12-01 14:52:52	68.68	55dB	2.6	158%	Day
116	2025-12-01 14:54:17	68.08	55dB	2.5	148%	Day
117	2025-12-01 14:57:11	66.58	55dB	2.2	123%	Day
118	2025-12-01 14:59:04	68.64	55dB	2.6	157%	Day
119	2025-12-01 15:00:56	74.06	55dB	3.7	275%	Day
120	2025-12-01 15:02:50	73.80	55dB	3.7	268%	Day
121	2025-12-01 15:05:15	67.91	55dB	2.4	145%	Day
122	2025-12-01 15:06:39	70.08	55dB	2.8	184%	Day
123	2025-12-01 15:08:02	70.46	55dB	2.9	192%	Day
124	2025-12-01 15:10:15	69.12	55dB	2.7	166%	Day

125	2025-12-01 15:11:41	66.57	55dB	2.2	123%	Day
126	2025-12-01 15:15:17	77.42	55dB	4.7	373%	Day
127	2025-12-01 15:18:14	73.53	55dB	3.6	261%	Day
128	2025-12-01 15:20:33	69.73	55dB	2.8	178%	Day
129	2025-12-01 15:21:52	69.63	55dB	2.8	176%	Day
130	2025-12-01 15:23:21	N/A	55dB	N/A	N/A	Day
131	2025-12-01 15:24:42	N/A	55dB	N/A	N/A	Day
132	2025-12-01 15:26:07	N/A	55dB	N/A	N/A	Day
133	2025-12-01 15:27:38	70.23	55dB	2.9	187%	Day
134	2025-12-01 15:30:08	70.26	55dB	2.9	188%	Day
135	2025-12-01 15:31:43	68.27	55dB	2.5	151%	Day
136	2025-12-01 15:33:15	68.86	55dB	2.6	161%	Day
137	2025-12-01 15:34:39	N/A	55dB	N/A	N/A	Day
138	2025-12-01 15:36:06	N/A	55dB	N/A	N/A	Day
139	2025-12-01 15:37:26	N/A	55dB	N/A	N/A	Day
140	2025-12-01 15:39:34	68.34	55dB	2.5	152%	Day
141	2025-12-01 15:40:56	71.52	55dB	3.1	214%	Day
142	2025-12-01 15:44:25	71.75	55dB	3.2	219%	Day
143	2025-12-01 15:45:43	74.62	55dB	3.9	290%	Day
144	2025-12-01 15:47:02	72.46	55dB	3.4	235%	Day
145	2025-12-01 15:49:02	70.85	55dB	3.0	200%	Day
146	2025-12-01 15:50:37	79.46	55dB	5.4	445%	Day
147	2025-12-01 15:51:53	73.72	55dB	3.7	266%	Day
148	2025-12-01 15:53:23	73.87	55dB	3.7	270%	Day
149	2025-12-01 15:56:15	N/A	55dB	N/A	N/A	Day
150	2025-12-01 15:57:44	75.74	55dB	4.2	321%	Day
151	2025-12-01 16:00:17	71.70	55dB	3.2	218%	Day
152	2025-12-01 16:02:34	76.07	55dB	4.3	331%	Day
153	2025-12-01 16:05:12	71.31	55dB	3.1	210%	Day
154	2025-12-01 16:08:13	75.08	55dB	4.0	302%	Day
155	2025-12-01 16:17:01	74.08	55dB	3.8	275%	Day
156	2025-12-01 16:19:49	76.02	55dB	4.3	329%	Day
157	2025-12-01 16:22:20	70.69	55dB	3.0	197%	Day
158	2025-12-01 16:26:38	75.62	55dB	4.2	318%	Day
159	2025-12-01 16:29:43	74.16	55dB	3.8	277%	Day
160	2025-12-01 16:32:11	74.10	55dB	3.8	276%	Day
161	2025-12-01 16:41:07	73.78	55dB	3.7	268%	Day
162	2025-12-01 16:43:23	73.06	55dB	3.5	250%	Day
163	2025-12-01 16:47:55	73.76	55dB	3.7	267%	Day
164	2025-12-01 16:50:16	72.65	55dB	3.4	240%	Day
165	2025-12-01 16:52:38	74.93	55dB	4.0	298%	Day
166	2025-12-01 16:54:56	72.84	55dB	3.4	244%	Day
167	2025-12-01 16:56:35	N/A	55dB	N/A	N/A	Day
168	2025-12-01 16:57:51	N/A	55dB	N/A	N/A	Day

169	2025-12-01 17:05:06	69.68	55dB	2.8	177%	Day
170	2025-12-01 17:11:09	72.51	55dB	3.4	237%	Day
171	2025-12-01 17:15:11	N/A	55dB	N/A	N/A	Day
172	2025-12-01 17:16:39	N/A	55dB	N/A	N/A	Day
173	2025-12-01 17:18:03	71.62	55dB	3.2	216%	Day
174	2025-12-01 17:19:49	68.05	55dB	2.5	147%	Day
175	2025-12-01 17:21:13	70.93	55dB	3.0	202%	Day
176	2025-12-01 17:22:44	70.03	55dB	2.8	183%	Day
177	2025-12-01 17:24:07	74.13	55dB	3.8	277%	Day
178	2025-12-01 17:25:19	68.90	55dB	2.6	162%	Day
179	2025-12-01 17:26:51	70.96	55dB	3.0	202%	Day
180	2025-12-01 17:28:51	67.96	55dB	2.5	146%	Day
181	2025-12-01 17:32:35	N/A	55dB	N/A	N/A	Day
182	2025-12-01 17:34:35	N/A	55dB	N/A	N/A	Day
183	2025-12-01 17:36:22	N/A	55dB	N/A	N/A	Day
184	2025-12-01 17:44:08	67.36	55dB	2.4	136%	Day
185	2025-12-01 17:45:27	70.56	55dB	2.9	194%	Day
186	2025-12-01 17:48:52	71.19	55dB	3.1	207%	Day
187	2025-12-01 17:50:10	70.63	55dB	3.0	195%	Day
188	2025-12-01 17:51:31	76.39	55dB	4.4	340%	Day
189	2025-12-01 17:53:05	N/A	55dB	N/A	N/A	Day
190	2025-12-01 17:54:12	73.84	55dB	3.7	269%	Day
191	2025-12-01 17:55:32	70.48	55dB	2.9	192%	Day
192	2025-12-01 17:57:41	71.80	55dB	3.2	220%	Day
193	2025-12-01 17:59:31	67.79	55dB	2.4	143%	Day
194	2025-12-01 18:04:13	N/A	55dB	N/A	N/A	Day
195	2025-12-01 18:06:58	79.31	55dB	5.4	439%	Day
196	2025-12-01 18:10:05	73.13	55dB	3.5	251%	Day
197	2025-12-01 18:11:58	75.75	55dB	4.2	321%	Day
198	2025-12-01 18:13:33	71.70	55dB	3.2	218%	Day
199	2025-12-01 18:16:07	70.82	55dB	3.0	199%	Day
200	2025-12-01 18:17:28	70.91	55dB	3.0	201%	Day
201	2025-12-01 18:18:44	66.66	55dB	2.2	124%	Day
202	2025-12-01 18:20:11	74.23	55dB	3.8	279%	Day
203	2025-12-01 18:21:40	67.69	55dB	2.4	141%	Day
204	2025-12-01 18:23:10	68.52	55dB	2.6	155%	Day
205	2025-12-01 18:27:12	68.49	55dB	2.5	155%	Day
206	2025-12-01 18:29:54	74.44	55dB	3.8	285%	Day
207	2025-12-01 18:30:52	69.19	55dB	2.7	167%	Day
208	2025-12-01 18:33:01	67.09	55dB	2.3	131%	Day
209	2025-12-01 18:34:15	N/A	55dB	N/A	N/A	Day
210	2025-12-01 18:36:09	68.89	55dB	2.6	162%	Day
211	2025-12-01 18:37:18	67.84	55dB	2.4	144%	Day
212	2025-12-01 18:38:44	66.25	55dB	2.2	118%	Day

213	2025-12-01 18:41:18	71.04	55dB	3.0	204%	Day
214	2025-12-01 18:42:53	68.64	55dB	2.6	157%	Day
215	2025-12-01 18:44:01	80.14	55dB	5.7	471%	Day
216	2025-12-01 18:45:37	71.30	55dB	3.1	210%	Day
217	2025-12-01 18:47:49	N/A	55dB	N/A	N/A	Day
218	2025-12-01 18:48:58	68.51	55dB	2.6	155%	Day
219	2025-12-01 18:50:08	68.88	55dB	2.6	162%	Day
220	2025-12-01 18:51:26	68.79	55dB	2.6	160%	Day
221	2025-12-01 18:52:34	73.01	55dB	3.5	248%	Day
222	2025-12-01 18:53:49	73.66	55dB	3.6	265%	Day
223	2025-12-01 18:55:53	69.72	55dB	2.8	177%	Day
224	2025-12-01 18:57:07	71.32	55dB	3.1	210%	Day
225	2025-12-01 18:58:21	69.97	55dB	2.8	182%	Day
226	2025-12-01 18:59:42	65.99	55dB	2.1	114%	Day
227	2025-12-01 19:01:07	N/A	55dB	N/A	N/A	Day
228	2025-12-01 19:24:36	69.05	55dB	2.6	165%	Day
229	2025-12-01 20:17:56	67.11	55dB	2.3	131%	Day
230	2025-12-01 20:29:16	N/A	55dB	N/A	N/A	Day
231	2025-12-01 23:11:20	N/A	45dB	N/A	N/A	Night
232	2025-12-02 01:12:07	62.71	45dB	3.4	241%	Night
233	2025-12-02 06:36:40	N/A	45dB	N/A	N/A	Night
234	2025-12-02 06:43:21	N/A	45dB	N/A	N/A	Night
235	2025-12-02 06:48:52	69.68	45dB	5.5	453%	Night
236	2025-12-02 06:49:54	66.84	45dB	4.5	354%	Night
237	2025-12-02 06:53:04	N/A	45dB	N/A	N/A	Night
238	2025-12-02 06:56:55	72.38	45dB	6.7	567%	Night
239	2025-12-02 06:58:07	N/A	45dB	N/A	N/A	Night
240	2025-12-02 06:59:39	N/A	45dB	N/A	N/A	Night
241	2025-12-02 07:00:44	N/A	55dB	N/A	N/A	Day
242	2025-12-02 07:02:42	72.45	55dB	3.4	235%	Day
243	2025-12-02 07:04:17	69.42	55dB	2.7	172%	Day
244	2025-12-02 07:07:06	N/A	55dB	N/A	N/A	Day
245	2025-12-02 07:08:19	67.42	55dB	2.4	137%	Day
246	2025-12-02 07:11:43	N/A	55dB	N/A	N/A	Day
247	2025-12-02 07:13:33	71.76	55dB	3.2	220%	Day
248	2025-12-02 07:15:19	N/A	55dB	N/A	N/A	Day
249	2025-12-02 07:16:52	N/A	55dB	N/A	N/A	Day
250	2025-12-02 07:18:02	70.48	55dB	2.9	192%	Day
251	2025-12-02 07:19:06	67.65	55dB	2.4	140%	Day
252	2025-12-02 07:20:11	69.15	55dB	2.7	167%	Day
253	2025-12-02 07:21:38	70.14	55dB	2.9	186%	Day
254	2025-12-02 07:23:40	70.69	55dB	3.0	197%	Day
255	2025-12-02 07:27:32	68.99	55dB	2.6	164%	Day
256	2025-12-02 07:34:06	69.11	55dB	2.7	166%	Day

257	2025-12-02 07:35:59	N/A	55dB	N/A	N/A	Day
258	2025-12-02 07:37:34	N/A	55dB	N/A	N/A	Day
259	2025-12-02 07:40:28	75.31	55dB	4.1	309%	Day
260	2025-12-02 07:41:53	N/A	55dB	N/A	N/A	Day
261	2025-12-02 07:45:45	N/A	55dB	N/A	N/A	Day
262	2025-12-02 07:51:26	75.96	55dB	4.3	328%	Day
263	2025-12-02 07:52:55	69.36	55dB	2.7	171%	Day
264	2025-12-02 07:56:23	N/A	55dB	N/A	N/A	Day
265	2025-12-02 07:57:46	66.82	55dB	2.3	127%	Day
266	2025-12-02 07:59:03	N/A	55dB	N/A	N/A	Day
267	2025-12-02 08:00:33	69.99	55dB	2.8	183%	Day
268	2025-12-02 08:02:21	72.88	55dB	3.5	245%	Day
269	2025-12-02 08:03:45	N/A	55dB	N/A	N/A	Day
270	2025-12-02 08:07:10	73.66	55dB	3.6	265%	Day
271	2025-12-02 08:17:01	69.71	55dB	2.8	177%	Day
272	2025-12-02 08:19:56	72.75	55dB	3.4	242%	Day
273	2025-12-02 08:21:35	69.07	55dB	2.7	165%	Day
274	2025-12-02 08:23:02	73.33	55dB	3.6	256%	Day
275	2025-12-02 08:24:58	69.24	55dB	2.7	168%	Day
276	2025-12-02 08:27:05	72.62	55dB	3.4	239%	Day
277	2025-12-02 08:28:01	70.64	55dB	3.0	196%	Day
278	2025-12-02 08:39:44	68.54	55dB	2.6	156%	Day
279	2025-12-02 08:40:53	69.81	55dB	2.8	179%	Day
280	2025-12-02 08:44:23	71.04	55dB	3.0	204%	Day
281	2025-12-02 08:47:09	70.74	55dB	3.0	198%	Day
282	2025-12-02 08:48:37	69.69	55dB	2.8	177%	Day
283	2025-12-02 08:51:22	71.99	55dB	3.2	225%	Day
284	2025-12-02 08:55:44	N/A	55dB	N/A	N/A	Day
285	2025-12-02 08:58:37	70.02	55dB	2.8	183%	Day
286	2025-12-02 09:00:51	72.21	55dB	3.3	230%	Day
287	2025-12-02 09:02:08	71.61	55dB	3.2	216%	Day
288	2025-12-02 09:03:13	N/A	55dB	N/A	N/A	Day
289	2025-12-02 09:04:18	67.00	55dB	2.3	130%	Day
290	2025-12-02 09:05:58	71.36	55dB	3.1	211%	Day
291	2025-12-02 09:08:17	74.57	55dB	3.9	288%	Day
292	2025-12-02 09:09:39	69.50	55dB	2.7	173%	Day
293	2025-12-02 09:10:42	70.35	55dB	2.9	190%	Day
294	2025-12-02 09:14:28	N/A	55dB	N/A	N/A	Day
295	2025-12-02 09:15:41	68.44	55dB	2.5	154%	Day
296	2025-12-02 09:18:28	70.86	55dB	3.0	200%	Day
297	2025-12-02 09:20:10	70.22	55dB	2.9	187%	Day
298	2025-12-02 09:23:27	69.93	55dB	2.8	181%	Day
299	2025-12-02 09:24:31	N/A	55dB	N/A	N/A	Day
300	2025-12-02 09:26:21	74.41	55dB	3.8	284%	Day

301	2025-12-02 09:28:52	71.13	55dB	3.1	206%	Day
302	2025-12-02 09:31:28	69.78	55dB	2.8	179%	Day
303	2025-12-02 09:32:33	68.03	55dB	2.5	147%	Day
304	2025-12-02 09:34:16	73.04	55dB	3.5	249%	Day
305	2025-12-02 09:35:47	N/A	55dB	N/A	N/A	Day
306	2025-12-02 09:40:03	N/A	55dB	N/A	N/A	Day
307	2025-12-02 09:41:55	70.30	55dB	2.9	189%	Day
308	2025-12-02 09:43:07	72.75	55dB	3.4	242%	Day
309	2025-12-02 09:44:48	68.31	55dB	2.5	152%	Day
310	2025-12-02 09:46:19	69.29	55dB	2.7	169%	Day
311	2025-12-02 09:47:14	N/A	55dB	N/A	N/A	Day
312	2025-12-02 09:48:30	N/A	55dB	N/A	N/A	Day
313	2025-12-02 09:49:35	68.59	55dB	2.6	157%	Day
314	2025-12-02 09:50:49	75.64	55dB	4.2	318%	Day
315	2025-12-02 09:52:21	73.74	55dB	3.7	267%	Day
316	2025-12-02 09:53:35	69.42	55dB	2.7	172%	Day
317	2025-12-02 09:55:02	N/A	55dB	N/A	N/A	Day
318	2025-12-02 09:58:45	70.40	55dB	2.9	191%	Day
319	2025-12-02 09:59:56	75.07	55dB	4.0	302%	Day
320	2025-12-02 10:01:12	N/A	55dB	N/A	N/A	Day
321	2025-12-02 10:02:17	71.81	55dB	3.2	221%	Day
322	2025-12-02 10:04:21	69.40	55dB	2.7	171%	Day
323	2025-12-02 10:05:34	66.88	55dB	2.3	128%	Day
324	2025-12-02 10:06:49	68.10	55dB	2.5	148%	Day
325	2025-12-02 10:27:55	N/A	55dB	N/A	N/A	Day
326	2025-12-02 10:51:21	N/A	55dB	N/A	N/A	Day
327	2025-12-02 10:53:08	N/A	55dB	N/A	N/A	Day
328	2025-12-02 12:05:32	76.72	55dB	4.5	351%	Day
329	2025-12-02 12:24:20	N/A	55dB	N/A	N/A	Day
330	2025-12-02 15:26:21	70.78	55dB	3.0	199%	Day
331	2025-12-02 15:28:26	67.92	55dB	2.4	145%	Day
332	2025-12-02 15:33:42	76.73	55dB	4.5	351%	Day
333	2025-12-02 15:36:56	72.41	55dB	3.3	234%	Day
334	2025-12-02 15:45:58	71.44	55dB	3.1	213%	Day
335	2025-12-02 15:47:57	N/A	55dB	N/A	N/A	Day
336	2025-12-02 15:57:06	N/A	55dB	N/A	N/A	Day
337	2025-12-02 15:59:47	N/A	55dB	N/A	N/A	Day
338	2025-12-02 16:01:12	70.60	55dB	2.9	195%	Day
339	2025-12-02 16:03:58	67.54	55dB	2.4	139%	Day
340	2025-12-02 16:09:49	71.53	55dB	3.1	214%	Day
341	2025-12-02 16:12:14	N/A	55dB	N/A	N/A	Day
342	2025-12-02 16:13:30	73.54	55dB	3.6	262%	Day
343	2025-12-02 16:19:57	76.33	55dB	4.4	339%	Day
344	2025-12-02 16:22:34	N/A	55dB	N/A	N/A	Day

345	2025-12-02 16:31:08	68.18	55dB	2.5	149%	Day
346	2025-12-02 16:34:00	77.27	55dB	4.7	368%	Day
347	2025-12-02 16:38:39	N/A	55dB	N/A	N/A	Day
348	2025-12-02 16:42:46	68.33	55dB	2.5	152%	Day
349	2025-12-02 16:43:56	N/A	55dB	N/A	N/A	Day
350	2025-12-02 16:47:11	66.70	55dB	2.3	125%	Day
351	2025-12-02 16:53:50	N/A	55dB	N/A	N/A	Day
352	2025-12-02 16:57:21	N/A	55dB	N/A	N/A	Day
353	2025-12-02 17:09:56	75.67	55dB	4.2	319%	Day
354	2025-12-02 17:16:31	79.32	55dB	5.4	440%	Day
355	2025-12-02 17:18:32	N/A	55dB	N/A	N/A	Day
356	2025-12-02 17:21:22	68.67	55dB	2.6	158%	Day
357	2025-12-02 17:24:43	75.03	55dB	4.0	301%	Day
358	2025-12-02 17:27:30	68.65	55dB	2.6	158%	Day
359	2025-12-02 17:28:24	N/A	55dB	N/A	N/A	Day
360	2025-12-02 17:29:33	67.33	55dB	2.4	135%	Day
361	2025-12-02 17:30:50	N/A	55dB	N/A	N/A	Day
362	2025-12-02 17:31:50	69.18	55dB	2.7	167%	Day
363	2025-12-02 17:37:34	68.99	55dB	2.6	164%	Day
364	2025-12-02 17:42:18	N/A	55dB	N/A	N/A	Day
365	2025-12-02 17:44:53	75.75	55dB	4.2	321%	Day
366	2025-12-02 17:49:23	68.68	55dB	2.6	158%	Day
367	2025-12-02 17:51:15	N/A	55dB	N/A	N/A	Day
368	2025-12-02 17:53:38	N/A	55dB	N/A	N/A	Day
369	2025-12-02 17:56:00	66.72	55dB	2.3	125%	Day
370	2025-12-02 17:58:14	N/A	55dB	N/A	N/A	Day
371	2025-12-02 17:59:05	N/A	55dB	N/A	N/A	Day
372	2025-12-02 18:01:02	N/A	55dB	N/A	N/A	Day
373	2025-12-02 18:01:40	76.46	55dB	4.4	343%	Day
374	2025-12-02 18:02:30	72.02	55dB	3.3	225%	Day
375	2025-12-02 18:03:39	70.12	55dB	2.9	185%	Day
376	2025-12-02 18:06:15	72.91	55dB	3.5	246%	Day
377	2025-12-02 18:08:38	70.00	55dB	2.8	183%	Day
378	2025-12-02 18:18:18	N/A	55dB	N/A	N/A	Day
379	2025-12-02 18:20:27	73.35	55dB	3.6	257%	Day
380	2025-12-02 18:22:20	73.28	55dB	3.6	255%	Day
381	2025-12-02 18:26:15	71.43	55dB	3.1	212%	Day
382	2025-12-02 18:28:31	66.99	55dB	2.3	130%	Day
383	2025-12-02 18:30:31	74.00	55dB	3.7	273%	Day
384	2025-12-02 18:33:24	76.85	55dB	4.5	355%	Day
385	2025-12-02 18:33:26	76.85	55dB	4.5	355%	Day
386	2025-12-02 18:36:54	N/A	55dB	N/A	N/A	Day
387	2025-12-02 18:38:31	N/A	55dB	N/A	N/A	Day
388	2025-12-02 18:40:25	N/A	55dB	N/A	N/A	Day

389	2025-12-02 18:43:38	N/A	55dB	N/A	N/A	Day
390	2025-12-02 18:47:24	65.71	55dB	2.1	110%	Day
391	2025-12-02 18:49:53	69.44	55dB	2.7	172%	Day
392	2025-12-02 18:51:42	N/A	55dB	N/A	N/A	Day
393	2025-12-02 18:53:43	67.31	55dB	2.3	135%	Day
394	2025-12-02 18:55:48	N/A	55dB	N/A	N/A	Day
395	2025-12-02 18:58:37	N/A	55dB	N/A	N/A	Day
396	2025-12-02 19:01:11	68.25	55dB	2.5	151%	Day
397	2025-12-02 19:06:13	N/A	55dB	N/A	N/A	Day
398	2025-12-02 19:19:53	N/A	55dB	N/A	N/A	Day
399	2025-12-02 19:22:41	70.51	55dB	2.9	193%	Day
400	2025-12-02 19:27:19	N/A	55dB	N/A	N/A	Day
401	2025-12-02 19:33:48	N/A	55dB	N/A	N/A	Day
402	2025-12-02 19:36:05	N/A	55dB	N/A	N/A	Day
403	2025-12-02 19:40:32	67.28	55dB	2.3	134%	Day
404	2025-12-02 19:42:50	N/A	55dB	N/A	N/A	Day
405	2025-12-02 19:45:12	69.03	55dB	2.6	164%	Day
406	2025-12-02 19:54:05	67.86	55dB	2.4	144%	Day
407	2025-12-02 19:55:44	N/A	55dB	N/A	N/A	Day
408	2025-12-02 19:56:52	N/A	55dB	N/A	N/A	Day
409	2025-12-02 20:02:26	69.07	55dB	2.7	165%	Day
410	2025-12-02 20:06:30	N/A	55dB	N/A	N/A	Day
411	2025-12-02 20:15:04	66.97	55dB	2.3	129%	Day
412	2025-12-02 20:22:48	66.44	55dB	2.2	121%	Day
413	2025-12-02 20:24:53	67.67	55dB	2.4	141%	Day
414	2025-12-02 20:27:26	N/A	55dB	N/A	N/A	Day
415	2025-12-02 20:30:07	75.08	55dB	4.0	302%	Day
416	2025-12-02 20:47:10	67.85	55dB	2.4	144%	Day
417	2025-12-02 20:49:22	68.63	55dB	2.6	157%	Day
418	2025-12-02 20:51:26	67.61	55dB	2.4	140%	Day
419	2025-12-02 20:52:38	66.51	55dB	2.2	122%	Day
420	2025-12-02 20:54:16	68.78	55dB	2.6	160%	Day
421	2025-12-02 20:55:35	67.43	55dB	2.4	137%	Day
422	2025-12-02 20:57:02	66.27	55dB	2.2	118%	Day
423	2025-12-02 20:58:15	69.26	55dB	2.7	169%	Day
424	2025-12-02 20:59:39	66.36	55dB	2.2	120%	Day
425	2025-12-02 21:01:03	71.29	55dB	3.1	209%	Day
426	2025-12-02 21:03:38	68.56	55dB	2.6	156%	Day
427	2025-12-02 21:05:06	71.53	55dB	3.1	214%	Day
428	2025-12-02 21:06:41	69.77	55dB	2.8	178%	Day
429	2025-12-02 21:07:53	68.42	55dB	2.5	154%	Day
430	2025-12-02 21:09:38	72.21	55dB	3.3	230%	Day
431	2025-12-02 21:11:09	N/A	55dB	N/A	N/A	Day
432	2025-12-02 21:14:51	68.13	55dB	2.5	148%	Day

433	2025-12-02 21:18:43	67.71	55dB	2.4	141%	Day
434	2025-12-02 21:20:25	67.39	55dB	2.4	136%	Day
435	2025-12-02 21:21:55	66.38	55dB	2.2	120%	Day
436	2025-12-02 21:23:20	69.38	55dB	2.7	171%	Day
437	2025-12-02 21:24:25	N/A	55dB	N/A	N/A	Day
438	2025-12-02 21:25:50	67.34	55dB	2.4	135%	Day
439	2025-12-02 21:27:02	67.50	55dB	2.4	138%	Day
440	2025-12-02 21:28:19	68.96	55dB	2.6	163%	Day
441	2025-12-02 21:29:58	70.29	55dB	2.9	189%	Day
442	2025-12-02 21:33:24	68.45	55dB	2.5	154%	Day
443	2025-12-02 21:35:07	71.89	55dB	3.2	222%	Day
444	2025-12-02 21:36:44	66.04	55dB	2.1	115%	Day
445	2025-12-02 21:43:48	69.08	55dB	2.7	165%	Day
446	2025-12-02 21:46:04	66.80	55dB	2.3	127%	Day
447	2025-12-02 21:50:03	71.60	55dB	3.2	216%	Day
448	2025-12-02 21:52:31	68.98	55dB	2.6	164%	Day
449	2025-12-02 21:54:05	68.04	55dB	2.5	147%	Day
450	2025-12-02 21:57:45	69.41	55dB	2.7	172%	Day
451	2025-12-02 22:00:45	70.98	55dB	3.0	203%	Day
452	2025-12-02 22:03:21	70.40	55dB	2.9	191%	Day
453	2025-12-02 22:04:58	69.12	55dB	2.7	166%	Day
454	2025-12-02 22:07:17	N/A	55dB	N/A	N/A	Day
455	2025-12-02 22:08:56	74.54	55dB	3.9	287%	Day
456	2025-12-02 22:12:16	68.92	55dB	2.6	162%	Day
457	2025-12-02 22:13:19	69.14	55dB	2.7	166%	Day
458	2025-12-02 22:15:11	N/A	55dB	N/A	N/A	Day
459	2025-12-02 22:17:16	79.46	55dB	5.4	445%	Day
460	2025-12-02 22:19:36	67.52	55dB	2.4	138%	Day
461	2025-12-02 22:21:19	N/A	55dB	N/A	N/A	Day
462	2025-12-02 22:26:39	68.41	55dB	2.5	153%	Day
463	2025-12-02 22:28:32	N/A	55dB	N/A	N/A	Day
464	2025-12-02 22:29:56	68.41	55dB	2.5	153%	Day
465	2025-12-02 22:31:42	69.13	55dB	2.7	166%	Day
466	2025-12-02 22:33:21	66.32	55dB	2.2	119%	Day
467	2025-12-02 22:35:10	67.58	55dB	2.4	139%	Day
468	2025-12-02 22:36:49	65.98	55dB	2.1	114%	Day
469	2025-12-02 22:38:32	68.20	55dB	2.5	150%	Day
470	2025-12-02 22:43:44	69.14	55dB	2.7	166%	Day
471	2025-12-02 22:50:01	70.43	55dB	2.9	191%	Day
472	2025-12-02 22:56:06	69.39	55dB	2.7	171%	Day
473	2025-12-02 22:58:44	N/A	55dB	N/A	N/A	Day
474	2025-12-02 23:00:51	67.21	45dB	4.7	366%	Night
475	2025-12-02 23:03:40	66.78	45dB	4.5	353%	Night
476	2025-12-02 23:05:44	67.11	45dB	4.6	363%	Night

477	2025-12-02 23:08:33	66.80	45dB	4.5	353%	Night
478	2025-12-02 23:20:50	66.21	45dB	4.3	335%	Night
479	2025-12-02 23:22:50	66.94	45dB	4.6	358%	Night
480	2025-12-02 23:25:14	68.14	45dB	5.0	397%	Night
481	2025-12-02 23:26:50	65.92	45dB	4.3	326%	Night
482	2025-12-02 23:28:25	68.24	45dB	5.0	401%	Night
483	2025-12-02 23:29:54	67.99	45dB	4.9	392%	Night
484	2025-12-02 23:32:10	66.78	45dB	4.5	353%	Night
485	2025-12-02 23:34:36	68.94	45dB	5.3	426%	Night
486	2025-12-02 23:38:42	71.10	45dB	6.1	511%	Night
487	2025-12-02 23:41:49	70.46	45dB	5.8	484%	Night
488	2025-12-02 23:44:56	67.84	45dB	4.9	387%	Night
489	2025-12-02 23:48:39	67.45	45dB	4.7	374%	Night
490	2025-12-02 23:50:41	68.45	45dB	5.1	408%	Night
491	2025-12-03 00:00:16	N/A	45dB	N/A	N/A	Night
492	2025-12-03 00:03:15	68.75	45dB	5.2	419%	Night
493	2025-12-03 00:05:55	67.84	45dB	4.9	387%	Night
494	2025-12-03 00:08:03	68.08	45dB	5.0	395%	Night
495	2025-12-03 00:10:11	70.85	45dB	6.0	500%	Night
496	2025-12-03 00:12:17	68.35	45dB	5.0	405%	Night
497	2025-12-03 00:14:14	69.25	45dB	5.4	437%	Night
498	2025-12-03 00:15:46	68.28	45dB	5.0	402%	Night
499	2025-12-03 00:19:37	68.63	45dB	5.1	414%	Night
500	2025-12-03 00:22:51	69.79	45dB	5.6	458%	Night
501	2025-12-03 06:28:28	71.06	45dB	6.1	509%	Night
502	2025-12-03 06:29:52	68.62	45dB	5.1	414%	Night
503	2025-12-03 06:31:20	69.68	45dB	5.5	453%	Night
504	2025-12-03 06:34:21	71.29	45dB	6.2	519%	Night
505	2025-12-03 06:36:42	N/A	45dB	N/A	N/A	Night
506	2025-12-03 06:38:07	65.60	45dB	4.2	317%	Night
507	2025-12-03 06:40:01	70.17	45dB	5.7	472%	Night
508	2025-12-03 06:41:45	71.91	45dB	6.5	546%	Night
509	2025-12-03 06:44:15	66.58	45dB	4.5	346%	Night
510	2025-12-03 06:45:46	69.52	45dB	5.5	447%	Night
511	2025-12-03 06:47:06	69.72	45dB	5.5	455%	Night
512	2025-12-03 06:48:20	66.26	45dB	4.4	337%	Night
513	2025-12-03 06:50:42	71.35	45dB	6.2	521%	Night
514	2025-12-03 06:53:35	69.39	45dB	5.4	442%	Night
515	2025-12-03 06:55:03	N/A	45dB	N/A	N/A	Night
516	2025-12-03 06:56:50	66.17	45dB	4.3	334%	Night
517	2025-12-03 07:06:09	71.20	55dB	3.1	207%	Day
518	2025-12-03 07:09:50	70.38	55dB	2.9	190%	Day
519	2025-12-03 07:11:16	N/A	55dB	N/A	N/A	Day
520	2025-12-03 07:12:52	68.55	55dB	2.6	156%	Day

521	2025-12-03 07:14:13	71.50	55dB	3.1	214%	Day
522	2025-12-03 07:15:56	69.65	55dB	2.8	176%	Day
523	2025-12-03 07:24:54	N/A	55dB	N/A	N/A	Day
524	2025-12-03 07:28:20	N/A	55dB	N/A	N/A	Day
525	2025-12-03 07:47:33	70.04	55dB	2.8	184%	Day
526	2025-12-03 08:00:40	72.19	55dB	3.3	229%	Day
527	2025-12-03 08:05:07	70.51	55dB	2.9	193%	Day
528	2025-12-03 08:13:46	72.10	55dB	3.3	227%	Day
529	2025-12-03 08:17:20	76.75	55dB	4.5	352%	Day
530	2025-12-03 08:22:39	74.84	55dB	4.0	296%	Day
531	2025-12-03 08:25:27	70.30	55dB	2.9	189%	Day
532	2025-12-03 08:28:11	72.85	55dB	3.4	245%	Day
533	2025-12-03 08:33:30	76.53	55dB	4.4	345%	Day
534	2025-12-03 08:43:11	71.71	55dB	3.2	218%	Day
535	2025-12-03 08:47:45	72.19	55dB	3.3	229%	Day
536	2025-12-03 08:51:02	73.53	55dB	3.6	261%	Day
537	2025-12-03 09:02:32	75.26	55dB	4.1	307%	Day
538	2025-12-03 09:11:13	75.30	55dB	4.1	308%	Day
539	2025-12-03 09:15:03	69.33	55dB	2.7	170%	Day
540	2025-12-03 09:20:01	72.07	55dB	3.3	226%	Day
541	2025-12-03 09:23:51	73.28	55dB	3.6	255%	Day
542	2025-12-03 09:40:42	69.24	55dB	2.7	168%	Day
543	2025-12-03 09:47:57	N/A	55dB	N/A	N/A	Day
544	2025-12-03 09:50:06	67.08	55dB	2.3	131%	Day
545	2025-12-03 09:52:02	71.32	55dB	3.1	210%	Day
546	2025-12-03 10:07:23	70.09	55dB	2.8	185%	Day
547	2025-12-03 10:09:57	73.00	55dB	3.5	248%	Day
548	2025-12-03 10:11:48	70.93	55dB	3.0	202%	Day
549	2025-12-03 10:17:34	N/A	55dB	N/A	N/A	Day
550	2025-12-03 10:19:08	N/A	55dB	N/A	N/A	Day
551	2025-12-03 10:20:29	N/A	55dB	N/A	N/A	Day
552	2025-12-03 10:22:43	71.41	55dB	3.1	212%	Day
553	2025-12-03 10:24:38	69.48	55dB	2.7	173%	Day
554	2025-12-03 10:26:34	N/A	55dB	N/A	N/A	Day
555	2025-12-03 10:30:00	73.65	55dB	3.6	264%	Day
556	2025-12-03 10:31:41	N/A	55dB	N/A	N/A	Day
557	2025-12-03 10:33:37	N/A	55dB	N/A	N/A	Day
558	2025-12-03 10:44:27	74.42	55dB	3.8	284%	Day
559	2025-12-03 10:47:30	70.65	55dB	3.0	196%	Day
560	2025-12-03 10:49:31	70.43	55dB	2.9	191%	Day
561	2025-12-03 10:50:52	71.49	55dB	3.1	214%	Day
562	2025-12-03 10:53:00	71.17	55dB	3.1	207%	Day
563	2025-12-03 10:54:54	N/A	55dB	N/A	N/A	Day
564	2025-12-03 10:58:12	68.66	55dB	2.6	158%	Day

565	2025-12-03 11:03:30	69.44	55dB	2.7	172%	Day
566	2025-12-03 11:05:26	N/A	55dB	N/A	N/A	Day
567	2025-12-03 11:07:25	N/A	55dB	N/A	N/A	Day
568	2025-12-03 11:09:34	69.50	55dB	2.7	173%	Day
569	2025-12-03 11:11:23	68.16	55dB	2.5	149%	Day
570	2025-12-03 11:12:53	N/A	55dB	N/A	N/A	Day
571	2025-12-03 11:14:19	N/A	55dB	N/A	N/A	Day
572	2025-12-03 11:15:45	67.68	55dB	2.4	141%	Day
573	2025-12-03 11:17:34	67.85	55dB	2.4	144%	Day
574	2025-12-03 11:19:19	68.47	55dB	2.5	154%	Day
575	2025-12-03 11:20:57	69.58	55dB	2.7	175%	Day
576	2025-12-03 11:22:32	N/A	55dB	N/A	N/A	Day
577	2025-12-03 11:24:11	70.18	55dB	2.9	186%	Day
578	2025-12-03 11:25:41	67.54	55dB	2.4	139%	Day
579	2025-12-03 11:27:08	67.62	55dB	2.4	140%	Day
580	2025-12-03 11:28:48	N/A	55dB	N/A	N/A	Day
581	2025-12-03 11:35:23	69.06	55dB	2.7	165%	Day
582	2025-12-03 11:37:08	70.17	55dB	2.9	186%	Day
583	2025-12-03 11:39:05	71.16	55dB	3.1	207%	Day
584	2025-12-03 11:40:48	70.27	55dB	2.9	188%	Day
585	2025-12-03 11:42:43	66.91	55dB	2.3	128%	Day
586	2025-12-03 11:44:22	N/A	55dB	N/A	N/A	Day
587	2025-12-03 11:47:19	69.24	55dB	2.7	168%	Day
588	2025-12-03 11:48:52	68.81	55dB	2.6	160%	Day
589	2025-12-03 11:50:26	74.45	55dB	3.9	285%	Day
590	2025-12-03 11:52:39	70.23	55dB	2.9	187%	Day
591	2025-12-03 11:54:14	68.14	55dB	2.5	149%	Day
592	2025-12-03 11:55:54	75.96	55dB	4.3	328%	Day
593	2025-12-03 11:57:30	79.31	55dB	5.4	439%	Day
594	2025-12-03 11:59:00	72.93	55dB	3.5	247%	Day
595	2025-12-03 12:00:52	71.20	55dB	3.1	207%	Day
596	2025-12-03 12:06:32	70.50	55dB	2.9	193%	Day
597	2025-12-03 12:10:36	70.08	55dB	2.8	184%	Day
598	2025-12-03 12:13:06	71.40	55dB	3.1	212%	Day
599	2025-12-03 12:18:21	75.44	55dB	4.1	312%	Day
600	2025-12-03 12:20:22	71.24	55dB	3.1	208%	Day
601	2025-12-03 12:23:55	71.16	55dB	3.1	207%	Day
602	2025-12-03 12:25:34	72.15	55dB	3.3	228%	Day
603	2025-12-03 12:27:01	69.44	55dB	2.7	172%	Day
604	2025-12-03 12:30:23	69.62	55dB	2.8	175%	Day
605	2025-12-03 12:31:59	71.97	55dB	3.2	224%	Day
606	2025-12-03 12:33:17	69.26	55dB	2.7	169%	Day
607	2025-12-03 12:34:51	67.63	55dB	2.4	140%	Day
608	2025-12-03 12:36:49	72.80	55dB	3.4	243%	Day

609	2025-12-03 12:38:25	84.53	55dB	7.7	674%	Day
610	2025-12-03 12:42:34	69.46	55dB	2.7	172%	Day
611	2025-12-03 12:47:16	N/A	55dB	N/A	N/A	Day
612	2025-12-03 12:49:07	70.88	55dB	3.0	201%	Day
613	2025-12-03 12:50:48	70.53	55dB	2.9	193%	Day
614	2025-12-03 12:52:14	70.72	55dB	3.0	197%	Day
615	2025-12-03 12:55:13	70.71	55dB	3.0	197%	Day
616	2025-12-03 12:57:52	68.51	55dB	2.6	155%	Day
617	2025-12-03 12:59:36	78.64	55dB	5.1	415%	Day
618	2025-12-03 13:01:27	73.65	55dB	3.6	264%	Day
619	2025-12-03 13:03:47	73.62	55dB	3.6	264%	Day
620	2025-12-03 13:05:19	71.65	55dB	3.2	217%	Day
621	2025-12-03 13:07:12	N/A	55dB	N/A	N/A	Day
622	2025-12-03 13:09:19	71.02	55dB	3.0	204%	Day
623	2025-12-03 13:11:18	70.31	55dB	2.9	189%	Day
624	2025-12-03 13:13:40	69.42	55dB	2.7	172%	Day
625	2025-12-03 13:15:21	71.45	55dB	3.1	213%	Day
626	2025-12-03 13:17:03	77.04	55dB	4.6	361%	Day
627	2025-12-03 13:21:09	69.04	55dB	2.6	165%	Day
628	2025-12-03 13:23:48	69.13	55dB	2.7	166%	Day
629	2025-12-03 13:28:11	68.66	55dB	2.6	158%	Day
630	2025-12-03 13:30:02	69.69	55dB	2.8	177%	Day
631	2025-12-03 13:33:03	72.40	55dB	3.3	234%	Day
632	2025-12-03 13:34:38	N/A	55dB	N/A	N/A	Day
633	2025-12-03 13:36:55	N/A	55dB	N/A	N/A	Day
634	2025-12-03 13:40:26	68.07	55dB	2.5	147%	Day
635	2025-12-03 13:42:23	N/A	55dB	N/A	N/A	Day
636	2025-12-03 13:44:16	70.47	55dB	2.9	192%	Day
637	2025-12-03 13:46:27	68.25	55dB	2.5	151%	Day
638	2025-12-03 13:48:02	77.23	55dB	4.7	367%	Day
639	2025-12-03 13:49:37	72.82	55dB	3.4	244%	Day
640	2025-12-03 13:51:44	75.06	55dB	4.0	302%	Day
641	2025-12-03 13:53:20	70.13	55dB	2.9	185%	Day
642	2025-12-03 14:05:54	N/A	55dB	N/A	N/A	Day
643	2025-12-03 14:16:45	72.81	55dB	3.4	244%	Day
644	2025-12-03 14:18:21	75.06	55dB	4.0	302%	Day
645	2025-12-03 14:22:27	N/A	55dB	N/A	N/A	Day
646	2025-12-03 14:24:00	68.61	55dB	2.6	157%	Day
647	2025-12-03 14:25:33	69.58	55dB	2.7	175%	Day
648	2025-12-03 14:29:09	72.60	55dB	3.4	239%	Day
649	2025-12-03 14:31:26	N/A	55dB	N/A	N/A	Day
650	2025-12-03 14:33:05	70.58	55dB	2.9	194%	Day
651	2025-12-03 14:35:35	73.21	55dB	3.5	253%	Day
652	2025-12-03 14:37:53	73.41	55dB	3.6	258%	Day

653	2025-12-03 14:39:16	70.51	55dB	2.9	193%	Day
654	2025-12-03 14:40:45	N/A	55dB	N/A	N/A	Day
655	2025-12-03 14:42:23	73.57	55dB	3.6	262%	Day
656	2025-12-03 14:44:52	70.12	55dB	2.9	185%	Day
657	2025-12-03 14:46:08	69.27	55dB	2.7	169%	Day
658	2025-12-03 14:49:21	74.64	55dB	3.9	290%	Day
659	2025-12-03 14:55:19	69.94	55dB	2.8	182%	Day
660	2025-12-03 14:57:36	70.48	55dB	2.9	192%	Day
661	2025-12-03 14:58:50	81.57	55dB	6.3	531%	Day
662	2025-12-03 15:00:58	N/A	55dB	N/A	N/A	Day
663	2025-12-03 15:02:39	N/A	55dB	N/A	N/A	Day
664	2025-12-03 15:04:38	73.47	55dB	3.6	260%	Day
665	2025-12-03 15:05:59	69.32	55dB	2.7	170%	Day
666	2025-12-03 15:08:13	N/A	55dB	N/A	N/A	Day
667	2025-12-03 15:10:01	74.82	55dB	4.0	295%	Day
668	2025-12-03 15:11:26	69.09	55dB	2.7	166%	Day
669	2025-12-03 15:13:26	N/A	55dB	N/A	N/A	Day
670	2025-12-03 15:15:04	70.22	55dB	2.9	187%	Day
671	2025-12-03 15:16:25	70.37	55dB	2.9	190%	Day
672	2025-12-03 15:17:46	73.49	55dB	3.6	260%	Day
673	2025-12-03 15:19:35	74.25	55dB	3.8	280%	Day
674	2025-12-03 15:21:30	70.58	55dB	2.9	194%	Day
675	2025-12-03 15:22:58	69.41	55dB	2.7	172%	Day
676	2025-12-03 15:24:18	70.10	55dB	2.8	185%	Day
677	2025-12-03 15:25:48	70.09	55dB	2.8	185%	Day
678	2025-12-03 15:27:36	N/A	55dB	N/A	N/A	Day
679	2025-12-03 15:29:01	70.86	55dB	3.0	200%	Day
680	2025-12-03 15:31:53	71.10	55dB	3.1	205%	Day
681	2025-12-03 15:33:21	71.49	55dB	3.1	214%	Day
682	2025-12-03 15:35:06	N/A	55dB	N/A	N/A	Day
683	2025-12-03 15:36:38	68.72	55dB	2.6	159%	Day
684	2025-12-03 15:38:25	74.40	55dB	3.8	284%	Day
685	2025-12-03 15:40:36	N/A	55dB	N/A	N/A	Day
686	2025-12-03 15:42:14	72.68	55dB	3.4	241%	Day
687	2025-12-03 15:44:11	77.90	55dB	4.9	389%	Day
688	2025-12-03 15:46:39	70.67	55dB	3.0	196%	Day
689	2025-12-03 15:49:56	71.78	55dB	3.2	220%	Day
690	2025-12-03 15:51:32	70.05	55dB	2.8	184%	Day
691	2025-12-03 15:53:10	74.14	55dB	3.8	277%	Day
692	2025-12-03 15:55:15	70.12	55dB	2.9	185%	Day
693	2025-12-03 15:58:52	67.60	55dB	2.4	139%	Day
694	2025-12-03 16:00:54	N/A	55dB	N/A	N/A	Day
695	2025-12-03 16:02:13	71.81	55dB	3.2	221%	Day
696	2025-12-03 16:04:23	73.05	55dB	3.5	249%	Day

697	2025-12-03 16:05:49	N/A	55dB	N/A	N/A	Day
698	2025-12-03 16:07:30	73.08	55dB	3.5	250%	Day
699	2025-12-03 16:08:41	70.63	55dB	3.0	195%	Day
700	2025-12-03 16:10:19	72.47	55dB	3.4	236%	Day
701	2025-12-03 16:11:54	70.98	55dB	3.0	203%	Day
702	2025-12-03 16:15:04	N/A	55dB	N/A	N/A	Day
703	2025-12-03 16:18:58	76.72	55dB	4.5	351%	Day
704	2025-12-03 16:22:11	66.90	55dB	2.3	128%	Day
705	2025-12-03 16:23:34	80.48	55dB	5.8	485%	Day
706	2025-12-03 16:26:01	70.82	55dB	3.0	199%	Day
707	2025-12-03 16:31:56	70.26	55dB	2.9	188%	Day
708	2025-12-03 16:33:14	N/A	55dB	N/A	N/A	Day
709	2025-12-03 16:36:34	72.49	55dB	3.4	236%	Day
710	2025-12-03 16:38:31	71.60	55dB	3.2	216%	Day
711	2025-12-03 16:39:58	68.38	55dB	2.5	153%	Day
712	2025-12-03 16:41:25	N/A	55dB	N/A	N/A	Day
713	2025-12-03 16:42:36	69.19	55dB	2.7	167%	Day
714	2025-12-03 16:43:57	70.49	55dB	2.9	193%	Day
715	2025-12-03 16:46:50	N/A	55dB	N/A	N/A	Day
716	2025-12-03 16:48:34	72.48	55dB	3.4	236%	Day
717	2025-12-03 16:50:32	69.88	55dB	2.8	180%	Day
718	2025-12-03 16:51:44	N/A	55dB	N/A	N/A	Day
719	2025-12-03 16:54:30	76.08	55dB	4.3	331%	Day
720	2025-12-03 16:56:05	67.82	55dB	2.4	143%	Day
721	2025-12-03 16:57:40	69.60	55dB	2.8	175%	Day
722	2025-12-03 16:59:03	68.65	55dB	2.6	158%	Day
723	2025-12-03 17:01:32	71.01	55dB	3.0	203%	Day
724	2025-12-03 17:06:34	69.00	55dB	2.6	164%	Day
725	2025-12-03 17:08:39	N/A	55dB	N/A	N/A	Day
726	2025-12-03 17:10:44	73.51	55dB	3.6	261%	Day
727	2025-12-03 17:17:04	N/A	55dB	N/A	N/A	Day
728	2025-12-03 17:18:22	N/A	55dB	N/A	N/A	Day
729	2025-12-03 17:19:56	71.13	55dB	3.1	206%	Day
730	2025-12-03 17:21:06	N/A	55dB	N/A	N/A	Day
731	2025-12-03 17:22:31	71.11	55dB	3.1	205%	Day
732	2025-12-03 17:24:07	69.12	55dB	2.7	166%	Day
733	2025-12-03 17:28:22	70.68	55dB	3.0	196%	Day
734	2025-12-03 17:29:32	68.66	55dB	2.6	158%	Day
735	2025-12-03 17:31:10	70.34	55dB	2.9	190%	Day
736	2025-12-03 17:32:38	N/A	55dB	N/A	N/A	Day
737	2025-12-03 17:33:58	70.49	55dB	2.9	193%	Day
738	2025-12-03 17:35:13	68.39	55dB	2.5	153%	Day
739	2025-12-03 17:36:46	N/A	55dB	N/A	N/A	Day
740	2025-12-03 17:38:14	70.59	55dB	2.9	195%	Day

741	2025-12-03 17:39:24	70.50	55dB	2.9	193%	Day
742	2025-12-03 17:41:34	N/A	55dB	N/A	N/A	Day
743	2025-12-03 17:43:02	N/A	55dB	N/A	N/A	Day
744	2025-12-03 17:44:31	74.40	55dB	3.8	284%	Day
745	2025-12-03 17:46:20	73.06	55dB	3.5	250%	Day
746	2025-12-03 17:49:22	67.78	55dB	2.4	143%	Day
747	2025-12-03 17:52:12	N/A	55dB	N/A	N/A	Day
748	2025-12-03 17:57:17	76.14	55dB	4.3	333%	Day
749	2025-12-03 18:00:33	72.30	55dB	3.3	232%	Day
750	2025-12-03 18:01:57	68.17	55dB	2.5	149%	Day
751	2025-12-03 18:04:17	75.08	55dB	4.0	302%	Day
752	2025-12-03 18:06:50	69.28	55dB	2.7	169%	Day
753	2025-12-03 18:08:38	75.58	55dB	4.2	316%	Day
754	2025-12-03 18:11:36	68.59	55dB	2.6	157%	Day
755	2025-12-03 18:13:13	70.21	55dB	2.9	187%	Day
756	2025-12-03 18:14:34	N/A	55dB	N/A	N/A	Day
757	2025-12-03 18:16:25	69.57	55dB	2.7	175%	Day
758	2025-12-03 18:18:32	70.10	55dB	2.8	185%	Day
759	2025-12-03 18:20:02	N/A	55dB	N/A	N/A	Day
760	2025-12-03 18:21:41	68.09	55dB	2.5	148%	Day
761	2025-12-03 18:23:04	N/A	55dB	N/A	N/A	Day
762	2025-12-03 18:24:24	72.47	55dB	3.4	236%	Day
763	2025-12-03 18:25:45	72.40	55dB	3.3	234%	Day
764	2025-12-03 18:27:42	72.15	55dB	3.3	228%	Day
765	2025-12-03 18:28:58	68.67	55dB	2.6	158%	Day
766	2025-12-03 18:34:06	73.61	55dB	3.6	263%	Day
767	2025-12-03 18:36:47	72.29	55dB	3.3	231%	Day
768	2025-12-03 18:39:18	72.02	55dB	3.3	225%	Day
769	2025-12-03 18:41:41	75.95	55dB	4.3	327%	Day
770	2025-12-03 18:44:31	73.43	55dB	3.6	259%	Day
771	2025-12-03 18:47:13	72.38	55dB	3.3	234%	Day
772	2025-12-03 18:49:58	73.47	55dB	3.6	260%	Day
773	2025-12-03 18:52:40	75.77	55dB	4.2	322%	Day
774	2025-12-03 18:55:28	74.48	55dB	3.9	286%	Day
775	2025-12-03 18:58:06	80.44	55dB	5.8	483%	Day
776	2025-12-03 19:01:09	71.42	55dB	3.1	212%	Day
777	2025-12-03 19:04:33	73.36	55dB	3.6	257%	Day
778	2025-12-03 19:10:12	74.10	55dB	3.8	276%	Day
779	2025-12-03 19:12:35	76.94	55dB	4.6	358%	Day
780	2025-12-03 19:15:24	N/A	55dB	N/A	N/A	Day
781	2025-12-03 19:18:15	72.77	55dB	3.4	243%	Day
782	2025-12-03 19:20:58	81.31	55dB	6.2	519%	Day
783	2025-12-03 19:23:27	69.67	55dB	2.8	176%	Day
784	2025-12-03 19:26:44	78.61	55dB	5.1	414%	Day

785	2025-12-03 19:29:56	74.22	55dB	3.8	279%	Day
786	2025-12-03 19:32:21	75.27	55dB	4.1	308%	Day
787	2025-12-03 19:35:25	71.40	55dB	3.1	212%	Day
788	2025-12-03 19:41:21	72.49	55dB	3.4	236%	Day
789	2025-12-03 19:44:10	72.66	55dB	3.4	240%	Day
790	2025-12-03 19:46:28	75.73	55dB	4.2	321%	Day
791	2025-12-03 19:49:32	82.35	55dB	6.7	566%	Day
792	2025-12-03 19:52:10	74.06	55dB	3.7	275%	Day
793	2025-12-03 19:54:39	68.52	55dB	2.6	155%	Day
794	2025-12-03 19:57:34	74.09	55dB	3.8	276%	Day
795	2025-12-03 20:02:20	71.22	55dB	3.1	208%	Day
796	2025-12-03 20:06:55	73.32	55dB	3.6	256%	Day
797	2025-12-03 20:09:58	73.35	55dB	3.6	257%	Day
798	2025-12-03 20:12:40	73.27	55dB	3.5	255%	Day
799	2025-12-03 20:15:26	73.36	55dB	3.6	257%	Day
800	2025-12-03 20:18:12	78.11	55dB	5.0	396%	Day
801	2025-12-03 20:24:02	73.78	55dB	3.7	268%	Day
802	2025-12-03 20:26:43	71.08	55dB	3.0	205%	Day
803	2025-12-03 20:30:32	70.30	55dB	2.9	189%	Day
804	2025-12-03 20:32:24	70.00	55dB	2.8	183%	Day
805	2025-12-03 20:34:02	73.27	55dB	3.5	255%	Day
806	2025-12-03 20:36:03	69.04	55dB	2.6	165%	Day
807	2025-12-03 20:38:48	71.35	55dB	3.1	211%	Day
808	2025-12-03 20:40:22	70.95	55dB	3.0	202%	Day
809	2025-12-03 20:41:51	71.48	55dB	3.1	213%	Day
810	2025-12-03 20:44:01	N/A	55dB	N/A	N/A	Day
811	2025-12-03 20:45:42	71.06	55dB	3.0	204%	Day
812	2025-12-03 20:46:57	N/A	55dB	N/A	N/A	Day
813	2025-12-03 20:49:16	67.47	55dB	2.4	137%	Day
814	2025-12-03 20:50:51	74.22	55dB	3.8	279%	Day
815	2025-12-03 20:53:06	70.78	55dB	3.0	199%	Day
816	2025-12-03 20:54:46	68.44	55dB	2.5	154%	Day
817	2025-12-03 20:56:27	71.36	55dB	3.1	211%	Day
818	2025-12-03 20:58:38	67.44	55dB	2.4	137%	Day
819	2025-12-03 21:00:20	69.47	55dB	2.7	173%	Day
820	2025-12-03 21:02:04	69.39	55dB	2.7	171%	Day
821	2025-12-03 21:03:42	70.01	55dB	2.8	183%	Day
822	2025-12-03 21:05:47	66.87	55dB	2.3	128%	Day
823	2025-12-03 21:07:26	74.54	55dB	3.9	287%	Day
824	2025-12-03 21:09:40	68.23	55dB	2.5	150%	Day
825	2025-12-03 21:12:19	72.49	55dB	3.4	236%	Day
826	2025-12-03 21:15:33	71.46	55dB	3.1	213%	Day
827	2025-12-03 21:17:05	72.67	55dB	3.4	240%	Day
828	2025-12-03 21:18:39	68.76	55dB	2.6	160%	Day

829	2025-12-03 21:21:03	69.53	55dB	2.7	174%	Day
830	2025-12-03 21:22:39	N/A	55dB	N/A	N/A	Day
831	2025-12-03 21:28:37	69.81	55dB	2.8	179%	Day
832	2025-12-03 21:30:49	N/A	55dB	N/A	N/A	Day
833	2025-12-03 21:32:22	67.20	55dB	2.3	133%	Day
834	2025-12-03 21:34:09	72.84	55dB	3.4	244%	Day
835	2025-12-03 21:35:42	N/A	55dB	N/A	N/A	Day
836	2025-12-03 22:42:20	72.51	55dB	3.4	237%	Day
837	2025-12-03 22:47:31	72.48	55dB	3.4	236%	Day
838	2025-12-03 22:55:26	71.42	55dB	3.1	212%	Day
839	2025-12-03 22:58:44	75.40	55dB	4.1	311%	Day
840	2025-12-03 23:01:57	74.35	45dB	7.6	665%	Night
841	2025-12-03 23:06:32	73.78	45dB	7.4	635%	Night
842	2025-12-03 23:09:34	72.12	45dB	6.6	555%	Night
843	2025-12-03 23:15:43	75.03	45dB	8.0	702%	Night
844	2025-12-04 00:35:38	72.89	45dB	6.9	591%	Night
845	2025-12-04 14:12:23	79.19	55dB	5.3	435%	Day
846	2025-12-04 17:06:09	N/A	55dB	N/A	N/A	Day
847	2025-12-04 17:08:19	N/A	55dB	N/A	N/A	Day
848	2025-12-04 17:09:42	N/A	55dB	N/A	N/A	Day
849	2025-12-04 17:11:17	N/A	55dB	N/A	N/A	Day
850	2025-12-04 17:12:46	66.82	55dB	2.3	127%	Day
851	2025-12-04 17:14:07	N/A	55dB	N/A	N/A	Day
852	2025-12-04 17:15:19	N/A	55dB	N/A	N/A	Day
853	2025-12-04 17:16:41	N/A	55dB	N/A	N/A	Day
854	2025-12-04 17:18:05	N/A	55dB	N/A	N/A	Day
855	2025-12-04 17:20:04	N/A	55dB	N/A	N/A	Day
856	2025-12-04 17:22:32	N/A	55dB	N/A	N/A	Day
857	2025-12-04 17:24:47	N/A	55dB	N/A	N/A	Day
858	2025-12-04 17:26:30	N/A	55dB	N/A	N/A	Day
859	2025-12-04 17:28:01	66.14	55dB	2.2	116%	Day
860	2025-12-04 17:33:57	N/A	55dB	N/A	N/A	Day
861	2025-12-04 17:35:49	N/A	55dB	N/A	N/A	Day
862	2025-12-04 17:39:24	76.79	55dB	4.5	353%	Day
863	2025-12-04 17:42:02	N/A	55dB	N/A	N/A	Day
864	2025-12-04 17:46:58	71.16	55dB	3.1	207%	Day
865	2025-12-04 17:49:13	72.48	55dB	3.4	236%	Day
866	2025-12-04 17:53:05	N/A	55dB	N/A	N/A	Day
867	2025-12-04 17:54:22	N/A	55dB	N/A	N/A	Day
868	2025-12-04 17:55:56	N/A	55dB	N/A	N/A	Day
869	2025-12-04 17:58:49	74.74	55dB	3.9	293%	Day
870	2025-12-04 18:01:19	N/A	55dB	N/A	N/A	Day
871	2025-12-04 18:03:58	N/A	55dB	N/A	N/A	Day
872	2025-12-04 18:05:19	N/A	55dB	N/A	N/A	Day

873	2025-12-04 18:06:28	N/A	55dB	N/A	N/A	Day
874	2025-12-04 18:10:43	N/A	55dB	N/A	N/A	Day
875	2025-12-04 18:13:55	67.10	55dB	2.3	131%	Day
876	2025-12-04 18:16:48	73.12	55dB	3.5	251%	Day
877	2025-12-04 18:19:02	N/A	55dB	N/A	N/A	Day
878	2025-12-04 18:20:34	79.59	55dB	5.5	450%	Day
879	2025-12-04 18:21:57	N/A	55dB	N/A	N/A	Day
880	2025-12-04 18:24:44	66.66	55dB	2.2	124%	Day
881	2025-12-04 18:25:55	65.97	55dB	2.1	114%	Day
882	2025-12-04 18:27:20	66.16	55dB	2.2	117%	Day
883	2025-12-04 18:28:38	N/A	55dB	N/A	N/A	Day
884	2025-12-04 18:30:18	N/A	55dB	N/A	N/A	Day
885	2025-12-04 18:31:30	N/A	55dB	N/A	N/A	Day
886	2025-12-04 18:32:44	68.70	55dB	2.6	158%	Day
887	2025-12-04 18:34:12	72.70	55dB	3.4	241%	Day
888	2025-12-04 18:36:18	N/A	55dB	N/A	N/A	Day
889	2025-12-04 18:39:10	70.99	55dB	3.0	203%	Day
890	2025-12-04 18:40:30	75.81	55dB	4.2	323%	Day
891	2025-12-04 18:41:54	70.61	55dB	3.0	195%	Day
892	2025-12-04 18:43:05	N/A	55dB	N/A	N/A	Day
893	2025-12-04 18:44:37	N/A	55dB	N/A	N/A	Day
894	2025-12-04 18:46:05	66.11	55dB	2.2	116%	Day
895	2025-12-04 18:47:09	N/A	55dB	N/A	N/A	Day
896	2025-12-04 18:49:03	67.69	55dB	2.4	141%	Day
897	2025-12-04 18:50:50	N/A	55dB	N/A	N/A	Day
898	2025-12-04 18:52:25	75.95	55dB	4.3	327%	Day
899	2025-12-04 18:54:03	68.11	55dB	2.5	148%	Day
900	2025-12-04 18:55:41	N/A	55dB	N/A	N/A	Day
901	2025-12-04 18:57:39	69.86	55dB	2.8	180%	Day
902	2025-12-04 18:59:34	N/A	55dB	N/A	N/A	Day
903	2025-12-04 19:01:50	N/A	55dB	N/A	N/A	Day
904	2025-12-04 19:03:31	N/A	55dB	N/A	N/A	Day
905	2025-12-04 19:04:46	73.27	55dB	3.5	255%	Day
906	2025-12-04 19:05:58	N/A	55dB	N/A	N/A	Day
907	2025-12-04 19:07:26	N/A	55dB	N/A	N/A	Day
908	2025-12-04 19:08:50	68.29	55dB	2.5	151%	Day
909	2025-12-04 19:10:15	66.85	55dB	2.3	127%	Day
910	2025-12-04 19:11:50	69.15	55dB	2.7	167%	Day
911	2025-12-04 19:16:45	N/A	55dB	N/A	N/A	Day
912	2025-12-04 19:18:45	N/A	55dB	N/A	N/A	Day
913	2025-12-04 19:20:20	67.04	55dB	2.3	130%	Day
914	2025-12-04 19:21:34	N/A	55dB	N/A	N/A	Day
915	2025-12-04 19:23:01	67.69	55dB	2.4	141%	Day
916	2025-12-04 19:24:27	N/A	55dB	N/A	N/A	Day

917	2025-12-04 19:32:09	N/A	55dB	N/A	N/A	Day
918	2025-12-04 19:36:35	71.91	55dB	3.2	223%	Day
919	2025-12-04 19:39:55	70.95	55dB	3.0	202%	Day
920	2025-12-04 19:42:22	N/A	55dB	N/A	N/A	Day
921	2025-12-04 19:44:21	67.11	55dB	2.3	131%	Day
922	2025-12-04 19:45:51	74.99	55dB	4.0	300%	Day
923	2025-12-04 19:47:30	N/A	55dB	N/A	N/A	Day
924	2025-12-04 19:49:15	69.56	55dB	2.7	174%	Day
925	2025-12-04 19:50:45	N/A	55dB	N/A	N/A	Day
926	2025-12-04 19:53:53	N/A	55dB	N/A	N/A	Day
927	2025-12-04 19:55:46	N/A	55dB	N/A	N/A	Day
928	2025-12-04 19:56:58	N/A	55dB	N/A	N/A	Day
929	2025-12-04 19:58:35	N/A	55dB	N/A	N/A	Day
930	2025-12-04 20:00:49	N/A	55dB	N/A	N/A	Day
931	2025-12-04 20:02:28	N/A	55dB	N/A	N/A	Day
932	2025-12-04 20:03:45	N/A	55dB	N/A	N/A	Day
933	2025-12-04 20:04:58	67.93	55dB	2.5	145%	Day
934	2025-12-04 20:06:20	N/A	55dB	N/A	N/A	Day
935	2025-12-04 20:08:07	68.48	55dB	2.5	155%	Day
936	2025-12-04 20:09:46	66.93	55dB	2.3	129%	Day
937	2025-12-04 20:12:02	N/A	55dB	N/A	N/A	Day
938	2025-12-04 20:13:32	N/A	55dB	N/A	N/A	Day
939	2025-12-04 20:14:48	68.22	55dB	2.5	150%	Day
940	2025-12-04 20:17:01	N/A	55dB	N/A	N/A	Day
941	2025-12-04 20:18:41	67.19	55dB	2.3	133%	Day
942	2025-12-04 20:20:46	N/A	55dB	N/A	N/A	Day
943	2025-12-04 20:22:11	67.93	55dB	2.5	145%	Day
944	2025-12-04 20:24:33	N/A	55dB	N/A	N/A	Day
945	2025-12-04 20:26:03	72.21	55dB	3.3	230%	Day
946	2025-12-04 20:27:26	N/A	55dB	N/A	N/A	Day
947	2025-12-04 20:29:00	N/A	55dB	N/A	N/A	Day
948	2025-12-04 20:30:14	N/A	55dB	N/A	N/A	Day
949	2025-12-04 20:31:33	66.63	55dB	2.2	124%	Day
950	2025-12-04 20:32:46	N/A	55dB	N/A	N/A	Day
951	2025-12-04 20:34:13	N/A	55dB	N/A	N/A	Day
952	2025-12-04 20:35:43	67.98	55dB	2.5	146%	Day
953	2025-12-04 20:37:43	N/A	55dB	N/A	N/A	Day
954	2025-12-04 20:42:12	67.53	55dB	2.4	138%	Day
955	2025-12-04 20:43:35	N/A	55dB	N/A	N/A	Day
956	2025-12-04 20:45:04	N/A	55dB	N/A	N/A	Day
957	2025-12-04 20:46:47	N/A	55dB	N/A	N/A	Day
958	2025-12-04 20:48:30	N/A	55dB	N/A	N/A	Day
959	2025-12-04 20:49:44	69.23	55dB	2.7	168%	Day
960	2025-12-04 20:51:00	N/A	55dB	N/A	N/A	Day

961	2025-12-04 20:52:21	70.52	55dB	2.9	193%	Day
962	2025-12-04 20:54:25	N/A	55dB	N/A	N/A	Day
963	2025-12-04 20:57:21	69.75	55dB	2.8	178%	Day
964	2025-12-04 21:00:26	N/A	55dB	N/A	N/A	Day
965	2025-12-04 21:02:02	N/A	55dB	N/A	N/A	Day
966	2025-12-04 21:03:26	N/A	55dB	N/A	N/A	Day
967	2025-12-04 21:04:55	N/A	55dB	N/A	N/A	Day
968	2025-12-04 21:07:36	N/A	55dB	N/A	N/A	Day
969	2025-12-04 21:09:19	65.90	55dB	2.1	113%	Day
970	2025-12-04 21:11:56	70.35	55dB	2.9	190%	Day
971	2025-12-04 21:14:13	N/A	55dB	N/A	N/A	Day
972	2025-12-04 21:15:42	N/A	55dB	N/A	N/A	Day
973	2025-12-04 21:17:21	68.49	55dB	2.5	155%	Day
974	2025-12-04 21:18:57	69.27	55dB	2.7	169%	Day
975	2025-12-04 21:22:01	N/A	55dB	N/A	N/A	Day
976	2025-12-04 21:23:19	N/A	55dB	N/A	N/A	Day
977	2025-12-04 21:24:55	N/A	55dB	N/A	N/A	Day
978	2025-12-04 21:26:24	N/A	55dB	N/A	N/A	Day
979	2025-12-04 21:30:43	N/A	55dB	N/A	N/A	Day
980	2025-12-04 21:32:36	66.27	55dB	2.2	118%	Day
981	2025-12-04 21:35:25	68.22	55dB	2.5	150%	Day
982	2025-12-04 21:36:53	N/A	55dB	N/A	N/A	Day
983	2025-12-04 21:38:18	N/A	55dB	N/A	N/A	Day
984	2025-12-04 21:39:57	N/A	55dB	N/A	N/A	Day
985	2025-12-04 21:41:45	N/A	55dB	N/A	N/A	Day
986	2025-12-04 21:44:51	N/A	55dB	N/A	N/A	Day
987	2025-12-04 21:46:42	N/A	55dB	N/A	N/A	Day
988	2025-12-04 21:48:07	69.57	55dB	2.7	175%	Day
989	2025-12-04 21:50:08	72.04	55dB	3.3	226%	Day
990	2025-12-04 21:51:36	N/A	55dB	N/A	N/A	Day
991	2025-12-04 21:54:15	N/A	55dB	N/A	N/A	Day
992	2025-12-04 21:56:08	67.39	55dB	2.4	136%	Day
993	2025-12-04 21:58:57	67.28	55dB	2.3	134%	Day
994	2025-12-04 22:00:49	66.90	55dB	2.3	128%	Day
995	2025-12-04 22:02:36	N/A	55dB	N/A	N/A	Day
996	2025-12-04 22:04:12	65.96	55dB	2.1	114%	Day
997	2025-12-04 22:06:05	N/A	55dB	N/A	N/A	Day
998	2025-12-04 22:08:50	N/A	55dB	N/A	N/A	Day
999	2025-12-04 22:12:52	69.25	55dB	2.7	169%	Day
1000	2025-12-04 22:15:18	N/A	55dB	N/A	N/A	Day
1001	2025-12-04 22:17:38	N/A	55dB	N/A	N/A	Day
1002	2025-12-04 22:21:30	N/A	55dB	N/A	N/A	Day
1003	2025-12-04 22:23:36	N/A	55dB	N/A	N/A	Day
1004	2025-12-04 22:25:00	N/A	55dB	N/A	N/A	Day

1005	2025-12-04 22:26:26	N/A	55dB	N/A	N/A	Day
1006	2025-12-04 22:28:01	66.54	55dB	2.2	123%	Day
1007	2025-12-04 22:36:05	N/A	55dB	N/A	N/A	Day
1008	2025-12-04 22:38:21	67.53	55dB	2.4	138%	Day
1009	2025-12-04 22:39:50	66.33	55dB	2.2	119%	Day
1010	2025-12-04 22:41:05	N/A	55dB	N/A	N/A	Day
1011	2025-12-04 22:42:47	N/A	55dB	N/A	N/A	Day
1012	2025-12-04 22:45:43	N/A	55dB	N/A	N/A	Day
1013	2025-12-04 22:48:32	70.84	55dB	3.0	200%	Day
1014	2025-12-04 22:50:57	N/A	55dB	N/A	N/A	Day
1015	2025-12-04 22:52:18	N/A	55dB	N/A	N/A	Day
1016	2025-12-04 22:53:48	N/A	55dB	N/A	N/A	Day
1017	2025-12-04 22:55:08	68.86	55dB	2.6	161%	Day
1018	2025-12-04 22:57:35	65.77	55dB	2.1	111%	Day
1019	2025-12-04 23:02:18	68.15	45dB	5.0	398%	Night
1020	2025-12-04 23:03:31	65.96	45dB	4.3	328%	Night
1021	2025-12-04 23:08:45	N/A	45dB	N/A	N/A	Night
1022	2025-12-04 23:10:45	N/A	45dB	N/A	N/A	Night
1023	2025-12-04 23:14:27	66.57	45dB	4.5	346%	Night
1024	2025-12-04 23:20:42	N/A	45dB	N/A	N/A	Night
1025	2025-12-04 23:22:35	N/A	45dB	N/A	N/A	Night
1026	2025-12-04 23:27:45	N/A	45dB	N/A	N/A	Night
1027	2025-12-04 23:31:23	N/A	45dB	N/A	N/A	Night
1028	2025-12-04 23:33:12	N/A	45dB	N/A	N/A	Night
1029	2025-12-04 23:34:58	66.26	45dB	4.4	337%	Night
1030	2025-12-04 23:36:26	N/A	45dB	N/A	N/A	Night
1031	2025-12-04 23:37:46	67.51	45dB	4.8	376%	Night
1032	2025-12-04 23:39:21	N/A	45dB	N/A	N/A	Night
1033	2025-12-04 23:48:49	N/A	45dB	N/A	N/A	Night
1034	2025-12-04 23:50:26	N/A	45dB	N/A	N/A	Night
1035	2025-12-04 23:52:06	N/A	45dB	N/A	N/A	Night
1036	2025-12-04 23:55:07	68.06	45dB	4.9	395%	Night
1037	2025-12-04 23:56:46	69.79	45dB	5.6	458%	Night
1038	2025-12-04 23:59:10	N/A	45dB	N/A	N/A	Night
1039	2025-12-05 00:01:20	63.94	45dB	3.7	272%	Night
1040	2025-12-05 00:03:15	64.77	45dB	3.9	294%	Night
1041	2025-12-05 00:05:36	67.63	45dB	4.8	380%	Night
1042	2025-12-05 00:09:22	62.52	45dB	3.4	237%	Night
1043	2025-12-05 00:17:07	66.40	45dB	4.4	341%	Night
1044	2025-12-05 00:21:13	74.89	45dB	7.9	694%	Night
1045	2025-12-05 00:25:45	66.80	45dB	4.5	353%	Night
1046	2025-12-05 00:27:50	68.96	45dB	5.3	426%	Night
1047	2025-12-05 00:30:02	68.08	45dB	5.0	395%	Night
1048	2025-12-05 06:30:20	72.97	45dB	6.9	595%	Night

1049	2025-12-05 06:32:07	70.98	45dB	6.1	505%	Night
1050	2025-12-05 06:33:26	69.95	45dB	5.6	464%	Night
1051	2025-12-05 06:35:07	72.30	45dB	6.6	563%	Night
1052	2025-12-05 06:37:23	67.22	45dB	4.7	367%	Night
1053	2025-12-05 06:38:32	69.83	45dB	5.6	459%	Night
1054	2025-12-05 06:40:00	68.50	45dB	5.1	410%	Night
1055	2025-12-05 06:41:36	69.84	45dB	5.6	459%	Night
1056	2025-12-05 06:43:14	70.55	45dB	5.9	488%	Night
1057	2025-12-05 06:44:51	66.44	45dB	4.4	342%	Night
1058	2025-12-05 06:46:13	71.06	45dB	6.1	509%	Night
1059	2025-12-05 06:47:51	70.15	45dB	5.7	472%	Night
1060	2025-12-05 06:50:53	70.41	45dB	5.8	482%	Night
1061	2025-12-05 06:52:26	69.99	45dB	5.7	465%	Night
1062	2025-12-05 06:53:34	68.34	45dB	5.0	404%	Night
1063	2025-12-05 06:54:54	68.94	45dB	5.3	426%	Night
1064	2025-12-05 06:56:37	80.96	45dB	12.1	1109%	Night
1065	2025-12-05 06:58:37	69.40	45dB	5.4	443%	Night
1066	2025-12-05 07:00:03	70.25	55dB	2.9	188%	Day
1067	2025-12-05 07:01:43	N/A	55dB	N/A	N/A	Day
1068	2025-12-05 07:04:17	67.56	55dB	2.4	139%	Day
1069	2025-12-05 07:05:45	70.13	55dB	2.9	185%	Day
1070	2025-12-05 07:07:16	70.78	55dB	3.0	199%	Day
1071	2025-12-05 07:08:53	70.65	55dB	3.0	196%	Day
1072	2025-12-05 07:11:06	68.68	55dB	2.6	158%	Day
1073	2025-12-05 07:13:41	71.80	55dB	3.2	220%	Day
1074	2025-12-05 07:16:36	69.73	55dB	2.8	178%	Day
1075	2025-12-05 07:19:18	69.25	55dB	2.7	169%	Day
1076	2025-12-05 07:27:18	N/A	55dB	N/A	N/A	Day
1077	2025-12-05 07:29:57	68.01	55dB	2.5	146%	Day
1078	2025-12-05 07:31:20	67.81	55dB	2.4	143%	Day
1079	2025-12-05 07:33:02	70.98	55dB	3.0	203%	Day
1080	2025-12-05 07:45:52	N/A	55dB	N/A	N/A	Day
1081	2025-12-05 08:02:16	79.51	55dB	5.5	447%	Day
1082	2025-12-05 08:04:22	75.67	55dB	4.2	319%	Day
1083	2025-12-05 08:11:05	71.06	55dB	3.0	204%	Day
1084	2025-12-05 08:14:32	68.36	55dB	2.5	152%	Day
1085	2025-12-05 08:18:02	72.08	55dB	3.3	227%	Day
1086	2025-12-05 08:20:28	70.26	55dB	2.9	188%	Day
1087	2025-12-05 08:22:03	69.71	55dB	2.8	177%	Day
1088	2025-12-05 08:23:29	70.11	55dB	2.9	185%	Day
1089	2025-12-05 08:26:35	N/A	55dB	N/A	N/A	Day
1090	2025-12-05 08:36:16	69.16	55dB	2.7	167%	Day
1091	2025-12-05 08:38:35	71.73	55dB	3.2	219%	Day
1092	2025-12-05 08:40:56	73.48	55dB	3.6	260%	Day

1093	2025-12-05 08:52:23	70.09	55dB	2.8	185%	Day
1094	2025-12-05 08:54:07	N/A	55dB	N/A	N/A	Day
1095	2025-12-05 08:56:05	68.81	55dB	2.6	160%	Day
1096	2025-12-05 08:59:19	71.99	55dB	3.2	225%	Day
1097	2025-12-05 09:03:57	67.63	55dB	2.4	140%	Day
1098	2025-12-05 09:08:03	69.96	55dB	2.8	182%	Day
1099	2025-12-05 09:13:23	71.07	55dB	3.0	205%	Day
1100	2025-12-05 09:21:50	N/A	55dB	N/A	N/A	Day
1101	2025-12-05 09:25:00	68.01	55dB	2.5	146%	Day
1102	2025-12-05 09:26:31	68.76	55dB	2.6	160%	Day
1103	2025-12-05 09:31:15	N/A	55dB	N/A	N/A	Day
1104	2025-12-05 09:35:00	77.05	55dB	4.6	361%	Day
1105	2025-12-05 09:44:42	N/A	55dB	N/A	N/A	Day
1106	2025-12-05 09:50:37	N/A	55dB	N/A	N/A	Day
1107	2025-12-05 09:53:36	71.39	55dB	3.1	211%	Day
1108	2025-12-05 09:57:48	N/A	55dB	N/A	N/A	Day
1109	2025-12-05 10:08:01	N/A	55dB	N/A	N/A	Day
1110	2025-12-05 10:13:54	69.89	55dB	2.8	181%	Day
1111	2025-12-05 10:15:42	69.68	55dB	2.8	177%	Day
1112	2025-12-05 10:17:11	70.21	55dB	2.9	187%	Day
1113	2025-12-05 10:19:39	68.75	55dB	2.6	159%	Day
1114	2025-12-05 10:24:13	N/A	55dB	N/A	N/A	Day
1115	2025-12-05 10:26:17	68.66	55dB	2.6	158%	Day
1116	2025-12-05 10:31:27	73.13	55dB	3.5	251%	Day
1117	2025-12-05 10:33:19	72.50	55dB	3.4	236%	Day
1118	2025-12-05 10:35:31	N/A	55dB	N/A	N/A	Day
1119	2025-12-05 10:36:55	N/A	55dB	N/A	N/A	Day
1120	2025-12-05 10:38:09	68.14	55dB	2.5	149%	Day
1121	2025-12-05 10:40:45	67.71	55dB	2.4	141%	Day
1122	2025-12-05 10:43:11	N/A	55dB	N/A	N/A	Day
1123	2025-12-05 10:44:38	71.16	55dB	3.1	207%	Day
1124	2025-12-05 10:46:56	70.20	55dB	2.9	187%	Day
1125	2025-12-05 10:49:20	75.52	55dB	4.1	315%	Day
1126	2025-12-05 10:52:17	70.07	55dB	2.8	184%	Day
1127	2025-12-05 10:54:33	70.44	55dB	2.9	192%	Day
1128	2025-12-05 10:55:53	N/A	55dB	N/A	N/A	Day
1129	2025-12-05 10:57:23	71.50	55dB	3.1	214%	Day
1130	2025-12-05 10:58:41	N/A	55dB	N/A	N/A	Day
1131	2025-12-05 11:02:25	68.60	55dB	2.6	157%	Day
1132	2025-12-05 11:05:21	70.37	55dB	2.9	190%	Day
1133	2025-12-05 11:06:45	80.93	55dB	6.0	503%	Day
1134	2025-12-05 11:08:46	N/A	55dB	N/A	N/A	Day
1135	2025-12-05 11:10:21	66.92	55dB	2.3	128%	Day
1136	2025-12-05 11:11:49	N/A	55dB	N/A	N/A	Day

1137	2025-12-05 11:13:18	N/A	55dB	N/A	N/A	Day
1138	2025-12-05 11:14:53	68.12	55dB	2.5	148%	Day
1139	2025-12-05 11:16:20	70.01	55dB	2.8	183%	Day
1140	2025-12-05 11:18:27	67.68	55dB	2.4	141%	Day
1141	2025-12-05 11:20:26	N/A	55dB	N/A	N/A	Day
1142	2025-12-05 11:26:55	67.57	55dB	2.4	139%	Day
1143	2025-12-05 11:28:28	69.89	55dB	2.8	181%	Day
1144	2025-12-05 11:30:01	70.45	55dB	2.9	192%	Day
1145	2025-12-05 11:32:20	69.11	55dB	2.7	166%	Day
1146	2025-12-05 11:33:45	N/A	55dB	N/A	N/A	Day
1147	2025-12-05 11:35:08	68.71	55dB	2.6	159%	Day
1148	2025-12-05 11:36:33	69.73	55dB	2.8	178%	Day
1149	2025-12-05 11:39:02	N/A	55dB	N/A	N/A	Day
1150	2025-12-05 11:40:52	N/A	55dB	N/A	N/A	Day
1151	2025-12-05 11:43:50	N/A	55dB	N/A	N/A	Day
1152	2025-12-05 11:47:16	N/A	55dB	N/A	N/A	Day
1153	2025-12-05 11:49:20	68.82	55dB	2.6	161%	Day
1154	2025-12-05 11:51:44	N/A	55dB	N/A	N/A	Day
1155	2025-12-05 11:59:32	77.30	55dB	4.7	369%	Day
1156	2025-12-05 12:03:24	70.90	55dB	3.0	201%	Day
1157	2025-12-05 12:21:31	69.03	55dB	2.6	164%	Day
1158	2025-12-05 12:26:14	70.39	55dB	2.9	191%	Day
1159	2025-12-05 12:30:41	69.08	55dB	2.7	165%	Day
1160	2025-12-05 12:32:09	68.85	55dB	2.6	161%	Day
1161	2025-12-05 12:34:07	68.18	55dB	2.5	149%	Day
1162	2025-12-05 12:36:50	N/A	55dB	N/A	N/A	Day
1163	2025-12-05 12:39:42	67.91	55dB	2.4	145%	Day
1164	2025-12-05 12:41:05	67.78	55dB	2.4	143%	Day
1165	2025-12-05 12:42:25	70.88	55dB	3.0	201%	Day
1166	2025-12-05 12:43:46	N/A	55dB	N/A	N/A	Day
1167	2025-12-05 12:45:09	81.21	55dB	6.2	515%	Day
1168	2025-12-05 12:49:49	70.49	55dB	2.9	193%	Day
1169	2025-12-05 12:50:57	68.27	55dB	2.5	151%	Day
1170	2025-12-05 12:52:13	70.46	55dB	2.9	192%	Day
1171	2025-12-05 12:54:52	N/A	55dB	N/A	N/A	Day
1172	2025-12-05 12:56:22	N/A	55dB	N/A	N/A	Day
1173	2025-12-05 12:57:36	69.26	55dB	2.7	169%	Day
1174	2025-12-05 12:59:10	N/A	55dB	N/A	N/A	Day
1175	2025-12-05 13:00:37	71.29	55dB	3.1	209%	Day
1176	2025-12-05 13:05:25	74.39	55dB	3.8	283%	Day
1177	2025-12-05 13:06:58	75.90	55dB	4.3	326%	Day
1178	2025-12-05 13:08:47	69.87	55dB	2.8	180%	Day
1179	2025-12-05 13:14:14	N/A	55dB	N/A	N/A	Day
1180	2025-12-05 13:15:49	N/A	55dB	N/A	N/A	Day

1181	2025-12-05 13:17:26	72.22	55dB	3.3	230%	Day
1182	2025-12-05 13:20:08	N/A	55dB	N/A	N/A	Day
1183	2025-12-05 13:21:43	70.04	55dB	2.8	184%	Day
1184	2025-12-05 13:23:40	N/A	55dB	N/A	N/A	Day
1185	2025-12-05 13:27:57	N/A	55dB	N/A	N/A	Day
1186	2025-12-05 13:33:12	N/A	55dB	N/A	N/A	Day
1187	2025-12-05 13:35:05	N/A	55dB	N/A	N/A	Day
1188	2025-12-05 13:37:37	N/A	55dB	N/A	N/A	Day
1189	2025-12-05 13:40:10	73.36	55dB	3.6	257%	Day
1190	2025-12-05 13:42:45	71.58	55dB	3.2	216%	Day
1191	2025-12-05 13:45:17	N/A	55dB	N/A	N/A	Day
1192	2025-12-05 13:48:32	75.12	55dB	4.0	303%	Day
1193	2025-12-05 13:50:45	N/A	55dB	N/A	N/A	Day
1194	2025-12-05 13:53:27	68.70	55dB	2.6	158%	Day
1195	2025-12-05 13:55:17	70.08	55dB	2.8	184%	Day
1196	2025-12-05 13:56:45	68.19	55dB	2.5	149%	Day
1197	2025-12-05 13:58:02	N/A	55dB	N/A	N/A	Day
1198	2025-12-05 14:00:07	69.34	55dB	2.7	170%	Day
1199	2025-12-05 14:04:06	68.70	55dB	2.6	158%	Day
1200	2025-12-05 14:07:54	73.49	55dB	3.6	260%	Day
1201	2025-12-05 14:12:41	72.65	55dB	3.4	240%	Day
1202	2025-12-05 14:15:56	N/A	55dB	N/A	N/A	Day
1203	2025-12-05 14:17:32	N/A	55dB	N/A	N/A	Day
1204	2025-12-05 14:18:54	68.79	55dB	2.6	160%	Day
1205	2025-12-05 14:20:35	72.08	55dB	3.3	227%	Day
1206	2025-12-05 14:22:48	73.33	55dB	3.6	256%	Day
1207	2025-12-05 14:25:48	N/A	55dB	N/A	N/A	Day
1208	2025-12-05 14:27:12	69.92	55dB	2.8	181%	Day
1209	2025-12-05 14:28:26	72.13	55dB	3.3	228%	Day
1210	2025-12-05 14:29:47	N/A	55dB	N/A	N/A	Day
1211	2025-12-05 14:31:02	74.96	55dB	4.0	299%	Day
1212	2025-12-05 14:33:02	71.29	55dB	3.1	209%	Day
1213	2025-12-05 14:34:25	N/A	55dB	N/A	N/A	Day
1214	2025-12-05 14:35:46	69.63	55dB	2.8	176%	Day
1215	2025-12-05 14:37:24	N/A	55dB	N/A	N/A	Day
1216	2025-12-05 14:38:56	69.83	55dB	2.8	180%	Day
1217	2025-12-05 14:42:03	68.68	55dB	2.6	158%	Day
1218	2025-12-05 14:50:55	70.41	55dB	2.9	191%	Day
1219	2025-12-05 14:52:48	74.02	55dB	3.7	274%	Day
1220	2025-12-05 14:55:17	N/A	55dB	N/A	N/A	Day
1221	2025-12-05 14:56:24	69.46	55dB	2.7	172%	Day
1222	2025-12-05 14:57:43	70.68	55dB	3.0	196%	Day
1223	2025-12-05 14:59:07	70.51	55dB	2.9	193%	Day
1224	2025-12-05 15:00:37	72.71	55dB	3.4	241%	Day

1225	2025-12-05 15:01:49	71.13	55dB	3.1	206%	Day
1226	2025-12-05 15:03:10	N/A	55dB	N/A	N/A	Day
1227	2025-12-05 15:04:26	71.20	55dB	3.1	207%	Day
1228	2025-12-05 15:06:02	69.83	55dB	2.8	180%	Day
1229	2025-12-05 15:07:17	N/A	55dB	N/A	N/A	Day
1230	2025-12-05 15:08:31	N/A	55dB	N/A	N/A	Day
1231	2025-12-05 15:09:43	67.06	55dB	2.3	131%	Day
1232	2025-12-05 15:11:26	N/A	55dB	N/A	N/A	Day
1233	2025-12-05 15:12:53	N/A	55dB	N/A	N/A	Day
1234	2025-12-05 15:14:06	N/A	55dB	N/A	N/A	Day
1235	2025-12-05 15:15:31	68.56	55dB	2.6	156%	Day
1236	2025-12-05 15:17:00	72.13	55dB	3.3	228%	Day
1237	2025-12-05 15:19:25	72.21	55dB	3.3	230%	Day
1238	2025-12-05 15:21:40	67.24	55dB	2.3	134%	Day
1239	2025-12-05 15:23:21	67.59	55dB	2.4	139%	Day
1240	2025-12-05 15:25:56	68.80	55dB	2.6	160%	Day
1241	2025-12-05 15:27:21	68.69	55dB	2.6	158%	Day
1242	2025-12-05 15:29:40	75.94	55dB	4.3	327%	Day
1243	2025-12-05 15:32:08	N/A	55dB	N/A	N/A	Day
1244	2025-12-05 15:33:39	71.40	55dB	3.1	212%	Day
1245	2025-12-05 15:35:11	N/A	55dB	N/A	N/A	Day
1246	2025-12-05 15:36:32	67.65	55dB	2.4	140%	Day
1247	2025-12-05 15:37:57	69.87	55dB	2.8	180%	Day
1248	2025-12-05 15:39:57	N/A	55dB	N/A	N/A	Day
1249	2025-12-05 15:41:32	73.12	55dB	3.5	251%	Day
1250	2025-12-05 15:43:24	77.08	55dB	4.6	362%	Day
1251	2025-12-05 15:45:16	71.64	55dB	3.2	217%	Day
1252	2025-12-05 15:46:35	N/A	55dB	N/A	N/A	Day
1253	2025-12-05 15:47:56	N/A	55dB	N/A	N/A	Day
1254	2025-12-05 15:49:28	71.21	55dB	3.1	208%	Day
1255	2025-12-05 15:50:56	N/A	55dB	N/A	N/A	Day
1256	2025-12-05 15:57:02	68.48	55dB	2.5	155%	Day
1257	2025-12-05 16:00:22	67.30	55dB	2.3	135%	Day
1258	2025-12-05 16:02:18	N/A	55dB	N/A	N/A	Day
1259	2025-12-05 16:03:36	67.95	55dB	2.5	145%	Day
1260	2025-12-05 16:05:10	71.98	55dB	3.2	224%	Day
1261	2025-12-05 16:07:55	76.59	55dB	4.5	347%	Day
1262	2025-12-05 16:10:17	N/A	55dB	N/A	N/A	Day
1263	2025-12-05 16:17:47	N/A	55dB	N/A	N/A	Day
1264	2025-12-05 16:22:05	72.39	55dB	3.3	234%	Day
1265	2025-12-05 16:24:51	67.45	55dB	2.4	137%	Day
1266	2025-12-05 16:26:48	71.07	55dB	3.0	205%	Day
1267	2025-12-05 16:29:12	N/A	55dB	N/A	N/A	Day
1268	2025-12-05 16:30:44	69.98	55dB	2.8	182%	Day

1269	2025-12-05 16:31:55	68.86	55dB	2.6	161%	Day
1270	2025-12-05 16:36:53	70.44	55dB	2.9	192%	Day
1271	2025-12-05 16:38:24	71.29	55dB	3.1	209%	Day
1272	2025-12-05 16:40:25	73.03	55dB	3.5	249%	Day
1273	2025-12-05 16:42:11	76.84	55dB	4.5	354%	Day
1274	2025-12-05 16:43:38	69.03	55dB	2.6	164%	Day
1275	2025-12-05 16:45:10	70.81	55dB	3.0	199%	Day
1276	2025-12-05 16:46:19	67.99	55dB	2.5	146%	Day
1277	2025-12-05 16:47:39	73.66	55dB	3.6	265%	Day
1278	2025-12-05 16:49:51	68.95	55dB	2.6	163%	Day
1279	2025-12-05 16:54:26	69.23	55dB	2.7	168%	Day
1280	2025-12-05 16:55:57	70.60	55dB	2.9	195%	Day
1281	2025-12-05 16:57:22	77.09	55dB	4.6	362%	Day
1282	2025-12-05 16:58:38	N/A	55dB	N/A	N/A	Day
1283	2025-12-05 17:00:09	68.47	55dB	2.5	154%	Day
1284	2025-12-05 17:01:32	73.43	55dB	3.6	259%	Day
1285	2025-12-05 17:03:50	N/A	55dB	N/A	N/A	Day
1286	2025-12-05 17:05:13	69.95	55dB	2.8	182%	Day
1287	2025-12-05 17:06:34	68.63	55dB	2.6	157%	Day
1288	2025-12-05 17:13:13	74.71	55dB	3.9	292%	Day
1289	2025-12-05 17:16:42	66.18	55dB	2.2	117%	Day
1290	2025-12-05 17:18:20	75.63	55dB	4.2	318%	Day
1291	2025-12-05 17:21:33	72.39	55dB	3.3	234%	Day
1292	2025-12-05 17:23:40	68.63	55dB	2.6	157%	Day
1293	2025-12-05 17:25:04	N/A	55dB	N/A	N/A	Day
1294	2025-12-05 17:26:30	N/A	55dB	N/A	N/A	Day
1295	2025-12-05 17:28:19	N/A	55dB	N/A	N/A	Day
1296	2025-12-05 17:30:00	67.83	55dB	2.4	143%	Day
1297	2025-12-05 17:31:19	68.96	55dB	2.6	163%	Day
1298	2025-12-05 17:32:45	N/A	55dB	N/A	N/A	Day
1299	2025-12-05 17:34:03	70.89	55dB	3.0	201%	Day
1300	2025-12-05 17:35:19	N/A	55dB	N/A	N/A	Day
1301	2025-12-05 17:36:49	67.24	55dB	2.3	134%	Day
1302	2025-12-05 17:38:16	72.35	55dB	3.3	233%	Day
1303	2025-12-05 17:40:38	N/A	55dB	N/A	N/A	Day
1304	2025-12-05 17:42:12	66.39	55dB	2.2	120%	Day
1305	2025-12-05 17:43:39	N/A	55dB	N/A	N/A	Day
1306	2025-12-05 17:45:06	66.66	55dB	2.2	124%	Day
1307	2025-12-05 17:46:33	N/A	55dB	N/A	N/A	Day
1308	2025-12-05 17:50:56	68.70	55dB	2.6	158%	Day
1309	2025-12-05 17:53:08	N/A	55dB	N/A	N/A	Day
1310	2025-12-05 17:54:30	N/A	55dB	N/A	N/A	Day
1311	2025-12-05 17:55:57	N/A	55dB	N/A	N/A	Day
1312	2025-12-05 17:57:12	75.38	55dB	4.1	311%	Day

1313	2025-12-05 17:58:45	68.44	55dB	2.5	154%	Day
1314	2025-12-05 18:00:35	67.74	55dB	2.4	142%	Day
1315	2025-12-05 18:02:14	73.62	55dB	3.6	264%	Day
1316	2025-12-05 18:06:11	N/A	55dB	N/A	N/A	Day
1317	2025-12-05 18:07:36	67.72	55dB	2.4	141%	Day
1318	2025-12-05 18:10:22	67.67	55dB	2.4	141%	Day
1319	2025-12-05 18:12:13	68.94	55dB	2.6	163%	Day
1320	2025-12-05 18:15:20	71.00	55dB	3.0	203%	Day
1321	2025-12-05 18:17:08	67.25	55dB	2.3	134%	Day
1322	2025-12-05 18:18:47	71.86	55dB	3.2	222%	Day
1323	2025-12-05 18:21:03	66.71	55dB	2.3	125%	Day
1324	2025-12-05 18:22:24	73.23	55dB	3.5	254%	Day
1325	2025-12-05 18:24:47	N/A	55dB	N/A	N/A	Day
1326	2025-12-05 18:25:58	70.48	55dB	2.9	192%	Day
1327	2025-12-05 18:27:24	72.06	55dB	3.3	226%	Day
1328	2025-12-05 18:29:18	73.21	55dB	3.5	253%	Day
1329	2025-12-05 18:31:28	70.84	55dB	3.0	200%	Day
1330	2025-12-05 18:34:23	N/A	55dB	N/A	N/A	Day
1331	2025-12-05 18:36:54	N/A	55dB	N/A	N/A	Day
1332	2025-12-05 18:38:21	71.45	55dB	3.1	213%	Day
1333	2025-12-05 18:39:41	73.38	55dB	3.6	258%	Day
1334	2025-12-05 18:41:18	68.88	55dB	2.6	162%	Day
1335	2025-12-05 18:42:45	N/A	55dB	N/A	N/A	Day
1336	2025-12-05 18:44:17	N/A	55dB	N/A	N/A	Day
1337	2025-12-05 18:45:34	71.56	55dB	3.2	215%	Day
1338	2025-12-05 18:47:02	74.21	55dB	3.8	279%	Day
1339	2025-12-05 18:48:48	71.58	55dB	3.2	216%	Day
1340	2025-12-05 18:51:04	68.66	55dB	2.6	158%	Day
1341	2025-12-05 18:52:35	67.95	55dB	2.5	145%	Day
1342	2025-12-05 18:54:19	68.15	55dB	2.5	149%	Day
1343	2025-12-05 18:55:39	N/A	55dB	N/A	N/A	Day
1344	2025-12-05 18:57:04	66.43	55dB	2.2	121%	Day
1345	2025-12-05 18:58:33	75.91	55dB	4.3	326%	Day
1346	2025-12-05 19:00:07	70.69	55dB	3.0	197%	Day
1347	2025-12-05 19:01:22	N/A	55dB	N/A	N/A	Day
1348	2025-12-05 19:02:56	69.77	55dB	2.8	178%	Day
1349	2025-12-05 19:04:17	72.36	55dB	3.3	233%	Day
1350	2025-12-05 19:07:51	N/A	55dB	N/A	N/A	Day
1351	2025-12-05 19:10:08	N/A	55dB	N/A	N/A	Day
1352	2025-12-05 19:11:23	78.22	55dB	5.0	400%	Day
1353	2025-12-05 19:13:23	70.22	55dB	2.9	187%	Day
1354	2025-12-05 19:14:49	69.93	55dB	2.8	181%	Day
1355	2025-12-05 19:15:58	N/A	55dB	N/A	N/A	Day
1356	2025-12-05 19:17:56	68.67	55dB	2.6	158%	Day

1357	2025-12-05 19:19:57	N/A	55dB	N/A	N/A	Day
1358	2025-12-05 19:22:31	N/A	55dB	N/A	N/A	Day
1359	2025-12-05 19:24:14	68.82	55dB	2.6	161%	Day
1360	2025-12-05 19:25:45	N/A	55dB	N/A	N/A	Day
1361	2025-12-05 19:27:34	69.98	55dB	2.8	182%	Day
1362	2025-12-05 19:29:25	67.19	55dB	2.3	133%	Day
1363	2025-12-05 19:30:59	74.31	55dB	3.8	281%	Day
1364	2025-12-05 19:32:46	70.45	55dB	2.9	192%	Day
1365	2025-12-05 19:34:00	70.25	55dB	2.9	188%	Day
1366	2025-12-05 19:35:22	73.58	55dB	3.6	263%	Day
1367	2025-12-05 19:37:35	67.86	55dB	2.4	144%	Day
1368	2025-12-05 19:39:14	N/A	55dB	N/A	N/A	Day
1369	2025-12-05 19:41:48	N/A	55dB	N/A	N/A	Day
1370	2025-12-05 19:43:39	73.56	55dB	3.6	262%	Day
1371	2025-12-05 19:45:26	70.48	55dB	2.9	192%	Day
1372	2025-12-05 19:47:22	70.77	55dB	3.0	198%	Day
1373	2025-12-05 19:48:36	70.48	55dB	2.9	192%	Day
1374	2025-12-05 19:51:08	69.53	55dB	2.7	174%	Day
1375	2025-12-05 19:53:02	N/A	55dB	N/A	N/A	Day
1376	2025-12-05 19:54:54	71.49	55dB	3.1	214%	Day
1377	2025-12-05 19:56:26	69.13	55dB	2.7	166%	Day
1378	2025-12-05 19:58:38	N/A	55dB	N/A	N/A	Day
1379	2025-12-05 20:03:03	67.82	55dB	2.4	143%	Day
1380	2025-12-05 20:05:17	69.82	55dB	2.8	179%	Day
1381	2025-12-05 20:07:36	70.10	55dB	2.8	185%	Day
1382	2025-12-05 20:09:32	71.65	55dB	3.2	217%	Day
1383	2025-12-05 20:11:24	71.03	55dB	3.0	204%	Day
1384	2025-12-05 20:14:35	68.03	55dB	2.5	147%	Day
1385	2025-12-05 20:16:25	N/A	55dB	N/A	N/A	Day
1386	2025-12-05 20:18:17	70.07	55dB	2.8	184%	Day
1387	2025-12-05 20:19:48	72.64	55dB	3.4	240%	Day
1388	2025-12-05 20:21:55	N/A	55dB	N/A	N/A	Day
1389	2025-12-05 20:23:26	71.18	55dB	3.1	207%	Day
1390	2025-12-05 20:25:00	73.18	55dB	3.5	253%	Day
1391	2025-12-05 20:27:03	65.82	55dB	2.1	112%	Day
1392	2025-12-05 20:28:25	N/A	55dB	N/A	N/A	Day
1393	2025-12-05 20:29:52	N/A	55dB	N/A	N/A	Day
1394	2025-12-05 20:31:18	71.78	55dB	3.2	220%	Day
1395	2025-12-05 20:32:48	73.01	55dB	3.5	248%	Day
1396	2025-12-05 20:34:39	67.59	55dB	2.4	139%	Day
1397	2025-12-05 20:36:17	70.36	55dB	2.9	190%	Day
1398	2025-12-05 20:37:54	N/A	55dB	N/A	N/A	Day
1399	2025-12-05 20:39:28	68.64	55dB	2.6	157%	Day
1400	2025-12-05 20:41:02	69.52	55dB	2.7	174%	Day

1401	2025-12-05 20:42:45	72.18	55dB	3.3	229%	Day
1402	2025-12-05 20:44:52	71.34	55dB	3.1	210%	Day
1403	2025-12-05 20:46:12	69.49	55dB	2.7	173%	Day
1404	2025-12-05 20:48:05	70.33	55dB	2.9	189%	Day
1405	2025-12-05 20:56:32	69.76	55dB	2.8	178%	Day
1406	2025-12-05 20:58:37	71.67	55dB	3.2	218%	Day
1407	2025-12-05 21:03:06	67.50	55dB	2.4	138%	Day
1408	2025-12-05 21:04:50	72.48	55dB	3.4	236%	Day
1409	2025-12-05 21:06:06	66.89	55dB	2.3	128%	Day
1410	2025-12-05 21:07:23	71.23	55dB	3.1	208%	Day
1411	2025-12-05 21:08:47	68.05	55dB	2.5	147%	Day
1412	2025-12-05 21:10:01	N/A	55dB	N/A	N/A	Day
1413	2025-12-05 21:11:25	69.57	55dB	2.7	175%	Day
1414	2025-12-05 21:13:41	70.67	55dB	3.0	196%	Day
1415	2025-12-05 21:17:02	69.65	55dB	2.8	176%	Day
1416	2025-12-05 21:19:37	69.69	55dB	2.8	177%	Day
1417	2025-12-05 21:22:11	74.39	55dB	3.8	283%	Day
1418	2025-12-05 21:24:03	71.73	55dB	3.2	219%	Day
1419	2025-12-05 21:25:28	68.28	55dB	2.5	151%	Day
1420	2025-12-05 21:26:58	70.78	55dB	3.0	199%	Day
1421	2025-12-05 21:28:26	N/A	55dB	N/A	N/A	Day
1422	2025-12-05 21:30:09	N/A	55dB	N/A	N/A	Day
1423	2025-12-05 21:33:00	N/A	55dB	N/A	N/A	Day
1424	2025-12-05 21:34:50	70.66	55dB	3.0	196%	Day
1425	2025-12-05 21:36:42	69.89	55dB	2.8	181%	Day
1426	2025-12-05 21:38:36	69.63	55dB	2.8	176%	Day
1427	2025-12-05 21:40:14	68.36	55dB	2.5	152%	Day
1428	2025-12-05 21:41:44	69.83	55dB	2.8	180%	Day
1429	2025-12-05 21:43:09	69.86	55dB	2.8	180%	Day
1430	2025-12-05 21:44:41	70.72	55dB	3.0	197%	Day
1431	2025-12-05 21:46:24	69.57	55dB	2.7	175%	Day
1432	2025-12-05 21:54:14	70.67	55dB	3.0	196%	Day
1433	2025-12-05 21:55:32	N/A	55dB	N/A	N/A	Day
1434	2025-12-05 21:57:03	69.37	55dB	2.7	171%	Day
1435	2025-12-05 21:58:33	68.32	55dB	2.5	152%	Day
1436	2025-12-05 21:59:55	72.10	55dB	3.3	227%	Day
1437	2025-12-05 22:01:46	N/A	55dB	N/A	N/A	Day
1438	2025-12-05 22:03:00	N/A	55dB	N/A	N/A	Day
1439	2025-12-05 22:04:26	69.04	55dB	2.6	165%	Day
1440	2025-12-05 22:13:03	74.41	55dB	3.8	284%	Day
1441	2025-12-05 22:14:47	71.88	55dB	3.2	222%	Day
1442	2025-12-05 22:19:32	N/A	55dB	N/A	N/A	Day
1443	2025-12-05 22:26:12	73.12	55dB	3.5	251%	Day
1444	2025-12-05 22:28:49	69.70	55dB	2.8	177%	Day

1445	2025-12-05 22:30:23	N/A	55dB	N/A	N/A	Day
1446	2025-12-05 22:32:45	70.97	55dB	3.0	203%	Day
1447	2025-12-05 22:35:01	70.06	55dB	2.8	184%	Day
1448	2025-12-05 22:36:41	N/A	55dB	N/A	N/A	Day
1449	2025-12-05 22:38:43	70.44	55dB	2.9	192%	Day
1450	2025-12-05 22:41:37	73.52	55dB	3.6	261%	Day
1451	2025-12-05 22:50:11	72.37	55dB	3.3	233%	Day
1452	2025-12-05 22:52:35	N/A	55dB	N/A	N/A	Day
1453	2025-12-05 22:54:31	69.78	55dB	2.8	179%	Day
1454	2025-12-05 23:00:08	70.28	45dB	5.8	477%	Night
1455	2025-12-05 23:02:15	72.31	45dB	6.6	564%	Night
1456	2025-12-05 23:04:35	N/A	45dB	N/A	N/A	Night
1457	2025-12-05 23:06:16	69.62	45dB	5.5	451%	Night
1458	2025-12-05 23:10:26	70.21	45dB	5.7	474%	Night
1459	2025-12-05 23:12:07	73.40	45dB	7.2	616%	Night
1460	2025-12-05 23:14:12	69.87	45dB	5.6	461%	Night
1461	2025-12-05 23:16:10	69.27	45dB	5.4	438%	Night
1462	2025-12-05 23:17:54	N/A	45dB	N/A	N/A	Night
1463	2025-12-05 23:21:55	70.29	45dB	5.8	477%	Night
1464	2025-12-05 23:24:58	N/A	45dB	N/A	N/A	Night
1465	2025-12-05 23:27:08	67.78	45dB	4.9	385%	Night
1466	2025-12-05 23:28:30	71.03	45dB	6.1	508%	Night
1467	2025-12-05 23:30:04	68.70	45dB	5.2	417%	Night
1468	2025-12-05 23:31:49	66.83	45dB	4.5	354%	Night
1469	2025-12-05 23:33:44	71.05	45dB	6.1	508%	Night
1470	2025-12-05 23:35:45	72.60	45dB	6.8	577%	Night
1471	2025-12-05 23:37:26	70.30	45dB	5.8	478%	Night
1472	2025-12-05 23:41:11	70.34	45dB	5.8	479%	Night
1473	2025-12-05 23:42:38	N/A	45dB	N/A	N/A	Night
1474	2025-12-05 23:45:07	69.40	45dB	5.4	443%	Night
1475	2025-12-05 23:46:33	73.32	45dB	7.1	612%	Night
1476	2025-12-05 23:48:26	71.60	45dB	6.3	532%	Night
1477	2025-12-05 23:50:00	N/A	45dB	N/A	N/A	Night
1478	2025-12-05 23:52:07	69.65	45dB	5.5	452%	Night
1479	2025-12-05 23:54:08	70.22	45dB	5.7	474%	Night
1480	2025-12-05 23:56:08	72.45	45dB	6.7	570%	Night
1481	2025-12-05 23:58:46	67.76	45dB	4.8	384%	Night
1482	2025-12-06 00:00:50	68.43	45dB	5.1	407%	Night
1483	2025-12-06 00:18:46	68.98	45dB	5.3	427%	Night
1484	2025-12-06 00:21:14	70.41	45dB	5.8	482%	Night
1485	2025-12-06 00:23:23	71.67	45dB	6.4	535%	Night
1486	2025-12-06 06:29:27	71.78	45dB	6.4	540%	Night
1487	2025-12-06 06:30:51	69.90	45dB	5.6	462%	Night
1488	2025-12-06 06:32:19	68.69	45dB	5.2	417%	Night

1489	2025-12-06 06:34:06	70.65	45dB	5.9	492%	Night
1490	2025-12-06 06:35:33	67.93	45dB	4.9	390%	Night
1491	2025-12-06 06:37:04	72.59	45dB	6.8	577%	Night
1492	2025-12-06 06:38:42	79.88	45dB	11.2	1022%	Night
1493	2025-12-06 06:40:15	70.09	45dB	5.7	469%	Night
1494	2025-12-06 06:41:41	72.20	45dB	6.6	559%	Night
1495	2025-12-06 06:43:06	73.03	45dB	7.0	598%	Night
1496	2025-12-06 06:44:28	69.82	45dB	5.6	459%	Night
1497	2025-12-06 06:46:07	74.19	45dB	7.6	656%	Night
1498	2025-12-06 06:48:05	71.48	45dB	6.3	527%	Night
1499	2025-12-06 06:49:38	71.05	45dB	6.1	508%	Night
1500	2025-12-06 06:51:18	69.77	45dB	5.6	457%	Night
1501	2025-12-06 06:52:46	70.60	45dB	5.9	490%	Night
1502	2025-12-06 06:54:24	72.01	45dB	6.5	550%	Night
1503	2025-12-06 06:56:21	68.77	45dB	5.2	419%	Night
1504	2025-12-06 07:01:15	67.04	55dB	2.3	130%	Day
1505	2025-12-06 07:03:06	69.69	55dB	2.8	177%	Day
1506	2025-12-06 07:04:42	69.51	55dB	2.7	173%	Day
1507	2025-12-06 07:19:02	70.82	55dB	3.0	199%	Day
1508	2025-12-06 07:20:34	73.62	55dB	3.6	264%	Day
1509	2025-12-06 07:23:32	72.73	55dB	3.4	242%	Day
1510	2025-12-06 07:28:02	69.26	55dB	2.7	169%	Day
1511	2025-12-06 07:30:04	71.18	55dB	3.1	207%	Day
1512	2025-12-06 07:39:21	69.72	55dB	2.8	177%	Day
1513	2025-12-06 07:46:41	N/A	55dB	N/A	N/A	Day
1514	2025-12-06 07:49:34	N/A	55dB	N/A	N/A	Day
1515	2025-12-06 07:55:55	N/A	55dB	N/A	N/A	Day
1516	2025-12-06 08:07:52	73.39	55dB	3.6	258%	Day
1517	2025-12-06 08:10:09	70.95	55dB	3.0	202%	Day
1518	2025-12-06 08:11:50	70.30	55dB	2.9	189%	Day
1519	2025-12-06 08:14:16	74.42	55dB	3.8	284%	Day
1520	2025-12-06 08:17:07	69.74	55dB	2.8	178%	Day
1521	2025-12-06 08:19:47	69.19	55dB	2.7	167%	Day
1522	2025-12-06 08:24:26	N/A	55dB	N/A	N/A	Day
1523	2025-12-06 08:32:32	72.56	55dB	3.4	238%	Day
1524	2025-12-06 08:35:24	N/A	55dB	N/A	N/A	Day
1525	2025-12-06 08:37:24	72.61	55dB	3.4	239%	Day
1526	2025-12-06 08:40:18	77.59	55dB	4.8	379%	Day
1527	2025-12-06 08:42:20	76.48	55dB	4.4	343%	Day
1528	2025-12-06 08:45:28	69.37	55dB	2.7	171%	Day
1529	2025-12-06 08:52:51	70.68	55dB	3.0	196%	Day
1530	2025-12-06 08:54:44	72.77	55dB	3.4	243%	Day
1531	2025-12-06 09:02:33	73.47	55dB	3.6	260%	Day
1532	2025-12-06 09:21:41	N/A	55dB	N/A	N/A	Day

1533	2025-12-06 09:23:32	68.60	55dB	2.6	157%	Day
1534	2025-12-06 09:25:17	71.94	55dB	3.2	224%	Day
1535	2025-12-06 09:29:14	N/A	55dB	N/A	N/A	Day
1536	2025-12-06 09:31:36	68.02	55dB	2.5	147%	Day
1537	2025-12-06 09:33:46	71.93	55dB	3.2	223%	Day
1538	2025-12-06 09:38:44	69.27	55dB	2.7	169%	Day
1539	2025-12-06 09:44:00	79.75	55dB	5.6	456%	Day
1540	2025-12-06 09:52:38	70.82	55dB	3.0	199%	Day
1541	2025-12-06 09:55:11	68.99	55dB	2.6	164%	Day
1542	2025-12-06 09:57:09	72.08	55dB	3.3	227%	Day
1543	2025-12-06 10:03:32	N/A	55dB	N/A	N/A	Day
1544	2025-12-06 10:07:55	71.56	55dB	3.2	215%	Day
1545	2025-12-06 10:12:53	70.97	55dB	3.0	203%	Day
1546	2025-12-06 10:19:54	71.55	55dB	3.1	215%	Day
1547	2025-12-06 10:21:56	74.40	55dB	3.8	284%	Day
1548	2025-12-06 10:24:22	N/A	55dB	N/A	N/A	Day
1549	2025-12-06 10:25:53	67.84	55dB	2.4	144%	Day
1550	2025-12-06 10:30:07	68.08	55dB	2.5	148%	Day
1551	2025-12-06 10:35:12	72.00	55dB	3.2	225%	Day
1552	2025-12-06 10:36:36	69.15	55dB	2.7	167%	Day
1553	2025-12-06 10:38:09	72.93	55dB	3.5	247%	Day
1554	2025-12-06 10:39:32	67.01	55dB	2.3	130%	Day
1555	2025-12-06 10:40:54	70.49	55dB	2.9	193%	Day
1556	2025-12-06 10:42:28	70.42	55dB	2.9	191%	Day
1557	2025-12-06 10:44:03	67.76	55dB	2.4	142%	Day
1558	2025-12-06 10:46:19	70.58	55dB	2.9	194%	Day
1559	2025-12-06 10:48:15	70.28	55dB	2.9	188%	Day
1560	2025-12-06 10:49:49	69.71	55dB	2.8	177%	Day
1561	2025-12-06 10:51:28	73.60	55dB	3.6	263%	Day
1562	2025-12-06 10:53:58	N/A	55dB	N/A	N/A	Day
1563	2025-12-06 10:55:35	69.96	55dB	2.8	182%	Day
1564	2025-12-06 10:57:02	N/A	55dB	N/A	N/A	Day
1565	2025-12-06 10:58:46	69.92	55dB	2.8	181%	Day
1566	2025-12-06 11:00:13	N/A	55dB	N/A	N/A	Day
1567	2025-12-06 11:01:52	71.18	55dB	3.1	207%	Day
1568	2025-12-06 11:03:24	68.21	55dB	2.5	150%	Day
1569	2025-12-06 11:05:03	N/A	55dB	N/A	N/A	Day
1570	2025-12-06 11:06:56	67.48	55dB	2.4	138%	Day
1571	2025-12-06 11:08:34	72.69	55dB	3.4	241%	Day
1572	2025-12-06 11:10:08	N/A	55dB	N/A	N/A	Day
1573	2025-12-06 11:11:31	70.67	55dB	3.0	196%	Day
1574	2025-12-06 11:13:09	69.69	55dB	2.8	177%	Day
1575	2025-12-06 11:14:48	72.67	55dB	3.4	240%	Day
1576	2025-12-06 11:16:23	73.68	55dB	3.7	265%	Day

1577	2025-12-06 11:20:26	N/A	55dB	N/A	N/A	Day
1578	2025-12-06 11:23:45	N/A	55dB	N/A	N/A	Day
1579	2025-12-06 11:26:05	68.24	55dB	2.5	150%	Day
1580	2025-12-06 11:27:36	70.67	55dB	3.0	196%	Day
1581	2025-12-06 11:30:56	74.03	55dB	3.7	274%	Day
1582	2025-12-06 11:33:56	71.04	55dB	3.0	204%	Day
1583	2025-12-06 11:35:41	69.58	55dB	2.7	175%	Day
1584	2025-12-06 11:46:32	72.93	55dB	3.5	247%	Day
1585	2025-12-06 11:50:29	71.41	55dB	3.1	212%	Day
1586	2025-12-06 11:52:03	70.35	55dB	2.9	190%	Day
1587	2025-12-06 11:54:22	68.94	55dB	2.6	163%	Day
1588	2025-12-06 11:55:57	71.40	55dB	3.1	212%	Day
1589	2025-12-06 11:57:28	68.01	55dB	2.5	146%	Day
1590	2025-12-06 11:58:57	69.00	55dB	2.6	164%	Day
1591	2025-12-06 12:02:49	N/A	55dB	N/A	N/A	Day
1592	2025-12-06 12:04:56	71.34	55dB	3.1	210%	Day
1593	2025-12-06 12:06:52	74.41	55dB	3.8	284%	Day
1594	2025-12-06 12:12:29	70.21	55dB	2.9	187%	Day
1595	2025-12-06 12:14:39	70.95	55dB	3.0	202%	Day
1596	2025-12-06 12:16:28	75.03	55dB	4.0	301%	Day
1597	2025-12-06 12:18:51	66.65	55dB	2.2	124%	Day
1598	2025-12-06 12:20:13	68.04	55dB	2.5	147%	Day
1599	2025-12-06 12:21:33	77.41	55dB	4.7	373%	Day
1600	2025-12-06 12:23:58	69.31	55dB	2.7	170%	Day
1601	2025-12-06 12:25:20	70.18	55dB	2.9	186%	Day
1602	2025-12-06 12:26:43	73.22	55dB	3.5	254%	Day
1603	2025-12-06 12:29:09	68.94	55dB	2.6	163%	Day
1604	2025-12-06 12:30:57	68.93	55dB	2.6	163%	Day
1605	2025-12-06 12:32:55	68.25	55dB	2.5	151%	Day
1606	2025-12-06 12:34:26	71.40	55dB	3.1	212%	Day
1607	2025-12-06 12:36:10	70.70	55dB	3.0	197%	Day
1608	2025-12-06 12:37:54	74.99	55dB	4.0	300%	Day
1609	2025-12-06 12:41:31	70.34	55dB	2.9	190%	Day
1610	2025-12-06 12:44:52	68.74	55dB	2.6	159%	Day
1611	2025-12-06 12:50:52	70.61	55dB	3.0	195%	Day
1612	2025-12-06 12:52:38	70.15	55dB	2.9	186%	Day
1613	2025-12-06 12:54:12	70.14	55dB	2.9	186%	Day
1614	2025-12-06 12:55:36	68.91	55dB	2.6	162%	Day
1615	2025-12-06 12:57:40	69.94	55dB	2.8	182%	Day
1616	2025-12-06 12:59:26	72.05	55dB	3.3	226%	Day
1617	2025-12-06 13:09:41	71.39	55dB	3.1	211%	Day
1618	2025-12-06 13:12:31	70.42	55dB	2.9	191%	Day
1619	2025-12-06 13:14:22	70.19	55dB	2.9	187%	Day
1620	2025-12-06 13:16:14	N/A	55dB	N/A	N/A	Day

1621	2025-12-06 13:17:58	74.21	55dB	3.8	279%	Day
1622	2025-12-06 13:19:53	70.88	55dB	3.0	201%	Day
1623	2025-12-06 13:21:12	74.95	55dB	4.0	299%	Day
1624	2025-12-06 13:22:52	71.39	55dB	3.1	211%	Day
1625	2025-12-06 13:30:16	69.95	55dB	2.8	182%	Day
1626	2025-12-06 13:32:46	69.72	55dB	2.8	177%	Day
1627	2025-12-06 13:36:53	68.40	55dB	2.5	153%	Day
1628	2025-12-06 13:39:06	71.79	55dB	3.2	220%	Day
1629	2025-12-06 13:42:50	N/A	55dB	N/A	N/A	Day
1630	2025-12-06 13:44:16	N/A	55dB	N/A	N/A	Day
1631	2025-12-06 13:45:40	69.45	55dB	2.7	172%	Day
1632	2025-12-06 13:46:53	82.63	55dB	6.8	579%	Day
1633	2025-12-06 13:48:39	73.60	55dB	3.6	263%	Day
1634	2025-12-06 13:52:02	N/A	55dB	N/A	N/A	Day
1635	2025-12-06 13:54:02	70.67	55dB	3.0	196%	Day
1636	2025-12-06 13:56:18	69.91	55dB	2.8	181%	Day
1637	2025-12-06 13:58:12	N/A	55dB	N/A	N/A	Day
1638	2025-12-06 14:01:02	67.26	55dB	2.3	134%	Day
1639	2025-12-06 14:02:56	73.24	55dB	3.5	254%	Day
1640	2025-12-06 14:04:46	72.28	55dB	3.3	231%	Day
1641	2025-12-06 14:06:51	66.67	55dB	2.2	125%	Day
1642	2025-12-06 14:08:25	70.39	55dB	2.9	191%	Day
1643	2025-12-06 14:09:53	70.23	55dB	2.9	187%	Day
1644	2025-12-06 14:11:13	73.77	55dB	3.7	267%	Day
1645	2025-12-06 14:12:55	74.51	55dB	3.9	287%	Day
1646	2025-12-06 14:15:41	72.22	55dB	3.3	230%	Day
1647	2025-12-06 14:17:04	N/A	55dB	N/A	N/A	Day
1648	2025-12-06 14:18:31	68.17	55dB	2.5	149%	Day
1649	2025-12-06 14:19:58	70.02	55dB	2.8	183%	Day
1650	2025-12-06 14:21:24	70.97	55dB	3.0	203%	Day
1651	2025-12-06 14:24:20	68.58	55dB	2.6	156%	Day
1652	2025-12-06 14:27:39	72.14	55dB	3.3	228%	Day
1653	2025-12-06 14:29:50	74.45	55dB	3.9	285%	Day
1654	2025-12-06 14:32:02	71.91	55dB	3.2	223%	Day
1655	2025-12-06 14:33:43	74.26	55dB	3.8	280%	Day
1656	2025-12-06 14:35:43	69.22	55dB	2.7	168%	Day
1657	2025-12-06 14:39:18	69.19	55dB	2.7	167%	Day
1658	2025-12-06 14:41:52	N/A	55dB	N/A	N/A	Day
1659	2025-12-06 14:43:24	71.03	55dB	3.0	204%	Day
1660	2025-12-06 14:44:46	69.58	55dB	2.7	175%	Day
1661	2025-12-06 14:47:33	77.96	55dB	4.9	391%	Day
1662	2025-12-06 14:49:49	77.84	55dB	4.9	387%	Day
1663	2025-12-06 14:52:14	81.22	55dB	6.2	516%	Day
1664	2025-12-06 14:54:43	66.30	55dB	2.2	119%	Day

1665	2025-12-06 14:56:37	N/A	55dB	N/A	N/A	Day
1666	2025-12-06 14:58:04	70.31	55dB	2.9	189%	Day
1667	2025-12-06 14:59:43	69.11	55dB	2.7	166%	Day
1668	2025-12-06 15:01:36	68.73	55dB	2.6	159%	Day
1669	2025-12-06 15:02:50	70.39	55dB	2.9	191%	Day
1670	2025-12-06 15:05:25	78.53	55dB	5.1	411%	Day
1671	2025-12-06 15:07:50	72.48	55dB	3.4	236%	Day
1672	2025-12-06 15:10:16	N/A	55dB	N/A	N/A	Day
1673	2025-12-06 15:11:32	71.24	55dB	3.1	208%	Day
1674	2025-12-06 15:12:58	69.04	55dB	2.6	165%	Day
1675	2025-12-06 15:15:24	70.42	55dB	2.9	191%	Day
1676	2025-12-06 15:16:41	69.07	55dB	2.7	165%	Day
1677	2025-12-06 15:18:07	72.84	55dB	3.4	244%	Day
1678	2025-12-06 15:20:07	71.46	55dB	3.1	213%	Day
1679	2025-12-06 15:21:01	76.20	55dB	4.3	335%	Day
1680	2025-12-06 15:21:22	68.78	55dB	2.6	160%	Day
1681	2025-12-06 15:22:48	69.73	55dB	2.8	178%	Day
1682	2025-12-06 15:24:10	76.55	55dB	4.5	345%	Day
1683	2025-12-06 15:25:59	N/A	55dB	N/A	N/A	Day
1684	2025-12-06 15:27:28	69.68	55dB	2.8	177%	Day
1685	2025-12-06 15:29:23	N/A	55dB	N/A	N/A	Day
1686	2025-12-06 15:30:53	N/A	55dB	N/A	N/A	Day
1687	2025-12-06 15:33:40	70.09	55dB	2.8	185%	Day
1688	2025-12-06 15:35:07	74.41	55dB	3.8	284%	Day
1689	2025-12-06 15:36:57	69.29	55dB	2.7	169%	Day
1690	2025-12-06 15:38:22	71.09	55dB	3.1	205%	Day
1691	2025-12-06 15:39:57	69.77	55dB	2.8	178%	Day
1692	2025-12-06 15:41:25	N/A	55dB	N/A	N/A	Day
1693	2025-12-06 15:42:55	80.17	55dB	5.7	472%	Day
1694	2025-12-06 15:46:06	70.22	55dB	2.9	187%	Day
1695	2025-12-06 15:47:26	N/A	55dB	N/A	N/A	Day
1696	2025-12-06 15:49:17	69.69	55dB	2.8	177%	Day
1697	2025-12-06 15:51:26	68.96	55dB	2.6	163%	Day
1698	2025-12-06 15:53:56	70.11	55dB	2.9	185%	Day
1699	2025-12-06 15:55:18	66.88	55dB	2.3	128%	Day
1700	2025-12-06 15:56:36	70.27	55dB	2.9	188%	Day
1701	2025-12-06 15:57:56	74.01	55dB	3.7	273%	Day
1702	2025-12-06 15:59:52	72.47	55dB	3.4	236%	Day
1703	2025-12-06 16:06:48	66.35	55dB	2.2	120%	Day
1704	2025-12-06 16:20:26	73.07	55dB	3.5	250%	Day
1705	2025-12-06 16:22:18	74.10	55dB	3.8	276%	Day
1706	2025-12-06 16:24:26	68.80	55dB	2.6	160%	Day
1707	2025-12-06 16:26:21	N/A	55dB	N/A	N/A	Day
1708	2025-12-06 16:28:46	68.50	55dB	2.5	155%	Day

1709	2025-12-06 16:31:40	71.12	55dB	3.1	206%	Day
1710	2025-12-06 16:32:46	70.37	55dB	2.9	190%	Day
1711	2025-12-06 16:34:26	N/A	55dB	N/A	N/A	Day
1712	2025-12-06 16:36:06	72.14	55dB	3.3	228%	Day
1713	2025-12-06 16:37:57	68.93	55dB	2.6	163%	Day
1714	2025-12-06 16:40:53	N/A	55dB	N/A	N/A	Day
1715	2025-12-06 16:43:03	69.59	55dB	2.7	175%	Day
1716	2025-12-06 16:44:41	69.08	55dB	2.7	165%	Day
1717	2025-12-06 16:46:39	N/A	55dB	N/A	N/A	Day
1718	2025-12-06 16:48:15	N/A	55dB	N/A	N/A	Day
1719	2025-12-06 16:50:07	71.58	55dB	3.2	216%	Day
1720	2025-12-06 16:52:21	69.70	55dB	2.8	177%	Day
1721	2025-12-06 16:53:52	69.55	55dB	2.7	174%	Day
1722	2025-12-06 16:55:15	69.08	55dB	2.7	165%	Day
1723	2025-12-06 16:56:35	70.31	55dB	2.9	189%	Day
1724	2025-12-06 17:03:38	69.25	55dB	2.7	169%	Day
1725	2025-12-06 17:05:21	68.81	55dB	2.6	160%	Day
1726	2025-12-06 17:08:01	67.72	55dB	2.4	141%	Day
1727	2025-12-06 17:11:42	69.40	55dB	2.7	171%	Day
1728	2025-12-06 17:15:09	69.87	55dB	2.8	180%	Day
1729	2025-12-06 17:16:42	68.24	55dB	2.5	150%	Day
1730	2025-12-06 17:18:08	69.80	55dB	2.8	179%	Day
1731	2025-12-06 17:19:22	67.86	55dB	2.4	144%	Day
1732	2025-12-06 17:20:39	66.76	55dB	2.3	126%	Day
1733	2025-12-06 17:22:02	76.65	55dB	4.5	348%	Day
1734	2025-12-06 17:23:21	67.90	55dB	2.4	145%	Day
1735	2025-12-06 17:24:44	72.31	55dB	3.3	232%	Day
1736	2025-12-06 17:27:33	69.90	55dB	2.8	181%	Day
1737	2025-12-06 17:29:07	70.12	55dB	2.9	185%	Day
1738	2025-12-06 17:30:41	68.65	55dB	2.6	158%	Day
1739	2025-12-06 17:32:56	75.61	55dB	4.2	317%	Day
1740	2025-12-06 17:34:46	66.06	55dB	2.2	115%	Day
1741	2025-12-06 17:36:46	N/A	55dB	N/A	N/A	Day
1742	2025-12-06 17:39:14	N/A	55dB	N/A	N/A	Day
1743	2025-12-06 17:42:25	69.22	55dB	2.7	168%	Day
1744	2025-12-06 17:50:54	N/A	55dB	N/A	N/A	Day
1745	2025-12-06 17:52:28	70.20	55dB	2.9	187%	Day
1746	2025-12-06 17:54:32	71.09	55dB	3.1	205%	Day
1747	2025-12-06 17:57:09	68.77	55dB	2.6	160%	Day
1748	2025-12-06 18:04:28	69.73	55dB	2.8	178%	Day
1749	2025-12-06 18:11:46	67.28	55dB	2.3	134%	Day
1750	2025-12-06 18:17:14	73.49	55dB	3.6	260%	Day
1751	2025-12-06 18:19:18	69.56	55dB	2.7	174%	Day
1752	2025-12-06 18:21:02	69.93	55dB	2.8	181%	Day

1753	2025-12-06 18:25:27	N/A	55dB	N/A	N/A	Day
1754	2025-12-06 18:26:55	68.79	55dB	2.6	160%	Day
1755	2025-12-06 18:28:41	67.83	55dB	2.4	143%	Day
1756	2025-12-06 18:35:42	75.77	55dB	4.2	322%	Day
1757	2025-12-06 18:40:31	70.84	55dB	3.0	200%	Day
1758	2025-12-06 18:43:09	71.02	55dB	3.0	204%	Day
1759	2025-12-06 18:49:47	73.29	55dB	3.6	255%	Day
1760	2025-12-06 18:53:02	69.19	55dB	2.7	167%	Day
1761	2025-12-06 18:55:27	72.89	55dB	3.5	246%	Day
1762	2025-12-06 18:58:20	69.05	55dB	2.6	165%	Day
1763	2025-12-06 19:01:31	67.51	55dB	2.4	138%	Day
1764	2025-12-06 19:03:04	66.09	55dB	2.2	116%	Day
1765	2025-12-06 19:04:25	76.89	55dB	4.6	356%	Day
1766	2025-12-06 19:05:43	75.88	55dB	4.3	325%	Day
1767	2025-12-06 19:07:03	68.47	55dB	2.5	154%	Day
1768	2025-12-06 19:08:23	69.22	55dB	2.7	168%	Day
1769	2025-12-06 19:09:44	77.21	55dB	4.7	366%	Day
1770	2025-12-06 19:11:09	68.69	55dB	2.6	158%	Day
1771	2025-12-06 19:12:20	N/A	55dB	N/A	N/A	Day
1772	2025-12-06 19:13:34	66.77	55dB	2.3	126%	Day
1773	2025-12-06 19:15:04	72.44	55dB	3.3	235%	Day
1774	2025-12-06 19:16:33	70.77	55dB	3.0	198%	Day
1775	2025-12-06 19:17:44	70.09	55dB	2.8	185%	Day
1776	2025-12-06 19:19:02	74.38	55dB	3.8	283%	Day
1777	2025-12-06 19:20:23	76.59	55dB	4.5	347%	Day
1778	2025-12-06 19:21:41	N/A	55dB	N/A	N/A	Day
1779	2025-12-06 19:22:55	67.65	55dB	2.4	140%	Day
1780	2025-12-06 19:24:25	70.00	55dB	2.8	183%	Day
1781	2025-12-06 19:25:44	68.97	55dB	2.6	163%	Day
1782	2025-12-06 19:28:44	68.95	55dB	2.6	163%	Day
1783	2025-12-06 19:30:07	68.67	55dB	2.6	158%	Day
1784	2025-12-06 19:31:25	68.60	55dB	2.6	157%	Day
1785	2025-12-06 19:32:45	69.94	55dB	2.8	182%	Day
1786	2025-12-06 19:34:09	N/A	55dB	N/A	N/A	Day
1787	2025-12-06 19:35:26	70.36	55dB	2.9	190%	Day
1788	2025-12-06 19:37:08	68.72	55dB	2.6	159%	Day
1789	2025-12-06 19:38:26	69.24	55dB	2.7	168%	Day
1790	2025-12-06 19:39:46	68.67	55dB	2.6	158%	Day
1791	2025-12-06 19:41:19	67.96	55dB	2.5	146%	Day
1792	2025-12-06 19:42:30	70.52	55dB	2.9	193%	Day
1793	2025-12-06 19:44:37	N/A	55dB	N/A	N/A	Day
1794	2025-12-06 19:45:51	N/A	55dB	N/A	N/A	Day
1795	2025-12-06 19:47:08	70.19	55dB	2.9	187%	Day
1796	2025-12-06 19:48:22	70.25	55dB	2.9	188%	Day

1797	2025-12-06 19:49:42	73.08	55dB	3.5	250%	Day
1798	2025-12-06 19:51:26	72.34	55dB	3.3	233%	Day
1799	2025-12-06 19:53:48	68.70	55dB	2.6	158%	Day
1800	2025-12-06 19:55:42	70.66	55dB	3.0	196%	Day
1801	2025-12-06 19:57:51	70.63	55dB	3.0	195%	Day
1802	2025-12-06 19:59:20	66.91	55dB	2.3	128%	Day
1803	2025-12-06 20:04:14	70.66	55dB	3.0	196%	Day
1804	2025-12-06 20:05:52	74.11	55dB	3.8	276%	Day
1805	2025-12-06 20:07:19	69.12	55dB	2.7	166%	Day
1806	2025-12-06 20:08:46	70.59	55dB	2.9	195%	Day
1807	2025-12-06 20:10:01	67.35	55dB	2.4	135%	Day
1808	2025-12-06 20:11:35	70.24	55dB	2.9	188%	Day
1809	2025-12-06 20:12:44	70.70	55dB	3.0	197%	Day
1810	2025-12-06 20:15:05	73.94	55dB	3.7	272%	Day
1811	2025-12-06 20:16:27	80.68	55dB	5.9	493%	Day
1812	2025-12-06 20:18:23	69.27	55dB	2.7	169%	Day
1813	2025-12-06 20:19:44	69.81	55dB	2.8	179%	Day
1814	2025-12-06 20:20:50	68.74	55dB	2.6	159%	Day
1815	2025-12-06 20:22:05	67.88	55dB	2.4	144%	Day
1816	2025-12-06 20:23:39	N/A	55dB	N/A	N/A	Day
1817	2025-12-06 20:24:54	73.97	55dB	3.7	272%	Day
1818	2025-12-06 20:26:24	68.78	55dB	2.6	160%	Day
1819	2025-12-06 20:27:34	69.21	55dB	2.7	168%	Day
1820	2025-12-06 20:28:52	71.84	55dB	3.2	221%	Day
1821	2025-12-06 20:31:09	N/A	55dB	N/A	N/A	Day
1822	2025-12-06 20:32:25	69.57	55dB	2.7	175%	Day
1823	2025-12-06 20:33:54	69.74	55dB	2.8	178%	Day
1824	2025-12-06 20:37:37	70.86	55dB	3.0	200%	Day
1825	2025-12-06 20:39:17	73.18	55dB	3.5	253%	Day
1826	2025-12-06 20:40:50	72.41	55dB	3.3	234%	Day
1827	2025-12-06 20:42:50	N/A	55dB	N/A	N/A	Day
1828	2025-12-06 20:44:16	71.69	55dB	3.2	218%	Day
1829	2025-12-06 20:46:12	67.91	55dB	2.4	145%	Day
1830	2025-12-06 20:50:10	69.15	55dB	2.7	167%	Day
1831	2025-12-06 20:52:53	67.84	55dB	2.4	144%	Day
1832	2025-12-06 20:54:32	N/A	55dB	N/A	N/A	Day
1833	2025-12-06 20:55:53	68.12	55dB	2.5	148%	Day
1834	2025-12-06 20:57:13	69.72	55dB	2.8	177%	Day
1835	2025-12-06 20:58:44	67.53	55dB	2.4	138%	Day
1836	2025-12-06 21:00:08	72.31	55dB	3.3	232%	Day
1837	2025-12-06 21:02:01	69.97	55dB	2.8	182%	Day
1838	2025-12-06 21:03:41	69.13	55dB	2.7	166%	Day
1839	2025-12-06 21:05:24	70.59	55dB	2.9	195%	Day
1840	2025-12-06 21:06:57	N/A	55dB	N/A	N/A	Day

1841	2025-12-06 21:08:27	69.60	55dB	2.8	175%	Day
1842	2025-12-06 21:09:51	70.59	55dB	2.9	195%	Day
1843	2025-12-06 21:11:58	70.30	55dB	2.9	189%	Day
1844	2025-12-06 21:13:15	N/A	55dB	N/A	N/A	Day
1845	2025-12-06 21:17:03	67.73	55dB	2.4	142%	Day
1846	2025-12-06 21:20:32	68.03	55dB	2.5	147%	Day
1847	2025-12-06 21:23:53	67.53	55dB	2.4	138%	Day
1848	2025-12-06 21:28:42	72.78	55dB	3.4	243%	Day
1849	2025-12-06 21:30:11	65.77	55dB	2.1	111%	Day
1850	2025-12-06 21:32:20	69.01	55dB	2.6	164%	Day
1851	2025-12-06 21:34:13	66.39	55dB	2.2	120%	Day
1852	2025-12-06 21:36:48	68.22	55dB	2.5	150%	Day
1853	2025-12-06 21:41:20	67.38	55dB	2.4	136%	Day
1854	2025-12-06 21:44:40	69.91	55dB	2.8	181%	Day
1855	2025-12-06 21:46:16	69.90	55dB	2.8	181%	Day
1856	2025-12-06 21:47:49	69.02	55dB	2.6	164%	Day
1857	2025-12-06 21:50:22	67.47	55dB	2.4	137%	Day
1858	2025-12-06 21:55:53	68.90	55dB	2.6	162%	Day
1859	2025-12-06 22:04:52	68.16	55dB	2.5	149%	Day
1860	2025-12-06 22:10:41	73.01	55dB	3.5	248%	Day
1861	2025-12-06 22:12:06	75.48	55dB	4.1	314%	Day
1862	2025-12-06 22:16:34	69.47	55dB	2.7	173%	Day
1863	2025-12-06 22:18:47	69.19	55dB	2.7	167%	Day
1864	2025-12-06 22:20:03	N/A	55dB	N/A	N/A	Day
1865	2025-12-06 22:21:32	73.28	55dB	3.6	255%	Day
1866	2025-12-06 22:23:48	68.44	55dB	2.5	154%	Day
1867	2025-12-06 22:27:18	N/A	55dB	N/A	N/A	Day
1868	2025-12-06 22:30:22	N/A	55dB	N/A	N/A	Day
1869	2025-12-06 22:39:15	74.67	55dB	3.9	291%	Day
1870	2025-12-06 22:40:45	67.15	55dB	2.3	132%	Day
1871	2025-12-06 22:42:14	N/A	55dB	N/A	N/A	Day
1872	2025-12-06 22:48:35	67.70	55dB	2.4	141%	Day
1873	2025-12-06 22:50:30	N/A	55dB	N/A	N/A	Day
1874	2025-12-06 22:52:27	71.22	55dB	3.1	208%	Day
1875	2025-12-06 22:56:24	66.51	55dB	2.2	122%	Day
1876	2025-12-06 22:59:06	68.12	55dB	2.5	148%	Day
1877	2025-12-06 23:03:27	68.41	45dB	5.1	407%	Night
1878	2025-12-06 23:06:20	66.68	45dB	4.5	349%	Night
1879	2025-12-06 23:08:39	66.53	45dB	4.4	345%	Night
1880	2025-12-06 23:15:08	71.44	45dB	6.3	525%	Night
1881	2025-12-06 23:18:28	66.80	45dB	4.5	353%	Night
1882	2025-12-06 23:20:01	N/A	45dB	N/A	N/A	Night
1883	2025-12-06 23:25:09	69.27	45dB	5.4	438%	Night
1884	2025-12-06 23:27:43	66.99	45dB	4.6	359%	Night

1885	2025-12-06 23:30:04	70.03	45dB	5.7	467%	Night
1886	2025-12-06 23:33:52	69.88	45dB	5.6	461%	Night
1887	2025-12-06 23:35:26	70.11	45dB	5.7	470%	Night
1888	2025-12-06 23:37:42	69.15	45dB	5.3	433%	Night
1889	2025-12-06 23:40:51	76.23	45dB	8.7	771%	Night
1890	2025-12-06 23:42:46	72.39	45dB	6.7	568%	Night
1891	2025-12-06 23:47:09	71.03	45dB	6.1	508%	Night
1892	2025-12-06 23:53:46	68.01	45dB	4.9	393%	Night
1893	2025-12-06 23:55:46	69.61	45dB	5.5	451%	Night
1894	2025-12-06 23:57:32	68.99	45dB	5.3	427%	Night
1895	2025-12-07 00:00:51	67.02	45dB	4.6	360%	Night
1896	2025-12-07 00:03:26	69.14	45dB	5.3	433%	Night
1897	2025-12-07 00:05:01	73.13	45dB	7.0	603%	Night
1898	2025-12-07 00:06:29	69.33	45dB	5.4	440%	Night
1899	2025-12-07 00:08:26	68.38	45dB	5.1	406%	Night
1900	2025-12-07 00:09:48	70.33	45dB	5.8	479%	Night
1901	2025-12-07 00:11:41	69.25	45dB	5.4	437%	Night
1902	2025-12-07 00:13:13	69.26	45dB	5.4	437%	Night
1903	2025-12-07 00:15:28	66.64	45dB	4.5	348%	Night
1904	2025-12-07 00:22:09	67.93	45dB	4.9	390%	Night
1905	2025-12-07 00:33:16	67.74	45dB	4.8	384%	Night
1906	2025-12-07 00:35:16	66.93	45dB	4.6	357%	Night
1907	2025-12-07 00:37:48	73.97	45dB	7.4	645%	Night
1908	2025-12-07 00:40:52	70.56	45dB	5.9	488%	Night
1909	2025-12-07 00:43:48	68.62	45dB	5.1	414%	Night
1910	2025-12-07 00:45:45	67.39	45dB	4.7	372%	Night
1911	2025-12-07 00:55:15	69.61	45dB	5.5	451%	Night
1912	2025-12-07 00:57:18	82.61	45dB	13.6	1256%	Night
1913	2025-12-07 01:00:20	72.00	45dB	6.5	550%	Night
1914	2025-12-07 01:17:20	72.46	45dB	6.7	571%	Night
1915	2025-12-07 01:19:26	69.38	45dB	5.4	442%	Night
1916	2025-12-07 01:27:08	70.26	45dB	5.8	476%	Night
1917	2025-12-07 01:31:01	61.03	45dB	3.0	204%	Night
1918	2025-12-07 01:36:32	69.21	45dB	5.4	436%	Night
1919	2025-12-07 01:42:02	69.16	45dB	5.3	434%	Night
1920	2025-12-07 06:30:02	71.16	45dB	6.1	513%	Night
1921	2025-12-07 06:31:13	69.99	45dB	5.7	465%	Night
1922	2025-12-07 06:32:33	66.82	45dB	4.5	354%	Night
1923	2025-12-07 06:33:56	68.60	45dB	5.1	413%	Night
1924	2025-12-07 06:35:52	73.21	45dB	7.1	607%	Night
1925	2025-12-07 06:37:21	69.27	45dB	5.4	438%	Night
1926	2025-12-07 06:39:06	70.49	45dB	5.9	485%	Night
1927	2025-12-07 06:40:25	70.38	45dB	5.8	481%	Night
1928	2025-12-07 06:41:33	70.09	45dB	5.7	469%	Night

1929	2025-12-07 06:43:06	73.77	45dB	7.3	635%	Night
1930	2025-12-07 06:45:04	69.60	45dB	5.5	450%	Night
1931	2025-12-07 06:46:32	N/A	45dB	N/A	N/A	Night
1932	2025-12-07 06:47:47	70.72	45dB	5.9	495%	Night
1933	2025-12-07 06:49:39	70.17	45dB	5.7	472%	Night
1934	2025-12-07 06:51:23	N/A	45dB	N/A	N/A	Night
1935	2025-12-07 06:52:47	68.13	45dB	5.0	397%	Night
1936	2025-12-07 06:54:11	N/A	45dB	N/A	N/A	Night
1937	2025-12-07 06:55:44	N/A	45dB	N/A	N/A	Night
1938	2025-12-07 07:09:10	69.73	55dB	2.8	178%	Day
1939	2025-12-07 07:12:15	68.89	55dB	2.6	162%	Day
1940	2025-12-07 07:13:58	69.17	55dB	2.7	167%	Day
1941	2025-12-07 07:15:26	N/A	55dB	N/A	N/A	Day
1942	2025-12-07 07:17:08	71.12	55dB	3.1	206%	Day
1943	2025-12-07 07:19:02	69.02	55dB	2.6	164%	Day
1944	2025-12-07 07:21:26	69.87	55dB	2.8	180%	Day
1945	2025-12-07 07:26:40	66.67	55dB	2.2	125%	Day
1946	2025-12-07 07:33:01	70.34	55dB	2.9	190%	Day
1947	2025-12-07 07:35:39	N/A	55dB	N/A	N/A	Day
1948	2025-12-07 07:44:16	70.14	55dB	2.9	186%	Day
1949	2025-12-07 07:51:23	67.35	55dB	2.4	135%	Day
1950	2025-12-07 07:54:42	71.19	55dB	3.1	207%	Day
1951	2025-12-07 07:57:42	66.74	55dB	2.3	126%	Day
1952	2025-12-07 08:05:45	N/A	55dB	N/A	N/A	Day
1953	2025-12-07 08:09:15	68.55	55dB	2.6	156%	Day
1954	2025-12-07 08:12:18	70.71	55dB	3.0	197%	Day
1955	2025-12-07 08:15:01	67.78	55dB	2.4	143%	Day
1956	2025-12-07 08:20:32	70.91	55dB	3.0	201%	Day
1957	2025-12-07 08:23:26	71.66	55dB	3.2	217%	Day
1958	2025-12-07 08:27:09	67.75	55dB	2.4	142%	Day
1959	2025-12-07 08:29:24	68.39	55dB	2.5	153%	Day
1960	2025-12-07 08:33:26	71.84	55dB	3.2	221%	Day
1961	2025-12-07 08:38:05	68.26	55dB	2.5	151%	Day
1962	2025-12-07 08:41:42	73.68	55dB	3.7	265%	Day
1963	2025-12-07 08:44:50	69.79	55dB	2.8	179%	Day
1964	2025-12-07 08:46:34	N/A	55dB	N/A	N/A	Day
1965	2025-12-07 08:48:43	69.02	55dB	2.6	164%	Day
1966	2025-12-07 08:51:21	N/A	55dB	N/A	N/A	Day
1967	2025-12-07 08:54:41	N/A	55dB	N/A	N/A	Day
1968	2025-12-07 08:57:02	N/A	55dB	N/A	N/A	Day
1969	2025-12-07 09:09:42	71.99	55dB	3.2	225%	Day
1970	2025-12-07 09:11:25	71.73	55dB	3.2	219%	Day
1971	2025-12-07 09:18:15	N/A	55dB	N/A	N/A	Day
1972	2025-12-07 09:21:25	N/A	55dB	N/A	N/A	Day

1973	2025-12-07 09:25:46	N/A	55dB	N/A	N/A	Day
1974	2025-12-07 09:28:36	72.15	55dB	3.3	228%	Day
1975	2025-12-07 09:30:34	N/A	55dB	N/A	N/A	Day
1976	2025-12-07 10:56:14	N/A	55dB	N/A	N/A	Day
1977	2025-12-07 10:58:07	70.46	55dB	2.9	192%	Day
1978	2025-12-07 11:00:24	82.82	55dB	6.9	588%	Day
1979	2025-12-07 11:02:32	73.54	55dB	3.6	262%	Day
1980	2025-12-07 11:04:57	N/A	55dB	N/A	N/A	Day
1981	2025-12-07 11:06:47	N/A	55dB	N/A	N/A	Day
1982	2025-12-07 11:08:49	68.47	55dB	2.5	154%	Day
1983	2025-12-07 11:10:50	65.71	55dB	2.1	110%	Day
1984	2025-12-07 11:13:04	70.14	55dB	2.9	186%	Day
1985	2025-12-07 11:15:19	N/A	55dB	N/A	N/A	Day
1986	2025-12-07 11:17:15	N/A	55dB	N/A	N/A	Day
1987	2025-12-07 11:19:31	67.27	55dB	2.3	134%	Day
1988	2025-12-07 11:21:38	72.99	55dB	3.5	248%	Day
1989	2025-12-07 11:23:54	N/A	55dB	N/A	N/A	Day
1990	2025-12-07 11:26:13	N/A	55dB	N/A	N/A	Day
1991	2025-12-07 11:29:08	68.87	55dB	2.6	162%	Day
1992	2025-12-07 11:31:08	68.29	55dB	2.5	151%	Day
1993	2025-12-07 11:32:56	69.35	55dB	2.7	170%	Day
1994	2025-12-07 11:34:43	67.83	55dB	2.4	143%	Day
1995	2025-12-07 11:36:32	68.15	55dB	2.5	149%	Day
1996	2025-12-07 11:38:19	69.71	55dB	2.8	177%	Day
1997	2025-12-07 11:40:15	N/A	55dB	N/A	N/A	Day
1998	2025-12-07 11:42:12	67.66	55dB	2.4	140%	Day
1999	2025-12-07 11:44:32	70.09	55dB	2.8	185%	Day
2000	2025-12-07 11:47:02	68.02	55dB	2.5	147%	Day
2001	2025-12-07 11:48:50	69.01	55dB	2.6	164%	Day
2002	2025-12-07 11:51:29	68.61	55dB	2.6	157%	Day
2003	2025-12-07 11:53:34	N/A	55dB	N/A	N/A	Day
2004	2025-12-07 11:55:11	69.85	55dB	2.8	180%	Day
2005	2025-12-07 11:57:01	N/A	55dB	N/A	N/A	Day
2006	2025-12-07 11:58:51	68.67	55dB	2.6	158%	Day
2007	2025-12-07 12:00:05	N/A	55dB	N/A	N/A	Day
2008	2025-12-07 12:01:20	68.21	55dB	2.5	150%	Day
2009	2025-12-07 12:02:57	72.18	55dB	3.3	229%	Day
2010	2025-12-07 12:04:41	72.26	55dB	3.3	231%	Day
2011	2025-12-07 12:07:28	69.62	55dB	2.8	175%	Day
2012	2025-12-07 12:09:56	77.59	55dB	4.8	379%	Day
2013	2025-12-07 12:25:08	69.55	55dB	2.7	174%	Day
2014	2025-12-07 12:27:25	68.82	55dB	2.6	161%	Day
2015	2025-12-07 12:29:06	70.33	55dB	2.9	189%	Day
2016	2025-12-07 12:30:40	67.96	55dB	2.5	146%	Day

2017	2025-12-07 12:32:05	69.40	55dB	2.7	171%	Day
2018	2025-12-07 12:33:39	67.11	55dB	2.3	131%	Day
2019	2025-12-07 12:35:22	72.62	55dB	3.4	239%	Day
2020	2025-12-07 12:38:00	N/A	55dB	N/A	N/A	Day
2021	2025-12-07 12:41:19	70.00	55dB	2.8	183%	Day
2022	2025-12-07 12:43:45	68.72	55dB	2.6	159%	Day
2023	2025-12-07 12:49:26	N/A	55dB	N/A	N/A	Day
2024	2025-12-07 12:51:38	68.09	55dB	2.5	148%	Day
2025	2025-12-07 12:53:40	67.09	55dB	2.3	131%	Day
2026	2025-12-07 12:56:14	70.14	55dB	2.9	186%	Day
2027	2025-12-07 12:58:23	68.83	55dB	2.6	161%	Day
2028	2025-12-07 12:59:52	69.49	55dB	2.7	173%	Day
2029	2025-12-07 13:01:54	69.01	55dB	2.6	164%	Day
2030	2025-12-07 13:03:24	68.24	55dB	2.5	150%	Day
2031	2025-12-07 13:07:26	70.60	55dB	2.9	195%	Day
2032	2025-12-07 13:11:38	68.70	55dB	2.6	158%	Day
2033	2025-12-07 13:16:42	N/A	55dB	N/A	N/A	Day
2034	2025-12-07 13:20:00	N/A	55dB	N/A	N/A	Day
2035	2025-12-07 13:21:42	N/A	55dB	N/A	N/A	Day
2036	2025-12-07 13:23:32	70.27	55dB	2.9	188%	Day
2037	2025-12-07 13:25:47	N/A	55dB	N/A	N/A	Day
2038	2025-12-07 13:27:19	N/A	55dB	N/A	N/A	Day
2039	2025-12-07 13:30:03	70.94	55dB	3.0	202%	Day
2040	2025-12-07 13:31:11	70.59	55dB	2.9	195%	Day
2041	2025-12-07 13:34:05	N/A	55dB	N/A	N/A	Day
2042	2025-12-07 13:35:44	70.07	55dB	2.8	184%	Day
2043	2025-12-07 13:37:05	70.34	55dB	2.9	190%	Day
2044	2025-12-07 13:39:06	71.32	55dB	3.1	210%	Day
2045	2025-12-07 13:41:09	N/A	55dB	N/A	N/A	Day
2046	2025-12-07 13:42:43	68.63	55dB	2.6	157%	Day
2047	2025-12-07 13:44:05	68.00	55dB	2.5	146%	Day
2048	2025-12-07 13:45:22	N/A	55dB	N/A	N/A	Day
2049	2025-12-07 13:46:36	69.74	55dB	2.8	178%	Day
2050	2025-12-07 13:48:22	71.83	55dB	3.2	221%	Day
2051	2025-12-07 13:49:51	68.70	55dB	2.6	158%	Day
2052	2025-12-07 13:51:56	70.76	55dB	3.0	198%	Day
2053	2025-12-07 13:53:55	68.40	55dB	2.5	153%	Day
2054	2025-12-07 13:58:00	72.11	55dB	3.3	227%	Day
2055	2025-12-07 14:00:03	76.44	55dB	4.4	342%	Day
2056	2025-12-07 14:01:30	67.61	55dB	2.4	140%	Day
2057	2025-12-07 14:03:43	N/A	55dB	N/A	N/A	Day
2058	2025-12-07 14:10:56	71.49	55dB	3.1	214%	Day
2059	2025-12-07 14:13:04	72.07	55dB	3.3	226%	Day
2060	2025-12-07 14:16:16	77.01	55dB	4.6	360%	Day

2061	2025-12-07 14:18:52	74.42	55dB	3.8	284%	Day
2062	2025-12-07 14:22:04	77.92	55dB	4.9	390%	Day
2063	2025-12-07 14:24:10	N/A	55dB	N/A	N/A	Day
2064	2025-12-07 14:25:30	73.16	55dB	3.5	252%	Day
2065	2025-12-07 14:27:40	74.93	55dB	4.0	298%	Day
2066	2025-12-07 14:29:05	N/A	55dB	N/A	N/A	Day
2067	2025-12-07 14:30:18	74.60	55dB	3.9	289%	Day
2068	2025-12-07 14:32:32	70.50	55dB	2.9	193%	Day
2069	2025-12-07 14:34:37	70.60	55dB	2.9	195%	Day
2070	2025-12-07 14:37:06	71.99	55dB	3.2	225%	Day
2071	2025-12-07 14:39:10	68.97	55dB	2.6	163%	Day
2072	2025-12-07 14:40:44	69.39	55dB	2.7	171%	Day
2073	2025-12-07 14:42:14	73.28	55dB	3.6	255%	Day
2074	2025-12-07 14:43:57	79.13	55dB	5.3	433%	Day
2075	2025-12-07 14:46:31	69.43	55dB	2.7	172%	Day
2076	2025-12-07 14:48:48	N/A	55dB	N/A	N/A	Day
2077	2025-12-07 14:50:03	72.99	55dB	3.5	248%	Day
2078	2025-12-07 14:51:30	N/A	55dB	N/A	N/A	Day
2079	2025-12-07 14:53:40	68.68	55dB	2.6	158%	Day
2080	2025-12-07 14:55:25	68.86	55dB	2.6	161%	Day
2081	2025-12-07 14:56:28	68.79	55dB	2.6	160%	Day
2082	2025-12-07 14:59:25	N/A	55dB	N/A	N/A	Day
2083	2025-12-07 15:02:20	N/A	55dB	N/A	N/A	Day
2084	2025-12-07 15:05:45	N/A	55dB	N/A	N/A	Day
2085	2025-12-07 15:07:52	N/A	55dB	N/A	N/A	Day
2086	2025-12-07 15:10:04	N/A	55dB	N/A	N/A	Day
2087	2025-12-07 15:12:20	N/A	55dB	N/A	N/A	Day
2088	2025-12-07 15:14:35	68.17	55dB	2.5	149%	Day
2089	2025-12-07 15:16:21	68.58	55dB	2.6	156%	Day
2090	2025-12-07 15:18:24	69.36	55dB	2.7	171%	Day
2091	2025-12-07 15:20:50	72.61	55dB	3.4	239%	Day
2092	2025-12-07 15:23:26	N/A	55dB	N/A	N/A	Day
2093	2025-12-07 15:24:51	71.13	55dB	3.1	206%	Day
2094	2025-12-07 15:26:40	71.92	55dB	3.2	223%	Day
2095	2025-12-07 15:28:21	72.03	55dB	3.3	226%	Day
2096	2025-12-07 15:30:38	79.48	55dB	5.5	446%	Day
2097	2025-12-07 15:34:01	69.80	55dB	2.8	179%	Day
2098	2025-12-07 15:36:13	70.28	55dB	2.9	188%	Day
2099	2025-12-07 15:38:48	73.03	55dB	3.5	249%	Day
2100	2025-12-07 15:40:18	71.11	55dB	3.1	205%	Day
2101	2025-12-07 15:42:27	68.50	55dB	2.5	155%	Day
2102	2025-12-07 15:43:51	68.79	55dB	2.6	160%	Day
2103	2025-12-07 15:45:10	72.06	55dB	3.3	226%	Day
2104	2025-12-07 15:50:49	70.68	55dB	3.0	196%	Day

2105	2025-12-07 15:55:21	71.04	55dB	3.0	204%	Day
2106	2025-12-07 15:57:38	72.50	55dB	3.4	236%	Day
2107	2025-12-07 15:59:27	74.44	55dB	3.8	285%	Day
2108	2025-12-07 16:00:54	N/A	55dB	N/A	N/A	Day
2109	2025-12-07 16:02:33	N/A	55dB	N/A	N/A	Day
2110	2025-12-07 16:03:49	69.13	55dB	2.7	166%	Day
2111	2025-12-07 16:07:11	70.05	55dB	2.8	184%	Day
2112	2025-12-07 16:08:36	68.23	55dB	2.5	150%	Day
2113	2025-12-07 16:10:00	69.35	55dB	2.7	170%	Day
2114	2025-12-07 16:11:36	70.36	55dB	2.9	190%	Day
2115	2025-12-07 16:14:23	68.86	55dB	2.6	161%	Day
2116	2025-12-07 16:15:44	68.30	55dB	2.5	151%	Day
2117	2025-12-07 16:20:38	72.96	55dB	3.5	247%	Day
2118	2025-12-07 16:24:59	N/A	55dB	N/A	N/A	Day
2119	2025-12-07 16:26:21	69.12	55dB	2.7	166%	Day
2120	2025-12-07 16:27:23	68.63	55dB	2.6	157%	Day
2121	2025-12-07 16:28:35	N/A	55dB	N/A	N/A	Day
2122	2025-12-07 16:29:35	67.42	55dB	2.4	137%	Day
2123	2025-12-07 16:31:18	76.57	55dB	4.5	346%	Day
2124	2025-12-07 16:32:41	N/A	55dB	N/A	N/A	Day
2125	2025-12-07 16:35:24	68.49	55dB	2.5	155%	Day
2126	2025-12-07 16:40:19	67.71	55dB	2.4	141%	Day
2127	2025-12-07 16:41:57	72.51	55dB	3.4	237%	Day
2128	2025-12-07 16:45:07	N/A	55dB	N/A	N/A	Day
2129	2025-12-07 16:51:12	N/A	55dB	N/A	N/A	Day
2130	2025-12-07 16:53:27	76.79	55dB	4.5	353%	Day
2131	2025-12-07 16:54:40	69.25	55dB	2.7	169%	Day
2132	2025-12-07 16:56:14	68.18	55dB	2.5	149%	Day
2133	2025-12-07 16:57:45	68.22	55dB	2.5	150%	Day
2134	2025-12-07 16:59:09	74.56	55dB	3.9	288%	Day
2135	2025-12-07 17:01:42	69.94	55dB	2.8	182%	Day
2136	2025-12-07 17:04:36	70.56	55dB	2.9	194%	Day
2137	2025-12-07 17:06:06	71.70	55dB	3.2	218%	Day
2138	2025-12-07 17:10:02	70.20	55dB	2.9	187%	Day
2139	2025-12-07 17:13:48	N/A	55dB	N/A	N/A	Day
2140	2025-12-07 17:15:56	68.12	55dB	2.5	148%	Day
2141	2025-12-07 17:17:47	70.69	55dB	3.0	197%	Day
2142	2025-12-07 17:19:12	N/A	55dB	N/A	N/A	Day
2143	2025-12-07 17:20:39	72.33	55dB	3.3	232%	Day
2144	2025-12-07 17:23:41	70.08	55dB	2.8	184%	Day
2145	2025-12-07 17:25:38	69.33	55dB	2.7	170%	Day
2146	2025-12-07 17:27:01	66.45	55dB	2.2	121%	Day
2147	2025-12-07 17:28:32	70.40	55dB	2.9	191%	Day
2148	2025-12-07 17:30:51	N/A	55dB	N/A	N/A	Day

2149	2025-12-07 17:32:13	N/A	55dB	N/A	N/A	Day
2150	2025-12-07 17:33:31	N/A	55dB	N/A	N/A	Day
2151	2025-12-07 17:35:28	69.31	55dB	2.7	170%	Day
2152	2025-12-07 17:38:47	69.61	55dB	2.8	175%	Day
2153	2025-12-07 17:45:05	N/A	55dB	N/A	N/A	Day
2154	2025-12-07 17:46:28	66.74	55dB	2.3	126%	Day
2155	2025-12-07 17:47:57	N/A	55dB	N/A	N/A	Day
2156	2025-12-07 17:49:48	68.26	55dB	2.5	151%	Day
2157	2025-12-07 17:50:54	67.57	55dB	2.4	139%	Day
2158	2025-12-07 17:52:20	N/A	55dB	N/A	N/A	Day
2159	2025-12-07 17:53:37	67.39	55dB	2.4	136%	Day
2160	2025-12-07 17:55:48	N/A	55dB	N/A	N/A	Day
2161	2025-12-07 17:57:03	67.43	55dB	2.4	137%	Day
2162	2025-12-07 17:58:54	88.81	55dB	10.4	942%	Day
2163	2025-12-07 18:02:51	67.84	55dB	2.4	144%	Day
2164	2025-12-07 18:07:32	70.54	55dB	2.9	194%	Day
2165	2025-12-07 18:09:50	66.79	55dB	2.3	126%	Day
2166	2025-12-07 18:11:26	68.66	55dB	2.6	158%	Day
2167	2025-12-07 18:15:31	N/A	55dB	N/A	N/A	Day
2168	2025-12-07 18:18:04	N/A	55dB	N/A	N/A	Day
2169	2025-12-07 18:20:17	66.97	55dB	2.3	129%	Day
2170	2025-12-07 18:21:48	68.63	55dB	2.6	157%	Day
2171	2025-12-07 18:23:35	71.89	55dB	3.2	222%	Day
2172	2025-12-07 18:25:38	67.88	55dB	2.4	144%	Day
2173	2025-12-07 18:27:04	67.68	55dB	2.4	141%	Day
2174	2025-12-07 18:33:56	69.53	55dB	2.7	174%	Day
2175	2025-12-07 18:35:17	69.06	55dB	2.7	165%	Day
2176	2025-12-07 18:37:12	69.63	55dB	2.8	176%	Day
2177	2025-12-07 18:38:43	71.17	55dB	3.1	207%	Day
2178	2025-12-07 18:40:58	67.59	55dB	2.4	139%	Day
2179	2025-12-07 18:42:31	N/A	55dB	N/A	N/A	Day
2180	2025-12-07 18:43:44	N/A	55dB	N/A	N/A	Day
2181	2025-12-07 18:45:13	69.49	55dB	2.7	173%	Day
2182	2025-12-07 18:46:58	69.30	55dB	2.7	169%	Day
2183	2025-12-07 18:48:13	70.83	55dB	3.0	200%	Day
2184	2025-12-07 18:49:31	71.06	55dB	3.0	204%	Day
2185	2025-12-07 18:51:31	74.34	55dB	3.8	282%	Day
2186	2025-12-07 18:53:08	76.47	55dB	4.4	343%	Day
2187	2025-12-07 18:55:13	69.23	55dB	2.7	168%	Day
2188	2025-12-07 18:56:23	N/A	55dB	N/A	N/A	Day
2189	2025-12-07 18:57:34	74.23	55dB	3.8	279%	Day
2190	2025-12-07 18:59:13	68.05	55dB	2.5	147%	Day
2191	2025-12-07 19:00:33	66.93	55dB	2.3	129%	Day
2192	2025-12-07 19:10:45	68.98	55dB	2.6	164%	Day

2193	2025-12-07 19:12:20	N/A	55dB	N/A	N/A	Day
2194	2025-12-07 19:13:45	68.05	55dB	2.5	147%	Day
2195	2025-12-07 19:15:23	N/A	55dB	N/A	N/A	Day
2196	2025-12-07 19:22:48	71.54	55dB	3.1	215%	Day
2197	2025-12-07 19:24:16	69.62	55dB	2.8	175%	Day
2198	2025-12-07 19:27:24	69.43	55dB	2.7	172%	Day
2199	2025-12-07 19:29:32	69.65	55dB	2.8	176%	Day
2200	2025-12-07 19:31:23	74.88	55dB	4.0	297%	Day
2201	2025-12-07 19:33:36	68.77	55dB	2.6	160%	Day
2202	2025-12-07 19:35:27	N/A	55dB	N/A	N/A	Day
2203	2025-12-07 19:36:51	N/A	55dB	N/A	N/A	Day
2204	2025-12-07 19:38:30	67.78	55dB	2.4	143%	Day
2205	2025-12-07 19:39:51	70.50	55dB	2.9	193%	Day
2206	2025-12-07 19:41:34	N/A	55dB	N/A	N/A	Day
2207	2025-12-07 19:44:19	N/A	55dB	N/A	N/A	Day
2208	2025-12-07 19:48:03	N/A	55dB	N/A	N/A	Day
2209	2025-12-07 19:53:14	71.42	55dB	3.1	212%	Day
2210	2025-12-07 19:55:32	N/A	55dB	N/A	N/A	Day
2211	2025-12-07 19:57:22	69.50	55dB	2.7	173%	Day
2212	2025-12-07 19:59:15	69.49	55dB	2.7	173%	Day
2213	2025-12-07 20:00:55	N/A	55dB	N/A	N/A	Day
2214	2025-12-07 20:03:32	69.50	55dB	2.7	173%	Day
2215	2025-12-07 20:06:11	69.72	55dB	2.8	177%	Day
2216	2025-12-07 20:08:07	72.06	55dB	3.3	226%	Day
2217	2025-12-07 20:10:09	N/A	55dB	N/A	N/A	Day
2218	2025-12-07 20:11:55	N/A	55dB	N/A	N/A	Day
2219	2025-12-07 20:13:25	69.31	55dB	2.7	170%	Day
2220	2025-12-07 20:21:46	69.31	55dB	2.7	170%	Day
2221	2025-12-07 20:23:55	72.94	55dB	3.5	247%	Day
2222	2025-12-07 20:26:38	N/A	55dB	N/A	N/A	Day
2223	2025-12-07 20:29:30	N/A	55dB	N/A	N/A	Day
2224	2025-12-07 20:31:41	78.03	55dB	4.9	393%	Day
2225	2025-12-07 20:33:50	70.63	55dB	3.0	195%	Day
2226	2025-12-07 20:35:07	N/A	55dB	N/A	N/A	Day
2227	2025-12-07 20:36:49	N/A	55dB	N/A	N/A	Day
2228	2025-12-07 20:38:13	N/A	55dB	N/A	N/A	Day
2229	2025-12-07 20:39:53	N/A	55dB	N/A	N/A	Day
2230	2025-12-07 20:41:57	N/A	55dB	N/A	N/A	Day
2231	2025-12-07 20:44:36	68.99	55dB	2.6	164%	Day
2232	2025-12-07 20:46:27	N/A	55dB	N/A	N/A	Day
2233	2025-12-07 20:48:07	66.98	55dB	2.3	129%	Day
2234	2025-12-07 20:49:53	N/A	55dB	N/A	N/A	Day
2235	2025-12-07 20:51:24	67.27	55dB	2.3	134%	Day
2236	2025-12-07 20:52:53	N/A	55dB	N/A	N/A	Day

2237	2025-12-07 20:54:26	N/A	55dB	N/A	N/A	Day
2238	2025-12-07 20:56:15	N/A	55dB	N/A	N/A	Day
2239	2025-12-07 20:57:57	N/A	55dB	N/A	N/A	Day
2240	2025-12-07 20:59:53	N/A	55dB	N/A	N/A	Day
2241	2025-12-07 21:02:53	N/A	55dB	N/A	N/A	Day
2242	2025-12-07 21:06:17	70.67	55dB	3.0	196%	Day
2243	2025-12-07 21:08:06	N/A	55dB	N/A	N/A	Day
2244	2025-12-07 21:09:58	68.58	55dB	2.6	156%	Day
2245	2025-12-07 21:12:24	N/A	55dB	N/A	N/A	Day
2246	2025-12-07 21:14:02	N/A	55dB	N/A	N/A	Day
2247	2025-12-07 21:16:58	69.02	55dB	2.6	164%	Day
2248	2025-12-07 21:19:45	N/A	55dB	N/A	N/A	Day
2249	2025-12-07 21:23:13	66.43	55dB	2.2	121%	Day
2250	2025-12-07 21:24:51	N/A	55dB	N/A	N/A	Day
2251	2025-12-07 21:27:07	N/A	55dB	N/A	N/A	Day
2252	2025-12-07 21:30:01	N/A	55dB	N/A	N/A	Day
2253	2025-12-07 21:31:51	N/A	55dB	N/A	N/A	Day
2254	2025-12-07 21:33:14	N/A	55dB	N/A	N/A	Day
2255	2025-12-07 21:35:15	69.39	55dB	2.7	171%	Day
2256	2025-12-07 21:37:05	66.13	55dB	2.2	116%	Day
2257	2025-12-07 21:39:28	N/A	55dB	N/A	N/A	Day
2258	2025-12-07 21:41:43	N/A	55dB	N/A	N/A	Day
2259	2025-12-07 21:44:39	N/A	55dB	N/A	N/A	Day
2260	2025-12-07 21:48:05	N/A	55dB	N/A	N/A	Day
2261	2025-12-07 21:50:00	N/A	55dB	N/A	N/A	Day
2262	2025-12-07 21:52:13	N/A	55dB	N/A	N/A	Day
2263	2025-12-07 21:54:00	N/A	55dB	N/A	N/A	Day
2264	2025-12-07 21:55:19	N/A	55dB	N/A	N/A	Day
2265	2025-12-07 21:58:17	67.24	55dB	2.3	134%	Day
2266	2025-12-07 22:00:00	N/A	55dB	N/A	N/A	Day
2267	2025-12-07 22:01:36	N/A	55dB	N/A	N/A	Day
2268	2025-12-07 22:05:55	N/A	55dB	N/A	N/A	Day
2269	2025-12-07 22:08:15	N/A	55dB	N/A	N/A	Day
2270	2025-12-07 22:10:15	N/A	55dB	N/A	N/A	Day
2271	2025-12-07 22:11:46	N/A	55dB	N/A	N/A	Day
2272	2025-12-07 22:13:33	N/A	55dB	N/A	N/A	Day
2273	2025-12-07 22:15:12	N/A	55dB	N/A	N/A	Day
2274	2025-12-07 22:18:02	N/A	55dB	N/A	N/A	Day
2275	2025-12-07 22:21:44	N/A	55dB	N/A	N/A	Day
2276	2025-12-07 22:23:16	N/A	55dB	N/A	N/A	Day
2277	2025-12-07 22:25:19	N/A	55dB	N/A	N/A	Day
2278	2025-12-07 22:28:40	N/A	55dB	N/A	N/A	Day
2279	2025-12-07 22:30:05	74.18	55dB	3.8	278%	Day
2280	2025-12-07 22:32:06	N/A	55dB	N/A	N/A	Day

2281	2025-12-07 22:33:22	N/A	55dB	N/A	N/A	Day
2282	2025-12-07 22:34:50	N/A	55dB	N/A	N/A	Day
2283	2025-12-07 22:36:40	N/A	55dB	N/A	N/A	Day
2284	2025-12-07 22:40:53	N/A	55dB	N/A	N/A	Day
2285	2025-12-07 22:44:37	N/A	55dB	N/A	N/A	Day
2286	2025-12-07 22:46:05	73.22	55dB	3.5	254%	Day
2287	2025-12-07 22:47:43	N/A	55dB	N/A	N/A	Day
2288	2025-12-07 22:49:10	66.69	55dB	2.2	125%	Day
2289	2025-12-07 22:50:40	N/A	55dB	N/A	N/A	Day
2290	2025-12-07 22:53:25	N/A	55dB	N/A	N/A	Day
2291	2025-12-07 22:56:06	N/A	55dB	N/A	N/A	Day
2292	2025-12-07 22:57:54	N/A	55dB	N/A	N/A	Day
2293	2025-12-07 22:59:18	N/A	55dB	N/A	N/A	Day
2294	2025-12-07 23:06:25	N/A	45dB	N/A	N/A	Night
2295	2025-12-07 23:10:37	N/A	45dB	N/A	N/A	Night
2296	2025-12-07 23:12:32	N/A	45dB	N/A	N/A	Night
2297	2025-12-07 23:14:02	N/A	45dB	N/A	N/A	Night
2298	2025-12-07 23:16:02	N/A	45dB	N/A	N/A	Night
2299	2025-12-07 23:18:20	N/A	45dB	N/A	N/A	Night
2300	2025-12-07 23:20:26	N/A	45dB	N/A	N/A	Night
2301	2025-12-07 23:23:15	N/A	45dB	N/A	N/A	Night
2302	2025-12-07 23:24:47	N/A	45dB	N/A	N/A	Night
2303	2025-12-07 23:27:45	69.55	45dB	5.5	448%	Night
2304	2025-12-07 23:31:12	66.91	45dB	4.6	357%	Night
2305	2025-12-07 23:35:46	N/A	45dB	N/A	N/A	Night
2306	2025-12-07 23:39:49	N/A	45dB	N/A	N/A	Night
2307	2025-12-07 23:41:33	N/A	45dB	N/A	N/A	Night
2308	2025-12-07 23:42:58	N/A	45dB	N/A	N/A	Night
2309	2025-12-07 23:45:03	N/A	45dB	N/A	N/A	Night
2310	2025-12-07 23:47:37	N/A	45dB	N/A	N/A	Night
2311	2025-12-07 23:49:18	N/A	45dB	N/A	N/A	Night
2312	2025-12-07 23:51:23	N/A	45dB	N/A	N/A	Night
2313	2025-12-07 23:54:26	67.18	45dB	4.7	365%	Night
2314	2025-12-07 23:56:32	68.78	45dB	5.2	420%	Night
2315	2025-12-07 23:59:07	N/A	45dB	N/A	N/A	Night
2316	2025-12-08 00:00:43	65.70	45dB	4.2	320%	Night
2317	2025-12-08 00:05:33	66.51	45dB	4.4	344%	Night
2318	2025-12-08 00:07:08	63.39	45dB	3.6	258%	Night
2319	2025-12-08 00:08:57	67.28	45dB	4.7	368%	Night
2320	2025-12-08 00:16:01	68.45	45dB	5.1	408%	Night
2321	2025-12-08 00:17:33	63.29	45dB	3.6	255%	Night
2322	2025-12-08 00:19:24	67.52	45dB	4.8	376%	Night
2323	2025-12-08 00:21:03	67.63	45dB	4.8	380%	Night
2324	2025-12-08 00:22:45	65.05	45dB	4.0	301%	Night

2325	2025-12-08 00:25:32	67.91	45dB	4.9	389%	Night
2326	2025-12-08 00:26:56	66.61	45dB	4.5	347%	Night
2327	2025-12-08 00:30:12	67.32	45dB	4.7	370%	Night
2328	2025-12-08 00:32:21	68.26	45dB	5.0	401%	Night
2329	2025-12-08 00:33:58	65.77	45dB	4.2	322%	Night
2330	2025-12-08 00:41:09	69.49	45dB	5.5	446%	Night
2331	2025-12-08 00:42:44	68.28	45dB	5.0	402%	Night
2332	2025-12-08 00:45:21	70.01	45dB	5.7	466%	Night
2333	2025-12-08 00:47:55	70.71	45dB	5.9	494%	Night
2334	2025-12-08 06:31:25	N/A	45dB	N/A	N/A	Night
2335	2025-12-08 06:32:50	N/A	45dB	N/A	N/A	Night
2336	2025-12-08 06:33:44	N/A	45dB	N/A	N/A	Night
2337	2025-12-08 06:37:06	71.30	45dB	6.2	519%	Night
2338	2025-12-08 06:37:55	N/A	45dB	N/A	N/A	Night
2339	2025-12-08 06:39:09	N/A	45dB	N/A	N/A	Night
2340	2025-12-08 06:40:02	N/A	45dB	N/A	N/A	Night
2341	2025-12-08 06:42:51	N/A	45dB	N/A	N/A	Night
2342	2025-12-08 06:44:18	69.73	45dB	5.6	455%	Night
2343	2025-12-08 06:46:08	N/A	45dB	N/A	N/A	Night
2344	2025-12-08 06:47:03	N/A	45dB	N/A	N/A	Night
2345	2025-12-08 06:48:30	N/A	45dB	N/A	N/A	Night
2346	2025-12-08 06:49:31	69.10	45dB	5.3	431%	Night
2347	2025-12-08 06:51:34	N/A	45dB	N/A	N/A	Night
2348	2025-12-08 06:52:43	68.60	45dB	5.1	413%	Night
2349	2025-12-08 06:53:36	73.86	45dB	7.4	639%	Night
2350	2025-12-08 06:54:37	69.72	45dB	5.5	455%	Night
2351	2025-12-08 06:55:37	N/A	45dB	N/A	N/A	Night
2352	2025-12-08 06:56:31	N/A	45dB	N/A	N/A	Night
2353	2025-12-08 06:57:35	66.80	45dB	4.5	353%	Night
2354	2025-12-08 06:58:44	69.15	45dB	5.3	433%	Night
2355	2025-12-08 07:00:37	71.36	55dB	3.1	211%	Day
2356	2025-12-08 07:05:30	68.80	55dB	2.6	160%	Day
2357	2025-12-08 07:13:34	70.19	55dB	2.9	187%	Day
2358	2025-12-08 07:14:49	66.25	55dB	2.2	118%	Day
2359	2025-12-08 07:16:15	67.10	55dB	2.3	131%	Day
2360	2025-12-08 07:17:07	67.65	55dB	2.4	140%	Day
2361	2025-12-08 07:18:03	N/A	55dB	N/A	N/A	Day
2362	2025-12-08 07:20:41	70.45	55dB	2.9	192%	Day
2363	2025-12-08 07:22:56	69.12	55dB	2.7	166%	Day
2364	2025-12-08 07:26:05	N/A	55dB	N/A	N/A	Day
2365	2025-12-08 07:28:56	68.52	55dB	2.6	155%	Day
2366	2025-12-08 07:30:54	N/A	55dB	N/A	N/A	Day
2367	2025-12-08 07:32:06	68.25	55dB	2.5	151%	Day
2368	2025-12-08 07:32:54	N/A	55dB	N/A	N/A	Day

2369	2025-12-08 07:34:19	70.05	55dB	2.8	184%	Day
2370	2025-12-08 07:38:23	69.54	55dB	2.7	174%	Day
2371	2025-12-08 07:39:34	N/A	55dB	N/A	N/A	Day
2372	2025-12-08 07:41:01	N/A	55dB	N/A	N/A	Day
2373	2025-12-08 07:47:25	N/A	55dB	N/A	N/A	Day
2374	2025-12-08 07:48:33	N/A	55dB	N/A	N/A	Day
2375	2025-12-08 07:52:43	66.91	55dB	2.3	128%	Day
2376	2025-12-08 07:53:58	69.39	55dB	2.7	171%	Day
2377	2025-12-08 07:56:19	N/A	55dB	N/A	N/A	Day
2378	2025-12-08 08:04:59	66.63	55dB	2.2	124%	Day
2379	2025-12-08 08:12:14	68.42	55dB	2.5	154%	Day
2380	2025-12-08 08:13:00	73.46	55dB	3.6	260%	Day
2381	2025-12-08 08:13:49	67.77	55dB	2.4	142%	Day
2382	2025-12-08 08:14:59	74.19	55dB	3.8	278%	Day
2383	2025-12-08 08:20:04	68.69	55dB	2.6	158%	Day
2384	2025-12-08 08:21:35	68.15	55dB	2.5	149%	Day
2385	2025-12-08 08:25:20	72.23	55dB	3.3	230%	Day
2386	2025-12-08 08:27:43	N/A	55dB	N/A	N/A	Day
2387	2025-12-08 08:28:33	N/A	55dB	N/A	N/A	Day
2388	2025-12-08 08:30:58	N/A	55dB	N/A	N/A	Day
2389	2025-12-08 08:34:44	67.18	55dB	2.3	133%	Day
2390	2025-12-08 08:35:32	N/A	55dB	N/A	N/A	Day
2391	2025-12-08 08:38:03	N/A	55dB	N/A	N/A	Day
2392	2025-12-08 08:39:04	68.27	55dB	2.5	151%	Day
2393	2025-12-08 08:39:57	N/A	55dB	N/A	N/A	Day
2394	2025-12-08 08:41:14	71.08	55dB	3.0	205%	Day
2395	2025-12-08 08:41:53	N/A	55dB	N/A	N/A	Day
2396	2025-12-08 08:43:01	69.24	55dB	2.7	168%	Day
2397	2025-12-08 08:46:36	67.98	55dB	2.5	146%	Day
2398	2025-12-08 08:47:26	67.39	55dB	2.4	136%	Day
2399	2025-12-08 08:52:40	66.05	55dB	2.2	115%	Day
2400	2025-12-08 08:56:54	67.82	55dB	2.4	143%	Day
2401	2025-12-08 08:57:45	N/A	55dB	N/A	N/A	Day
2402	2025-12-08 08:59:04	68.07	55dB	2.5	147%	Day
2403	2025-12-08 09:00:06	74.20	55dB	3.8	278%	Day
2404	2025-12-08 09:01:22	N/A	55dB	N/A	N/A	Day
2405	2025-12-08 09:02:41	70.29	55dB	2.9	189%	Day
2406	2025-12-08 09:06:08	70.68	55dB	3.0	196%	Day
2407	2025-12-08 09:11:34	69.55	55dB	2.7	174%	Day
2408	2025-12-08 09:13:46	70.66	55dB	3.0	196%	Day
2409	2025-12-08 09:18:42	70.27	55dB	2.9	188%	Day
2410	2025-12-08 09:20:24	68.23	55dB	2.5	150%	Day
2411	2025-12-08 09:26:23	72.49	55dB	3.4	236%	Day
2412	2025-12-08 09:27:31	69.71	55dB	2.8	177%	Day

2413	2025-12-08 09:28:31	70.77	55dB	3.0	198%	Day
2414	2025-12-08 09:29:54	71.98	55dB	3.2	224%	Day
2415	2025-12-08 09:31:56	N/A	55dB	N/A	N/A	Day
2416	2025-12-08 09:32:58	69.20	55dB	2.7	168%	Day
2417	2025-12-08 09:33:47	N/A	55dB	N/A	N/A	Day
2418	2025-12-08 09:34:55	N/A	55dB	N/A	N/A	Day
2419	2025-12-08 09:36:48	N/A	55dB	N/A	N/A	Day
2420	2025-12-08 09:41:43	69.76	55dB	2.8	178%	Day
2421	2025-12-08 09:42:49	68.47	55dB	2.5	154%	Day
2422	2025-12-08 09:45:51	81.17	55dB	6.1	513%	Day
2423	2025-12-08 09:47:07	N/A	55dB	N/A	N/A	Day
2424	2025-12-08 09:49:24	70.48	55dB	2.9	192%	Day
2425	2025-12-08 09:51:33	71.86	55dB	3.2	222%	Day
2426	2025-12-08 09:54:12	N/A	55dB	N/A	N/A	Day
2427	2025-12-08 09:55:13	N/A	55dB	N/A	N/A	Day
2428	2025-12-08 09:56:25	65.90	55dB	2.1	113%	Day
2429	2025-12-08 09:57:07	N/A	55dB	N/A	N/A	Day
2430	2025-12-08 09:58:37	N/A	55dB	N/A	N/A	Day
2431	2025-12-08 10:02:52	70.61	55dB	3.0	195%	Day
2432	2025-12-08 10:03:47	N/A	55dB	N/A	N/A	Day
2433	2025-12-08 10:04:57	68.26	55dB	2.5	151%	Day
2434	2025-12-08 10:06:25	68.51	55dB	2.6	155%	Day
2435	2025-12-08 10:08:17	N/A	55dB	N/A	N/A	Day
2436	2025-12-08 10:09:18	N/A	55dB	N/A	N/A	Day
2437	2025-12-08 10:10:45	N/A	55dB	N/A	N/A	Day
2438	2025-12-08 10:11:39	70.58	55dB	2.9	194%	Day
2439	2025-12-08 10:12:25	72.72	55dB	3.4	242%	Day
2440	2025-12-08 10:13:17	N/A	55dB	N/A	N/A	Day
2441	2025-12-08 10:14:09	N/A	55dB	N/A	N/A	Day
2442	2025-12-08 10:15:00	70.70	55dB	3.0	197%	Day
2443	2025-12-08 10:15:58	72.68	55dB	3.4	241%	Day
2444	2025-12-08 10:17:02	71.38	55dB	3.1	211%	Day
2445	2025-12-08 10:17:45	N/A	55dB	N/A	N/A	Day
2446	2025-12-08 10:19:00	74.74	55dB	3.9	293%	Day
2447	2025-12-08 10:19:51	72.02	55dB	3.3	225%	Day
2448	2025-12-08 10:20:45	72.54	55dB	3.4	237%	Day
2449	2025-12-08 10:22:11	73.16	55dB	3.5	252%	Day
2450	2025-12-08 10:23:40	69.87	55dB	2.8	180%	Day
2451	2025-12-08 10:25:28	70.56	55dB	2.9	194%	Day
2452	2025-12-08 10:27:20	72.83	55dB	3.4	244%	Day
2453	2025-12-08 10:28:38	69.75	55dB	2.8	178%	Day
2454	2025-12-08 10:29:42	74.22	55dB	3.8	279%	Day
2455	2025-12-08 10:30:47	70.76	55dB	3.0	198%	Day
2456	2025-12-08 10:33:42	70.22	55dB	2.9	187%	Day

2457	2025-12-08 10:34:53	N/A	55dB	N/A	N/A	Day
2458	2025-12-08 10:36:30	68.01	55dB	2.5	146%	Day
2459	2025-12-08 10:38:20	70.82	55dB	3.0	199%	Day
2460	2025-12-08 10:40:04	73.16	55dB	3.5	252%	Day
2461	2025-12-08 10:41:32	N/A	55dB	N/A	N/A	Day
2462	2025-12-08 10:42:53	68.04	55dB	2.5	147%	Day
2463	2025-12-08 10:44:38	78.27	55dB	5.0	402%	Day
2464	2025-12-08 10:45:24	69.39	55dB	2.7	171%	Day
2465	2025-12-08 10:46:10	N/A	55dB	N/A	N/A	Day
2466	2025-12-08 10:49:50	N/A	55dB	N/A	N/A	Day
2467	2025-12-08 10:51:58	72.80	55dB	3.4	243%	Day
2468	2025-12-08 10:53:18	N/A	55dB	N/A	N/A	Day
2469	2025-12-08 10:54:22	70.18	55dB	2.9	186%	Day
2470	2025-12-08 10:55:32	66.31	55dB	2.2	119%	Day
2471	2025-12-08 10:56:32	N/A	55dB	N/A	N/A	Day
2472	2025-12-08 10:57:47	N/A	55dB	N/A	N/A	Day
2473	2025-12-08 11:03:13	68.93	55dB	2.6	163%	Day
2474	2025-12-08 11:04:35	66.24	55dB	2.2	118%	Day
2475	2025-12-08 11:06:17	N/A	55dB	N/A	N/A	Day
2476	2025-12-08 11:07:45	68.12	55dB	2.5	148%	Day
2477	2025-12-08 11:09:00	71.97	55dB	3.2	224%	Day
2478	2025-12-08 11:10:44	N/A	55dB	N/A	N/A	Day
2479	2025-12-08 11:12:00	66.67	55dB	2.2	125%	Day
2480	2025-12-08 11:13:22	66.90	55dB	2.3	128%	Day
2481	2025-12-08 11:14:30	N/A	55dB	N/A	N/A	Day
2482	2025-12-08 11:15:50	73.68	55dB	3.7	265%	Day
2483	2025-12-08 11:18:02	N/A	55dB	N/A	N/A	Day
2484	2025-12-08 11:19:10	N/A	55dB	N/A	N/A	Day
2485	2025-12-08 11:20:16	69.14	55dB	2.7	166%	Day
2486	2025-12-08 11:23:22	70.49	55dB	2.9	193%	Day
2487	2025-12-08 11:25:44	71.70	55dB	3.2	218%	Day
2488	2025-12-08 11:27:04	N/A	55dB	N/A	N/A	Day
2489	2025-12-08 11:28:23	N/A	55dB	N/A	N/A	Day
2490	2025-12-08 11:29:36	N/A	55dB	N/A	N/A	Day
2491	2025-12-08 11:30:49	66.96	55dB	2.3	129%	Day
2492	2025-12-08 11:32:04	66.97	55dB	2.3	129%	Day
2493	2025-12-08 11:33:32	N/A	55dB	N/A	N/A	Day
2494	2025-12-08 11:42:01	N/A	55dB	N/A	N/A	Day
2495	2025-12-08 11:43:34	N/A	55dB	N/A	N/A	Day
2496	2025-12-08 11:48:08	N/A	55dB	N/A	N/A	Day
2497	2025-12-08 11:49:37	71.77	55dB	3.2	220%	Day
2498	2025-12-08 11:51:01	68.20	55dB	2.5	150%	Day
2499	2025-12-08 11:53:00	N/A	55dB	N/A	N/A	Day
2500	2025-12-08 11:55:00	67.53	55dB	2.4	138%	Day

2501	2025-12-08 11:56:26	66.86	55dB	2.3	128%	Day
2502	2025-12-08 11:57:45	69.29	55dB	2.7	169%	Day
2503	2025-12-08 11:59:03	N/A	55dB	N/A	N/A	Day
2504	2025-12-08 12:00:38	N/A	55dB	N/A	N/A	Day
2505	2025-12-08 12:06:48	68.19	55dB	2.5	149%	Day
2506	2025-12-08 12:09:38	68.47	55dB	2.5	154%	Day
2507	2025-12-08 12:11:34	69.18	55dB	2.7	167%	Day
2508	2025-12-08 12:13:05	N/A	55dB	N/A	N/A	Day
2509	2025-12-08 12:24:40	N/A	55dB	N/A	N/A	Day
2510	2025-12-08 12:28:48	N/A	55dB	N/A	N/A	Day
2511	2025-12-08 12:31:06	67.50	55dB	2.4	138%	Day
2512	2025-12-08 12:34:13	N/A	55dB	N/A	N/A	Day
2513	2025-12-08 12:34:57	N/A	55dB	N/A	N/A	Day
2514	2025-12-08 12:35:41	N/A	55dB	N/A	N/A	Day
2515	2025-12-08 12:37:04	N/A	55dB	N/A	N/A	Day
2516	2025-12-08 12:47:08	N/A	55dB	N/A	N/A	Day
2517	2025-12-08 12:48:31	N/A	55dB	N/A	N/A	Day
2518	2025-12-08 12:50:14	N/A	55dB	N/A	N/A	Day
2519	2025-12-08 12:51:50	N/A	55dB	N/A	N/A	Day
2520	2025-12-08 12:53:03	71.53	55dB	3.1	214%	Day
2521	2025-12-08 12:54:28	N/A	55dB	N/A	N/A	Day
2522	2025-12-08 12:55:38	65.87	55dB	2.1	112%	Day
2523	2025-12-08 12:57:05	70.38	55dB	2.9	190%	Day
2524	2025-12-08 12:59:23	N/A	55dB	N/A	N/A	Day
2525	2025-12-08 13:01:19	N/A	55dB	N/A	N/A	Day
2526	2025-12-08 13:03:22	71.75	55dB	3.2	219%	Day
2527	2025-12-08 13:06:21	N/A	55dB	N/A	N/A	Day
2528	2025-12-08 13:07:52	68.15	55dB	2.5	149%	Day
2529	2025-12-08 13:09:12	N/A	55dB	N/A	N/A	Day
2530	2025-12-08 13:11:00	N/A	55dB	N/A	N/A	Day
2531	2025-12-08 13:12:34	N/A	55dB	N/A	N/A	Day
2532	2025-12-08 13:13:56	N/A	55dB	N/A	N/A	Day
2533	2025-12-08 13:15:30	70.83	55dB	3.0	200%	Day
2534	2025-12-08 13:24:50	N/A	55dB	N/A	N/A	Day
2535	2025-12-08 13:28:40	N/A	55dB	N/A	N/A	Day
2536	2025-12-08 13:30:08	68.75	55dB	2.6	159%	Day
2537	2025-12-08 13:31:35	N/A	55dB	N/A	N/A	Day
2538	2025-12-08 13:33:01	N/A	55dB	N/A	N/A	Day
2539	2025-12-08 13:34:21	N/A	55dB	N/A	N/A	Day
2540	2025-12-08 13:35:48	N/A	55dB	N/A	N/A	Day
2541	2025-12-08 13:37:57	N/A	55dB	N/A	N/A	Day
2542	2025-12-08 13:39:21	N/A	55dB	N/A	N/A	Day
2543	2025-12-08 13:41:12	N/A	55dB	N/A	N/A	Day
2544	2025-12-08 13:42:45	79.76	55dB	5.6	456%	Day

2545	2025-12-08 13:44:18	67.28	55dB	2.3	134%	Day
2546	2025-12-08 13:46:28	N/A	55dB	N/A	N/A	Day
2547	2025-12-08 13:50:20	N/A	55dB	N/A	N/A	Day
2548	2025-12-08 13:52:50	N/A	55dB	N/A	N/A	Day
2549	2025-12-08 13:55:27	71.12	55dB	3.1	206%	Day
2550	2025-12-08 13:57:43	N/A	55dB	N/A	N/A	Day
2551	2025-12-08 14:00:51	N/A	55dB	N/A	N/A	Day
2552	2025-12-08 14:02:36	71.22	55dB	3.1	208%	Day
2553	2025-12-08 14:04:19	71.80	55dB	3.2	220%	Day
2554	2025-12-08 14:06:42	67.84	55dB	2.4	144%	Day
2555	2025-12-08 14:08:25	70.91	55dB	3.0	201%	Day
2556	2025-12-08 14:10:06	73.01	55dB	3.5	248%	Day
2557	2025-12-08 14:11:49	76.21	55dB	4.3	335%	Day
2558	2025-12-08 14:14:23	N/A	55dB	N/A	N/A	Day
2559	2025-12-08 14:16:56	70.66	55dB	3.0	196%	Day
2560	2025-12-08 14:18:58	N/A	55dB	N/A	N/A	Day
2561	2025-12-08 14:20:11	N/A	55dB	N/A	N/A	Day
2562	2025-12-08 14:21:24	N/A	55dB	N/A	N/A	Day
2563	2025-12-08 14:22:43	66.99	55dB	2.3	130%	Day
2564	2025-12-08 14:24:07	75.90	55dB	4.3	326%	Day
2565	2025-12-08 14:25:23	79.33	55dB	5.4	440%	Day
2566	2025-12-08 14:27:08	70.13	55dB	2.9	185%	Day
2567	2025-12-08 14:29:20	N/A	55dB	N/A	N/A	Day
2568	2025-12-08 14:30:35	70.99	55dB	3.0	203%	Day
2569	2025-12-08 14:31:51	N/A	55dB	N/A	N/A	Day
2570	2025-12-08 14:33:48	N/A	55dB	N/A	N/A	Day
2571	2025-12-08 14:35:24	N/A	55dB	N/A	N/A	Day
2572	2025-12-08 14:36:45	77.00	55dB	4.6	359%	Day
2573	2025-12-08 14:38:05	N/A	55dB	N/A	N/A	Day
2574	2025-12-08 14:39:16	67.00	55dB	2.3	130%	Day
2575	2025-12-08 14:40:41	66.98	55dB	2.3	129%	Day
2576	2025-12-08 14:41:43	69.94	55dB	2.8	182%	Day
2577	2025-12-08 14:44:19	N/A	55dB	N/A	N/A	Day
2578	2025-12-08 14:45:42	68.58	55dB	2.6	156%	Day
2579	2025-12-08 14:46:51	68.32	55dB	2.5	152%	Day
2580	2025-12-08 14:48:02	N/A	55dB	N/A	N/A	Day
2581	2025-12-08 14:50:55	68.65	55dB	2.6	158%	Day
2582	2025-12-08 14:53:58	N/A	55dB	N/A	N/A	Day
2583	2025-12-08 14:55:49	69.50	55dB	2.7	173%	Day
2584	2025-12-08 14:58:02	66.99	55dB	2.3	130%	Day
2585	2025-12-08 14:59:27	N/A	55dB	N/A	N/A	Day
2586	2025-12-08 15:00:49	68.69	55dB	2.6	158%	Day
2587	2025-12-08 15:04:10	67.75	55dB	2.4	142%	Day
2588	2025-12-08 15:05:55	68.22	55dB	2.5	150%	Day

2589	2025-12-08 15:07:58	69.63	55dB	2.8	176%	Day
2590	2025-12-08 15:09:28	68.56	55dB	2.6	156%	Day
2591	2025-12-08 15:11:07	69.52	55dB	2.7	174%	Day
2592	2025-12-08 15:13:02	68.98	55dB	2.6	164%	Day
2593	2025-12-08 15:14:57	N/A	55dB	N/A	N/A	Day
2594	2025-12-08 15:16:32	68.50	55dB	2.5	155%	Day
2595	2025-12-08 15:17:48	N/A	55dB	N/A	N/A	Day
2596	2025-12-08 15:19:02	67.61	55dB	2.4	140%	Day
2597	2025-12-08 15:20:36	74.09	55dB	3.8	276%	Day
2598	2025-12-08 15:21:46	66.61	55dB	2.2	124%	Day
2599	2025-12-08 15:23:17	69.51	55dB	2.7	173%	Day
2600	2025-12-08 15:25:10	N/A	55dB	N/A	N/A	Day
2601	2025-12-08 15:26:23	68.36	55dB	2.5	152%	Day
2602	2025-12-08 15:28:19	67.21	55dB	2.3	133%	Day
2603	2025-12-08 15:29:50	66.29	55dB	2.2	119%	Day
2604	2025-12-08 15:31:14	70.61	55dB	3.0	195%	Day
2605	2025-12-08 15:32:51	70.18	55dB	2.9	186%	Day
2606	2025-12-08 15:35:53	68.65	55dB	2.6	158%	Day
2607	2025-12-08 15:37:25	68.34	55dB	2.5	152%	Day
2608	2025-12-08 15:41:06	N/A	55dB	N/A	N/A	Day
2609	2025-12-08 15:42:37	N/A	55dB	N/A	N/A	Day
2610	2025-12-08 15:44:23	N/A	55dB	N/A	N/A	Day
2611	2025-12-08 15:46:04	67.00	55dB	2.3	130%	Day
2612	2025-12-08 15:47:55	66.40	55dB	2.2	120%	Day
2613	2025-12-08 15:49:22	N/A	55dB	N/A	N/A	Day
2614	2025-12-08 15:51:51	N/A	55dB	N/A	N/A	Day
2615	2025-12-08 15:54:03	71.80	55dB	3.2	220%	Day
2616	2025-12-08 15:56:54	66.99	55dB	2.3	130%	Day
2617	2025-12-08 15:59:32	N/A	55dB	N/A	N/A	Day
2618	2025-12-08 16:00:57	N/A	55dB	N/A	N/A	Day
2619	2025-12-08 16:02:12	N/A	55dB	N/A	N/A	Day
2620	2025-12-08 16:04:33	68.43	55dB	2.5	154%	Day
2621	2025-12-08 16:07:03	N/A	55dB	N/A	N/A	Day
2622	2025-12-08 16:09:02	69.60	55dB	2.8	175%	Day
2623	2025-12-08 16:11:47	67.31	55dB	2.3	135%	Day
2624	2025-12-08 16:16:48	71.85	55dB	3.2	222%	Day
2625	2025-12-08 16:18:54	73.06	55dB	3.5	250%	Day
2626	2025-12-08 16:20:37	69.14	55dB	2.7	166%	Day
2627	2025-12-08 16:26:03	71.65	55dB	3.2	217%	Day
2628	2025-12-08 16:32:06	70.95	55dB	3.0	202%	Day
2629	2025-12-08 16:35:18	67.59	55dB	2.4	139%	Day
2630	2025-12-08 16:36:33	68.05	55dB	2.5	147%	Day
2631	2025-12-08 16:37:50	68.55	55dB	2.6	156%	Day
2632	2025-12-08 16:39:58	N/A	55dB	N/A	N/A	Day

2633	2025-12-08 16:41:34	N/A	55dB	N/A	N/A	Day
2634	2025-12-08 16:43:50	N/A	55dB	N/A	N/A	Day
2635	2025-12-08 16:45:05	70.04	55dB	2.8	184%	Day
2636	2025-12-08 16:50:02	71.65	55dB	3.2	217%	Day
2637	2025-12-08 16:52:33	67.91	55dB	2.4	145%	Day
2638	2025-12-08 16:54:26	N/A	55dB	N/A	N/A	Day
2639	2025-12-08 16:55:51	N/A	55dB	N/A	N/A	Day
2640	2025-12-08 16:57:22	N/A	55dB	N/A	N/A	Day
2641	2025-12-08 16:59:10	N/A	55dB	N/A	N/A	Day
2642	2025-12-08 17:01:24	N/A	55dB	N/A	N/A	Day
2643	2025-12-08 17:04:14	70.68	55dB	3.0	196%	Day
2644	2025-12-08 17:06:05	N/A	55dB	N/A	N/A	Day
2645	2025-12-08 17:07:35	68.57	55dB	2.6	156%	Day
2646	2025-12-08 17:09:25	69.49	55dB	2.7	173%	Day
2647	2025-12-08 17:13:18	N/A	55dB	N/A	N/A	Day
2648	2025-12-08 17:15:55	N/A	55dB	N/A	N/A	Day
2649	2025-12-08 17:16:56	N/A	55dB	N/A	N/A	Day
2650	2025-12-08 17:21:13	N/A	55dB	N/A	N/A	Day
2651	2025-12-08 17:24:36	N/A	55dB	N/A	N/A	Day
2652	2025-12-08 17:25:46	N/A	55dB	N/A	N/A	Day
2653	2025-12-08 17:27:17	N/A	55dB	N/A	N/A	Day
2654	2025-12-08 17:28:42	N/A	55dB	N/A	N/A	Day
2655	2025-12-08 17:30:28	N/A	55dB	N/A	N/A	Day
2656	2025-12-08 17:34:00	N/A	55dB	N/A	N/A	Day
2657	2025-12-08 17:37:11	N/A	55dB	N/A	N/A	Day
2658	2025-12-08 17:38:27	N/A	55dB	N/A	N/A	Day
2659	2025-12-08 17:40:03	66.15	55dB	2.2	117%	Day
2660	2025-12-08 17:41:32	67.08	55dB	2.3	131%	Day
2661	2025-12-08 17:43:20	N/A	55dB	N/A	N/A	Day
2662	2025-12-08 17:44:39	67.23	55dB	2.3	133%	Day
2663	2025-12-08 17:46:03	70.39	55dB	2.9	191%	Day
2664	2025-12-08 17:48:36	73.95	55dB	3.7	272%	Day
2665	2025-12-08 17:50:12	68.11	55dB	2.5	148%	Day
2666	2025-12-08 17:51:46	67.49	55dB	2.4	138%	Day
2667	2025-12-08 17:53:09	N/A	55dB	N/A	N/A	Day
2668	2025-12-08 17:54:26	N/A	55dB	N/A	N/A	Day
2669	2025-12-08 17:55:48	N/A	55dB	N/A	N/A	Day
2670	2025-12-08 17:57:27	66.32	55dB	2.2	119%	Day
2671	2025-12-08 18:00:45	66.40	55dB	2.2	120%	Day
2672	2025-12-08 18:02:43	68.59	55dB	2.6	157%	Day
2673	2025-12-08 18:04:57	N/A	55dB	N/A	N/A	Day
2674	2025-12-08 18:10:42	N/A	55dB	N/A	N/A	Day
2675	2025-12-08 18:12:13	66.76	55dB	2.3	126%	Day
2676	2025-12-08 18:14:07	N/A	55dB	N/A	N/A	Day

2677	2025-12-08 18:17:12	66.58	55dB	2.2	123%	Day
2678	2025-12-08 18:19:46	68.01	55dB	2.5	146%	Day
2679	2025-12-08 18:22:10	N/A	55dB	N/A	N/A	Day
2680	2025-12-08 18:26:09	70.17	55dB	2.9	186%	Day
2681	2025-12-08 18:28:35	N/A	55dB	N/A	N/A	Day
2682	2025-12-08 18:29:49	68.94	55dB	2.6	163%	Day
2683	2025-12-08 18:31:07	N/A	55dB	N/A	N/A	Day
2684	2025-12-08 18:32:37	73.00	55dB	3.5	248%	Day
2685	2025-12-08 18:33:59	69.95	55dB	2.8	182%	Day
2686	2025-12-08 18:36:13	N/A	55dB	N/A	N/A	Day
2687	2025-12-08 18:37:41	67.17	55dB	2.3	132%	Day
2688	2025-12-08 18:39:18	N/A	55dB	N/A	N/A	Day
2689	2025-12-08 18:40:28	N/A	55dB	N/A	N/A	Day
2690	2025-12-08 18:41:48	66.34	55dB	2.2	119%	Day
2691	2025-12-08 18:43:14	67.64	55dB	2.4	140%	Day
2692	2025-12-08 18:44:33	N/A	55dB	N/A	N/A	Day
2693	2025-12-08 18:45:51	N/A	55dB	N/A	N/A	Day
2694	2025-12-08 18:47:19	67.53	55dB	2.4	138%	Day
2695	2025-12-08 18:48:33	N/A	55dB	N/A	N/A	Day
2696	2025-12-08 18:49:49	68.18	55dB	2.5	149%	Day
2697	2025-12-08 18:51:06	66.95	55dB	2.3	129%	Day
2698	2025-12-08 18:52:24	N/A	55dB	N/A	N/A	Day
2699	2025-12-08 18:53:49	68.68	55dB	2.6	158%	Day
2700	2025-12-08 18:55:10	N/A	55dB	N/A	N/A	Day
2701	2025-12-08 18:56:39	72.22	55dB	3.3	230%	Day
2702	2025-12-08 18:57:55	68.15	55dB	2.5	149%	Day
2703	2025-12-08 19:00:18	67.01	55dB	2.3	130%	Day
2704	2025-12-08 19:01:49	70.30	55dB	2.9	189%	Day
2705	2025-12-08 19:03:34	71.10	55dB	3.1	205%	Day
2706	2025-12-08 19:05:55	N/A	55dB	N/A	N/A	Day
2707	2025-12-08 19:07:25	N/A	55dB	N/A	N/A	Day
2708	2025-12-08 19:08:52	N/A	55dB	N/A	N/A	Day
2709	2025-12-08 19:11:17	66.85	55dB	2.3	127%	Day
2710	2025-12-08 19:12:58	N/A	55dB	N/A	N/A	Day
2711	2025-12-08 19:14:42	69.18	55dB	2.7	167%	Day
2712	2025-12-08 19:16:46	66.62	55dB	2.2	124%	Day
2713	2025-12-08 19:18:34	73.28	55dB	3.6	255%	Day
2714	2025-12-08 19:20:20	70.00	55dB	2.8	183%	Day
2715	2025-12-08 19:22:44	69.12	55dB	2.7	166%	Day
2716	2025-12-08 19:24:46	N/A	55dB	N/A	N/A	Day
2717	2025-12-08 19:26:17	N/A	55dB	N/A	N/A	Day
2718	2025-12-08 19:27:56	72.76	55dB	3.4	242%	Day
2719	2025-12-08 19:29:22	N/A	55dB	N/A	N/A	Day
2720	2025-12-08 19:30:55	66.95	55dB	2.3	129%	Day

2721	2025-12-08 19:33:03	69.64	55dB	2.8	176%	Day
2722	2025-12-08 19:34:52	68.39	55dB	2.5	153%	Day
2723	2025-12-08 19:36:20	66.78	55dB	2.3	126%	Day
2724	2025-12-08 19:37:52	65.84	55dB	2.1	112%	Day
2725	2025-12-08 19:40:11	N/A	55dB	N/A	N/A	Day
2726	2025-12-08 19:41:51	N/A	55dB	N/A	N/A	Day
2727	2025-12-08 19:43:07	N/A	55dB	N/A	N/A	Day
2728	2025-12-08 19:44:18	69.53	55dB	2.7	174%	Day
2729	2025-12-08 19:46:29	72.30	55dB	3.3	232%	Day
2730	2025-12-08 19:48:24	67.86	55dB	2.4	144%	Day
2731	2025-12-08 19:49:51	N/A	55dB	N/A	N/A	Day
2732	2025-12-08 19:51:06	N/A	55dB	N/A	N/A	Day
2733	2025-12-08 19:53:02	N/A	55dB	N/A	N/A	Day
2734	2025-12-08 19:54:44	N/A	55dB	N/A	N/A	Day
2735	2025-12-08 19:56:11	N/A	55dB	N/A	N/A	Day
2736	2025-12-08 19:58:09	N/A	55dB	N/A	N/A	Day
2737	2025-12-08 20:00:03	67.74	55dB	2.4	142%	Day
2738	2025-12-08 20:01:32	N/A	55dB	N/A	N/A	Day
2739	2025-12-08 20:03:06	N/A	55dB	N/A	N/A	Day
2740	2025-12-08 20:08:08	67.27	55dB	2.3	134%	Day
2741	2025-12-08 20:09:54	N/A	55dB	N/A	N/A	Day
2742	2025-12-08 20:11:14	66.31	55dB	2.2	119%	Day
2743	2025-12-08 20:14:38	N/A	55dB	N/A	N/A	Day
2744	2025-12-08 20:16:35	66.24	55dB	2.2	118%	Day
2745	2025-12-08 20:18:14	69.28	55dB	2.7	169%	Day
2746	2025-12-08 20:19:35	N/A	55dB	N/A	N/A	Day
2747	2025-12-08 20:21:07	69.23	55dB	2.7	168%	Day
2748	2025-12-08 20:23:41	67.29	55dB	2.3	134%	Day
2749	2025-12-08 20:25:17	N/A	55dB	N/A	N/A	Day
2750	2025-12-08 20:26:32	N/A	55dB	N/A	N/A	Day
2751	2025-12-08 20:29:41	68.25	55dB	2.5	151%	Day
2752	2025-12-08 20:31:30	N/A	55dB	N/A	N/A	Day
2753	2025-12-08 20:32:50	N/A	55dB	N/A	N/A	Day
2754	2025-12-08 20:34:15	N/A	55dB	N/A	N/A	Day
2755	2025-12-08 20:35:57	67.13	55dB	2.3	132%	Day
2756	2025-12-08 20:37:36	67.64	55dB	2.4	140%	Day
2757	2025-12-08 20:40:10	68.74	55dB	2.6	159%	Day
2758	2025-12-08 20:42:08	69.35	55dB	2.7	170%	Day
2759	2025-12-08 20:45:32	70.04	55dB	2.8	184%	Day
2760	2025-12-08 20:47:24	67.94	55dB	2.5	145%	Day
2761	2025-12-08 20:49:20	67.58	55dB	2.4	139%	Day
2762	2025-12-08 20:53:30	67.59	55dB	2.4	139%	Day
2763	2025-12-08 20:55:48	N/A	55dB	N/A	N/A	Day
2764	2025-12-08 20:57:18	N/A	55dB	N/A	N/A	Day

2765	2025-12-08 20:58:54	N/A	55dB	N/A	N/A	Day
2766	2025-12-08 21:00:37	65.85	55dB	2.1	112%	Day
2767	2025-12-08 21:02:17	N/A	55dB	N/A	N/A	Day
2768	2025-12-08 21:04:05	66.95	55dB	2.3	129%	Day
2769	2025-12-08 21:05:33	68.13	55dB	2.5	148%	Day
2770	2025-12-08 21:06:56	67.58	55dB	2.4	139%	Day
2771	2025-12-08 21:08:31	N/A	55dB	N/A	N/A	Day
2772	2025-12-08 21:10:05	N/A	55dB	N/A	N/A	Day
2773	2025-12-08 21:11:52	67.68	55dB	2.4	141%	Day
2774	2025-12-08 21:13:43	N/A	55dB	N/A	N/A	Day
2775	2025-12-08 21:15:18	N/A	55dB	N/A	N/A	Day
2776	2025-12-08 21:17:19	67.94	55dB	2.5	145%	Day
2777	2025-12-08 21:21:11	N/A	55dB	N/A	N/A	Day
2778	2025-12-08 21:28:04	66.59	55dB	2.2	123%	Day
2779	2025-12-08 21:29:33	67.06	55dB	2.3	131%	Day
2780	2025-12-08 21:32:06	67.40	55dB	2.4	136%	Day
2781	2025-12-08 21:33:44	N/A	55dB	N/A	N/A	Day
2782	2025-12-08 21:35:08	N/A	55dB	N/A	N/A	Day
2783	2025-12-08 21:36:59	N/A	55dB	N/A	N/A	Day
2784	2025-12-08 21:38:36	N/A	55dB	N/A	N/A	Day
2785	2025-12-08 21:39:51	N/A	55dB	N/A	N/A	Day
2786	2025-12-08 21:41:09	N/A	55dB	N/A	N/A	Day
2787	2025-12-08 21:42:31	N/A	55dB	N/A	N/A	Day
2788	2025-12-08 21:45:11	N/A	55dB	N/A	N/A	Day
2789	2025-12-08 21:46:40	N/A	55dB	N/A	N/A	Day
2790	2025-12-08 21:48:42	N/A	55dB	N/A	N/A	Day
2791	2025-12-08 21:52:00	67.94	55dB	2.5	145%	Day
2792	2025-12-08 21:55:36	N/A	55dB	N/A	N/A	Day
2793	2025-12-08 22:00:34	N/A	55dB	N/A	N/A	Day
2794	2025-12-08 22:02:14	66.87	55dB	2.3	128%	Day
2795	2025-12-08 22:04:26	N/A	55dB	N/A	N/A	Day
2796	2025-12-08 22:06:31	N/A	55dB	N/A	N/A	Day
2797	2025-12-08 22:08:09	N/A	55dB	N/A	N/A	Day
2798	2025-12-08 22:12:15	N/A	55dB	N/A	N/A	Day
2799	2025-12-08 22:14:07	N/A	55dB	N/A	N/A	Day
2800	2025-12-08 22:16:07	N/A	55dB	N/A	N/A	Day
2801	2025-12-08 22:17:40	N/A	55dB	N/A	N/A	Day
2802	2025-12-08 22:20:09	N/A	55dB	N/A	N/A	Day
2803	2025-12-08 22:21:54	N/A	55dB	N/A	N/A	Day
2804	2025-12-08 22:23:57	70.36	55dB	2.9	190%	Day
2805	2025-12-08 22:27:24	N/A	55dB	N/A	N/A	Day
2806	2025-12-08 22:33:36	N/A	55dB	N/A	N/A	Day
2807	2025-12-08 22:40:12	N/A	55dB	N/A	N/A	Day
2808	2025-12-08 22:44:10	N/A	55dB	N/A	N/A	Day

2809	2025-12-08 22:45:37	N/A	55dB	N/A	N/A	Day
2810	2025-12-08 22:47:12	N/A	55dB	N/A	N/A	Day
2811	2025-12-08 22:51:43	N/A	55dB	N/A	N/A	Day
2812	2025-12-08 22:58:18	67.92	55dB	2.4	145%	Day
2813	2025-12-08 23:01:09	N/A	45dB	N/A	N/A	Night
2814	2025-12-08 23:03:12	N/A	45dB	N/A	N/A	Night
2815	2025-12-08 23:05:03	N/A	45dB	N/A	N/A	Night
2816	2025-12-08 23:07:02	N/A	45dB	N/A	N/A	Night
2817	2025-12-08 23:21:23	67.87	45dB	4.9	388%	Night
2818	2025-12-08 23:24:21	N/A	45dB	N/A	N/A	Night
2819	2025-12-08 23:33:30	N/A	45dB	N/A	N/A	Night
2820	2025-12-08 23:35:07	N/A	45dB	N/A	N/A	Night
2821	2025-12-08 23:38:03	N/A	45dB	N/A	N/A	Night
2822	2025-12-08 23:39:30	N/A	45dB	N/A	N/A	Night
2823	2025-12-08 23:41:18	N/A	45dB	N/A	N/A	Night
2824	2025-12-08 23:43:43	N/A	45dB	N/A	N/A	Night
2825	2025-12-08 23:45:28	N/A	45dB	N/A	N/A	Night
2826	2025-12-08 23:47:04	N/A	45dB	N/A	N/A	Night
2827	2025-12-08 23:48:34	N/A	45dB	N/A	N/A	Night
2828	2025-12-08 23:50:02	68.38	45dB	5.1	406%	Night
2829	2025-12-08 23:51:30	N/A	45dB	N/A	N/A	Night
2830	2025-12-08 23:53:37	N/A	45dB	N/A	N/A	Night
2831	2025-12-08 23:55:22	N/A	45dB	N/A	N/A	Night
2832	2025-12-08 23:56:55	72.45	45dB	6.7	570%	Night
2833	2025-12-08 23:58:20	N/A	45dB	N/A	N/A	Night
2834	2025-12-08 23:59:49	67.40	45dB	4.7	372%	Night
2835	2025-12-09 00:01:19	67.01	45dB	4.6	360%	Night
2836	2025-12-09 00:03:01	65.18	45dB	4.1	305%	Night
2837	2025-12-09 00:04:32	64.95	45dB	4.0	299%	Night
2838	2025-12-09 00:05:56	67.24	45dB	4.7	367%	Night
2839	2025-12-09 00:09:10	66.50	45dB	4.4	344%	Night
2840	2025-12-09 00:10:46	65.40	45dB	4.1	311%	Night
2841	2025-12-09 00:12:47	64.75	45dB	3.9	293%	Night
2842	2025-12-09 00:15:02	65.71	45dB	4.2	320%	Night
2843	2025-12-09 00:16:52	65.04	45dB	4.0	301%	Night
2844	2025-12-09 00:21:10	65.60	45dB	4.2	317%	Night
2845	2025-12-09 00:36:15	66.34	45dB	4.4	339%	Night
2846	2025-12-09 00:42:19	64.57	45dB	3.9	288%	Night
2847	2025-12-09 00:45:13	65.32	45dB	4.1	309%	Night
2848	2025-12-09 00:47:12	68.73	45dB	5.2	418%	Night
2849	2025-12-09 00:48:58	68.58	45dB	5.1	413%	Night
2850	2025-12-09 00:51:07	65.23	45dB	4.1	306%	Night
2851	2025-12-09 00:56:47	68.94	45dB	5.3	426%	Night
2852	2025-12-09 01:02:44	66.33	45dB	4.4	339%	Night

2853	2025-12-09 01:05:23	67.08	45dB	4.6	362%	Night
2854	2025-12-09 01:14:47	69.07	45dB	5.3	430%	Night
2855	2025-12-09 01:18:43	69.93	45dB	5.6	463%	Night
2856	2025-12-09 01:29:26	67.05	45dB	4.6	361%	Night
2857	2025-12-09 01:41:50	70.29	45dB	5.8	477%	Night
2858	2025-12-09 01:44:26	72.05	45dB	6.5	552%	Night
2859	2025-12-09 01:49:12	66.06	45dB	4.3	330%	Night
2860	2025-12-09 01:53:04	66.54	45dB	4.5	345%	Night
2861	2025-12-09 02:03:08	66.22	45dB	4.4	335%	Night
2862	2025-12-09 02:09:17	69.18	45dB	5.3	434%	Night
2863	2025-12-09 02:29:11	67.63	45dB	4.8	380%	Night
2864	2025-12-09 03:09:57	66.45	45dB	4.4	342%	Night
2865	2025-12-09 03:12:35	66.49	45dB	4.4	344%	Night
2866	2025-12-09 04:57:21	72.28	45dB	6.6	563%	Night
2867	2025-12-09 05:00:03	65.21	45dB	4.1	306%	Night
2868	2025-12-09 05:08:07	69.76	45dB	5.6	456%	Night
2869	2025-12-09 05:14:06	70.12	45dB	5.7	470%	Night
2870	2025-12-09 05:32:40	70.27	45dB	5.8	476%	Night
2871	2025-12-09 05:36:41	67.35	45dB	4.7	371%	Night
2872	2025-12-09 05:42:15	69.76	45dB	5.6	456%	Night
2873	2025-12-09 05:45:41	73.62	45dB	7.3	627%	Night
2874	2025-12-09 05:47:56	68.49	45dB	5.1	409%	Night
2875	2025-12-09 05:57:17	68.94	45dB	5.3	426%	Night
2876	2025-12-09 06:00:21	N/A	45dB	N/A	N/A	Night
2877	2025-12-09 06:03:33	N/A	45dB	N/A	N/A	Night
2878	2025-12-09 06:05:10	N/A	45dB	N/A	N/A	Night
2879	2025-12-09 06:25:47	66.60	45dB	4.5	347%	Night
2880	2025-12-09 06:29:06	69.18	45dB	5.3	434%	Night
2881	2025-12-09 06:30:52	73.56	45dB	7.2	624%	Night
2882	2025-12-09 06:32:50	71.51	45dB	6.3	528%	Night
2883	2025-12-09 06:35:12	69.67	45dB	5.5	453%	Night
2884	2025-12-09 06:36:46	N/A	45dB	N/A	N/A	Night
2885	2025-12-09 06:37:53	N/A	45dB	N/A	N/A	Night
2886	2025-12-09 06:39:26	68.88	45dB	5.2	423%	Night
2887	2025-12-09 06:40:41	71.10	45dB	6.1	511%	Night
2888	2025-12-09 06:42:46	68.29	45dB	5.0	402%	Night
2889	2025-12-09 06:48:35	69.03	45dB	5.3	429%	Night
2890	2025-12-09 06:50:03	67.22	45dB	4.7	367%	Night
2891	2025-12-09 06:51:39	69.59	45dB	5.5	450%	Night
2892	2025-12-09 06:53:35	69.42	45dB	5.4	443%	Night
2893	2025-12-09 07:03:03	69.30	55dB	2.7	169%	Day
2894	2025-12-09 07:05:30	70.13	55dB	2.9	185%	Day
2895	2025-12-09 07:10:36	70.82	55dB	3.0	199%	Day
2896	2025-12-09 07:11:48	69.35	55dB	2.7	170%	Day

2897	2025-12-09 07:13:23	70.91	55dB	3.0	201%	Day
2898	2025-12-09 07:15:34	N/A	55dB	N/A	N/A	Day
2899	2025-12-09 07:22:12	70.94	55dB	3.0	202%	Day
2900	2025-12-09 07:24:29	N/A	55dB	N/A	N/A	Day
2901	2025-12-09 07:39:01	72.19	55dB	3.3	229%	Day
2902	2025-12-09 07:41:42	72.04	55dB	3.3	226%	Day
2903	2025-12-09 07:43:34	71.11	55dB	3.1	205%	Day
2904	2025-12-09 07:45:40	N/A	55dB	N/A	N/A	Day
2905	2025-12-09 07:49:11	N/A	55dB	N/A	N/A	Day
2906	2025-12-09 07:52:10	N/A	55dB	N/A	N/A	Day
2907	2025-12-09 07:57:18	N/A	55dB	N/A	N/A	Day
2908	2025-12-09 07:59:48	N/A	55dB	N/A	N/A	Day
2909	2025-12-09 08:11:08	68.46	55dB	2.5	154%	Day
2910	2025-12-09 08:12:57	71.94	55dB	3.2	224%	Day
2911	2025-12-09 08:14:31	70.78	55dB	3.0	199%	Day
2912	2025-12-09 08:15:49	N/A	55dB	N/A	N/A	Day
2913	2025-12-09 08:18:03	68.16	55dB	2.5	149%	Day
2914	2025-12-09 08:20:36	73.80	55dB	3.7	268%	Day
2915	2025-12-09 08:25:19	N/A	55dB	N/A	N/A	Day
2916	2025-12-09 08:26:43	N/A	55dB	N/A	N/A	Day
2917	2025-12-09 08:43:24	67.18	55dB	2.3	133%	Day
2918	2025-12-09 08:45:02	69.41	55dB	2.7	172%	Day
2919	2025-12-09 08:46:27	71.78	55dB	3.2	220%	Day
2920	2025-12-09 08:52:38	70.67	55dB	3.0	196%	Day
2921	2025-12-09 08:54:40	71.54	55dB	3.1	215%	Day
2922	2025-12-09 08:56:48	75.29	55dB	4.1	308%	Day
2923	2025-12-09 08:59:12	69.85	55dB	2.8	180%	Day
2924	2025-12-09 09:00:52	N/A	55dB	N/A	N/A	Day
2925	2025-12-09 09:15:23	N/A	55dB	N/A	N/A	Day
2926	2025-12-09 09:23:46	69.50	55dB	2.7	173%	Day
2927	2025-12-09 09:26:06	N/A	55dB	N/A	N/A	Day
2928	2025-12-09 09:27:39	N/A	55dB	N/A	N/A	Day
2929	2025-12-09 09:32:00	68.02	55dB	2.5	147%	Day
2930	2025-12-09 09:34:25	N/A	55dB	N/A	N/A	Day
2931	2025-12-09 09:47:40	N/A	55dB	N/A	N/A	Day
2932	2025-12-09 09:49:45	68.27	55dB	2.5	151%	Day
2933	2025-12-09 09:51:41	70.86	55dB	3.0	200%	Day
2934	2025-12-09 09:57:14	N/A	55dB	N/A	N/A	Day
2935	2025-12-09 10:01:23	70.81	55dB	3.0	199%	Day
2936	2025-12-09 10:03:53	N/A	55dB	N/A	N/A	Day
2937	2025-12-09 10:06:50	73.27	55dB	3.5	255%	Day
2938	2025-12-09 10:09:33	68.35	55dB	2.5	152%	Day
2939	2025-12-09 10:11:36	69.23	55dB	2.7	168%	Day
2940	2025-12-09 10:13:50	N/A	55dB	N/A	N/A	Day

2941	2025-12-09 10:17:49	69.64	55dB	2.8	176%	Day
2942	2025-12-09 10:23:22	71.28	55dB	3.1	209%	Day
2943	2025-12-09 10:26:33	72.73	55dB	3.4	242%	Day
2944	2025-12-09 10:28:18	N/A	55dB	N/A	N/A	Day
2945	2025-12-09 10:31:36	N/A	55dB	N/A	N/A	Day
2946	2025-12-09 10:34:36	72.52	55dB	3.4	237%	Day
2947	2025-12-09 10:36:06	68.50	55dB	2.5	155%	Day
2948	2025-12-09 10:38:04	82.56	55dB	6.8	576%	Day
2949	2025-12-09 10:39:14	N/A	55dB	N/A	N/A	Day
2950	2025-12-09 10:40:34	N/A	55dB	N/A	N/A	Day
2951	2025-12-09 10:48:03	69.74	55dB	2.8	178%	Day
2952	2025-12-09 10:50:26	N/A	55dB	N/A	N/A	Day
2953	2025-12-09 10:53:21	N/A	55dB	N/A	N/A	Day
2954	2025-12-09 10:55:19	70.03	55dB	2.8	183%	Day
2955	2025-12-09 10:57:13	N/A	55dB	N/A	N/A	Day
2956	2025-12-09 10:58:19	68.73	55dB	2.6	159%	Day
2957	2025-12-09 11:05:48	68.34	55dB	2.5	152%	Day
2958	2025-12-09 11:07:23	N/A	55dB	N/A	N/A	Day
2959	2025-12-09 11:12:22	66.87	55dB	2.3	128%	Day
2960	2025-12-09 11:14:02	71.78	55dB	3.2	220%	Day
2961	2025-12-09 11:15:34	68.20	55dB	2.5	150%	Day
2962	2025-12-09 11:17:04	68.54	55dB	2.6	156%	Day
2963	2025-12-09 11:18:40	67.90	55dB	2.4	145%	Day
2964	2025-12-09 11:20:15	N/A	55dB	N/A	N/A	Day
2965	2025-12-09 11:21:57	N/A	55dB	N/A	N/A	Day
2966	2025-12-09 11:23:24	69.87	55dB	2.8	180%	Day
2967	2025-12-09 11:25:11	68.18	55dB	2.5	149%	Day
2968	2025-12-09 11:27:20	68.29	55dB	2.5	151%	Day
2969	2025-12-09 11:29:19	72.06	55dB	3.3	226%	Day
2970	2025-12-09 11:33:51	N/A	55dB	N/A	N/A	Day
2971	2025-12-09 11:36:22	N/A	55dB	N/A	N/A	Day
2972	2025-12-09 11:38:14	68.35	55dB	2.5	152%	Day
2973	2025-12-09 11:40:08	67.49	55dB	2.4	138%	Day
2974	2025-12-09 11:42:20	69.71	55dB	2.8	177%	Day
2975	2025-12-09 11:47:27	65.74	55dB	2.1	111%	Day
2976	2025-12-09 11:49:32	67.59	55dB	2.4	139%	Day
2977	2025-12-09 11:52:36	N/A	55dB	N/A	N/A	Day
2978	2025-12-09 11:55:44	N/A	55dB	N/A	N/A	Day
2979	2025-12-09 11:57:25	70.61	55dB	3.0	195%	Day
2980	2025-12-09 11:59:33	68.40	55dB	2.5	153%	Day
2981	2025-12-09 12:03:14	73.08	55dB	3.5	250%	Day
2982	2025-12-09 12:05:58	N/A	55dB	N/A	N/A	Day
2983	2025-12-09 12:11:05	75.45	55dB	4.1	313%	Day
2984	2025-12-09 12:14:32	71.51	55dB	3.1	214%	Day

2985	2025-12-09 12:17:10	69.87	55dB	2.8	180%	Day
2986	2025-12-09 12:20:53	73.99	55dB	3.7	273%	Day
2987	2025-12-09 12:23:16	72.08	55dB	3.3	227%	Day
2988	2025-12-09 12:24:56	68.63	55dB	2.6	157%	Day
2989	2025-12-09 12:26:43	69.58	55dB	2.7	175%	Day
2990	2025-12-09 12:28:45	69.31	55dB	2.7	170%	Day
2991	2025-12-09 12:30:09	70.42	55dB	2.9	191%	Day
2992	2025-12-09 12:31:24	67.89	55dB	2.4	144%	Day
2993	2025-12-09 12:32:33	N/A	55dB	N/A	N/A	Day
2994	2025-12-09 12:34:08	69.16	55dB	2.7	167%	Day
2995	2025-12-09 12:36:27	69.23	55dB	2.7	168%	Day
2996	2025-12-09 12:38:30	N/A	55dB	N/A	N/A	Day
2997	2025-12-09 12:44:15	67.32	55dB	2.3	135%	Day
2998	2025-12-09 12:47:02	68.65	55dB	2.6	158%	Day
2999	2025-12-09 12:50:12	70.84	55dB	3.0	200%	Day
3000	2025-12-09 12:52:14	69.50	55dB	2.7	173%	Day
3001	2025-12-09 12:58:04	67.47	55dB	2.4	137%	Day
3002	2025-12-09 13:00:09	69.98	55dB	2.8	182%	Day
3003	2025-12-09 13:02:14	73.16	55dB	3.5	252%	Day
3004	2025-12-09 13:04:01	71.45	55dB	3.1	213%	Day
3005	2025-12-09 13:07:11	69.02	55dB	2.6	164%	Day
3006	2025-12-09 13:11:23	N/A	55dB	N/A	N/A	Day
3007	2025-12-09 13:16:12	74.08	55dB	3.8	275%	Day
3008	2025-12-09 13:22:57	72.73	55dB	3.4	242%	Day
3009	2025-12-09 13:25:33	68.91	55dB	2.6	162%	Day
3010	2025-12-09 13:28:25	71.77	55dB	3.2	220%	Day
3011	2025-12-09 13:31:06	83.14	55dB	7.0	603%	Day
3012	2025-12-09 13:37:44	69.00	55dB	2.6	164%	Day
3013	2025-12-09 13:39:21	N/A	55dB	N/A	N/A	Day
3014	2025-12-09 13:40:46	69.51	55dB	2.7	173%	Day
3015	2025-12-09 13:41:54	N/A	55dB	N/A	N/A	Day
3016	2025-12-09 13:43:27	68.32	55dB	2.5	152%	Day
3017	2025-12-09 13:45:14	71.46	55dB	3.1	213%	Day
3018	2025-12-09 13:48:14	73.21	55dB	3.5	253%	Day
3019	2025-12-09 13:51:45	71.40	55dB	3.1	212%	Day
3020	2025-12-09 13:53:15	69.56	55dB	2.7	174%	Day
3021	2025-12-09 13:55:08	70.10	55dB	2.8	185%	Day
3022	2025-12-09 13:56:37	N/A	55dB	N/A	N/A	Day
3023	2025-12-09 13:58:49	N/A	55dB	N/A	N/A	Day
3024	2025-12-09 14:00:31	82.18	55dB	6.6	558%	Day
3025	2025-12-09 14:02:12	78.57	55dB	5.1	412%	Day
3026	2025-12-09 14:04:02	73.98	55dB	3.7	273%	Day
3027	2025-12-09 14:06:21	N/A	55dB	N/A	N/A	Day
3028	2025-12-09 14:09:13	72.97	55dB	3.5	247%	Day

3029	2025-12-09 14:10:44	72.87	55dB	3.5	245%	Day
3030	2025-12-09 14:12:56	68.87	55dB	2.6	162%	Day
3031	2025-12-09 14:15:06	72.23	55dB	3.3	230%	Day
3032	2025-12-09 14:17:15	75.90	55dB	4.3	326%	Day
3033	2025-12-09 14:19:13	69.92	55dB	2.8	181%	Day
3034	2025-12-09 14:22:13	73.73	55dB	3.7	266%	Day
3035	2025-12-09 14:27:01	N/A	55dB	N/A	N/A	Day
3036	2025-12-09 14:30:10	71.80	55dB	3.2	220%	Day
3037	2025-12-09 14:32:35	N/A	55dB	N/A	N/A	Day
3038	2025-12-09 14:34:00	N/A	55dB	N/A	N/A	Day
3039	2025-12-09 14:35:50	67.56	55dB	2.4	139%	Day
3040	2025-12-09 14:37:26	71.83	55dB	3.2	221%	Day
3041	2025-12-09 14:38:52	71.95	55dB	3.2	224%	Day
3042	2025-12-09 14:40:22	68.63	55dB	2.6	157%	Day
3043	2025-12-09 14:42:53	72.28	55dB	3.3	231%	Day
3044	2025-12-09 14:44:35	69.82	55dB	2.8	179%	Day
3045	2025-12-09 14:46:51	75.59	55dB	4.2	317%	Day
3046	2025-12-09 14:48:59	76.42	55dB	4.4	341%	Day
3047	2025-12-09 14:51:02	69.89	55dB	2.8	181%	Day
3048	2025-12-09 14:54:13	72.54	55dB	3.4	237%	Day
3049	2025-12-09 14:55:56	73.97	55dB	3.7	272%	Day
3050	2025-12-09 14:57:18	70.13	55dB	2.9	185%	Day
3051	2025-12-09 14:58:39	71.03	55dB	3.0	204%	Day
3052	2025-12-09 15:44:46	69.26	55dB	2.7	169%	Day
3053	2025-12-09 15:46:08	73.24	55dB	3.5	254%	Day
3054	2025-12-09 15:47:27	N/A	55dB	N/A	N/A	Day
3055	2025-12-09 15:49:06	74.82	55dB	4.0	295%	Day
3056	2025-12-09 15:51:14	N/A	55dB	N/A	N/A	Day
3057	2025-12-09 15:52:53	N/A	55dB	N/A	N/A	Day
3058	2025-12-09 15:54:43	71.26	55dB	3.1	209%	Day
3059	2025-12-09 15:57:09	N/A	55dB	N/A	N/A	Day
3060	2025-12-09 16:01:25	67.33	55dB	2.4	135%	Day
3061	2025-12-09 16:02:58	74.85	55dB	4.0	296%	Day
3062	2025-12-09 16:04:25	N/A	55dB	N/A	N/A	Day
3063	2025-12-09 16:07:25	N/A	55dB	N/A	N/A	Day
3064	2025-12-09 16:10:25	74.27	55dB	3.8	280%	Day
3065	2025-12-09 16:13:26	71.28	55dB	3.1	209%	Day
3066	2025-12-09 16:16:27	72.64	55dB	3.4	240%	Day
3067	2025-12-09 16:19:21	73.49	55dB	3.6	260%	Day
3068	2025-12-09 16:44:57	N/A	55dB	N/A	N/A	Day
3069	2025-12-09 16:46:37	71.01	55dB	3.0	203%	Day
3070	2025-12-09 16:48:11	76.29	55dB	4.4	337%	Day
3071	2025-12-09 16:49:46	73.82	55dB	3.7	269%	Day
3072	2025-12-09 16:51:05	74.56	55dB	3.9	288%	Day

3073	2025-12-09 16:52:26	73.56	55dB	3.6	262%	Day
3074	2025-12-09 16:54:00	69.79	55dB	2.8	179%	Day
3075	2025-12-09 16:55:26	N/A	55dB	N/A	N/A	Day
3076	2025-12-09 16:59:03	74.68	55dB	3.9	291%	Day
3077	2025-12-09 17:00:38	N/A	55dB	N/A	N/A	Day
3078	2025-12-09 17:02:07	70.87	55dB	3.0	200%	Day
3079	2025-12-09 17:03:50	N/A	55dB	N/A	N/A	Day
3080	2025-12-09 17:05:40	N/A	55dB	N/A	N/A	Day
3081	2025-12-09 17:08:03	N/A	55dB	N/A	N/A	Day
3082	2025-12-09 17:09:54	70.63	55dB	3.0	195%	Day
3083	2025-12-09 17:11:38	N/A	55dB	N/A	N/A	Day
3084	2025-12-09 17:13:22	N/A	55dB	N/A	N/A	Day
3085	2025-12-09 17:15:21	N/A	55dB	N/A	N/A	Day
3086	2025-12-09 17:17:50	71.59	55dB	3.2	216%	Day
3087	2025-12-09 17:20:48	N/A	55dB	N/A	N/A	Day
3088	2025-12-09 17:24:32	67.35	55dB	2.4	135%	Day
3089	2025-12-09 17:26:15	N/A	55dB	N/A	N/A	Day
3090	2025-12-09 17:27:36	73.05	55dB	3.5	249%	Day
3091	2025-12-09 17:29:08	71.81	55dB	3.2	221%	Day
3092	2025-12-09 17:31:21	N/A	55dB	N/A	N/A	Day
3093	2025-12-09 17:33:09	N/A	55dB	N/A	N/A	Day
3094	2025-12-09 17:35:06	N/A	55dB	N/A	N/A	Day
3095	2025-12-09 17:40:33	72.98	55dB	3.5	248%	Day
3096	2025-12-09 17:43:58	69.32	55dB	2.7	170%	Day
3097	2025-12-09 17:45:43	N/A	55dB	N/A	N/A	Day
3098	2025-12-09 17:47:32	69.77	55dB	2.8	178%	Day
3099	2025-12-09 17:49:46	76.64	55dB	4.5	348%	Day
3100	2025-12-09 17:52:00	75.03	55dB	4.0	301%	Day
3101	2025-12-09 17:54:38	69.66	55dB	2.8	176%	Day
3102	2025-12-09 17:58:54	72.25	55dB	3.3	231%	Day
3103	2025-12-09 18:01:11	N/A	55dB	N/A	N/A	Day
3104	2025-12-09 18:03:42	72.99	55dB	3.5	248%	Day
3105	2025-12-09 18:06:14	67.36	55dB	2.4	136%	Day
3106	2025-12-09 18:10:13	73.71	55dB	3.7	266%	Day
3107	2025-12-09 18:12:11	70.46	55dB	2.9	192%	Day
3108	2025-12-09 18:14:09	74.25	55dB	3.8	280%	Day
3109	2025-12-09 18:16:31	72.00	55dB	3.2	225%	Day
3110	2025-12-09 18:18:33	N/A	55dB	N/A	N/A	Day
3111	2025-12-09 18:20:38	73.18	55dB	3.5	253%	Day
3112	2025-12-09 18:22:43	N/A	55dB	N/A	N/A	Day
3113	2025-12-09 18:24:31	73.32	55dB	3.6	256%	Day
3114	2025-12-09 18:26:14	73.21	55dB	3.5	253%	Day
3115	2025-12-09 18:27:41	N/A	55dB	N/A	N/A	Day
3116	2025-12-09 18:28:58	76.49	55dB	4.4	344%	Day

3117	2025-12-09 18:31:01	70.61	55dB	3.0	195%	Day
3118	2025-12-09 18:32:53	73.94	55dB	3.7	272%	Day
3119	2025-12-09 18:34:56	70.18	55dB	2.9	186%	Day
3120	2025-12-09 18:36:57	77.85	55dB	4.9	387%	Day
3121	2025-12-09 18:38:51	74.19	55dB	3.8	278%	Day
3122	2025-12-09 18:40:41	67.74	55dB	2.4	142%	Day
3123	2025-12-09 18:42:31	68.17	55dB	2.5	149%	Day
3124	2025-12-09 18:44:24	73.70	55dB	3.7	266%	Day
3125	2025-12-09 18:46:37	73.39	55dB	3.6	258%	Day
3126	2025-12-09 18:48:00	68.40	55dB	2.5	153%	Day
3127	2025-12-09 18:49:45	72.86	55dB	3.4	245%	Day
3128	2025-12-09 18:51:14	72.52	55dB	3.4	237%	Day
3129	2025-12-09 18:52:58	68.58	55dB	2.6	156%	Day
3130	2025-12-09 18:56:32	71.63	55dB	3.2	217%	Day
3131	2025-12-09 18:58:08	71.45	55dB	3.1	213%	Day
3132	2025-12-09 18:59:35	73.60	55dB	3.6	263%	Day
3133	2025-12-09 19:01:43	N/A	55dB	N/A	N/A	Day
3134	2025-12-09 19:03:18	71.88	55dB	3.2	222%	Day
3135	2025-12-09 19:05:04	72.46	55dB	3.4	235%	Day
3136	2025-12-09 19:06:55	76.05	55dB	4.3	330%	Day
3137	2025-12-09 19:09:15	69.15	55dB	2.7	167%	Day
3138	2025-12-09 19:10:56	68.56	55dB	2.6	156%	Day
3139	2025-12-09 19:12:32	N/A	55dB	N/A	N/A	Day
3140	2025-12-09 19:14:08	71.71	55dB	3.2	218%	Day
3141	2025-12-09 19:15:42	71.48	55dB	3.1	213%	Day
3142	2025-12-09 19:17:55	N/A	55dB	N/A	N/A	Day
3143	2025-12-09 19:19:24	68.27	55dB	2.5	151%	Day
3144	2025-12-09 19:21:19	70.42	55dB	2.9	191%	Day
3145	2025-12-09 19:22:55	71.67	55dB	3.2	218%	Day
3146	2025-12-09 19:24:52	71.84	55dB	3.2	221%	Day
3147	2025-12-09 19:26:55	73.22	55dB	3.5	254%	Day
3148	2025-12-09 19:29:00	70.92	55dB	3.0	201%	Day
3149	2025-12-09 19:30:36	74.58	55dB	3.9	289%	Day
3150	2025-12-09 19:32:15	72.29	55dB	3.3	231%	Day
3151	2025-12-09 19:34:14	71.15	55dB	3.1	206%	Day
3152	2025-12-09 19:35:50	71.87	55dB	3.2	222%	Day
3153	2025-12-09 19:37:40	68.62	55dB	2.6	157%	Day
3154	2025-12-09 19:39:17	72.88	55dB	3.5	245%	Day
3155	2025-12-09 19:42:11	N/A	55dB	N/A	N/A	Day
3156	2025-12-09 19:43:35	67.76	55dB	2.4	142%	Day
3157	2025-12-09 19:45:28	72.76	55dB	3.4	242%	Day
3158	2025-12-09 19:47:32	N/A	55dB	N/A	N/A	Day
3159	2025-12-09 19:49:08	77.14	55dB	4.6	364%	Day
3160	2025-12-09 19:51:21	71.11	55dB	3.1	205%	Day

3161	2025-12-09 19:53:33	72.16	55dB	3.3	229%	Day
3162	2025-12-09 19:55:09	70.67	55dB	3.0	196%	Day
3163	2025-12-09 19:57:19	74.18	55dB	3.8	278%	Day
3164	2025-12-09 19:59:32	69.85	55dB	2.8	180%	Day
3165	2025-12-09 20:00:58	72.67	55dB	3.4	240%	Day
3166	2025-12-09 20:02:26	72.19	55dB	3.3	229%	Day
3167	2025-12-09 20:03:49	74.09	55dB	3.8	276%	Day
3168	2025-12-09 20:05:54	75.52	55dB	4.1	315%	Day
3169	2025-12-09 20:07:35	70.04	55dB	2.8	184%	Day
3170	2025-12-09 20:09:39	71.39	55dB	3.1	211%	Day
3171	2025-12-09 20:11:05	70.28	55dB	2.9	188%	Day
3172	2025-12-09 20:12:34	N/A	55dB	N/A	N/A	Day
3173	2025-12-09 20:14:13	71.47	55dB	3.1	213%	Day
3174	2025-12-09 20:15:47	68.52	55dB	2.6	155%	Day
3175	2025-12-09 20:17:44	71.56	55dB	3.2	215%	Day
3176	2025-12-09 20:21:08	70.54	55dB	2.9	194%	Day
3177	2025-12-09 20:22:49	N/A	55dB	N/A	N/A	Day
3178	2025-12-09 20:25:49	71.94	55dB	3.2	224%	Day
3179	2025-12-09 20:27:41	73.41	55dB	3.6	258%	Day
3180	2025-12-09 20:29:29	72.48	55dB	3.4	236%	Day
3181	2025-12-09 20:31:28	69.59	55dB	2.7	175%	Day
3182	2025-12-09 20:33:35	69.06	55dB	2.7	165%	Day
3183	2025-12-09 20:35:21	70.15	55dB	2.9	186%	Day
3184	2025-12-09 20:37:00	70.75	55dB	3.0	198%	Day
3185	2025-12-09 20:38:31	69.42	55dB	2.7	172%	Day
3186	2025-12-09 20:40:22	71.61	55dB	3.2	216%	Day
3187	2025-12-09 20:43:22	71.84	55dB	3.2	221%	Day
3188	2025-12-09 20:44:45	73.35	55dB	3.6	257%	Day
3189	2025-12-09 20:46:14	72.90	55dB	3.5	246%	Day
3190	2025-12-09 20:47:51	N/A	55dB	N/A	N/A	Day
3191	2025-12-09 20:49:45	N/A	55dB	N/A	N/A	Day
3192	2025-12-09 20:51:19	N/A	55dB	N/A	N/A	Day
3193	2025-12-09 20:53:49	N/A	55dB	N/A	N/A	Day
3194	2025-12-09 20:55:28	N/A	55dB	N/A	N/A	Day
3195	2025-12-09 20:57:10	70.14	55dB	2.9	186%	Day
3196	2025-12-09 20:58:45	68.15	55dB	2.5	149%	Day
3197	2025-12-09 21:00:36	66.28	55dB	2.2	119%	Day
3198	2025-12-09 21:02:20	71.16	55dB	3.1	207%	Day
3199	2025-12-09 21:04:04	72.58	55dB	3.4	238%	Day
3200	2025-12-09 21:05:35	71.08	55dB	3.0	205%	Day
3201	2025-12-09 21:07:10	73.28	55dB	3.6	255%	Day
3202	2025-12-09 21:08:33	70.47	55dB	2.9	192%	Day
3203	2025-12-09 21:10:58	N/A	55dB	N/A	N/A	Day
3204	2025-12-09 21:12:45	68.25	55dB	2.5	151%	Day

3205	2025-12-09 21:14:54	N/A	55dB	N/A	N/A	Day
3206	2025-12-09 21:18:28	70.43	55dB	2.9	191%	Day
3207	2025-12-09 21:20:17	67.76	55dB	2.4	142%	Day
3208	2025-12-09 21:21:53	N/A	55dB	N/A	N/A	Day
3209	2025-12-09 21:23:38	69.66	55dB	2.8	176%	Day
3210	2025-12-09 21:30:40	67.10	55dB	2.3	131%	Day
3211	2025-12-09 21:32:56	N/A	55dB	N/A	N/A	Day
3212	2025-12-09 21:34:42	68.39	55dB	2.5	153%	Day
3213	2025-12-09 21:36:25	68.66	55dB	2.6	158%	Day
3214	2025-12-09 21:40:19	69.38	55dB	2.7	171%	Day
3215	2025-12-09 21:48:01	N/A	55dB	N/A	N/A	Day
3216	2025-12-09 21:49:42	N/A	55dB	N/A	N/A	Day
3217	2025-12-09 21:51:38	70.52	55dB	2.9	193%	Day
3218	2025-12-09 21:54:02	69.19	55dB	2.7	167%	Day
3219	2025-12-09 21:55:57	69.13	55dB	2.7	166%	Day
3220	2025-12-09 21:58:06	69.32	55dB	2.7	170%	Day
3221	2025-12-09 22:01:01	N/A	55dB	N/A	N/A	Day
3222	2025-12-09 22:08:15	70.27	55dB	2.9	188%	Day
3223	2025-12-09 22:10:22	70.01	55dB	2.8	183%	Day
3224	2025-12-09 22:12:05	N/A	55dB	N/A	N/A	Day
3225	2025-12-09 22:13:55	68.22	55dB	2.5	150%	Day
3226	2025-12-09 22:15:42	70.69	55dB	3.0	197%	Day
3227	2025-12-09 22:17:10	67.76	55dB	2.4	142%	Day
3228	2025-12-09 22:18:47	73.72	55dB	3.7	266%	Day
3229	2025-12-09 22:20:31	73.72	55dB	3.7	266%	Day
3230	2025-12-09 22:22:37	69.48	55dB	2.7	173%	Day
3231	2025-12-09 22:24:33	N/A	55dB	N/A	N/A	Day
3232	2025-12-09 22:26:18	71.74	55dB	3.2	219%	Day
3233	2025-12-09 22:27:58	N/A	55dB	N/A	N/A	Day
3234	2025-12-09 22:29:30	N/A	55dB	N/A	N/A	Day
3235	2025-12-09 22:30:57	N/A	55dB	N/A	N/A	Day
3236	2025-12-09 22:32:54	N/A	55dB	N/A	N/A	Day
3237	2025-12-09 22:36:19	N/A	55dB	N/A	N/A	Day
3238	2025-12-09 22:37:55	71.26	55dB	3.1	209%	Day
3239	2025-12-09 22:40:35	N/A	55dB	N/A	N/A	Day
3240	2025-12-09 22:46:40	N/A	55dB	N/A	N/A	Day
3241	2025-12-09 22:49:11	70.27	55dB	2.9	188%	Day
3242	2025-12-09 22:51:46	72.23	55dB	3.3	230%	Day
3243	2025-12-09 22:53:14	71.35	55dB	3.1	211%	Day
3244	2025-12-09 22:55:51	N/A	55dB	N/A	N/A	Day
3245	2025-12-09 22:57:32	77.23	55dB	4.7	367%	Day
3246	2025-12-09 22:59:46	67.75	55dB	2.4	142%	Day
3247	2025-12-09 23:02:23	N/A	45dB	N/A	N/A	Night
3248	2025-12-09 23:04:08	N/A	45dB	N/A	N/A	Night

3249	2025-12-09 23:08:41	N/A	45dB	N/A	N/A	Night
3250	2025-12-09 23:13:10	70.97	45dB	6.1	505%	Night
3251	2025-12-09 23:22:20	70.18	45dB	5.7	473%	Night
3252	2025-12-09 23:25:43	N/A	45dB	N/A	N/A	Night
3253	2025-12-09 23:27:19	69.04	45dB	5.3	429%	Night
3254	2025-12-09 23:28:54	N/A	45dB	N/A	N/A	Night
3255	2025-12-09 23:30:32	66.11	45dB	4.3	332%	Night
3256	2025-12-09 23:32:04	71.61	45dB	6.3	532%	Night
3257	2025-12-09 23:33:28	72.37	45dB	6.7	567%	Night
3258	2025-12-09 23:34:50	70.31	45dB	5.8	478%	Night
3259	2025-12-09 23:36:27	70.90	45dB	6.0	502%	Night
3260	2025-12-09 23:38:15	N/A	45dB	N/A	N/A	Night
3261	2025-12-09 23:40:34	68.36	45dB	5.0	405%	Night
3262	2025-12-09 23:42:32	70.95	45dB	6.0	504%	Night
3263	2025-12-09 23:44:46	67.57	45dB	4.8	378%	Night
3264	2025-12-09 23:47:26	N/A	45dB	N/A	N/A	Night
3265	2025-12-09 23:51:56	N/A	45dB	N/A	N/A	Night
3266	2025-12-09 23:56:20	70.86	45dB	6.0	500%	Night
3267	2025-12-10 00:00:12	N/A	45dB	N/A	N/A	Night
3268	2025-12-10 00:01:44	78.67	45dB	10.3	932%	Night
3269	2025-12-10 00:04:03	71.25	45dB	6.2	517%	Night
3270	2025-12-10 00:06:41	69.90	45dB	5.6	462%	Night
3271	2025-12-10 00:08:21	70.16	45dB	5.7	472%	Night
3272	2025-12-10 00:13:47	71.16	45dB	6.1	513%	Night
3273	2025-12-10 00:17:21	70.31	45dB	5.8	478%	Night
3274	2025-12-10 00:19:16	71.07	45dB	6.1	509%	Night
3275	2025-12-10 00:21:42	72.20	45dB	6.6	559%	Night
3276	2025-12-10 00:28:54	71.82	45dB	6.4	542%	Night
3277	2025-12-10 00:33:45	70.09	45dB	5.7	469%	Night
3278	2025-12-10 00:38:11	66.85	45dB	4.5	355%	Night
3279	2025-12-10 00:45:02	71.17	45dB	6.1	513%	Night
3280	2025-12-10 00:46:53	68.76	45dB	5.2	419%	Night
3281	2025-12-10 01:02:09	73.78	45dB	7.4	635%	Night
3282	2025-12-10 01:04:24	69.04	45dB	5.3	429%	Night
3283	2025-12-10 01:06:27	63.98	45dB	3.7	273%	Night
3284	2025-12-10 01:55:28	72.79	45dB	6.9	586%	Night
3285	2025-12-10 02:14:41	71.61	45dB	6.3	532%	Night
3286	2025-12-10 02:26:17	70.57	45dB	5.9	488%	Night
3287	2025-12-10 02:28:16	72.10	45dB	6.5	554%	Night
3288	2025-12-10 02:48:28	70.23	45dB	5.7	475%	Night
3289	2025-12-10 04:56:20	71.35	45dB	6.2	521%	Night
3290	2025-12-10 09:36:36	72.43	55dB	3.3	235%	Day
3291	2025-12-10 09:37:57	71.38	55dB	3.1	211%	Day
3292	2025-12-10 09:42:32	75.47	55dB	4.1	313%	Day

3293	2025-12-10 09:47:52	70.77	55dB	3.0	198%	Day
3294	2025-12-10 09:48:48	70.58	55dB	2.9	194%	Day
3295	2025-12-10 09:49:58	71.04	55dB	3.0	204%	Day
3296	2025-12-10 09:51:10	69.97	55dB	2.8	182%	Day
3297	2025-12-10 09:52:24	74.18	55dB	3.8	278%	Day
3298	2025-12-10 09:55:31	72.42	55dB	3.3	234%	Day
3299	2025-12-10 09:57:27	79.36	55dB	5.4	441%	Day
3300	2025-12-10 10:00:01	73.42	55dB	3.6	259%	Day
3301	2025-12-10 10:02:32	N/A	55dB	N/A	N/A	Day
3302	2025-12-10 10:04:21	70.33	55dB	2.9	189%	Day
3303	2025-12-10 10:06:07	71.42	55dB	3.1	212%	Day
3304	2025-12-10 10:08:11	68.82	55dB	2.6	161%	Day
3305	2025-12-10 10:09:26	72.42	55dB	3.3	234%	Day
3306	2025-12-10 10:13:33	72.51	55dB	3.4	237%	Day
3307	2025-12-10 10:15:24	73.26	55dB	3.5	255%	Day
3308	2025-12-10 10:17:43	76.01	55dB	4.3	329%	Day
3309	2025-12-10 10:20:15	75.62	55dB	4.2	318%	Day
3310	2025-12-10 10:22:01	71.93	55dB	3.2	223%	Day
3311	2025-12-10 10:24:44	78.96	55dB	5.3	426%	Day
3312	2025-12-10 10:26:08	69.45	55dB	2.7	172%	Day
3313	2025-12-10 10:28:49	68.44	55dB	2.5	154%	Day
3314	2025-12-10 10:30:07	70.05	55dB	2.8	184%	Day
3315	2025-12-10 10:32:21	N/A	55dB	N/A	N/A	Day
3316	2025-12-10 10:34:16	76.50	55dB	4.4	344%	Day
3317	2025-12-10 10:36:32	70.92	55dB	3.0	201%	Day
3318	2025-12-10 10:39:21	70.13	55dB	2.9	185%	Day
3319	2025-12-10 10:40:18	N/A	55dB	N/A	N/A	Day
3320	2025-12-10 10:43:43	71.40	55dB	3.1	212%	Day
3321	2025-12-10 10:46:06	67.60	55dB	2.4	139%	Day
3322	2025-12-10 10:48:03	76.93	55dB	4.6	357%	Day
3323	2025-12-10 10:49:32	77.35	55dB	4.7	371%	Day
3324	2025-12-10 10:50:43	69.71	55dB	2.8	177%	Day
3325	2025-12-10 10:51:57	71.14	55dB	3.1	206%	Day
3326	2025-12-10 10:53:34	76.83	55dB	4.5	354%	Day
3327	2025-12-10 10:55:23	90.57	55dB	11.8	1077%	Day
3328	2025-12-10 10:57:11	89.25	55dB	10.7	974%	Day
3329	2025-12-10 10:59:01	70.91	55dB	3.0	201%	Day
3330	2025-12-10 11:00:47	72.51	55dB	3.4	237%	Day
3331	2025-12-10 11:02:10	81.59	55dB	6.3	532%	Day
3332	2025-12-10 11:03:55	87.27	55dB	9.4	836%	Day
3333	2025-12-10 11:05:41	89.41	55dB	10.9	986%	Day
3334	2025-12-10 11:06:53	76.97	55dB	4.6	359%	Day
3335	2025-12-10 11:07:56	80.76	55dB	6.0	496%	Day
3336	2025-12-10 11:09:25	76.10	55dB	4.3	332%	Day

3337	2025-12-10 11:11:28	104.73	55dB	31.4	3041%	Day
3338	2025-12-10 11:12:50	72.16	55dB	3.3	229%	Day
3339	2025-12-10 11:14:02	72.06	55dB	3.3	226%	Day
3340	2025-12-10 11:15:39	68.77	55dB	2.6	160%	Day
3341	2025-12-10 11:17:48	74.98	55dB	4.0	299%	Day
3342	2025-12-10 11:19:04	72.89	55dB	3.5	246%	Day
3343	2025-12-10 11:21:24	74.64	55dB	3.9	290%	Day
3344	2025-12-10 11:23:21	73.03	55dB	3.5	249%	Day
3345	2025-12-10 11:24:31	73.78	55dB	3.7	268%	Day
3346	2025-12-10 11:25:38	74.80	55dB	3.9	294%	Day
3347	2025-12-10 11:26:42	74.24	55dB	3.8	279%	Day
3348	2025-12-10 11:28:58	75.48	55dB	4.1	314%	Day
3349	2025-12-10 11:31:02	74.55	55dB	3.9	288%	Day
3350	2025-12-10 11:32:57	75.44	55dB	4.1	312%	Day
3351	2025-12-10 11:35:06	75.81	55dB	4.2	323%	Day
3352	2025-12-10 11:36:40	72.18	55dB	3.3	229%	Day
3353	2025-12-10 11:37:55	73.87	55dB	3.7	270%	Day
3354	2025-12-10 11:39:38	72.42	55dB	3.3	234%	Day
3355	2025-12-10 11:42:44	69.90	55dB	2.8	181%	Day
3356	2025-12-10 11:44:01	78.30	55dB	5.0	403%	Day
3357	2025-12-10 11:45:43	N/A	55dB	N/A	N/A	Day
3358	2025-12-10 13:43:24	106.94	55dB	36.6	3561%	Day
3359	2025-12-10 13:49:16	105.90	55dB	34.1	3306%	Day
3360	2025-12-10 13:51:16	68.54	55dB	2.6	156%	Day
3361	2025-12-10 13:53:46	73.02	55dB	3.5	249%	Day
3362	2025-12-10 14:02:03	92.84	55dB	13.8	1278%	Day
3363	2025-12-10 14:04:15	66.71	55dB	2.3	125%	Day
3364	2025-12-10 14:06:47	90.18	55dB	11.5	1046%	Day
3365	2025-12-10 14:09:21	87.88	55dB	9.8	877%	Day
3366	2025-12-10 14:14:30	96.84	55dB	18.2	1718%	Day
3367	2025-12-10 14:17:49	74.95	55dB	4.0	299%	Day
3368	2025-12-10 14:21:12	70.39	55dB	2.9	191%	Day
3369	2025-12-10 14:23:44	78.84	55dB	5.2	422%	Day
3370	2025-12-10 15:13:03	87.54	55dB	9.5	854%	Day
3371	2025-12-10 15:14:21	87.13	55dB	9.3	827%	Day
3372	2025-12-10 15:15:50	78.00	55dB	4.9	392%	Day
3373	2025-12-10 15:17:47	71.16	55dB	3.1	207%	Day
3374	2025-12-10 15:19:15	70.04	55dB	2.8	184%	Day
3375	2025-12-10 15:21:38	N/A	55dB	N/A	N/A	Day
3376	2025-12-10 15:23:02	89.55	55dB	11.0	997%	Day
3377	2025-12-10 15:24:30	67.22	55dB	2.3	133%	Day
3378	2025-12-10 15:25:49	103.70	55dB	29.2	2824%	Day
3379	2025-12-10 15:27:18	102.67	55dB	27.2	2623%	Day
3380	2025-12-10 15:28:44	71.24	55dB	3.1	208%	Day

3381	2025-12-10 15:30:17	121.74	55dB	102.1	10111%	Day
3382	2025-12-10 15:31:45	117.26	55dB	74.9	7385%	Day
3383	2025-12-10 15:33:32	66.79	55dB	2.3	126%	Day
3384	2025-12-10 15:34:53	76.95	55dB	4.6	358%	Day
3385	2025-12-10 15:36:24	71.59	55dB	3.2	216%	Day
3386	2025-12-10 15:37:56	70.65	55dB	3.0	196%	Day
3387	2025-12-10 15:39:35	96.58	55dB	17.9	1685%	Day
3388	2025-12-10 15:40:56	101.31	55dB	24.8	2378%	Day
3389	2025-12-10 15:43:00	N/A	55dB	N/A	N/A	Day
3390	2025-12-10 15:44:24	98.20	55dB	20.0	1897%	Day
3391	2025-12-10 15:46:07	110.86	55dB	48.0	4703%	Day
3392	2025-12-10 15:47:50	71.78	55dB	3.2	220%	Day
3393	2025-12-10 15:52:56	72.24	55dB	3.3	230%	Day
3394	2025-12-10 15:55:06	114.43	55dB	61.5	6052%	Day
3395	2025-12-10 15:57:02	69.38	55dB	2.7	171%	Day
3396	2025-12-10 15:58:48	68.82	55dB	2.6	161%	Day
3397	2025-12-10 16:00:30	92.56	55dB	13.5	1251%	Day
3398	2025-12-10 16:02:23	87.39	55dB	9.4	844%	Day
3399	2025-12-11 02:47:34	69.75	45dB	5.6	456%	Night
3400	2025-12-11 02:51:31	68.70	45dB	5.2	417%	Night
3401	2025-12-11 03:06:36	N/A	45dB	N/A	N/A	Night
3402	2025-12-11 03:10:27	71.21	45dB	6.2	515%	Night
3403	2025-12-11 03:30:24	72.59	45dB	6.8	577%	Night
3404	2025-12-11 04:04:20	75.45	45dB	8.3	725%	Night
3405	2025-12-11 04:26:17	68.39	45dB	5.1	406%	Night
3406	2025-12-11 04:52:06	67.77	45dB	4.8	385%	Night
3407	2025-12-11 05:20:30	74.73	45dB	7.9	685%	Night
3408	2025-12-11 05:28:36	73.12	45dB	7.0	602%	Night
3409	2025-12-11 05:35:48	68.50	45dB	5.1	410%	Night
3410	2025-12-11 05:39:35	68.07	45dB	4.9	395%	Night
3411	2025-12-11 05:42:32	67.24	45dB	4.7	367%	Night
3412	2025-12-11 05:56:50	70.81	45dB	6.0	498%	Night
3413	2025-12-11 05:58:55	73.15	45dB	7.0	604%	Night
3414	2025-12-11 06:00:24	68.39	45dB	5.1	406%	Night
3415	2025-12-11 06:08:06	67.47	45dB	4.7	375%	Night
3416	2025-12-11 06:13:21	70.87	45dB	6.0	501%	Night
3417	2025-12-11 06:15:55	N/A	45dB	N/A	N/A	Night
3418	2025-12-11 06:26:42	69.36	45dB	5.4	441%	Night
3419	2025-12-11 06:31:49	67.95	45dB	4.9	391%	Night
3420	2025-12-11 06:33:43	69.27	45dB	5.4	438%	Night
3421	2025-12-11 06:34:53	66.93	45dB	4.6	357%	Night
3422	2025-12-11 06:36:07	71.06	45dB	6.1	509%	Night
3423	2025-12-11 06:38:03	N/A	45dB	N/A	N/A	Night
3424	2025-12-11 06:39:56	66.62	45dB	4.5	348%	Night

3425	2025-12-11 06:41:42	N/A	45dB	N/A	N/A	Night
3426	2025-12-11 06:43:33	N/A	45dB	N/A	N/A	Night
3427	2025-12-11 06:45:32	68.18	45dB	5.0	399%	Night
3428	2025-12-11 06:47:21	N/A	45dB	N/A	N/A	Night
3429	2025-12-11 06:49:57	68.90	45dB	5.2	424%	Night
3430	2025-12-11 06:51:38	68.75	45dB	5.2	419%	Night
3431	2025-12-11 06:53:03	N/A	45dB	N/A	N/A	Night
3432	2025-12-11 06:54:23	N/A	45dB	N/A	N/A	Night
3433	2025-12-11 06:57:52	74.62	45dB	7.8	679%	Night
3434	2025-12-11 07:00:01	67.93	55dB	2.5	145%	Day
3435	2025-12-11 07:01:43	68.77	55dB	2.6	160%	Day
3436	2025-12-11 07:03:14	68.01	55dB	2.5	146%	Day
3437	2025-12-11 07:05:02	67.18	55dB	2.3	133%	Day
3438	2025-12-11 07:08:27	68.36	55dB	2.5	152%	Day
3439	2025-12-11 07:10:48	68.69	55dB	2.6	158%	Day
3440	2025-12-11 07:12:25	69.27	55dB	2.7	169%	Day
3441	2025-12-11 07:14:27	N/A	55dB	N/A	N/A	Day
3442	2025-12-11 07:26:54	N/A	55dB	N/A	N/A	Day
3443	2025-12-11 07:28:32	69.83	55dB	2.8	180%	Day
3444	2025-12-11 07:30:49	69.73	55dB	2.8	178%	Day
3445	2025-12-11 07:34:14	N/A	55dB	N/A	N/A	Day
3446	2025-12-11 07:35:50	68.14	55dB	2.5	149%	Day
3447	2025-12-11 07:38:27	66.51	55dB	2.2	122%	Day
3448	2025-12-11 07:42:33	69.09	55dB	2.7	166%	Day
3449	2025-12-11 07:52:55	N/A	55dB	N/A	N/A	Day
3450	2025-12-11 07:56:27	69.19	55dB	2.7	167%	Day
3451	2025-12-11 07:58:20	N/A	55dB	N/A	N/A	Day
3452	2025-12-11 08:00:28	72.70	55dB	3.4	241%	Day
3453	2025-12-11 08:06:41	67.98	55dB	2.5	146%	Day
3454	2025-12-11 08:08:46	67.99	55dB	2.5	146%	Day
3455	2025-12-11 08:11:12	N/A	55dB	N/A	N/A	Day
3456	2025-12-11 08:13:37	N/A	55dB	N/A	N/A	Day
3457	2025-12-11 08:15:48	N/A	55dB	N/A	N/A	Day
3458	2025-12-11 08:17:36	N/A	55dB	N/A	N/A	Day
3459	2025-12-11 08:22:00	N/A	55dB	N/A	N/A	Day
3460	2025-12-11 08:27:49	71.03	55dB	3.0	204%	Day
3461	2025-12-11 08:38:19	69.42	55dB	2.7	172%	Day
3462	2025-12-11 08:40:09	69.50	55dB	2.7	173%	Day
3463	2025-12-11 08:41:32	68.01	55dB	2.5	146%	Day
3464	2025-12-11 08:43:45	69.42	55dB	2.7	172%	Day
3465	2025-12-11 08:47:26	69.68	55dB	2.8	177%	Day
3466	2025-12-11 08:49:38	69.15	55dB	2.7	167%	Day
3467	2025-12-11 08:53:44	N/A	55dB	N/A	N/A	Day
3468	2025-12-11 08:55:35	N/A	55dB	N/A	N/A	Day

3469	2025-12-11 09:00:27	N/A	55dB	N/A	N/A	Day
3470	2025-12-11 09:07:00	N/A	55dB	N/A	N/A	Day
3471	2025-12-11 09:09:43	69.48	55dB	2.7	173%	Day
3472	2025-12-11 09:12:13	N/A	55dB	N/A	N/A	Day
3473	2025-12-11 09:14:48	70.36	55dB	2.9	190%	Day
3474	2025-12-11 09:19:56	N/A	55dB	N/A	N/A	Day
3475	2025-12-11 09:21:32	69.08	55dB	2.7	165%	Day
3476	2025-12-11 09:23:11	66.85	55dB	2.3	127%	Day
3477	2025-12-11 09:24:47	70.20	55dB	2.9	187%	Day
3478	2025-12-11 09:26:56	N/A	55dB	N/A	N/A	Day
3479	2025-12-11 09:34:38	67.13	55dB	2.3	132%	Day
3480	2025-12-11 09:40:06	65.57	55dB	2.1	108%	Day
3481	2025-12-11 09:42:15	N/A	55dB	N/A	N/A	Day
3482	2025-12-11 09:43:52	N/A	55dB	N/A	N/A	Day
3483	2025-12-11 09:47:35	N/A	55dB	N/A	N/A	Day
3484	2025-12-11 09:49:46	N/A	55dB	N/A	N/A	Day
3485	2025-12-11 09:52:11	N/A	55dB	N/A	N/A	Day
3486	2025-12-11 09:55:49	N/A	55dB	N/A	N/A	Day
3487	2025-12-11 09:59:20	70.31	55dB	2.9	189%	Day
3488	2025-12-11 10:01:25	67.32	55dB	2.3	135%	Day
3489	2025-12-11 10:03:23	N/A	55dB	N/A	N/A	Day
3490	2025-12-11 10:11:43	N/A	55dB	N/A	N/A	Day
3491	2025-12-11 10:17:04	N/A	55dB	N/A	N/A	Day
3492	2025-12-11 10:19:45	69.86	55dB	2.8	180%	Day
3493	2025-12-11 10:21:54	N/A	55dB	N/A	N/A	Day
3494	2025-12-11 10:23:59	N/A	55dB	N/A	N/A	Day
3495	2025-12-11 10:25:40	68.82	55dB	2.6	161%	Day
3496	2025-12-11 10:28:30	68.82	55dB	2.6	161%	Day
3497	2025-12-11 10:30:27	N/A	55dB	N/A	N/A	Day
3498	2025-12-11 10:31:45	67.29	55dB	2.3	134%	Day
3499	2025-12-11 10:34:36	N/A	55dB	N/A	N/A	Day
3500	2025-12-11 10:37:23	N/A	55dB	N/A	N/A	Day
3501	2025-12-11 10:38:55	87.25	55dB	9.4	835%	Day
3502	2025-12-11 10:42:30	67.54	55dB	2.4	139%	Day
3503	2025-12-11 10:48:56	71.46	55dB	3.1	213%	Day
3504	2025-12-11 10:51:32	N/A	55dB	N/A	N/A	Day
3505	2025-12-11 10:55:12	68.67	55dB	2.6	158%	Day
3506	2025-12-11 10:57:32	72.29	55dB	3.3	231%	Day
3507	2025-12-11 10:59:16	74.88	55dB	4.0	297%	Day
3508	2025-12-11 11:01:14	N/A	55dB	N/A	N/A	Day
3509	2025-12-11 11:02:23	76.60	55dB	4.5	347%	Day
3510	2025-12-11 11:04:03	N/A	55dB	N/A	N/A	Day
3511	2025-12-11 11:05:47	N/A	55dB	N/A	N/A	Day
3512	2025-12-11 11:08:09	66.86	55dB	2.3	128%	Day

3513	2025-12-11 11:09:57	68.80	55dB	2.6	160%	Day
3514	2025-12-11 11:12:48	N/A	55dB	N/A	N/A	Day
3515	2025-12-11 11:14:55	67.65	55dB	2.4	140%	Day
3516	2025-12-11 11:16:55	N/A	55dB	N/A	N/A	Day
3517	2025-12-11 11:18:21	N/A	55dB	N/A	N/A	Day
3518	2025-12-11 11:20:40	66.33	55dB	2.2	119%	Day
3519	2025-12-11 11:24:36	67.13	55dB	2.3	132%	Day
3520	2025-12-11 11:26:57	N/A	55dB	N/A	N/A	Day
3521	2025-12-11 11:28:53	N/A	55dB	N/A	N/A	Day
3522	2025-12-11 11:30:48	67.73	55dB	2.4	142%	Day
3523	2025-12-11 11:32:27	N/A	55dB	N/A	N/A	Day
3524	2025-12-11 11:34:54	N/A	55dB	N/A	N/A	Day
3525	2025-12-11 11:36:36	N/A	55dB	N/A	N/A	Day
3526	2025-12-11 11:38:32	N/A	55dB	N/A	N/A	Day
3527	2025-12-11 11:40:34	N/A	55dB	N/A	N/A	Day
3528	2025-12-11 11:43:57	76.99	55dB	4.6	359%	Day
3529	2025-12-11 11:46:47	71.36	55dB	3.1	211%	Day
3530	2025-12-11 11:48:54	68.27	55dB	2.5	151%	Day
3531	2025-12-11 11:50:14	N/A	55dB	N/A	N/A	Day
3532	2025-12-11 11:51:42	N/A	55dB	N/A	N/A	Day
3533	2025-12-11 11:53:41	67.40	55dB	2.4	136%	Day
3534	2025-12-11 11:56:35	N/A	55dB	N/A	N/A	Day
3535	2025-12-11 12:01:06	71.07	55dB	3.0	205%	Day
3536	2025-12-11 12:05:46	N/A	55dB	N/A	N/A	Day
3537	2025-12-11 12:08:14	68.17	55dB	2.5	149%	Day
3538	2025-12-11 12:11:17	N/A	55dB	N/A	N/A	Day
3539	2025-12-11 12:15:30	68.17	55dB	2.5	149%	Day
3540	2025-12-11 12:17:38	N/A	55dB	N/A	N/A	Day
3541	2025-12-11 12:19:56	N/A	55dB	N/A	N/A	Day
3542	2025-12-11 12:22:09	N/A	55dB	N/A	N/A	Day
3543	2025-12-11 12:23:44	N/A	55dB	N/A	N/A	Day
3544	2025-12-11 12:25:34	69.90	55dB	2.8	181%	Day
3545	2025-12-11 12:30:54	68.47	55dB	2.5	154%	Day
3546	2025-12-11 12:33:44	73.43	55dB	3.6	259%	Day
3547	2025-12-11 12:38:21	74.53	55dB	3.9	287%	Day
3548	2025-12-11 12:41:12	71.26	55dB	3.1	209%	Day
3549	2025-12-11 12:43:28	66.09	55dB	2.2	116%	Day
3550	2025-12-11 12:49:53	N/A	55dB	N/A	N/A	Day
3551	2025-12-11 12:51:33	N/A	55dB	N/A	N/A	Day
3552	2025-12-11 12:53:02	66.99	55dB	2.3	130%	Day
3553	2025-12-11 12:55:12	68.40	55dB	2.5	153%	Day
3554	2025-12-11 12:57:04	78.04	55dB	4.9	394%	Day
3555	2025-12-11 13:00:35	70.07	55dB	2.8	184%	Day
3556	2025-12-11 13:03:08	67.45	55dB	2.4	137%	Day

3557	2025-12-11 13:04:56	N/A	55dB	N/A	N/A	Day
3558	2025-12-11 13:06:27	72.64	55dB	3.4	240%	Day
3559	2025-12-11 13:07:55	68.29	55dB	2.5	151%	Day
3560	2025-12-11 13:09:37	68.78	55dB	2.6	160%	Day
3561	2025-12-11 13:12:49	68.05	55dB	2.5	147%	Day
3562	2025-12-11 13:14:31	69.55	55dB	2.7	174%	Day
3563	2025-12-11 13:15:53	72.00	55dB	3.2	225%	Day
3564	2025-12-11 13:18:08	N/A	55dB	N/A	N/A	Day
3565	2025-12-11 13:21:20	70.54	55dB	2.9	194%	Day
3566	2025-12-11 13:23:27	70.18	55dB	2.9	186%	Day
3567	2025-12-11 13:25:01	68.32	55dB	2.5	152%	Day
3568	2025-12-11 13:26:38	73.55	55dB	3.6	262%	Day
3569	2025-12-11 13:28:49	N/A	55dB	N/A	N/A	Day
3570	2025-12-11 13:30:42	66.88	55dB	2.3	128%	Day
3571	2025-12-11 13:33:00	N/A	55dB	N/A	N/A	Day
3572	2025-12-11 13:34:53	67.80	55dB	2.4	143%	Day
3573	2025-12-11 13:38:00	N/A	55dB	N/A	N/A	Day
3574	2025-12-11 13:39:58	N/A	55dB	N/A	N/A	Day
3575	2025-12-11 13:41:37	69.94	55dB	2.8	182%	Day
3576	2025-12-11 13:44:02	N/A	55dB	N/A	N/A	Day
3577	2025-12-11 13:47:42	N/A	55dB	N/A	N/A	Day
3578	2025-12-11 13:49:31	67.92	55dB	2.4	145%	Day
3579	2025-12-11 13:51:27	N/A	55dB	N/A	N/A	Day
3580	2025-12-11 13:53:10	N/A	55dB	N/A	N/A	Day
3581	2025-12-11 13:55:34	N/A	55dB	N/A	N/A	Day
3582	2025-12-11 13:57:26	N/A	55dB	N/A	N/A	Day
3583	2025-12-11 14:01:37	73.19	55dB	3.5	253%	Day
3584	2025-12-11 14:03:43	N/A	55dB	N/A	N/A	Day
3585	2025-12-11 14:05:13	76.88	55dB	4.6	356%	Day
3586	2025-12-11 14:06:44	N/A	55dB	N/A	N/A	Day
3587	2025-12-11 14:08:18	66.62	55dB	2.2	124%	Day
3588	2025-12-11 14:14:40	73.70	55dB	3.7	266%	Day
3589	2025-12-11 14:16:49	N/A	55dB	N/A	N/A	Day
3590	2025-12-11 14:18:26	67.79	55dB	2.4	143%	Day
3591	2025-12-11 14:20:29	72.30	55dB	3.3	232%	Day
3592	2025-12-11 14:22:15	N/A	55dB	N/A	N/A	Day
3593	2025-12-11 14:26:02	N/A	55dB	N/A	N/A	Day
3594	2025-12-11 14:27:25	74.01	55dB	3.7	273%	Day
3595	2025-12-11 14:28:53	71.94	55dB	3.2	224%	Day
3596	2025-12-11 14:31:53	N/A	55dB	N/A	N/A	Day
3597	2025-12-11 14:33:20	N/A	55dB	N/A	N/A	Day
3598	2025-12-11 14:34:41	67.22	55dB	2.3	133%	Day
3599	2025-12-11 14:36:05	N/A	55dB	N/A	N/A	Day
3600	2025-12-11 14:37:54	N/A	55dB	N/A	N/A	Day

3601	2025-12-11 14:39:16	68.17	55dB	2.5	149%	Day
3602	2025-12-11 14:40:46	N/A	55dB	N/A	N/A	Day
3603	2025-12-11 14:42:21	N/A	55dB	N/A	N/A	Day
3604	2025-12-11 14:43:34	68.23	55dB	2.5	150%	Day
3605	2025-12-11 14:45:16	70.25	55dB	2.9	188%	Day
3606	2025-12-11 14:47:13	68.45	55dB	2.5	154%	Day
3607	2025-12-11 14:48:45	72.28	55dB	3.3	231%	Day
3608	2025-12-11 14:53:05	71.80	55dB	3.2	220%	Day
3609	2025-12-11 14:55:32	N/A	55dB	N/A	N/A	Day
3610	2025-12-11 14:57:02	N/A	55dB	N/A	N/A	Day
3611	2025-12-11 14:58:34	67.60	55dB	2.4	139%	Day
3612	2025-12-11 15:00:15	N/A	55dB	N/A	N/A	Day
3613	2025-12-11 15:01:48	68.72	55dB	2.6	159%	Day
3614	2025-12-11 15:03:43	N/A	55dB	N/A	N/A	Day
3615	2025-12-11 15:05:11	N/A	55dB	N/A	N/A	Day
3616	2025-12-11 15:06:28	N/A	55dB	N/A	N/A	Day
3617	2025-12-11 15:07:50	72.09	55dB	3.3	227%	Day
3618	2025-12-11 15:09:53	69.26	55dB	2.7	169%	Day
3619	2025-12-11 15:11:35	70.82	55dB	3.0	199%	Day
3620	2025-12-11 15:13:33	N/A	55dB	N/A	N/A	Day
3621	2025-12-11 15:15:05	N/A	55dB	N/A	N/A	Day
3622	2025-12-11 15:16:55	N/A	55dB	N/A	N/A	Day
3623	2025-12-11 15:18:40	68.29	55dB	2.5	151%	Day
3624	2025-12-11 15:20:25	71.86	55dB	3.2	222%	Day
3625	2025-12-11 15:22:49	68.29	55dB	2.5	151%	Day
3626	2025-12-11 15:24:25	N/A	55dB	N/A	N/A	Day
3627	2025-12-11 15:25:49	N/A	55dB	N/A	N/A	Day
3628	2025-12-11 15:26:59	N/A	55dB	N/A	N/A	Day
3629	2025-12-11 15:30:27	N/A	55dB	N/A	N/A	Day
3630	2025-12-11 15:32:46	N/A	55dB	N/A	N/A	Day
3631	2025-12-11 15:35:07	N/A	55dB	N/A	N/A	Day
3632	2025-12-11 15:36:45	N/A	55dB	N/A	N/A	Day
3633	2025-12-11 15:38:32	72.81	55dB	3.4	244%	Day
3634	2025-12-11 15:40:45	N/A	55dB	N/A	N/A	Day
3635	2025-12-11 15:42:56	N/A	55dB	N/A	N/A	Day
3636	2025-12-11 15:44:49	N/A	55dB	N/A	N/A	Day
3637	2025-12-11 15:47:05	70.66	55dB	3.0	196%	Day
3638	2025-12-11 15:49:07	N/A	55dB	N/A	N/A	Day
3639	2025-12-11 15:50:39	74.84	55dB	4.0	296%	Day
3640	2025-12-11 15:52:42	N/A	55dB	N/A	N/A	Day
3641	2025-12-11 15:54:29	71.87	55dB	3.2	222%	Day
3642	2025-12-11 15:56:48	N/A	55dB	N/A	N/A	Day
3643	2025-12-11 15:58:17	68.84	55dB	2.6	161%	Day
3644	2025-12-11 15:59:44	N/A	55dB	N/A	N/A	Day

3645	2025-12-11 16:02:58	73.47	55dB	3.6	260%	Day
3646	2025-12-11 16:05:05	66.86	55dB	2.3	128%	Day
3647	2025-12-11 16:06:45	N/A	55dB	N/A	N/A	Day
3648	2025-12-11 16:08:11	N/A	55dB	N/A	N/A	Day
3649	2025-12-11 16:10:02	N/A	55dB	N/A	N/A	Day
3650	2025-12-11 16:11:44	N/A	55dB	N/A	N/A	Day
3651	2025-12-11 16:17:32	69.32	55dB	2.7	170%	Day
3652	2025-12-11 16:23:19	N/A	55dB	N/A	N/A	Day
3653	2025-12-11 16:34:30	73.69	55dB	3.7	265%	Day
3654	2025-12-11 16:37:22	71.42	55dB	3.1	212%	Day
3655	2025-12-11 16:40:19	N/A	55dB	N/A	N/A	Day
3656	2025-12-11 16:42:11	71.97	55dB	3.2	224%	Day
3657	2025-12-11 16:44:48	68.47	55dB	2.5	154%	Day
3658	2025-12-11 16:46:41	N/A	55dB	N/A	N/A	Day
3659	2025-12-11 16:49:30	N/A	55dB	N/A	N/A	Day
3660	2025-12-11 16:52:48	N/A	55dB	N/A	N/A	Day
3661	2025-12-11 16:54:21	N/A	55dB	N/A	N/A	Day
3662	2025-12-11 16:56:00	N/A	55dB	N/A	N/A	Day
3663	2025-12-11 16:57:40	N/A	55dB	N/A	N/A	Day
3664	2025-12-11 16:59:25	N/A	55dB	N/A	N/A	Day
3665	2025-12-11 17:02:37	N/A	55dB	N/A	N/A	Day
3666	2025-12-11 17:04:02	66.00	55dB	2.1	114%	Day
3667	2025-12-11 17:05:35	N/A	55dB	N/A	N/A	Day
3668	2025-12-11 17:07:53	N/A	55dB	N/A	N/A	Day
3669	2025-12-11 17:09:34	65.77	55dB	2.1	111%	Day
3670	2025-12-11 17:11:11	N/A	55dB	N/A	N/A	Day
3671	2025-12-11 17:18:40	N/A	55dB	N/A	N/A	Day
3672	2025-12-11 17:20:58	N/A	55dB	N/A	N/A	Day
3673	2025-12-11 17:22:45	N/A	55dB	N/A	N/A	Day
3674	2025-12-11 17:25:03	N/A	55dB	N/A	N/A	Day
3675	2025-12-11 17:27:21	N/A	55dB	N/A	N/A	Day
3676	2025-12-11 17:29:35	75.21	55dB	4.1	306%	Day
3677	2025-12-11 17:31:08	N/A	55dB	N/A	N/A	Day
3678	2025-12-11 17:32:45	N/A	55dB	N/A	N/A	Day
3679	2025-12-11 17:34:32	75.62	55dB	4.2	318%	Day
3680	2025-12-11 17:36:00	N/A	55dB	N/A	N/A	Day
3681	2025-12-11 17:37:43	N/A	55dB	N/A	N/A	Day
3682	2025-12-11 17:39:08	67.25	55dB	2.3	134%	Day
3683	2025-12-11 17:42:31	N/A	55dB	N/A	N/A	Day
3684	2025-12-11 17:44:46	71.03	55dB	3.0	204%	Day
3685	2025-12-11 17:46:35	N/A	55dB	N/A	N/A	Day
3686	2025-12-11 17:47:54	N/A	55dB	N/A	N/A	Day
3687	2025-12-11 17:50:15	N/A	55dB	N/A	N/A	Day
3688	2025-12-11 17:51:44	N/A	55dB	N/A	N/A	Day

3689	2025-12-11 17:53:08	N/A	55dB	N/A	N/A	Day
3690	2025-12-11 17:54:32	N/A	55dB	N/A	N/A	Day
3691	2025-12-11 17:56:01	70.64	55dB	3.0	196%	Day
3692	2025-12-11 17:57:47	71.63	55dB	3.2	217%	Day
3693	2025-12-11 18:01:26	74.39	55dB	3.8	283%	Day
3694	2025-12-11 18:03:20	68.40	55dB	2.5	153%	Day
3695	2025-12-11 18:05:25	N/A	55dB	N/A	N/A	Day
3696	2025-12-11 18:06:53	70.75	55dB	3.0	198%	Day
3697	2025-12-11 18:08:54	66.42	55dB	2.2	121%	Day
3698	2025-12-11 18:10:16	N/A	55dB	N/A	N/A	Day
3699	2025-12-11 18:11:39	72.51	55dB	3.4	237%	Day
3700	2025-12-11 18:13:32	N/A	55dB	N/A	N/A	Day
3701	2025-12-11 18:14:51	N/A	55dB	N/A	N/A	Day
3702	2025-12-11 18:16:11	N/A	55dB	N/A	N/A	Day
3703	2025-12-11 18:20:59	N/A	55dB	N/A	N/A	Day
3704	2025-12-11 18:22:43	N/A	55dB	N/A	N/A	Day
3705	2025-12-11 18:29:55	67.24	55dB	2.3	134%	Day
3706	2025-12-11 18:31:57	71.73	55dB	3.2	219%	Day
3707	2025-12-11 18:39:41	N/A	55dB	N/A	N/A	Day
3708	2025-12-11 18:41:20	N/A	55dB	N/A	N/A	Day
3709	2025-12-11 18:42:55	N/A	55dB	N/A	N/A	Day
3710	2025-12-11 18:44:24	N/A	55dB	N/A	N/A	Day
3711	2025-12-11 18:45:47	71.45	55dB	3.1	213%	Day
3712	2025-12-11 18:47:56	66.44	55dB	2.2	121%	Day
3713	2025-12-11 18:49:31	N/A	55dB	N/A	N/A	Day
3714	2025-12-11 18:50:52	N/A	55dB	N/A	N/A	Day
3715	2025-12-11 18:52:11	N/A	55dB	N/A	N/A	Day
3716	2025-12-11 18:53:25	68.88	55dB	2.6	162%	Day
3717	2025-12-11 18:54:43	70.05	55dB	2.8	184%	Day
3718	2025-12-11 18:56:16	76.49	55dB	4.4	344%	Day
3719	2025-12-11 18:57:49	N/A	55dB	N/A	N/A	Day
3720	2025-12-11 18:59:21	66.83	55dB	2.3	127%	Day
3721	2025-12-11 19:00:49	N/A	55dB	N/A	N/A	Day
3722	2025-12-11 19:02:11	70.39	55dB	2.9	191%	Day
3723	2025-12-11 19:04:20	68.85	55dB	2.6	161%	Day
3724	2025-12-11 19:05:30	N/A	55dB	N/A	N/A	Day
3725	2025-12-11 19:07:41	N/A	55dB	N/A	N/A	Day
3726	2025-12-11 19:09:01	67.16	55dB	2.3	132%	Day
3727	2025-12-11 19:13:27	73.18	55dB	3.5	253%	Day
3728	2025-12-11 19:14:49	N/A	55dB	N/A	N/A	Day
3729	2025-12-11 19:16:05	82.22	55dB	6.6	560%	Day
3730	2025-12-11 19:17:34	N/A	55dB	N/A	N/A	Day
3731	2025-12-11 19:19:03	N/A	55dB	N/A	N/A	Day
3732	2025-12-11 19:20:25	N/A	55dB	N/A	N/A	Day

3733	2025-12-11 19:21:48	N/A	55dB	N/A	N/A	Day
3734	2025-12-11 19:25:18	N/A	55dB	N/A	N/A	Day
3735	2025-12-11 19:27:06	68.06	55dB	2.5	147%	Day
3736	2025-12-11 19:28:27	66.84	55dB	2.3	127%	Day
3737	2025-12-11 19:29:46	N/A	55dB	N/A	N/A	Day
3738	2025-12-11 19:30:58	N/A	55dB	N/A	N/A	Day
3739	2025-12-11 19:32:20	71.79	55dB	3.2	220%	Day
3740	2025-12-11 19:33:57	69.00	55dB	2.6	164%	Day
3741	2025-12-11 19:36:01	70.94	55dB	3.0	202%	Day
3742	2025-12-11 19:38:10	67.59	55dB	2.4	139%	Day
3743	2025-12-11 19:39:37	N/A	55dB	N/A	N/A	Day
3744	2025-12-11 19:40:46	N/A	55dB	N/A	N/A	Day
3745	2025-12-11 19:42:14	N/A	55dB	N/A	N/A	Day
3746	2025-12-11 19:43:41	N/A	55dB	N/A	N/A	Day
3747	2025-12-11 19:45:07	N/A	55dB	N/A	N/A	Day
3748	2025-12-11 19:46:13	N/A	55dB	N/A	N/A	Day
3749	2025-12-11 19:48:14	N/A	55dB	N/A	N/A	Day
3750	2025-12-11 19:49:50	68.96	55dB	2.6	163%	Day
3751	2025-12-11 19:51:24	71.32	55dB	3.1	210%	Day
3752	2025-12-11 19:53:28	69.90	55dB	2.8	181%	Day
3753	2025-12-11 19:55:22	N/A	55dB	N/A	N/A	Day
3754	2025-12-11 19:56:57	N/A	55dB	N/A	N/A	Day
3755	2025-12-11 19:58:20	N/A	55dB	N/A	N/A	Day
3756	2025-12-11 19:59:40	N/A	55dB	N/A	N/A	Day
3757	2025-12-11 20:01:01	N/A	55dB	N/A	N/A	Day
3758	2025-12-11 20:02:17	N/A	55dB	N/A	N/A	Day
3759	2025-12-11 20:03:39	N/A	55dB	N/A	N/A	Day
3760	2025-12-11 20:08:14	67.67	55dB	2.4	141%	Day
3761	2025-12-11 20:09:37	66.39	55dB	2.2	120%	Day
3762	2025-12-11 20:10:56	66.77	55dB	2.3	126%	Day
3763	2025-12-11 20:12:14	71.52	55dB	3.1	214%	Day
3764	2025-12-11 20:13:36	67.02	55dB	2.3	130%	Day
3765	2025-12-11 20:14:43	N/A	55dB	N/A	N/A	Day
3766	2025-12-11 20:16:04	68.61	55dB	2.6	157%	Day
3767	2025-12-11 20:19:26	N/A	55dB	N/A	N/A	Day
3768	2025-12-11 20:21:25	66.41	55dB	2.2	121%	Day
3769	2025-12-11 20:22:51	70.09	55dB	2.8	185%	Day
3770	2025-12-11 20:25:42	N/A	55dB	N/A	N/A	Day
3771	2025-12-11 20:29:35	68.64	55dB	2.6	157%	Day
3772	2025-12-11 20:32:17	N/A	55dB	N/A	N/A	Day
3773	2025-12-11 20:34:05	68.02	55dB	2.5	147%	Day
3774	2025-12-11 20:35:56	N/A	55dB	N/A	N/A	Day
3775	2025-12-11 20:40:00	69.32	55dB	2.7	170%	Day
3776	2025-12-11 20:42:00	N/A	55dB	N/A	N/A	Day

3777	2025-12-11 20:43:26	73.97	55dB	3.7	272%	Day
3778	2025-12-11 20:44:47	66.68	55dB	2.2	125%	Day
3779	2025-12-11 20:46:02	N/A	55dB	N/A	N/A	Day
3780	2025-12-11 20:47:18	N/A	55dB	N/A	N/A	Day
3781	2025-12-11 20:48:31	N/A	55dB	N/A	N/A	Day
3782	2025-12-11 20:49:48	N/A	55dB	N/A	N/A	Day
3783	2025-12-11 20:51:15	N/A	55dB	N/A	N/A	Day
3784	2025-12-11 20:52:33	68.13	55dB	2.5	148%	Day
3785	2025-12-11 20:53:58	69.29	55dB	2.7	169%	Day
3786	2025-12-11 20:56:31	66.99	55dB	2.3	130%	Day
3787	2025-12-11 20:58:05	66.81	55dB	2.3	127%	Day
3788	2025-12-11 20:59:34	67.63	55dB	2.4	140%	Day
3789	2025-12-11 21:01:04	71.68	55dB	3.2	218%	Day
3790	2025-12-11 21:03:08	N/A	55dB	N/A	N/A	Day
3791	2025-12-11 21:04:40	N/A	55dB	N/A	N/A	Day
3792	2025-12-11 21:07:01	N/A	55dB	N/A	N/A	Day
3793	2025-12-11 21:09:07	68.22	55dB	2.5	150%	Day
3794	2025-12-11 21:11:10	67.43	55dB	2.4	137%	Day
3795	2025-12-11 21:12:46	N/A	55dB	N/A	N/A	Day
3796	2025-12-11 21:14:31	75.40	55dB	4.1	311%	Day
3797	2025-12-11 21:17:13	66.56	55dB	2.2	123%	Day
3798	2025-12-11 21:19:37	N/A	55dB	N/A	N/A	Day
3799	2025-12-11 21:21:13	66.65	55dB	2.2	124%	Day
3800	2025-12-11 21:22:38	68.22	55dB	2.5	150%	Day
3801	2025-12-11 21:23:58	N/A	55dB	N/A	N/A	Day
3802	2025-12-11 21:25:35	67.27	55dB	2.3	134%	Day
3803	2025-12-11 21:27:02	66.61	55dB	2.2	124%	Day
3804	2025-12-11 21:28:56	N/A	55dB	N/A	N/A	Day
3805	2025-12-11 21:31:16	N/A	55dB	N/A	N/A	Day
3806	2025-12-11 21:32:40	71.65	55dB	3.2	217%	Day
3807	2025-12-11 21:34:32	68.81	55dB	2.6	160%	Day
3808	2025-12-11 21:35:48	N/A	55dB	N/A	N/A	Day
3809	2025-12-11 21:37:18	N/A	55dB	N/A	N/A	Day
3810	2025-12-11 21:38:47	N/A	55dB	N/A	N/A	Day
3811	2025-12-11 21:40:01	66.54	55dB	2.2	123%	Day
3812	2025-12-11 21:41:22	73.78	55dB	3.7	268%	Day
3813	2025-12-11 21:43:09	68.53	55dB	2.6	155%	Day
3814	2025-12-11 21:44:23	67.11	55dB	2.3	131%	Day
3815	2025-12-11 21:46:10	67.15	55dB	2.3	132%	Day
3816	2025-12-11 21:48:00	N/A	55dB	N/A	N/A	Day
3817	2025-12-11 21:49:37	70.01	55dB	2.8	183%	Day
3818	2025-12-11 21:51:01	69.72	55dB	2.8	177%	Day
3819	2025-12-11 21:52:34	68.21	55dB	2.5	150%	Day
3820	2025-12-11 21:53:47	N/A	55dB	N/A	N/A	Day

3821	2025-12-11 21:55:15	N/A	55dB	N/A	N/A	Day
3822	2025-12-11 21:56:40	N/A	55dB	N/A	N/A	Day
3823	2025-12-11 21:59:47	N/A	55dB	N/A	N/A	Day
3824	2025-12-11 22:01:30	69.16	55dB	2.7	167%	Day
3825	2025-12-11 22:03:55	N/A	55dB	N/A	N/A	Day
3826	2025-12-11 22:05:54	70.18	55dB	2.9	186%	Day
3827	2025-12-11 22:08:38	N/A	55dB	N/A	N/A	Day
3828	2025-12-11 22:13:26	N/A	55dB	N/A	N/A	Day
3829	2025-12-11 22:20:16	N/A	55dB	N/A	N/A	Day
3830	2025-12-11 22:22:38	N/A	55dB	N/A	N/A	Day
3831	2025-12-11 22:25:05	67.95	55dB	2.5	145%	Day
3832	2025-12-11 22:27:18	N/A	55dB	N/A	N/A	Day
3833	2025-12-11 22:29:14	74.01	55dB	3.7	273%	Day
3834	2025-12-11 22:31:10	N/A	55dB	N/A	N/A	Day
3835	2025-12-11 22:33:03	66.87	55dB	2.3	128%	Day
3836	2025-12-11 22:34:20	66.50	55dB	2.2	122%	Day
3837	2025-12-11 22:35:51	66.93	55dB	2.3	129%	Day
3838	2025-12-11 22:37:19	N/A	55dB	N/A	N/A	Day
3839	2025-12-11 22:47:48	67.59	55dB	2.4	139%	Day
3840	2025-12-11 22:53:54	N/A	55dB	N/A	N/A	Day
3841	2025-12-11 22:56:05	N/A	55dB	N/A	N/A	Day
3842	2025-12-11 22:58:07	N/A	55dB	N/A	N/A	Day
3843	2025-12-11 23:01:26	N/A	45dB	N/A	N/A	Night
3844	2025-12-11 23:10:44	N/A	45dB	N/A	N/A	Night
3845	2025-12-11 23:12:18	N/A	45dB	N/A	N/A	Night
3846	2025-12-11 23:13:50	N/A	45dB	N/A	N/A	Night
3847	2025-12-11 23:16:47	N/A	45dB	N/A	N/A	Night
3848	2025-12-11 23:18:17	67.12	45dB	4.6	363%	Night
3849	2025-12-11 23:22:35	N/A	45dB	N/A	N/A	Night
3850	2025-12-11 23:27:38	N/A	45dB	N/A	N/A	Night
3851	2025-12-11 23:31:23	N/A	45dB	N/A	N/A	Night
3852	2025-12-11 23:32:58	68.95	45dB	5.3	426%	Night
3853	2025-12-11 23:35:06	68.87	45dB	5.2	423%	Night
3854	2025-12-11 23:36:32	N/A	45dB	N/A	N/A	Night
3855	2025-12-11 23:37:57	68.80	45dB	5.2	421%	Night
3856	2025-12-11 23:39:57	N/A	45dB	N/A	N/A	Night
3857	2025-12-11 23:42:40	N/A	45dB	N/A	N/A	Night
3858	2025-12-11 23:43:52	N/A	45dB	N/A	N/A	Night
3859	2025-12-11 23:45:16	N/A	45dB	N/A	N/A	Night
3860	2025-12-11 23:48:15	68.44	45dB	5.1	408%	Night
3861	2025-12-11 23:51:05	N/A	45dB	N/A	N/A	Night
3862	2025-12-11 23:53:10	N/A	45dB	N/A	N/A	Night
3863	2025-12-11 23:56:58	67.11	45dB	4.6	363%	Night
3864	2025-12-11 23:58:36	N/A	45dB	N/A	N/A	Night

3865	2025-12-12 00:00:34	66.23	45dB	4.4	336%	Night
3866	2025-12-12 00:02:35	67.21	45dB	4.7	366%	Night
3867	2025-12-12 00:07:20	65.71	45dB	4.2	320%	Night
3868	2025-12-12 00:09:43	66.15	45dB	4.3	333%	Night
3869	2025-12-12 00:12:33	66.71	45dB	4.5	350%	Night
3870	2025-12-12 00:14:16	66.52	45dB	4.4	344%	Night
3871	2025-12-12 00:16:51	66.83	45dB	4.5	354%	Night
3872	2025-12-12 00:18:25	67.17	45dB	4.6	365%	Night
3873	2025-12-12 00:20:02	67.83	45dB	4.9	387%	Night
3874	2025-12-12 00:32:26	62.33	45dB	3.3	232%	Night
3875	2025-12-12 00:34:00	67.23	45dB	4.7	367%	Night
3876	2025-12-12 00:36:37	65.90	45dB	4.3	326%	Night
3877	2025-12-12 00:38:52	65.01	45dB	4.0	300%	Night
3878	2025-12-12 00:44:06	66.79	45dB	4.5	353%	Night
3879	2025-12-12 00:49:47	65.89	45dB	4.3	325%	Night
3880	2025-12-12 00:52:01	N/A	45dB	N/A	N/A	Night
3881	2025-12-12 00:53:36	65.21	45dB	4.1	306%	Night
3882	2025-12-12 00:54:56	70.43	45dB	5.8	483%	Night
3883	2025-12-12 00:57:14	66.55	45dB	4.5	345%	Night
3884	2025-12-12 01:03:53	68.82	45dB	5.2	421%	Night
3885	2025-12-12 01:13:53	64.34	45dB	3.8	282%	Night
3886	2025-12-12 01:31:25	64.52	45dB	3.9	287%	Night
3887	2025-12-12 01:45:55	66.92	45dB	4.6	357%	Night
3888	2025-12-12 02:00:33	64.84	45dB	4.0	296%	Night
3889	2025-12-12 02:02:14	66.12	45dB	4.3	332%	Night
3890	2025-12-12 02:03:55	65.17	45dB	4.0	305%	Night
3891	2025-12-12 02:05:21	66.25	45dB	4.4	336%	Night
3892	2025-12-12 02:07:40	65.31	45dB	4.1	309%	Night
3893	2025-12-12 02:20:35	66.26	45dB	4.4	337%	Night
3894	2025-12-12 02:37:27	65.95	45dB	4.3	327%	Night
3895	2025-12-12 02:52:46	67.07	45dB	4.6	362%	Night
3896	2025-12-12 03:07:25	67.65	45dB	4.8	381%	Night
3897	2025-12-12 03:14:20	69.38	45dB	5.4	442%	Night
3898	2025-12-12 04:02:51	64.84	45dB	4.0	296%	Night
3899	2025-12-12 05:09:49	71.61	45dB	6.3	532%	Night
3900	2025-12-12 05:13:58	70.70	45dB	5.9	494%	Night
3901	2025-12-12 05:21:32	76.58	45dB	8.9	793%	Night
3902	2025-12-12 05:34:35	67.68	45dB	4.8	382%	Night
3903	2025-12-12 05:40:09	72.11	45dB	6.5	555%	Night
3904	2025-12-12 05:42:44	73.71	45dB	7.3	632%	Night
3905	2025-12-12 05:45:14	65.53	45dB	4.1	315%	Night
3906	2025-12-12 05:51:31	74.65	45dB	7.8	681%	Night
3907	2025-12-12 05:57:15	67.33	45dB	4.7	370%	Night
3908	2025-12-12 05:59:05	73.83	45dB	7.4	638%	Night

3909	2025-12-12 06:01:00	N/A	45dB	N/A	N/A	Night
3910	2025-12-12 06:02:32	N/A	45dB	N/A	N/A	Night
3911	2025-12-12 06:08:58	77.51	45dB	9.5	852%	Night
3912	2025-12-12 06:19:21	68.12	45dB	5.0	397%	Night
3913	2025-12-12 06:22:45	69.71	45dB	5.5	454%	Night
3914	2025-12-12 06:30:13	N/A	45dB	N/A	N/A	Night
3915	2025-12-12 06:31:34	67.30	45dB	4.7	369%	Night
3916	2025-12-12 06:33:03	69.54	45dB	5.5	448%	Night
3917	2025-12-12 06:34:11	66.56	45dB	4.5	346%	Night
3918	2025-12-12 06:35:34	70.88	45dB	6.0	501%	Night
3919	2025-12-12 06:36:56	70.96	45dB	6.0	505%	Night
3920	2025-12-12 06:38:58	69.86	45dB	5.6	460%	Night
3921	2025-12-12 06:40:47	N/A	45dB	N/A	N/A	Night
3922	2025-12-12 06:42:31	68.03	45dB	4.9	393%	Night
3923	2025-12-12 06:43:52	68.77	45dB	5.2	419%	Night
3924	2025-12-12 06:45:28	N/A	45dB	N/A	N/A	Night
3925	2025-12-12 06:47:02	N/A	45dB	N/A	N/A	Night
3926	2025-12-12 06:48:11	68.65	45dB	5.2	415%	Night
3927	2025-12-12 06:49:53	66.49	45dB	4.4	344%	Night
3928	2025-12-12 06:51:17	N/A	45dB	N/A	N/A	Night
3929	2025-12-12 06:53:58	67.72	45dB	4.8	383%	Night
3930	2025-12-12 06:55:42	69.94	45dB	5.6	463%	Night
3931	2025-12-12 06:59:19	68.55	45dB	5.1	412%	Night
3932	2025-12-12 07:01:25	68.31	55dB	2.5	152%	Day
3933	2025-12-12 07:02:53	67.79	55dB	2.4	143%	Day
3934	2025-12-12 07:04:57	69.49	55dB	2.7	173%	Day
3935	2025-12-12 07:08:44	68.36	55dB	2.5	152%	Day
3936	2025-12-12 07:15:15	68.18	55dB	2.5	149%	Day
3937	2025-12-12 07:24:26	N/A	55dB	N/A	N/A	Day
3938	2025-12-12 07:28:24	N/A	55dB	N/A	N/A	Day
3939	2025-12-12 07:31:26	N/A	55dB	N/A	N/A	Day
3940	2025-12-12 07:34:52	67.62	55dB	2.4	140%	Day
3941	2025-12-12 07:36:40	67.26	55dB	2.3	134%	Day
3942	2025-12-12 07:42:51	68.71	55dB	2.6	159%	Day
3943	2025-12-12 07:48:37	70.32	55dB	2.9	189%	Day
3944	2025-12-12 07:50:33	68.79	55dB	2.6	160%	Day
3945	2025-12-12 07:52:38	N/A	55dB	N/A	N/A	Day
3946	2025-12-12 08:10:23	N/A	55dB	N/A	N/A	Day
3947	2025-12-12 08:12:47	68.42	55dB	2.5	154%	Day
3948	2025-12-12 08:15:44	69.18	55dB	2.7	167%	Day
3949	2025-12-12 08:17:23	69.33	55dB	2.7	170%	Day
3950	2025-12-12 08:19:00	N/A	55dB	N/A	N/A	Day
3951	2025-12-12 08:20:11	75.34	55dB	4.1	310%	Day
3952	2025-12-12 08:21:28	68.92	55dB	2.6	162%	Day

3953	2025-12-12 08:22:54	70.10	55dB	2.8	185%	Day
3954	2025-12-12 08:25:32	68.78	55dB	2.6	160%	Day
3955	2025-12-12 08:27:18	70.80	55dB	3.0	199%	Day
3956	2025-12-12 08:28:50	71.70	55dB	3.2	218%	Day
3957	2025-12-12 08:39:28	71.57	55dB	3.2	215%	Day
3958	2025-12-12 08:45:49	69.69	55dB	2.8	177%	Day
3959	2025-12-12 08:48:43	N/A	55dB	N/A	N/A	Day
3960	2025-12-12 08:52:42	71.86	55dB	3.2	222%	Day
3961	2025-12-12 08:55:55	N/A	55dB	N/A	N/A	Day
3962	2025-12-12 08:58:49	67.72	55dB	2.4	141%	Day
3963	2025-12-12 09:04:46	N/A	55dB	N/A	N/A	Day
3964	2025-12-12 09:10:36	70.58	55dB	2.9	194%	Day
3965	2025-12-12 09:21:46	68.63	55dB	2.6	157%	Day
3966	2025-12-12 09:24:25	70.23	55dB	2.9	187%	Day
3967	2025-12-12 09:25:57	67.28	55dB	2.3	134%	Day
3968	2025-12-12 09:27:39	69.70	55dB	2.8	177%	Day
3969	2025-12-12 09:33:25	N/A	55dB	N/A	N/A	Day
3970	2025-12-12 09:41:36	68.38	55dB	2.5	153%	Day
3971	2025-12-12 09:45:04	N/A	55dB	N/A	N/A	Day
3972	2025-12-12 09:49:45	69.34	55dB	2.7	170%	Day
3973	2025-12-12 09:58:08	N/A	55dB	N/A	N/A	Day
3974	2025-12-12 10:00:14	N/A	55dB	N/A	N/A	Day
3975	2025-12-12 10:07:22	N/A	55dB	N/A	N/A	Day
3976	2025-12-12 10:18:49	N/A	55dB	N/A	N/A	Day
3977	2025-12-12 10:20:48	67.44	55dB	2.4	137%	Day
3978	2025-12-12 10:22:32	70.13	55dB	2.9	185%	Day
3979	2025-12-12 10:24:14	71.91	55dB	3.2	223%	Day
3980	2025-12-12 10:25:37	N/A	55dB	N/A	N/A	Day
3981	2025-12-12 10:27:16	69.72	55dB	2.8	177%	Day
3982	2025-12-12 10:31:05	72.39	55dB	3.3	234%	Day
3983	2025-12-12 10:36:51	69.64	55dB	2.8	176%	Day
3984	2025-12-12 10:39:19	68.59	55dB	2.6	157%	Day
3985	2025-12-12 10:41:08	71.02	55dB	3.0	204%	Day
3986	2025-12-12 10:42:52	68.77	55dB	2.6	160%	Day
3987	2025-12-12 10:44:23	N/A	55dB	N/A	N/A	Day
3988	2025-12-12 10:46:00	71.23	55dB	3.1	208%	Day
3989	2025-12-12 10:49:07	68.95	55dB	2.6	163%	Day
3990	2025-12-12 10:51:52	N/A	55dB	N/A	N/A	Day
3991	2025-12-12 10:55:02	68.66	55dB	2.6	158%	Day
3992	2025-12-12 10:58:13	73.60	55dB	3.6	263%	Day
3993	2025-12-12 11:00:11	68.67	55dB	2.6	158%	Day
3994	2025-12-12 11:01:46	68.97	55dB	2.6	163%	Day
3995	2025-12-12 11:03:11	69.43	55dB	2.7	172%	Day
3996	2025-12-12 11:04:52	71.78	55dB	3.2	220%	Day

3997	2025-12-12 11:07:34	71.71	55dB	3.2	218%	Day
3998	2025-12-12 11:09:31	70.95	55dB	3.0	202%	Day
3999	2025-12-12 11:11:00	N/A	55dB	N/A	N/A	Day
4000	2025-12-12 11:12:42	69.51	55dB	2.7	173%	Day
4001	2025-12-12 11:14:02	68.88	55dB	2.6	162%	Day
4002	2025-12-12 11:15:36	73.05	55dB	3.5	249%	Day
4003	2025-12-12 11:17:26	69.88	55dB	2.8	180%	Day
4004	2025-12-12 11:19:42	N/A	55dB	N/A	N/A	Day
4005	2025-12-12 11:21:05	75.05	55dB	4.0	301%	Day
4006	2025-12-12 11:23:10	N/A	55dB	N/A	N/A	Day
4007	2025-12-12 11:24:40	68.20	55dB	2.5	150%	Day
4008	2025-12-12 11:26:11	69.84	55dB	2.8	180%	Day
4009	2025-12-12 11:31:02	70.42	55dB	2.9	191%	Day
4010	2025-12-12 11:34:44	N/A	55dB	N/A	N/A	Day
4011	2025-12-12 11:37:32	69.78	55dB	2.8	179%	Day
4012	2025-12-12 11:39:58	N/A	55dB	N/A	N/A	Day
4013	2025-12-12 11:42:04	69.61	55dB	2.8	175%	Day
4014	2025-12-12 11:43:45	66.37	55dB	2.2	120%	Day
4015	2025-12-12 11:45:25	67.15	55dB	2.3	132%	Day
4016	2025-12-12 11:46:48	N/A	55dB	N/A	N/A	Day
4017	2025-12-12 11:48:14	66.61	55dB	2.2	124%	Day
4018	2025-12-12 11:50:03	69.85	55dB	2.8	180%	Day
4019	2025-12-12 11:51:55	71.88	55dB	3.2	222%	Day
4020	2025-12-12 11:59:34	68.74	55dB	2.6	159%	Day
4021	2025-12-12 12:02:41	68.89	55dB	2.6	162%	Day
4022	2025-12-12 12:04:12	N/A	55dB	N/A	N/A	Day
4023	2025-12-12 12:07:26	70.27	55dB	2.9	188%	Day
4024	2025-12-12 12:12:00	68.33	55dB	2.5	152%	Day
4025	2025-12-12 12:14:32	N/A	55dB	N/A	N/A	Day
4026	2025-12-12 12:18:55	N/A	55dB	N/A	N/A	Day
4027	2025-12-12 12:22:46	71.54	55dB	3.1	215%	Day
4028	2025-12-12 12:29:40	68.99	55dB	2.6	164%	Day
4029	2025-12-12 12:31:26	N/A	55dB	N/A	N/A	Day
4030	2025-12-12 12:34:39	72.03	55dB	3.3	226%	Day
4031	2025-12-12 12:36:06	N/A	55dB	N/A	N/A	Day
4032	2025-12-12 12:37:55	68.54	55dB	2.6	156%	Day
4033	2025-12-12 12:40:47	67.88	55dB	2.4	144%	Day
4034	2025-12-12 12:42:40	70.43	55dB	2.9	191%	Day
4035	2025-12-12 12:44:08	71.52	55dB	3.1	214%	Day
4036	2025-12-12 12:46:13	N/A	55dB	N/A	N/A	Day
4037	2025-12-12 12:48:06	N/A	55dB	N/A	N/A	Day
4038	2025-12-12 12:49:32	70.24	55dB	2.9	188%	Day
4039	2025-12-12 12:51:48	69.87	55dB	2.8	180%	Day
4040	2025-12-12 12:54:12	N/A	55dB	N/A	N/A	Day

4041	2025-12-12 12:56:45	N/A	55dB	N/A	N/A	Day
4042	2025-12-12 12:58:34	66.48	55dB	2.2	122%	Day
4043	2025-12-12 13:02:03	70.45	55dB	2.9	192%	Day
4044	2025-12-12 13:04:14	70.78	55dB	3.0	199%	Day
4045	2025-12-12 13:06:08	68.43	55dB	2.5	154%	Day
4046	2025-12-12 13:07:54	N/A	55dB	N/A	N/A	Day
4047	2025-12-12 13:11:53	N/A	55dB	N/A	N/A	Day
4048	2025-12-12 13:13:23	N/A	55dB	N/A	N/A	Day
4049	2025-12-12 13:14:52	68.20	55dB	2.5	150%	Day
4050	2025-12-12 13:16:14	70.66	55dB	3.0	196%	Day
4051	2025-12-12 13:20:56	68.54	55dB	2.6	156%	Day
4052	2025-12-12 13:22:23	N/A	55dB	N/A	N/A	Day
4053	2025-12-12 13:27:06	69.40	55dB	2.7	171%	Day
4054	2025-12-12 13:34:30	N/A	55dB	N/A	N/A	Day
4055	2025-12-12 13:36:26	68.85	55dB	2.6	161%	Day
4056	2025-12-12 13:38:55	N/A	55dB	N/A	N/A	Day
4057	2025-12-12 13:40:14	71.13	55dB	3.1	206%	Day
4058	2025-12-12 13:42:06	N/A	55dB	N/A	N/A	Day
4059	2025-12-12 13:43:27	70.30	55dB	2.9	189%	Day
4060	2025-12-12 13:46:06	69.24	55dB	2.7	168%	Day
4061	2025-12-12 13:47:36	N/A	55dB	N/A	N/A	Day
4062	2025-12-12 13:49:14	68.18	55dB	2.5	149%	Day
4063	2025-12-12 13:55:55	88.85	55dB	10.4	945%	Day
4064	2025-12-12 13:57:54	N/A	55dB	N/A	N/A	Day
4065	2025-12-12 14:00:31	N/A	55dB	N/A	N/A	Day
4066	2025-12-12 14:01:49	68.49	55dB	2.5	155%	Day
4067	2025-12-12 14:04:18	68.36	55dB	2.5	152%	Day
4068	2025-12-12 14:06:03	100.59	55dB	23.6	2257%	Day
4069	2025-12-12 14:07:35	71.19	55dB	3.1	207%	Day
4070	2025-12-12 14:08:53	N/A	55dB	N/A	N/A	Day
4071	2025-12-12 14:10:03	73.59	55dB	3.6	263%	Day
4072	2025-12-12 14:12:37	70.07	55dB	2.8	184%	Day
4073	2025-12-12 14:14:07	N/A	55dB	N/A	N/A	Day
4074	2025-12-12 14:15:33	74.05	55dB	3.7	275%	Day
4075	2025-12-12 14:17:32	68.77	55dB	2.6	160%	Day
4076	2025-12-12 14:18:49	68.34	55dB	2.5	152%	Day
4077	2025-12-12 14:20:00	N/A	55dB	N/A	N/A	Day
4078	2025-12-12 14:21:33	69.81	55dB	2.8	179%	Day
4079	2025-12-12 14:23:20	68.81	55dB	2.6	160%	Day
4080	2025-12-12 14:25:18	72.76	55dB	3.4	242%	Day
4081	2025-12-12 14:27:39	N/A	55dB	N/A	N/A	Day
4082	2025-12-12 14:29:02	69.85	55dB	2.8	180%	Day
4083	2025-12-12 14:30:47	N/A	55dB	N/A	N/A	Day
4084	2025-12-12 14:32:26	72.82	55dB	3.4	244%	Day

4085	2025-12-12 14:33:32	72.86	55dB	3.4	245%	Day
4086	2025-12-12 14:35:39	N/A	55dB	N/A	N/A	Day
4087	2025-12-12 14:38:42	72.09	55dB	3.3	227%	Day
4088	2025-12-12 14:41:23	70.97	55dB	3.0	203%	Day
4089	2025-12-12 14:47:35	N/A	55dB	N/A	N/A	Day
4090	2025-12-12 14:49:31	68.89	55dB	2.6	162%	Day
4091	2025-12-12 14:51:23	N/A	55dB	N/A	N/A	Day
4092	2025-12-12 14:53:46	N/A	55dB	N/A	N/A	Day
4093	2025-12-12 14:54:58	70.61	55dB	3.0	195%	Day
4094	2025-12-12 14:56:26	71.64	55dB	3.2	217%	Day
4095	2025-12-12 14:57:43	81.84	55dB	6.4	543%	Day
4096	2025-12-12 14:59:08	N/A	55dB	N/A	N/A	Day
4097	2025-12-12 15:00:31	72.06	55dB	3.3	226%	Day
4098	2025-12-12 15:02:30	70.33	55dB	2.9	189%	Day
4099	2025-12-12 15:03:46	70.32	55dB	2.9	189%	Day
4100	2025-12-12 15:04:57	71.16	55dB	3.1	207%	Day
4101	2025-12-12 15:07:43	N/A	55dB	N/A	N/A	Day
4102	2025-12-12 15:09:06	N/A	55dB	N/A	N/A	Day
4103	2025-12-12 15:10:33	66.73	55dB	2.3	125%	Day
4104	2025-12-12 15:12:02	71.14	55dB	3.1	206%	Day
4105	2025-12-12 15:13:25	69.61	55dB	2.8	175%	Day
4106	2025-12-12 15:14:34	69.16	55dB	2.7	167%	Day
4107	2025-12-12 15:15:45	N/A	55dB	N/A	N/A	Day
4108	2025-12-12 15:17:11	69.62	55dB	2.8	175%	Day
4109	2025-12-12 15:18:22	68.72	55dB	2.6	159%	Day
4110	2025-12-12 15:19:42	N/A	55dB	N/A	N/A	Day
4111	2025-12-12 15:21:00	69.48	55dB	2.7	173%	Day
4112	2025-12-12 15:23:26	67.59	55dB	2.4	139%	Day
4113	2025-12-12 15:25:14	N/A	55dB	N/A	N/A	Day
4114	2025-12-12 15:27:10	69.79	55dB	2.8	179%	Day
4115	2025-12-12 15:29:17	68.59	55dB	2.6	157%	Day
4116	2025-12-12 15:34:46	72.90	55dB	3.5	246%	Day
4117	2025-12-12 15:37:00	N/A	55dB	N/A	N/A	Day
4118	2025-12-12 15:38:23	N/A	55dB	N/A	N/A	Day
4119	2025-12-12 15:39:38	73.70	55dB	3.7	266%	Day
4120	2025-12-12 15:41:09	80.97	55dB	6.1	505%	Day
4121	2025-12-12 15:44:14	N/A	55dB	N/A	N/A	Day
4122	2025-12-12 15:45:48	69.30	55dB	2.7	169%	Day
4123	2025-12-12 15:47:10	70.14	55dB	2.9	186%	Day
4124	2025-12-12 15:49:03	74.79	55dB	3.9	294%	Day
4125	2025-12-12 15:50:26	72.42	55dB	3.3	234%	Day
4126	2025-12-12 15:51:46	N/A	55dB	N/A	N/A	Day
4127	2025-12-12 15:53:17	N/A	55dB	N/A	N/A	Day
4128	2025-12-12 15:54:40	72.92	55dB	3.5	246%	Day

4129	2025-12-12 15:56:49	68.61	55dB	2.6	157%	Day
4130	2025-12-12 15:58:12	N/A	55dB	N/A	N/A	Day
4131	2025-12-12 15:59:33	N/A	55dB	N/A	N/A	Day
4132	2025-12-12 16:00:57	78.54	55dB	5.1	411%	Day
4133	2025-12-12 16:02:37	68.10	55dB	2.5	148%	Day
4134	2025-12-12 16:04:01	78.11	55dB	5.0	396%	Day
4135	2025-12-12 16:05:43	70.52	55dB	2.9	193%	Day
4136	2025-12-12 16:06:58	70.32	55dB	2.9	189%	Day
4137	2025-12-12 16:08:10	70.52	55dB	2.9	193%	Day
4138	2025-12-12 16:10:13	N/A	55dB	N/A	N/A	Day
4139	2025-12-12 16:11:24	N/A	55dB	N/A	N/A	Day
4140	2025-12-12 16:12:48	71.83	55dB	3.2	221%	Day
4141	2025-12-12 16:14:56	N/A	55dB	N/A	N/A	Day
4142	2025-12-12 16:16:21	69.57	55dB	2.7	175%	Day
4143	2025-12-12 16:18:00	72.31	55dB	3.3	232%	Day
4144	2025-12-12 16:19:35	N/A	55dB	N/A	N/A	Day
4145	2025-12-12 16:23:32	N/A	55dB	N/A	N/A	Day
4146	2025-12-12 16:25:06	70.43	55dB	2.9	191%	Day
4147	2025-12-12 16:26:53	71.17	55dB	3.1	207%	Day
4148	2025-12-12 16:30:01	73.87	55dB	3.7	270%	Day
4149	2025-12-12 16:32:01	70.26	55dB	2.9	188%	Day
4150	2025-12-12 16:34:33	71.87	55dB	3.2	222%	Day
4151	2025-12-12 16:37:12	69.54	55dB	2.7	174%	Day
4152	2025-12-12 16:38:42	71.90	55dB	3.2	223%	Day
4153	2025-12-12 16:40:25	N/A	55dB	N/A	N/A	Day
4154	2025-12-12 16:41:53	N/A	55dB	N/A	N/A	Day
4155	2025-12-12 16:44:04	N/A	55dB	N/A	N/A	Day
4156	2025-12-12 16:45:26	69.08	55dB	2.7	165%	Day
4157	2025-12-12 16:47:32	N/A	55dB	N/A	N/A	Day
4158	2025-12-12 16:49:53	N/A	55dB	N/A	N/A	Day
4159	2025-12-12 16:51:23	68.58	55dB	2.6	156%	Day
4160	2025-12-12 16:53:07	72.70	55dB	3.4	241%	Day
4161	2025-12-12 16:55:32	N/A	55dB	N/A	N/A	Day
4162	2025-12-12 16:57:01	N/A	55dB	N/A	N/A	Day
4163	2025-12-12 16:58:08	79.00	55dB	5.3	428%	Day
4164	2025-12-12 17:03:27	N/A	55dB	N/A	N/A	Day
4165	2025-12-12 17:04:54	70.60	55dB	2.9	195%	Day
4166	2025-12-12 17:06:09	66.60	55dB	2.2	123%	Day
4167	2025-12-12 17:09:20	72.75	55dB	3.4	242%	Day
4168	2025-12-12 17:10:52	71.23	55dB	3.1	208%	Day
4169	2025-12-12 17:13:14	N/A	55dB	N/A	N/A	Day
4170	2025-12-12 17:14:52	67.93	55dB	2.5	145%	Day
4171	2025-12-12 17:16:17	74.31	55dB	3.8	281%	Day
4172	2025-12-12 17:19:18	N/A	55dB	N/A	N/A	Day

4173	2025-12-12 17:20:56	N/A	55dB	N/A	N/A	Day
4174	2025-12-12 17:22:25	68.03	55dB	2.5	147%	Day
4175	2025-12-12 17:23:41	N/A	55dB	N/A	N/A	Day
4176	2025-12-12 17:25:11	74.44	55dB	3.8	285%	Day
4177	2025-12-12 17:26:40	70.96	55dB	3.0	202%	Day
4178	2025-12-12 17:27:56	N/A	55dB	N/A	N/A	Day
4179	2025-12-12 17:29:27	68.74	55dB	2.6	159%	Day
4180	2025-12-12 17:31:06	71.48	55dB	3.1	213%	Day
4181	2025-12-12 17:32:58	N/A	55dB	N/A	N/A	Day
4182	2025-12-12 17:34:25	69.18	55dB	2.7	167%	Day
4183	2025-12-12 17:35:56	69.23	55dB	2.7	168%	Day
4184	2025-12-12 17:37:27	68.70	55dB	2.6	158%	Day
4185	2025-12-12 17:39:48	70.38	55dB	2.9	190%	Day
4186	2025-12-12 17:42:55	68.85	55dB	2.6	161%	Day
4187	2025-12-12 17:47:25	70.72	55dB	3.0	197%	Day
4188	2025-12-12 17:49:17	72.96	55dB	3.5	247%	Day
4189	2025-12-12 17:51:08	69.32	55dB	2.7	170%	Day
4190	2025-12-12 17:52:41	74.03	55dB	3.7	274%	Day
4191	2025-12-12 17:54:28	68.39	55dB	2.5	153%	Day
4192	2025-12-12 17:58:00	69.27	55dB	2.7	169%	Day
4193	2025-12-12 17:59:40	N/A	55dB	N/A	N/A	Day
4194	2025-12-12 18:01:17	N/A	55dB	N/A	N/A	Day
4195	2025-12-12 18:02:49	N/A	55dB	N/A	N/A	Day
4196	2025-12-12 18:04:31	67.06	55dB	2.3	131%	Day
4197	2025-12-12 18:06:26	69.08	55dB	2.7	165%	Day
4198	2025-12-12 18:07:51	70.08	55dB	2.8	184%	Day
4199	2025-12-12 18:09:57	70.78	55dB	3.0	199%	Day
4200	2025-12-12 18:14:48	67.33	55dB	2.4	135%	Day
4201	2025-12-12 18:16:49	69.68	55dB	2.8	177%	Day
4202	2025-12-12 18:18:26	N/A	55dB	N/A	N/A	Day
4203	2025-12-12 18:20:17	N/A	55dB	N/A	N/A	Day
4204	2025-12-12 18:22:25	71.08	55dB	3.0	205%	Day
4205	2025-12-12 18:24:08	72.85	55dB	3.4	245%	Day
4206	2025-12-12 18:25:52	N/A	55dB	N/A	N/A	Day
4207	2025-12-12 18:27:23	70.23	55dB	2.9	187%	Day
4208	2025-12-12 18:29:18	66.27	55dB	2.2	118%	Day
4209	2025-12-12 18:30:57	N/A	55dB	N/A	N/A	Day
4210	2025-12-12 18:32:55	N/A	55dB	N/A	N/A	Day
4211	2025-12-12 18:35:02	69.10	55dB	2.7	166%	Day
4212	2025-12-12 18:36:23	70.91	55dB	3.0	201%	Day
4213	2025-12-12 18:38:11	70.10	55dB	2.8	185%	Day
4214	2025-12-12 18:39:35	77.32	55dB	4.7	370%	Day
4215	2025-12-12 18:41:01	N/A	55dB	N/A	N/A	Day
4216	2025-12-12 18:44:25	N/A	55dB	N/A	N/A	Day

4217	2025-12-12 18:46:48	N/A	55dB	N/A	N/A	Day
4218	2025-12-12 18:48:33	N/A	55dB	N/A	N/A	Day
4219	2025-12-12 18:50:08	N/A	55dB	N/A	N/A	Day
4220	2025-12-12 18:51:28	N/A	55dB	N/A	N/A	Day
4221	2025-12-12 18:53:37	N/A	55dB	N/A	N/A	Day
4222	2025-12-12 18:55:18	69.06	55dB	2.7	165%	Day
4223	2025-12-12 18:57:03	N/A	55dB	N/A	N/A	Day
4224	2025-12-12 18:58:52	67.74	55dB	2.4	142%	Day
4225	2025-12-12 19:00:35	69.08	55dB	2.7	165%	Day
4226	2025-12-12 19:04:35	67.49	55dB	2.4	138%	Day
4227	2025-12-12 19:06:11	72.65	55dB	3.4	240%	Day
4228	2025-12-12 19:08:34	N/A	55dB	N/A	N/A	Day
4229	2025-12-12 19:10:02	73.59	55dB	3.6	263%	Day
4230	2025-12-12 19:11:20	71.25	55dB	3.1	208%	Day
4231	2025-12-12 19:13:41	69.22	55dB	2.7	168%	Day
4232	2025-12-12 19:16:42	72.00	55dB	3.2	225%	Day
4233	2025-12-12 19:18:37	N/A	55dB	N/A	N/A	Day
4234	2025-12-12 19:20:01	68.33	55dB	2.5	152%	Day
4235	2025-12-12 19:21:35	N/A	55dB	N/A	N/A	Day
4236	2025-12-12 19:23:02	N/A	55dB	N/A	N/A	Day
4237	2025-12-12 19:24:16	68.92	55dB	2.6	162%	Day
4238	2025-12-12 19:25:37	67.38	55dB	2.4	136%	Day
4239	2025-12-12 19:27:10	70.06	55dB	2.8	184%	Day
4240	2025-12-12 19:28:54	N/A	55dB	N/A	N/A	Day
4241	2025-12-12 19:31:32	69.09	55dB	2.7	166%	Day
4242	2025-12-12 19:33:11	68.57	55dB	2.6	156%	Day
4243	2025-12-12 19:35:20	71.85	55dB	3.2	222%	Day
4244	2025-12-12 19:37:31	69.31	55dB	2.7	170%	Day
4245	2025-12-12 19:40:02	70.12	55dB	2.9	185%	Day
4246	2025-12-12 19:41:24	69.43	55dB	2.7	172%	Day
4247	2025-12-12 19:42:51	N/A	55dB	N/A	N/A	Day
4248	2025-12-12 19:44:56	N/A	55dB	N/A	N/A	Day
4249	2025-12-12 19:46:27	67.75	55dB	2.4	142%	Day
4250	2025-12-12 19:47:44	N/A	55dB	N/A	N/A	Day
4251	2025-12-12 19:49:02	67.59	55dB	2.4	139%	Day
4252	2025-12-12 19:50:27	69.42	55dB	2.7	172%	Day
4253	2025-12-12 19:51:51	N/A	55dB	N/A	N/A	Day
4254	2025-12-12 19:55:13	N/A	55dB	N/A	N/A	Day
4255	2025-12-12 19:56:52	71.32	55dB	3.1	210%	Day
4256	2025-12-12 19:59:00	71.92	55dB	3.2	223%	Day
4257	2025-12-12 20:00:57	67.18	55dB	2.3	133%	Day
4258	2025-12-12 20:02:17	67.37	55dB	2.4	136%	Day
4259	2025-12-12 20:03:43	N/A	55dB	N/A	N/A	Day
4260	2025-12-12 20:05:30	67.97	55dB	2.5	146%	Day

4261	2025-12-12 20:07:49	67.92	55dB	2.4	145%	Day
4262	2025-12-12 20:09:10	N/A	55dB	N/A	N/A	Day
4263	2025-12-12 20:11:35	70.19	55dB	2.9	187%	Day
4264	2025-12-12 20:13:17	N/A	55dB	N/A	N/A	Day
4265	2025-12-12 20:15:12	68.61	55dB	2.6	157%	Day
4266	2025-12-12 20:17:15	N/A	55dB	N/A	N/A	Day
4267	2025-12-12 20:18:34	N/A	55dB	N/A	N/A	Day
4268	2025-12-12 20:20:04	72.87	55dB	3.5	245%	Day
4269	2025-12-12 20:21:45	71.62	55dB	3.2	216%	Day
4270	2025-12-12 20:24:25	67.39	55dB	2.4	136%	Day
4271	2025-12-12 20:26:21	N/A	55dB	N/A	N/A	Day
4272	2025-12-12 20:28:10	N/A	55dB	N/A	N/A	Day
4273	2025-12-12 20:31:00	67.76	55dB	2.4	142%	Day
4274	2025-12-12 20:32:31	N/A	55dB	N/A	N/A	Day
4275	2025-12-12 20:33:41	66.93	55dB	2.3	129%	Day
4276	2025-12-12 20:35:00	69.73	55dB	2.8	178%	Day
4277	2025-12-12 20:36:46	69.19	55dB	2.7	167%	Day
4278	2025-12-12 20:38:24	N/A	55dB	N/A	N/A	Day
4279	2025-12-12 20:40:20	N/A	55dB	N/A	N/A	Day
4280	2025-12-12 20:43:23	N/A	55dB	N/A	N/A	Day
4281	2025-12-12 20:48:44	69.52	55dB	2.7	174%	Day
4282	2025-12-12 20:50:43	70.04	55dB	2.8	184%	Day
4283	2025-12-12 20:52:14	N/A	55dB	N/A	N/A	Day
4284	2025-12-12 20:53:57	66.34	55dB	2.2	119%	Day
4285	2025-12-12 20:55:27	70.75	55dB	3.0	198%	Day
4286	2025-12-12 20:57:05	67.87	55dB	2.4	144%	Day
4287	2025-12-12 20:58:47	68.32	55dB	2.5	152%	Day
4288	2025-12-12 21:00:24	70.72	55dB	3.0	197%	Day
4289	2025-12-12 21:02:01	68.72	55dB	2.6	159%	Day
4290	2025-12-12 21:04:28	69.18	55dB	2.7	167%	Day
4291	2025-12-12 21:06:39	68.40	55dB	2.5	153%	Day
4292	2025-12-12 21:09:38	66.03	55dB	2.1	115%	Day
4293	2025-12-12 21:11:55	68.68	55dB	2.6	158%	Day
4294	2025-12-12 21:13:20	68.04	55dB	2.5	147%	Day
4295	2025-12-12 21:15:22	N/A	55dB	N/A	N/A	Day
4296	2025-12-12 21:17:04	66.33	55dB	2.2	119%	Day
4297	2025-12-12 21:18:25	N/A	55dB	N/A	N/A	Day
4298	2025-12-12 21:19:50	70.39	55dB	2.9	191%	Day
4299	2025-12-12 21:20:58	N/A	55dB	N/A	N/A	Day
4300	2025-12-12 21:22:33	N/A	55dB	N/A	N/A	Day
4301	2025-12-12 21:23:57	N/A	55dB	N/A	N/A	Day
4302	2025-12-12 21:27:27	69.60	55dB	2.8	175%	Day
4303	2025-12-12 21:29:21	69.33	55dB	2.7	170%	Day
4304	2025-12-12 21:30:40	69.04	55dB	2.6	165%	Day

4305	2025-12-12 21:32:08	77.27	55dB	4.7	368%	Day
4306	2025-12-12 21:34:22	69.11	55dB	2.7	166%	Day
4307	2025-12-12 21:35:56	N/A	55dB	N/A	N/A	Day
4308	2025-12-12 21:37:35	N/A	55dB	N/A	N/A	Day
4309	2025-12-12 21:39:12	70.24	55dB	2.9	188%	Day
4310	2025-12-12 21:40:37	N/A	55dB	N/A	N/A	Day
4311	2025-12-12 21:43:36	73.19	55dB	3.5	253%	Day
4312	2025-12-12 21:46:09	N/A	55dB	N/A	N/A	Day
4313	2025-12-12 21:48:02	N/A	55dB	N/A	N/A	Day
4314	2025-12-12 21:50:39	N/A	55dB	N/A	N/A	Day
4315	2025-12-12 21:52:31	N/A	55dB	N/A	N/A	Day
4316	2025-12-12 21:54:13	68.48	55dB	2.5	155%	Day
4317	2025-12-12 21:55:51	N/A	55dB	N/A	N/A	Day
4318	2025-12-12 21:57:27	67.78	55dB	2.4	143%	Day
4319	2025-12-12 22:00:06	N/A	55dB	N/A	N/A	Day
4320	2025-12-12 22:01:46	N/A	55dB	N/A	N/A	Day
4321	2025-12-12 22:04:38	N/A	55dB	N/A	N/A	Day
4322	2025-12-12 22:06:05	72.14	55dB	3.3	228%	Day
4323	2025-12-12 22:07:33	N/A	55dB	N/A	N/A	Day
4324	2025-12-12 22:09:09	N/A	55dB	N/A	N/A	Day
4325	2025-12-12 22:10:28	N/A	55dB	N/A	N/A	Day
4326	2025-12-12 22:12:08	68.78	55dB	2.6	160%	Day
4327	2025-12-12 22:14:42	68.68	55dB	2.6	158%	Day
4328	2025-12-12 22:16:58	73.27	55dB	3.5	255%	Day
4329	2025-12-12 22:19:20	N/A	55dB	N/A	N/A	Day
4330	2025-12-12 22:21:00	N/A	55dB	N/A	N/A	Day
4331	2025-12-12 22:22:19	N/A	55dB	N/A	N/A	Day
4332	2025-12-12 22:23:49	65.75	55dB	2.1	111%	Day
4333	2025-12-12 22:25:26	N/A	55dB	N/A	N/A	Day
4334	2025-12-12 22:26:48	68.91	55dB	2.6	162%	Day
4335	2025-12-12 22:28:45	N/A	55dB	N/A	N/A	Day
4336	2025-12-12 22:30:32	N/A	55dB	N/A	N/A	Day
4337	2025-12-12 22:31:49	N/A	55dB	N/A	N/A	Day
4338	2025-12-12 22:33:17	78.66	55dB	5.2	416%	Day
4339	2025-12-12 22:35:41	N/A	55dB	N/A	N/A	Day
4340	2025-12-12 22:42:15	66.70	55dB	2.3	125%	Day
4341	2025-12-12 22:43:48	N/A	55dB	N/A	N/A	Day
4342	2025-12-12 22:45:06	N/A	55dB	N/A	N/A	Day
4343	2025-12-12 22:46:27	69.21	55dB	2.7	168%	Day
4344	2025-12-12 22:47:50	N/A	55dB	N/A	N/A	Day
4345	2025-12-12 22:49:07	N/A	55dB	N/A	N/A	Day
4346	2025-12-12 22:50:38	67.90	55dB	2.4	145%	Day
4347	2025-12-12 22:52:12	67.38	55dB	2.4	136%	Day
4348	2025-12-12 22:54:16	N/A	55dB	N/A	N/A	Day

4349	2025-12-12 22:55:43	N/A	55dB	N/A	N/A	Day
4350	2025-12-12 22:57:23	N/A	55dB	N/A	N/A	Day
4351	2025-12-12 23:05:19	N/A	45dB	N/A	N/A	Night
4352	2025-12-12 23:06:53	N/A	45dB	N/A	N/A	Night
4353	2025-12-12 23:10:17	N/A	45dB	N/A	N/A	Night
4354	2025-12-12 23:23:43	N/A	45dB	N/A	N/A	Night
4355	2025-12-12 23:29:57	69.76	45dB	5.6	456%	Night
4356	2025-12-12 23:32:02	66.89	45dB	4.6	356%	Night
4357	2025-12-12 23:33:27	69.06	45dB	5.3	430%	Night
4358	2025-12-12 23:35:13	67.48	45dB	4.8	375%	Night
4359	2025-12-12 23:37:38	N/A	45dB	N/A	N/A	Night
4360	2025-12-12 23:39:08	67.71	45dB	4.8	383%	Night
4361	2025-12-12 23:43:08	70.06	45dB	5.7	468%	Night
4362	2025-12-12 23:44:35	67.29	45dB	4.7	369%	Night
4363	2025-12-12 23:45:46	69.92	45dB	5.6	463%	Night
4364	2025-12-12 23:47:40	68.75	45dB	5.2	419%	Night
4365	2025-12-12 23:49:01	68.82	45dB	5.2	421%	Night
4366	2025-12-12 23:50:56	67.59	45dB	4.8	379%	Night
4367	2025-12-12 23:52:38	N/A	45dB	N/A	N/A	Night
4368	2025-12-12 23:54:00	N/A	45dB	N/A	N/A	Night
4369	2025-12-12 23:55:32	72.09	45dB	6.5	554%	Night
4370	2025-12-12 23:56:55	N/A	45dB	N/A	N/A	Night
4371	2025-12-12 23:58:36	N/A	45dB	N/A	N/A	Night
4372	2025-12-13 00:01:57	66.30	45dB	4.4	338%	Night
4373	2025-12-13 00:04:26	66.56	45dB	4.5	346%	Night
4374	2025-12-13 00:06:09	65.45	45dB	4.1	313%	Night
4375	2025-12-13 00:08:30	71.47	45dB	6.3	526%	Night
4376	2025-12-13 00:10:27	67.95	45dB	4.9	391%	Night
4377	2025-12-13 00:12:06	68.52	45dB	5.1	411%	Night
4378	2025-12-13 00:15:06	67.92	45dB	4.9	390%	Night
4379	2025-12-13 00:21:28	68.36	45dB	5.0	405%	Night
4380	2025-12-13 00:23:26	71.22	45dB	6.2	516%	Night
4381	2025-12-13 00:25:57	68.88	45dB	5.2	423%	Night
4382	2025-12-13 00:27:49	68.37	45dB	5.1	405%	Night
4383	2025-12-13 00:32:20	68.38	45dB	5.1	406%	Night
4384	2025-12-13 00:35:51	70.23	45dB	5.7	475%	Night
4385	2025-12-13 00:38:15	69.85	45dB	5.6	460%	Night
4386	2025-12-13 00:49:30	70.97	45dB	6.1	505%	Night
4387	2025-12-13 01:00:26	68.14	45dB	5.0	397%	Night
4388	2025-12-13 06:18:01	72.91	45dB	6.9	592%	Night
4389	2025-12-13 06:20:16	69.36	45dB	5.4	441%	Night
4390	2025-12-13 06:22:09	72.65	45dB	6.8	580%	Night
4391	2025-12-13 06:28:56	69.86	45dB	5.6	460%	Night
4392	2025-12-13 06:30:52	71.17	45dB	6.1	513%	Night

4393	2025-12-13 06:32:50	70.69	45dB	5.9	493%	Night
4394	2025-12-13 06:34:50	72.42	45dB	6.7	569%	Night
4395	2025-12-13 06:36:44	N/A	45dB	N/A	N/A	Night
4396	2025-12-13 06:39:49	69.29	45dB	5.4	439%	Night
4397	2025-12-13 06:41:42	72.81	45dB	6.9	587%	Night
4398	2025-12-13 06:43:43	69.48	45dB	5.5	446%	Night
4399	2025-12-13 06:45:36	70.89	45dB	6.0	502%	Night
4400	2025-12-13 06:47:54	75.77	45dB	8.4	744%	Night
4401	2025-12-13 06:50:07	69.38	45dB	5.4	442%	Night
4402	2025-12-13 06:52:12	N/A	45dB	N/A	N/A	Night
4403	2025-12-13 06:54:40	66.37	45dB	4.4	340%	Night
4404	2025-12-13 06:57:13	N/A	45dB	N/A	N/A	Night
4405	2025-12-13 06:59:34	72.34	45dB	6.7	565%	Night
4406	2025-12-13 07:01:13	72.12	55dB	3.3	228%	Day
4407	2025-12-13 07:03:05	71.12	55dB	3.1	206%	Day
4408	2025-12-13 07:05:00	70.72	55dB	3.0	197%	Day
4409	2025-12-13 07:06:54	74.37	55dB	3.8	283%	Day
4410	2025-12-13 07:10:43	68.85	55dB	2.6	161%	Day
4411	2025-12-13 07:13:34	70.99	55dB	3.0	203%	Day
4412	2025-12-13 07:15:32	69.61	55dB	2.8	175%	Day
4413	2025-12-13 07:17:58	71.01	55dB	3.0	203%	Day
4414	2025-12-13 07:21:55	N/A	55dB	N/A	N/A	Day
4415	2025-12-13 07:24:05	69.74	55dB	2.8	178%	Day
4416	2025-12-13 07:25:55	72.56	55dB	3.4	238%	Day
4417	2025-12-13 07:28:17	72.90	55dB	3.5	246%	Day
4418	2025-12-13 07:30:08	71.89	55dB	3.2	222%	Day
4419	2025-12-13 07:31:52	N/A	55dB	N/A	N/A	Day
4420	2025-12-13 07:34:04	70.47	55dB	2.9	192%	Day
4421	2025-12-13 07:45:35	66.89	55dB	2.3	128%	Day
4422	2025-12-13 07:53:02	N/A	55dB	N/A	N/A	Day
4423	2025-12-13 07:55:26	68.27	55dB	2.5	151%	Day
4424	2025-12-13 07:57:39	69.80	55dB	2.8	179%	Day
4425	2025-12-13 08:12:07	72.46	55dB	3.4	235%	Day
4426	2025-12-13 08:14:26	68.68	55dB	2.6	158%	Day
4427	2025-12-13 08:16:31	N/A	55dB	N/A	N/A	Day
4428	2025-12-13 08:18:58	71.51	55dB	3.1	214%	Day
4429	2025-12-13 08:25:47	75.55	55dB	4.2	316%	Day
4430	2025-12-13 08:28:27	N/A	55dB	N/A	N/A	Day
4431	2025-12-13 08:34:18	72.96	55dB	3.5	247%	Day
4432	2025-12-13 08:37:19	69.40	55dB	2.7	171%	Day
4433	2025-12-13 08:39:26	74.03	55dB	3.7	274%	Day
4434	2025-12-13 08:41:26	69.77	55dB	2.8	178%	Day
4435	2025-12-13 08:43:46	77.68	55dB	4.8	382%	Day
4436	2025-12-13 08:47:02	71.51	55dB	3.1	214%	Day

4437	2025-12-13 08:48:52	70.79	55dB	3.0	199%	Day
4438	2025-12-13 08:50:45	71.90	55dB	3.2	223%	Day
4439	2025-12-13 08:52:40	75.74	55dB	4.2	321%	Day
4440	2025-12-13 08:54:53	67.62	55dB	2.4	140%	Day
4441	2025-12-13 08:57:08	70.25	55dB	2.9	188%	Day
4442	2025-12-13 08:59:03	79.71	55dB	5.5	454%	Day
4443	2025-12-13 09:01:54	68.83	55dB	2.6	161%	Day
4444	2025-12-13 09:06:27	76.02	55dB	4.3	329%	Day
4445	2025-12-13 09:18:08	70.33	55dB	2.9	189%	Day
4446	2025-12-13 09:19:43	68.74	55dB	2.6	159%	Day
4447	2025-12-13 09:25:48	66.81	55dB	2.3	127%	Day
4448	2025-12-13 09:27:43	67.38	55dB	2.4	136%	Day
4449	2025-12-13 09:29:31	66.60	55dB	2.2	123%	Day
4450	2025-12-13 09:31:37	N/A	55dB	N/A	N/A	Day
4451	2025-12-13 09:40:36	N/A	55dB	N/A	N/A	Day
4452	2025-12-13 09:43:39	68.72	55dB	2.6	159%	Day
4453	2025-12-13 10:09:07	66.56	55dB	2.2	123%	Day
4454	2025-12-13 10:10:51	69.22	55dB	2.7	168%	Day
4455	2025-12-13 10:13:48	72.77	55dB	3.4	243%	Day
4456	2025-12-13 10:16:38	66.14	55dB	2.2	116%	Day
4457	2025-12-13 10:20:48	67.47	55dB	2.4	137%	Day
4458	2025-12-13 10:22:44	76.76	55dB	4.5	352%	Day
4459	2025-12-13 10:32:31	72.50	55dB	3.4	236%	Day
4460	2025-12-13 10:34:39	68.22	55dB	2.5	150%	Day
4461	2025-12-13 10:36:46	69.07	55dB	2.7	165%	Day
4462	2025-12-13 10:38:22	N/A	55dB	N/A	N/A	Day
4463	2025-12-13 10:40:00	67.36	55dB	2.4	136%	Day
4464	2025-12-13 10:41:42	N/A	55dB	N/A	N/A	Day
4465	2025-12-13 10:43:47	70.81	55dB	3.0	199%	Day
4466	2025-12-13 10:45:39	71.31	55dB	3.1	210%	Day
4467	2025-12-13 10:47:53	68.18	55dB	2.5	149%	Day
4468	2025-12-13 10:49:36	N/A	55dB	N/A	N/A	Day
4469	2025-12-13 10:51:22	75.32	55dB	4.1	309%	Day
4470	2025-12-13 10:53:11	72.60	55dB	3.4	239%	Day
4471	2025-12-13 10:55:09	71.43	55dB	3.1	212%	Day
4472	2025-12-13 10:59:27	N/A	55dB	N/A	N/A	Day
4473	2025-12-13 11:01:23	68.83	55dB	2.6	161%	Day
4474	2025-12-13 11:04:30	N/A	55dB	N/A	N/A	Day
4475	2025-12-13 11:06:48	76.07	55dB	4.3	331%	Day
4476	2025-12-13 11:09:11	N/A	55dB	N/A	N/A	Day
4477	2025-12-13 11:13:47	69.30	55dB	2.7	169%	Day
4478	2025-12-13 11:15:40	75.30	55dB	4.1	308%	Day
4479	2025-12-13 11:17:17	69.85	55dB	2.8	180%	Day
4480	2025-12-13 11:18:51	N/A	55dB	N/A	N/A	Day

4481	2025-12-13 11:20:37	N/A	55dB	N/A	N/A	Day
4482	2025-12-13 11:23:23	N/A	55dB	N/A	N/A	Day
4483	2025-12-13 11:25:01	67.66	55dB	2.4	140%	Day
4484	2025-12-13 11:26:44	N/A	55dB	N/A	N/A	Day
4485	2025-12-13 11:29:07	N/A	55dB	N/A	N/A	Day
4486	2025-12-13 11:30:50	68.00	55dB	2.5	146%	Day
4487	2025-12-13 11:32:21	N/A	55dB	N/A	N/A	Day
4488	2025-12-13 11:33:41	N/A	55dB	N/A	N/A	Day
4489	2025-12-13 11:35:17	68.57	55dB	2.6	156%	Day
4490	2025-12-13 11:36:41	N/A	55dB	N/A	N/A	Day
4491	2025-12-13 11:38:26	67.27	55dB	2.3	134%	Day
4492	2025-12-13 11:41:14	N/A	55dB	N/A	N/A	Day
4493	2025-12-13 11:42:52	N/A	55dB	N/A	N/A	Day
4494	2025-12-13 11:46:31	69.07	55dB	2.7	165%	Day
4495	2025-12-13 11:50:38	70.20	55dB	2.9	187%	Day
4496	2025-12-13 11:52:46	N/A	55dB	N/A	N/A	Day
4497	2025-12-13 11:54:22	70.44	55dB	2.9	192%	Day
4498	2025-12-13 11:55:53	N/A	55dB	N/A	N/A	Day
4499	2025-12-13 11:57:33	66.99	55dB	2.3	130%	Day
4500	2025-12-13 11:59:01	69.89	55dB	2.8	181%	Day
4501	2025-12-13 12:00:57	72.24	55dB	3.3	230%	Day
4502	2025-12-13 12:05:12	N/A	55dB	N/A	N/A	Day
4503	2025-12-13 12:09:11	72.61	55dB	3.4	239%	Day
4504	2025-12-13 12:21:34	69.09	55dB	2.7	166%	Day
4505	2025-12-13 12:23:28	68.12	55dB	2.5	148%	Day
4506	2025-12-13 12:25:07	67.58	55dB	2.4	139%	Day
4507	2025-12-13 12:26:32	67.30	55dB	2.3	135%	Day
4508	2025-12-13 12:28:03	72.04	55dB	3.3	226%	Day
4509	2025-12-13 12:30:36	N/A	55dB	N/A	N/A	Day
4510	2025-12-13 12:31:58	N/A	55dB	N/A	N/A	Day
4511	2025-12-13 12:33:32	N/A	55dB	N/A	N/A	Day
4512	2025-12-13 12:35:08	70.86	55dB	3.0	200%	Day
4513	2025-12-13 12:38:05	69.28	55dB	2.7	169%	Day
4514	2025-12-13 12:40:14	73.48	55dB	3.6	260%	Day
4515	2025-12-13 12:42:45	N/A	55dB	N/A	N/A	Day
4516	2025-12-13 12:44:24	67.95	55dB	2.5	145%	Day
4517	2025-12-13 12:46:01	74.16	55dB	3.8	277%	Day
4518	2025-12-13 12:48:18	N/A	55dB	N/A	N/A	Day
4519	2025-12-13 12:49:52	67.84	55dB	2.4	144%	Day
4520	2025-12-13 12:51:26	72.39	55dB	3.3	234%	Day
4521	2025-12-13 12:53:30	67.65	55dB	2.4	140%	Day
4522	2025-12-13 12:55:01	67.55	55dB	2.4	139%	Day
4523	2025-12-13 12:56:44	N/A	55dB	N/A	N/A	Day
4524	2025-12-13 12:59:31	68.76	55dB	2.6	160%	Day

4525	2025-12-13 13:03:20	73.84	55dB	3.7	269%	Day
4526	2025-12-13 13:06:08	72.81	55dB	3.4	244%	Day
4527	2025-12-13 13:16:43	70.12	55dB	2.9	185%	Day
4528	2025-12-13 13:18:49	67.74	55dB	2.4	142%	Day
4529	2025-12-13 13:21:09	N/A	55dB	N/A	N/A	Day
4530	2025-12-13 13:22:38	68.32	55dB	2.5	152%	Day
4531	2025-12-13 13:25:22	66.82	55dB	2.3	127%	Day
4532	2025-12-13 13:30:55	74.59	55dB	3.9	289%	Day
4533	2025-12-13 13:34:07	72.06	55dB	3.3	226%	Day
4534	2025-12-13 13:36:58	72.80	55dB	3.4	243%	Day
4535	2025-12-13 13:38:51	N/A	55dB	N/A	N/A	Day
4536	2025-12-13 13:42:28	N/A	55dB	N/A	N/A	Day
4537	2025-12-13 13:48:55	68.72	55dB	2.6	159%	Day
4538	2025-12-13 13:50:55	N/A	55dB	N/A	N/A	Day
4539	2025-12-13 13:52:51	N/A	55dB	N/A	N/A	Day
4540	2025-12-13 13:55:18	67.64	55dB	2.4	140%	Day
4541	2025-12-13 13:57:03	68.45	55dB	2.5	154%	Day
4542	2025-12-13 14:02:47	67.58	55dB	2.4	139%	Day
4543	2025-12-13 14:05:30	N/A	55dB	N/A	N/A	Day
4544	2025-12-13 14:10:46	70.89	55dB	3.0	201%	Day
4545	2025-12-13 14:13:03	71.30	55dB	3.1	210%	Day
4546	2025-12-13 14:15:15	68.39	55dB	2.5	153%	Day
4547	2025-12-13 14:17:44	N/A	55dB	N/A	N/A	Day
4548	2025-12-13 14:19:07	N/A	55dB	N/A	N/A	Day
4549	2025-12-13 14:20:36	73.56	55dB	3.6	262%	Day
4550	2025-12-13 14:21:56	72.35	55dB	3.3	233%	Day
4551	2025-12-13 14:24:34	N/A	55dB	N/A	N/A	Day
4552	2025-12-13 14:26:13	72.42	55dB	3.3	234%	Day
4553	2025-12-13 14:28:36	75.65	55dB	4.2	318%	Day
4554	2025-12-13 14:29:58	N/A	55dB	N/A	N/A	Day
4555	2025-12-13 14:31:35	73.18	55dB	3.5	253%	Day
4556	2025-12-13 14:33:17	N/A	55dB	N/A	N/A	Day
4557	2025-12-13 14:35:40	70.28	55dB	2.9	188%	Day
4558	2025-12-13 14:37:36	69.46	55dB	2.7	172%	Day
4559	2025-12-13 14:39:14	74.45	55dB	3.9	285%	Day
4560	2025-12-13 14:41:08	74.59	55dB	3.9	289%	Day
4561	2025-12-13 14:43:01	N/A	55dB	N/A	N/A	Day
4562	2025-12-13 14:44:45	68.31	55dB	2.5	152%	Day
4563	2025-12-13 14:46:04	78.21	55dB	5.0	400%	Day
4564	2025-12-13 14:47:42	69.48	55dB	2.7	173%	Day
4565	2025-12-13 14:49:26	68.61	55dB	2.6	157%	Day
4566	2025-12-13 14:53:46	72.36	55dB	3.3	233%	Day
4567	2025-12-13 14:55:31	N/A	55dB	N/A	N/A	Day
4568	2025-12-13 14:58:15	69.33	55dB	2.7	170%	Day

4569	2025-12-13 15:00:46	70.52	55dB	2.9	193%	Day
4570	2025-12-13 15:03:57	68.20	55dB	2.5	150%	Day
4571	2025-12-13 15:09:14	68.29	55dB	2.5	151%	Day
4572	2025-12-13 15:11:00	70.91	55dB	3.0	201%	Day
4573	2025-12-13 15:12:24	69.81	55dB	2.8	179%	Day
4574	2025-12-13 15:13:58	69.79	55dB	2.8	179%	Day
4575	2025-12-13 15:15:53	N/A	55dB	N/A	N/A	Day
4576	2025-12-13 15:17:44	67.10	55dB	2.3	131%	Day
4577	2025-12-13 15:19:13	N/A	55dB	N/A	N/A	Day
4578	2025-12-13 15:20:39	N/A	55dB	N/A	N/A	Day
4579	2025-12-13 15:22:03	68.41	55dB	2.5	153%	Day
4580	2025-12-13 15:23:32	N/A	55dB	N/A	N/A	Day
4581	2025-12-13 15:25:11	N/A	55dB	N/A	N/A	Day
4582	2025-12-13 15:26:53	67.28	55dB	2.3	134%	Day
4583	2025-12-13 15:29:48	N/A	55dB	N/A	N/A	Day
4584	2025-12-13 15:31:06	N/A	55dB	N/A	N/A	Day
4585	2025-12-13 15:32:58	N/A	55dB	N/A	N/A	Day
4586	2025-12-13 15:34:57	68.40	55dB	2.5	153%	Day
4587	2025-12-13 15:37:37	70.28	55dB	2.9	188%	Day
4588	2025-12-13 15:39:25	N/A	55dB	N/A	N/A	Day
4589	2025-12-13 15:41:10	N/A	55dB	N/A	N/A	Day
4590	2025-12-13 15:44:53	N/A	55dB	N/A	N/A	Day
4591	2025-12-13 15:46:28	68.49	55dB	2.5	155%	Day
4592	2025-12-13 15:48:37	68.52	55dB	2.6	155%	Day
4593	2025-12-13 15:50:37	67.86	55dB	2.4	144%	Day
4594	2025-12-13 15:58:40	65.77	55dB	2.1	111%	Day
4595	2025-12-13 16:01:18	72.92	55dB	3.5	246%	Day
4596	2025-12-13 16:03:23	N/A	55dB	N/A	N/A	Day
4597	2025-12-13 16:05:23	69.43	55dB	2.7	172%	Day
4598	2025-12-13 16:07:35	N/A	55dB	N/A	N/A	Day
4599	2025-12-13 16:09:07	N/A	55dB	N/A	N/A	Day
4600	2025-12-13 16:10:34	68.33	55dB	2.5	152%	Day
4601	2025-12-13 16:13:20	N/A	55dB	N/A	N/A	Day
4602	2025-12-13 16:15:30	69.20	55dB	2.7	168%	Day
4603	2025-12-13 16:18:28	67.46	55dB	2.4	137%	Day
4604	2025-12-13 16:21:04	N/A	55dB	N/A	N/A	Day
4605	2025-12-13 16:22:51	67.13	55dB	2.3	132%	Day
4606	2025-12-13 16:24:43	N/A	55dB	N/A	N/A	Day
4607	2025-12-13 16:34:42	67.20	55dB	2.3	133%	Day
4608	2025-12-13 16:37:11	68.57	55dB	2.6	156%	Day
4609	2025-12-13 16:39:19	69.28	55dB	2.7	169%	Day
4610	2025-12-13 16:41:20	N/A	55dB	N/A	N/A	Day
4611	2025-12-13 16:42:52	68.83	55dB	2.6	161%	Day
4612	2025-12-13 16:44:33	70.62	55dB	3.0	195%	Day

4613	2025-12-13 16:46:03	67.80	55dB	2.4	143%	Day
4614	2025-12-13 16:47:45	73.41	55dB	3.6	258%	Day
4615	2025-12-13 16:49:41	71.32	55dB	3.1	210%	Day
4616	2025-12-13 16:51:54	N/A	55dB	N/A	N/A	Day
4617	2025-12-13 16:53:18	67.85	55dB	2.4	144%	Day
4618	2025-12-13 16:54:43	69.73	55dB	2.8	178%	Day
4619	2025-12-13 16:57:32	67.16	55dB	2.3	132%	Day
4620	2025-12-13 16:58:35	74.76	55dB	3.9	293%	Day
4621	2025-12-13 17:00:06	68.25	55dB	2.5	151%	Day
4622	2025-12-13 17:01:34	N/A	55dB	N/A	N/A	Day
4623	2025-12-13 17:03:16	68.46	55dB	2.5	154%	Day
4624	2025-12-13 17:04:38	N/A	55dB	N/A	N/A	Day
4625	2025-12-13 17:06:35	N/A	55dB	N/A	N/A	Day
4626	2025-12-13 17:08:55	67.26	55dB	2.3	134%	Day
4627	2025-12-13 17:11:49	N/A	55dB	N/A	N/A	Day
4628	2025-12-13 17:15:08	N/A	55dB	N/A	N/A	Day
4629	2025-12-13 17:17:37	68.04	55dB	2.5	147%	Day
4630	2025-12-13 17:19:26	N/A	55dB	N/A	N/A	Day
4631	2025-12-13 17:21:28	69.38	55dB	2.7	171%	Day
4632	2025-12-13 17:23:21	72.50	55dB	3.4	236%	Day
4633	2025-12-13 17:25:56	N/A	55dB	N/A	N/A	Day
4634	2025-12-13 17:27:53	70.57	55dB	2.9	194%	Day
4635	2025-12-13 17:31:54	65.79	55dB	2.1	111%	Day
4636	2025-12-13 17:36:16	N/A	55dB	N/A	N/A	Day
4637	2025-12-13 17:38:04	71.04	55dB	3.0	204%	Day
4638	2025-12-13 17:40:12	N/A	55dB	N/A	N/A	Day
4639	2025-12-13 17:41:54	N/A	55dB	N/A	N/A	Day
4640	2025-12-13 17:46:13	67.04	55dB	2.3	130%	Day
4641	2025-12-13 17:49:23	N/A	55dB	N/A	N/A	Day
4642	2025-12-13 17:51:11	N/A	55dB	N/A	N/A	Day
4643	2025-12-13 17:52:42	66.66	55dB	2.2	124%	Day
4644	2025-12-13 17:54:19	74.19	55dB	3.8	278%	Day
4645	2025-12-13 18:04:05	67.59	55dB	2.4	139%	Day
4646	2025-12-13 18:06:25	68.15	55dB	2.5	149%	Day
4647	2025-12-13 18:08:58	N/A	55dB	N/A	N/A	Day
4648	2025-12-13 18:10:52	N/A	55dB	N/A	N/A	Day
4649	2025-12-13 18:13:49	N/A	55dB	N/A	N/A	Day
4650	2025-12-13 18:16:37	N/A	55dB	N/A	N/A	Day
4651	2025-12-13 18:18:41	69.46	55dB	2.7	172%	Day
4652	2025-12-13 18:20:11	67.33	55dB	2.4	135%	Day
4653	2025-12-13 18:22:19	N/A	55dB	N/A	N/A	Day
4654	2025-12-13 18:24:03	N/A	55dB	N/A	N/A	Day
4655	2025-12-13 18:25:47	66.19	55dB	2.2	117%	Day
4656	2025-12-13 18:27:58	70.18	55dB	2.9	186%	Day

4657	2025-12-13 18:30:20	N/A	55dB	N/A	N/A	Day
4658	2025-12-13 18:32:39	68.37	55dB	2.5	153%	Day
4659	2025-12-13 18:34:28	N/A	55dB	N/A	N/A	Day
4660	2025-12-13 18:36:55	N/A	55dB	N/A	N/A	Day
4661	2025-12-13 18:41:18	67.14	55dB	2.3	132%	Day
4662	2025-12-13 18:50:15	68.34	55dB	2.5	152%	Day
4663	2025-12-13 18:51:54	69.40	55dB	2.7	171%	Day
4664	2025-12-13 18:54:58	N/A	55dB	N/A	N/A	Day
4665	2025-12-13 18:58:33	72.67	55dB	3.4	240%	Day
4666	2025-12-13 19:00:37	N/A	55dB	N/A	N/A	Day
4667	2025-12-13 19:02:10	N/A	55dB	N/A	N/A	Day
4668	2025-12-13 19:03:38	N/A	55dB	N/A	N/A	Day
4669	2025-12-13 19:05:07	70.39	55dB	2.9	191%	Day
4670	2025-12-13 19:06:50	N/A	55dB	N/A	N/A	Day
4671	2025-12-13 19:08:03	N/A	55dB	N/A	N/A	Day
4672	2025-12-13 19:10:22	N/A	55dB	N/A	N/A	Day
4673	2025-12-13 19:15:02	68.84	55dB	2.6	161%	Day
4674	2025-12-13 19:17:49	67.05	55dB	2.3	131%	Day
4675	2025-12-13 19:19:25	67.53	55dB	2.4	138%	Day
4676	2025-12-13 19:20:47	N/A	55dB	N/A	N/A	Day
4677	2025-12-13 19:22:16	67.81	55dB	2.4	143%	Day
4678	2025-12-13 19:23:57	70.42	55dB	2.9	191%	Day
4679	2025-12-13 19:25:58	N/A	55dB	N/A	N/A	Day
4680	2025-12-13 19:27:20	66.13	55dB	2.2	116%	Day
4681	2025-12-13 19:28:47	N/A	55dB	N/A	N/A	Day
4682	2025-12-13 19:30:22	66.07	55dB	2.2	115%	Day
4683	2025-12-13 19:32:26	69.04	55dB	2.6	165%	Day
4684	2025-12-13 19:34:16	70.81	55dB	3.0	199%	Day
4685	2025-12-13 19:36:09	68.47	55dB	2.5	154%	Day
4686	2025-12-13 19:38:05	71.43	55dB	3.1	212%	Day
4687	2025-12-13 19:39:23	69.69	55dB	2.8	177%	Day
4688	2025-12-13 19:40:45	N/A	55dB	N/A	N/A	Day
4689	2025-12-13 19:42:14	67.80	55dB	2.4	143%	Day
4690	2025-12-13 19:43:51	N/A	55dB	N/A	N/A	Day
4691	2025-12-13 19:45:23	N/A	55dB	N/A	N/A	Day
4692	2025-12-13 19:46:50	67.72	55dB	2.4	141%	Day
4693	2025-12-13 19:48:25	67.80	55dB	2.4	143%	Day
4694	2025-12-13 19:49:42	68.96	55dB	2.6	163%	Day
4695	2025-12-13 19:51:06	69.27	55dB	2.7	169%	Day
4696	2025-12-13 19:52:26	N/A	55dB	N/A	N/A	Day
4697	2025-12-13 19:54:03	N/A	55dB	N/A	N/A	Day
4698	2025-12-13 19:55:39	N/A	55dB	N/A	N/A	Day
4699	2025-12-13 19:57:03	68.85	55dB	2.6	161%	Day
4700	2025-12-13 20:00:31	68.58	55dB	2.6	156%	Day

4701	2025-12-13 20:03:10	69.67	55dB	2.8	176%	Day
4702	2025-12-13 20:04:44	N/A	55dB	N/A	N/A	Day
4703	2025-12-13 20:06:23	68.39	55dB	2.5	153%	Day
4704	2025-12-13 20:08:49	N/A	55dB	N/A	N/A	Day
4705	2025-12-13 20:12:26	N/A	55dB	N/A	N/A	Day
4706	2025-12-13 20:14:43	71.72	55dB	3.2	219%	Day
4707	2025-12-13 20:16:32	71.33	55dB	3.1	210%	Day
4708	2025-12-13 20:18:51	68.98	55dB	2.6	164%	Day
4709	2025-12-13 20:21:08	N/A	55dB	N/A	N/A	Day
4710	2025-12-13 20:22:36	N/A	55dB	N/A	N/A	Day
4711	2025-12-13 20:24:05	68.99	55dB	2.6	164%	Day
4712	2025-12-13 20:25:45	67.40	55dB	2.4	136%	Day
4713	2025-12-13 20:27:34	N/A	55dB	N/A	N/A	Day
4714	2025-12-13 20:29:41	72.30	55dB	3.3	232%	Day
4715	2025-12-13 20:31:40	71.47	55dB	3.1	213%	Day
4716	2025-12-13 20:34:21	N/A	55dB	N/A	N/A	Day
4717	2025-12-13 20:36:12	N/A	55dB	N/A	N/A	Day
4718	2025-12-13 20:39:11	71.76	55dB	3.2	220%	Day
4719	2025-12-13 20:41:26	68.33	55dB	2.5	152%	Day
4720	2025-12-13 20:43:21	N/A	55dB	N/A	N/A	Day
4721	2025-12-13 20:45:08	67.54	55dB	2.4	139%	Day
4722	2025-12-13 20:46:31	69.87	55dB	2.8	180%	Day
4723	2025-12-13 20:47:56	N/A	55dB	N/A	N/A	Day
4724	2025-12-13 20:49:31	71.35	55dB	3.1	211%	Day
4725	2025-12-13 20:53:44	67.62	55dB	2.4	140%	Day
4726	2025-12-13 20:55:19	N/A	55dB	N/A	N/A	Day
4727	2025-12-13 20:56:41	N/A	55dB	N/A	N/A	Day
4728	2025-12-13 20:58:18	N/A	55dB	N/A	N/A	Day
4729	2025-12-13 20:59:37	N/A	55dB	N/A	N/A	Day
4730	2025-12-13 21:00:56	N/A	55dB	N/A	N/A	Day
4731	2025-12-13 21:02:32	N/A	55dB	N/A	N/A	Day
4732	2025-12-13 21:05:06	N/A	55dB	N/A	N/A	Day
4733	2025-12-13 21:06:55	70.81	55dB	3.0	199%	Day
4734	2025-12-13 21:10:17	N/A	55dB	N/A	N/A	Day
4735	2025-12-13 21:15:09	N/A	55dB	N/A	N/A	Day
4736	2025-12-13 21:17:01	75.62	55dB	4.2	318%	Day
4737	2025-12-13 21:18:55	66.26	55dB	2.2	118%	Day
4738	2025-12-13 21:20:34	72.98	55dB	3.5	248%	Day
4739	2025-12-13 21:22:07	68.41	55dB	2.5	153%	Day
4740	2025-12-13 21:24:37	70.90	55dB	3.0	201%	Day
4741	2025-12-13 21:26:20	70.94	55dB	3.0	202%	Day
4742	2025-12-13 21:28:23	N/A	55dB	N/A	N/A	Day
4743	2025-12-13 21:29:41	N/A	55dB	N/A	N/A	Day
4744	2025-12-13 21:31:09	N/A	55dB	N/A	N/A	Day

4745	2025-12-13 21:32:41	N/A	55dB	N/A	N/A	Day
4746	2025-12-13 21:33:50	N/A	55dB	N/A	N/A	Day
4747	2025-12-13 21:35:15	N/A	55dB	N/A	N/A	Day
4748	2025-12-13 21:36:33	N/A	55dB	N/A	N/A	Day
4749	2025-12-13 21:37:58	N/A	55dB	N/A	N/A	Day
4750	2025-12-13 21:39:18	N/A	55dB	N/A	N/A	Day
4751	2025-12-13 21:40:57	67.78	55dB	2.4	143%	Day
4752	2025-12-13 21:45:28	69.08	55dB	2.7	165%	Day
4753	2025-12-13 21:50:52	N/A	55dB	N/A	N/A	Day
4754	2025-12-13 21:52:20	68.53	55dB	2.6	155%	Day
4755	2025-12-13 21:53:50	N/A	55dB	N/A	N/A	Day
4756	2025-12-13 22:04:56	N/A	55dB	N/A	N/A	Day
4757	2025-12-13 22:09:40	72.21	55dB	3.3	230%	Day
4758	2025-12-13 22:11:54	68.86	55dB	2.6	161%	Day
4759	2025-12-13 22:14:27	68.23	55dB	2.5	150%	Day
4760	2025-12-13 22:16:23	N/A	55dB	N/A	N/A	Day
4761	2025-12-13 22:19:34	67.06	55dB	2.3	131%	Day
4762	2025-12-13 22:21:08	N/A	55dB	N/A	N/A	Day
4763	2025-12-13 22:22:45	N/A	55dB	N/A	N/A	Day
4764	2025-12-13 22:24:11	68.37	55dB	2.5	153%	Day
4765	2025-12-13 22:26:41	76.23	55dB	4.4	336%	Day
4766	2025-12-13 22:28:24	N/A	55dB	N/A	N/A	Day
4767	2025-12-13 22:29:59	N/A	55dB	N/A	N/A	Day
4768	2025-12-13 22:31:33	N/A	55dB	N/A	N/A	Day
4769	2025-12-13 22:33:47	N/A	55dB	N/A	N/A	Day
4770	2025-12-13 22:38:20	68.14	55dB	2.5	149%	Day
4771	2025-12-13 22:43:17	68.54	55dB	2.6	156%	Day
4772	2025-12-13 22:44:56	N/A	55dB	N/A	N/A	Day
4773	2025-12-13 22:47:01	70.49	55dB	2.9	193%	Day
4774	2025-12-13 22:49:37	N/A	55dB	N/A	N/A	Day
4775	2025-12-13 22:51:07	N/A	55dB	N/A	N/A	Day
4776	2025-12-13 22:53:43	66.33	55dB	2.2	119%	Day
4777	2025-12-13 22:55:40	N/A	55dB	N/A	N/A	Day
4778	2025-12-13 22:57:26	69.11	55dB	2.7	166%	Day
4779	2025-12-13 22:59:05	N/A	55dB	N/A	N/A	Day
4780	2025-12-13 23:01:04	N/A	45dB	N/A	N/A	Night
4781	2025-12-13 23:03:08	N/A	45dB	N/A	N/A	Night
4782	2025-12-13 23:04:56	N/A	45dB	N/A	N/A	Night
4783	2025-12-13 23:06:38	66.82	45dB	4.5	354%	Night
4784	2025-12-13 23:08:33	N/A	45dB	N/A	N/A	Night
4785	2025-12-13 23:14:16	70.22	45dB	5.7	474%	Night
4786	2025-12-13 23:16:23	N/A	45dB	N/A	N/A	Night
4787	2025-12-13 23:22:03	68.28	45dB	5.0	402%	Night
4788	2025-12-13 23:24:12	66.11	45dB	4.3	332%	Night

4789	2025-12-13 23:27:39	N/A	45dB	N/A	N/A	Night
4790	2025-12-13 23:32:41	69.22	45dB	5.4	436%	Night
4791	2025-12-13 23:35:44	N/A	45dB	N/A	N/A	Night
4792	2025-12-13 23:37:15	N/A	45dB	N/A	N/A	Night
4793	2025-12-13 23:38:51	N/A	45dB	N/A	N/A	Night
4794	2025-12-13 23:40:23	69.82	45dB	5.6	459%	Night
4795	2025-12-13 23:41:48	67.90	45dB	4.9	389%	Night
4796	2025-12-13 23:43:28	N/A	45dB	N/A	N/A	Night
4797	2025-12-13 23:49:05	67.95	45dB	4.9	391%	Night
4798	2025-12-13 23:50:42	N/A	45dB	N/A	N/A	Night
4799	2025-12-13 23:52:14	N/A	45dB	N/A	N/A	Night
4800	2025-12-13 23:53:41	N/A	45dB	N/A	N/A	Night
4801	2025-12-13 23:55:05	N/A	45dB	N/A	N/A	Night
4802	2025-12-13 23:56:54	68.83	45dB	5.2	422%	Night
4803	2025-12-13 23:58:32	68.47	45dB	5.1	409%	Night
4804	2025-12-14 00:00:13	N/A	45dB	N/A	N/A	Night
4805	2025-12-14 00:01:40	72.94	45dB	6.9	594%	Night
4806	2025-12-14 00:03:48	69.15	45dB	5.3	433%	Night
4807	2025-12-14 00:05:13	64.21	45dB	3.8	279%	Night
4808	2025-12-14 00:07:25	67.80	45dB	4.9	386%	Night
4809	2025-12-14 00:10:06	79.14	45dB	10.7	966%	Night
4810	2025-12-14 00:11:47	76.43	45dB	8.8	783%	Night
4811	2025-12-14 00:14:18	65.13	45dB	4.0	304%	Night
4812	2025-12-14 06:30:50	N/A	45dB	N/A	N/A	Night
4813	2025-12-14 06:32:35	N/A	45dB	N/A	N/A	Night
4814	2025-12-14 06:34:04	67.62	45dB	4.8	380%	Night
4815	2025-12-14 06:35:23	N/A	45dB	N/A	N/A	Night
4816	2025-12-14 06:36:51	N/A	45dB	N/A	N/A	Night
4817	2025-12-14 06:38:17	N/A	45dB	N/A	N/A	Night
4818	2025-12-14 06:41:05	66.89	45dB	4.6	356%	Night
4819	2025-12-14 06:42:45	67.37	45dB	4.7	371%	Night
4820	2025-12-14 06:44:47	69.54	45dB	5.5	448%	Night
4821	2025-12-14 06:46:54	68.28	45dB	5.0	402%	Night
4822	2025-12-14 06:48:46	N/A	45dB	N/A	N/A	Night
4823	2025-12-14 06:50:30	N/A	45dB	N/A	N/A	Night
4824	2025-12-14 06:56:02	N/A	45dB	N/A	N/A	Night
4825	2025-12-14 07:00:39	N/A	55dB	N/A	N/A	Day
4826	2025-12-14 07:02:32	67.05	55dB	2.3	131%	Day
4827	2025-12-14 07:06:26	N/A	55dB	N/A	N/A	Day
4828	2025-12-14 07:10:44	N/A	55dB	N/A	N/A	Day
4829	2025-12-14 07:14:49	67.21	55dB	2.3	133%	Day
4830	2025-12-14 07:18:52	N/A	55dB	N/A	N/A	Day
4831	2025-12-14 07:20:36	N/A	55dB	N/A	N/A	Day
4832	2025-12-14 07:25:51	N/A	55dB	N/A	N/A	Day

4833	2025-12-14 07:27:20	68.73	55dB	2.6	159%	Day
4834	2025-12-14 07:33:51	N/A	55dB	N/A	N/A	Day
4835	2025-12-14 07:40:49	70.07	55dB	2.8	184%	Day
4836	2025-12-14 07:44:17	N/A	55dB	N/A	N/A	Day
4837	2025-12-14 07:51:45	67.77	55dB	2.4	142%	Day
4838	2025-12-14 08:02:59	N/A	55dB	N/A	N/A	Day
4839	2025-12-14 08:06:41	71.02	55dB	3.0	204%	Day
4840	2025-12-14 08:09:16	N/A	55dB	N/A	N/A	Day
4841	2025-12-14 08:10:54	N/A	55dB	N/A	N/A	Day
4842	2025-12-14 08:16:38	N/A	55dB	N/A	N/A	Day
4843	2025-12-14 08:19:52	N/A	55dB	N/A	N/A	Day
4844	2025-12-14 08:26:07	N/A	55dB	N/A	N/A	Day
4845	2025-12-14 08:30:28	N/A	55dB	N/A	N/A	Day
4846	2025-12-14 08:36:02	N/A	55dB	N/A	N/A	Day
4847	2025-12-14 08:47:34	N/A	55dB	N/A	N/A	Day
4848	2025-12-14 08:54:22	69.72	55dB	2.8	177%	Day
4849	2025-12-14 09:00:14	66.96	55dB	2.3	129%	Day
4850	2025-12-14 09:02:57	69.31	55dB	2.7	170%	Day
4851	2025-12-14 09:14:47	N/A	55dB	N/A	N/A	Day
4852	2025-12-14 09:21:32	N/A	55dB	N/A	N/A	Day
4853	2025-12-14 09:23:47	69.47	55dB	2.7	173%	Day
4854	2025-12-14 09:26:02	N/A	55dB	N/A	N/A	Day
4855	2025-12-14 09:27:49	67.66	55dB	2.4	140%	Day
4856	2025-12-14 09:29:30	68.65	55dB	2.6	158%	Day
4857	2025-12-14 09:31:34	N/A	55dB	N/A	N/A	Day
4858	2025-12-14 09:33:15	77.23	55dB	4.7	367%	Day
4859	2025-12-14 09:35:26	66.91	55dB	2.3	128%	Day
4860	2025-12-14 09:36:57	N/A	55dB	N/A	N/A	Day
4861	2025-12-14 09:41:08	69.79	55dB	2.8	179%	Day
4862	2025-12-14 09:48:26	N/A	55dB	N/A	N/A	Day
4863	2025-12-14 10:02:32	66.69	55dB	2.2	125%	Day
4864	2025-12-14 10:05:48	71.71	55dB	3.2	218%	Day
4865	2025-12-14 10:12:48	66.26	55dB	2.2	118%	Day
4866	2025-12-14 10:14:56	68.90	55dB	2.6	162%	Day
4867	2025-12-14 10:17:44	N/A	55dB	N/A	N/A	Day
4868	2025-12-14 10:19:08	N/A	55dB	N/A	N/A	Day
4869	2025-12-14 10:21:26	N/A	55dB	N/A	N/A	Day
4870	2025-12-14 10:23:41	N/A	55dB	N/A	N/A	Day
4871	2025-12-14 10:31:22	67.58	55dB	2.4	139%	Day
4872	2025-12-14 10:38:20	67.21	55dB	2.3	133%	Day
4873	2025-12-14 10:44:58	N/A	55dB	N/A	N/A	Day
4874	2025-12-14 10:46:49	65.91	55dB	2.1	113%	Day
4875	2025-12-14 10:48:19	67.17	55dB	2.3	132%	Day
4876	2025-12-14 10:50:28	69.17	55dB	2.7	167%	Day

4877	2025-12-14 10:51:42	N/A	55dB	N/A	N/A	Day
4878	2025-12-14 10:53:00	73.71	55dB	3.7	266%	Day
4879	2025-12-14 10:55:04	68.84	55dB	2.6	161%	Day
4880	2025-12-14 14:33:44	N/A	55dB	N/A	N/A	Day
4881	2025-12-14 18:04:53	N/A	55dB	N/A	N/A	Day
4882	2025-12-14 18:17:43	66.74	55dB	2.3	126%	Day
4883	2025-12-14 18:19:27	N/A	55dB	N/A	N/A	Day
4884	2025-12-14 18:21:16	70.82	55dB	3.0	199%	Day
4885	2025-12-14 18:25:03	67.60	55dB	2.4	139%	Day
4886	2025-12-14 18:30:33	N/A	55dB	N/A	N/A	Day
4887	2025-12-14 18:33:21	N/A	55dB	N/A	N/A	Day
4888	2025-12-14 18:35:06	N/A	55dB	N/A	N/A	Day
4889	2025-12-14 18:38:40	N/A	55dB	N/A	N/A	Day
4890	2025-12-14 18:40:27	68.92	55dB	2.6	162%	Day
4891	2025-12-14 18:42:25	68.26	55dB	2.5	151%	Day
4892	2025-12-14 18:45:41	N/A	55dB	N/A	N/A	Day
4893	2025-12-14 18:47:58	N/A	55dB	N/A	N/A	Day
4894	2025-12-14 18:49:11	N/A	55dB	N/A	N/A	Day
4895	2025-12-14 18:50:32	N/A	55dB	N/A	N/A	Day
4896	2025-12-14 18:51:49	N/A	55dB	N/A	N/A	Day
4897	2025-12-14 18:53:29	67.13	55dB	2.3	132%	Day
4898	2025-12-14 18:55:14	67.99	55dB	2.5	146%	Day
4899	2025-12-14 18:56:34	N/A	55dB	N/A	N/A	Day
4900	2025-12-14 18:59:23	79.71	55dB	5.5	454%	Day
4901	2025-12-14 19:01:01	71.78	55dB	3.2	220%	Day
4902	2025-12-14 19:02:55	69.68	55dB	2.8	177%	Day
4903	2025-12-14 19:04:51	N/A	55dB	N/A	N/A	Day
4904	2025-12-14 19:06:38	N/A	55dB	N/A	N/A	Day
4905	2025-12-14 19:08:17	N/A	55dB	N/A	N/A	Day
4906	2025-12-14 19:09:53	67.14	55dB	2.3	132%	Day
4907	2025-12-14 19:11:03	73.00	55dB	3.5	248%	Day
4908	2025-12-14 19:12:40	69.78	55dB	2.8	179%	Day
4909	2025-12-14 19:14:31	69.46	55dB	2.7	172%	Day
4910	2025-12-14 19:15:58	67.64	55dB	2.4	140%	Day
4911	2025-12-14 19:17:32	67.46	55dB	2.4	137%	Day
4912	2025-12-14 19:19:15	N/A	55dB	N/A	N/A	Day
4913	2025-12-14 19:21:01	N/A	55dB	N/A	N/A	Day
4914	2025-12-14 19:23:50	N/A	55dB	N/A	N/A	Day
4915	2025-12-14 19:25:32	N/A	55dB	N/A	N/A	Day
4916	2025-12-14 19:26:50	N/A	55dB	N/A	N/A	Day
4917	2025-12-14 19:27:49	N/A	55dB	N/A	N/A	Day
4918	2025-12-14 19:29:18	67.26	55dB	2.3	134%	Day
4919	2025-12-14 19:31:19	N/A	55dB	N/A	N/A	Day
4920	2025-12-14 19:34:09	N/A	55dB	N/A	N/A	Day

4921	2025-12-14 19:35:26	N/A	55dB	N/A	N/A	Day
4922	2025-12-14 19:37:11	67.17	55dB	2.3	132%	Day
4923	2025-12-14 19:38:36	67.12	55dB	2.3	132%	Day
4924	2025-12-14 19:39:51	70.28	55dB	2.9	188%	Day
4925	2025-12-14 19:41:47	75.57	55dB	4.2	316%	Day
4926	2025-12-14 19:43:35	66.18	55dB	2.2	117%	Day
4927	2025-12-14 19:45:05	73.92	55dB	3.7	271%	Day
4928	2025-12-14 19:46:32	70.64	55dB	3.0	196%	Day
4929	2025-12-14 19:48:32	N/A	55dB	N/A	N/A	Day
4930	2025-12-14 19:49:47	68.56	55dB	2.6	156%	Day
4931	2025-12-14 19:51:13	67.05	55dB	2.3	131%	Day
4932	2025-12-14 19:52:47	N/A	55dB	N/A	N/A	Day
4933	2025-12-14 19:57:15	N/A	55dB	N/A	N/A	Day
4934	2025-12-14 19:58:37	N/A	55dB	N/A	N/A	Day
4935	2025-12-14 20:00:17	N/A	55dB	N/A	N/A	Day
4936	2025-12-14 20:01:46	67.16	55dB	2.3	132%	Day
4937	2025-12-14 20:03:30	N/A	55dB	N/A	N/A	Day
4938	2025-12-14 20:05:04	67.53	55dB	2.4	138%	Day
4939	2025-12-14 20:06:30	N/A	55dB	N/A	N/A	Day
4940	2025-12-14 20:08:02	67.99	55dB	2.5	146%	Day
4941	2025-12-14 20:10:21	69.89	55dB	2.8	181%	Day
4942	2025-12-14 20:11:52	69.17	55dB	2.7	167%	Day
4943	2025-12-14 20:14:19	N/A	55dB	N/A	N/A	Day
4944	2025-12-14 20:15:34	N/A	55dB	N/A	N/A	Day
4945	2025-12-14 20:16:55	67.68	55dB	2.4	141%	Day
4946	2025-12-14 20:18:51	67.71	55dB	2.4	141%	Day
4947	2025-12-14 20:20:13	N/A	55dB	N/A	N/A	Day
4948	2025-12-14 20:21:44	N/A	55dB	N/A	N/A	Day
4949	2025-12-14 20:23:02	N/A	55dB	N/A	N/A	Day
4950	2025-12-14 20:24:12	75.98	55dB	4.3	328%	Day
4951	2025-12-14 20:25:32	68.21	55dB	2.5	150%	Day
4952	2025-12-14 20:26:44	70.25	55dB	2.9	188%	Day
4953	2025-12-14 20:28:03	73.68	55dB	3.7	265%	Day
4954	2025-12-14 20:29:17	N/A	55dB	N/A	N/A	Day
4955	2025-12-14 20:30:47	N/A	55dB	N/A	N/A	Day
4956	2025-12-14 20:32:58	N/A	55dB	N/A	N/A	Day
4957	2025-12-14 20:34:22	N/A	55dB	N/A	N/A	Day
4958	2025-12-14 20:35:51	70.71	55dB	3.0	197%	Day
4959	2025-12-14 20:37:44	N/A	55dB	N/A	N/A	Day
4960	2025-12-14 20:39:02	N/A	55dB	N/A	N/A	Day
4961	2025-12-14 20:40:06	67.06	55dB	2.3	131%	Day
4962	2025-12-14 20:41:35	70.73	55dB	3.0	198%	Day
4963	2025-12-14 20:43:00	N/A	55dB	N/A	N/A	Day
4964	2025-12-14 20:44:12	N/A	55dB	N/A	N/A	Day

4965	2025-12-14 20:45:26	69.27	55dB	2.7	169%	Day
4966	2025-12-14 20:47:33	66.84	55dB	2.3	127%	Day
4967	2025-12-14 20:50:15	N/A	55dB	N/A	N/A	Day
4968	2025-12-14 20:51:46	66.75	55dB	2.3	126%	Day
4969	2025-12-14 20:53:03	N/A	55dB	N/A	N/A	Day
4970	2025-12-14 20:55:53	N/A	55dB	N/A	N/A	Day
4971	2025-12-14 20:57:32	N/A	55dB	N/A	N/A	Day
4972	2025-12-14 21:01:36	N/A	55dB	N/A	N/A	Day
4973	2025-12-14 21:03:47	67.05	55dB	2.3	131%	Day
4974	2025-12-14 21:05:55	69.81	55dB	2.8	179%	Day
4975	2025-12-14 21:08:16	N/A	55dB	N/A	N/A	Day
4976	2025-12-14 21:09:37	67.86	55dB	2.4	144%	Day
4977	2025-12-14 21:10:54	71.01	55dB	3.0	203%	Day
4978	2025-12-14 21:12:09	73.64	55dB	3.6	264%	Day
4979	2025-12-14 21:13:32	67.12	55dB	2.3	132%	Day
4980	2025-12-14 21:14:39	N/A	55dB	N/A	N/A	Day
4981	2025-12-14 21:16:04	72.73	55dB	3.4	242%	Day
4982	2025-12-14 21:17:44	70.15	55dB	2.9	186%	Day
4983	2025-12-14 21:19:01	70.02	55dB	2.8	183%	Day
4984	2025-12-14 21:20:51	66.59	55dB	2.2	123%	Day
4985	2025-12-14 21:22:12	N/A	55dB	N/A	N/A	Day
4986	2025-12-14 21:23:37	68.25	55dB	2.5	151%	Day
4987	2025-12-14 21:25:30	N/A	55dB	N/A	N/A	Day
4988	2025-12-14 21:27:05	N/A	55dB	N/A	N/A	Day
4989	2025-12-14 21:28:19	N/A	55dB	N/A	N/A	Day
4990	2025-12-14 21:29:40	67.69	55dB	2.4	141%	Day
4991	2025-12-14 21:32:09	N/A	55dB	N/A	N/A	Day
4992	2025-12-14 21:36:47	N/A	55dB	N/A	N/A	Day
4993	2025-12-14 21:40:25	N/A	55dB	N/A	N/A	Day
4994	2025-12-14 21:42:47	N/A	55dB	N/A	N/A	Day
4995	2025-12-14 21:44:52	N/A	55dB	N/A	N/A	Day
4996	2025-12-14 21:49:02	66.97	55dB	2.3	129%	Day
4997	2025-12-14 21:50:54	67.52	55dB	2.4	138%	Day
4998	2025-12-14 21:52:55	69.49	55dB	2.7	173%	Day
4999	2025-12-14 21:56:00	70.63	55dB	3.0	195%	Day
5000	2025-12-14 21:57:42	75.40	55dB	4.1	311%	Day
5001	2025-12-14 22:00:37	N/A	55dB	N/A	N/A	Day
5002	2025-12-14 22:03:30	68.12	55dB	2.5	148%	Day
5003	2025-12-14 22:05:09	N/A	55dB	N/A	N/A	Day
5004	2025-12-14 22:06:54	72.69	55dB	3.4	241%	Day
5005	2025-12-14 22:08:57	69.68	55dB	2.8	177%	Day
5006	2025-12-14 22:10:46	N/A	55dB	N/A	N/A	Day
5007	2025-12-14 22:12:28	N/A	55dB	N/A	N/A	Day
5008	2025-12-14 22:14:35	68.13	55dB	2.5	148%	Day

5009	2025-12-14 22:16:39	N/A	55dB	N/A	N/A	Day
5010	2025-12-14 22:21:50	N/A	55dB	N/A	N/A	Day
5011	2025-12-14 22:25:27	N/A	55dB	N/A	N/A	Day
5012	2025-12-14 22:27:54	66.84	55dB	2.3	127%	Day
5013	2025-12-14 22:29:23	68.61	55dB	2.6	157%	Day
5014	2025-12-14 22:33:33	68.53	55dB	2.6	155%	Day
5015	2025-12-14 22:36:26	N/A	55dB	N/A	N/A	Day
5016	2025-12-14 22:37:50	N/A	55dB	N/A	N/A	Day
5017	2025-12-14 22:39:15	N/A	55dB	N/A	N/A	Day
5018	2025-12-14 22:41:11	N/A	55dB	N/A	N/A	Day
5019	2025-12-14 22:42:42	73.23	55dB	3.5	254%	Day
5020	2025-12-14 22:44:44	N/A	55dB	N/A	N/A	Day
5021	2025-12-14 22:46:17	N/A	55dB	N/A	N/A	Day
5022	2025-12-14 22:49:54	68.14	55dB	2.5	149%	Day
5023	2025-12-14 22:53:44	68.80	55dB	2.6	160%	Day
5024	2025-12-14 22:55:20	67.56	55dB	2.4	139%	Day
5025	2025-12-14 22:56:54	N/A	55dB	N/A	N/A	Day
5026	2025-12-14 22:58:49	N/A	55dB	N/A	N/A	Day
5027	2025-12-14 23:01:10	N/A	45dB	N/A	N/A	Night
5028	2025-12-14 23:04:04	N/A	45dB	N/A	N/A	Night
5029	2025-12-14 23:06:06	68.28	45dB	5.0	402%	Night
5030	2025-12-14 23:09:02	N/A	45dB	N/A	N/A	Night
5031	2025-12-14 23:18:58	67.41	45dB	4.7	373%	Night
5032	2025-12-14 23:26:51	68.16	45dB	5.0	398%	Night
5033	2025-12-14 23:28:24	N/A	45dB	N/A	N/A	Night
5034	2025-12-14 23:29:53	N/A	45dB	N/A	N/A	Night
5035	2025-12-14 23:31:15	N/A	45dB	N/A	N/A	Night
5036	2025-12-14 23:34:52	67.89	45dB	4.9	389%	Night
5037	2025-12-14 23:36:30	N/A	45dB	N/A	N/A	Night
5038	2025-12-14 23:39:27	72.27	45dB	6.6	562%	Night
5039	2025-12-14 23:41:06	N/A	45dB	N/A	N/A	Night
5040	2025-12-14 23:43:56	69.67	45dB	5.5	453%	Night
5041	2025-12-14 23:45:33	N/A	45dB	N/A	N/A	Night
5042	2025-12-14 23:47:00	67.15	45dB	4.6	364%	Night
5043	2025-12-14 23:48:30	N/A	45dB	N/A	N/A	Night
5044	2025-12-14 23:49:51	67.78	45dB	4.9	385%	Night
5045	2025-12-14 23:51:42	66.21	45dB	4.3	335%	Night
5046	2025-12-14 23:54:32	69.33	45dB	5.4	440%	Night
5047	2025-12-14 23:58:58	67.36	45dB	4.7	371%	Night
5048	2025-12-15 00:00:39	67.02	45dB	4.6	360%	Night
5049	2025-12-15 00:02:51	72.03	45dB	6.5	551%	Night
5050	2025-12-15 00:07:11	65.04	45dB	4.0	301%	Night
5051	2025-12-15 00:09:08	67.24	45dB	4.7	367%	Night
5052	2025-12-15 00:10:26	68.22	45dB	5.0	400%	Night

5053	2025-12-15 00:12:10	67.23	45dB	4.7	367%	Night
5054	2025-12-15 00:13:46	66.47	45dB	4.4	343%	Night
5055	2025-12-15 00:15:21	67.67	45dB	4.8	381%	Night
5056	2025-12-15 00:16:47	67.65	45dB	4.8	381%	Night
5057	2025-12-15 00:18:26	71.86	45dB	6.4	544%	Night
5058	2025-12-15 00:21:09	67.22	45dB	4.7	367%	Night
5059	2025-12-15 00:33:27	66.14	45dB	4.3	333%	Night
5060	2025-12-15 00:35:13	63.55	45dB	3.6	262%	Night
5061	2025-12-15 00:37:58	67.81	45dB	4.9	386%	Night
5062	2025-12-15 00:41:22	66.55	45dB	4.5	345%	Night
5063	2025-12-15 00:42:51	67.55	45dB	4.8	377%	Night
5064	2025-12-15 00:45:54	66.22	45dB	4.4	335%	Night
5065	2025-12-15 06:29:25	68.22	45dB	5.0	400%	Night
5066	2025-12-15 06:31:12	67.85	45dB	4.9	387%	Night
5067	2025-12-15 06:32:41	67.82	45dB	4.9	386%	Night
5068	2025-12-15 06:34:04	67.37	45dB	4.7	371%	Night
5069	2025-12-15 06:35:51	70.57	45dB	5.9	488%	Night
5070	2025-12-15 06:37:37	74.19	45dB	7.6	656%	Night
5071	2025-12-15 06:39:14	68.42	45dB	5.1	407%	Night
5072	2025-12-15 06:40:21	68.12	45dB	5.0	397%	Night
5073	2025-12-15 06:41:43	71.56	45dB	6.3	530%	Night
5074	2025-12-15 06:43:02	68.23	45dB	5.0	400%	Night
5075	2025-12-15 06:44:18	68.81	45dB	5.2	421%	Night
5076	2025-12-15 06:45:42	69.91	45dB	5.6	462%	Night
5077	2025-12-15 06:47:43	69.07	45dB	5.3	430%	Night
5078	2025-12-15 06:50:09	N/A	45dB	N/A	N/A	Night
5079	2025-12-15 06:53:18	66.99	45dB	4.6	359%	Night
5080	2025-12-15 06:55:13	69.09	45dB	5.3	431%	Night
5081	2025-12-15 06:56:51	68.00	45dB	4.9	392%	Night
5082	2025-12-15 06:58:27	68.87	45dB	5.2	423%	Night
5083	2025-12-15 07:00:04	N/A	55dB	N/A	N/A	Day
5084	2025-12-15 07:03:23	69.36	55dB	2.7	171%	Day
5085	2025-12-15 07:13:35	68.60	55dB	2.6	157%	Day
5086	2025-12-15 07:16:31	N/A	55dB	N/A	N/A	Day
5087	2025-12-15 07:21:30	69.82	55dB	2.8	179%	Day
5088	2025-12-15 07:25:13	67.13	55dB	2.3	132%	Day
5089	2025-12-15 07:32:57	65.99	55dB	2.1	114%	Day
5090	2025-12-15 07:41:04	N/A	55dB	N/A	N/A	Day
5091	2025-12-15 07:42:34	69.75	55dB	2.8	178%	Day
5092	2025-12-15 07:43:56	68.71	55dB	2.6	159%	Day
5093	2025-12-15 07:45:36	68.21	55dB	2.5	150%	Day
5094	2025-12-15 07:48:00	70.52	55dB	2.9	193%	Day
5095	2025-12-15 07:54:24	68.64	55dB	2.6	157%	Day
5096	2025-12-15 07:56:49	68.97	55dB	2.6	163%	Day

5097	2025-12-15 07:59:21	70.39	55dB	2.9	191%	Day
5098	2025-12-15 08:00:32	67.82	55dB	2.4	143%	Day
5099	2025-12-15 08:02:07	72.12	55dB	3.3	228%	Day
5100	2025-12-15 08:06:12	69.10	55dB	2.7	166%	Day
5101	2025-12-15 08:08:41	68.59	55dB	2.6	157%	Day
5102	2025-12-15 08:12:48	69.42	55dB	2.7	172%	Day
5103	2025-12-15 08:14:45	69.82	55dB	2.8	179%	Day
5104	2025-12-15 08:16:55	68.28	55dB	2.5	151%	Day
5105	2025-12-15 08:18:30	69.23	55dB	2.7	168%	Day
5106	2025-12-15 08:21:27	68.65	55dB	2.6	158%	Day
5107	2025-12-15 08:23:02	74.09	55dB	3.8	276%	Day
5108	2025-12-15 08:24:31	68.33	55dB	2.5	152%	Day
5109	2025-12-15 08:26:35	N/A	55dB	N/A	N/A	Day
5110	2025-12-15 08:28:40	69.78	55dB	2.8	179%	Day
5111	2025-12-15 08:31:02	69.27	55dB	2.7	169%	Day
5112	2025-12-15 08:36:26	72.50	55dB	3.4	236%	Day
5113	2025-12-15 08:42:07	67.80	55dB	2.4	143%	Day
5114	2025-12-15 08:44:02	72.37	55dB	3.3	233%	Day
5115	2025-12-15 08:47:31	71.51	55dB	3.1	214%	Day
5116	2025-12-15 08:56:54	73.39	55dB	3.6	258%	Day
5117	2025-12-15 09:01:00	N/A	55dB	N/A	N/A	Day
5118	2025-12-15 09:02:53	72.22	55dB	3.3	230%	Day
5119	2025-12-15 09:10:41	70.11	55dB	2.9	185%	Day
5120	2025-12-15 09:12:57	70.39	55dB	2.9	191%	Day
5121	2025-12-15 09:16:23	70.62	55dB	3.0	195%	Day
5122	2025-12-15 09:18:53	N/A	55dB	N/A	N/A	Day
5123	2025-12-15 09:27:32	74.57	55dB	3.9	288%	Day
5124	2025-12-15 09:33:21	66.63	55dB	2.2	124%	Day
5125	2025-12-15 09:34:57	N/A	55dB	N/A	N/A	Day
5126	2025-12-15 09:36:32	66.89	55dB	2.3	128%	Day
5127	2025-12-15 09:38:51	72.82	55dB	3.4	244%	Day
5128	2025-12-15 09:45:09	70.47	55dB	2.9	192%	Day
5129	2025-12-15 09:47:20	N/A	55dB	N/A	N/A	Day
5130	2025-12-15 09:51:40	N/A	55dB	N/A	N/A	Day
5131	2025-12-15 10:10:45	N/A	55dB	N/A	N/A	Day
5132	2025-12-15 10:12:15	72.98	55dB	3.5	248%	Day
5133	2025-12-15 10:14:03	N/A	55dB	N/A	N/A	Day
5134	2025-12-15 10:15:46	N/A	55dB	N/A	N/A	Day
5135	2025-12-15 10:17:05	68.08	55dB	2.5	148%	Day
5136	2025-12-15 10:19:23	70.73	55dB	3.0	198%	Day
5137	2025-12-15 10:22:26	70.18	55dB	2.9	186%	Day
5138	2025-12-15 10:33:30	N/A	55dB	N/A	N/A	Day
5139	2025-12-15 10:42:41	N/A	55dB	N/A	N/A	Day
5140	2025-12-15 10:43:53	91.51	55dB	12.6	1156%	Day

5141	2025-12-15 10:46:02	74.73	55dB	3.9	293%	Day
5142	2025-12-15 10:47:26	67.66	55dB	2.4	140%	Day
5143	2025-12-15 10:48:56	N/A	55dB	N/A	N/A	Day
5144	2025-12-15 10:50:14	68.99	55dB	2.6	164%	Day
5145	2025-12-15 10:51:51	N/A	55dB	N/A	N/A	Day
5146	2025-12-15 10:53:25	88.45	55dB	10.2	916%	Day
5147	2025-12-15 11:04:08	68.11	55dB	2.5	148%	Day
5148	2025-12-15 11:05:43	85.67	55dB	8.4	738%	Day
5149	2025-12-15 11:06:58	N/A	55dB	N/A	N/A	Day
5150	2025-12-15 11:10:57	70.27	55dB	2.9	188%	Day
5151	2025-12-15 11:12:21	69.40	55dB	2.7	171%	Day
5152	2025-12-15 11:13:53	N/A	55dB	N/A	N/A	Day
5153	2025-12-15 11:15:05	69.91	55dB	2.8	181%	Day
5154	2025-12-15 11:16:28	N/A	55dB	N/A	N/A	Day
5155	2025-12-15 11:17:58	72.69	55dB	3.4	241%	Day
5156	2025-12-15 11:20:27	N/A	55dB	N/A	N/A	Day
5157	2025-12-15 11:22:05	N/A	55dB	N/A	N/A	Day
5158	2025-12-15 11:23:22	68.13	55dB	2.5	148%	Day
5159	2025-12-15 11:24:38	72.52	55dB	3.4	237%	Day
5160	2025-12-15 11:26:03	66.89	55dB	2.3	128%	Day
5161	2025-12-15 11:27:40	76.16	55dB	4.3	333%	Day
5162	2025-12-15 11:29:09	71.46	55dB	3.1	213%	Day
5163	2025-12-15 11:30:53	68.91	55dB	2.6	162%	Day
5164	2025-12-15 11:32:26	69.15	55dB	2.7	167%	Day
5165	2025-12-15 11:33:48	66.97	55dB	2.3	129%	Day
5166	2025-12-15 11:35:08	N/A	55dB	N/A	N/A	Day
5167	2025-12-15 11:36:36	68.62	55dB	2.6	157%	Day
5168	2025-12-15 11:38:44	N/A	55dB	N/A	N/A	Day
5169	2025-12-15 11:40:15	67.03	55dB	2.3	130%	Day
5170	2025-12-15 11:41:42	72.10	55dB	3.3	227%	Day
5171	2025-12-15 11:43:00	67.06	55dB	2.3	131%	Day
5172	2025-12-15 11:44:32	75.65	55dB	4.2	318%	Day
5173	2025-12-15 11:45:56	68.36	55dB	2.5	152%	Day
5174	2025-12-15 11:47:19	N/A	55dB	N/A	N/A	Day
5175	2025-12-15 11:48:49	N/A	55dB	N/A	N/A	Day
5176	2025-12-15 11:54:24	69.56	55dB	2.7	174%	Day
5177	2025-12-15 12:00:07	69.42	55dB	2.7	172%	Day
5178	2025-12-15 12:04:39	N/A	55dB	N/A	N/A	Day
5179	2025-12-15 12:08:02	67.63	55dB	2.4	140%	Day
5180	2025-12-15 12:09:52	69.15	55dB	2.7	167%	Day
5181	2025-12-15 12:11:24	N/A	55dB	N/A	N/A	Day
5182	2025-12-15 12:13:32	67.42	55dB	2.4	137%	Day
5183	2025-12-15 12:18:27	78.68	55dB	5.2	416%	Day
5184	2025-12-15 12:20:35	70.06	55dB	2.8	184%	Day

5185	2025-12-15 12:22:10	83.56	55dB	7.2	624%	Day
5186	2025-12-15 12:23:57	80.14	55dB	5.7	471%	Day
5187	2025-12-15 12:25:38	69.51	55dB	2.7	173%	Day
5188	2025-12-15 12:27:54	N/A	55dB	N/A	N/A	Day
5189	2025-12-15 12:29:57	N/A	55dB	N/A	N/A	Day
5190	2025-12-15 12:34:44	67.47	55dB	2.4	137%	Day
5191	2025-12-15 12:39:39	68.49	55dB	2.5	155%	Day
5192	2025-12-15 12:41:30	70.53	55dB	2.9	193%	Day
5193	2025-12-15 12:43:18	N/A	55dB	N/A	N/A	Day
5194	2025-12-15 12:45:23	N/A	55dB	N/A	N/A	Day
5195	2025-12-15 12:48:00	N/A	55dB	N/A	N/A	Day
5196	2025-12-15 12:49:34	70.00	55dB	2.8	183%	Day
5197	2025-12-15 12:51:12	N/A	55dB	N/A	N/A	Day
5198	2025-12-15 12:53:24	N/A	55dB	N/A	N/A	Day
5199	2025-12-15 12:56:36	68.30	55dB	2.5	151%	Day
5200	2025-12-15 12:58:40	68.43	55dB	2.5	154%	Day
5201	2025-12-15 13:01:17	N/A	55dB	N/A	N/A	Day
5202	2025-12-15 13:03:24	69.41	55dB	2.7	172%	Day
5203	2025-12-15 13:06:00	68.94	55dB	2.6	163%	Day
5204	2025-12-15 13:07:55	69.11	55dB	2.7	166%	Day
5205	2025-12-15 13:12:20	N/A	55dB	N/A	N/A	Day
5206	2025-12-15 13:19:30	67.79	55dB	2.4	143%	Day
5207	2025-12-15 13:22:01	68.24	55dB	2.5	150%	Day
5208	2025-12-15 13:30:33	68.87	55dB	2.6	162%	Day
5209	2025-12-15 13:32:01	72.60	55dB	3.4	239%	Day
5210	2025-12-15 13:33:34	69.65	55dB	2.8	176%	Day
5211	2025-12-15 13:36:04	75.59	55dB	4.2	317%	Day
5212	2025-12-15 13:38:12	68.75	55dB	2.6	159%	Day
5213	2025-12-15 13:40:09	68.00	55dB	2.5	146%	Day
5214	2025-12-15 13:44:13	72.34	55dB	3.3	233%	Day
5215	2025-12-15 13:49:34	68.06	55dB	2.5	147%	Day
5216	2025-12-15 13:55:56	N/A	55dB	N/A	N/A	Day
5217	2025-12-15 13:58:08	N/A	55dB	N/A	N/A	Day
5218	2025-12-15 14:00:13	69.47	55dB	2.7	173%	Day
5219	2025-12-15 14:02:03	N/A	55dB	N/A	N/A	Day
5220	2025-12-15 14:04:16	N/A	55dB	N/A	N/A	Day
5221	2025-12-15 14:06:09	71.83	55dB	3.2	221%	Day
5222	2025-12-15 14:08:21	67.66	55dB	2.4	140%	Day
5223	2025-12-15 14:10:49	70.40	55dB	2.9	191%	Day
5224	2025-12-15 14:12:28	70.01	55dB	2.8	183%	Day
5225	2025-12-15 14:13:44	N/A	55dB	N/A	N/A	Day
5226	2025-12-15 14:14:56	69.14	55dB	2.7	166%	Day
5227	2025-12-15 14:16:29	N/A	55dB	N/A	N/A	Day
5228	2025-12-15 14:18:02	69.22	55dB	2.7	168%	Day

5229	2025-12-15 14:19:35	N/A	55dB	N/A	N/A	Day
5230	2025-12-15 14:21:22	67.86	55dB	2.4	144%	Day
5231	2025-12-15 14:22:55	69.11	55dB	2.7	166%	Day
5232	2025-12-15 14:25:25	69.77	55dB	2.8	178%	Day
5233	2025-12-15 14:27:01	N/A	55dB	N/A	N/A	Day
5234	2025-12-15 14:28:39	69.54	55dB	2.7	174%	Day
5235	2025-12-15 14:30:34	N/A	55dB	N/A	N/A	Day
5236	2025-12-15 14:35:42	N/A	55dB	N/A	N/A	Day
5237	2025-12-15 14:39:20	N/A	55dB	N/A	N/A	Day
5238	2025-12-15 14:40:43	70.05	55dB	2.8	184%	Day
5239	2025-12-15 14:42:17	69.10	55dB	2.7	166%	Day
5240	2025-12-15 14:43:42	74.15	55dB	3.8	277%	Day
5241	2025-12-15 14:46:04	68.84	55dB	2.6	161%	Day
5242	2025-12-15 14:47:39	69.79	55dB	2.8	179%	Day
5243	2025-12-15 14:49:16	70.96	55dB	3.0	202%	Day
5244	2025-12-15 14:50:35	69.69	55dB	2.8	177%	Day
5245	2025-12-15 14:52:04	73.10	55dB	3.5	251%	Day
5246	2025-12-15 14:54:16	69.30	55dB	2.7	169%	Day
5247	2025-12-15 14:56:03	71.50	55dB	3.1	214%	Day
5248	2025-12-15 14:57:38	72.39	55dB	3.3	234%	Day
5249	2025-12-15 15:00:31	67.09	55dB	2.3	131%	Day
5250	2025-12-15 15:02:04	73.57	55dB	3.6	262%	Day
5251	2025-12-15 15:04:41	68.50	55dB	2.5	155%	Day
5252	2025-12-15 15:07:13	71.54	55dB	3.1	215%	Day
5253	2025-12-15 15:10:13	71.25	55dB	3.1	208%	Day
5254	2025-12-15 15:12:27	69.37	55dB	2.7	171%	Day
5255	2025-12-15 15:17:12	70.58	55dB	2.9	194%	Day
5256	2025-12-15 15:19:32	73.02	55dB	3.5	249%	Day
5257	2025-12-15 15:21:01	72.35	55dB	3.3	233%	Day
5258	2025-12-15 15:22:36	73.50	55dB	3.6	261%	Day
5259	2025-12-15 15:25:37	N/A	55dB	N/A	N/A	Day
5260	2025-12-15 15:27:00	N/A	55dB	N/A	N/A	Day
5261	2025-12-15 15:28:36	71.27	55dB	3.1	209%	Day
5262	2025-12-15 15:29:54	N/A	55dB	N/A	N/A	Day
5263	2025-12-15 15:32:08	N/A	55dB	N/A	N/A	Day
5264	2025-12-15 15:34:32	N/A	55dB	N/A	N/A	Day
5265	2025-12-15 15:36:23	70.24	55dB	2.9	188%	Day
5266	2025-12-15 15:39:16	68.68	55dB	2.6	158%	Day
5267	2025-12-15 15:41:24	68.35	55dB	2.5	152%	Day
5268	2025-12-15 15:44:40	74.44	55dB	3.8	285%	Day
5269	2025-12-15 15:47:42	N/A	55dB	N/A	N/A	Day
5270	2025-12-15 15:49:21	76.17	55dB	4.3	334%	Day
5271	2025-12-15 15:54:03	71.98	55dB	3.2	224%	Day
5272	2025-12-15 15:56:50	N/A	55dB	N/A	N/A	Day

5273	2025-12-15 15:58:28	68.04	55dB	2.5	147%	Day
5274	2025-12-15 16:00:13	68.42	55dB	2.5	154%	Day
5275	2025-12-15 16:01:44	N/A	55dB	N/A	N/A	Day
5276	2025-12-15 16:03:26	71.98	55dB	3.2	224%	Day
5277	2025-12-15 16:05:06	70.66	55dB	3.0	196%	Day
5278	2025-12-15 16:06:58	N/A	55dB	N/A	N/A	Day
5279	2025-12-15 16:13:04	71.69	55dB	3.2	218%	Day
5280	2025-12-15 16:15:42	69.24	55dB	2.7	168%	Day
5281	2025-12-15 16:17:46	67.36	55dB	2.4	136%	Day
5282	2025-12-15 16:21:12	71.08	55dB	3.0	205%	Day
5283	2025-12-15 16:23:14	66.90	55dB	2.3	128%	Day
5284	2025-12-15 16:24:57	N/A	55dB	N/A	N/A	Day
5285	2025-12-15 16:26:37	69.96	55dB	2.8	182%	Day
5286	2025-12-15 16:27:51	N/A	55dB	N/A	N/A	Day
5287	2025-12-15 16:29:33	68.88	55dB	2.6	162%	Day
5288	2025-12-15 16:31:23	N/A	55dB	N/A	N/A	Day
5289	2025-12-15 16:33:10	69.47	55dB	2.7	173%	Day
5290	2025-12-15 16:34:56	N/A	55dB	N/A	N/A	Day
5291	2025-12-15 16:36:39	74.11	55dB	3.8	276%	Day
5292	2025-12-15 16:38:28	N/A	55dB	N/A	N/A	Day
5293	2025-12-15 16:40:26	N/A	55dB	N/A	N/A	Day
5294	2025-12-15 16:45:23	69.33	55dB	2.7	170%	Day
5295	2025-12-15 16:46:56	71.43	55dB	3.1	212%	Day
5296	2025-12-15 16:48:16	69.61	55dB	2.8	175%	Day
5297	2025-12-15 16:49:34	70.21	55dB	2.9	187%	Day
5298	2025-12-15 16:51:05	N/A	55dB	N/A	N/A	Day
5299	2025-12-15 16:52:43	N/A	55dB	N/A	N/A	Day
5300	2025-12-15 16:54:09	70.70	55dB	3.0	197%	Day
5301	2025-12-15 16:55:35	N/A	55dB	N/A	N/A	Day
5302	2025-12-15 16:57:12	N/A	55dB	N/A	N/A	Day
5303	2025-12-15 16:58:47	72.82	55dB	3.4	244%	Day
5304	2025-12-15 17:01:01	75.06	55dB	4.0	302%	Day
5305	2025-12-15 17:02:34	N/A	55dB	N/A	N/A	Day
5306	2025-12-15 17:04:07	70.22	55dB	2.9	187%	Day
5307	2025-12-15 17:05:25	N/A	55dB	N/A	N/A	Day
5308	2025-12-15 17:07:08	69.40	55dB	2.7	171%	Day
5309	2025-12-15 17:12:32	69.35	55dB	2.7	170%	Day
5310	2025-12-15 17:14:24	N/A	55dB	N/A	N/A	Day
5311	2025-12-15 17:16:32	N/A	55dB	N/A	N/A	Day
5312	2025-12-15 17:19:05	N/A	55dB	N/A	N/A	Day
5313	2025-12-15 17:21:02	N/A	55dB	N/A	N/A	Day
5314	2025-12-15 17:22:42	71.38	55dB	3.1	211%	Day
5315	2025-12-15 17:24:08	66.98	55dB	2.3	129%	Day
5316	2025-12-15 17:25:33	N/A	55dB	N/A	N/A	Day

5317	2025-12-15 17:27:36	66.75	55dB	2.3	126%	Day
5318	2025-12-15 17:29:24	N/A	55dB	N/A	N/A	Day
5319	2025-12-15 17:31:06	N/A	55dB	N/A	N/A	Day
5320	2025-12-15 17:34:54	69.25	55dB	2.7	169%	Day
5321	2025-12-15 17:36:31	67.77	55dB	2.4	142%	Day
5322	2025-12-15 17:38:05	69.15	55dB	2.7	167%	Day
5323	2025-12-15 17:39:32	N/A	55dB	N/A	N/A	Day
5324	2025-12-15 17:41:06	N/A	55dB	N/A	N/A	Day
5325	2025-12-15 17:43:20	68.03	55dB	2.5	147%	Day
5326	2025-12-15 17:45:46	N/A	55dB	N/A	N/A	Day
5327	2025-12-15 17:47:19	72.11	55dB	3.3	227%	Day
5328	2025-12-15 17:49:01	69.02	55dB	2.6	164%	Day
5329	2025-12-15 17:51:20	69.15	55dB	2.7	167%	Day
5330	2025-12-15 17:52:56	66.67	55dB	2.2	125%	Day
5331	2025-12-15 17:54:19	68.35	55dB	2.5	152%	Day
5332	2025-12-15 17:58:50	67.57	55dB	2.4	139%	Day
5333	2025-12-15 18:00:31	N/A	55dB	N/A	N/A	Day
5334	2025-12-15 18:02:02	69.97	55dB	2.8	182%	Day
5335	2025-12-15 18:03:32	69.23	55dB	2.7	168%	Day
5336	2025-12-15 18:04:57	N/A	55dB	N/A	N/A	Day
5337	2025-12-15 18:06:26	72.35	55dB	3.3	233%	Day
5338	2025-12-15 18:08:20	72.23	55dB	3.3	230%	Day
5339	2025-12-15 18:10:21	67.59	55dB	2.4	139%	Day
5340	2025-12-15 18:11:52	66.66	55dB	2.2	124%	Day
5341	2025-12-15 18:13:24	78.03	55dB	4.9	393%	Day
5342	2025-12-15 18:14:52	66.42	55dB	2.2	121%	Day
5343	2025-12-15 18:16:58	69.89	55dB	2.8	181%	Day
5344	2025-12-15 18:19:38	N/A	55dB	N/A	N/A	Day
5345	2025-12-15 18:21:18	N/A	55dB	N/A	N/A	Day
5346	2025-12-15 18:23:18	66.36	55dB	2.2	120%	Day
5347	2025-12-15 18:27:37	68.85	55dB	2.6	161%	Day
5348	2025-12-15 18:30:17	70.17	55dB	2.9	186%	Day
5349	2025-12-15 18:33:06	N/A	55dB	N/A	N/A	Day
5350	2025-12-15 18:35:56	N/A	55dB	N/A	N/A	Day
5351	2025-12-15 18:38:49	N/A	55dB	N/A	N/A	Day
5352	2025-12-15 18:42:01	71.56	55dB	3.2	215%	Day
5353	2025-12-15 18:44:41	73.47	55dB	3.6	260%	Day
5354	2025-12-15 18:47:25	69.69	55dB	2.8	177%	Day
5355	2025-12-15 18:54:33	68.64	55dB	2.6	157%	Day
5356	2025-12-15 18:57:14	71.52	55dB	3.1	214%	Day
5357	2025-12-15 19:00:20	69.67	55dB	2.8	176%	Day
5358	2025-12-15 19:04:25	79.88	55dB	5.6	461%	Day
5359	2025-12-15 19:08:00	N/A	55dB	N/A	N/A	Day
5360	2025-12-15 19:12:14	72.50	55dB	3.4	236%	Day

5361	2025-12-15 19:16:10	70.58	55dB	2.9	194%	Day
5362	2025-12-15 19:18:47	73.11	55dB	3.5	251%	Day
5363	2025-12-15 19:21:52	N/A	55dB	N/A	N/A	Day
5364	2025-12-15 19:24:17	74.46	55dB	3.9	285%	Day
5365	2025-12-15 19:26:56	72.31	55dB	3.3	232%	Day
5366	2025-12-15 19:29:38	70.45	55dB	2.9	192%	Day
5367	2025-12-15 19:33:44	71.51	55dB	3.1	214%	Day
5368	2025-12-15 19:36:35	71.45	55dB	3.1	213%	Day
5369	2025-12-15 19:39:04	73.52	55dB	3.6	261%	Day
5370	2025-12-15 19:41:36	71.79	55dB	3.2	220%	Day
5371	2025-12-15 19:44:11	69.75	55dB	2.8	178%	Day
5372	2025-12-15 19:46:48	71.20	55dB	3.1	207%	Day
5373	2025-12-15 19:49:03	70.03	55dB	2.8	183%	Day
5374	2025-12-15 19:51:39	N/A	55dB	N/A	N/A	Day
5375	2025-12-15 19:53:52	69.05	55dB	2.6	165%	Day
5376	2025-12-15 19:56:37	69.47	55dB	2.7	173%	Day
5377	2025-12-15 19:59:18	69.63	55dB	2.8	176%	Day
5378	2025-12-15 20:03:51	75.85	55dB	4.2	324%	Day
5379	2025-12-15 20:06:24	69.35	55dB	2.7	170%	Day
5380	2025-12-15 20:08:48	N/A	55dB	N/A	N/A	Day
5381	2025-12-15 20:11:43	68.69	55dB	2.6	158%	Day
5382	2025-12-15 20:14:21	71.71	55dB	3.2	218%	Day
5383	2025-12-15 20:16:51	70.01	55dB	2.8	183%	Day
5384	2025-12-15 20:19:28	69.21	55dB	2.7	168%	Day
5385	2025-12-15 20:21:44	71.42	55dB	3.1	212%	Day
5386	2025-12-15 20:24:16	69.16	55dB	2.7	167%	Day
5387	2025-12-15 20:25:56	71.21	55dB	3.1	208%	Day
5388	2025-12-15 20:36:36	73.34	55dB	3.6	257%	Day
5389	2025-12-15 20:38:30	69.66	55dB	2.8	176%	Day
5390	2025-12-15 20:43:33	69.32	55dB	2.7	170%	Day
5391	2025-12-15 20:45:58	69.43	55dB	2.7	172%	Day
5392	2025-12-15 20:48:45	69.99	55dB	2.8	183%	Day
5393	2025-12-15 20:50:49	73.27	55dB	3.5	255%	Day
5394	2025-12-15 20:52:25	70.68	55dB	3.0	196%	Day
5395	2025-12-15 20:57:05	69.02	55dB	2.6	164%	Day
5396	2025-12-15 21:01:17	66.43	55dB	2.2	121%	Day
5397	2025-12-15 21:02:51	N/A	55dB	N/A	N/A	Day
5398	2025-12-15 21:05:20	N/A	55dB	N/A	N/A	Day
5399	2025-12-15 21:08:22	N/A	55dB	N/A	N/A	Day
5400	2025-12-15 21:10:11	71.16	55dB	3.1	207%	Day
5401	2025-12-15 21:13:02	N/A	55dB	N/A	N/A	Day
5402	2025-12-15 21:14:49	68.04	55dB	2.5	147%	Day
5403	2025-12-15 21:16:53	N/A	55dB	N/A	N/A	Day
5404	2025-12-15 21:18:27	68.16	55dB	2.5	149%	Day

5405	2025-12-15 21:19:50	69.68	55dB	2.8	177%	Day
5406	2025-12-15 21:21:44	68.50	55dB	2.5	155%	Day
5407	2025-12-15 21:23:02	67.09	55dB	2.3	131%	Day
5408	2025-12-15 21:25:08	N/A	55dB	N/A	N/A	Day
5409	2025-12-15 21:26:42	67.65	55dB	2.4	140%	Day
5410	2025-12-15 21:28:14	67.84	55dB	2.4	144%	Day
5411	2025-12-15 21:29:34	N/A	55dB	N/A	N/A	Day
5412	2025-12-15 21:31:04	68.27	55dB	2.5	151%	Day
5413	2025-12-15 21:32:34	N/A	55dB	N/A	N/A	Day
5414	2025-12-15 21:33:51	N/A	55dB	N/A	N/A	Day
5415	2025-12-15 21:36:03	67.35	55dB	2.4	135%	Day
5416	2025-12-15 21:37:30	N/A	55dB	N/A	N/A	Day
5417	2025-12-15 21:42:04	68.28	55dB	2.5	151%	Day
5418	2025-12-15 21:43:53	68.68	55dB	2.6	158%	Day
5419	2025-12-15 21:46:02	N/A	55dB	N/A	N/A	Day
5420	2025-12-15 21:48:04	67.99	55dB	2.5	146%	Day
5421	2025-12-15 21:50:06	N/A	55dB	N/A	N/A	Day
5422	2025-12-15 21:51:39	N/A	55dB	N/A	N/A	Day
5423	2025-12-15 21:56:40	N/A	55dB	N/A	N/A	Day
5424	2025-12-15 22:01:15	N/A	55dB	N/A	N/A	Day
5425	2025-12-15 22:03:43	N/A	55dB	N/A	N/A	Day
5426	2025-12-15 22:09:24	N/A	55dB	N/A	N/A	Day
5427	2025-12-15 22:11:00	68.63	55dB	2.6	157%	Day
5428	2025-12-15 22:14:47	N/A	55dB	N/A	N/A	Day
5429	2025-12-15 22:20:28	67.48	55dB	2.4	138%	Day
5430	2025-12-15 22:24:36	N/A	55dB	N/A	N/A	Day
5431	2025-12-15 22:27:21	N/A	55dB	N/A	N/A	Day
5432	2025-12-15 22:30:33	N/A	55dB	N/A	N/A	Day
5433	2025-12-15 22:32:26	N/A	55dB	N/A	N/A	Day
5434	2025-12-15 22:34:24	N/A	55dB	N/A	N/A	Day
5435	2025-12-15 22:35:45	65.78	55dB	2.1	111%	Day
5436	2025-12-15 22:37:08	N/A	55dB	N/A	N/A	Day
5437	2025-12-15 22:38:31	67.56	55dB	2.4	139%	Day
5438	2025-12-15 22:40:17	70.17	55dB	2.9	186%	Day
5439	2025-12-15 22:41:47	N/A	55dB	N/A	N/A	Day
5440	2025-12-15 22:43:14	N/A	55dB	N/A	N/A	Day
5441	2025-12-15 22:46:05	69.62	55dB	2.8	175%	Day
5442	2025-12-15 22:47:07	N/A	55dB	N/A	N/A	Day
5443	2025-12-15 22:48:26	N/A	55dB	N/A	N/A	Day
5444	2025-12-15 22:50:19	N/A	55dB	N/A	N/A	Day
5445	2025-12-15 22:51:48	N/A	55dB	N/A	N/A	Day
5446	2025-12-15 22:53:06	68.78	55dB	2.6	160%	Day
5447	2025-12-15 22:54:25	N/A	55dB	N/A	N/A	Day
5448	2025-12-15 22:55:39	N/A	55dB	N/A	N/A	Day

5449	2025-12-15 22:56:56	70.44	55dB	2.9	192%	Day
5450	2025-12-15 22:58:39	68.62	55dB	2.6	157%	Day
5451	2025-12-15 22:59:54	N/A	55dB	N/A	N/A	Day
5452	2025-12-15 23:01:11	N/A	45dB	N/A	N/A	Night
5453	2025-12-15 23:02:30	N/A	45dB	N/A	N/A	Night
5454	2025-12-15 23:03:43	66.88	45dB	4.6	356%	Night
5455	2025-12-15 23:05:11	N/A	45dB	N/A	N/A	Night
5456	2025-12-15 23:06:55	N/A	45dB	N/A	N/A	Night
5457	2025-12-15 23:09:41	66.63	45dB	4.5	348%	Night
5458	2025-12-15 23:11:14	N/A	45dB	N/A	N/A	Night
5459	2025-12-15 23:12:43	67.44	45dB	4.7	374%	Night
5460	2025-12-15 23:13:56	67.02	45dB	4.6	360%	Night
5461	2025-12-15 23:15:22	68.54	45dB	5.1	411%	Night
5462	2025-12-15 23:23:44	70.30	45dB	5.8	478%	Night
5463	2025-12-15 23:26:12	65.69	45dB	4.2	320%	Night
5464	2025-12-15 23:28:34	69.29	45dB	5.4	439%	Night
5465	2025-12-15 23:30:08	N/A	45dB	N/A	N/A	Night
5466	2025-12-15 23:31:40	N/A	45dB	N/A	N/A	Night
5467	2025-12-15 23:32:56	N/A	45dB	N/A	N/A	Night
5468	2025-12-15 23:34:26	N/A	45dB	N/A	N/A	Night
5469	2025-12-15 23:35:56	N/A	45dB	N/A	N/A	Night
5470	2025-12-15 23:37:18	N/A	45dB	N/A	N/A	Night
5471	2025-12-15 23:39:16	67.87	45dB	4.9	388%	Night
5472	2025-12-15 23:41:11	69.51	45dB	5.5	447%	Night
5473	2025-12-15 23:43:04	N/A	45dB	N/A	N/A	Night
5474	2025-12-15 23:45:02	N/A	45dB	N/A	N/A	Night
5475	2025-12-15 23:47:07	N/A	45dB	N/A	N/A	Night
5476	2025-12-15 23:50:10	N/A	45dB	N/A	N/A	Night
5477	2025-12-15 23:52:16	70.08	45dB	5.7	469%	Night
5478	2025-12-15 23:54:39	69.45	45dB	5.4	445%	Night
5479	2025-12-15 23:56:24	N/A	45dB	N/A	N/A	Night
5480	2025-12-15 23:57:52	N/A	45dB	N/A	N/A	Night
5481	2025-12-15 23:59:07	67.61	45dB	4.8	379%	Night
5482	2025-12-16 00:00:39	68.23	45dB	5.0	400%	Night
5483	2025-12-16 00:02:50	71.21	45dB	6.2	515%	Night
5484	2025-12-16 00:04:38	67.65	45dB	4.8	381%	Night
5485	2025-12-16 00:06:27	68.34	45dB	5.0	404%	Night
5486	2025-12-16 00:09:30	64.75	45dB	3.9	293%	Night
5487	2025-12-16 00:10:57	70.54	45dB	5.9	487%	Night
5488	2025-12-16 00:14:26	67.58	45dB	4.8	378%	Night
5489	2025-12-16 00:16:05	66.17	45dB	4.3	334%	Night
5490	2025-12-16 00:17:56	71.54	45dB	6.3	529%	Night
5491	2025-12-16 00:19:31	66.99	45dB	4.6	359%	Night
5492	2025-12-16 00:21:07	69.32	45dB	5.4	440%	Night

5493	2025-12-16 00:23:10	68.10	45dB	5.0	396%	Night
5494	2025-12-16 00:24:57	66.80	45dB	4.5	353%	Night
5495	2025-12-16 00:32:10	67.30	45dB	4.7	369%	Night
5496	2025-12-16 00:34:44	66.56	45dB	4.5	346%	Night
5497	2025-12-16 00:46:40	68.02	45dB	4.9	393%	Night
5498	2025-12-16 00:48:11	73.44	45dB	7.2	618%	Night
5499	2025-12-16 00:50:28	68.64	45dB	5.1	415%	Night
5500	2025-12-16 00:52:09	70.43	45dB	5.8	483%	Night
5501	2025-12-16 00:57:10	67.45	45dB	4.7	374%	Night
5502	2025-12-16 01:05:26	67.35	45dB	4.7	371%	Night
5503	2025-12-16 01:12:52	70.41	45dB	5.8	482%	Night
5504	2025-12-16 01:20:23	69.64	45dB	5.5	452%	Night
5505	2025-12-16 01:24:55	67.08	45dB	4.6	362%	Night
5506	2025-12-16 01:32:15	63.63	45dB	3.6	264%	Night
5507	2025-12-16 01:41:39	68.48	45dB	5.1	409%	Night
5508	2025-12-16 01:43:10	68.44	45dB	5.1	408%	Night
5509	2025-12-16 01:45:02	66.24	45dB	4.4	336%	Night
5510	2025-12-16 01:51:33	72.18	45dB	6.6	558%	Night
5511	2025-12-16 02:09:09	67.38	45dB	4.7	372%	Night
5512	2025-12-16 02:25:22	74.77	45dB	7.9	687%	Night
5513	2025-12-16 02:42:07	67.16	45dB	4.6	365%	Night
5514	2025-12-16 03:07:02	69.37	45dB	5.4	442%	Night
5515	2025-12-16 03:09:42	68.04	45dB	4.9	394%	Night
5516	2025-12-16 03:17:41	68.67	45dB	5.2	416%	Night
5517	2025-12-16 03:23:45	68.05	45dB	4.9	394%	Night
5518	2025-12-16 06:28:02	N/A	45dB	N/A	N/A	Night
5519	2025-12-16 06:29:27	68.01	45dB	4.9	393%	Night
5520	2025-12-16 06:30:57	67.84	45dB	4.9	387%	Night
5521	2025-12-16 06:32:16	67.63	45dB	4.8	380%	Night
5522	2025-12-16 06:33:34	68.45	45dB	5.1	408%	Night
5523	2025-12-16 06:35:32	69.11	45dB	5.3	432%	Night
5524	2025-12-16 06:37:04	N/A	45dB	N/A	N/A	Night
5525	2025-12-16 06:38:24	70.80	45dB	6.0	498%	Night
5526	2025-12-16 06:39:55	67.37	45dB	4.7	371%	Night
5527	2025-12-16 06:41:17	70.18	45dB	5.7	473%	Night
5528	2025-12-16 06:43:02	69.05	45dB	5.3	430%	Night
5529	2025-12-16 06:44:37	N/A	45dB	N/A	N/A	Night
5530	2025-12-16 06:47:24	68.91	45dB	5.2	425%	Night
5531	2025-12-16 06:49:51	67.63	45dB	4.8	380%	Night
5532	2025-12-16 06:51:56	69.57	45dB	5.5	449%	Night
5533	2025-12-16 06:53:32	68.48	45dB	5.1	409%	Night
5534	2025-12-16 06:55:08	69.10	45dB	5.3	431%	Night
5535	2025-12-16 06:58:01	68.13	45dB	5.0	397%	Night
5536	2025-12-16 06:59:21	68.13	45dB	5.0	397%	Night

5537	2025-12-16 07:05:44	N/A	55dB	N/A	N/A	Day
5538	2025-12-16 07:13:30	70.58	55dB	2.9	194%	Day
5539	2025-12-16 07:21:17	68.40	55dB	2.5	153%	Day
5540	2025-12-16 07:25:45	66.92	55dB	2.3	128%	Day
5541	2025-12-16 07:30:09	66.87	55dB	2.3	128%	Day
5542	2025-12-16 07:31:39	71.26	55dB	3.1	209%	Day
5543	2025-12-16 07:33:11	67.33	55dB	2.4	135%	Day
5544	2025-12-16 07:37:20	68.92	55dB	2.6	162%	Day
5545	2025-12-16 07:40:34	N/A	55dB	N/A	N/A	Day
5546	2025-12-16 07:50:45	70.23	55dB	2.9	187%	Day
5547	2025-12-16 07:52:46	68.83	55dB	2.6	161%	Day
5548	2025-12-16 07:55:14	N/A	55dB	N/A	N/A	Day
5549	2025-12-16 07:56:47	68.30	55dB	2.5	151%	Day
5550	2025-12-16 07:59:09	N/A	55dB	N/A	N/A	Day
5551	2025-12-16 08:03:11	69.84	55dB	2.8	180%	Day
5552	2025-12-16 08:08:34	N/A	55dB	N/A	N/A	Day
5553	2025-12-16 08:14:34	71.07	55dB	3.0	205%	Day
5554	2025-12-16 08:16:23	68.02	55dB	2.5	147%	Day
5555	2025-12-16 08:22:24	70.93	55dB	3.0	202%	Day
5556	2025-12-16 08:25:13	69.91	55dB	2.8	181%	Day
5557	2025-12-16 08:28:16	69.26	55dB	2.7	169%	Day
5558	2025-12-16 08:32:37	67.50	55dB	2.4	138%	Day
5559	2025-12-16 08:34:18	N/A	55dB	N/A	N/A	Day
5560	2025-12-16 08:35:56	70.92	55dB	3.0	201%	Day
5561	2025-12-16 08:38:26	71.74	55dB	3.2	219%	Day
5562	2025-12-16 08:41:13	N/A	55dB	N/A	N/A	Day
5563	2025-12-16 08:48:08	69.14	55dB	2.7	166%	Day
5564	2025-12-16 08:50:21	N/A	55dB	N/A	N/A	Day
5565	2025-12-16 08:58:07	70.50	55dB	2.9	193%	Day
5566	2025-12-16 09:06:13	71.74	55dB	3.2	219%	Day
5567	2025-12-16 09:20:56	68.96	55dB	2.6	163%	Day
5568	2025-12-16 09:22:24	67.71	55dB	2.4	141%	Day
5569	2025-12-16 09:28:30	N/A	55dB	N/A	N/A	Day
5570	2025-12-16 09:30:18	N/A	55dB	N/A	N/A	Day
5571	2025-12-16 09:48:50	70.28	55dB	2.9	188%	Day
5572	2025-12-16 09:51:14	N/A	55dB	N/A	N/A	Day
5573	2025-12-16 09:55:02	67.43	55dB	2.4	137%	Day
5574	2025-12-16 09:57:03	N/A	55dB	N/A	N/A	Day
5575	2025-12-16 10:05:44	68.53	55dB	2.6	155%	Day
5576	2025-12-16 10:07:38	N/A	55dB	N/A	N/A	Day
5577	2025-12-16 10:11:16	74.92	55dB	4.0	298%	Day
5578	2025-12-16 10:13:24	67.39	55dB	2.4	136%	Day
5579	2025-12-16 10:15:19	69.80	55dB	2.8	179%	Day
5580	2025-12-16 10:17:25	69.30	55dB	2.7	169%	Day

5581	2025-12-16 10:19:39	71.37	55dB	3.1	211%	Day
5582	2025-12-16 10:24:58	71.35	55dB	3.1	211%	Day
5583	2025-12-16 10:27:33	N/A	55dB	N/A	N/A	Day
5584	2025-12-16 10:30:07	N/A	55dB	N/A	N/A	Day
5585	2025-12-16 10:33:15	N/A	55dB	N/A	N/A	Day
5586	2025-12-16 10:35:06	71.75	55dB	3.2	219%	Day
5587	2025-12-16 10:37:10	68.81	55dB	2.6	160%	Day
5588	2025-12-16 10:38:47	68.70	55dB	2.6	158%	Day
5589	2025-12-16 10:42:40	66.78	55dB	2.3	126%	Day
5590	2025-12-16 10:48:22	N/A	55dB	N/A	N/A	Day
5591	2025-12-16 10:51:22	72.89	55dB	3.5	246%	Day
5592	2025-12-16 10:54:09	N/A	55dB	N/A	N/A	Day
5593	2025-12-16 10:55:28	70.48	55dB	2.9	192%	Day
5594	2025-12-16 10:56:41	66.65	55dB	2.2	124%	Day
5595	2025-12-16 10:58:19	68.60	55dB	2.6	157%	Day
5596	2025-12-16 10:59:42	69.51	55dB	2.7	173%	Day
5597	2025-12-16 11:00:51	N/A	55dB	N/A	N/A	Day
5598	2025-12-16 11:02:48	68.73	55dB	2.6	159%	Day
5599	2025-12-16 11:04:07	67.60	55dB	2.4	139%	Day
5600	2025-12-16 11:06:26	N/A	55dB	N/A	N/A	Day
5601	2025-12-16 11:08:02	70.66	55dB	3.0	196%	Day
5602	2025-12-16 11:09:29	67.45	55dB	2.4	137%	Day
5603	2025-12-16 11:10:44	72.67	55dB	3.4	240%	Day
5604	2025-12-16 11:12:21	68.06	55dB	2.5	147%	Day
5605	2025-12-16 11:13:40	68.81	55dB	2.6	160%	Day
5606	2025-12-16 11:14:58	70.36	55dB	2.9	190%	Day
5607	2025-12-16 11:16:18	68.00	55dB	2.5	146%	Day
5608	2025-12-16 11:17:31	69.32	55dB	2.7	170%	Day
5609	2025-12-16 11:19:10	73.05	55dB	3.5	249%	Day
5610	2025-12-16 11:21:34	N/A	55dB	N/A	N/A	Day
5611	2025-12-16 11:22:51	N/A	55dB	N/A	N/A	Day
5612	2025-12-16 11:30:10	68.94	55dB	2.6	163%	Day
5613	2025-12-16 11:35:39	69.55	55dB	2.7	174%	Day
5614	2025-12-16 11:37:10	67.11	55dB	2.3	131%	Day
5615	2025-12-16 11:41:32	69.69	55dB	2.8	177%	Day
5616	2025-12-16 11:43:02	68.15	55dB	2.5	149%	Day
5617	2025-12-16 11:45:30	69.61	55dB	2.8	175%	Day
5618	2025-12-16 11:49:10	N/A	55dB	N/A	N/A	Day
5619	2025-12-16 11:55:39	69.48	55dB	2.7	173%	Day
5620	2025-12-16 11:58:07	69.63	55dB	2.8	176%	Day
5621	2025-12-16 12:00:18	N/A	55dB	N/A	N/A	Day
5622	2025-12-16 12:03:35	N/A	55dB	N/A	N/A	Day
5623	2025-12-16 12:05:14	67.37	55dB	2.4	136%	Day
5624	2025-12-16 12:07:51	74.85	55dB	4.0	296%	Day

5625	2025-12-16 12:11:02	68.13	55dB	2.5	148%	Day
5626	2025-12-16 12:12:45	79.77	55dB	5.6	457%	Day
5627	2025-12-16 12:14:31	71.03	55dB	3.0	204%	Day
5628	2025-12-16 12:16:00	N/A	55dB	N/A	N/A	Day
5629	2025-12-16 12:17:21	N/A	55dB	N/A	N/A	Day
5630	2025-12-16 12:19:05	67.09	55dB	2.3	131%	Day
5631	2025-12-16 12:22:03	69.14	55dB	2.7	166%	Day
5632	2025-12-16 12:24:22	68.81	55dB	2.6	160%	Day
5633	2025-12-16 12:27:09	N/A	55dB	N/A	N/A	Day
5634	2025-12-16 12:28:49	67.47	55dB	2.4	137%	Day
5635	2025-12-16 12:30:25	N/A	55dB	N/A	N/A	Day
5636	2025-12-16 12:32:09	67.09	55dB	2.3	131%	Day
5637	2025-12-16 12:33:56	71.22	55dB	3.1	208%	Day
5638	2025-12-16 12:35:23	N/A	55dB	N/A	N/A	Day
5639	2025-12-16 12:36:48	68.82	55dB	2.6	161%	Day
5640	2025-12-16 12:38:08	N/A	55dB	N/A	N/A	Day
5641	2025-12-16 12:39:53	71.25	55dB	3.1	208%	Day
5642	2025-12-16 12:44:36	67.97	55dB	2.5	146%	Day
5643	2025-12-16 12:48:25	N/A	55dB	N/A	N/A	Day
5644	2025-12-16 12:55:21	69.28	55dB	2.7	169%	Day
5645	2025-12-16 12:56:47	N/A	55dB	N/A	N/A	Day
5646	2025-12-16 12:58:09	68.82	55dB	2.6	161%	Day
5647	2025-12-16 12:59:39	71.70	55dB	3.2	218%	Day
5648	2025-12-16 13:01:10	73.53	55dB	3.6	261%	Day
5649	2025-12-16 13:02:48	72.74	55dB	3.4	242%	Day
5650	2025-12-16 13:05:26	N/A	55dB	N/A	N/A	Day
5651	2025-12-16 13:07:48	N/A	55dB	N/A	N/A	Day
5652	2025-12-16 13:09:54	71.37	55dB	3.1	211%	Day
5653	2025-12-16 13:17:02	74.20	55dB	3.8	278%	Day
5654	2025-12-16 13:19:23	70.78	55dB	3.0	199%	Day
5655	2025-12-16 13:22:41	83.45	55dB	7.2	619%	Day
5656	2025-12-16 13:24:20	68.60	55dB	2.6	157%	Day
5657	2025-12-16 13:27:20	68.43	55dB	2.5	154%	Day
5658	2025-12-16 13:29:08	71.36	55dB	3.1	211%	Day
5659	2025-12-16 13:31:53	71.93	55dB	3.2	223%	Day
5660	2025-12-16 13:40:52	71.64	55dB	3.2	217%	Day
5661	2025-12-16 13:42:33	66.33	55dB	2.2	119%	Day
5662	2025-12-16 13:46:33	74.96	55dB	4.0	299%	Day
5663	2025-12-16 13:47:53	68.36	55dB	2.5	152%	Day
5664	2025-12-16 13:49:37	69.84	55dB	2.8	180%	Day
5665	2025-12-16 13:51:06	68.09	55dB	2.5	148%	Day
5666	2025-12-16 13:59:32	84.57	55dB	7.8	677%	Day
5667	2025-12-16 14:03:26	N/A	55dB	N/A	N/A	Day
5668	2025-12-16 14:04:48	72.18	55dB	3.3	229%	Day

5669	2025-12-16 14:06:24	N/A	55dB	N/A	N/A	Day
5670	2025-12-16 14:08:23	71.79	55dB	3.2	220%	Day
5671	2025-12-16 14:09:38	70.76	55dB	3.0	198%	Day
5672	2025-12-16 14:11:47	N/A	55dB	N/A	N/A	Day
5673	2025-12-16 14:13:19	74.08	55dB	3.8	275%	Day
5674	2025-12-16 14:15:06	72.68	55dB	3.4	241%	Day
5675	2025-12-16 14:16:57	69.05	55dB	2.6	165%	Day
5676	2025-12-16 14:20:32	71.99	55dB	3.2	225%	Day
5677	2025-12-16 14:24:20	69.59	55dB	2.7	175%	Day
5678	2025-12-16 14:26:02	68.41	55dB	2.5	153%	Day
5679	2025-12-16 14:28:00	69.72	55dB	2.8	177%	Day
5680	2025-12-16 14:30:50	N/A	55dB	N/A	N/A	Day
5681	2025-12-16 14:32:09	78.47	55dB	5.1	409%	Day
5682	2025-12-16 14:33:46	70.22	55dB	2.9	187%	Day
5683	2025-12-16 14:35:16	70.96	55dB	3.0	202%	Day
5684	2025-12-16 14:36:32	70.38	55dB	2.9	190%	Day
5685	2025-12-16 14:40:34	67.79	55dB	2.4	143%	Day
5686	2025-12-16 14:42:04	71.69	55dB	3.2	218%	Day
5687	2025-12-16 14:44:33	67.68	55dB	2.4	141%	Day
5688	2025-12-16 14:45:58	71.90	55dB	3.2	223%	Day
5689	2025-12-16 14:47:42	73.30	55dB	3.6	256%	Day
5690	2025-12-16 14:49:17	70.43	55dB	2.9	191%	Day
5691	2025-12-16 14:51:25	70.07	55dB	2.8	184%	Day
5692	2025-12-16 14:54:31	N/A	55dB	N/A	N/A	Day
5693	2025-12-16 14:58:03	69.84	55dB	2.8	180%	Day
5694	2025-12-16 14:59:44	67.99	55dB	2.5	146%	Day
5695	2025-12-16 15:01:23	72.14	55dB	3.3	228%	Day
5696	2025-12-16 15:04:14	N/A	55dB	N/A	N/A	Day
5697	2025-12-16 15:05:36	72.70	55dB	3.4	241%	Day
5698	2025-12-16 15:07:12	68.81	55dB	2.6	160%	Day
5699	2025-12-16 15:08:36	N/A	55dB	N/A	N/A	Day
5700	2025-12-16 15:10:09	70.52	55dB	2.9	193%	Day
5701	2025-12-16 15:11:30	69.95	55dB	2.8	182%	Day
5702	2025-12-16 15:14:08	70.76	55dB	3.0	198%	Day
5703	2025-12-16 15:15:55	72.44	55dB	3.3	235%	Day
5704	2025-12-16 15:18:01	69.64	55dB	2.8	176%	Day
5705	2025-12-16 15:19:19	71.38	55dB	3.1	211%	Day
5706	2025-12-16 15:20:46	70.99	55dB	3.0	203%	Day
5707	2025-12-16 15:22:07	67.95	55dB	2.5	145%	Day
5708	2025-12-16 15:23:39	76.69	55dB	4.5	350%	Day
5709	2025-12-16 15:25:45	68.18	55dB	2.5	149%	Day
5710	2025-12-16 15:27:21	72.61	55dB	3.4	239%	Day
5711	2025-12-16 15:28:44	70.68	55dB	3.0	196%	Day
5712	2025-12-16 15:30:09	71.60	55dB	3.2	216%	Day

5713	2025-12-16 15:31:32	72.52	55dB	3.4	237%	Day
5714	2025-12-16 15:33:24	72.64	55dB	3.4	240%	Day
5715	2025-12-16 15:35:26	69.56	55dB	2.7	174%	Day
5716	2025-12-16 15:36:53	69.02	55dB	2.6	164%	Day
5717	2025-12-16 15:39:50	N/A	55dB	N/A	N/A	Day
5718	2025-12-16 15:41:06	68.11	55dB	2.5	148%	Day
5719	2025-12-16 15:42:27	N/A	55dB	N/A	N/A	Day
5720	2025-12-16 15:43:50	72.18	55dB	3.3	229%	Day
5721	2025-12-16 15:46:02	70.56	55dB	2.9	194%	Day
5722	2025-12-16 15:47:24	68.82	55dB	2.6	161%	Day
5723	2025-12-16 15:48:51	70.13	55dB	2.9	185%	Day
5724	2025-12-16 15:50:22	72.28	55dB	3.3	231%	Day
5725	2025-12-16 15:52:27	72.61	55dB	3.4	239%	Day
5726	2025-12-16 15:54:41	69.84	55dB	2.8	180%	Day
5727	2025-12-16 15:56:12	N/A	55dB	N/A	N/A	Day
5728	2025-12-16 15:57:44	72.99	55dB	3.5	248%	Day
5729	2025-12-16 16:00:36	69.98	55dB	2.8	182%	Day
5730	2025-12-16 16:03:27	68.42	55dB	2.5	154%	Day
5731	2025-12-16 16:05:02	71.69	55dB	3.2	218%	Day
5732	2025-12-16 16:06:54	72.10	55dB	3.3	227%	Day
5733	2025-12-16 16:08:26	70.30	55dB	2.9	189%	Day
5734	2025-12-16 16:09:54	69.94	55dB	2.8	182%	Day
5735	2025-12-16 16:14:32	69.06	55dB	2.7	165%	Day
5736	2025-12-16 16:18:31	69.49	55dB	2.7	173%	Day
5737	2025-12-16 16:21:13	70.06	55dB	2.8	184%	Day
5738	2025-12-16 16:23:15	74.43	55dB	3.8	285%	Day
5739	2025-12-16 16:24:55	69.03	55dB	2.6	164%	Day
5740	2025-12-16 16:26:21	68.91	55dB	2.6	162%	Day
5741	2025-12-16 16:27:50	70.73	55dB	3.0	198%	Day
5742	2025-12-16 16:29:53	N/A	55dB	N/A	N/A	Day
5743	2025-12-16 16:31:36	75.04	55dB	4.0	301%	Day
5744	2025-12-16 16:36:02	74.43	55dB	3.8	285%	Day
5745	2025-12-16 16:38:47	73.05	55dB	3.5	249%	Day
5746	2025-12-16 16:40:14	74.58	55dB	3.9	289%	Day
5747	2025-12-16 16:42:37	67.53	55dB	2.4	138%	Day
5748	2025-12-16 16:44:45	N/A	55dB	N/A	N/A	Day
5749	2025-12-16 16:48:04	73.36	55dB	3.6	257%	Day
5750	2025-12-16 16:50:27	N/A	55dB	N/A	N/A	Day
5751	2025-12-16 16:51:58	70.12	55dB	2.9	185%	Day
5752	2025-12-16 16:53:18	69.24	55dB	2.7	168%	Day
5753	2025-12-16 16:54:51	68.38	55dB	2.5	153%	Day
5754	2025-12-16 16:56:45	68.09	55dB	2.5	148%	Day
5755	2025-12-16 16:58:35	68.18	55dB	2.5	149%	Day
5756	2025-12-16 17:00:17	N/A	55dB	N/A	N/A	Day

5757	2025-12-16 17:01:41	72.61	55dB	3.4	239%	Day
5758	2025-12-16 17:03:28	70.83	55dB	3.0	200%	Day
5759	2025-12-16 17:05:02	67.36	55dB	2.4	136%	Day
5760	2025-12-16 17:06:33	70.73	55dB	3.0	198%	Day
5761	2025-12-16 17:07:58	70.87	55dB	3.0	200%	Day
5762	2025-12-16 17:09:25	70.08	55dB	2.8	184%	Day
5763	2025-12-16 17:10:45	71.27	55dB	3.1	209%	Day
5764	2025-12-16 17:12:06	69.96	55dB	2.8	182%	Day
5765	2025-12-16 17:15:30	68.10	55dB	2.5	148%	Day
5766	2025-12-16 17:16:52	71.17	55dB	3.1	207%	Day
5767	2025-12-16 17:19:45	68.43	55dB	2.5	154%	Day
5768	2025-12-16 17:21:12	67.47	55dB	2.4	137%	Day
5769	2025-12-16 17:22:37	72.42	55dB	3.3	234%	Day
5770	2025-12-16 17:24:04	71.25	55dB	3.1	208%	Day
5771	2025-12-16 17:26:09	69.83	55dB	2.8	180%	Day
5772	2025-12-16 17:27:46	N/A	55dB	N/A	N/A	Day
5773	2025-12-16 17:29:16	72.35	55dB	3.3	233%	Day
5774	2025-12-16 17:31:42	74.26	55dB	3.8	280%	Day
5775	2025-12-16 17:33:10	72.06	55dB	3.3	226%	Day
5776	2025-12-16 17:34:38	67.10	55dB	2.3	131%	Day
5777	2025-12-16 17:36:49	N/A	55dB	N/A	N/A	Day
5778	2025-12-16 17:38:25	N/A	55dB	N/A	N/A	Day
5779	2025-12-16 17:40:04	68.23	55dB	2.5	150%	Day
5780	2025-12-16 17:41:39	69.88	55dB	2.8	180%	Day
5781	2025-12-16 17:42:55	68.48	55dB	2.5	155%	Day
5782	2025-12-16 17:44:23	69.90	55dB	2.8	181%	Day
5783	2025-12-16 17:45:58	71.08	55dB	3.0	205%	Day
5784	2025-12-16 17:48:19	69.18	55dB	2.7	167%	Day
5785	2025-12-16 17:49:56	69.86	55dB	2.8	180%	Day
5786	2025-12-16 17:51:50	68.37	55dB	2.5	153%	Day
5787	2025-12-16 17:53:37	N/A	55dB	N/A	N/A	Day
5788	2025-12-16 17:55:13	73.36	55dB	3.6	257%	Day
5789	2025-12-16 17:57:46	N/A	55dB	N/A	N/A	Day
5790	2025-12-16 17:59:14	N/A	55dB	N/A	N/A	Day
5791	2025-12-16 18:04:12	N/A	55dB	N/A	N/A	Day
5792	2025-12-16 18:06:10	N/A	55dB	N/A	N/A	Day
5793	2025-12-16 18:07:36	68.88	55dB	2.6	162%	Day
5794	2025-12-16 18:10:21	67.78	55dB	2.4	143%	Day
5795	2025-12-16 18:12:00	68.98	55dB	2.6	164%	Day
5796	2025-12-16 18:15:51	68.50	55dB	2.5	155%	Day
5797	2025-12-16 18:18:14	70.48	55dB	2.9	192%	Day
5798	2025-12-16 18:19:49	71.85	55dB	3.2	222%	Day
5799	2025-12-16 18:22:31	N/A	55dB	N/A	N/A	Day
5800	2025-12-16 18:24:03	66.84	55dB	2.3	127%	Day

5801	2025-12-16 18:25:50	65.64	55dB	2.1	109%	Day
5802	2025-12-16 18:27:17	71.20	55dB	3.1	207%	Day
5803	2025-12-16 18:30:38	N/A	55dB	N/A	N/A	Day
5804	2025-12-16 18:32:02	71.34	55dB	3.1	210%	Day
5805	2025-12-16 18:33:31	66.87	55dB	2.3	128%	Day
5806	2025-12-16 18:34:56	68.74	55dB	2.6	159%	Day
5807	2025-12-16 18:36:36	70.71	55dB	3.0	197%	Day
5808	2025-12-16 18:37:59	N/A	55dB	N/A	N/A	Day
5809	2025-12-16 18:39:28	N/A	55dB	N/A	N/A	Day
5810	2025-12-16 18:41:06	69.45	55dB	2.7	172%	Day
5811	2025-12-16 18:42:32	N/A	55dB	N/A	N/A	Day
5812	2025-12-16 18:44:16	66.91	55dB	2.3	128%	Day
5813	2025-12-16 18:46:31	74.81	55dB	3.9	295%	Day
5814	2025-12-16 18:48:22	72.76	55dB	3.4	242%	Day
5815	2025-12-16 18:50:44	N/A	55dB	N/A	N/A	Day
5816	2025-12-16 18:52:22	N/A	55dB	N/A	N/A	Day
5817	2025-12-16 18:54:06	67.68	55dB	2.4	141%	Day
5818	2025-12-16 18:56:13	68.40	55dB	2.5	153%	Day
5819	2025-12-16 18:57:45	N/A	55dB	N/A	N/A	Day
5820	2025-12-16 18:59:16	71.79	55dB	3.2	220%	Day
5821	2025-12-16 19:02:10	71.26	55dB	3.1	209%	Day
5822	2025-12-16 19:03:46	71.54	55dB	3.1	215%	Day
5823	2025-12-16 19:05:03	76.04	55dB	4.3	330%	Day
5824	2025-12-16 19:07:18	68.19	55dB	2.5	149%	Day
5825	2025-12-16 19:08:44	72.49	55dB	3.4	236%	Day
5826	2025-12-16 19:10:07	71.64	55dB	3.2	217%	Day
5827	2025-12-16 19:11:46	69.37	55dB	2.7	171%	Day
5828	2025-12-16 19:13:24	67.61	55dB	2.4	140%	Day
5829	2025-12-16 19:14:51	70.04	55dB	2.8	184%	Day
5830	2025-12-16 19:16:18	71.05	55dB	3.0	204%	Day
5831	2025-12-16 19:17:44	77.67	55dB	4.8	381%	Day
5832	2025-12-16 19:19:46	68.25	55dB	2.5	151%	Day
5833	2025-12-16 19:21:27	69.27	55dB	2.7	169%	Day
5834	2025-12-16 19:22:49	68.56	55dB	2.6	156%	Day
5835	2025-12-16 19:25:51	70.31	55dB	2.9	189%	Day
5836	2025-12-16 19:27:27	N/A	55dB	N/A	N/A	Day
5837	2025-12-16 19:29:04	N/A	55dB	N/A	N/A	Day
5838	2025-12-16 19:30:56	N/A	55dB	N/A	N/A	Day
5839	2025-12-16 19:33:08	N/A	55dB	N/A	N/A	Day
5840	2025-12-16 19:34:41	N/A	55dB	N/A	N/A	Day
5841	2025-12-16 19:36:26	71.22	55dB	3.1	208%	Day
5842	2025-12-16 19:37:53	69.80	55dB	2.8	179%	Day
5843	2025-12-16 19:39:27	N/A	55dB	N/A	N/A	Day
5844	2025-12-16 19:40:51	70.22	55dB	2.9	187%	Day

5845	2025-12-16 19:42:12	68.39	55dB	2.5	153%	Day
5846	2025-12-16 19:43:34	71.77	55dB	3.2	220%	Day
5847	2025-12-16 19:45:03	74.37	55dB	3.8	283%	Day
5848	2025-12-16 19:47:23	69.98	55dB	2.8	182%	Day
5849	2025-12-16 19:49:04	72.09	55dB	3.3	227%	Day
5850	2025-12-16 19:50:44	71.65	55dB	3.2	217%	Day
5851	2025-12-16 19:52:09	70.78	55dB	3.0	199%	Day
5852	2025-12-16 19:53:50	69.34	55dB	2.7	170%	Day
5853	2025-12-16 19:56:23	69.56	55dB	2.7	174%	Day
5854	2025-12-16 19:58:54	N/A	55dB	N/A	N/A	Day
5855	2025-12-16 20:00:35	N/A	55dB	N/A	N/A	Day
5856	2025-12-16 20:02:36	69.52	55dB	2.7	174%	Day
5857	2025-12-16 20:05:03	68.07	55dB	2.5	147%	Day
5858	2025-12-16 20:06:57	68.42	55dB	2.5	154%	Day
5859	2025-12-16 20:08:13	72.64	55dB	3.4	240%	Day
5860	2025-12-16 20:09:47	71.91	55dB	3.2	223%	Day
5861	2025-12-16 20:11:53	N/A	55dB	N/A	N/A	Day
5862	2025-12-16 20:13:31	72.68	55dB	3.4	241%	Day
5863	2025-12-16 20:15:32	74.41	55dB	3.8	284%	Day
5864	2025-12-16 20:17:24	71.00	55dB	3.0	203%	Day
5865	2025-12-16 20:19:02	69.18	55dB	2.7	167%	Day
5866	2025-12-16 20:20:53	68.55	55dB	2.6	156%	Day
5867	2025-12-16 20:22:42	N/A	55dB	N/A	N/A	Day
5868	2025-12-16 20:24:14	70.94	55dB	3.0	202%	Day
5869	2025-12-16 20:25:42	74.81	55dB	3.9	295%	Day
5870	2025-12-16 20:28:55	70.59	55dB	2.9	195%	Day
5871	2025-12-16 20:30:48	70.76	55dB	3.0	198%	Day
5872	2025-12-16 20:32:55	71.52	55dB	3.1	214%	Day
5873	2025-12-16 20:34:30	71.39	55dB	3.1	211%	Day
5874	2025-12-16 20:36:13	69.32	55dB	2.7	170%	Day
5875	2025-12-16 20:37:58	68.09	55dB	2.5	148%	Day
5876	2025-12-16 20:39:36	72.67	55dB	3.4	240%	Day
5877	2025-12-16 20:42:00	N/A	55dB	N/A	N/A	Day
5878	2025-12-16 20:43:40	70.61	55dB	3.0	195%	Day
5879	2025-12-16 20:45:02	74.99	55dB	4.0	300%	Day
5880	2025-12-16 20:46:38	72.97	55dB	3.5	247%	Day
5881	2025-12-16 20:47:53	68.69	55dB	2.6	158%	Day
5882	2025-12-16 20:52:00	69.91	55dB	2.8	181%	Day
5883	2025-12-16 20:54:06	72.44	55dB	3.3	235%	Day
5884	2025-12-16 20:56:21	71.31	55dB	3.1	210%	Day
5885	2025-12-16 20:58:34	72.14	55dB	3.3	228%	Day
5886	2025-12-16 21:00:54	68.62	55dB	2.6	157%	Day
5887	2025-12-16 21:03:51	75.79	55dB	4.2	323%	Day
5888	2025-12-16 21:05:49	N/A	55dB	N/A	N/A	Day

5889	2025-12-16 21:09:51	69.20	55dB	2.7	168%	Day
5890	2025-12-16 21:11:42	66.43	55dB	2.2	121%	Day
5891	2025-12-16 21:13:17	71.64	55dB	3.2	217%	Day
5892	2025-12-16 21:15:33	73.36	55dB	3.6	257%	Day
5893	2025-12-16 21:17:21	71.79	55dB	3.2	220%	Day
5894	2025-12-16 21:21:18	N/A	55dB	N/A	N/A	Day
5895	2025-12-16 21:25:38	68.16	55dB	2.5	149%	Day
5896	2025-12-16 21:27:23	N/A	55dB	N/A	N/A	Day
5897	2025-12-16 21:29:11	73.11	55dB	3.5	251%	Day
5898	2025-12-16 21:30:48	N/A	55dB	N/A	N/A	Day
5899	2025-12-16 21:32:27	70.23	55dB	2.9	187%	Day
5900	2025-12-16 21:34:02	67.75	55dB	2.4	142%	Day
5901	2025-12-16 21:35:37	73.96	55dB	3.7	272%	Day
5902	2025-12-16 21:37:14	N/A	55dB	N/A	N/A	Day
5903	2025-12-16 21:38:47	71.33	55dB	3.1	210%	Day
5904	2025-12-16 21:40:16	70.82	55dB	3.0	199%	Day
5905	2025-12-16 21:41:52	69.53	55dB	2.7	174%	Day
5906	2025-12-16 21:43:31	69.82	55dB	2.8	179%	Day
5907	2025-12-16 21:45:18	73.39	55dB	3.6	258%	Day
5908	2025-12-16 21:47:06	69.62	55dB	2.8	175%	Day
5909	2025-12-16 21:48:49	69.89	55dB	2.8	181%	Day
5910	2025-12-16 21:51:34	71.61	55dB	3.2	216%	Day
5911	2025-12-16 21:54:37	70.72	55dB	3.0	197%	Day
5912	2025-12-16 22:02:28	N/A	55dB	N/A	N/A	Day
5913	2025-12-16 22:04:13	N/A	55dB	N/A	N/A	Day
5914	2025-12-16 22:08:31	71.72	55dB	3.2	219%	Day
5915	2025-12-16 22:11:07	69.70	55dB	2.8	177%	Day
5916	2025-12-16 22:12:50	N/A	55dB	N/A	N/A	Day
5917	2025-12-16 22:14:47	69.75	55dB	2.8	178%	Day
5918	2025-12-16 22:17:02	75.38	55dB	4.1	311%	Day
5919	2025-12-16 22:20:56	N/A	55dB	N/A	N/A	Day
5920	2025-12-16 22:22:33	68.93	55dB	2.6	163%	Day
5921	2025-12-16 22:24:35	71.97	55dB	3.2	224%	Day
5922	2025-12-16 22:26:34	72.87	55dB	3.5	245%	Day
5923	2025-12-16 22:29:30	68.47	55dB	2.5	154%	Day
5924	2025-12-16 22:33:09	N/A	55dB	N/A	N/A	Day
5925	2025-12-16 22:35:48	68.68	55dB	2.6	158%	Day
5926	2025-12-16 22:37:40	71.25	55dB	3.1	208%	Day
5927	2025-12-16 22:39:30	68.41	55dB	2.5	153%	Day
5928	2025-12-16 22:41:16	70.57	55dB	2.9	194%	Day
5929	2025-12-16 22:43:09	N/A	55dB	N/A	N/A	Day
5930	2025-12-16 22:44:52	67.09	55dB	2.3	131%	Day
5931	2025-12-16 22:48:41	70.67	55dB	3.0	196%	Day
5932	2025-12-16 22:53:03	N/A	55dB	N/A	N/A	Day

5933	2025-12-16 22:57:04	68.39	55dB	2.5	153%	Day
5934	2025-12-16 22:58:56	70.97	55dB	3.0	203%	Day
5935	2025-12-16 23:02:38	68.29	45dB	5.0	402%	Night
5936	2025-12-16 23:16:06	72.20	45dB	6.6	559%	Night
5937	2025-12-16 23:18:17	N/A	45dB	N/A	N/A	Night
5938	2025-12-16 23:20:48	67.33	45dB	4.7	370%	Night
5939	2025-12-16 23:22:52	72.08	45dB	6.5	553%	Night
5940	2025-12-16 23:24:51	72.25	45dB	6.6	561%	Night
5941	2025-12-16 23:30:07	70.60	45dB	5.9	490%	Night
5942	2025-12-16 23:31:52	71.61	45dB	6.3	532%	Night
5943	2025-12-16 23:37:24	70.57	45dB	5.9	488%	Night
5944	2025-12-16 23:39:52	N/A	45dB	N/A	N/A	Night
5945	2025-12-16 23:41:31	70.51	45dB	5.9	486%	Night
5946	2025-12-16 23:43:37	72.30	45dB	6.6	563%	Night
5947	2025-12-16 23:45:36	68.71	45dB	5.2	417%	Night
5948	2025-12-16 23:47:30	72.19	45dB	6.6	558%	Night
5949	2025-12-16 23:49:49	73.22	45dB	7.1	607%	Night
5950	2025-12-16 23:55:33	73.06	45dB	7.0	599%	Night
5951	2025-12-16 23:59:07	69.26	45dB	5.4	437%	Night
5952	2025-12-17 00:00:27	74.35	45dB	7.6	665%	Night
5953	2025-12-17 00:02:26	70.41	45dB	5.8	482%	Night
5954	2025-12-17 00:04:16	72.22	45dB	6.6	560%	Night
5955	2025-12-17 00:05:43	69.62	45dB	5.5	451%	Night
5956	2025-12-17 00:07:32	70.98	45dB	6.1	505%	Night
5957	2025-12-17 00:09:36	72.61	45dB	6.8	578%	Night
5958	2025-12-17 00:12:03	81.55	45dB	12.6	1160%	Night
5959	2025-12-17 00:16:04	73.18	45dB	7.1	605%	Night
5960	2025-12-17 00:23:21	70.25	45dB	5.8	476%	Night
5961	2025-12-17 00:26:41	74.37	45dB	7.7	666%	Night
5962	2025-12-17 06:30:07	N/A	45dB	N/A	N/A	Night
5963	2025-12-17 06:31:57	73.86	45dB	7.4	639%	Night
5964	2025-12-17 06:33:27	70.89	45dB	6.0	502%	Night
5965	2025-12-17 06:34:44	70.43	45dB	5.8	483%	Night
5966	2025-12-17 06:36:11	70.26	45dB	5.8	476%	Night
5967	2025-12-17 06:37:33	68.35	45dB	5.0	405%	Night
5968	2025-12-17 06:38:52	70.78	45dB	6.0	497%	Night
5969	2025-12-17 06:41:36	N/A	45dB	N/A	N/A	Night
5970	2025-12-17 06:43:01	71.23	45dB	6.2	516%	Night
5971	2025-12-17 06:44:29	69.80	45dB	5.6	458%	Night
5972	2025-12-17 06:46:04	69.69	45dB	5.5	454%	Night
5973	2025-12-17 06:47:27	69.18	45dB	5.3	434%	Night
5974	2025-12-17 06:49:00	69.89	45dB	5.6	461%	Night
5975	2025-12-17 06:51:23	70.88	45dB	6.0	501%	Night
5976	2025-12-17 06:52:51	72.22	45dB	6.6	560%	Night

5977	2025-12-17 06:54:22	72.01	45dB	6.5	550%	Night
5978	2025-12-17 06:56:06	68.98	45dB	5.3	427%	Night
5979	2025-12-17 06:57:55	N/A	45dB	N/A	N/A	Night
5980	2025-12-17 06:59:57	75.58	45dB	8.3	733%	Night
5981	2025-12-17 07:05:19	71.21	55dB	3.1	208%	Day
5982	2025-12-17 07:11:37	73.22	55dB	3.5	254%	Day
5983	2025-12-17 07:16:26	73.03	55dB	3.5	249%	Day
5984	2025-12-17 07:19:02	69.33	55dB	2.7	170%	Day
5985	2025-12-17 07:20:57	69.78	55dB	2.8	179%	Day
5986	2025-12-17 07:30:54	69.15	55dB	2.7	167%	Day
5987	2025-12-17 07:32:27	72.59	55dB	3.4	238%	Day
5988	2025-12-17 07:37:18	70.15	55dB	2.9	186%	Day
5989	2025-12-17 07:41:20	67.16	55dB	2.3	132%	Day
5990	2025-12-17 07:45:30	71.13	55dB	3.1	206%	Day
5991	2025-12-17 07:49:22	71.27	55dB	3.1	209%	Day
5992	2025-12-17 07:51:19	67.97	55dB	2.5	146%	Day
5993	2025-12-17 07:53:11	70.90	55dB	3.0	201%	Day
5994	2025-12-17 07:55:10	69.19	55dB	2.7	167%	Day
5995	2025-12-17 07:58:37	70.44	55dB	2.9	192%	Day
5996	2025-12-17 08:00:56	71.06	55dB	3.0	204%	Day
5997	2025-12-17 08:09:20	71.33	55dB	3.1	210%	Day
5998	2025-12-17 08:12:34	76.12	55dB	4.3	332%	Day
5999	2025-12-17 08:15:11	70.53	55dB	2.9	193%	Day
6000	2025-12-17 08:17:08	71.30	55dB	3.1	210%	Day
6001	2025-12-17 08:19:46	70.42	55dB	2.9	191%	Day
6002	2025-12-17 08:23:59	71.06	55dB	3.0	204%	Day
6003	2025-12-17 08:28:41	69.28	55dB	2.7	169%	Day
6004	2025-12-17 08:31:37	71.01	55dB	3.0	203%	Day
6005	2025-12-17 08:33:08	74.42	55dB	3.8	284%	Day
6006	2025-12-17 08:35:27	71.76	55dB	3.2	220%	Day
6007	2025-12-17 08:37:30	70.32	55dB	2.9	189%	Day
6008	2025-12-17 08:39:24	71.02	55dB	3.0	204%	Day
6009	2025-12-17 08:41:30	70.07	55dB	2.8	184%	Day
6010	2025-12-17 08:43:11	73.15	55dB	3.5	252%	Day
6011	2025-12-17 08:50:50	72.43	55dB	3.3	235%	Day
6012	2025-12-17 08:55:05	70.24	55dB	2.9	188%	Day
6013	2025-12-17 09:00:05	68.33	55dB	2.5	152%	Day
6014	2025-12-17 09:06:58	66.85	55dB	2.3	127%	Day
6015	2025-12-17 09:12:15	73.50	55dB	3.6	261%	Day
6016	2025-12-17 09:21:31	68.60	55dB	2.6	157%	Day
6017	2025-12-17 09:23:33	N/A	55dB	N/A	N/A	Day
6018	2025-12-17 09:25:13	70.94	55dB	3.0	202%	Day
6019	2025-12-17 09:27:01	70.33	55dB	2.9	189%	Day
6020	2025-12-17 09:31:55	70.77	55dB	3.0	198%	Day

6021	2025-12-17 09:35:00	66.35	55dB	2.2	120%	Day
6022	2025-12-17 09:40:41	69.54	55dB	2.7	174%	Day
6023	2025-12-17 09:46:32	66.85	55dB	2.3	127%	Day
6024	2025-12-17 09:50:51	70.61	55dB	3.0	195%	Day
6025	2025-12-17 09:53:18	71.57	55dB	3.2	215%	Day
6026	2025-12-17 09:54:53	70.67	55dB	3.0	196%	Day
6027	2025-12-17 09:56:30	N/A	55dB	N/A	N/A	Day
6028	2025-12-17 09:57:56	78.03	55dB	4.9	393%	Day
6029	2025-12-17 10:00:04	71.97	55dB	3.2	224%	Day
6030	2025-12-17 10:01:53	69.22	55dB	2.7	168%	Day
6031	2025-12-17 10:03:20	67.13	55dB	2.3	132%	Day
6032	2025-12-17 11:35:35	73.98	55dB	3.7	273%	Day
6033	2025-12-17 11:39:11	67.97	55dB	2.5	146%	Day
6034	2025-12-17 11:42:49	74.43	55dB	3.8	285%	Day
6035	2025-12-17 11:47:25	70.44	55dB	2.9	192%	Day
6036	2025-12-17 11:49:25	69.20	55dB	2.7	168%	Day
6037	2025-12-17 11:51:14	67.84	55dB	2.4	144%	Day
6038	2025-12-17 11:53:02	74.91	55dB	4.0	298%	Day
6039	2025-12-17 11:54:32	73.44	55dB	3.6	259%	Day
6040	2025-12-17 11:56:09	72.48	55dB	3.4	236%	Day
6041	2025-12-17 11:57:32	71.35	55dB	3.1	211%	Day
6042	2025-12-17 12:00:16	N/A	55dB	N/A	N/A	Day
6043	2025-12-17 12:04:44	N/A	55dB	N/A	N/A	Day
6044	2025-12-17 12:20:02	69.65	55dB	2.8	176%	Day
6045	2025-12-17 12:21:55	71.09	55dB	3.1	205%	Day
6046	2025-12-17 12:23:35	71.35	55dB	3.1	211%	Day
6047	2025-12-17 12:25:08	68.39	55dB	2.5	153%	Day
6048	2025-12-17 12:26:39	69.08	55dB	2.7	165%	Day
6049	2025-12-17 12:29:17	69.16	55dB	2.7	167%	Day
6050	2025-12-17 12:30:54	70.83	55dB	3.0	200%	Day
6051	2025-12-17 12:34:52	73.12	55dB	3.5	251%	Day
6052	2025-12-17 12:38:17	72.29	55dB	3.3	231%	Day
6053	2025-12-17 12:40:06	71.25	55dB	3.1	208%	Day
6054	2025-12-17 12:42:05	77.03	55dB	4.6	360%	Day
6055	2025-12-17 12:43:39	N/A	55dB	N/A	N/A	Day
6056	2025-12-17 12:45:01	70.73	55dB	3.0	198%	Day
6057	2025-12-17 12:50:51	70.36	55dB	2.9	190%	Day
6058	2025-12-17 12:52:19	70.22	55dB	2.9	187%	Day
6059	2025-12-17 12:53:57	N/A	55dB	N/A	N/A	Day
6060	2025-12-17 12:56:13	71.29	55dB	3.1	209%	Day
6061	2025-12-17 12:59:28	71.27	55dB	3.1	209%	Day
6062	2025-12-17 13:02:04	72.89	55dB	3.5	246%	Day
6063	2025-12-17 13:05:49	75.84	55dB	4.2	324%	Day
6064	2025-12-17 13:07:55	71.24	55dB	3.1	208%	Day

6065	2025-12-17 13:14:30	N/A	55dB	N/A	N/A	Day
6066	2025-12-17 13:16:48	72.97	55dB	3.5	247%	Day
6067	2025-12-17 13:18:20	69.52	55dB	2.7	174%	Day
6068	2025-12-17 13:19:51	71.11	55dB	3.1	205%	Day
6069	2025-12-17 13:21:41	68.88	55dB	2.6	162%	Day
6070	2025-12-17 13:26:16	68.38	55dB	2.5	153%	Day
6071	2025-12-17 13:29:47	71.11	55dB	3.1	205%	Day
6072	2025-12-17 13:31:51	69.63	55dB	2.8	176%	Day
6073	2025-12-17 13:36:26	72.96	55dB	3.5	247%	Day
6074	2025-12-17 13:41:45	73.92	55dB	3.7	271%	Day
6075	2025-12-17 13:48:34	67.68	55dB	2.4	141%	Day
6076	2025-12-17 13:50:08	71.78	55dB	3.2	220%	Day
6077	2025-12-17 13:51:35	71.58	55dB	3.2	216%	Day
6078	2025-12-17 13:53:18	72.41	55dB	3.3	234%	Day
6079	2025-12-17 13:55:13	69.68	55dB	2.8	177%	Day
6080	2025-12-17 13:56:33	70.75	55dB	3.0	198%	Day
6081	2025-12-17 13:57:51	74.74	55dB	3.9	293%	Day
6082	2025-12-17 14:00:18	68.78	55dB	2.6	160%	Day
6083	2025-12-17 14:01:44	73.87	55dB	3.7	270%	Day
6084	2025-12-17 14:05:13	70.85	55dB	3.0	200%	Day
6085	2025-12-17 14:08:25	70.59	55dB	2.9	195%	Day
6086	2025-12-17 14:09:58	76.51	55dB	4.4	344%	Day
6087	2025-12-17 14:12:12	76.21	55dB	4.3	335%	Day
6088	2025-12-17 14:15:02	68.39	55dB	2.5	153%	Day
6089	2025-12-17 14:17:12	74.75	55dB	3.9	293%	Day
6090	2025-12-17 16:19:25	72.76	55dB	3.4	242%	Day
6091	2025-12-17 16:22:11	N/A	55dB	N/A	N/A	Day
6092	2025-12-17 16:25:38	N/A	55dB	N/A	N/A	Day
6093	2025-12-17 16:27:46	N/A	55dB	N/A	N/A	Day
6094	2025-12-17 16:29:10	N/A	55dB	N/A	N/A	Day
6095	2025-12-17 16:31:00	69.62	55dB	2.8	175%	Day
6096	2025-12-17 16:32:26	71.60	55dB	3.2	216%	Day
6097	2025-12-17 16:35:05	72.95	55dB	3.5	247%	Day
6098	2025-12-17 16:37:15	N/A	55dB	N/A	N/A	Day
6099	2025-12-17 16:38:47	69.57	55dB	2.7	175%	Day
6100	2025-12-17 16:42:38	70.19	55dB	2.9	187%	Day
6101	2025-12-17 16:45:37	75.99	55dB	4.3	328%	Day
6102	2025-12-17 16:49:07	N/A	55dB	N/A	N/A	Day
6103	2025-12-17 16:50:39	66.50	55dB	2.2	122%	Day
6104	2025-12-17 16:52:13	70.67	55dB	3.0	196%	Day
6105	2025-12-17 16:53:48	N/A	55dB	N/A	N/A	Day
6106	2025-12-17 16:56:08	68.69	55dB	2.6	158%	Day
6107	2025-12-17 16:57:46	68.10	55dB	2.5	148%	Day
6108	2025-12-17 16:59:12	70.68	55dB	3.0	196%	Day

6109	2025-12-17 17:00:51	75.26	55dB	4.1	307%	Day
6110	2025-12-17 17:04:05	68.83	55dB	2.6	161%	Day
6111	2025-12-17 17:05:31	N/A	55dB	N/A	N/A	Day
6112	2025-12-17 17:07:03	66.68	55dB	2.2	125%	Day
6113	2025-12-17 17:09:38	70.46	55dB	2.9	192%	Day
6114	2025-12-17 17:10:52	69.56	55dB	2.7	174%	Day
6115	2025-12-17 17:12:15	N/A	55dB	N/A	N/A	Day
6116	2025-12-17 17:13:32	73.23	55dB	3.5	254%	Day
6117	2025-12-17 17:14:46	69.34	55dB	2.7	170%	Day
6118	2025-12-17 17:16:03	N/A	55dB	N/A	N/A	Day
6119	2025-12-17 17:17:47	70.13	55dB	2.9	185%	Day
6120	2025-12-17 17:24:56	N/A	55dB	N/A	N/A	Day
6121	2025-12-17 17:28:56	71.26	55dB	3.1	209%	Day
6122	2025-12-17 17:30:19	N/A	55dB	N/A	N/A	Day
6123	2025-12-17 17:32:44	N/A	55dB	N/A	N/A	Day
6124	2025-12-17 17:35:07	69.10	55dB	2.7	166%	Day
6125	2025-12-17 17:36:21	N/A	55dB	N/A	N/A	Day
6126	2025-12-17 17:38:15	73.64	55dB	3.6	264%	Day
6127	2025-12-17 17:39:42	71.05	55dB	3.0	204%	Day
6128	2025-12-17 17:41:06	69.57	55dB	2.7	175%	Day
6129	2025-12-17 17:44:32	71.50	55dB	3.1	214%	Day
6130	2025-12-17 17:46:04	N/A	55dB	N/A	N/A	Day
6131	2025-12-17 17:48:01	N/A	55dB	N/A	N/A	Day
6132	2025-12-17 17:52:04	70.53	55dB	2.9	193%	Day
6133	2025-12-17 17:55:16	73.58	55dB	3.6	263%	Day
6134	2025-12-17 17:57:44	74.68	55dB	3.9	291%	Day
6135	2025-12-17 17:59:09	73.87	55dB	3.7	270%	Day
6136	2025-12-17 18:01:28	N/A	55dB	N/A	N/A	Day
6137	2025-12-17 18:03:28	68.04	55dB	2.5	147%	Day
6138	2025-12-17 18:06:12	N/A	55dB	N/A	N/A	Day
6139	2025-12-17 18:12:37	N/A	55dB	N/A	N/A	Day
6140	2025-12-17 18:16:07	N/A	55dB	N/A	N/A	Day
6141	2025-12-17 18:18:57	71.66	55dB	3.2	217%	Day
6142	2025-12-17 18:20:11	N/A	55dB	N/A	N/A	Day
6143	2025-12-17 18:21:30	71.31	55dB	3.1	210%	Day
6144	2025-12-17 18:23:19	69.70	55dB	2.8	177%	Day
6145	2025-12-17 18:25:05	N/A	55dB	N/A	N/A	Day
6146	2025-12-17 18:28:56	74.76	55dB	3.9	293%	Day
6147	2025-12-17 18:31:11	68.79	55dB	2.6	160%	Day
6148	2025-12-17 18:32:25	69.35	55dB	2.7	170%	Day
6149	2025-12-17 18:33:48	72.48	55dB	3.4	236%	Day
6150	2025-12-17 18:35:51	N/A	55dB	N/A	N/A	Day
6151	2025-12-17 18:37:02	69.09	55dB	2.7	166%	Day
6152	2025-12-17 18:38:13	68.72	55dB	2.6	159%	Day

6153	2025-12-17 18:39:32	N/A	55dB	N/A	N/A	Day
6154	2025-12-17 18:42:28	77.44	55dB	4.7	374%	Day
6155	2025-12-17 18:44:56	N/A	55dB	N/A	N/A	Day
6156	2025-12-17 18:46:31	72.63	55dB	3.4	239%	Day
6157	2025-12-17 18:48:12	70.92	55dB	3.0	201%	Day
6158	2025-12-17 18:49:33	N/A	55dB	N/A	N/A	Day
6159	2025-12-17 18:50:46	N/A	55dB	N/A	N/A	Day
6160	2025-12-17 18:53:16	N/A	55dB	N/A	N/A	Day
6161	2025-12-17 18:54:30	N/A	55dB	N/A	N/A	Day
6162	2025-12-17 18:55:50	N/A	55dB	N/A	N/A	Day
6163	2025-12-17 18:58:40	75.29	55dB	4.1	308%	Day
6164	2025-12-17 19:01:01	68.24	55dB	2.5	150%	Day
6165	2025-12-17 19:02:27	N/A	55dB	N/A	N/A	Day
6166	2025-12-17 19:03:47	77.42	55dB	4.7	373%	Day
6167	2025-12-17 19:06:17	67.06	55dB	2.3	131%	Day
6168	2025-12-17 19:07:33	68.21	55dB	2.5	150%	Day
6169	2025-12-17 19:09:02	N/A	55dB	N/A	N/A	Day
6170	2025-12-17 19:10:23	N/A	55dB	N/A	N/A	Day
6171	2025-12-17 19:11:41	67.95	55dB	2.5	145%	Day
6172	2025-12-17 19:14:07	71.34	55dB	3.1	210%	Day
6173	2025-12-17 19:17:53	69.31	55dB	2.7	170%	Day
6174	2025-12-17 19:19:15	72.45	55dB	3.4	235%	Day
6175	2025-12-17 19:20:26	68.84	55dB	2.6	161%	Day
6176	2025-12-17 19:21:50	N/A	55dB	N/A	N/A	Day
6177	2025-12-17 19:22:58	69.90	55dB	2.8	181%	Day
6178	2025-12-17 19:26:20	N/A	55dB	N/A	N/A	Day
6179	2025-12-17 19:27:46	68.92	55dB	2.6	162%	Day
6180	2025-12-17 19:29:04	69.01	55dB	2.6	164%	Day
6181	2025-12-17 19:30:15	72.03	55dB	3.3	226%	Day
6182	2025-12-17 19:31:37	72.43	55dB	3.3	235%	Day
6183	2025-12-17 19:35:49	71.74	55dB	3.2	219%	Day
6184	2025-12-17 19:37:25	69.98	55dB	2.8	182%	Day
6185	2025-12-17 19:39:28	67.70	55dB	2.4	141%	Day
6186	2025-12-17 19:40:46	69.95	55dB	2.8	182%	Day
6187	2025-12-17 19:42:05	69.63	55dB	2.8	176%	Day
6188	2025-12-17 19:43:26	67.57	55dB	2.4	139%	Day
6189	2025-12-17 19:45:28	N/A	55dB	N/A	N/A	Day
6190	2025-12-17 19:46:54	83.08	55dB	7.0	600%	Day
6191	2025-12-17 19:49:08	N/A	55dB	N/A	N/A	Day
6192	2025-12-17 19:52:43	68.06	55dB	2.5	147%	Day
6193	2025-12-17 19:54:13	69.90	55dB	2.8	181%	Day
6194	2025-12-17 19:56:04	70.19	55dB	2.9	187%	Day
6195	2025-12-17 19:57:23	68.97	55dB	2.6	163%	Day
6196	2025-12-17 19:58:38	67.66	55dB	2.4	140%	Day

6197	2025-12-17 19:59:58	71.06	55dB	3.0	204%	Day
6198	2025-12-17 20:01:39	70.43	55dB	2.9	191%	Day
6199	2025-12-17 20:04:32	68.05	55dB	2.5	147%	Day
6200	2025-12-17 20:05:50	N/A	55dB	N/A	N/A	Day
6201	2025-12-17 20:07:15	68.81	55dB	2.6	160%	Day
6202	2025-12-17 20:12:12	67.17	55dB	2.3	132%	Day
6203	2025-12-17 20:15:27	70.87	55dB	3.0	200%	Day
6204	2025-12-17 20:16:50	69.40	55dB	2.7	171%	Day
6205	2025-12-17 20:20:24	68.09	55dB	2.5	148%	Day
6206	2025-12-17 20:22:14	70.42	55dB	2.9	191%	Day
6207	2025-12-17 20:23:24	69.39	55dB	2.7	171%	Day
6208	2025-12-17 20:25:01	68.50	55dB	2.5	155%	Day
6209	2025-12-17 20:26:25	70.64	55dB	3.0	196%	Day
6210	2025-12-17 20:28:04	68.70	55dB	2.6	158%	Day
6211	2025-12-17 20:31:21	71.12	55dB	3.1	206%	Day
6212	2025-12-17 20:32:56	70.28	55dB	2.9	188%	Day
6213	2025-12-17 20:34:30	68.83	55dB	2.6	161%	Day
6214	2025-12-17 20:37:13	74.56	55dB	3.9	288%	Day
6215	2025-12-17 20:42:36	69.44	55dB	2.7	172%	Day
6216	2025-12-17 20:45:15	69.02	55dB	2.6	164%	Day
6217	2025-12-17 20:46:48	75.78	55dB	4.2	322%	Day
6218	2025-12-17 20:48:35	68.76	55dB	2.6	160%	Day
6219	2025-12-17 20:49:58	73.80	55dB	3.7	268%	Day
6220	2025-12-17 20:51:26	68.72	55dB	2.6	159%	Day
6221	2025-12-17 20:52:45	70.03	55dB	2.8	183%	Day
6222	2025-12-17 20:54:41	70.45	55dB	2.9	192%	Day
6223	2025-12-17 20:57:07	70.40	55dB	2.9	191%	Day
6224	2025-12-17 20:58:56	66.72	55dB	2.3	125%	Day
6225	2025-12-17 21:00:47	N/A	55dB	N/A	N/A	Day
6226	2025-12-17 21:02:05	68.08	55dB	2.5	148%	Day
6227	2025-12-17 21:03:13	69.59	55dB	2.7	175%	Day
6228	2025-12-17 21:04:41	N/A	55dB	N/A	N/A	Day
6229	2025-12-17 21:06:01	68.14	55dB	2.5	149%	Day
6230	2025-12-17 21:07:39	69.31	55dB	2.7	170%	Day
6231	2025-12-17 21:08:51	69.29	55dB	2.7	169%	Day
6232	2025-12-17 21:10:44	67.53	55dB	2.4	138%	Day
6233	2025-12-17 21:12:31	71.44	55dB	3.1	213%	Day
6234	2025-12-17 21:14:47	69.23	55dB	2.7	168%	Day
6235	2025-12-17 21:16:28	68.65	55dB	2.6	158%	Day
6236	2025-12-17 21:17:40	70.24	55dB	2.9	188%	Day
6237	2025-12-17 21:19:49	66.27	55dB	2.2	118%	Day
6238	2025-12-17 21:21:57	68.63	55dB	2.6	157%	Day
6239	2025-12-17 21:23:24	69.72	55dB	2.8	177%	Day
6240	2025-12-17 21:25:15	67.52	55dB	2.4	138%	Day

6241	2025-12-17 21:27:31	71.18	55dB	3.1	207%	Day
6242	2025-12-17 21:29:00	69.69	55dB	2.8	177%	Day
6243	2025-12-17 21:30:37	68.03	55dB	2.5	147%	Day
6244	2025-12-17 21:31:47	70.96	55dB	3.0	202%	Day
6245	2025-12-17 21:33:40	69.76	55dB	2.8	178%	Day
6246	2025-12-17 21:34:48	69.47	55dB	2.7	173%	Day
6247	2025-12-17 21:35:58	69.29	55dB	2.7	169%	Day
6248	2025-12-17 21:37:39	67.05	55dB	2.3	131%	Day
6249	2025-12-17 21:38:52	N/A	55dB	N/A	N/A	Day
6250	2025-12-17 21:40:24	67.73	55dB	2.4	142%	Day
6251	2025-12-17 21:42:26	68.65	55dB	2.6	158%	Day
6252	2025-12-17 21:43:54	68.14	55dB	2.5	149%	Day
6253	2025-12-17 21:45:10	69.87	55dB	2.8	180%	Day
6254	2025-12-17 21:46:31	68.99	55dB	2.6	164%	Day
6255	2025-12-17 21:48:32	68.76	55dB	2.6	160%	Day
6256	2025-12-17 21:51:14	68.62	55dB	2.6	157%	Day
6257	2025-12-17 21:52:56	68.41	55dB	2.5	153%	Day
6258	2025-12-17 21:54:21	67.23	55dB	2.3	133%	Day
6259	2025-12-17 21:57:02	67.83	55dB	2.4	143%	Day
6260	2025-12-17 22:00:34	68.21	55dB	2.5	150%	Day
6261	2025-12-17 22:04:01	68.63	55dB	2.6	157%	Day
6262	2025-12-17 22:05:49	69.70	55dB	2.8	177%	Day
6263	2025-12-17 22:07:46	67.84	55dB	2.4	144%	Day
6264	2025-12-17 22:09:43	71.68	55dB	3.2	218%	Day
6265	2025-12-17 22:12:42	N/A	55dB	N/A	N/A	Day
6266	2025-12-17 22:15:41	68.99	55dB	2.6	164%	Day
6267	2025-12-17 22:17:26	70.67	55dB	3.0	196%	Day
6268	2025-12-17 22:19:06	N/A	55dB	N/A	N/A	Day
6269	2025-12-17 22:22:09	N/A	55dB	N/A	N/A	Day
6270	2025-12-17 22:27:09	70.17	55dB	2.9	186%	Day
6271	2025-12-17 22:29:18	68.68	55dB	2.6	158%	Day
6272	2025-12-17 22:31:16	67.62	55dB	2.4	140%	Day
6273	2025-12-17 22:32:54	69.25	55dB	2.7	169%	Day
6274	2025-12-17 22:36:56	66.74	55dB	2.3	126%	Day
6275	2025-12-17 22:38:23	69.95	55dB	2.8	182%	Day
6276	2025-12-17 22:40:14	74.74	55dB	3.9	293%	Day
6277	2025-12-17 22:42:17	N/A	55dB	N/A	N/A	Day
6278	2025-12-17 22:43:53	N/A	55dB	N/A	N/A	Day
6279	2025-12-17 22:47:03	71.26	55dB	3.1	209%	Day
6280	2025-12-17 22:48:57	67.63	55dB	2.4	140%	Day
6281	2025-12-17 22:53:12	70.74	55dB	3.0	198%	Day
6282	2025-12-17 22:54:47	69.77	55dB	2.8	178%	Day
6283	2025-12-17 22:56:42	67.52	55dB	2.4	138%	Day
6284	2025-12-17 22:58:28	69.01	55dB	2.6	164%	Day

6285	2025-12-17 23:00:28	N/A	45dB	N/A	N/A	Night
6286	2025-12-17 23:02:46	70.43	45dB	5.8	483%	Night
6287	2025-12-17 23:06:38	N/A	45dB	N/A	N/A	Night
6288	2025-12-17 23:11:07	69.23	45dB	5.4	436%	Night
6289	2025-12-17 23:13:57	70.77	45dB	6.0	497%	Night
6290	2025-12-17 23:16:02	69.57	45dB	5.5	449%	Night
6291	2025-12-17 23:17:49	68.73	45dB	5.2	418%	Night
6292	2025-12-17 23:20:42	74.14	45dB	7.5	654%	Night
6293	2025-12-17 23:22:21	72.71	45dB	6.8	583%	Night
6294	2025-12-17 23:27:07	67.35	45dB	4.7	371%	Night
6295	2025-12-17 23:29:18	66.14	45dB	4.3	333%	Night
6296	2025-12-17 23:32:15	73.08	45dB	7.0	600%	Night
6297	2025-12-17 23:33:46	N/A	45dB	N/A	N/A	Night
6298	2025-12-17 23:37:44	71.81	45dB	6.4	541%	Night
6299	2025-12-17 23:39:36	70.46	45dB	5.8	484%	Night
6300	2025-12-17 23:41:16	70.82	45dB	6.0	499%	Night
6301	2025-12-17 23:43:25	70.58	45dB	5.9	489%	Night
6302	2025-12-17 23:44:57	70.25	45dB	5.8	476%	Night
6303	2025-12-17 23:46:18	69.74	45dB	5.6	456%	Night
6304	2025-12-17 23:48:08	69.95	45dB	5.6	464%	Night
6305	2025-12-17 23:51:00	71.34	45dB	6.2	521%	Night
6306	2025-12-17 23:53:01	69.09	45dB	5.3	431%	Night
6307	2025-12-17 23:54:28	69.90	45dB	5.6	462%	Night
6308	2025-12-17 23:56:10	70.52	45dB	5.9	486%	Night
6309	2025-12-17 23:57:31	71.27	45dB	6.2	518%	Night
6310	2025-12-17 23:59:11	69.13	45dB	5.3	433%	Night
6311	2025-12-18 00:04:43	71.07	45dB	6.1	509%	Night
6312	2025-12-18 00:06:52	69.93	45dB	5.6	463%	Night
6313	2025-12-18 00:08:42	70.09	45dB	5.7	469%	Night
6314	2025-12-18 00:11:02	68.43	45dB	5.1	407%	Night
6315	2025-12-18 00:12:43	67.93	45dB	4.9	390%	Night
6316	2025-12-18 00:14:20	67.95	45dB	4.9	391%	Night
6317	2025-12-18 00:20:42	68.68	45dB	5.2	416%	Night
6318	2025-12-18 00:25:42	70.82	45dB	6.0	499%	Night
6319	2025-12-18 00:27:41	70.20	45dB	5.7	474%	Night
6320	2025-12-18 00:29:32	82.05	45dB	13.0	1204%	Night
6321	2025-12-18 00:42:05	72.82	45dB	6.9	588%	Night
6322	2025-12-18 00:44:28	70.98	45dB	6.1	505%	Night
6323	2025-12-18 00:51:45	67.96	45dB	4.9	391%	Night
6324	2025-12-18 00:58:52	70.05	45dB	5.7	468%	Night
6325	2025-12-18 01:14:12	72.75	45dB	6.8	584%	Night
6326	2025-12-18 01:20:30	68.46	45dB	5.1	408%	Night
6327	2025-12-18 01:22:45	71.70	45dB	6.4	536%	Night
6328	2025-12-18 01:24:35	71.07	45dB	6.1	509%	Night

6329	2025-12-18 01:34:56	71.23	45dB	6.2	516%	Night
6330	2025-12-18 01:38:36	69.73	45dB	5.6	455%	Night
6331	2025-12-18 01:50:32	69.24	45dB	5.4	437%	Night
6332	2025-12-18 02:08:52	71.15	45dB	6.1	513%	Night
6333	2025-12-18 02:23:12	71.30	45dB	6.2	519%	Night
6334	2025-12-18 03:28:16	72.51	45dB	6.7	573%	Night
6335	2025-12-18 03:46:08	77.23	45dB	9.3	834%	Night
6336	2025-12-18 04:33:26	69.49	45dB	5.5	446%	Night
6337	2025-12-18 06:29:17	N/A	45dB	N/A	N/A	Night
6338	2025-12-18 06:30:50	71.13	45dB	6.1	512%	Night
6339	2025-12-18 06:32:13	71.69	45dB	6.4	536%	Night
6340	2025-12-18 06:33:33	75.76	45dB	8.4	743%	Night
6341	2025-12-18 06:35:19	76.13	45dB	8.7	765%	Night
6342	2025-12-18 06:36:56	75.70	45dB	8.4	740%	Night
6343	2025-12-18 06:38:26	83.10	45dB	14.0	1303%	Night
6344	2025-12-18 06:40:34	78.04	45dB	9.9	888%	Night
6345	2025-12-18 06:42:15	68.28	45dB	5.0	402%	Night
6346	2025-12-18 06:43:43	72.68	45dB	6.8	581%	Night
6347	2025-12-18 06:46:20	70.40	45dB	5.8	482%	Night
6348	2025-12-18 06:47:33	71.48	45dB	6.3	527%	Night
6349	2025-12-18 06:48:56	70.64	45dB	5.9	491%	Night
6350	2025-12-18 06:50:49	74.14	45dB	7.5	654%	Night
6351	2025-12-18 06:53:37	71.62	45dB	6.3	533%	Night
6352	2025-12-18 06:55:18	68.93	45dB	5.3	425%	Night
6353	2025-12-18 06:56:35	71.39	45dB	6.2	523%	Night
6354	2025-12-18 06:58:19	74.39	45dB	7.7	667%	Night
6355	2025-12-18 06:59:45	73.05	45dB	7.0	599%	Night
6356	2025-12-18 07:01:20	72.50	55dB	3.4	236%	Day
6357	2025-12-18 07:02:55	70.59	55dB	2.9	195%	Day
6358	2025-12-18 07:05:37	69.54	55dB	2.7	174%	Day
6359	2025-12-18 07:09:53	73.39	55dB	3.6	258%	Day
6360	2025-12-18 07:11:37	70.64	55dB	3.0	196%	Day
6361	2025-12-18 07:13:51	N/A	55dB	N/A	N/A	Day
6362	2025-12-18 07:15:19	71.24	55dB	3.1	208%	Day
6363	2025-12-18 07:17:05	74.64	55dB	3.9	290%	Day
6364	2025-12-18 07:19:46	71.43	55dB	3.1	212%	Day
6365	2025-12-18 07:23:26	72.75	55dB	3.4	242%	Day
6366	2025-12-18 07:27:11	69.92	55dB	2.8	181%	Day
6367	2025-12-18 07:30:05	70.78	55dB	3.0	199%	Day
6368	2025-12-18 07:34:39	71.81	55dB	3.2	221%	Day
6369	2025-12-18 07:36:30	69.62	55dB	2.8	175%	Day
6370	2025-12-18 07:42:24	72.06	55dB	3.3	226%	Day
6371	2025-12-18 07:45:09	71.11	55dB	3.1	205%	Day
6372	2025-12-18 08:02:42	N/A	55dB	N/A	N/A	Day

6373	2025-12-18 08:09:28	75.08	55dB	4.0	302%	Day
6374	2025-12-18 08:12:08	72.94	55dB	3.5	247%	Day
6375	2025-12-18 08:16:00	72.97	55dB	3.5	247%	Day
6376	2025-12-18 08:27:56	74.49	55dB	3.9	286%	Day
6377	2025-12-18 08:30:54	71.76	55dB	3.2	220%	Day
6378	2025-12-18 08:33:48	76.40	55dB	4.4	341%	Day
6379	2025-12-18 08:39:03	N/A	55dB	N/A	N/A	Day
6380	2025-12-18 08:44:53	74.16	55dB	3.8	277%	Day
6381	2025-12-18 08:55:00	73.80	55dB	3.7	268%	Day
6382	2025-12-18 09:00:07	73.28	55dB	3.6	255%	Day
6383	2025-12-18 09:06:33	N/A	55dB	N/A	N/A	Day
6384	2025-12-18 09:09:15	72.13	55dB	3.3	228%	Day
6385	2025-12-18 09:37:32	71.94	55dB	3.2	224%	Day
6386	2025-12-18 09:45:08	74.35	55dB	3.8	282%	Day
6387	2025-12-18 09:54:23	72.81	55dB	3.4	244%	Day
6388	2025-12-18 10:07:20	70.81	55dB	3.0	199%	Day
6389	2025-12-18 10:10:13	75.50	55dB	4.1	314%	Day
6390	2025-12-18 10:12:55	73.35	55dB	3.6	257%	Day
6391	2025-12-18 10:15:49	72.61	55dB	3.4	239%	Day
6392	2025-12-18 10:20:48	75.89	55dB	4.3	325%	Day
6393	2025-12-18 10:24:50	74.48	55dB	3.9	286%	Day
6394	2025-12-18 10:29:54	72.05	55dB	3.3	226%	Day
6395	2025-12-18 10:33:46	70.07	55dB	2.8	184%	Day
6396	2025-12-18 10:38:15	71.65	55dB	3.2	217%	Day
6397	2025-12-18 10:41:49	70.70	55dB	3.0	197%	Day
6398	2025-12-18 10:44:37	71.41	55dB	3.1	212%	Day
6399	2025-12-18 10:49:02	72.72	55dB	3.4	242%	Day
6400	2025-12-18 10:55:44	72.80	55dB	3.4	243%	Day
6401	2025-12-18 10:57:54	66.87	55dB	2.3	128%	Day
6402	2025-12-18 10:59:46	69.87	55dB	2.8	180%	Day
6403	2025-12-18 11:01:19	78.06	55dB	4.9	395%	Day
6404	2025-12-18 11:03:24	73.09	55dB	3.5	250%	Day
6405	2025-12-18 11:06:43	69.41	55dB	2.7	172%	Day
6406	2025-12-18 11:09:25	69.40	55dB	2.7	171%	Day
6407	2025-12-18 11:11:43	72.16	55dB	3.3	229%	Day
6408	2025-12-18 11:13:37	N/A	55dB	N/A	N/A	Day
6409	2025-12-18 11:15:15	72.65	55dB	3.4	240%	Day
6410	2025-12-18 11:16:45	71.72	55dB	3.2	219%	Day
6411	2025-12-18 11:18:14	N/A	55dB	N/A	N/A	Day
6412	2025-12-18 11:20:06	N/A	55dB	N/A	N/A	Day
6413	2025-12-18 11:23:02	69.29	55dB	2.7	169%	Day
6414	2025-12-18 11:24:56	73.56	55dB	3.6	262%	Day
6415	2025-12-18 11:27:32	69.63	55dB	2.8	176%	Day
6416	2025-12-18 11:30:11	66.37	55dB	2.2	120%	Day

6417	2025-12-18 11:34:28	N/A	55dB	N/A	N/A	Day
6418	2025-12-18 11:39:43	66.03	55dB	2.1	115%	Day
6419	2025-12-18 11:43:16	70.38	55dB	2.9	190%	Day
6420	2025-12-18 11:44:56	N/A	55dB	N/A	N/A	Day
6421	2025-12-18 11:46:47	71.02	55dB	3.0	204%	Day
6422	2025-12-18 11:49:06	71.40	55dB	3.1	212%	Day
6423	2025-12-18 11:50:45	69.80	55dB	2.8	179%	Day
6424	2025-12-18 11:52:26	67.67	55dB	2.4	141%	Day
6425	2025-12-18 11:54:28	69.84	55dB	2.8	180%	Day
6426	2025-12-18 11:56:43	70.67	55dB	3.0	196%	Day
6427	2025-12-18 11:59:24	74.23	55dB	3.8	279%	Day
6428	2025-12-18 12:05:15	74.15	55dB	3.8	277%	Day
6429	2025-12-18 12:08:56	71.68	55dB	3.2	218%	Day
6430	2025-12-18 12:15:02	74.97	55dB	4.0	299%	Day
6431	2025-12-18 12:17:53	69.54	55dB	2.7	174%	Day
6432	2025-12-18 12:21:02	69.51	55dB	2.7	173%	Day
6433	2025-12-18 12:24:42	69.20	55dB	2.7	168%	Day
6434	2025-12-18 12:26:24	69.03	55dB	2.6	164%	Day
6435	2025-12-18 12:28:08	68.73	55dB	2.6	159%	Day
6436	2025-12-18 12:30:11	71.78	55dB	3.2	220%	Day
6437	2025-12-18 12:32:14	68.43	55dB	2.5	154%	Day
6438	2025-12-18 12:34:44	74.55	55dB	3.9	288%	Day
6439	2025-12-18 12:36:01	71.22	55dB	3.1	208%	Day
6440	2025-12-18 12:38:04	70.37	55dB	2.9	190%	Day
6441	2025-12-18 12:40:29	72.22	55dB	3.3	230%	Day
6442	2025-12-18 12:43:37	70.29	55dB	2.9	189%	Day
6443	2025-12-18 12:45:26	69.31	55dB	2.7	170%	Day
6444	2025-12-18 12:47:36	70.31	55dB	2.9	189%	Day
6445	2025-12-18 12:49:15	71.97	55dB	3.2	224%	Day
6446	2025-12-18 12:51:49	72.38	55dB	3.3	234%	Day
6447	2025-12-18 12:54:20	72.28	55dB	3.3	231%	Day
6448	2025-12-18 12:58:01	72.27	55dB	3.3	231%	Day
6449	2025-12-18 13:01:58	73.47	55dB	3.6	260%	Day
6450	2025-12-18 13:09:50	67.93	55dB	2.5	145%	Day
6451	2025-12-18 13:13:11	68.47	55dB	2.5	154%	Day
6452	2025-12-18 13:15:45	75.92	55dB	4.3	326%	Day
6453	2025-12-18 13:17:35	70.84	55dB	3.0	200%	Day
6454	2025-12-18 13:19:06	67.99	55dB	2.5	146%	Day
6455	2025-12-18 13:20:37	74.10	55dB	3.8	276%	Day
6456	2025-12-18 13:22:00	68.44	55dB	2.5	154%	Day
6457	2025-12-18 13:23:45	70.71	55dB	3.0	197%	Day
6458	2025-12-18 13:29:41	72.89	55dB	3.5	246%	Day
6459	2025-12-18 13:33:36	74.35	55dB	3.8	282%	Day
6460	2025-12-18 13:36:13	69.80	55dB	2.8	179%	Day

6461	2025-12-18 13:38:41	71.33	55dB	3.1	210%	Day
6462	2025-12-18 13:40:58	N/A	55dB	N/A	N/A	Day
6463	2025-12-18 13:42:24	69.81	55dB	2.8	179%	Day
6464	2025-12-18 13:44:42	N/A	55dB	N/A	N/A	Day
6465	2025-12-18 13:47:36	68.07	55dB	2.5	147%	Day
6466	2025-12-18 13:49:38	69.59	55dB	2.7	175%	Day
6467	2025-12-18 13:51:56	71.97	55dB	3.2	224%	Day
6468	2025-12-18 13:54:01	73.00	55dB	3.5	248%	Day
6469	2025-12-18 13:56:30	70.05	55dB	2.8	184%	Day
6470	2025-12-18 13:57:56	74.25	55dB	3.8	280%	Day
6471	2025-12-18 14:00:17	N/A	55dB	N/A	N/A	Day
6472	2025-12-18 14:01:57	69.78	55dB	2.8	179%	Day
6473	2025-12-18 14:03:26	77.12	55dB	4.6	363%	Day
6474	2025-12-18 14:05:32	73.20	55dB	3.5	253%	Day
6475	2025-12-18 14:07:00	69.82	55dB	2.8	179%	Day
6476	2025-12-18 14:08:30	66.69	55dB	2.2	125%	Day
6477	2025-12-18 14:10:54	N/A	55dB	N/A	N/A	Day
6478	2025-12-18 14:12:18	72.19	55dB	3.3	229%	Day
6479	2025-12-18 14:15:14	67.85	55dB	2.4	144%	Day
6480	2025-12-18 14:16:48	N/A	55dB	N/A	N/A	Day
6481	2025-12-18 14:18:12	66.40	55dB	2.2	120%	Day
6482	2025-12-18 14:20:16	67.22	55dB	2.3	133%	Day
6483	2025-12-18 14:21:39	70.04	55dB	2.8	184%	Day
6484	2025-12-18 14:23:19	73.50	55dB	3.6	261%	Day
6485	2025-12-18 14:26:20	74.24	55dB	3.8	279%	Day
6486	2025-12-18 14:28:30	73.08	55dB	3.5	250%	Day
6487	2025-12-18 14:30:53	70.02	55dB	2.8	183%	Day
6488	2025-12-18 14:34:05	69.12	55dB	2.7	166%	Day
6489	2025-12-18 14:35:31	N/A	55dB	N/A	N/A	Day
6490	2025-12-18 14:37:11	72.26	55dB	3.3	231%	Day
6491	2025-12-18 14:38:36	67.96	55dB	2.5	146%	Day
6492	2025-12-18 14:40:03	73.17	55dB	3.5	252%	Day
6493	2025-12-18 14:46:40	69.28	55dB	2.7	169%	Day
6494	2025-12-18 14:50:09	72.33	55dB	3.3	232%	Day
6495	2025-12-18 14:52:10	73.78	55dB	3.7	268%	Day
6496	2025-12-18 14:53:37	73.21	55dB	3.5	253%	Day
6497	2025-12-18 14:54:54	73.70	55dB	3.7	266%	Day
6498	2025-12-18 14:56:27	N/A	55dB	N/A	N/A	Day
6499	2025-12-18 14:58:23	72.06	55dB	3.3	226%	Day
6500	2025-12-18 15:00:10	72.83	55dB	3.4	244%	Day
6501	2025-12-18 15:02:49	76.72	55dB	4.5	351%	Day
6502	2025-12-18 15:05:56	75.64	55dB	4.2	318%	Day
6503	2025-12-18 15:08:47	73.02	55dB	3.5	249%	Day
6504	2025-12-18 15:11:09	75.32	55dB	4.1	309%	Day

6505	2025-12-18 15:14:05	70.45	55dB	2.9	192%	Day
6506	2025-12-18 15:15:53	70.88	55dB	3.0	201%	Day
6507	2025-12-18 15:18:13	76.00	55dB	4.3	329%	Day
6508	2025-12-18 15:25:55	72.54	55dB	3.4	237%	Day
6509	2025-12-18 15:28:22	N/A	55dB	N/A	N/A	Day
6510	2025-12-18 15:31:13	72.18	55dB	3.3	229%	Day
6511	2025-12-18 15:33:02	72.00	55dB	3.2	225%	Day
6512	2025-12-18 15:37:50	73.38	55dB	3.6	258%	Day
6513	2025-12-18 15:39:14	74.50	55dB	3.9	286%	Day
6514	2025-12-18 15:40:32	72.23	55dB	3.3	230%	Day
6515	2025-12-18 15:41:55	74.09	55dB	3.8	276%	Day
6516	2025-12-18 15:43:17	74.76	55dB	3.9	293%	Day
6517	2025-12-18 15:45:37	69.52	55dB	2.7	174%	Day
6518	2025-12-18 15:47:01	67.71	55dB	2.4	141%	Day
6519	2025-12-18 15:48:27	74.00	55dB	3.7	273%	Day
6520	2025-12-18 15:50:51	N/A	55dB	N/A	N/A	Day
6521	2025-12-18 15:52:37	72.79	55dB	3.4	243%	Day
6522	2025-12-18 15:55:03	74.23	55dB	3.8	279%	Day
6523	2025-12-18 15:56:38	74.03	55dB	3.7	274%	Day
6524	2025-12-18 15:58:21	N/A	55dB	N/A	N/A	Day
6525	2025-12-18 15:59:58	76.66	55dB	4.5	349%	Day
6526	2025-12-18 16:01:50	72.04	55dB	3.3	226%	Day
6527	2025-12-18 16:03:58	73.67	55dB	3.6	265%	Day
6528	2025-12-18 16:05:45	72.62	55dB	3.4	239%	Day
6529	2025-12-18 16:07:07	67.54	55dB	2.4	139%	Day
6530	2025-12-18 16:08:36	72.82	55dB	3.4	244%	Day
6531	2025-12-18 16:09:56	73.83	55dB	3.7	269%	Day
6532	2025-12-18 16:11:30	70.64	55dB	3.0	196%	Day
6533	2025-12-18 16:12:52	71.47	55dB	3.1	213%	Day
6534	2025-12-18 16:14:21	72.88	55dB	3.5	245%	Day
6535	2025-12-18 16:17:08	N/A	55dB	N/A	N/A	Day
6536	2025-12-18 16:18:55	72.96	55dB	3.5	247%	Day
6537	2025-12-18 16:20:09	N/A	55dB	N/A	N/A	Day
6538	2025-12-18 16:21:44	69.06	55dB	2.7	165%	Day
6539	2025-12-18 16:23:18	71.69	55dB	3.2	218%	Day
6540	2025-12-18 16:24:38	N/A	55dB	N/A	N/A	Day
6541	2025-12-18 16:26:21	76.90	55dB	4.6	356%	Day
6542	2025-12-18 16:28:19	74.41	55dB	3.8	284%	Day
6543	2025-12-18 16:30:25	73.34	55dB	3.6	257%	Day
6544	2025-12-18 16:31:46	71.17	55dB	3.1	207%	Day
6545	2025-12-18 16:33:03	73.32	55dB	3.6	256%	Day
6546	2025-12-18 16:35:09	70.11	55dB	2.9	185%	Day
6547	2025-12-18 16:36:42	N/A	55dB	N/A	N/A	Day
6548	2025-12-18 16:38:06	70.21	55dB	2.9	187%	Day

6549	2025-12-18 16:39:30	66.84	55dB	2.3	127%	Day
6550	2025-12-18 16:40:45	70.25	55dB	2.9	188%	Day
6551	2025-12-18 16:45:21	72.22	55dB	3.3	230%	Day
6552	2025-12-18 16:52:17	N/A	55dB	N/A	N/A	Day
6553	2025-12-18 16:57:39	76.53	55dB	4.4	345%	Day
6554	2025-12-18 16:59:56	71.18	55dB	3.1	207%	Day
6555	2025-12-18 17:01:30	73.49	55dB	3.6	260%	Day
6556	2025-12-18 17:02:52	70.68	55dB	3.0	196%	Day
6557	2025-12-18 17:04:16	N/A	55dB	N/A	N/A	Day
6558	2025-12-18 17:05:34	N/A	55dB	N/A	N/A	Day
6559	2025-12-18 17:06:52	72.41	55dB	3.3	234%	Day
6560	2025-12-18 17:08:49	68.07	55dB	2.5	147%	Day
6561	2025-12-18 17:10:07	N/A	55dB	N/A	N/A	Day
6562	2025-12-18 17:11:28	67.07	55dB	2.3	131%	Day
6563	2025-12-18 17:13:01	68.79	55dB	2.6	160%	Day
6564	2025-12-18 17:14:21	73.38	55dB	3.6	258%	Day
6565	2025-12-18 17:16:25	N/A	55dB	N/A	N/A	Day
6566	2025-12-18 17:18:07	67.17	55dB	2.3	132%	Day
6567	2025-12-18 17:19:42	68.28	55dB	2.5	151%	Day
6568	2025-12-18 17:21:08	70.63	55dB	3.0	195%	Day
6569	2025-12-18 17:24:13	69.17	55dB	2.7	167%	Day
6570	2025-12-18 17:25:44	70.26	55dB	2.9	188%	Day
6571	2025-12-18 17:27:02	N/A	55dB	N/A	N/A	Day
6572	2025-12-18 17:30:08	68.81	55dB	2.6	160%	Day
6573	2025-12-18 17:31:32	68.10	55dB	2.5	148%	Day
6574	2025-12-18 17:32:57	69.16	55dB	2.7	167%	Day
6575	2025-12-18 17:40:54	N/A	55dB	N/A	N/A	Day
6576	2025-12-18 17:42:47	N/A	55dB	N/A	N/A	Day
6577	2025-12-18 17:44:04	71.60	55dB	3.2	216%	Day
6578	2025-12-18 17:45:30	67.49	55dB	2.4	138%	Day
6579	2025-12-18 17:47:04	67.54	55dB	2.4	139%	Day
6580	2025-12-18 17:48:53	73.62	55dB	3.6	264%	Day
6581	2025-12-18 17:56:54	72.10	55dB	3.3	227%	Day
6582	2025-12-18 18:02:24	71.09	55dB	3.1	205%	Day
6583	2025-12-18 18:04:04	71.99	55dB	3.2	225%	Day
6584	2025-12-18 18:05:32	69.22	55dB	2.7	168%	Day
6585	2025-12-18 18:08:33	75.14	55dB	4.0	304%	Day
6586	2025-12-18 18:09:58	73.49	55dB	3.6	260%	Day
6587	2025-12-18 18:11:25	77.74	55dB	4.8	384%	Day
6588	2025-12-18 18:13:04	71.32	55dB	3.1	210%	Day
6589	2025-12-18 18:14:45	67.98	55dB	2.5	146%	Day
6590	2025-12-18 18:20:30	70.60	55dB	2.9	195%	Day
6591	2025-12-18 18:21:50	67.49	55dB	2.4	138%	Day
6592	2025-12-18 18:23:24	73.41	55dB	3.6	258%	Day

6593	2025-12-18 18:24:43	70.41	55dB	2.9	191%	Day
6594	2025-12-18 18:26:32	71.49	55dB	3.1	214%	Day
6595	2025-12-18 18:27:53	69.32	55dB	2.7	170%	Day
6596	2025-12-18 18:29:41	70.32	55dB	2.9	189%	Day
6597	2025-12-18 18:31:09	70.28	55dB	2.9	188%	Day
6598	2025-12-18 18:32:23	N/A	55dB	N/A	N/A	Day
6599	2025-12-18 18:33:58	69.12	55dB	2.7	166%	Day
6600	2025-12-18 18:35:30	74.79	55dB	3.9	294%	Day
6601	2025-12-18 18:37:54	69.39	55dB	2.7	171%	Day
6602	2025-12-18 18:39:32	N/A	55dB	N/A	N/A	Day
6603	2025-12-18 18:40:55	70.13	55dB	2.9	185%	Day
6604	2025-12-18 18:42:25	69.66	55dB	2.8	176%	Day
6605	2025-12-18 18:43:50	70.23	55dB	2.9	187%	Day
6606	2025-12-18 18:45:09	70.89	55dB	3.0	201%	Day
6607	2025-12-18 18:46:33	74.24	55dB	3.8	279%	Day
6608	2025-12-18 18:47:50	72.05	55dB	3.3	226%	Day
6609	2025-12-18 18:49:20	71.45	55dB	3.1	213%	Day
6610	2025-12-18 18:50:45	69.73	55dB	2.8	178%	Day
6611	2025-12-18 18:52:03	73.86	55dB	3.7	270%	Day
6612	2025-12-18 18:53:55	75.91	55dB	4.3	326%	Day
6613	2025-12-18 18:55:53	68.88	55dB	2.6	162%	Day
6614	2025-12-18 18:57:25	76.68	55dB	4.5	349%	Day
6615	2025-12-18 18:59:24	73.57	55dB	3.6	262%	Day
6616	2025-12-18 19:01:01	75.66	55dB	4.2	319%	Day
6617	2025-12-18 19:02:17	74.75	55dB	3.9	293%	Day
6618	2025-12-18 19:04:50	N/A	55dB	N/A	N/A	Day
6619	2025-12-18 19:06:24	73.97	55dB	3.7	272%	Day
6620	2025-12-18 19:08:14	69.50	55dB	2.7	173%	Day
6621	2025-12-18 19:09:47	N/A	55dB	N/A	N/A	Day
6622	2025-12-18 19:11:39	69.85	55dB	2.8	180%	Day
6623	2025-12-18 19:13:14	78.47	55dB	5.1	409%	Day
6624	2025-12-18 19:14:52	75.74	55dB	4.2	321%	Day
6625	2025-12-18 19:17:07	69.49	55dB	2.7	173%	Day
6626	2025-12-18 19:18:31	74.69	55dB	3.9	291%	Day
6627	2025-12-18 19:21:24	N/A	55dB	N/A	N/A	Day
6628	2025-12-18 19:23:54	N/A	55dB	N/A	N/A	Day
6629	2025-12-18 19:25:32	71.66	55dB	3.2	217%	Day
6630	2025-12-18 19:27:18	71.15	55dB	3.1	206%	Day
6631	2025-12-18 19:30:34	72.45	55dB	3.4	235%	Day
6632	2025-12-18 19:31:54	72.92	55dB	3.5	246%	Day
6633	2025-12-18 19:34:00	71.12	55dB	3.1	206%	Day
6634	2025-12-18 19:35:37	N/A	55dB	N/A	N/A	Day
6635	2025-12-18 19:37:04	73.53	55dB	3.6	261%	Day
6636	2025-12-18 19:39:24	69.00	55dB	2.6	164%	Day

6637	2025-12-18 19:41:02	71.17	55dB	3.1	207%	Day
6638	2025-12-18 19:42:41	73.50	55dB	3.6	261%	Day
6639	2025-12-18 19:44:28	70.84	55dB	3.0	200%	Day
6640	2025-12-18 19:46:06	71.09	55dB	3.1	205%	Day
6641	2025-12-18 19:48:42	67.26	55dB	2.3	134%	Day
6642	2025-12-18 19:50:51	70.25	55dB	2.9	188%	Day
6643	2025-12-18 19:52:15	N/A	55dB	N/A	N/A	Day
6644	2025-12-18 19:53:50	67.52	55dB	2.4	138%	Day
6645	2025-12-18 19:55:38	75.35	55dB	4.1	310%	Day
6646	2025-12-18 19:57:02	74.32	55dB	3.8	282%	Day
6647	2025-12-18 19:58:49	72.89	55dB	3.5	246%	Day
6648	2025-12-18 20:00:37	74.02	55dB	3.7	274%	Day
6649	2025-12-18 20:02:43	68.42	55dB	2.5	154%	Day
6650	2025-12-18 20:04:06	75.26	55dB	4.1	307%	Day
6651	2025-12-18 20:05:20	74.08	55dB	3.8	275%	Day
6652	2025-12-18 20:06:57	74.11	55dB	3.8	276%	Day
6653	2025-12-18 20:09:27	N/A	55dB	N/A	N/A	Day
6654	2025-12-18 20:11:06	65.98	55dB	2.1	114%	Day
6655	2025-12-18 20:12:43	73.51	55dB	3.6	261%	Day
6656	2025-12-18 20:14:28	78.52	55dB	5.1	411%	Day
6657	2025-12-18 20:16:48	N/A	55dB	N/A	N/A	Day
6658	2025-12-18 20:18:31	72.11	55dB	3.3	227%	Day
6659	2025-12-18 20:20:10	80.97	55dB	6.1	505%	Day
6660	2025-12-18 20:22:00	71.40	55dB	3.1	212%	Day
6661	2025-12-18 20:23:31	74.06	55dB	3.7	275%	Day
6662	2025-12-18 20:25:00	N/A	55dB	N/A	N/A	Day
6663	2025-12-18 20:26:31	72.37	55dB	3.3	233%	Day
6664	2025-12-18 20:28:05	72.16	55dB	3.3	229%	Day
6665	2025-12-18 20:29:48	72.17	55dB	3.3	229%	Day
6666	2025-12-18 20:31:38	74.08	55dB	3.8	275%	Day
6667	2025-12-18 20:33:15	72.70	55dB	3.4	241%	Day
6668	2025-12-18 20:34:55	68.99	55dB	2.6	164%	Day
6669	2025-12-18 20:36:23	70.74	55dB	3.0	198%	Day
6670	2025-12-18 20:37:57	74.47	55dB	3.9	286%	Day
6671	2025-12-18 20:39:38	73.81	55dB	3.7	268%	Day
6672	2025-12-18 20:41:20	77.64	55dB	4.8	380%	Day
6673	2025-12-18 20:43:21	72.63	55dB	3.4	239%	Day
6674	2025-12-18 20:45:50	69.87	55dB	2.8	180%	Day
6675	2025-12-18 20:48:21	N/A	55dB	N/A	N/A	Day
6676	2025-12-18 20:50:07	71.16	55dB	3.1	207%	Day
6677	2025-12-18 20:52:26	N/A	55dB	N/A	N/A	Day
6678	2025-12-18 20:53:56	76.50	55dB	4.4	344%	Day
6679	2025-12-18 20:55:31	69.75	55dB	2.8	178%	Day
6680	2025-12-18 20:57:17	76.81	55dB	4.5	353%	Day

6681	2025-12-18 20:59:37	71.37	55dB	3.1	211%	Day
6682	2025-12-18 21:01:32	78.58	55dB	5.1	413%	Day
6683	2025-12-18 21:03:13	70.08	55dB	2.8	184%	Day
6684	2025-12-18 21:04:41	72.16	55dB	3.3	229%	Day
6685	2025-12-18 21:06:26	68.70	55dB	2.6	158%	Day
6686	2025-12-18 21:08:18	68.50	55dB	2.5	155%	Day
6687	2025-12-18 21:09:48	N/A	55dB	N/A	N/A	Day
6688	2025-12-18 21:11:13	74.82	55dB	4.0	295%	Day
6689	2025-12-18 21:12:52	75.96	55dB	4.3	328%	Day
6690	2025-12-18 21:14:32	69.02	55dB	2.6	164%	Day
6691	2025-12-18 21:16:16	70.34	55dB	2.9	190%	Day
6692	2025-12-18 21:17:51	73.75	55dB	3.7	267%	Day
6693	2025-12-18 21:19:26	72.52	55dB	3.4	237%	Day
6694	2025-12-18 21:21:10	72.33	55dB	3.3	232%	Day
6695	2025-12-18 21:22:45	73.58	55dB	3.6	263%	Day
6696	2025-12-18 21:24:23	81.01	55dB	6.1	507%	Day
6697	2025-12-18 21:25:58	70.21	55dB	2.9	187%	Day
6698	2025-12-18 21:27:31	71.82	55dB	3.2	221%	Day
6699	2025-12-18 21:29:09	81.80	55dB	6.4	541%	Day
6700	2025-12-18 21:30:53	71.73	55dB	3.2	219%	Day
6701	2025-12-18 21:34:20	70.94	55dB	3.0	202%	Day
6702	2025-12-18 21:35:44	74.70	55dB	3.9	292%	Day
6703	2025-12-18 21:37:09	72.05	55dB	3.3	226%	Day
6704	2025-12-18 21:38:37	69.91	55dB	2.8	181%	Day
6705	2025-12-18 21:39:57	71.48	55dB	3.1	213%	Day
6706	2025-12-18 21:41:25	74.38	55dB	3.8	283%	Day
6707	2025-12-18 21:42:55	74.89	55dB	4.0	297%	Day
6708	2025-12-18 21:44:23	74.62	55dB	3.9	290%	Day
6709	2025-12-18 21:45:47	N/A	55dB	N/A	N/A	Day
6710	2025-12-18 21:48:03	70.46	55dB	2.9	192%	Day
6711	2025-12-18 21:50:32	70.65	55dB	3.0	196%	Day
6712	2025-12-18 21:55:55	72.54	55dB	3.4	237%	Day
6713	2025-12-18 21:57:43	70.40	55dB	2.9	191%	Day
6714	2025-12-18 21:59:25	70.39	55dB	2.9	191%	Day
6715	2025-12-18 22:00:51	70.72	55dB	3.0	197%	Day
6716	2025-12-18 22:04:57	73.24	55dB	3.5	254%	Day
6717	2025-12-18 22:07:02	67.09	55dB	2.3	131%	Day
6718	2025-12-18 22:10:58	82.32	55dB	6.6	564%	Day
6719	2025-12-18 22:12:50	70.89	55dB	3.0	201%	Day
6720	2025-12-18 22:15:24	71.76	55dB	3.2	220%	Day
6721	2025-12-18 22:17:02	73.12	55dB	3.5	251%	Day
6722	2025-12-18 22:18:31	74.58	55dB	3.9	289%	Day
6723	2025-12-18 22:20:12	69.13	55dB	2.7	166%	Day
6724	2025-12-18 22:22:17	73.34	55dB	3.6	257%	Day

6725	2025-12-18 22:23:56	72.72	55dB	3.4	242%	Day
6726	2025-12-18 22:25:47	70.11	55dB	2.9	185%	Day
6727	2025-12-18 22:30:02	77.27	55dB	4.7	368%	Day
6728	2025-12-18 22:38:42	74.24	55dB	3.8	279%	Day
6729	2025-12-18 22:41:41	74.08	55dB	3.8	275%	Day
6730	2025-12-18 22:43:54	73.09	55dB	3.5	250%	Day
6731	2025-12-18 22:46:42	71.14	55dB	3.1	206%	Day
6732	2025-12-18 22:49:19	79.64	55dB	5.5	452%	Day
6733	2025-12-18 22:51:19	71.46	55dB	3.1	213%	Day
6734	2025-12-18 22:52:56	72.23	55dB	3.3	230%	Day
6735	2025-12-18 22:55:04	70.32	55dB	2.9	189%	Day
6736	2025-12-18 22:56:40	70.34	55dB	2.9	190%	Day
6737	2025-12-18 22:59:31	69.86	55dB	2.8	180%	Day
6738	2025-12-18 23:01:00	75.49	45dB	8.3	728%	Night
6739	2025-12-18 23:02:54	72.32	45dB	6.6	564%	Night
6740	2025-12-18 23:04:25	71.77	45dB	6.4	540%	Night
6741	2025-12-18 23:06:05	70.87	45dB	6.0	501%	Night
6742	2025-12-18 23:10:30	70.95	45dB	6.0	504%	Night
6743	2025-12-18 23:12:15	73.10	45dB	7.0	601%	Night
6744	2025-12-18 23:18:58	75.05	45dB	8.0	703%	Night
6745	2025-12-18 23:20:28	70.83	45dB	6.0	499%	Night
6746	2025-12-18 23:22:47	N/A	45dB	N/A	N/A	Night
6747	2025-12-18 23:25:01	71.75	45dB	6.4	539%	Night
6748	2025-12-18 23:26:54	73.15	45dB	7.0	604%	Night
6749	2025-12-18 23:29:25	71.82	45dB	6.4	542%	Night
6750	2025-12-18 23:32:30	76.58	45dB	8.9	793%	Night
6751	2025-12-18 23:35:10	73.28	45dB	7.1	610%	Night
6752	2025-12-18 23:39:26	75.86	45dB	8.5	749%	Night
6753	2025-12-18 23:41:32	73.27	45dB	7.1	610%	Night
6754	2025-12-18 23:47:46	75.80	45dB	8.5	746%	Night
6755	2025-12-18 23:49:42	73.74	45dB	7.3	633%	Night
6756	2025-12-18 23:51:32	72.96	45dB	6.9	595%	Night
6757	2025-12-18 23:52:45	76.08	45dB	8.6	762%	Night
6758	2025-12-18 23:54:22	76.09	45dB	8.6	763%	Night
6759	2025-12-18 23:56:32	72.52	45dB	6.7	574%	Night
6760	2025-12-18 23:58:24	72.14	45dB	6.6	556%	Night
6761	2025-12-19 00:14:08	73.38	45dB	7.2	615%	Night
6762	2025-12-19 00:16:08	70.67	45dB	5.9	493%	Night
6763	2025-12-19 00:21:31	69.88	45dB	5.6	461%	Night
6764	2025-12-19 00:36:13	73.50	45dB	7.2	621%	Night
6765	2025-12-19 00:40:16	72.79	45dB	6.9	586%	Night
6766	2025-12-19 00:42:00	76.37	45dB	8.8	780%	Night
6767	2025-12-19 00:44:42	70.61	45dB	5.9	490%	Night
6768	2025-12-19 00:49:26	72.54	45dB	6.7	575%	Night

6769	2025-12-19 00:51:13	75.82	45dB	8.5	747%	Night
6770	2025-12-19 00:53:05	71.55	45dB	6.3	530%	Night
6771	2025-12-19 01:09:10	79.74	45dB	11.1	1011%	Night
6772	2025-12-19 01:14:17	69.22	45dB	5.4	436%	Night
6773	2025-12-19 01:17:47	73.71	45dB	7.3	632%	Night
6774	2025-12-19 01:25:55	75.08	45dB	8.0	704%	Night
6775	2025-12-19 01:27:48	71.38	45dB	6.2	522%	Night
6776	2025-12-19 01:30:50	73.95	45dB	7.4	644%	Night
6777	2025-12-19 01:32:44	73.07	45dB	7.0	600%	Night
6778	2025-12-19 01:34:26	72.94	45dB	6.9	594%	Night
6779	2025-12-19 01:36:34	75.28	45dB	8.2	716%	Night
6780	2025-12-19 01:37:53	76.03	45dB	8.6	759%	Night
6781	2025-12-19 01:41:57	74.79	45dB	7.9	688%	Night
6782	2025-12-19 01:50:14	75.00	45dB	8.0	700%	Night
6783	2025-12-19 01:52:54	74.84	45dB	7.9	691%	Night
6784	2025-12-19 02:00:34	74.65	45dB	7.8	681%	Night
6785	2025-12-19 02:04:10	72.60	45dB	6.8	577%	Night
6786	2025-12-19 02:28:25	74.17	45dB	7.6	655%	Night
6787	2025-12-19 02:39:23	75.52	45dB	8.3	729%	Night
6788	2025-12-19 03:26:40	74.44	45dB	7.7	670%	Night
6789	2025-12-19 03:39:32	73.62	45dB	7.3	627%	Night
6790	2025-12-19 04:06:08	75.19	45dB	8.1	711%	Night
6791	2025-12-19 05:13:43	79.07	45dB	10.6	961%	Night
6792	2025-12-19 05:17:14	76.25	45dB	8.7	772%	Night
6793	2025-12-19 05:35:43	74.87	45dB	7.9	693%	Night
6794	2025-12-19 05:46:04	77.89	45dB	9.8	877%	Night
6795	2025-12-19 05:49:25	74.42	45dB	7.7	668%	Night
6796	2025-12-19 05:53:54	76.38	45dB	8.8	780%	Night
6797	2025-12-19 06:01:47	77.69	45dB	9.6	864%	Night
6798	2025-12-19 06:06:35	76.79	45dB	9.1	806%	Night
6799	2025-12-19 06:08:17	77.93	45dB	9.8	880%	Night
6800	2025-12-19 06:10:39	76.82	45dB	9.1	808%	Night
6801	2025-12-19 06:12:31	74.77	45dB	7.9	687%	Night
6802	2025-12-19 06:14:02	77.98	45dB	9.8	884%	Night
6803	2025-12-19 06:15:36	75.84	45dB	8.5	748%	Night
6804	2025-12-19 06:17:32	74.98	45dB	8.0	699%	Night
6805	2025-12-19 06:23:56	75.31	45dB	8.2	717%	Night
6806	2025-12-19 06:28:36	71.11	45dB	6.1	511%	Night
6807	2025-12-19 06:30:04	73.63	45dB	7.3	628%	Night
6808	2025-12-19 06:31:40	71.06	45dB	6.1	509%	Night
6809	2025-12-19 06:33:16	74.39	45dB	7.7	667%	Night
6810	2025-12-19 06:35:30	71.81	45dB	6.4	541%	Night
6811	2025-12-19 06:38:01	72.18	45dB	6.6	558%	Night
6812	2025-12-19 06:39:32	71.29	45dB	6.2	519%	Night

6813	2025-12-19 06:41:07	73.88	45dB	7.4	640%	Night
6814	2025-12-19 06:42:21	72.31	45dB	6.6	564%	Night
6815	2025-12-19 06:43:55	73.71	45dB	7.3	632%	Night
6816	2025-12-19 06:45:15	76.97	45dB	9.2	817%	Night
6817	2025-12-19 06:47:57	73.70	45dB	7.3	631%	Night
6818	2025-12-19 06:49:23	74.35	45dB	7.6	665%	Night
6819	2025-12-19 06:53:31	74.04	45dB	7.5	648%	Night
6820	2025-12-19 06:55:17	71.20	45dB	6.1	515%	Night
6821	2025-12-19 06:56:56	73.63	45dB	7.3	628%	Night
6822	2025-12-19 06:58:56	74.41	45dB	7.7	668%	Night
6823	2025-12-19 07:08:55	73.70	55dB	3.7	266%	Day
6824	2025-12-19 07:12:05	75.01	55dB	4.0	300%	Day
6825	2025-12-19 07:13:30	77.15	55dB	4.6	364%	Day
6826	2025-12-19 07:15:22	78.88	55dB	5.2	423%	Day
6827	2025-12-19 07:18:11	73.55	55dB	3.6	262%	Day
6828	2025-12-19 07:20:09	73.91	55dB	3.7	271%	Day
6829	2025-12-19 07:27:34	72.18	55dB	3.3	229%	Day
6830	2025-12-19 07:30:07	74.68	55dB	3.9	291%	Day
6831	2025-12-19 07:32:12	71.97	55dB	3.2	224%	Day
6832	2025-12-19 07:33:54	71.28	55dB	3.1	209%	Day
6833	2025-12-19 07:35:44	74.15	55dB	3.8	277%	Day
6834	2025-12-19 07:38:05	69.57	55dB	2.7	175%	Day
6835	2025-12-19 07:47:26	73.46	55dB	3.6	260%	Day
6836	2025-12-19 07:49:04	73.14	55dB	3.5	252%	Day
6837	2025-12-19 07:54:24	74.88	55dB	4.0	297%	Day
6838	2025-12-19 07:57:45	73.09	55dB	3.5	250%	Day
6839	2025-12-19 08:04:17	76.80	55dB	4.5	353%	Day
6840	2025-12-19 08:07:04	75.23	55dB	4.1	306%	Day
6841	2025-12-19 08:23:30	76.51	55dB	4.4	344%	Day
6842	2025-12-19 08:26:08	74.77	55dB	3.9	294%	Day
6843	2025-12-19 08:52:49	75.87	55dB	4.2	325%	Day
6844	2025-12-19 08:57:37	72.79	55dB	3.4	243%	Day
6845	2025-12-19 09:03:51	75.94	55dB	4.3	327%	Day
6846	2025-12-19 09:06:52	74.99	55dB	4.0	300%	Day
6847	2025-12-19 09:20:13	76.25	55dB	4.4	336%	Day
6848	2025-12-19 09:30:57	70.49	55dB	2.9	193%	Day
6849	2025-12-19 09:33:04	70.29	55dB	2.9	189%	Day
6850	2025-12-19 09:35:02	68.77	55dB	2.6	160%	Day
6851	2025-12-19 09:37:46	70.83	55dB	3.0	200%	Day
6852	2025-12-19 09:39:21	72.39	55dB	3.3	234%	Day
6853	2025-12-19 09:46:15	69.01	55dB	2.6	164%	Day
6854	2025-12-19 09:49:25	77.00	55dB	4.6	359%	Day
6855	2025-12-19 09:52:27	73.62	55dB	3.6	264%	Day
6856	2025-12-19 09:55:36	70.59	55dB	2.9	195%	Day

6857	2025-12-19 10:00:07	70.16	55dB	2.9	186%	Day
6858	2025-12-19 10:02:17	71.40	55dB	3.1	212%	Day
6859	2025-12-19 10:09:48	69.38	55dB	2.7	171%	Day
6860	2025-12-19 10:12:54	72.63	55dB	3.4	239%	Day
6861	2025-12-19 10:14:28	N/A	55dB	N/A	N/A	Day
6862	2025-12-19 10:15:48	71.89	55dB	3.2	222%	Day
6863	2025-12-19 10:18:08	69.56	55dB	2.7	174%	Day
6864	2025-12-19 10:19:28	71.80	55dB	3.2	220%	Day
6865	2025-12-19 10:20:54	69.80	55dB	2.8	179%	Day
6866	2025-12-19 10:24:10	73.61	55dB	3.6	263%	Day
6867	2025-12-19 10:32:46	79.74	55dB	5.6	456%	Day
6868	2025-12-19 10:40:55	77.19	55dB	4.7	366%	Day
6869	2025-12-19 10:42:54	79.88	55dB	5.6	461%	Day
6870	2025-12-19 10:44:39	83.27	55dB	7.1	610%	Day
6871	2025-12-19 10:46:18	79.93	55dB	5.6	463%	Day
6872	2025-12-19 10:49:08	83.58	55dB	7.3	625%	Day
6873	2025-12-19 10:50:43	78.68	55dB	5.2	416%	Day
6874	2025-12-19 10:52:13	70.50	55dB	2.9	193%	Day
6875	2025-12-19 10:53:52	82.81	55dB	6.9	587%	Day
6876	2025-12-19 10:56:10	80.39	55dB	5.8	481%	Day
6877	2025-12-19 10:58:19	79.51	55dB	5.5	447%	Day
6878	2025-12-19 11:00:02	86.43	55dB	8.8	783%	Day
6879	2025-12-19 11:01:21	78.92	55dB	5.2	425%	Day
6880	2025-12-19 11:02:50	75.68	55dB	4.2	319%	Day
6881	2025-12-19 11:04:20	78.13	55dB	5.0	397%	Day
6882	2025-12-19 11:06:05	74.09	55dB	3.8	276%	Day
6883	2025-12-19 11:08:12	73.30	55dB	3.6	256%	Day
6884	2025-12-19 11:13:48	76.64	55dB	4.5	348%	Day
6885	2025-12-19 11:15:28	80.83	55dB	6.0	499%	Day
6886	2025-12-19 11:17:03	71.67	55dB	3.2	218%	Day
6887	2025-12-19 11:22:22	76.88	55dB	4.6	356%	Day
6888	2025-12-19 11:24:11	68.04	55dB	2.5	147%	Day
6889	2025-12-19 11:26:10	79.81	55dB	5.6	458%	Day
6890	2025-12-19 11:28:28	78.21	55dB	5.0	400%	Day
6891	2025-12-19 11:30:28	78.57	55dB	5.1	412%	Day
6892	2025-12-19 11:34:21	76.78	55dB	4.5	353%	Day
6893	2025-12-19 11:36:04	76.72	55dB	4.5	351%	Day
6894	2025-12-19 11:40:39	80.83	55dB	6.0	499%	Day
6895	2025-12-19 11:42:21	69.39	55dB	2.7	171%	Day
6896	2025-12-19 11:44:09	80.89	55dB	6.0	502%	Day
6897	2025-12-19 11:45:23	75.12	55dB	4.0	303%	Day
6898	2025-12-19 11:46:53	84.35	55dB	7.6	665%	Day
6899	2025-12-19 11:48:20	76.37	55dB	4.4	340%	Day
6900	2025-12-19 11:49:44	76.64	55dB	4.5	348%	Day

6901	2025-12-19 11:51:20	71.72	55dB	3.2	219%	Day
6902	2025-12-19 11:52:53	72.89	55dB	3.5	246%	Day
6903	2025-12-19 11:55:25	76.63	55dB	4.5	348%	Day
6904	2025-12-19 11:57:21	72.41	55dB	3.3	234%	Day
6905	2025-12-19 12:01:56	73.48	55dB	3.6	260%	Day
6906	2025-12-19 12:03:53	78.91	55dB	5.2	425%	Day
6907	2025-12-19 12:05:42	73.99	55dB	3.7	273%	Day
6908	2025-12-19 12:07:42	71.36	55dB	3.1	211%	Day
6909	2025-12-19 12:09:44	76.46	55dB	4.4	343%	Day
6910	2025-12-19 12:12:58	76.77	55dB	4.5	352%	Day
6911	2025-12-19 12:15:24	71.75	55dB	3.2	219%	Day
6912	2025-12-19 12:17:41	70.04	55dB	2.8	184%	Day
6913	2025-12-19 12:19:38	72.70	55dB	3.4	241%	Day
6914	2025-12-19 12:21:10	75.43	55dB	4.1	312%	Day
6915	2025-12-19 12:22:56	74.49	55dB	3.9	286%	Day
6916	2025-12-19 12:26:03	70.75	55dB	3.0	198%	Day
6917	2025-12-19 12:27:55	76.95	55dB	4.6	358%	Day
6918	2025-12-19 12:29:29	71.50	55dB	3.1	214%	Day
6919	2025-12-19 12:30:58	72.01	55dB	3.3	225%	Day
6920	2025-12-19 12:33:09	78.29	55dB	5.0	402%	Day
6921	2025-12-19 12:34:45	78.82	55dB	5.2	421%	Day
6922	2025-12-19 12:41:34	69.39	55dB	2.7	171%	Day
6923	2025-12-19 12:45:02	77.03	55dB	4.6	360%	Day
6924	2025-12-19 12:46:41	71.49	55dB	3.1	214%	Day
6925	2025-12-19 12:48:09	76.67	55dB	4.5	349%	Day
6926	2025-12-19 12:50:02	71.02	55dB	3.0	204%	Day
6927	2025-12-19 12:51:54	79.31	55dB	5.4	439%	Day
6928	2025-12-19 12:56:24	78.12	55dB	5.0	397%	Day
6929	2025-12-19 12:57:42	78.02	55dB	4.9	393%	Day
6930	2025-12-19 12:59:01	74.27	55dB	3.8	280%	Day
6931	2025-12-19 13:00:49	71.28	55dB	3.1	209%	Day
6932	2025-12-19 13:02:16	68.45	55dB	2.5	154%	Day
6933	2025-12-19 13:03:58	75.16	55dB	4.0	304%	Day
6934	2025-12-19 13:05:47	72.95	55dB	3.5	247%	Day
6935	2025-12-19 13:07:33	77.92	55dB	4.9	390%	Day
6936	2025-12-19 13:09:56	76.52	55dB	4.4	344%	Day
6937	2025-12-19 13:15:31	69.19	55dB	2.7	167%	Day
6938	2025-12-19 13:17:51	71.01	55dB	3.0	203%	Day
6939	2025-12-19 13:19:23	69.56	55dB	2.7	174%	Day
6940	2025-12-19 13:21:36	72.13	55dB	3.3	228%	Day
6941	2025-12-19 13:24:28	66.85	55dB	2.3	127%	Day
6942	2025-12-19 13:31:48	72.14	55dB	3.3	228%	Day
6943	2025-12-19 13:34:05	76.56	55dB	4.5	346%	Day
6944	2025-12-19 13:36:00	72.94	55dB	3.5	247%	Day

6945	2025-12-19 13:39:39	75.07	55dB	4.0	302%	Day
6946	2025-12-19 13:45:07	71.15	55dB	3.1	206%	Day
6947	2025-12-19 13:48:08	72.34	55dB	3.3	233%	Day
6948	2025-12-19 13:50:37	74.99	55dB	4.0	300%	Day
6949	2025-12-19 13:52:37	69.17	55dB	2.7	167%	Day
6950	2025-12-19 13:59:32	71.56	55dB	3.2	215%	Day
6951	2025-12-19 14:01:45	77.79	55dB	4.9	385%	Day
6952	2025-12-19 14:05:02	72.54	55dB	3.4	237%	Day
6953	2025-12-19 14:06:32	69.41	55dB	2.7	172%	Day
6954	2025-12-19 14:08:07	78.36	55dB	5.0	405%	Day
6955	2025-12-19 14:10:18	80.58	55dB	5.9	489%	Day
6956	2025-12-19 14:11:52	72.05	55dB	3.3	226%	Day
6957	2025-12-19 14:15:12	75.31	55dB	4.1	309%	Day
6958	2025-12-19 14:18:09	72.39	55dB	3.3	234%	Day
6959	2025-12-19 14:24:16	73.65	55dB	3.6	264%	Day
6960	2025-12-19 14:26:07	73.82	55dB	3.7	269%	Day
6961	2025-12-19 14:28:48	76.36	55dB	4.4	340%	Day
6962	2025-12-19 14:30:19	74.56	55dB	3.9	288%	Day
6963	2025-12-19 14:32:37	74.36	55dB	3.8	283%	Day
6964	2025-12-19 14:34:26	76.55	55dB	4.5	345%	Day
6965	2025-12-19 14:36:02	86.43	55dB	8.8	783%	Day
6966	2025-12-19 14:37:33	80.83	55dB	6.0	499%	Day
6967	2025-12-19 14:39:03	75.46	55dB	4.1	313%	Day
6968	2025-12-19 14:40:28	77.21	55dB	4.7	366%	Day
6969	2025-12-19 14:42:44	71.70	55dB	3.2	218%	Day
6970	2025-12-19 14:44:12	73.16	55dB	3.5	252%	Day
6971	2025-12-19 14:46:21	74.92	55dB	4.0	298%	Day
6972	2025-12-19 14:47:40	73.77	55dB	3.7	267%	Day
6973	2025-12-19 14:50:10	77.29	55dB	4.7	369%	Day
6974	2025-12-19 14:51:35	70.70	55dB	3.0	197%	Day
6975	2025-12-19 14:53:18	81.99	55dB	6.5	549%	Day
6976	2025-12-19 14:54:44	75.17	55dB	4.0	305%	Day
6977	2025-12-19 14:56:13	72.18	55dB	3.3	229%	Day
6978	2025-12-19 15:00:33	75.75	55dB	4.2	321%	Day
6979	2025-12-19 15:04:16	79.80	55dB	5.6	458%	Day
6980	2025-12-19 15:05:44	81.84	55dB	6.4	543%	Day
6981	2025-12-19 15:07:42	79.24	55dB	5.4	437%	Day
6982	2025-12-19 15:09:28	77.55	55dB	4.8	377%	Day
6983	2025-12-19 15:10:44	82.04	55dB	6.5	552%	Day
6984	2025-12-19 15:12:08	80.16	55dB	5.7	472%	Day
6985	2025-12-19 15:14:03	78.61	55dB	5.1	414%	Day
6986	2025-12-19 15:15:38	75.67	55dB	4.2	319%	Day
6987	2025-12-19 15:16:55	80.03	55dB	5.7	467%	Day
6988	2025-12-19 15:18:27	74.13	55dB	3.8	277%	Day

6989	2025-12-19 15:20:31	81.79	55dB	6.4	540%	Day
6990	2025-12-19 15:22:23	76.90	55dB	4.6	356%	Day
6991	2025-12-19 15:23:58	76.00	55dB	4.3	329%	Day
6992	2025-12-19 15:25:36	78.53	55dB	5.1	411%	Day
6993	2025-12-19 15:28:49	82.80	55dB	6.9	587%	Day
6994	2025-12-19 15:30:32	73.56	55dB	3.6	262%	Day
6995	2025-12-19 15:32:55	73.56	55dB	3.6	262%	Day
6996	2025-12-19 15:34:35	72.89	55dB	3.5	246%	Day
6997	2025-12-19 15:37:15	76.77	55dB	4.5	352%	Day
6998	2025-12-19 15:38:44	82.74	55dB	6.8	584%	Day
6999	2025-12-19 15:41:24	78.81	55dB	5.2	421%	Day
7000	2025-12-19 15:42:42	70.05	55dB	2.8	184%	Day
7001	2025-12-19 15:44:17	79.66	55dB	5.5	453%	Day
7002	2025-12-19 15:45:37	73.15	55dB	3.5	252%	Day
7003	2025-12-19 15:46:55	75.14	55dB	4.0	304%	Day
7004	2025-12-19 15:48:49	84.16	55dB	7.5	655%	Day
7005	2025-12-19 15:50:20	75.51	55dB	4.1	314%	Day
7006	2025-12-19 15:51:56	80.50	55dB	5.9	486%	Day
7007	2025-12-19 15:54:53	79.93	55dB	5.6	463%	Day
7008	2025-12-19 15:57:07	75.96	55dB	4.3	328%	Day
7009	2025-12-19 15:58:42	80.76	55dB	6.0	496%	Day
7010	2025-12-19 16:00:09	76.07	55dB	4.3	331%	Day
7011	2025-12-19 16:01:26	84.61	55dB	7.8	679%	Day
7012	2025-12-19 16:03:43	75.55	55dB	4.2	316%	Day
7013	2025-12-19 16:05:07	75.49	55dB	4.1	314%	Day
7014	2025-12-19 16:06:26	75.34	55dB	4.1	310%	Day
7015	2025-12-19 16:07:51	79.68	55dB	5.5	453%	Day
7016	2025-12-19 16:09:15	71.61	55dB	3.2	216%	Day
7017	2025-12-19 16:10:58	75.79	55dB	4.2	323%	Day
7018	2025-12-19 16:13:00	74.89	55dB	4.0	297%	Day
7019	2025-12-19 16:14:40	73.26	55dB	3.5	255%	Day
7020	2025-12-19 16:16:02	68.90	55dB	2.6	162%	Day
7021	2025-12-19 16:17:21	73.34	55dB	3.6	257%	Day
7022	2025-12-19 16:21:01	78.90	55dB	5.2	424%	Day
7023	2025-12-19 16:22:41	75.24	55dB	4.1	307%	Day
7024	2025-12-19 16:24:02	78.02	55dB	4.9	393%	Day
7025	2025-12-19 16:25:24	76.02	55dB	4.3	329%	Day
7026	2025-12-19 16:26:46	75.09	55dB	4.0	303%	Day
7027	2025-12-19 16:28:34	78.15	55dB	5.0	398%	Day
7028	2025-12-19 16:30:30	76.70	55dB	4.5	350%	Day
7029	2025-12-19 16:32:19	74.75	55dB	3.9	293%	Day
7030	2025-12-19 16:34:08	76.35	55dB	4.4	339%	Day
7031	2025-12-19 16:35:49	78.97	55dB	5.3	427%	Day
7032	2025-12-19 16:43:39	77.08	55dB	4.6	362%	Day

7033	2025-12-19 16:45:51	77.27	55dB	4.7	368%	Day
7034	2025-12-19 16:48:25	76.82	55dB	4.5	354%	Day
7035	2025-12-19 16:49:56	72.84	55dB	3.4	244%	Day
7036	2025-12-19 16:53:52	66.55	55dB	2.2	123%	Day
7037	2025-12-19 16:55:16	77.49	55dB	4.8	375%	Day
7038	2025-12-19 16:58:26	74.58	55dB	3.9	289%	Day
7039	2025-12-19 17:01:25	71.12	55dB	3.1	206%	Day
7040	2025-12-19 17:03:14	72.20	55dB	3.3	229%	Day
7041	2025-12-19 17:04:57	74.67	55dB	3.9	291%	Day
7042	2025-12-19 17:07:38	66.14	55dB	2.2	116%	Day
7043	2025-12-19 17:11:05	76.86	55dB	4.6	355%	Day
7044	2025-12-19 17:12:40	72.09	55dB	3.3	227%	Day
7045	2025-12-19 17:14:09	69.71	55dB	2.8	177%	Day
7046	2025-12-19 17:15:41	71.98	55dB	3.2	224%	Day
7047	2025-12-19 17:17:04	75.57	55dB	4.2	316%	Day
7048	2025-12-19 17:18:26	74.70	55dB	3.9	292%	Day
7049	2025-12-19 17:19:48	69.66	55dB	2.8	176%	Day
7050	2025-12-19 17:22:08	71.13	55dB	3.1	206%	Day
7051	2025-12-19 17:23:32	73.60	55dB	3.6	263%	Day
7052	2025-12-19 17:24:56	75.93	55dB	4.3	327%	Day
7053	2025-12-19 17:26:22	76.31	55dB	4.4	338%	Day
7054	2025-12-19 17:27:45	70.29	55dB	2.9	189%	Day
7055	2025-12-19 17:29:02	65.79	55dB	2.1	111%	Day
7056	2025-12-19 17:30:49	71.12	55dB	3.1	206%	Day
7057	2025-12-19 17:39:51	66.70	55dB	2.3	125%	Day
7058	2025-12-19 17:41:45	67.04	55dB	2.3	130%	Day
7059	2025-12-19 17:43:11	67.26	55dB	2.3	134%	Day
7060	2025-12-19 17:45:14	73.89	55dB	3.7	270%	Day
7061	2025-12-19 17:47:19	73.84	55dB	3.7	269%	Day
7062	2025-12-19 17:49:27	68.88	55dB	2.6	162%	Day
7063	2025-12-19 17:51:21	68.03	55dB	2.5	147%	Day
7064	2025-12-19 17:52:52	72.12	55dB	3.3	228%	Day
7065	2025-12-19 17:55:03	68.70	55dB	2.6	158%	Day
7066	2025-12-19 17:56:50	77.02	55dB	4.6	360%	Day
7067	2025-12-19 18:06:43	69.21	55dB	2.7	168%	Day
7068	2025-12-19 18:08:56	68.74	55dB	2.6	159%	Day
7069	2025-12-19 18:10:26	68.72	55dB	2.6	159%	Day
7070	2025-12-19 18:11:52	71.51	55dB	3.1	214%	Day
7071	2025-12-19 18:13:46	74.58	55dB	3.9	289%	Day
7072	2025-12-19 18:19:24	68.42	55dB	2.5	154%	Day
7073	2025-12-19 18:21:50	74.36	55dB	3.8	283%	Day
7074	2025-12-19 18:25:47	69.01	55dB	2.6	164%	Day
7075	2025-12-19 18:27:30	71.06	55dB	3.0	204%	Day
7076	2025-12-19 18:29:02	75.60	55dB	4.2	317%	Day

7077	2025-12-19 18:30:37	68.09	55dB	2.5	148%	Day
7078	2025-12-19 18:31:58	74.91	55dB	4.0	298%	Day
7079	2025-12-19 18:33:33	71.84	55dB	3.2	221%	Day
7080	2025-12-19 18:36:19	N/A	55dB	N/A	N/A	Day
7081	2025-12-19 18:37:57	68.24	55dB	2.5	150%	Day
7082	2025-12-19 18:39:27	68.91	55dB	2.6	162%	Day
7083	2025-12-19 18:40:58	67.55	55dB	2.4	139%	Day
7084	2025-12-19 18:42:26	70.67	55dB	3.0	196%	Day
7085	2025-12-19 18:43:56	N/A	55dB	N/A	N/A	Day
7086	2025-12-19 18:45:27	77.31	55dB	4.7	369%	Day
7087	2025-12-19 18:46:57	68.30	55dB	2.5	151%	Day
7088	2025-12-19 18:48:38	75.26	55dB	4.1	307%	Day
7089	2025-12-19 18:50:02	73.10	55dB	3.5	251%	Day
7090	2025-12-19 18:51:19	77.78	55dB	4.9	385%	Day
7091	2025-12-19 18:53:23	78.98	55dB	5.3	427%	Day
7092	2025-12-19 19:00:23	70.38	55dB	2.9	190%	Day
7093	2025-12-19 19:02:16	75.87	55dB	4.2	325%	Day
7094	2025-12-19 19:04:24	72.71	55dB	3.4	241%	Day
7095	2025-12-19 19:06:58	72.36	55dB	3.3	233%	Day
7096	2025-12-19 19:08:39	68.36	55dB	2.5	152%	Day
7097	2025-12-19 19:09:56	69.65	55dB	2.8	176%	Day
7098	2025-12-19 19:11:34	68.56	55dB	2.6	156%	Day
7099	2025-12-19 19:13:22	72.22	55dB	3.3	230%	Day
7100	2025-12-19 19:14:56	72.59	55dB	3.4	238%	Day
7101	2025-12-19 19:16:26	80.38	55dB	5.8	481%	Day
7102	2025-12-19 19:18:35	68.64	55dB	2.6	157%	Day
7103	2025-12-19 19:20:20	74.35	55dB	3.8	282%	Day
7104	2025-12-19 19:21:47	74.70	55dB	3.9	292%	Day
7105	2025-12-19 19:23:15	74.09	55dB	3.8	276%	Day
7106	2025-12-19 19:24:51	69.00	55dB	2.6	164%	Day
7107	2025-12-19 19:26:30	77.10	55dB	4.6	363%	Day
7108	2025-12-19 19:27:54	81.33	55dB	6.2	520%	Day
7109	2025-12-19 19:29:20	77.02	55dB	4.6	360%	Day
7110	2025-12-19 19:31:24	70.04	55dB	2.8	184%	Day
7111	2025-12-19 19:32:54	74.02	55dB	3.7	274%	Day
7112	2025-12-19 19:34:33	72.54	55dB	3.4	237%	Day
7113	2025-12-19 19:36:03	71.34	55dB	3.1	210%	Day
7114	2025-12-19 19:37:39	71.96	55dB	3.2	224%	Day
7115	2025-12-19 19:40:04	69.98	55dB	2.8	182%	Day
7116	2025-12-19 19:41:24	69.34	55dB	2.7	170%	Day
7117	2025-12-19 19:42:46	72.37	55dB	3.3	233%	Day
7118	2025-12-19 19:44:47	70.88	55dB	3.0	201%	Day
7119	2025-12-19 19:46:20	72.01	55dB	3.3	225%	Day
7120	2025-12-19 19:47:33	71.06	55dB	3.0	204%	Day

7121	2025-12-19 19:48:56	70.79	55dB	3.0	199%	Day
7122	2025-12-19 19:51:00	75.70	55dB	4.2	320%	Day
7123	2025-12-19 19:52:23	71.33	55dB	3.1	210%	Day
7124	2025-12-19 19:54:06	71.11	55dB	3.1	205%	Day
7125	2025-12-19 19:55:27	70.67	55dB	3.0	196%	Day
7126	2025-12-19 19:56:44	70.63	55dB	3.0	195%	Day
7127	2025-12-19 19:58:57	N/A	55dB	N/A	N/A	Day
7128	2025-12-19 20:00:45	71.67	55dB	3.2	218%	Day
7129	2025-12-19 20:02:44	66.94	55dB	2.3	129%	Day
7130	2025-12-19 20:04:26	74.91	55dB	4.0	298%	Day
7131	2025-12-19 20:06:09	71.87	55dB	3.2	222%	Day
7132	2025-12-19 20:07:43	70.17	55dB	2.9	186%	Day
7133	2025-12-19 20:09:26	73.09	55dB	3.5	250%	Day
7134	2025-12-19 20:10:36	68.39	55dB	2.5	153%	Day
7135	2025-12-19 20:12:00	N/A	55dB	N/A	N/A	Day
7136	2025-12-19 20:16:04	74.34	55dB	3.8	282%	Day
7137	2025-12-19 20:17:39	76.24	55dB	4.4	336%	Day
7138	2025-12-19 20:19:55	N/A	55dB	N/A	N/A	Day
7139	2025-12-19 20:21:11	N/A	55dB	N/A	N/A	Day
7140	2025-12-19 20:23:09	73.47	55dB	3.6	260%	Day
7141	2025-12-19 20:24:54	71.64	55dB	3.2	217%	Day
7142	2025-12-19 20:26:34	71.29	55dB	3.1	209%	Day
7143	2025-12-19 20:28:34	69.16	55dB	2.7	167%	Day
7144	2025-12-19 20:30:01	75.48	55dB	4.1	314%	Day
7145	2025-12-19 20:34:26	76.18	55dB	4.3	334%	Day
7146	2025-12-19 20:35:49	68.77	55dB	2.6	160%	Day
7147	2025-12-19 20:37:04	68.74	55dB	2.6	159%	Day
7148	2025-12-19 20:38:23	N/A	55dB	N/A	N/A	Day
7149	2025-12-19 20:39:32	70.57	55dB	2.9	194%	Day
7150	2025-12-19 20:41:03	73.48	55dB	3.6	260%	Day
7151	2025-12-19 20:43:21	74.08	55dB	3.8	275%	Day
7152	2025-12-19 20:45:13	74.11	55dB	3.8	276%	Day
7153	2025-12-19 20:46:40	72.68	55dB	3.4	241%	Day
7154	2025-12-19 20:47:54	69.20	55dB	2.7	168%	Day
7155	2025-12-19 20:49:52	70.52	55dB	2.9	193%	Day
7156	2025-12-19 20:51:25	69.81	55dB	2.8	179%	Day
7157	2025-12-19 20:52:39	74.81	55dB	3.9	295%	Day
7158	2025-12-19 20:54:26	79.04	55dB	5.3	429%	Day
7159	2025-12-19 20:56:20	72.95	55dB	3.5	247%	Day
7160	2025-12-19 20:57:44	73.65	55dB	3.6	264%	Day
7161	2025-12-19 20:59:55	72.68	55dB	3.4	241%	Day
7162	2025-12-19 21:01:36	69.25	55dB	2.7	169%	Day
7163	2025-12-19 21:03:10	72.18	55dB	3.3	229%	Day
7164	2025-12-19 21:05:21	66.34	55dB	2.2	119%	Day

7165	2025-12-19 21:07:28	81.31	55dB	6.2	519%	Day
7166	2025-12-19 21:09:21	N/A	55dB	N/A	N/A	Day
7167	2025-12-19 21:11:03	74.18	55dB	3.8	278%	Day
7168	2025-12-19 21:12:32	70.03	55dB	2.8	183%	Day
7169	2025-12-19 21:14:14	70.44	55dB	2.9	192%	Day
7170	2025-12-19 21:15:51	71.66	55dB	3.2	217%	Day
7171	2025-12-19 21:18:07	71.11	55dB	3.1	205%	Day
7172	2025-12-19 21:20:21	76.84	55dB	4.5	354%	Day
7173	2025-12-19 21:26:35	74.52	55dB	3.9	287%	Day
7174	2025-12-19 21:28:22	72.81	55dB	3.4	244%	Day
7175	2025-12-19 21:33:42	70.16	55dB	2.9	186%	Day
7176	2025-12-19 21:35:00	N/A	55dB	N/A	N/A	Day
7177	2025-12-19 21:36:32	71.18	55dB	3.1	207%	Day
7178	2025-12-19 21:38:20	70.33	55dB	2.9	189%	Day
7179	2025-12-19 21:39:47	70.23	55dB	2.9	187%	Day
7180	2025-12-19 21:41:09	75.06	55dB	4.0	302%	Day
7181	2025-12-19 21:42:45	76.66	55dB	4.5	349%	Day
7182	2025-12-19 21:44:01	69.20	55dB	2.7	168%	Day
7183	2025-12-19 21:45:40	75.81	55dB	4.2	323%	Day
7184	2025-12-19 21:47:26	75.97	55dB	4.3	328%	Day
7185	2025-12-19 21:49:22	71.92	55dB	3.2	223%	Day
7186	2025-12-19 21:50:45	N/A	55dB	N/A	N/A	Day
7187	2025-12-19 21:52:15	74.11	55dB	3.8	276%	Day
7188	2025-12-19 21:53:52	76.59	55dB	4.5	347%	Day
7189	2025-12-19 22:01:01	70.28	55dB	2.9	188%	Day
7190	2025-12-19 22:02:54	80.61	55dB	5.9	490%	Day
7191	2025-12-19 22:04:25	75.37	55dB	4.1	310%	Day
7192	2025-12-19 22:05:58	72.94	55dB	3.5	247%	Day
7193	2025-12-19 22:10:03	72.60	55dB	3.4	239%	Day
7194	2025-12-19 22:11:47	72.96	55dB	3.5	247%	Day
7195	2025-12-19 22:13:17	71.25	55dB	3.1	208%	Day
7196	2025-12-19 22:14:37	71.08	55dB	3.0	205%	Day
7197	2025-12-19 22:16:34	73.27	55dB	3.5	255%	Day
7198	2025-12-19 22:18:31	73.64	55dB	3.6	264%	Day
7199	2025-12-19 22:20:50	73.27	55dB	3.5	255%	Day
7200	2025-12-19 22:25:31	69.71	55dB	2.8	177%	Day
7201	2025-12-19 22:30:36	71.38	55dB	3.1	211%	Day
7202	2025-12-19 22:36:39	73.01	55dB	3.5	248%	Day
7203	2025-12-19 22:46:36	72.21	55dB	3.3	230%	Day
7204	2025-12-19 22:48:11	72.19	55dB	3.3	229%	Day
7205	2025-12-19 22:49:34	65.93	55dB	2.1	113%	Day
7206	2025-12-19 22:50:48	75.95	55dB	4.3	327%	Day
7207	2025-12-19 22:52:20	69.40	55dB	2.7	171%	Day
7208	2025-12-19 22:53:47	73.11	55dB	3.5	251%	Day

7209	2025-12-19 22:55:23	71.35	55dB	3.1	211%	Day
7210	2025-12-19 22:56:44	70.94	55dB	3.0	202%	Day
7211	2025-12-19 22:58:20	73.34	55dB	3.6	257%	Day
7212	2025-12-19 22:59:41	71.56	55dB	3.2	215%	Day
7213	2025-12-19 23:01:32	70.48	45dB	5.8	485%	Night
7214	2025-12-19 23:03:10	76.14	45dB	8.7	766%	Night
7215	2025-12-19 23:05:21	71.07	45dB	6.1	509%	Night
7216	2025-12-19 23:08:53	N/A	45dB	N/A	N/A	Night
7217	2025-12-19 23:11:14	71.59	45dB	6.3	532%	Night
7218	2025-12-19 23:14:16	72.13	45dB	6.6	556%	Night
7219	2025-12-19 23:16:26	68.52	45dB	5.1	411%	Night
7220	2025-12-19 23:18:14	68.17	45dB	5.0	398%	Night
7221	2025-12-19 23:23:07	73.50	45dB	7.2	621%	Night
7222	2025-12-19 23:24:54	72.24	45dB	6.6	561%	Night
7223	2025-12-19 23:26:26	69.25	45dB	5.4	437%	Night
7224	2025-12-19 23:27:45	N/A	45dB	N/A	N/A	Night
7225	2025-12-19 23:29:14	67.49	45dB	4.8	375%	Night
7226	2025-12-19 23:35:42	76.91	45dB	9.1	813%	Night
7227	2025-12-19 23:37:44	66.80	45dB	4.5	353%	Night
7228	2025-12-19 23:40:02	72.32	45dB	6.6	564%	Night
7229	2025-12-19 23:43:15	75.50	45dB	8.3	728%	Night
7230	2025-12-19 23:51:55	68.34	45dB	5.0	404%	Night
7231	2025-12-19 23:56:26	66.64	45dB	4.5	348%	Night
7232	2025-12-19 23:58:53	68.85	45dB	5.2	422%	Night
7233	2025-12-20 00:00:23	N/A	45dB	N/A	N/A	Night
7234	2025-12-20 00:02:00	74.13	45dB	7.5	653%	Night
7235	2025-12-20 00:03:27	76.52	45dB	8.9	789%	Night
7236	2025-12-20 00:11:03	68.95	45dB	5.3	426%	Night
7237	2025-12-20 00:13:16	71.87	45dB	6.4	544%	Night
7238	2025-12-20 00:14:45	69.75	45dB	5.6	456%	Night
7239	2025-12-20 00:16:20	68.84	45dB	5.2	422%	Night
7240	2025-12-20 00:21:33	74.59	45dB	7.8	678%	Night
7241	2025-12-20 00:23:36	74.25	45dB	7.6	659%	Night
7242	2025-12-20 00:25:09	66.90	45dB	4.6	356%	Night
7243	2025-12-20 00:27:17	69.28	45dB	5.4	438%	Night
7244	2025-12-20 00:30:24	67.39	45dB	4.7	372%	Night
7245	2025-12-20 00:33:27	71.62	45dB	6.3	533%	Night
7246	2025-12-20 00:41:27	69.49	45dB	5.5	446%	Night
7247	2025-12-20 00:43:08	74.31	45dB	7.6	663%	Night
7248	2025-12-20 00:45:02	68.53	45dB	5.1	411%	Night
7249	2025-12-20 00:47:26	69.20	45dB	5.4	435%	Night
7250	2025-12-20 00:49:22	66.49	45dB	4.4	344%	Night
7251	2025-12-20 00:50:54	70.39	45dB	5.8	481%	Night
7252	2025-12-20 00:52:22	69.54	45dB	5.5	448%	Night

7253	2025-12-20 00:54:22	70.87	45dB	6.0	501%	Night
7254	2025-12-20 00:59:01	67.89	45dB	4.9	389%	Night
7255	2025-12-20 01:02:19	72.07	45dB	6.5	553%	Night
7256	2025-12-20 01:04:34	74.51	45dB	7.7	673%	Night
7257	2025-12-20 01:06:02	68.99	45dB	5.3	427%	Night
7258	2025-12-20 01:07:44	67.79	45dB	4.9	385%	Night
7259	2025-12-20 01:11:52	73.05	45dB	7.0	599%	Night
7260	2025-12-20 01:14:06	68.82	45dB	5.2	421%	Night
7261	2025-12-20 01:18:40	71.44	45dB	6.3	525%	Night
7262	2025-12-20 01:23:10	69.94	45dB	5.6	463%	Night
7263	2025-12-20 01:29:39	70.76	45dB	6.0	496%	Night
7264	2025-12-20 01:32:41	69.63	45dB	5.5	451%	Night
7265	2025-12-20 01:41:07	68.65	45dB	5.2	415%	Night
7266	2025-12-20 01:42:58	77.14	45dB	9.3	828%	Night
7267	2025-12-20 01:44:25	68.20	45dB	5.0	399%	Night
7268	2025-12-20 01:45:49	69.36	45dB	5.4	441%	Night
7269	2025-12-20 01:47:26	68.76	45dB	5.2	419%	Night
7270	2025-12-20 01:49:46	69.88	45dB	5.6	461%	Night
7271	2025-12-20 01:51:31	69.93	45dB	5.6	463%	Night
7272	2025-12-20 01:53:01	68.47	45dB	5.1	409%	Night
7273	2025-12-20 01:56:27	71.55	45dB	6.3	530%	Night
7274	2025-12-20 02:00:16	68.02	45dB	4.9	393%	Night
7275	2025-12-20 02:02:35	69.94	45dB	5.6	463%	Night
7276	2025-12-20 06:29:54	70.01	45dB	5.7	466%	Night
7277	2025-12-20 06:31:22	74.25	45dB	7.6	659%	Night
7278	2025-12-20 06:33:04	75.81	45dB	8.5	746%	Night
7279	2025-12-20 06:35:11	75.79	45dB	8.5	745%	Night
7280	2025-12-20 06:36:39	68.71	45dB	5.2	417%	Night
7281	2025-12-20 06:39:24	73.20	45dB	7.1	606%	Night
7282	2025-12-20 06:42:10	70.08	45dB	5.7	469%	Night
7283	2025-12-20 06:47:04	72.81	45dB	6.9	587%	Night
7284	2025-12-20 06:49:38	70.84	45dB	6.0	500%	Night
7285	2025-12-20 06:51:40	72.17	45dB	6.6	558%	Night
7286	2025-12-20 06:53:18	71.08	45dB	6.1	510%	Night
7287	2025-12-20 06:54:45	70.68	45dB	5.9	493%	Night
7288	2025-12-20 06:56:30	76.95	45dB	9.2	816%	Night
7289	2025-12-20 06:58:17	74.43	45dB	7.7	669%	Night
7290	2025-12-20 07:00:51	72.14	55dB	3.3	228%	Day
7291	2025-12-20 07:02:33	70.25	55dB	2.9	188%	Day
7292	2025-12-20 07:04:01	71.51	55dB	3.1	214%	Day
7293	2025-12-20 07:05:19	71.03	55dB	3.0	204%	Day
7294	2025-12-20 07:07:01	71.90	55dB	3.2	223%	Day
7295	2025-12-20 07:13:19	69.24	55dB	2.7	168%	Day
7296	2025-12-20 07:15:05	71.96	55dB	3.2	224%	Day

7297	2025-12-20 07:17:06	69.87	55dB	2.8	180%	Day
7298	2025-12-20 07:27:43	68.94	55dB	2.6	163%	Day
7299	2025-12-20 07:33:05	71.41	55dB	3.1	212%	Day
7300	2025-12-20 07:39:04	72.03	55dB	3.3	226%	Day
7301	2025-12-20 07:41:31	74.35	55dB	3.8	282%	Day
7302	2025-12-20 07:43:03	72.00	55dB	3.2	225%	Day
7303	2025-12-20 07:44:42	71.33	55dB	3.1	210%	Day
7304	2025-12-20 07:50:56	71.21	55dB	3.1	208%	Day
7305	2025-12-20 07:53:02	70.71	55dB	3.0	197%	Day
7306	2025-12-20 07:55:46	70.53	55dB	2.9	193%	Day
7307	2025-12-20 07:57:23	73.43	55dB	3.6	259%	Day
7308	2025-12-20 07:58:51	75.13	55dB	4.0	304%	Day
7309	2025-12-20 08:00:35	72.65	55dB	3.4	240%	Day
7310	2025-12-20 08:04:24	71.44	55dB	3.1	213%	Day
7311	2025-12-20 08:06:52	70.53	55dB	2.9	193%	Day
7312	2025-12-20 08:11:18	70.34	55dB	2.9	190%	Day
7313	2025-12-20 08:14:49	71.63	55dB	3.2	217%	Day
7314	2025-12-20 08:17:40	72.44	55dB	3.3	235%	Day
7315	2025-12-20 08:19:32	68.10	55dB	2.5	148%	Day
7316	2025-12-20 08:22:12	68.23	55dB	2.5	150%	Day
7317	2025-12-20 08:23:42	N/A	55dB	N/A	N/A	Day
7318	2025-12-20 08:30:07	73.94	55dB	3.7	272%	Day
7319	2025-12-20 08:32:38	71.54	55dB	3.1	215%	Day
7320	2025-12-20 08:34:15	73.42	55dB	3.6	259%	Day
7321	2025-12-20 08:36:32	72.04	55dB	3.3	226%	Day
7322	2025-12-20 08:38:20	70.38	55dB	2.9	190%	Day
7323	2025-12-20 08:39:54	73.18	55dB	3.5	253%	Day
7324	2025-12-20 08:43:05	72.64	55dB	3.4	240%	Day
7325	2025-12-20 08:45:13	72.56	55dB	3.4	238%	Day
7326	2025-12-20 09:03:53	72.62	55dB	3.4	239%	Day
7327	2025-12-20 09:07:08	N/A	55dB	N/A	N/A	Day
7328	2025-12-20 09:12:31	74.03	55dB	3.7	274%	Day
7329	2025-12-20 09:14:24	71.09	55dB	3.1	205%	Day
7330	2025-12-20 09:19:08	68.41	55dB	2.5	153%	Day
7331	2025-12-20 09:28:18	74.53	55dB	3.9	287%	Day
7332	2025-12-20 09:35:15	N/A	55dB	N/A	N/A	Day
7333	2025-12-20 09:42:04	70.98	55dB	3.0	203%	Day
7334	2025-12-20 09:46:22	N/A	55dB	N/A	N/A	Day
7335	2025-12-20 09:48:38	72.42	55dB	3.3	234%	Day
7336	2025-12-20 09:56:46	71.35	55dB	3.1	211%	Day
7337	2025-12-20 09:58:49	71.09	55dB	3.1	205%	Day
7338	2025-12-20 10:01:27	69.00	55dB	2.6	164%	Day
7339	2025-12-20 10:07:58	69.28	55dB	2.7	169%	Day
7340	2025-12-20 10:10:06	74.26	55dB	3.8	280%	Day

7341	2025-12-20 10:12:12	71.35	55dB	3.1	211%	Day
7342	2025-12-20 10:19:00	71.53	55dB	3.1	214%	Day
7343	2025-12-20 10:23:49	70.85	55dB	3.0	200%	Day
7344	2025-12-20 10:25:28	71.47	55dB	3.1	213%	Day
7345	2025-12-20 10:29:11	71.50	55dB	3.1	214%	Day
7346	2025-12-20 10:39:20	70.34	55dB	2.9	190%	Day
7347	2025-12-20 10:42:38	72.40	55dB	3.3	234%	Day
7348	2025-12-20 10:44:07	77.75	55dB	4.8	384%	Day
7349	2025-12-20 10:46:11	72.08	55dB	3.3	227%	Day
7350	2025-12-20 10:47:46	72.49	55dB	3.4	236%	Day
7351	2025-12-20 10:51:17	72.51	55dB	3.4	237%	Day
7352	2025-12-20 10:52:53	78.82	55dB	5.2	421%	Day
7353	2025-12-20 10:54:32	72.78	55dB	3.4	243%	Day
7354	2025-12-20 11:00:03	71.95	55dB	3.2	224%	Day
7355	2025-12-20 11:02:21	76.97	55dB	4.6	359%	Day
7356	2025-12-20 11:03:54	74.06	55dB	3.7	275%	Day
7357	2025-12-20 11:07:03	71.03	55dB	3.0	204%	Day
7358	2025-12-20 11:08:35	72.69	55dB	3.4	241%	Day
7359	2025-12-20 11:10:06	74.35	55dB	3.8	282%	Day
7360	2025-12-20 11:14:51	73.86	55dB	3.7	270%	Day
7361	2025-12-20 11:16:19	72.73	55dB	3.4	242%	Day
7362	2025-12-20 11:18:32	69.70	55dB	2.8	177%	Day
7363	2025-12-20 11:20:36	74.62	55dB	3.9	290%	Day
7364	2025-12-20 11:22:46	N/A	55dB	N/A	N/A	Day
7365	2025-12-20 11:24:20	72.52	55dB	3.4	237%	Day
7366	2025-12-20 11:26:06	73.15	55dB	3.5	252%	Day
7367	2025-12-20 11:30:35	N/A	55dB	N/A	N/A	Day
7368	2025-12-20 11:34:07	74.42	55dB	3.8	284%	Day
7369	2025-12-20 11:37:01	72.31	55dB	3.3	232%	Day
7370	2025-12-20 11:39:04	69.11	55dB	2.7	166%	Day
7371	2025-12-20 11:43:01	78.63	55dB	5.1	414%	Day
7372	2025-12-20 11:45:32	69.06	55dB	2.7	165%	Day
7373	2025-12-20 11:51:06	75.23	55dB	4.1	306%	Day
7374	2025-12-20 11:53:09	69.58	55dB	2.7	175%	Day
7375	2025-12-20 11:58:44	69.92	55dB	2.8	181%	Day
7376	2025-12-20 12:03:32	74.58	55dB	3.9	289%	Day
7377	2025-12-20 12:05:34	70.18	55dB	2.9	186%	Day
7378	2025-12-20 12:07:32	74.27	55dB	3.8	280%	Day
7379	2025-12-20 12:09:23	69.21	55dB	2.7	168%	Day
7380	2025-12-20 12:14:57	71.05	55dB	3.0	204%	Day
7381	2025-12-20 12:19:18	68.45	55dB	2.5	154%	Day
7382	2025-12-20 12:21:04	69.34	55dB	2.7	170%	Day
7383	2025-12-20 12:23:52	76.02	55dB	4.3	329%	Day
7384	2025-12-20 12:26:26	69.31	55dB	2.7	170%	Day

7385	2025-12-20 12:28:22	70.44	55dB	2.9	192%	Day
7386	2025-12-20 12:30:42	72.41	55dB	3.3	234%	Day
7387	2025-12-20 12:32:49	N/A	55dB	N/A	N/A	Day
7388	2025-12-20 12:38:14	69.18	55dB	2.7	167%	Day
7389	2025-12-20 12:40:44	73.77	55dB	3.7	267%	Day
7390	2025-12-20 12:42:58	75.43	55dB	4.1	312%	Day
7391	2025-12-20 12:44:24	74.58	55dB	3.9	289%	Day
7392	2025-12-20 12:46:03	68.14	55dB	2.5	149%	Day
7393	2025-12-20 12:48:02	74.24	55dB	3.8	279%	Day
7394	2025-12-20 12:50:21	70.65	55dB	3.0	196%	Day
7395	2025-12-20 12:53:10	74.06	55dB	3.7	275%	Day
7396	2025-12-20 12:58:31	73.53	55dB	3.6	261%	Day
7397	2025-12-20 13:00:06	69.32	55dB	2.7	170%	Day
7398	2025-12-20 13:01:53	70.08	55dB	2.8	184%	Day
7399	2025-12-20 13:04:03	72.88	55dB	3.5	245%	Day
7400	2025-12-20 13:06:25	72.02	55dB	3.3	225%	Day
7401	2025-12-20 13:07:51	77.57	55dB	4.8	378%	Day
7402	2025-12-20 13:10:34	70.40	55dB	2.9	191%	Day
7403	2025-12-20 13:15:48	74.15	55dB	3.8	277%	Day
7404	2025-12-20 13:20:08	71.88	55dB	3.2	222%	Day
7405	2025-12-20 13:21:54	69.15	55dB	2.7	167%	Day
7406	2025-12-20 13:23:50	N/A	55dB	N/A	N/A	Day
7407	2025-12-20 13:25:28	70.36	55dB	2.9	190%	Day
7408	2025-12-20 13:28:25	70.92	55dB	3.0	201%	Day
7409	2025-12-20 13:29:57	69.48	55dB	2.7	173%	Day
7410	2025-12-20 13:31:21	78.32	55dB	5.0	404%	Day
7411	2025-12-20 13:32:54	71.23	55dB	3.1	208%	Day
7412	2025-12-20 13:34:58	72.86	55dB	3.4	245%	Day
7413	2025-12-20 13:37:16	74.26	55dB	3.8	280%	Day
7414	2025-12-20 13:39:32	70.38	55dB	2.9	190%	Day
7415	2025-12-20 13:46:11	68.88	55dB	2.6	162%	Day
7416	2025-12-20 13:48:54	71.33	55dB	3.1	210%	Day
7417	2025-12-20 13:51:27	69.85	55dB	2.8	180%	Day
7418	2025-12-20 13:53:17	70.81	55dB	3.0	199%	Day
7419	2025-12-20 13:54:46	68.69	55dB	2.6	158%	Day
7420	2025-12-20 13:56:12	71.44	55dB	3.1	213%	Day
7421	2025-12-20 13:58:06	75.54	55dB	4.2	315%	Day
7422	2025-12-20 13:59:54	82.47	55dB	6.7	571%	Day
7423	2025-12-20 14:02:35	70.65	55dB	3.0	196%	Day
7424	2025-12-20 14:04:28	N/A	55dB	N/A	N/A	Day
7425	2025-12-20 14:06:24	67.11	55dB	2.3	131%	Day
7426	2025-12-20 14:08:21	71.81	55dB	3.2	221%	Day
7427	2025-12-20 14:09:50	74.34	55dB	3.8	282%	Day
7428	2025-12-20 14:11:16	67.75	55dB	2.4	142%	Day

7429	2025-12-20 14:12:37	68.01	55dB	2.5	146%	Day
7430	2025-12-20 14:14:15	74.62	55dB	3.9	290%	Day
7431	2025-12-20 14:17:47	74.79	55dB	3.9	294%	Day
7432	2025-12-20 14:20:05	69.28	55dB	2.7	169%	Day
7433	2025-12-20 14:21:32	73.30	55dB	3.6	256%	Day
7434	2025-12-20 14:22:45	72.64	55dB	3.4	240%	Day
7435	2025-12-20 14:24:05	79.58	55dB	5.5	449%	Day
7436	2025-12-20 14:25:29	77.37	55dB	4.7	371%	Day
7437	2025-12-20 14:27:35	70.99	55dB	3.0	203%	Day
7438	2025-12-20 14:29:55	76.40	55dB	4.4	341%	Day
7439	2025-12-20 14:31:57	80.15	55dB	5.7	472%	Day
7440	2025-12-20 14:33:56	73.48	55dB	3.6	260%	Day
7441	2025-12-20 14:35:53	70.02	55dB	2.8	183%	Day
7442	2025-12-20 14:37:42	76.21	55dB	4.3	335%	Day
7443	2025-12-20 14:39:15	70.80	55dB	3.0	199%	Day
7444	2025-12-20 14:41:03	N/A	55dB	N/A	N/A	Day
7445	2025-12-20 14:42:25	69.23	55dB	2.7	168%	Day
7446	2025-12-20 14:44:18	72.61	55dB	3.4	239%	Day
7447	2025-12-20 14:46:19	72.93	55dB	3.5	247%	Day
7448	2025-12-20 14:48:32	72.48	55dB	3.4	236%	Day
7449	2025-12-20 14:49:46	68.22	55dB	2.5	150%	Day
7450	2025-12-20 14:51:00	70.95	55dB	3.0	202%	Day
7451	2025-12-20 14:52:36	73.44	55dB	3.6	259%	Day
7452	2025-12-20 14:55:55	72.39	55dB	3.3	234%	Day
7453	2025-12-20 14:58:02	70.30	55dB	2.9	189%	Day
7454	2025-12-20 14:59:26	73.49	55dB	3.6	260%	Day
7455	2025-12-20 15:01:30	71.01	55dB	3.0	203%	Day
7456	2025-12-20 15:02:46	69.84	55dB	2.8	180%	Day
7457	2025-12-20 15:08:42	73.86	55dB	3.7	270%	Day
7458	2025-12-20 15:10:26	75.72	55dB	4.2	320%	Day
7459	2025-12-20 15:12:02	72.29	55dB	3.3	231%	Day
7460	2025-12-20 15:13:53	76.98	55dB	4.6	359%	Day
7461	2025-12-20 15:15:21	76.56	55dB	4.5	346%	Day
7462	2025-12-20 15:18:23	74.22	55dB	3.8	279%	Day
7463	2025-12-20 15:21:07	N/A	55dB	N/A	N/A	Day
7464	2025-12-20 15:22:32	72.82	55dB	3.4	244%	Day
7465	2025-12-20 15:24:53	N/A	55dB	N/A	N/A	Day
7466	2025-12-20 15:26:56	74.89	55dB	4.0	297%	Day
7467	2025-12-20 15:28:48	73.06	55dB	3.5	250%	Day
7468	2025-12-20 15:30:55	74.89	55dB	4.0	297%	Day
7469	2025-12-20 15:32:47	70.49	55dB	2.9	193%	Day
7470	2025-12-20 15:34:08	N/A	55dB	N/A	N/A	Day
7471	2025-12-20 15:35:34	75.24	55dB	4.1	307%	Day
7472	2025-12-20 15:37:14	75.39	55dB	4.1	311%	Day

7473	2025-12-20 15:39:51	68.03	55dB	2.5	147%	Day
7474	2025-12-20 15:41:43	66.85	55dB	2.3	127%	Day
7475	2025-12-20 15:45:57	75.82	55dB	4.2	323%	Day
7476	2025-12-20 15:51:12	71.02	55dB	3.0	204%	Day
7477	2025-12-20 15:52:47	76.49	55dB	4.4	344%	Day
7478	2025-12-20 15:54:41	69.79	55dB	2.8	179%	Day
7479	2025-12-20 15:56:40	78.90	55dB	5.2	424%	Day
7480	2025-12-20 15:58:19	75.39	55dB	4.1	311%	Day
7481	2025-12-20 16:00:48	68.86	55dB	2.6	161%	Day
7482	2025-12-20 16:02:49	74.99	55dB	4.0	300%	Day
7483	2025-12-20 16:04:49	72.68	55dB	3.4	241%	Day
7484	2025-12-20 16:07:15	74.11	55dB	3.8	276%	Day
7485	2025-12-20 16:09:18	73.90	55dB	3.7	271%	Day
7486	2025-12-20 16:10:48	75.08	55dB	4.0	302%	Day
7487	2025-12-20 16:15:09	75.12	55dB	4.0	303%	Day
7488	2025-12-20 16:20:06	74.73	55dB	3.9	293%	Day
7489	2025-12-20 16:21:28	94.49	55dB	15.4	1444%	Day
7490	2025-12-20 16:23:11	73.00	55dB	3.5	248%	Day
7491	2025-12-20 16:26:13	71.73	55dB	3.2	219%	Day
7492	2025-12-20 16:28:47	68.55	55dB	2.6	156%	Day
7493	2025-12-20 16:31:49	68.02	55dB	2.5	147%	Day
7494	2025-12-20 16:33:20	70.75	55dB	3.0	198%	Day
7495	2025-12-20 16:35:31	N/A	55dB	N/A	N/A	Day
7496	2025-12-20 16:41:10	78.18	55dB	5.0	399%	Day
7497	2025-12-20 16:43:41	75.33	55dB	4.1	309%	Day
7498	2025-12-20 16:45:30	69.23	55dB	2.7	168%	Day
7499	2025-12-20 16:46:55	73.28	55dB	3.6	255%	Day
7500	2025-12-20 16:48:39	74.46	55dB	3.9	285%	Day
7501	2025-12-20 16:50:50	70.79	55dB	3.0	199%	Day
7502	2025-12-20 16:52:39	70.57	55dB	2.9	194%	Day
7503	2025-12-20 16:54:02	71.78	55dB	3.2	220%	Day
7504	2025-12-20 16:55:41	69.49	55dB	2.7	173%	Day
7505	2025-12-20 16:57:12	75.18	55dB	4.1	305%	Day
7506	2025-12-20 16:58:50	74.13	55dB	3.8	277%	Day
7507	2025-12-20 17:00:34	N/A	55dB	N/A	N/A	Day
7508	2025-12-20 17:02:06	70.78	55dB	3.0	199%	Day
7509	2025-12-20 17:03:39	73.57	55dB	3.6	262%	Day
7510	2025-12-20 17:05:13	66.87	55dB	2.3	128%	Day
7511	2025-12-20 17:10:43	68.55	55dB	2.6	156%	Day
7512	2025-12-20 17:13:14	74.01	55dB	3.7	273%	Day
7513	2025-12-20 17:14:41	71.69	55dB	3.2	218%	Day
7514	2025-12-20 17:16:20	71.62	55dB	3.2	216%	Day
7515	2025-12-20 17:22:12	68.63	55dB	2.6	157%	Day
7516	2025-12-20 17:24:55	N/A	55dB	N/A	N/A	Day

7517	2025-12-20 17:26:56	76.18	55dB	4.3	334%	Day
7518	2025-12-20 17:30:02	73.55	55dB	3.6	262%	Day
7519	2025-12-20 17:32:31	67.21	55dB	2.3	133%	Day
7520	2025-12-20 17:34:42	68.98	55dB	2.6	164%	Day
7521	2025-12-20 17:37:13	67.83	55dB	2.4	143%	Day
7522	2025-12-20 17:40:18	75.12	55dB	4.0	303%	Day
7523	2025-12-20 17:43:25	N/A	55dB	N/A	N/A	Day
7524	2025-12-20 17:45:06	73.24	55dB	3.5	254%	Day
7525	2025-12-20 17:52:20	76.70	55dB	4.5	350%	Day
7526	2025-12-20 17:56:55	68.52	55dB	2.6	155%	Day
7527	2025-12-20 18:03:42	70.55	55dB	2.9	194%	Day
7528	2025-12-20 18:06:31	69.43	55dB	2.7	172%	Day
7529	2025-12-20 18:08:26	75.46	55dB	4.1	313%	Day
7530	2025-12-20 18:13:04	71.35	55dB	3.1	211%	Day
7531	2025-12-20 18:16:15	74.06	55dB	3.7	275%	Day
7532	2025-12-20 18:17:42	66.73	55dB	2.3	125%	Day
7533	2025-12-20 18:19:06	75.40	55dB	4.1	311%	Day
7534	2025-12-20 18:20:47	69.78	55dB	2.8	179%	Day
7535	2025-12-20 18:22:07	69.54	55dB	2.7	174%	Day
7536	2025-12-20 18:24:13	73.01	55dB	3.5	248%	Day
7537	2025-12-20 18:26:16	68.35	55dB	2.5	152%	Day
7538	2025-12-20 18:27:28	70.60	55dB	2.9	195%	Day
7539	2025-12-20 18:29:03	73.21	55dB	3.5	253%	Day
7540	2025-12-20 18:31:34	68.36	55dB	2.5	152%	Day
7541	2025-12-20 18:33:04	75.58	55dB	4.2	316%	Day
7542	2025-12-20 18:34:52	72.08	55dB	3.3	227%	Day
7543	2025-12-20 18:36:16	67.54	55dB	2.4	139%	Day
7544	2025-12-20 18:37:49	70.99	55dB	3.0	203%	Day
7545	2025-12-20 18:39:39	82.05	55dB	6.5	552%	Day
7546	2025-12-20 18:41:49	69.10	55dB	2.7	166%	Day
7547	2025-12-20 18:43:13	71.44	55dB	3.1	213%	Day
7548	2025-12-20 18:45:05	76.14	55dB	4.3	333%	Day
7549	2025-12-20 18:47:08	75.49	55dB	4.1	314%	Day
7550	2025-12-20 18:49:09	70.58	55dB	2.9	194%	Day
7551	2025-12-20 18:50:34	69.74	55dB	2.8	178%	Day
7552	2025-12-20 18:52:26	69.14	55dB	2.7	166%	Day
7553	2025-12-20 18:54:09	N/A	55dB	N/A	N/A	Day
7554	2025-12-20 18:55:33	74.73	55dB	3.9	293%	Day
7555	2025-12-20 18:59:19	68.34	55dB	2.5	152%	Day
7556	2025-12-20 19:00:50	71.33	55dB	3.1	210%	Day
7557	2025-12-20 19:02:20	69.29	55dB	2.7	169%	Day
7558	2025-12-20 19:03:52	70.20	55dB	2.9	187%	Day
7559	2025-12-20 19:05:21	67.94	55dB	2.5	145%	Day
7560	2025-12-20 19:06:43	72.92	55dB	3.5	246%	Day

7561	2025-12-20 19:08:11	78.67	55dB	5.2	416%	Day
7562	2025-12-20 19:09:44	69.67	55dB	2.8	176%	Day
7563	2025-12-20 19:11:15	67.88	55dB	2.4	144%	Day
7564	2025-12-20 19:12:39	68.02	55dB	2.5	147%	Day
7565	2025-12-20 19:14:47	69.55	55dB	2.7	174%	Day
7566	2025-12-20 19:16:42	69.56	55dB	2.7	174%	Day
7567	2025-12-20 19:18:21	N/A	55dB	N/A	N/A	Day
7568	2025-12-20 19:19:54	73.35	55dB	3.6	257%	Day
7569	2025-12-20 19:21:23	73.70	55dB	3.7	266%	Day
7570	2025-12-20 19:22:44	67.62	55dB	2.4	140%	Day
7571	2025-12-20 19:24:12	72.43	55dB	3.3	235%	Day
7572	2025-12-20 19:25:36	69.87	55dB	2.8	180%	Day
7573	2025-12-20 19:27:03	70.77	55dB	3.0	198%	Day
7574	2025-12-20 19:28:26	74.42	55dB	3.8	284%	Day
7575	2025-12-20 19:29:46	71.79	55dB	3.2	220%	Day
7576	2025-12-20 19:31:07	69.13	55dB	2.7	166%	Day
7577	2025-12-20 19:32:37	74.50	55dB	3.9	286%	Day
7578	2025-12-20 19:34:01	72.65	55dB	3.4	240%	Day
7579	2025-12-20 19:35:56	69.10	55dB	2.7	166%	Day
7580	2025-12-20 19:38:03	73.29	55dB	3.6	255%	Day
7581	2025-12-20 19:39:40	69.44	55dB	2.7	172%	Day
7582	2025-12-20 19:42:58	73.69	55dB	3.7	265%	Day
7583	2025-12-20 19:44:24	69.52	55dB	2.7	174%	Day
7584	2025-12-20 19:46:20	70.71	55dB	3.0	197%	Day
7585	2025-12-20 19:48:03	71.41	55dB	3.1	212%	Day
7586	2025-12-20 19:49:43	70.73	55dB	3.0	198%	Day
7587	2025-12-20 19:51:08	69.68	55dB	2.8	177%	Day
7588	2025-12-20 19:52:24	69.85	55dB	2.8	180%	Day
7589	2025-12-20 19:54:16	75.65	55dB	4.2	318%	Day
7590	2025-12-20 19:56:17	67.95	55dB	2.5	145%	Day
7591	2025-12-20 20:05:12	73.07	55dB	3.5	250%	Day
7592	2025-12-20 20:08:04	73.34	55dB	3.6	257%	Day
7593	2025-12-20 20:09:40	78.88	55dB	5.2	423%	Day
7594	2025-12-20 20:11:38	N/A	55dB	N/A	N/A	Day
7595	2025-12-20 20:13:21	68.13	55dB	2.5	148%	Day
7596	2025-12-20 20:14:57	69.18	55dB	2.7	167%	Day
7597	2025-12-20 20:16:30	71.99	55dB	3.2	225%	Day
7598	2025-12-20 20:18:20	68.84	55dB	2.6	161%	Day
7599	2025-12-20 20:19:54	N/A	55dB	N/A	N/A	Day
7600	2025-12-20 20:22:19	73.54	55dB	3.6	262%	Day
7601	2025-12-20 20:23:53	N/A	55dB	N/A	N/A	Day
7602	2025-12-20 20:25:36	66.81	55dB	2.3	127%	Day
7603	2025-12-20 20:27:06	77.60	55dB	4.8	379%	Day
7604	2025-12-20 20:28:25	72.55	55dB	3.4	238%	Day

7605	2025-12-20 20:29:46	71.36	55dB	3.1	211%	Day
7606	2025-12-20 20:32:35	75.63	55dB	4.2	318%	Day
7607	2025-12-20 20:34:56	73.94	55dB	3.7	272%	Day
7608	2025-12-20 20:36:58	68.31	55dB	2.5	152%	Day
7609	2025-12-20 20:38:26	70.94	55dB	3.0	202%	Day
7610	2025-12-20 20:40:01	72.48	55dB	3.4	236%	Day
7611	2025-12-20 20:42:11	70.77	55dB	3.0	198%	Day
7612	2025-12-20 20:44:02	72.63	55dB	3.4	239%	Day
7613	2025-12-20 20:45:34	69.78	55dB	2.8	179%	Day
7614	2025-12-20 20:48:17	71.30	55dB	3.1	210%	Day
7615	2025-12-20 20:49:34	73.22	55dB	3.5	254%	Day
7616	2025-12-20 20:50:58	72.55	55dB	3.4	238%	Day
7617	2025-12-20 20:52:43	75.09	55dB	4.0	303%	Day
7618	2025-12-20 20:54:18	N/A	55dB	N/A	N/A	Day
7619	2025-12-20 20:55:57	74.26	55dB	3.8	280%	Day
7620	2025-12-20 20:58:09	75.25	55dB	4.1	307%	Day
7621	2025-12-20 21:00:27	71.27	55dB	3.1	209%	Day
7622	2025-12-20 21:03:35	73.05	55dB	3.5	249%	Day
7623	2025-12-20 21:05:32	78.56	55dB	5.1	412%	Day
7624	2025-12-20 21:08:06	77.58	55dB	4.8	378%	Day
7625	2025-12-20 21:09:40	71.26	55dB	3.1	209%	Day
7626	2025-12-20 21:11:20	68.48	55dB	2.5	155%	Day
7627	2025-12-20 21:13:10	68.51	55dB	2.6	155%	Day
7628	2025-12-20 21:14:30	73.53	55dB	3.6	261%	Day
7629	2025-12-20 21:17:23	72.64	55dB	3.4	240%	Day
7630	2025-12-20 21:19:10	75.66	55dB	4.2	319%	Day
7631	2025-12-20 21:24:58	N/A	55dB	N/A	N/A	Day
7632	2025-12-20 21:26:41	72.06	55dB	3.3	226%	Day
7633	2025-12-20 21:28:18	74.37	55dB	3.8	283%	Day
7634	2025-12-20 21:29:53	69.97	55dB	2.8	182%	Day
7635	2025-12-20 21:32:19	76.95	55dB	4.6	358%	Day
7636	2025-12-20 21:34:26	70.83	55dB	3.0	200%	Day
7637	2025-12-20 21:36:54	72.89	55dB	3.5	246%	Day
7638	2025-12-20 21:39:07	72.47	55dB	3.4	236%	Day
7639	2025-12-20 21:41:18	75.15	55dB	4.0	304%	Day
7640	2025-12-20 21:42:52	73.41	55dB	3.6	258%	Day
7641	2025-12-20 21:44:17	70.47	55dB	2.9	192%	Day
7642	2025-12-20 21:45:49	71.96	55dB	3.2	224%	Day
7643	2025-12-20 21:47:16	70.59	55dB	2.9	195%	Day
7644	2025-12-20 21:49:00	69.24	55dB	2.7	168%	Day
7645	2025-12-20 21:50:45	70.64	55dB	3.0	196%	Day
7646	2025-12-20 21:53:08	73.99	55dB	3.7	273%	Day
7647	2025-12-20 21:54:42	72.96	55dB	3.5	247%	Day
7648	2025-12-20 21:56:35	77.56	55dB	4.8	378%	Day

7649	2025-12-20 21:59:36	69.98	55dB	2.8	182%	Day
7650	2025-12-20 22:02:35	70.24	55dB	2.9	188%	Day
7651	2025-12-20 22:04:20	72.31	55dB	3.3	232%	Day
7652	2025-12-20 22:17:49	71.08	55dB	3.0	205%	Day
7653	2025-12-20 22:21:38	71.58	55dB	3.2	216%	Day
7654	2025-12-20 22:23:09	68.05	55dB	2.5	147%	Day
7655	2025-12-20 22:24:56	73.50	55dB	3.6	261%	Day
7656	2025-12-20 22:26:21	74.75	55dB	3.9	293%	Day
7657	2025-12-20 22:28:26	69.16	55dB	2.7	167%	Day
7658	2025-12-20 22:30:18	73.37	55dB	3.6	257%	Day
7659	2025-12-20 22:31:54	71.78	55dB	3.2	220%	Day
7660	2025-12-20 22:34:22	N/A	55dB	N/A	N/A	Day
7661	2025-12-20 22:37:17	71.41	55dB	3.1	212%	Day
7662	2025-12-20 22:41:04	68.12	55dB	2.5	148%	Day
7663	2025-12-20 22:43:10	N/A	55dB	N/A	N/A	Day
7664	2025-12-20 22:44:52	70.93	55dB	3.0	202%	Day
7665	2025-12-20 22:46:34	69.69	55dB	2.8	177%	Day
7666	2025-12-20 22:47:58	72.98	55dB	3.5	248%	Day
7667	2025-12-20 22:49:38	70.19	55dB	2.9	187%	Day
7668	2025-12-20 22:51:05	70.89	55dB	3.0	201%	Day
7669	2025-12-20 22:53:19	72.95	55dB	3.5	247%	Day
7670	2025-12-20 22:56:31	77.82	55dB	4.9	386%	Day
7671	2025-12-20 22:59:31	71.86	55dB	3.2	222%	Day
7672	2025-12-20 23:01:14	67.90	45dB	4.9	389%	Night
7673	2025-12-20 23:03:04	69.02	45dB	5.3	429%	Night
7674	2025-12-20 23:04:57	69.24	45dB	5.4	437%	Night
7675	2025-12-20 23:08:38	71.69	45dB	6.4	536%	Night
7676	2025-12-20 23:13:52	68.61	45dB	5.1	414%	Night
7677	2025-12-20 23:15:33	69.28	45dB	5.4	438%	Night
7678	2025-12-20 23:18:50	N/A	45dB	N/A	N/A	Night
7679	2025-12-20 23:25:45	72.71	45dB	6.8	583%	Night
7680	2025-12-20 23:27:37	70.57	45dB	5.9	488%	Night
7681	2025-12-20 23:29:24	67.79	45dB	4.9	385%	Night
7682	2025-12-20 23:31:24	69.82	45dB	5.6	459%	Night
7683	2025-12-20 23:32:56	N/A	45dB	N/A	N/A	Night
7684	2025-12-20 23:34:55	68.37	45dB	5.1	405%	Night
7685	2025-12-20 23:36:45	74.38	45dB	7.7	666%	Night
7686	2025-12-20 23:39:08	70.13	45dB	5.7	471%	Night
7687	2025-12-20 23:41:42	69.81	45dB	5.6	458%	Night
7688	2025-12-20 23:43:30	71.47	45dB	6.3	526%	Night
7689	2025-12-20 23:45:57	71.07	45dB	6.1	509%	Night
7690	2025-12-20 23:48:17	72.50	45dB	6.7	573%	Night
7691	2025-12-20 23:51:16	N/A	45dB	N/A	N/A	Night
7692	2025-12-20 23:54:26	71.52	45dB	6.3	529%	Night

7693	2025-12-20 23:56:44	72.02	45dB	6.5	551%	Night
7694	2025-12-20 23:58:03	74.05	45dB	7.5	649%	Night
7695	2025-12-20 23:59:43	76.81	45dB	9.1	807%	Night
7696	2025-12-21 00:01:40	73.59	45dB	7.3	626%	Night
7697	2025-12-21 00:09:00	68.01	45dB	4.9	393%	Night
7698	2025-12-21 00:15:05	78.60	45dB	10.3	927%	Night
7699	2025-12-21 00:17:24	76.47	45dB	8.9	786%	Night
7700	2025-12-21 00:24:54	71.91	45dB	6.5	546%	Night
7701	2025-12-21 00:29:52	77.13	45dB	9.3	827%	Night
7702	2025-12-21 00:32:05	70.21	45dB	5.7	474%	Night
7703	2025-12-21 01:42:11	75.78	45dB	8.4	744%	Night
7704	2025-12-21 02:52:15	76.96	45dB	9.2	816%	Night
7705	2025-12-21 05:15:41	72.27	45dB	6.6	562%	Night
7706	2025-12-21 05:21:07	N/A	45dB	N/A	N/A	Night
7707	2025-12-21 05:27:28	64.26	45dB	3.8	280%	Night
7708	2025-12-21 06:00:53	N/A	45dB	N/A	N/A	Night
7709	2025-12-21 06:08:09	75.75	45dB	8.4	743%	Night
7710	2025-12-21 06:10:02	82.41	45dB	13.4	1237%	Night
7711	2025-12-21 06:15:25	N/A	45dB	N/A	N/A	Night
7712	2025-12-21 06:30:28	N/A	45dB	N/A	N/A	Night
7713	2025-12-21 06:31:57	N/A	45dB	N/A	N/A	Night
7714	2025-12-21 06:33:32	78.93	45dB	10.5	950%	Night
7715	2025-12-21 06:35:11	73.70	45dB	7.3	631%	Night
7716	2025-12-21 06:36:51	69.56	45dB	5.5	449%	Night
7717	2025-12-21 06:38:18	77.65	45dB	9.6	861%	Night
7718	2025-12-21 06:40:35	69.92	45dB	5.6	463%	Night
7719	2025-12-21 06:43:27	69.31	45dB	5.4	439%	Night
7720	2025-12-21 06:44:58	70.25	45dB	5.8	476%	Night
7721	2025-12-21 06:46:27	68.67	45dB	5.2	416%	Night
7722	2025-12-21 06:48:09	78.62	45dB	10.3	928%	Night
7723	2025-12-21 06:49:49	74.03	45dB	7.5	648%	Night
7724	2025-12-21 06:51:21	N/A	45dB	N/A	N/A	Night
7725	2025-12-21 06:53:32	82.20	45dB	13.2	1218%	Night
7726	2025-12-21 07:01:10	N/A	55dB	N/A	N/A	Day
7727	2025-12-21 07:03:18	78.75	55dB	5.2	419%	Day
7728	2025-12-21 07:06:02	80.02	55dB	5.7	466%	Day
7729	2025-12-21 07:09:56	67.95	55dB	2.5	145%	Day
7730	2025-12-21 07:18:44	80.67	55dB	5.9	493%	Day
7731	2025-12-21 07:20:41	79.88	55dB	5.6	461%	Day
7732	2025-12-21 07:23:01	75.85	55dB	4.2	324%	Day
7733	2025-12-21 07:27:37	75.59	55dB	4.2	317%	Day
7734	2025-12-21 07:40:09	81.19	55dB	6.1	514%	Day
7735	2025-12-21 07:51:41	N/A	55dB	N/A	N/A	Day
7736	2025-12-21 07:58:38	70.87	55dB	3.0	200%	Day

7737	2025-12-21 08:06:08	N/A	55dB	N/A	N/A	Day
7738	2025-12-21 08:08:56	67.46	55dB	2.4	137%	Day
7739	2025-12-21 08:18:19	N/A	55dB	N/A	N/A	Day
7740	2025-12-21 08:20:05	76.56	55dB	4.5	346%	Day
7741	2025-12-21 08:23:14	75.51	55dB	4.1	314%	Day
7742	2025-12-21 08:27:01	N/A	55dB	N/A	N/A	Day
7743	2025-12-21 08:28:45	81.89	55dB	6.4	545%	Day
7744	2025-12-21 08:30:05	69.46	55dB	2.7	172%	Day
7745	2025-12-21 08:32:02	72.12	55dB	3.3	228%	Day
7746	2025-12-21 08:36:18	72.36	55dB	3.3	233%	Day
7747	2025-12-21 08:40:21	73.28	55dB	3.6	255%	Day
7748	2025-12-21 08:43:04	73.77	55dB	3.7	267%	Day
7749	2025-12-21 08:45:43	71.49	55dB	3.1	214%	Day
7750	2025-12-21 08:52:18	70.15	55dB	2.9	186%	Day
7751	2025-12-21 09:03:02	75.50	55dB	4.1	314%	Day
7752	2025-12-21 09:13:17	88.99	55dB	10.5	955%	Day
7753	2025-12-21 09:15:58	79.17	55dB	5.3	434%	Day
7754	2025-12-21 09:19:28	71.17	55dB	3.1	207%	Day
7755	2025-12-21 09:27:56	68.93	55dB	2.6	163%	Day
7756	2025-12-21 09:29:48	73.56	55dB	3.6	262%	Day
7757	2025-12-21 09:32:32	82.13	55dB	6.6	556%	Day
7758	2025-12-21 09:34:20	71.85	55dB	3.2	222%	Day
7759	2025-12-21 09:36:35	76.69	55dB	4.5	350%	Day
7760	2025-12-21 09:38:43	78.25	55dB	5.0	401%	Day
7761	2025-12-21 09:43:45	66.70	55dB	2.3	125%	Day
7762	2025-12-21 09:52:04	84.35	55dB	7.6	665%	Day
7763	2025-12-21 09:55:45	67.04	55dB	2.3	130%	Day
7764	2025-12-21 10:03:17	86.62	55dB	9.0	795%	Day
7765	2025-12-21 10:06:17	69.82	55dB	2.8	179%	Day
7766	2025-12-21 10:09:08	86.70	55dB	9.0	800%	Day
7767	2025-12-21 10:10:54	87.52	55dB	9.5	853%	Day
7768	2025-12-21 10:12:53	69.95	55dB	2.8	182%	Day
7769	2025-12-21 10:15:36	82.57	55dB	6.8	576%	Day
7770	2025-12-21 10:17:00	N/A	55dB	N/A	N/A	Day
7771	2025-12-21 10:19:56	75.03	55dB	4.0	301%	Day
7772	2025-12-21 10:21:52	82.16	55dB	6.6	557%	Day
7773	2025-12-21 10:23:22	67.63	55dB	2.4	140%	Day
7774	2025-12-21 10:25:19	75.14	55dB	4.0	304%	Day
7775	2025-12-21 10:29:01	77.83	55dB	4.9	387%	Day
7776	2025-12-21 10:31:21	82.12	55dB	6.6	555%	Day
7777	2025-12-21 10:33:21	83.39	55dB	7.2	616%	Day
7778	2025-12-21 10:36:12	77.90	55dB	4.9	389%	Day
7779	2025-12-21 10:37:46	75.82	55dB	4.2	323%	Day
7780	2025-12-21 10:39:20	76.86	55dB	4.6	355%	Day

7781	2025-12-21 10:40:58	74.27	55dB	3.8	280%	Day
7782	2025-12-21 10:42:23	71.65	55dB	3.2	217%	Day
7783	2025-12-21 10:43:43	70.47	55dB	2.9	192%	Day
7784	2025-12-21 10:45:19	73.19	55dB	3.5	253%	Day
7785	2025-12-21 10:48:05	75.84	55dB	4.2	324%	Day
7786	2025-12-21 10:53:46	77.32	55dB	4.7	370%	Day
7787	2025-12-21 10:55:57	76.15	55dB	4.3	333%	Day
7788	2025-12-21 10:57:32	80.74	55dB	6.0	495%	Day
7789	2025-12-21 10:59:21	75.04	55dB	4.0	301%	Day
7790	2025-12-21 11:01:08	72.88	55dB	3.5	245%	Day
7791	2025-12-21 11:02:32	N/A	55dB	N/A	N/A	Day
7792	2025-12-21 11:04:08	76.36	55dB	4.4	340%	Day
7793	2025-12-21 11:06:51	79.01	55dB	5.3	428%	Day
7794	2025-12-21 11:09:16	70.91	55dB	3.0	201%	Day
7795	2025-12-21 11:14:07	71.06	55dB	3.0	204%	Day
7796	2025-12-21 11:16:06	74.88	55dB	4.0	297%	Day
7797	2025-12-21 11:17:53	N/A	55dB	N/A	N/A	Day
7798	2025-12-21 11:19:32	74.50	55dB	3.9	286%	Day
7799	2025-12-21 11:20:58	71.32	55dB	3.1	210%	Day
7800	2025-12-21 11:24:05	75.86	55dB	4.2	325%	Day
7801	2025-12-21 11:27:03	83.85	55dB	7.4	639%	Day
7802	2025-12-21 11:29:44	72.07	55dB	3.3	226%	Day
7803	2025-12-21 11:31:27	68.29	55dB	2.5	151%	Day
7804	2025-12-21 11:33:00	75.42	55dB	4.1	312%	Day
7805	2025-12-21 11:34:45	71.89	55dB	3.2	222%	Day
7806	2025-12-21 11:36:09	83.48	55dB	7.2	620%	Day
7807	2025-12-21 11:37:36	86.95	55dB	9.2	816%	Day
7808	2025-12-21 11:40:03	86.19	55dB	8.7	769%	Day
7809	2025-12-21 11:41:39	80.45	55dB	5.8	484%	Day
7810	2025-12-21 11:43:40	68.17	55dB	2.5	149%	Day
7811	2025-12-21 11:46:17	N/A	55dB	N/A	N/A	Day
7812	2025-12-21 11:51:57	N/A	55dB	N/A	N/A	Day
7813	2025-12-21 11:54:14	67.43	55dB	2.4	137%	Day
7814	2025-12-21 11:57:24	78.53	55dB	5.1	411%	Day
7815	2025-12-21 12:03:05	74.40	55dB	3.8	284%	Day
7816	2025-12-21 12:07:11	81.26	55dB	6.2	517%	Day
7817	2025-12-21 12:09:05	68.71	55dB	2.6	159%	Day
7818	2025-12-21 12:11:35	N/A	55dB	N/A	N/A	Day
7819	2025-12-21 12:13:56	77.55	55dB	4.8	377%	Day
7820	2025-12-21 12:16:36	N/A	55dB	N/A	N/A	Day
7821	2025-12-21 12:19:53	74.79	55dB	3.9	294%	Day
7822	2025-12-21 12:21:39	72.82	55dB	3.4	244%	Day
7823	2025-12-21 12:23:22	76.01	55dB	4.3	329%	Day
7824	2025-12-21 12:30:05	79.53	55dB	5.5	448%	Day

7825	2025-12-21 12:32:05	86.86	55dB	9.1	810%	Day
7826	2025-12-21 12:33:55	71.78	55dB	3.2	220%	Day
7827	2025-12-21 12:36:00	67.25	55dB	2.3	134%	Day
7828	2025-12-21 12:37:42	85.60	55dB	8.3	734%	Day
7829	2025-12-21 12:41:14	73.82	55dB	3.7	269%	Day
7830	2025-12-21 12:44:05	87.82	55dB	9.7	873%	Day
7831	2025-12-21 12:46:14	71.03	55dB	3.0	204%	Day
7832	2025-12-21 12:47:50	71.67	55dB	3.2	218%	Day
7833	2025-12-21 12:51:36	88.85	55dB	10.4	945%	Day
7834	2025-12-21 12:54:30	71.22	55dB	3.1	208%	Day
7835	2025-12-21 12:56:18	92.20	55dB	13.2	1218%	Day
7836	2025-12-21 12:58:12	68.22	55dB	2.5	150%	Day
7837	2025-12-21 13:01:11	N/A	55dB	N/A	N/A	Day
7838	2025-12-21 13:03:50	80.53	55dB	5.9	487%	Day
7839	2025-12-21 13:07:47	84.75	55dB	7.9	686%	Day
7840	2025-12-21 13:10:17	79.37	55dB	5.4	442%	Day
7841	2025-12-21 13:13:03	88.38	55dB	10.1	911%	Day
7842	2025-12-21 13:19:26	70.49	55dB	2.9	193%	Day
7843	2025-12-21 13:26:18	N/A	55dB	N/A	N/A	Day
7844	2025-12-21 13:29:57	74.78	55dB	3.9	294%	Day
7845	2025-12-21 13:32:40	69.46	55dB	2.7	172%	Day
7846	2025-12-21 13:34:21	90.39	55dB	11.6	1062%	Day
7847	2025-12-21 13:35:52	69.81	55dB	2.8	179%	Day
7848	2025-12-21 13:42:54	84.88	55dB	7.9	693%	Day
7849	2025-12-21 13:45:26	73.27	55dB	3.5	255%	Day
7850	2025-12-21 13:48:23	N/A	55dB	N/A	N/A	Day
7851	2025-12-21 13:50:10	70.75	55dB	3.0	198%	Day
7852	2025-12-21 13:51:28	69.03	55dB	2.6	164%	Day
7853	2025-12-21 13:52:58	67.14	55dB	2.3	132%	Day
7854	2025-12-21 13:54:46	70.53	55dB	2.9	193%	Day
7855	2025-12-21 13:56:43	79.39	55dB	5.4	442%	Day
7856	2025-12-21 14:00:30	70.88	55dB	3.0	201%	Day
7857	2025-12-21 14:02:50	74.21	55dB	3.8	279%	Day
7858	2025-12-21 14:05:40	82.63	55dB	6.8	579%	Day
7859	2025-12-21 14:07:27	73.43	55dB	3.6	259%	Day
7860	2025-12-21 14:09:30	75.89	55dB	4.3	325%	Day
7861	2025-12-21 14:12:00	69.50	55dB	2.7	173%	Day
7862	2025-12-21 14:16:21	88.14	55dB	9.9	895%	Day
7863	2025-12-21 14:19:23	75.07	55dB	4.0	302%	Day
7864	2025-12-21 14:21:19	72.75	55dB	3.4	242%	Day
7865	2025-12-21 14:23:19	84.24	55dB	7.6	659%	Day
7866	2025-12-21 14:24:51	75.54	55dB	4.2	315%	Day
7867	2025-12-21 14:26:55	77.37	55dB	4.7	371%	Day
7868	2025-12-21 14:28:30	75.75	55dB	4.2	321%	Day

7869	2025-12-21 14:29:38	77.98	55dB	4.9	392%	Day
7870	2025-12-21 14:32:11	79.38	55dB	5.4	442%	Day
7871	2025-12-21 14:33:41	78.89	55dB	5.2	424%	Day
7872	2025-12-21 14:35:12	81.17	55dB	6.1	513%	Day
7873	2025-12-21 14:37:08	79.02	55dB	5.3	429%	Day
7874	2025-12-21 14:39:07	69.18	55dB	2.7	167%	Day
7875	2025-12-21 14:40:30	80.43	55dB	5.8	483%	Day
7876	2025-12-21 14:41:43	81.02	55dB	6.1	507%	Day
7877	2025-12-21 14:42:56	81.06	55dB	6.1	509%	Day
7878	2025-12-21 14:45:53	N/A	55dB	N/A	N/A	Day
7879	2025-12-21 14:47:28	81.07	55dB	6.1	509%	Day
7880	2025-12-21 14:49:02	74.40	55dB	3.8	284%	Day
7881	2025-12-21 14:50:15	82.57	55dB	6.8	576%	Day
7882	2025-12-21 14:51:50	70.58	55dB	2.9	194%	Day
7883	2025-12-21 14:54:15	84.61	55dB	7.8	679%	Day
7884	2025-12-21 14:55:42	N/A	55dB	N/A	N/A	Day
7885	2025-12-21 14:57:10	79.01	55dB	5.3	428%	Day
7886	2025-12-21 14:59:04	83.29	55dB	7.1	611%	Day
7887	2025-12-21 15:00:51	82.64	55dB	6.8	579%	Day
7888	2025-12-21 15:02:19	67.95	55dB	2.5	145%	Day
7889	2025-12-21 15:03:57	N/A	55dB	N/A	N/A	Day
7890	2025-12-21 15:05:07	82.02	55dB	6.5	551%	Day
7891	2025-12-21 15:06:32	68.62	55dB	2.6	157%	Day
7892	2025-12-21 15:08:22	83.29	55dB	7.1	611%	Day
7893	2025-12-21 15:09:48	88.84	55dB	10.4	944%	Day
7894	2025-12-21 15:11:22	69.08	55dB	2.7	165%	Day
7895	2025-12-21 15:12:39	83.51	55dB	7.2	622%	Day
7896	2025-12-21 15:15:14	67.28	55dB	2.3	134%	Day
7897	2025-12-21 15:17:00	87.88	55dB	9.8	877%	Day
7898	2025-12-21 15:19:57	N/A	55dB	N/A	N/A	Day
7899	2025-12-21 15:21:58	68.78	55dB	2.6	160%	Day
7900	2025-12-21 15:23:31	72.57	55dB	3.4	238%	Day
7901	2025-12-21 15:27:18	85.39	55dB	8.2	722%	Day
7902	2025-12-21 15:29:35	87.47	55dB	9.5	849%	Day
7903	2025-12-21 15:31:53	69.96	55dB	2.8	182%	Day
7904	2025-12-21 15:33:15	84.43	55dB	7.7	669%	Day
7905	2025-12-21 15:34:33	N/A	55dB	N/A	N/A	Day
7906	2025-12-21 15:35:52	71.64	55dB	3.2	217%	Day
7907	2025-12-21 15:38:14	68.32	55dB	2.5	152%	Day
7908	2025-12-21 15:39:37	76.81	55dB	4.5	353%	Day
7909	2025-12-21 15:41:15	74.87	55dB	4.0	296%	Day
7910	2025-12-21 15:43:43	79.53	55dB	5.5	448%	Day
7911	2025-12-21 15:45:25	81.52	55dB	6.3	529%	Day
7912	2025-12-21 15:47:16	86.14	55dB	8.7	766%	Day

7913	2025-12-21 15:49:50	N/A	55dB	N/A	N/A	Day
7914	2025-12-21 15:51:24	81.52	55dB	6.3	529%	Day
7915	2025-12-21 15:52:44	90.63	55dB	11.8	1082%	Day
7916	2025-12-21 15:54:13	69.78	55dB	2.8	179%	Day
7917	2025-12-21 15:55:37	82.28	55dB	6.6	563%	Day
7918	2025-12-21 15:56:56	85.31	55dB	8.2	717%	Day
7919	2025-12-21 15:58:32	70.12	55dB	2.9	185%	Day
7920	2025-12-21 16:01:12	N/A	55dB	N/A	N/A	Day
7921	2025-12-21 16:02:44	84.91	55dB	8.0	695%	Day
7922	2025-12-21 16:06:45	82.00	55dB	6.5	550%	Day
7923	2025-12-21 16:09:03	81.42	55dB	6.2	524%	Day
7924	2025-12-21 16:11:36	79.37	55dB	5.4	442%	Day
7925	2025-12-21 16:13:14	80.52	55dB	5.9	486%	Day
7926	2025-12-21 16:22:43	81.70	55dB	6.4	536%	Day
7927	2025-12-21 16:24:23	82.40	55dB	6.7	568%	Day
7928	2025-12-21 16:27:00	83.41	55dB	7.2	617%	Day
7929	2025-12-21 16:29:01	74.78	55dB	3.9	294%	Day
7930	2025-12-21 16:31:47	86.44	55dB	8.8	784%	Day
7931	2025-12-21 16:33:18	69.80	55dB	2.8	179%	Day
7932	2025-12-21 16:34:50	71.63	55dB	3.2	217%	Day
7933	2025-12-21 16:36:21	68.85	55dB	2.6	161%	Day
7934	2025-12-21 16:37:50	72.29	55dB	3.3	231%	Day
7935	2025-12-21 16:45:03	72.20	55dB	3.3	229%	Day
7936	2025-12-21 16:48:01	N/A	55dB	N/A	N/A	Day
7937	2025-12-21 16:49:26	69.94	55dB	2.8	182%	Day
7938	2025-12-21 16:50:58	72.32	55dB	3.3	232%	Day
7939	2025-12-21 16:55:49	74.72	55dB	3.9	292%	Day
7940	2025-12-21 16:57:18	80.30	55dB	5.8	478%	Day
7941	2025-12-21 16:59:06	N/A	55dB	N/A	N/A	Day
7942	2025-12-21 17:00:33	67.38	55dB	2.4	136%	Day
7943	2025-12-21 17:01:46	69.33	55dB	2.7	170%	Day
7944	2025-12-21 17:03:06	74.33	55dB	3.8	282%	Day
7945	2025-12-21 17:04:27	N/A	55dB	N/A	N/A	Day
7946	2025-12-21 17:06:09	87.79	55dB	9.7	871%	Day
7947	2025-12-21 17:07:46	85.10	55dB	8.1	706%	Day
7948	2025-12-21 17:09:13	71.49	55dB	3.1	214%	Day
7949	2025-12-21 17:10:23	73.41	55dB	3.6	258%	Day
7950	2025-12-21 17:11:46	74.05	55dB	3.7	275%	Day
7951	2025-12-21 17:13:53	76.10	55dB	4.3	332%	Day
7952	2025-12-21 17:15:26	N/A	55dB	N/A	N/A	Day
7953	2025-12-21 17:16:53	76.71	55dB	4.5	350%	Day
7954	2025-12-21 17:18:15	N/A	55dB	N/A	N/A	Day
7955	2025-12-21 17:19:45	94.43	55dB	15.4	1438%	Day
7956	2025-12-21 17:21:17	72.78	55dB	3.4	243%	Day

7957	2025-12-21 17:23:21	N/A	55dB	N/A	N/A	Day
7958	2025-12-21 17:24:32	70.47	55dB	2.9	192%	Day
7959	2025-12-21 17:26:18	96.33	55dB	17.5	1655%	Day
7960	2025-12-21 17:29:30	73.46	55dB	3.6	260%	Day
7961	2025-12-21 17:30:54	69.48	55dB	2.7	173%	Day
7962	2025-12-21 17:32:41	66.63	55dB	2.2	124%	Day
7963	2025-12-21 17:36:27	68.31	55dB	2.5	152%	Day
7964	2025-12-21 17:38:06	N/A	55dB	N/A	N/A	Day
7965	2025-12-21 17:39:25	N/A	55dB	N/A	N/A	Day
7966	2025-12-21 17:40:57	68.83	55dB	2.6	161%	Day
7967	2025-12-21 17:42:21	70.07	55dB	2.8	184%	Day
7968	2025-12-21 17:44:17	73.52	55dB	3.6	261%	Day
7969	2025-12-21 17:45:48	73.79	55dB	3.7	268%	Day
7970	2025-12-21 17:47:08	N/A	55dB	N/A	N/A	Day
7971	2025-12-21 17:48:31	N/A	55dB	N/A	N/A	Day
7972	2025-12-21 17:50:08	72.57	55dB	3.4	238%	Day
7973	2025-12-21 17:52:10	68.90	55dB	2.6	162%	Day
7974	2025-12-21 17:53:32	72.40	55dB	3.3	234%	Day
7975	2025-12-21 17:54:50	74.36	55dB	3.8	283%	Day
7976	2025-12-21 17:56:16	71.01	55dB	3.0	203%	Day
7977	2025-12-21 17:57:37	79.55	55dB	5.5	448%	Day
7978	2025-12-21 18:00:36	72.71	55dB	3.4	241%	Day
7979	2025-12-21 18:03:32	71.30	55dB	3.1	210%	Day
7980	2025-12-21 18:06:30	76.41	55dB	4.4	341%	Day
7981	2025-12-21 18:09:36	71.84	55dB	3.2	221%	Day
7982	2025-12-21 18:11:19	80.38	55dB	5.8	481%	Day
7983	2025-12-21 18:12:52	80.31	55dB	5.8	478%	Day
7984	2025-12-21 18:14:16	79.61	55dB	5.5	451%	Day
7985	2025-12-21 18:15:51	79.06	55dB	5.3	430%	Day
7986	2025-12-21 18:17:16	70.21	55dB	2.9	187%	Day
7987	2025-12-21 18:18:41	79.10	55dB	5.3	431%	Day
7988	2025-12-21 18:19:58	84.13	55dB	7.5	653%	Day
7989	2025-12-21 18:22:32	75.33	55dB	4.1	309%	Day
7990	2025-12-21 18:23:56	75.84	55dB	4.2	324%	Day
7991	2025-12-21 18:26:38	80.61	55dB	5.9	490%	Day
7992	2025-12-21 18:28:12	N/A	55dB	N/A	N/A	Day
7993	2025-12-21 18:30:10	74.31	55dB	3.8	281%	Day
7994	2025-12-21 18:32:07	75.33	55dB	4.1	309%	Day
7995	2025-12-21 18:34:05	76.81	55dB	4.5	353%	Day
7996	2025-12-21 18:36:33	69.19	55dB	2.7	167%	Day
7997	2025-12-21 18:38:52	79.47	55dB	5.5	445%	Day
7998	2025-12-21 18:40:22	N/A	55dB	N/A	N/A	Day
7999	2025-12-21 18:41:47	78.70	55dB	5.2	417%	Day
8000	2025-12-21 18:43:13	N/A	55dB	N/A	N/A	Day

8001	2025-12-21 18:44:43	71.53	55dB	3.1	214%	Day
8002	2025-12-21 18:46:36	82.31	55dB	6.6	564%	Day
8003	2025-12-21 18:48:27	72.35	55dB	3.3	233%	Day
8004	2025-12-21 18:50:41	67.34	55dB	2.4	135%	Day
8005	2025-12-21 18:52:18	82.58	55dB	6.8	576%	Day
8006	2025-12-21 18:53:39	79.75	55dB	5.6	456%	Day
8007	2025-12-21 18:56:49	78.45	55dB	5.1	408%	Day
8008	2025-12-21 18:58:09	80.26	55dB	5.8	476%	Day
8009	2025-12-21 18:59:21	66.80	55dB	2.3	127%	Day
8010	2025-12-21 19:00:52	83.41	55dB	7.2	617%	Day
8011	2025-12-21 19:02:36	85.20	55dB	8.1	711%	Day
8012	2025-12-21 19:05:05	81.26	55dB	6.2	517%	Day
8013	2025-12-21 19:06:20	78.59	55dB	5.1	413%	Day
8014	2025-12-21 19:07:51	78.99	55dB	5.3	427%	Day
8015	2025-12-21 19:09:09	80.92	55dB	6.0	503%	Day
8016	2025-12-21 19:10:43	85.01	55dB	8.0	701%	Day
8017	2025-12-21 19:12:48	73.10	55dB	3.5	251%	Day
8018	2025-12-21 19:14:55	69.13	55dB	2.7	166%	Day
8019	2025-12-21 19:16:30	77.01	55dB	4.6	360%	Day
8020	2025-12-21 19:17:56	70.24	55dB	2.9	188%	Day
8021	2025-12-21 19:19:23	N/A	55dB	N/A	N/A	Day
8022	2025-12-21 19:20:26	69.18	55dB	2.7	167%	Day
8023	2025-12-21 19:22:07	78.87	55dB	5.2	423%	Day
8024	2025-12-21 19:24:52	80.63	55dB	5.9	491%	Day
8025	2025-12-21 19:26:15	91.25	55dB	12.3	1134%	Day
8026	2025-12-21 19:27:44	92.75	55dB	13.7	1269%	Day
8027	2025-12-21 19:29:12	79.58	55dB	5.5	449%	Day
8028	2025-12-21 19:30:42	81.41	55dB	6.2	524%	Day
8029	2025-12-21 19:32:15	81.75	55dB	6.4	539%	Day
8030	2025-12-21 19:33:34	79.98	55dB	5.6	465%	Day
8031	2025-12-21 19:34:57	77.97	55dB	4.9	391%	Day
8032	2025-12-21 19:36:21	69.77	55dB	2.8	178%	Day
8033	2025-12-21 19:37:53	70.16	55dB	2.9	186%	Day
8034	2025-12-21 19:39:27	67.56	55dB	2.4	139%	Day
8035	2025-12-21 19:41:35	N/A	55dB	N/A	N/A	Day
8036	2025-12-21 19:43:38	75.47	55dB	4.1	313%	Day
8037	2025-12-21 19:44:56	74.87	55dB	4.0	296%	Day
8038	2025-12-21 19:46:18	76.92	55dB	4.6	357%	Day
8039	2025-12-21 19:47:58	77.77	55dB	4.8	385%	Day
8040	2025-12-21 19:50:35	76.89	55dB	4.6	356%	Day
8041	2025-12-21 19:52:19	80.39	55dB	5.8	481%	Day
8042	2025-12-21 19:54:02	69.00	55dB	2.6	164%	Day
8043	2025-12-21 19:56:00	77.70	55dB	4.8	382%	Day
8044	2025-12-21 19:57:19	77.22	55dB	4.7	367%	Day

8045	2025-12-21 19:58:50	69.34	55dB	2.7	170%	Day
8046	2025-12-21 20:00:33	68.90	55dB	2.6	162%	Day
8047	2025-12-21 20:02:05	73.26	55dB	3.5	255%	Day
8048	2025-12-21 20:03:28	66.71	55dB	2.3	125%	Day
8049	2025-12-21 20:04:46	N/A	55dB	N/A	N/A	Day
8050	2025-12-21 20:06:22	73.90	55dB	3.7	271%	Day
8051	2025-12-21 20:08:56	N/A	55dB	N/A	N/A	Day
8052	2025-12-21 20:12:05	91.88	55dB	12.9	1189%	Day
8053	2025-12-21 20:14:03	72.51	55dB	3.4	237%	Day
8054	2025-12-21 20:15:46	N/A	55dB	N/A	N/A	Day
8055	2025-12-21 20:17:08	68.21	55dB	2.5	150%	Day
8056	2025-12-21 20:18:34	75.99	55dB	4.3	328%	Day
8057	2025-12-21 20:19:58	76.39	55dB	4.4	340%	Day
8058	2025-12-21 20:21:17	74.84	55dB	4.0	296%	Day
8059	2025-12-21 20:23:09	87.47	55dB	9.5	849%	Day
8060	2025-12-21 20:24:30	70.82	55dB	3.0	199%	Day
8061	2025-12-21 20:25:48	72.73	55dB	3.4	242%	Day
8062	2025-12-21 20:27:14	73.54	55dB	3.6	262%	Day
8063	2025-12-21 20:28:44	84.84	55dB	7.9	691%	Day
8064	2025-12-21 20:30:14	75.83	55dB	4.2	324%	Day
8065	2025-12-21 20:31:57	78.13	55dB	5.0	397%	Day
8066	2025-12-21 20:33:55	76.11	55dB	4.3	332%	Day
8067	2025-12-21 20:35:37	78.23	55dB	5.0	400%	Day
8068	2025-12-21 20:38:43	68.13	55dB	2.5	148%	Day
8069	2025-12-21 20:40:16	80.64	55dB	5.9	491%	Day
8070	2025-12-21 20:41:56	73.24	55dB	3.5	254%	Day
8071	2025-12-21 20:43:42	70.16	55dB	2.9	186%	Day
8072	2025-12-21 20:45:19	N/A	55dB	N/A	N/A	Day
8073	2025-12-21 20:46:56	68.66	55dB	2.6	158%	Day
8074	2025-12-21 20:48:17	80.76	55dB	6.0	496%	Day
8075	2025-12-21 20:50:49	N/A	55dB	N/A	N/A	Day
8076	2025-12-21 20:52:20	66.35	55dB	2.2	120%	Day
8077	2025-12-21 20:55:35	69.55	55dB	2.7	174%	Day
8078	2025-12-21 20:57:16	66.28	55dB	2.2	119%	Day
8079	2025-12-21 21:00:04	N/A	55dB	N/A	N/A	Day
8080	2025-12-21 21:01:48	73.55	55dB	3.6	262%	Day
8081	2025-12-21 21:02:57	N/A	55dB	N/A	N/A	Day
8082	2025-12-21 21:04:15	66.08	55dB	2.2	116%	Day
8083	2025-12-21 21:06:52	75.14	55dB	4.0	304%	Day
8084	2025-12-21 21:08:45	73.86	55dB	3.7	270%	Day
8085	2025-12-21 21:09:58	87.88	55dB	9.8	877%	Day
8086	2025-12-21 21:11:25	68.69	55dB	2.6	158%	Day
8087	2025-12-21 21:12:59	N/A	55dB	N/A	N/A	Day
8088	2025-12-21 21:14:10	69.64	55dB	2.8	176%	Day

8089	2025-12-21 21:15:35	N/A	55dB	N/A	N/A	Day
8090	2025-12-21 21:16:59	71.93	55dB	3.2	223%	Day
8091	2025-12-21 21:18:54	N/A	55dB	N/A	N/A	Day
8092	2025-12-21 21:20:22	70.09	55dB	2.8	185%	Day
8093	2025-12-21 21:21:45	77.20	55dB	4.7	366%	Day
8094	2025-12-21 21:24:00	72.02	55dB	3.3	225%	Day
8095	2025-12-21 21:25:27	70.40	55dB	2.9	191%	Day
8096	2025-12-21 21:26:42	68.68	55dB	2.6	158%	Day
8097	2025-12-21 21:27:56	67.59	55dB	2.4	139%	Day
8098	2025-12-21 21:29:18	85.79	55dB	8.5	745%	Day
8099	2025-12-21 21:30:32	70.38	55dB	2.9	190%	Day
8100	2025-12-21 21:31:39	79.07	55dB	5.3	430%	Day
8101	2025-12-21 21:33:06	85.78	55dB	8.4	744%	Day
8102	2025-12-21 21:34:22	82.06	55dB	6.5	553%	Day
8103	2025-12-21 21:36:01	89.93	55dB	11.3	1026%	Day
8104	2025-12-21 21:38:18	70.19	55dB	2.9	187%	Day
8105	2025-12-21 21:40:08	69.93	55dB	2.8	181%	Day
8106	2025-12-21 21:41:58	70.09	55dB	2.8	185%	Day
8107	2025-12-21 21:43:33	68.45	55dB	2.5	154%	Day
8108	2025-12-21 21:46:13	66.40	55dB	2.2	120%	Day
8109	2025-12-21 21:49:13	70.24	55dB	2.9	188%	Day
8110	2025-12-21 21:51:14	82.46	55dB	6.7	571%	Day
8111	2025-12-21 21:55:44	81.71	55dB	6.4	537%	Day
8112	2025-12-21 21:59:14	77.84	55dB	4.9	387%	Day
8113	2025-12-21 22:00:41	70.37	55dB	2.9	190%	Day
8114	2025-12-21 22:04:43	82.19	55dB	6.6	558%	Day
8115	2025-12-21 22:08:19	81.26	55dB	6.2	517%	Day
8116	2025-12-21 22:10:22	71.12	55dB	3.1	206%	Day
8117	2025-12-21 22:12:39	78.99	55dB	5.3	427%	Day
8118	2025-12-21 22:14:56	70.04	55dB	2.8	184%	Day
8119	2025-12-21 22:17:08	79.66	55dB	5.5	453%	Day
8120	2025-12-21 22:19:52	82.63	55dB	6.8	579%	Day
8121	2025-12-21 22:22:29	N/A	55dB	N/A	N/A	Day
8122	2025-12-21 22:24:00	70.50	55dB	2.9	193%	Day
8123	2025-12-21 22:25:25	69.95	55dB	2.8	182%	Day
8124	2025-12-21 22:27:04	79.30	55dB	5.4	439%	Day
8125	2025-12-21 22:28:31	78.82	55dB	5.2	421%	Day
8126	2025-12-21 22:29:52	80.25	55dB	5.8	476%	Day
8127	2025-12-21 22:31:16	80.79	55dB	6.0	498%	Day
8128	2025-12-21 22:32:36	80.80	55dB	6.0	498%	Day
8129	2025-12-21 22:33:54	83.65	55dB	7.3	629%	Day
8130	2025-12-21 22:35:28	78.11	55dB	5.0	396%	Day
8131	2025-12-21 22:36:51	86.42	55dB	8.8	783%	Day
8132	2025-12-21 22:38:32	67.63	55dB	2.4	140%	Day

8133	2025-12-21 22:40:06	72.91	55dB	3.5	246%	Day
8134	2025-12-21 22:41:42	N/A	55dB	N/A	N/A	Day
8135	2025-12-21 22:45:26	69.42	55dB	2.7	172%	Day
8136	2025-12-21 22:46:58	70.19	55dB	2.9	187%	Day
8137	2025-12-21 22:48:56	77.89	55dB	4.9	389%	Day
8138	2025-12-21 22:50:35	73.84	55dB	3.7	269%	Day
8139	2025-12-21 22:53:38	69.51	55dB	2.7	173%	Day
8140	2025-12-21 22:55:04	72.31	55dB	3.3	232%	Day
8141	2025-12-21 22:57:17	73.87	55dB	3.7	270%	Day
8142	2025-12-21 22:59:20	71.80	55dB	3.2	220%	Day
8143	2025-12-21 23:01:46	73.93	45dB	7.4	643%	Night
8144	2025-12-21 23:05:14	74.69	45dB	7.8	683%	Night
8145	2025-12-21 23:07:46	82.54	45dB	13.5	1249%	Night
8146	2025-12-21 23:09:41	N/A	45dB	N/A	N/A	Night
8147	2025-12-21 23:11:48	72.51	45dB	6.7	573%	Night
8148	2025-12-21 23:21:21	66.48	45dB	4.4	343%	Night
8149	2025-12-21 23:24:54	75.95	45dB	8.5	754%	Night
8150	2025-12-21 23:30:15	77.01	45dB	9.2	820%	Night
8151	2025-12-21 23:32:47	79.74	45dB	11.1	1011%	Night
8152	2025-12-21 23:34:42	77.05	45dB	9.2	822%	Night
8153	2025-12-21 23:38:47	70.28	45dB	5.8	477%	Night
8154	2025-12-21 23:40:07	N/A	45dB	N/A	N/A	Night
8155	2025-12-21 23:41:38	71.32	45dB	6.2	520%	Night
8156	2025-12-21 23:43:16	71.96	45dB	6.5	548%	Night
8157	2025-12-21 23:44:38	71.75	45dB	6.4	539%	Night
8158	2025-12-21 23:46:05	70.50	45dB	5.9	486%	Night
8159	2025-12-21 23:47:24	76.86	45dB	9.1	810%	Night
8160	2025-12-21 23:48:41	74.19	45dB	7.6	656%	Night
8161	2025-12-21 23:50:02	72.12	45dB	6.6	555%	Night
8162	2025-12-21 23:51:31	69.31	45dB	5.4	439%	Night
8163	2025-12-21 23:53:09	N/A	45dB	N/A	N/A	Night
8164	2025-12-21 23:54:48	70.99	45dB	6.1	506%	Night
8165	2025-12-21 23:56:26	71.17	45dB	6.1	513%	Night
8166	2025-12-21 23:59:22	69.63	45dB	5.5	451%	Night
8167	2025-12-22 00:01:09	69.41	45dB	5.4	443%	Night
8168	2025-12-22 00:03:15	81.88	45dB	12.9	1189%	Night
8169	2025-12-22 00:06:46	95.42	45dB	32.9	3195%	Night
8170	2025-12-22 00:11:02	80.59	45dB	11.8	1079%	Night
8171	2025-12-22 00:16:19	74.53	45dB	7.7	674%	Night
8172	2025-12-22 00:19:39	81.22	45dB	12.3	1131%	Night
8173	2025-12-22 00:22:01	75.94	45dB	8.5	754%	Night
8174	2025-12-22 00:24:24	73.13	45dB	7.0	603%	Night
8175	2025-12-22 00:36:07	71.17	45dB	6.1	513%	Night
8176	2025-12-22 00:39:32	75.88	45dB	8.5	750%	Night

8177	2025-12-22 00:43:17	74.63	45dB	7.8	680%	Night
8178	2025-12-22 00:45:19	67.80	45dB	4.9	386%	Night
8179	2025-12-22 00:50:14	74.53	45dB	7.7	674%	Night
8180	2025-12-22 00:56:47	72.74	45dB	6.8	584%	Night
8181	2025-12-22 06:29:14	77.71	45dB	9.7	865%	Night
8182	2025-12-22 06:30:51	74.51	45dB	7.7	673%	Night
8183	2025-12-22 06:32:33	76.77	45dB	9.0	804%	Night
8184	2025-12-22 06:33:49	72.70	45dB	6.8	582%	Night
8185	2025-12-22 06:35:16	71.87	45dB	6.4	544%	Night
8186	2025-12-22 06:37:17	72.40	45dB	6.7	568%	Night
8187	2025-12-22 06:39:07	93.61	45dB	29.1	2806%	Night
8188	2025-12-22 06:40:38	93.56	45dB	29.0	2796%	Night
8189	2025-12-22 06:42:34	N/A	45dB	N/A	N/A	Night
8190	2025-12-22 06:43:52	69.42	45dB	5.4	443%	Night
8191	2025-12-22 06:45:29	93.72	45dB	29.3	2828%	Night
8192	2025-12-22 06:47:17	72.91	45dB	6.9	592%	Night
8193	2025-12-22 06:49:06	92.76	45dB	27.4	2640%	Night
8194	2025-12-22 06:50:41	93.23	45dB	28.3	2731%	Night
8195	2025-12-22 06:52:17	93.07	45dB	28.0	2699%	Night
8196	2025-12-22 06:53:48	94.68	45dB	31.3	3030%	Night
8197	2025-12-22 06:55:21	95.77	45dB	33.8	3275%	Night
8198	2025-12-22 06:56:55	71.02	45dB	6.1	507%	Night
8199	2025-12-22 06:58:44	92.09	45dB	26.2	2515%	Night
8200	2025-12-22 07:00:25	90.99	55dB	12.1	1112%	Day
8201	2025-12-22 07:01:52	87.27	55dB	9.4	836%	Day
8202	2025-12-22 07:04:01	83.82	55dB	7.4	637%	Day
8203	2025-12-22 07:06:10	68.86	55dB	2.6	161%	Day
8204	2025-12-22 07:10:23	92.45	55dB	13.4	1241%	Day
8205	2025-12-22 07:12:25	95.75	55dB	16.9	1585%	Day
8206	2025-12-22 07:14:01	85.69	55dB	8.4	739%	Day
8207	2025-12-22 07:15:38	71.81	55dB	3.2	221%	Day
8208	2025-12-22 07:17:14	68.47	55dB	2.5	154%	Day
8209	2025-12-22 07:18:44	83.73	55dB	7.3	633%	Day
8210	2025-12-22 07:20:25	84.47	55dB	7.7	671%	Day
8211	2025-12-22 07:25:44	68.24	55dB	2.5	150%	Day
8212	2025-12-22 07:27:50	86.40	55dB	8.8	782%	Day
8213	2025-12-22 07:35:20	69.56	55dB	2.7	174%	Day
8214	2025-12-22 07:45:30	83.72	55dB	7.3	632%	Day
8215	2025-12-22 07:49:52	87.16	55dB	9.3	829%	Day
8216	2025-12-22 07:54:13	89.30	55dB	10.8	978%	Day
8217	2025-12-22 08:03:44	68.74	55dB	2.6	159%	Day
8218	2025-12-22 08:06:31	69.72	55dB	2.8	177%	Day
8219	2025-12-22 08:09:00	N/A	55dB	N/A	N/A	Day
8220	2025-12-22 08:10:47	85.62	55dB	8.4	735%	Day

8221	2025-12-22 08:12:46	72.54	55dB	3.4	237%	Day
8222	2025-12-22 08:14:52	85.72	55dB	8.4	741%	Day
8223	2025-12-22 08:17:22	83.40	55dB	7.2	616%	Day
8224	2025-12-22 08:19:21	84.85	55dB	7.9	692%	Day
8225	2025-12-22 08:21:30	83.61	55dB	7.3	627%	Day
8226	2025-12-22 08:23:36	72.40	55dB	3.3	234%	Day
8227	2025-12-22 08:27:27	67.94	55dB	2.5	145%	Day
8228	2025-12-22 08:29:14	80.67	55dB	5.9	493%	Day
8229	2025-12-22 08:31:16	84.77	55dB	7.9	687%	Day
8230	2025-12-22 08:33:42	72.82	55dB	3.4	244%	Day
8231	2025-12-22 08:36:49	70.81	55dB	3.0	199%	Day
8232	2025-12-22 08:42:32	N/A	55dB	N/A	N/A	Day
8233	2025-12-22 08:45:51	75.54	55dB	4.2	315%	Day
8234	2025-12-22 08:48:28	69.87	55dB	2.8	180%	Day
8235	2025-12-22 08:50:50	82.41	55dB	6.7	569%	Day
8236	2025-12-22 08:52:40	71.14	55dB	3.1	206%	Day
8237	2025-12-22 08:54:40	82.54	55dB	6.7	575%	Day
8238	2025-12-22 09:09:05	N/A	55dB	N/A	N/A	Day
8239	2025-12-22 09:12:39	84.50	55dB	7.7	673%	Day
8240	2025-12-22 09:22:33	66.79	55dB	2.3	126%	Day
8241	2025-12-22 09:25:35	85.21	55dB	8.1	712%	Day
8242	2025-12-22 09:29:46	83.80	55dB	7.4	636%	Day
8243	2025-12-22 09:33:40	83.39	55dB	7.2	616%	Day
8244	2025-12-22 09:37:33	81.72	55dB	6.4	537%	Day
8245	2025-12-22 09:39:18	81.44	55dB	6.3	525%	Day
8246	2025-12-22 09:42:30	N/A	55dB	N/A	N/A	Day
8247	2025-12-22 09:52:26	81.51	55dB	6.3	528%	Day
8248	2025-12-22 10:04:19	82.11	55dB	6.5	555%	Day
8249	2025-12-22 10:05:55	80.92	55dB	6.0	503%	Day
8250	2025-12-22 10:07:52	71.12	55dB	3.1	206%	Day
8251	2025-12-22 10:13:06	83.25	55dB	7.1	609%	Day
8252	2025-12-22 10:14:54	79.90	55dB	5.6	462%	Day
8253	2025-12-22 10:18:30	83.07	55dB	7.0	600%	Day
8254	2025-12-22 10:22:42	81.48	55dB	6.3	527%	Day
8255	2025-12-22 10:25:13	66.86	55dB	2.3	128%	Day
8256	2025-12-22 10:27:00	84.63	55dB	7.8	680%	Day
8257	2025-12-22 10:33:28	79.30	55dB	5.4	439%	Day
8258	2025-12-22 10:36:16	73.30	55dB	3.6	256%	Day
8259	2025-12-22 10:39:39	67.41	55dB	2.4	136%	Day
8260	2025-12-22 10:41:18	N/A	55dB	N/A	N/A	Day
8261	2025-12-22 10:43:00	74.78	55dB	3.9	294%	Day
8262	2025-12-22 10:45:03	67.58	55dB	2.4	139%	Day
8263	2025-12-22 10:47:10	79.72	55dB	5.5	455%	Day
8264	2025-12-22 10:49:27	77.11	55dB	4.6	363%	Day

8265	2025-12-22 10:51:30	77.76	55dB	4.8	384%	Day
8266	2025-12-22 10:54:53	76.84	55dB	4.5	354%	Day
8267	2025-12-22 10:56:33	76.84	55dB	4.5	354%	Day
8268	2025-12-22 10:58:02	67.76	55dB	2.4	142%	Day
8269	2025-12-22 10:59:23	81.09	55dB	6.1	510%	Day
8270	2025-12-22 11:01:17	68.30	55dB	2.5	151%	Day
8271	2025-12-22 11:03:22	77.88	55dB	4.9	388%	Day
8272	2025-12-22 11:04:43	N/A	55dB	N/A	N/A	Day
8273	2025-12-22 11:06:31	N/A	55dB	N/A	N/A	Day
8274	2025-12-22 11:08:01	85.00	55dB	8.0	700%	Day
8275	2025-12-22 11:09:57	84.69	55dB	7.8	683%	Day
8276	2025-12-22 11:12:16	81.77	55dB	6.4	540%	Day
8277	2025-12-22 11:13:34	85.84	55dB	8.5	748%	Day
8278	2025-12-22 11:15:04	87.67	55dB	9.6	863%	Day
8279	2025-12-22 11:16:33	87.58	55dB	9.6	857%	Day
8280	2025-12-22 11:18:06	87.14	55dB	9.3	828%	Day
8281	2025-12-22 11:20:26	66.02	55dB	2.1	115%	Day
8282	2025-12-22 11:21:57	85.19	55dB	8.1	711%	Day
8283	2025-12-22 11:23:47	68.63	55dB	2.6	157%	Day
8284	2025-12-22 11:25:22	80.63	55dB	5.9	491%	Day
8285	2025-12-22 11:27:34	68.37	55dB	2.5	153%	Day
8286	2025-12-22 11:30:33	N/A	55dB	N/A	N/A	Day
8287	2025-12-22 11:32:14	80.52	55dB	5.9	486%	Day
8288	2025-12-22 11:34:49	84.90	55dB	7.9	694%	Day
8289	2025-12-22 11:36:28	81.75	55dB	6.4	539%	Day
8290	2025-12-22 11:39:58	66.82	55dB	2.3	127%	Day
8291	2025-12-22 11:41:51	80.83	55dB	6.0	499%	Day
8292	2025-12-22 11:43:32	81.73	55dB	6.4	538%	Day
8293	2025-12-22 11:45:11	69.56	55dB	2.7	174%	Day
8294	2025-12-22 11:46:39	68.22	55dB	2.5	150%	Day
8295	2025-12-22 11:58:08	75.48	55dB	4.1	314%	Day
8296	2025-12-22 12:02:06	76.10	55dB	4.3	332%	Day
8297	2025-12-22 12:04:32	79.57	55dB	5.5	449%	Day
8298	2025-12-22 12:15:58	69.08	55dB	2.7	165%	Day
8299	2025-12-22 12:18:02	78.51	55dB	5.1	410%	Day
8300	2025-12-22 12:21:10	N/A	55dB	N/A	N/A	Day
8301	2025-12-22 12:24:18	82.06	55dB	6.5	553%	Day
8302	2025-12-22 12:27:06	82.25	55dB	6.6	561%	Day
8303	2025-12-22 12:29:34	85.07	55dB	8.0	704%	Day
8304	2025-12-22 12:31:20	78.78	55dB	5.2	420%	Day
8305	2025-12-22 12:33:32	83.34	55dB	7.1	613%	Day
8306	2025-12-22 12:34:55	82.15	55dB	6.6	557%	Day
8307	2025-12-22 12:36:32	82.03	55dB	6.5	551%	Day
8308	2025-12-22 12:39:00	89.97	55dB	11.3	1029%	Day

8309	2025-12-22 12:41:54	69.36	55dB	2.7	171%	Day
8310	2025-12-22 12:43:39	79.76	55dB	5.6	456%	Day
8311	2025-12-22 12:45:12	79.72	55dB	5.5	455%	Day
8312	2025-12-22 12:47:01	84.63	55dB	7.8	680%	Day
8313	2025-12-22 12:48:53	90.38	55dB	11.6	1062%	Day
8314	2025-12-22 12:50:07	84.13	55dB	7.5	653%	Day
8315	2025-12-22 12:51:47	N/A	55dB	N/A	N/A	Day
8316	2025-12-22 12:53:38	67.71	55dB	2.4	141%	Day
8317	2025-12-22 12:55:04	N/A	55dB	N/A	N/A	Day
8318	2025-12-22 13:01:18	69.90	55dB	2.8	181%	Day
8319	2025-12-22 13:05:01	77.64	55dB	4.8	380%	Day
8320	2025-12-22 13:11:11	79.88	55dB	5.6	461%	Day
8321	2025-12-22 13:20:26	68.89	55dB	2.6	162%	Day
8322	2025-12-22 13:25:41	80.11	55dB	5.7	470%	Day
8323	2025-12-22 13:29:02	77.78	55dB	4.9	385%	Day
8324	2025-12-22 13:32:12	78.28	55dB	5.0	402%	Day
8325	2025-12-22 13:33:47	78.47	55dB	5.1	409%	Day
8326	2025-12-22 13:35:23	86.05	55dB	8.6	760%	Day
8327	2025-12-22 13:37:26	84.08	55dB	7.5	651%	Day
8328	2025-12-22 13:46:45	78.24	55dB	5.0	401%	Day
8329	2025-12-22 13:48:44	67.82	55dB	2.4	143%	Day
8330	2025-12-22 13:50:16	68.50	55dB	2.5	155%	Day
8331	2025-12-22 13:52:03	81.05	55dB	6.1	508%	Day
8332	2025-12-22 13:54:40	81.41	55dB	6.2	524%	Day
8333	2025-12-22 14:00:33	71.39	55dB	3.1	211%	Day
8334	2025-12-22 14:06:40	79.39	55dB	5.4	442%	Day
8335	2025-12-22 14:08:28	78.80	55dB	5.2	421%	Day
8336	2025-12-22 14:10:42	82.12	55dB	6.6	555%	Day
8337	2025-12-22 14:12:23	82.29	55dB	6.6	563%	Day
8338	2025-12-22 14:13:57	76.62	55dB	4.5	348%	Day
8339	2025-12-22 14:15:16	80.11	55dB	5.7	470%	Day
8340	2025-12-22 14:16:53	81.84	55dB	6.4	543%	Day
8341	2025-12-22 14:18:27	86.57	55dB	8.9	792%	Day
8342	2025-12-22 14:20:24	68.24	55dB	2.5	150%	Day
8343	2025-12-22 14:23:07	74.15	55dB	3.8	277%	Day
8344	2025-12-22 14:25:23	88.04	55dB	9.9	888%	Day
8345	2025-12-22 14:26:52	89.08	55dB	10.6	961%	Day
8346	2025-12-22 14:29:30	80.22	55dB	5.7	474%	Day
8347	2025-12-22 14:31:24	82.03	55dB	6.5	551%	Day
8348	2025-12-22 14:33:01	69.84	55dB	2.8	180%	Day
8349	2025-12-22 14:34:30	81.82	55dB	6.4	542%	Day
8350	2025-12-22 14:36:09	81.73	55dB	6.4	538%	Day
8351	2025-12-22 14:37:51	87.40	55dB	9.4	845%	Day
8352	2025-12-22 14:40:08	84.71	55dB	7.8	684%	Day

8353	2025-12-22 14:41:52	80.83	55dB	6.0	499%	Day
8354	2025-12-22 14:43:32	75.88	55dB	4.3	325%	Day
8355	2025-12-22 14:45:25	81.93	55dB	6.5	547%	Day
8356	2025-12-22 14:47:37	69.37	55dB	2.7	171%	Day
8357	2025-12-22 14:48:54	81.35	55dB	6.2	521%	Day
8358	2025-12-22 14:50:27	69.85	55dB	2.8	180%	Day
8359	2025-12-22 14:52:00	81.08	55dB	6.1	510%	Day
8360	2025-12-22 14:55:10	88.91	55dB	10.5	949%	Day
8361	2025-12-22 14:56:50	81.90	55dB	6.5	545%	Day
8362	2025-12-22 15:00:24	85.23	55dB	8.1	713%	Day
8363	2025-12-22 15:02:38	71.49	55dB	3.1	214%	Day
8364	2025-12-22 15:03:53	78.12	55dB	5.0	397%	Day
8365	2025-12-22 15:05:30	80.91	55dB	6.0	503%	Day
8366	2025-12-22 15:07:44	N/A	55dB	N/A	N/A	Day
8367	2025-12-22 15:09:21	82.32	55dB	6.6	564%	Day
8368	2025-12-22 15:10:45	78.92	55dB	5.2	425%	Day
8369	2025-12-22 15:12:40	68.62	55dB	2.6	157%	Day
8370	2025-12-22 15:14:12	68.14	55dB	2.5	149%	Day
8371	2025-12-22 15:15:41	N/A	55dB	N/A	N/A	Day
8372	2025-12-22 15:17:11	70.64	55dB	3.0	196%	Day
8373	2025-12-22 15:19:35	82.72	55dB	6.8	583%	Day
8374	2025-12-22 15:20:56	79.85	55dB	5.6	460%	Day
8375	2025-12-22 15:22:25	84.38	55dB	7.7	666%	Day
8376	2025-12-22 15:24:04	84.81	55dB	7.9	690%	Day
8377	2025-12-22 15:25:52	74.54	55dB	3.9	287%	Day
8378	2025-12-22 15:27:54	71.74	55dB	3.2	219%	Day
8379	2025-12-22 15:30:07	83.25	55dB	7.1	609%	Day
8380	2025-12-22 15:32:31	81.80	55dB	6.4	541%	Day
8381	2025-12-22 15:33:48	N/A	55dB	N/A	N/A	Day
8382	2025-12-22 15:34:55	N/A	55dB	N/A	N/A	Day
8383	2025-12-22 15:36:32	81.68	55dB	6.4	536%	Day
8384	2025-12-22 15:38:56	80.04	55dB	5.7	467%	Day
8385	2025-12-22 15:41:02	68.94	55dB	2.6	163%	Day
8386	2025-12-22 15:42:53	81.33	55dB	6.2	520%	Day
8387	2025-12-22 15:44:39	81.53	55dB	6.3	529%	Day
8388	2025-12-22 15:46:07	N/A	55dB	N/A	N/A	Day
8389	2025-12-22 15:47:23	71.77	55dB	3.2	220%	Day
8390	2025-12-22 15:48:55	70.70	55dB	3.0	197%	Day
8391	2025-12-22 15:53:39	82.72	55dB	6.8	583%	Day
8392	2025-12-22 15:55:50	69.18	55dB	2.7	167%	Day
8393	2025-12-22 15:59:19	83.86	55dB	7.4	639%	Day
8394	2025-12-22 16:01:26	74.76	55dB	3.9	293%	Day
8395	2025-12-22 16:05:30	75.17	55dB	4.0	305%	Day
8396	2025-12-22 16:07:32	75.30	55dB	4.1	308%	Day

8397	2025-12-22 16:09:12	83.54	55dB	7.2	623%	Day
8398	2025-12-22 16:11:21	75.56	55dB	4.2	316%	Day
8399	2025-12-22 16:12:48	80.99	55dB	6.1	506%	Day
8400	2025-12-22 16:14:24	N/A	55dB	N/A	N/A	Day
8401	2025-12-22 16:15:51	73.87	55dB	3.7	270%	Day
8402	2025-12-22 16:18:33	69.94	55dB	2.8	182%	Day
8403	2025-12-22 16:20:00	79.32	55dB	5.4	440%	Day
8404	2025-12-22 16:21:23	71.68	55dB	3.2	218%	Day
8405	2025-12-22 16:22:47	72.12	55dB	3.3	228%	Day
8406	2025-12-22 16:24:02	77.25	55dB	4.7	368%	Day
8407	2025-12-22 16:25:45	72.39	55dB	3.3	234%	Day
8408	2025-12-22 16:27:07	74.31	55dB	3.8	281%	Day
8409	2025-12-22 16:30:03	79.61	55dB	5.5	451%	Day
8410	2025-12-22 16:31:26	68.73	55dB	2.6	159%	Day
8411	2025-12-22 16:32:51	71.08	55dB	3.0	205%	Day
8412	2025-12-22 16:34:12	76.67	55dB	4.5	349%	Day
8413	2025-12-22 16:35:28	78.40	55dB	5.1	406%	Day
8414	2025-12-22 16:36:48	70.88	55dB	3.0	201%	Day
8415	2025-12-22 16:38:04	78.44	55dB	5.1	408%	Day
8416	2025-12-22 16:39:22	72.47	55dB	3.4	236%	Day
8417	2025-12-22 16:41:01	69.02	55dB	2.6	164%	Day
8418	2025-12-22 16:42:18	77.24	55dB	4.7	367%	Day
8419	2025-12-22 16:46:09	N/A	55dB	N/A	N/A	Day
8420	2025-12-22 16:57:06	70.07	55dB	2.8	184%	Day
8421	2025-12-22 17:00:25	80.89	55dB	6.0	502%	Day
8422	2025-12-22 17:03:05	79.80	55dB	5.6	458%	Day
8423	2025-12-22 17:05:04	71.52	55dB	3.1	214%	Day
8424	2025-12-22 17:07:21	81.28	55dB	6.2	518%	Day
8425	2025-12-22 17:09:02	72.95	55dB	3.5	247%	Day
8426	2025-12-22 17:10:23	72.69	55dB	3.4	241%	Day
8427	2025-12-22 17:12:17	76.84	55dB	4.5	354%	Day
8428	2025-12-22 17:13:39	80.90	55dB	6.0	502%	Day
8429	2025-12-22 17:15:03	83.79	55dB	7.4	636%	Day
8430	2025-12-22 17:16:58	67.42	55dB	2.4	137%	Day
8431	2025-12-22 17:18:39	69.09	55dB	2.7	166%	Day
8432	2025-12-22 17:19:58	71.82	55dB	3.2	221%	Day
8433	2025-12-22 17:21:24	78.24	55dB	5.0	401%	Day
8434	2025-12-22 17:23:38	N/A	55dB	N/A	N/A	Day
8435	2025-12-22 17:24:57	77.50	55dB	4.8	376%	Day
8436	2025-12-22 17:26:31	81.32	55dB	6.2	520%	Day
8437	2025-12-22 17:27:51	69.66	55dB	2.8	176%	Day
8438	2025-12-22 17:34:11	N/A	55dB	N/A	N/A	Day
8439	2025-12-22 17:38:03	80.47	55dB	5.8	484%	Day
8440	2025-12-22 17:39:34	79.46	55dB	5.4	445%	Day

8441	2025-12-22 17:41:21	77.16	55dB	4.6	365%	Day
8442	2025-12-22 17:45:38	76.10	55dB	4.3	332%	Day
8443	2025-12-22 17:46:58	77.27	55dB	4.7	368%	Day
8444	2025-12-22 17:48:21	74.77	55dB	3.9	294%	Day
8445	2025-12-22 17:49:55	74.59	55dB	3.9	289%	Day
8446	2025-12-22 17:51:18	75.52	55dB	4.1	315%	Day
8447	2025-12-22 17:53:11	70.94	55dB	3.0	202%	Day
8448	2025-12-22 17:54:31	84.57	55dB	7.8	677%	Day
8449	2025-12-22 17:55:55	69.11	55dB	2.7	166%	Day
8450	2025-12-22 17:57:18	68.82	55dB	2.6	161%	Day
8451	2025-12-22 17:59:12	76.19	55dB	4.3	334%	Day
8452	2025-12-22 18:02:24	74.63	55dB	3.9	290%	Day
8453	2025-12-22 18:03:56	69.16	55dB	2.7	167%	Day
8454	2025-12-22 18:05:49	77.10	55dB	4.6	363%	Day
8455	2025-12-22 18:08:18	68.85	55dB	2.6	161%	Day
8456	2025-12-22 18:11:45	77.11	55dB	4.6	363%	Day
8457	2025-12-22 18:21:18	69.88	55dB	2.8	180%	Day
8458	2025-12-22 18:24:00	80.41	55dB	5.8	482%	Day
8459	2025-12-22 18:26:52	75.76	55dB	4.2	322%	Day
8460	2025-12-22 18:30:54	80.14	55dB	5.7	471%	Day
8461	2025-12-22 18:32:14	84.74	55dB	7.9	686%	Day
8462	2025-12-22 18:35:02	69.39	55dB	2.7	171%	Day
8463	2025-12-22 18:36:28	79.11	55dB	5.3	432%	Day
8464	2025-12-22 18:37:54	76.12	55dB	4.3	332%	Day
8465	2025-12-22 18:39:43	75.72	55dB	4.2	320%	Day
8466	2025-12-22 18:41:35	80.02	55dB	5.7	466%	Day
8467	2025-12-22 18:43:30	70.88	55dB	3.0	201%	Day
8468	2025-12-22 18:45:57	70.96	55dB	3.0	202%	Day
8469	2025-12-22 18:47:35	78.33	55dB	5.0	404%	Day
8470	2025-12-22 18:49:04	71.52	55dB	3.1	214%	Day
8471	2025-12-22 18:50:50	82.17	55dB	6.6	558%	Day
8472	2025-12-22 18:54:43	76.29	55dB	4.4	337%	Day
8473	2025-12-22 18:56:21	76.74	55dB	4.5	351%	Day
8474	2025-12-22 18:57:44	79.65	55dB	5.5	452%	Day
8475	2025-12-22 18:59:24	88.11	55dB	9.9	892%	Day
8476	2025-12-22 19:00:53	67.10	55dB	2.3	131%	Day
8477	2025-12-22 19:02:19	N/A	55dB	N/A	N/A	Day
8478	2025-12-22 19:03:36	72.35	55dB	3.3	233%	Day
8479	2025-12-22 19:05:30	81.87	55dB	6.4	544%	Day
8480	2025-12-22 19:06:55	76.29	55dB	4.4	337%	Day
8481	2025-12-22 19:08:16	79.74	55dB	5.6	456%	Day
8482	2025-12-22 19:09:47	69.88	55dB	2.8	180%	Day
8483	2025-12-22 19:11:19	80.86	55dB	6.0	500%	Day
8484	2025-12-22 19:12:32	85.89	55dB	8.5	751%	Day

8485	2025-12-22 19:13:54	81.49	55dB	6.3	527%	Day
8486	2025-12-22 19:15:32	72.86	55dB	3.4	245%	Day
8487	2025-12-22 19:16:56	70.69	55dB	3.0	197%	Day
8488	2025-12-22 19:18:11	73.30	55dB	3.6	256%	Day
8489	2025-12-22 19:19:55	90.93	55dB	12.1	1107%	Day
8490	2025-12-22 19:22:05	85.71	55dB	8.4	740%	Day
8491	2025-12-22 19:23:32	69.28	55dB	2.7	169%	Day
8492	2025-12-22 19:24:47	81.39	55dB	6.2	523%	Day
8493	2025-12-22 19:26:17	73.55	55dB	3.6	262%	Day
8494	2025-12-22 19:27:53	72.33	55dB	3.3	232%	Day
8495	2025-12-22 19:29:12	86.07	55dB	8.6	762%	Day
8496	2025-12-22 19:30:37	77.99	55dB	4.9	392%	Day
8497	2025-12-22 19:32:14	86.69	55dB	9.0	799%	Day
8498	2025-12-22 19:33:40	87.81	55dB	9.7	872%	Day
8499	2025-12-22 19:34:57	85.04	55dB	8.0	702%	Day
8500	2025-12-22 19:36:33	69.75	55dB	2.8	178%	Day
8501	2025-12-22 19:38:02	82.92	55dB	6.9	593%	Day
8502	2025-12-22 19:40:04	83.61	55dB	7.3	627%	Day
8503	2025-12-22 19:44:06	85.09	55dB	8.1	705%	Day
8504	2025-12-22 19:46:31	71.84	55dB	3.2	221%	Day
8505	2025-12-22 19:48:51	N/A	55dB	N/A	N/A	Day
8506	2025-12-22 19:50:17	70.01	55dB	2.8	183%	Day
8507	2025-12-22 19:51:42	84.99	55dB	8.0	699%	Day
8508	2025-12-22 19:54:01	72.86	55dB	3.4	245%	Day
8509	2025-12-22 19:55:17	88.28	55dB	10.0	904%	Day
8510	2025-12-22 19:56:45	85.00	55dB	8.0	700%	Day
8511	2025-12-22 19:58:21	71.43	55dB	3.1	212%	Day
8512	2025-12-22 20:01:12	N/A	55dB	N/A	N/A	Day
8513	2025-12-22 20:04:20	66.39	55dB	2.2	120%	Day
8514	2025-12-22 20:05:42	94.86	55dB	15.8	1485%	Day
8515	2025-12-22 20:09:45	70.66	55dB	3.0	196%	Day
8516	2025-12-22 20:11:33	72.65	55dB	3.4	240%	Day
8517	2025-12-22 20:13:20	82.03	55dB	6.5	551%	Day
8518	2025-12-22 20:15:14	72.74	55dB	3.4	242%	Day
8519	2025-12-22 20:17:17	72.28	55dB	3.3	231%	Day
8520	2025-12-22 20:19:25	102.97	55dB	27.8	2680%	Day
8521	2025-12-22 20:21:08	69.91	55dB	2.8	181%	Day
8522	2025-12-22 20:22:34	68.26	55dB	2.5	151%	Day
8523	2025-12-22 20:24:05	99.39	55dB	21.7	2069%	Day
8524	2025-12-22 20:25:51	91.00	55dB	12.1	1113%	Day
8525	2025-12-22 20:29:20	97.11	55dB	18.5	1752%	Day
8526	2025-12-22 20:31:17	71.44	55dB	3.1	213%	Day
8527	2025-12-22 20:33:19	103.69	55dB	29.2	2822%	Day
8528	2025-12-22 20:34:47	93.19	55dB	14.1	1311%	Day

8529	2025-12-22 20:38:00	97.71	55dB	19.3	1831%	Day
8530	2025-12-22 20:41:55	71.52	55dB	3.1	214%	Day
8531	2025-12-22 20:43:45	90.03	55dB	11.3	1034%	Day
8532	2025-12-22 20:45:14	69.52	55dB	2.7	174%	Day
8533	2025-12-22 20:46:32	96.44	55dB	17.7	1668%	Day
8534	2025-12-22 20:47:54	95.71	55dB	16.8	1581%	Day
8535	2025-12-22 20:49:31	77.63	55dB	4.8	380%	Day
8536	2025-12-22 20:50:43	83.31	55dB	7.1	612%	Day
8537	2025-12-22 20:52:03	85.25	55dB	8.1	714%	Day
8538	2025-12-22 20:53:32	77.34	55dB	4.7	370%	Day
8539	2025-12-22 20:55:27	76.89	55dB	4.6	356%	Day
8540	2025-12-22 20:57:12	68.65	55dB	2.6	158%	Day
8541	2025-12-22 20:58:26	N/A	55dB	N/A	N/A	Day
8542	2025-12-22 20:59:41	90.50	55dB	11.7	1071%	Day
8543	2025-12-22 21:01:01	74.59	55dB	3.9	289%	Day
8544	2025-12-22 21:02:31	69.76	55dB	2.8	178%	Day
8545	2025-12-22 21:04:02	84.08	55dB	7.5	651%	Day
8546	2025-12-22 21:05:19	71.38	55dB	3.1	211%	Day
8547	2025-12-22 21:07:55	68.14	55dB	2.5	149%	Day
8548	2025-12-22 21:10:05	79.66	55dB	5.5	453%	Day
8549	2025-12-22 21:11:20	83.08	55dB	7.0	600%	Day
8550	2025-12-22 21:12:42	81.46	55dB	6.3	526%	Day
8551	2025-12-22 21:14:01	71.92	55dB	3.2	223%	Day
8552	2025-12-22 21:15:31	72.84	55dB	3.4	244%	Day
8553	2025-12-22 21:16:54	79.67	55dB	5.5	453%	Day
8554	2025-12-22 21:18:11	79.51	55dB	5.5	447%	Day
8555	2025-12-22 21:19:37	70.84	55dB	3.0	200%	Day
8556	2025-12-22 21:21:04	91.65	55dB	12.7	1168%	Day
8557	2025-12-22 21:22:20	72.00	55dB	3.2	225%	Day
8558	2025-12-22 21:24:40	73.26	55dB	3.5	255%	Day
8559	2025-12-22 21:26:48	89.45	55dB	10.9	989%	Day
8560	2025-12-22 21:28:56	92.43	55dB	13.4	1239%	Day
8561	2025-12-22 21:30:42	81.29	55dB	6.2	519%	Day
8562	2025-12-22 21:32:14	77.73	55dB	4.8	383%	Day
8563	2025-12-22 21:34:34	68.45	55dB	2.5	154%	Day
8564	2025-12-22 21:36:02	83.37	55dB	7.1	615%	Day
8565	2025-12-22 21:38:20	93.11	55dB	14.0	1304%	Day
8566	2025-12-22 21:40:05	78.10	55dB	5.0	396%	Day
8567	2025-12-22 21:41:45	69.27	55dB	2.7	169%	Day
8568	2025-12-22 21:43:33	79.70	55dB	5.5	454%	Day
8569	2025-12-22 21:45:19	71.10	55dB	3.1	205%	Day
8570	2025-12-22 21:47:00	77.30	55dB	4.7	369%	Day
8571	2025-12-22 21:48:43	78.26	55dB	5.0	401%	Day
8572	2025-12-22 21:50:18	73.08	55dB	3.5	250%	Day

8573	2025-12-22 21:52:02	76.93	55dB	4.6	357%	Day
8574	2025-12-22 21:53:17	68.92	55dB	2.6	162%	Day
8575	2025-12-22 21:54:42	81.49	55dB	6.3	527%	Day
8576	2025-12-22 21:59:05	70.81	55dB	3.0	199%	Day
8577	2025-12-22 22:00:23	78.96	55dB	5.3	426%	Day
8578	2025-12-22 22:01:50	78.09	55dB	5.0	396%	Day
8579	2025-12-22 22:03:11	77.72	55dB	4.8	383%	Day
8580	2025-12-22 22:05:03	69.55	55dB	2.7	174%	Day
8581	2025-12-22 22:06:42	76.04	55dB	4.3	330%	Day
8582	2025-12-22 22:08:03	76.37	55dB	4.4	340%	Day
8583	2025-12-22 22:10:35	76.81	55dB	4.5	353%	Day
8584	2025-12-22 22:12:41	85.49	55dB	8.3	728%	Day
8585	2025-12-22 22:14:35	72.76	55dB	3.4	242%	Day
8586	2025-12-22 22:19:05	78.22	55dB	5.0	400%	Day
8587	2025-12-22 22:20:47	82.25	55dB	6.6	561%	Day
8588	2025-12-22 22:23:43	69.50	55dB	2.7	173%	Day
8589	2025-12-22 22:25:34	81.71	55dB	6.4	537%	Day
8590	2025-12-22 22:27:06	92.62	55dB	13.6	1257%	Day
8591	2025-12-22 22:28:28	71.67	55dB	3.2	218%	Day
8592	2025-12-22 22:30:14	70.29	55dB	2.9	189%	Day
8593	2025-12-22 22:32:02	82.72	55dB	6.8	583%	Day
8594	2025-12-22 22:33:27	81.21	55dB	6.2	515%	Day
8595	2025-12-22 22:37:34	80.48	55dB	5.8	485%	Day
8596	2025-12-22 22:39:27	69.57	55dB	2.7	175%	Day
8597	2025-12-22 22:41:02	70.11	55dB	2.9	185%	Day
8598	2025-12-22 22:44:39	81.14	55dB	6.1	512%	Day
8599	2025-12-22 22:46:13	79.79	55dB	5.6	458%	Day
8600	2025-12-22 22:47:48	85.85	55dB	8.5	749%	Day
8601	2025-12-22 22:49:32	89.84	55dB	11.2	1019%	Day
8602	2025-12-22 22:51:17	80.03	55dB	5.7	467%	Day
8603	2025-12-22 22:53:13	71.35	55dB	3.1	211%	Day
8604	2025-12-22 22:55:33	92.16	55dB	13.1	1214%	Day
8605	2025-12-22 22:58:05	76.77	55dB	4.5	352%	Day
8606	2025-12-22 23:06:27	71.54	45dB	6.3	529%	Night
8607	2025-12-22 23:07:48	70.89	45dB	6.0	502%	Night
8608	2025-12-22 23:09:15	73.72	45dB	7.3	632%	Night
8609	2025-12-22 23:13:16	70.34	45dB	5.8	479%	Night
8610	2025-12-22 23:17:17	68.65	45dB	5.2	415%	Night
8611	2025-12-22 23:26:26	71.24	45dB	6.2	516%	Night
8612	2025-12-22 23:29:54	70.48	45dB	5.8	485%	Night
8613	2025-12-22 23:33:14	72.58	45dB	6.8	576%	Night
8614	2025-12-22 23:35:30	73.80	45dB	7.4	636%	Night
8615	2025-12-22 23:37:09	70.52	45dB	5.9	486%	Night
8616	2025-12-22 23:39:31	70.75	45dB	6.0	496%	Night

8617	2025-12-22 23:42:51	72.22	45dB	6.6	560%	Night
8618	2025-12-22 23:44:31	71.44	45dB	6.3	525%	Night
8619	2025-12-22 23:46:07	70.33	45dB	5.8	479%	Night
8620	2025-12-22 23:47:35	71.41	45dB	6.2	524%	Night
8621	2025-12-22 23:49:35	72.85	45dB	6.9	589%	Night
8622	2025-12-22 23:51:48	70.24	45dB	5.8	475%	Night
8623	2025-12-22 23:53:52	70.26	45dB	5.8	476%	Night
8624	2025-12-22 23:56:14	71.34	45dB	6.2	521%	Night
8625	2025-12-22 23:58:39	71.17	45dB	6.1	513%	Night
8626	2025-12-23 00:02:08	69.40	45dB	5.4	443%	Night
8627	2025-12-23 00:03:13	70.42	45dB	5.8	482%	Night
8628	2025-12-23 00:04:45	70.96	45dB	6.0	505%	Night
8629	2025-12-23 00:06:00	70.40	45dB	5.8	482%	Night
8630	2025-12-23 00:07:30	70.37	45dB	5.8	480%	Night
8631	2025-12-23 00:08:54	71.46	45dB	6.3	526%	Night
8632	2025-12-23 00:10:06	72.04	45dB	6.5	552%	Night
8633	2025-12-23 00:11:41	71.04	45dB	6.1	508%	Night
8634	2025-12-23 00:13:01	71.74	45dB	6.4	538%	Night
8635	2025-12-23 00:14:20	73.74	45dB	7.3	633%	Night
8636	2025-12-23 00:17:47	70.40	45dB	5.8	482%	Night
8637	2025-12-23 00:19:55	70.67	45dB	5.9	493%	Night
8638	2025-12-23 00:26:01	71.65	45dB	6.3	534%	Night
8639	2025-12-23 00:29:34	71.57	45dB	6.3	531%	Night
8640	2025-12-23 00:35:26	70.32	45dB	5.8	478%	Night
8641	2025-12-23 02:43:47	74.22	45dB	7.6	658%	Night
8642	2025-12-23 02:47:40	71.26	45dB	6.2	517%	Night
8643	2025-12-23 02:52:32	73.80	45dB	7.4	636%	Night
8644	2025-12-23 08:22:49	72.14	55dB	3.3	228%	Day
8645	2025-12-23 12:04:36	75.30	55dB	4.1	308%	Day
8646	2025-12-23 12:08:31	69.46	55dB	2.7	172%	Day
8647	2025-12-23 12:09:48	68.21	55dB	2.5	150%	Day
8648	2025-12-23 12:11:41	N/A	55dB	N/A	N/A	Day
8649	2025-12-23 12:13:37	69.40	55dB	2.7	171%	Day
8650	2025-12-23 12:20:50	67.50	55dB	2.4	138%	Day
8651	2025-12-23 12:22:43	72.19	55dB	3.3	229%	Day
8652	2025-12-23 12:25:02	N/A	55dB	N/A	N/A	Day
8653	2025-12-23 12:26:33	N/A	55dB	N/A	N/A	Day
8654	2025-12-23 12:28:10	69.43	55dB	2.7	172%	Day
8655	2025-12-23 12:29:40	69.48	55dB	2.7	173%	Day
8656	2025-12-23 12:31:17	74.05	55dB	3.7	275%	Day
8657	2025-12-23 12:33:02	N/A	55dB	N/A	N/A	Day
8658	2025-12-23 12:34:32	71.94	55dB	3.2	224%	Day
8659	2025-12-23 12:36:26	69.66	55dB	2.8	176%	Day
8660	2025-12-23 12:38:06	69.48	55dB	2.7	173%	Day

8661	2025-12-23 12:39:34	69.51	55dB	2.7	173%	Day
8662	2025-12-23 12:42:48	71.11	55dB	3.1	205%	Day
8663	2025-12-23 12:44:49	84.21	55dB	7.6	657%	Day
8664	2025-12-23 12:46:49	69.61	55dB	2.8	175%	Day
8665	2025-12-23 12:48:20	69.67	55dB	2.8	176%	Day
8666	2025-12-23 12:50:01	68.76	55dB	2.6	160%	Day
8667	2025-12-23 12:52:04	69.76	55dB	2.8	178%	Day
8668	2025-12-23 12:53:38	70.65	55dB	3.0	196%	Day
8669	2025-12-23 12:55:22	69.86	55dB	2.8	180%	Day
8670	2025-12-23 13:01:02	N/A	55dB	N/A	N/A	Day
8671	2025-12-23 13:03:30	69.84	55dB	2.8	180%	Day
8672	2025-12-23 13:05:22	71.69	55dB	3.2	218%	Day
8673	2025-12-23 13:07:06	69.89	55dB	2.8	181%	Day
8674	2025-12-23 13:09:10	69.96	55dB	2.8	182%	Day
8675	2025-12-23 13:10:51	70.52	55dB	2.9	193%	Day
8676	2025-12-23 13:12:16	70.02	55dB	2.8	183%	Day
8677	2025-12-23 13:13:56	N/A	55dB	N/A	N/A	Day
8678	2025-12-23 13:15:31	73.25	55dB	3.5	254%	Day
8679	2025-12-23 13:19:59	70.45	55dB	2.9	192%	Day
8680	2025-12-23 13:21:41	70.26	55dB	2.9	188%	Day
8681	2025-12-23 13:23:58	70.29	55dB	2.9	189%	Day
8682	2025-12-23 13:30:32	69.40	55dB	2.7	171%	Day
8683	2025-12-23 13:32:26	70.29	55dB	2.9	189%	Day
8684	2025-12-23 13:43:34	69.66	55dB	2.8	176%	Day
8685	2025-12-23 13:45:48	72.05	55dB	3.3	226%	Day
8686	2025-12-23 13:48:26	73.12	55dB	3.5	251%	Day
8687	2025-12-23 13:51:52	N/A	55dB	N/A	N/A	Day
8688	2025-12-23 13:54:39	73.80	55dB	3.7	268%	Day
8689	2025-12-23 13:56:19	70.08	55dB	2.8	184%	Day
8690	2025-12-23 13:57:58	71.31	55dB	3.1	210%	Day
8691	2025-12-23 14:00:00	71.18	55dB	3.1	207%	Day
8692	2025-12-23 14:01:44	71.79	55dB	3.2	220%	Day
8693	2025-12-23 14:03:14	71.33	55dB	3.1	210%	Day
8694	2025-12-23 14:04:52	70.01	55dB	2.8	183%	Day
8695	2025-12-23 14:06:15	71.96	55dB	3.2	224%	Day
8696	2025-12-23 14:09:16	71.14	55dB	3.1	206%	Day
8697	2025-12-23 14:11:02	71.44	55dB	3.1	213%	Day
8698	2025-12-23 14:13:39	69.89	55dB	2.8	181%	Day
8699	2025-12-23 14:15:04	70.87	55dB	3.0	200%	Day
8700	2025-12-23 14:16:44	68.18	55dB	2.5	149%	Day
8701	2025-12-23 14:18:28	N/A	55dB	N/A	N/A	Day
8702	2025-12-23 14:21:06	69.92	55dB	2.8	181%	Day
8703	2025-12-23 14:22:52	69.93	55dB	2.8	181%	Day
8704	2025-12-23 14:24:23	69.92	55dB	2.8	181%	Day

8705	2025-12-23 14:25:57	70.91	55dB	3.0	201%	Day
8706	2025-12-23 14:27:34	73.82	55dB	3.7	269%	Day
8707	2025-12-23 14:30:12	67.69	55dB	2.4	141%	Day
8708	2025-12-23 14:31:42	67.90	55dB	2.4	145%	Day
8709	2025-12-23 14:33:16	70.66	55dB	3.0	196%	Day
8710	2025-12-23 14:35:15	71.79	55dB	3.2	220%	Day
8711	2025-12-23 14:36:53	70.27	55dB	2.9	188%	Day
8712	2025-12-23 14:39:41	72.29	55dB	3.3	231%	Day
8713	2025-12-23 14:41:09	73.72	55dB	3.7	266%	Day
8714	2025-12-23 14:43:31	N/A	55dB	N/A	N/A	Day
8715	2025-12-23 14:45:04	71.48	55dB	3.1	213%	Day
8716	2025-12-23 14:46:17	73.59	55dB	3.6	263%	Day
8717	2025-12-23 14:48:08	71.33	55dB	3.1	210%	Day
8718	2025-12-23 14:49:27	69.90	55dB	2.8	181%	Day
8719	2025-12-23 14:51:03	68.87	55dB	2.6	162%	Day
8720	2025-12-23 14:52:27	70.80	55dB	3.0	199%	Day
8721	2025-12-23 14:53:40	69.43	55dB	2.7	172%	Day
8722	2025-12-23 14:56:26	70.96	55dB	3.0	202%	Day
8723	2025-12-23 14:57:51	68.82	55dB	2.6	161%	Day
8724	2025-12-23 14:59:12	71.77	55dB	3.2	220%	Day
8725	2025-12-23 15:00:33	70.05	55dB	2.8	184%	Day
8726	2025-12-23 15:01:58	70.12	55dB	2.9	185%	Day
8727	2025-12-23 15:03:25	70.14	55dB	2.9	186%	Day
8728	2025-12-23 15:04:56	N/A	55dB	N/A	N/A	Day
8729	2025-12-23 15:06:15	73.08	55dB	3.5	250%	Day
8730	2025-12-23 15:07:22	83.90	55dB	7.4	641%	Day
8731	2025-12-23 15:09:21	70.24	55dB	2.9	188%	Day
8732	2025-12-23 15:10:38	74.49	55dB	3.9	286%	Day
8733	2025-12-23 15:12:05	70.26	55dB	2.9	188%	Day
8734	2025-12-23 15:13:18	72.90	55dB	3.5	246%	Day
8735	2025-12-23 15:14:41	71.80	55dB	3.2	220%	Day
8736	2025-12-23 15:18:05	70.40	55dB	2.9	191%	Day
8737	2025-12-23 15:19:50	70.45	55dB	2.9	192%	Day
8738	2025-12-23 15:21:08	73.56	55dB	3.6	262%	Day
8739	2025-12-23 15:22:41	71.79	55dB	3.2	220%	Day
8740	2025-12-23 15:23:55	72.88	55dB	3.5	245%	Day
8741	2025-12-23 15:26:45	72.66	55dB	3.4	240%	Day
8742	2025-12-23 15:28:49	71.25	55dB	3.1	208%	Day
8743	2025-12-23 15:31:20	76.49	55dB	4.4	344%	Day
8744	2025-12-23 15:37:14	72.50	55dB	3.4	236%	Day
8745	2025-12-23 15:42:01	70.89	55dB	3.0	201%	Day
8746	2025-12-23 15:44:32	72.27	55dB	3.3	231%	Day
8747	2025-12-23 15:47:03	73.00	55dB	3.5	248%	Day
8748	2025-12-23 15:48:57	72.16	55dB	3.3	229%	Day

8749	2025-12-23 15:50:12	69.51	55dB	2.7	173%	Day
8750	2025-12-23 15:51:20	72.80	55dB	3.4	243%	Day
8751	2025-12-23 15:54:17	71.91	55dB	3.2	223%	Day
8752	2025-12-23 15:55:31	76.56	55dB	4.5	346%	Day
8753	2025-12-23 15:57:35	71.53	55dB	3.1	214%	Day
8754	2025-12-23 15:58:44	71.60	55dB	3.2	216%	Day
8755	2025-12-23 15:59:56	N/A	55dB	N/A	N/A	Day
8756	2025-12-23 16:01:24	72.78	55dB	3.4	243%	Day
8757	2025-12-23 16:02:45	72.77	55dB	3.4	243%	Day
8758	2025-12-23 16:05:14	71.77	55dB	3.2	220%	Day
8759	2025-12-23 16:06:29	71.83	55dB	3.2	221%	Day
8760	2025-12-23 16:08:54	N/A	55dB	N/A	N/A	Day
8761	2025-12-23 16:10:04	70.89	55dB	3.0	201%	Day
8762	2025-12-23 16:12:26	71.71	55dB	3.2	218%	Day
8763	2025-12-23 16:14:01	70.91	55dB	3.0	201%	Day
8764	2025-12-23 16:15:15	70.91	55dB	3.0	201%	Day
8765	2025-12-23 16:16:55	71.50	55dB	3.1	214%	Day
8766	2025-12-23 16:21:38	74.47	55dB	3.9	286%	Day
8767	2025-12-23 16:25:31	N/A	55dB	N/A	N/A	Day
8768	2025-12-23 16:31:44	77.75	55dB	4.8	384%	Day
8769	2025-12-23 16:33:53	72.32	55dB	3.3	232%	Day
8770	2025-12-23 16:35:30	71.05	55dB	3.0	204%	Day
8771	2025-12-23 16:37:03	73.09	55dB	3.5	250%	Day
8772	2025-12-23 16:39:05	71.58	55dB	3.2	216%	Day
8773	2025-12-23 16:40:32	72.31	55dB	3.3	232%	Day
8774	2025-12-23 16:41:48	70.77	55dB	3.0	198%	Day
8775	2025-12-23 16:46:50	71.43	55dB	3.1	212%	Day
8776	2025-12-23 16:48:13	71.33	55dB	3.1	210%	Day
8777	2025-12-23 16:49:49	71.62	55dB	3.2	216%	Day
8778	2025-12-23 16:51:23	69.43	55dB	2.7	172%	Day
8779	2025-12-23 16:53:06	73.62	55dB	3.6	264%	Day
8780	2025-12-23 16:55:25	71.98	55dB	3.2	224%	Day
8781	2025-12-23 16:57:37	71.06	55dB	3.0	204%	Day
8782	2025-12-23 17:00:38	71.50	55dB	3.1	214%	Day
8783	2025-12-23 17:02:39	70.18	55dB	2.9	186%	Day
8784	2025-12-23 17:06:51	72.77	55dB	3.4	243%	Day
8785	2025-12-23 17:10:04	70.98	55dB	3.0	203%	Day
8786	2025-12-23 17:13:34	74.69	55dB	3.9	291%	Day
8787	2025-12-23 17:17:15	69.81	55dB	2.8	179%	Day
8788	2025-12-23 17:20:18	71.05	55dB	3.0	204%	Day
8789	2025-12-23 17:23:36	71.58	55dB	3.2	216%	Day
8790	2025-12-23 17:26:44	70.65	55dB	3.0	196%	Day
8791	2025-12-23 17:28:34	70.71	55dB	3.0	197%	Day
8792	2025-12-23 17:30:46	71.89	55dB	3.2	222%	Day

8793	2025-12-23 17:32:16	71.70	55dB	3.2	218%	Day
8794	2025-12-23 17:34:23	69.31	55dB	2.7	170%	Day
8795	2025-12-23 17:39:15	69.31	55dB	2.7	170%	Day
8796	2025-12-23 17:45:56	71.17	55dB	3.1	207%	Day
8797	2025-12-23 17:49:22	72.08	55dB	3.3	227%	Day
8798	2025-12-23 17:51:14	71.70	55dB	3.2	218%	Day
8799	2025-12-23 17:53:10	73.64	55dB	3.6	264%	Day
8800	2025-12-23 17:57:26	70.39	55dB	2.9	191%	Day
8801	2025-12-23 17:59:28	70.41	55dB	2.9	191%	Day
8802	2025-12-23 18:01:02	70.31	55dB	2.9	189%	Day
8803	2025-12-23 18:02:31	72.17	55dB	3.3	229%	Day
8804	2025-12-23 18:04:03	71.04	55dB	3.0	204%	Day
8805	2025-12-23 18:07:36	69.67	55dB	2.8	176%	Day
8806	2025-12-23 18:09:18	71.13	55dB	3.1	206%	Day
8807	2025-12-23 18:13:04	N/A	55dB	N/A	N/A	Day
8808	2025-12-23 18:17:08	69.14	55dB	2.7	166%	Day
8809	2025-12-23 18:20:12	70.90	55dB	3.0	201%	Day
8810	2025-12-23 18:24:16	70.29	55dB	2.9	189%	Day
8811	2025-12-23 18:26:46	75.92	55dB	4.3	326%	Day
8812	2025-12-23 18:28:09	71.26	55dB	3.1	209%	Day
8813	2025-12-23 18:30:02	67.08	55dB	2.3	131%	Day
8814	2025-12-23 18:31:23	71.61	55dB	3.2	216%	Day
8815	2025-12-23 18:32:46	70.29	55dB	2.9	189%	Day
8816	2025-12-23 18:36:56	70.28	55dB	2.9	188%	Day
8817	2025-12-23 18:38:26	70.31	55dB	2.9	189%	Day
8818	2025-12-23 18:40:04	71.68	55dB	3.2	218%	Day
8819	2025-12-23 18:41:38	N/A	55dB	N/A	N/A	Day
8820	2025-12-23 18:43:02	70.17	55dB	2.9	186%	Day
8821	2025-12-23 18:44:21	71.69	55dB	3.2	218%	Day
8822	2025-12-23 18:47:21	71.67	55dB	3.2	218%	Day
8823	2025-12-23 18:48:51	68.43	55dB	2.5	154%	Day
8824	2025-12-23 18:50:13	N/A	55dB	N/A	N/A	Day
8825	2025-12-23 18:52:41	74.55	55dB	3.9	288%	Day
8826	2025-12-23 18:54:37	76.96	55dB	4.6	358%	Day
8827	2025-12-23 18:56:15	74.17	55dB	3.8	278%	Day
8828	2025-12-23 18:58:28	66.56	55dB	2.2	123%	Day
8829	2025-12-23 18:59:49	69.16	55dB	2.7	167%	Day
8830	2025-12-23 19:01:44	70.66	55dB	3.0	196%	Day
8831	2025-12-23 19:02:57	70.78	55dB	3.0	199%	Day
8832	2025-12-23 19:04:14	70.19	55dB	2.9	187%	Day
8833	2025-12-23 19:05:27	71.07	55dB	3.0	205%	Day
8834	2025-12-23 19:06:53	71.65	55dB	3.2	217%	Day
8835	2025-12-23 19:09:02	N/A	55dB	N/A	N/A	Day
8836	2025-12-23 19:10:48	70.00	55dB	2.8	183%	Day

8837	2025-12-23 19:12:16	70.22	55dB	2.9	187%	Day
8838	2025-12-23 19:13:35	67.72	55dB	2.4	141%	Day
8839	2025-12-23 19:14:50	69.65	55dB	2.8	176%	Day
8840	2025-12-23 19:16:04	70.20	55dB	2.9	187%	Day
8841	2025-12-23 19:17:27	69.65	55dB	2.8	176%	Day
8842	2025-12-23 19:19:05	71.46	55dB	3.1	213%	Day
8843	2025-12-23 19:20:35	71.24	55dB	3.1	208%	Day
8844	2025-12-23 19:22:09	75.47	55dB	4.1	313%	Day
8845	2025-12-23 19:24:23	70.90	55dB	3.0	201%	Day
8846	2025-12-23 19:27:56	71.04	55dB	3.0	204%	Day
8847	2025-12-23 19:29:58	75.20	55dB	4.1	306%	Day
8848	2025-12-23 19:32:28	76.74	55dB	4.5	351%	Day
8849	2025-12-23 19:34:58	74.78	55dB	3.9	294%	Day
8850	2025-12-23 19:36:21	76.68	55dB	4.5	349%	Day
8851	2025-12-23 19:37:42	73.80	55dB	3.7	268%	Day
8852	2025-12-23 19:38:57	72.10	55dB	3.3	227%	Day
8853	2025-12-23 19:40:19	80.05	55dB	5.7	468%	Day
8854	2025-12-23 19:41:53	76.94	55dB	4.6	358%	Day
8855	2025-12-23 19:43:13	74.34	55dB	3.8	282%	Day
8856	2025-12-23 19:44:50	73.21	55dB	3.5	253%	Day
8857	2025-12-23 19:46:07	70.81	55dB	3.0	199%	Day
8858	2025-12-23 19:47:33	77.99	55dB	4.9	392%	Day
8859	2025-12-23 19:49:43	76.87	55dB	4.6	355%	Day
8860	2025-12-23 21:41:44	79.40	55dB	5.4	443%	Day
8861	2025-12-23 21:43:36	72.49	55dB	3.4	236%	Day
8862	2025-12-23 21:44:55	70.25	55dB	2.9	188%	Day
8863	2025-12-23 21:46:56	74.46	55dB	3.9	285%	Day
8864	2025-12-23 21:48:44	70.87	55dB	3.0	200%	Day
8865	2025-12-23 21:50:14	69.96	55dB	2.8	182%	Day
8866	2025-12-23 21:52:04	78.14	55dB	5.0	397%	Day
8867	2025-12-23 21:53:40	76.52	55dB	4.4	344%	Day
8868	2025-12-23 21:55:41	68.90	55dB	2.6	162%	Day
8869	2025-12-23 21:59:23	78.75	55dB	5.2	419%	Day
8870	2025-12-23 22:00:42	77.26	55dB	4.7	368%	Day
8871	2025-12-23 22:02:12	78.07	55dB	4.9	395%	Day
8872	2025-12-23 22:03:31	75.05	55dB	4.0	301%	Day
8873	2025-12-24 02:55:36	71.71	45dB	6.4	537%	Night
8874	2025-12-24 03:24:41	71.84	45dB	6.4	543%	Night
8875	2025-12-24 05:40:13	69.71	45dB	5.5	454%	Night
8876	2025-12-24 05:41:55	66.67	45dB	4.5	349%	Night
8877	2025-12-24 09:57:18	N/A	55dB	N/A	N/A	Day
8878	2025-12-24 10:18:41	66.34	55dB	2.2	119%	Day
8879	2025-12-24 10:56:41	66.57	55dB	2.2	123%	Day
8880	2025-12-24 12:38:32	70.67	55dB	3.0	196%	Day

8881	2025-12-24 12:40:15	65.63	55dB	2.1	109%	Day
8882	2025-12-24 12:41:57	68.79	55dB	2.6	160%	Day
8883	2025-12-24 12:43:18	68.84	55dB	2.6	161%	Day
8884	2025-12-24 12:48:25	67.53	55dB	2.4	138%	Day
8885	2025-12-24 12:50:38	N/A	55dB	N/A	N/A	Day
8886	2025-12-24 12:54:44	65.32	55dB	2.0	104%	Day
8887	2025-12-24 12:56:57	74.75	55dB	3.9	293%	Day
8888	2025-12-24 12:58:36	71.48	55dB	3.1	213%	Day
8889	2025-12-24 12:59:48	65.25	55dB	2.0	103%	Day
8890	2025-12-24 13:01:08	69.26	55dB	2.7	169%	Day
8891	2025-12-24 13:04:24	65.83	55dB	2.1	112%	Day
8892	2025-12-24 13:05:45	70.52	55dB	2.9	193%	Day
8893	2025-12-24 13:07:01	70.44	55dB	2.9	192%	Day
8894	2025-12-24 13:08:12	67.91	55dB	2.4	145%	Day
8895	2025-12-24 13:09:34	68.20	55dB	2.5	150%	Day
8896	2025-12-24 13:10:48	70.68	55dB	3.0	196%	Day
8897	2025-12-24 13:11:56	N/A	55dB	N/A	N/A	Day
8898	2025-12-24 13:13:19	72.09	55dB	3.3	227%	Day
8899	2025-12-24 13:16:26	68.51	55dB	2.6	155%	Day
8900	2025-12-24 13:23:47	78.17	55dB	5.0	398%	Day
8901	2025-12-24 13:27:40	67.21	55dB	2.3	133%	Day
8902	2025-12-24 13:32:37	75.26	55dB	4.1	307%	Day
8903	2025-12-24 13:34:57	65.49	55dB	2.1	107%	Day
8904	2025-12-24 13:37:01	68.42	55dB	2.5	154%	Day
8905	2025-12-24 13:43:05	68.06	55dB	2.5	147%	Day
8906	2025-12-24 13:45:31	67.10	55dB	2.3	131%	Day
8907	2025-12-24 13:48:05	70.12	55dB	2.9	185%	Day
8908	2025-12-24 13:49:43	N/A	55dB	N/A	N/A	Day
8909	2025-12-24 13:51:48	68.88	55dB	2.6	162%	Day
8910	2025-12-24 13:54:23	72.19	55dB	3.3	229%	Day
8911	2025-12-24 13:57:40	67.69	55dB	2.4	141%	Day
8912	2025-12-24 13:59:04	69.96	55dB	2.8	182%	Day
8913	2025-12-24 14:00:38	67.54	55dB	2.4	139%	Day
8914	2025-12-24 14:03:05	72.89	55dB	3.5	246%	Day
8915	2025-12-24 14:04:46	68.78	55dB	2.6	160%	Day
8916	2025-12-24 14:06:12	67.97	55dB	2.5	146%	Day
8917	2025-12-24 14:07:33	N/A	55dB	N/A	N/A	Day
8918	2025-12-24 14:09:02	78.48	55dB	5.1	409%	Day
8919	2025-12-24 14:10:26	70.85	55dB	3.0	200%	Day
8920	2025-12-24 14:12:14	72.96	55dB	3.5	247%	Day
8921	2025-12-24 14:14:36	68.38	55dB	2.5	153%	Day
8922	2025-12-24 14:16:51	70.03	55dB	2.8	183%	Day
8923	2025-12-24 14:22:26	72.19	55dB	3.3	229%	Day
8924	2025-12-24 14:25:22	N/A	55dB	N/A	N/A	Day

8925	2025-12-24 14:26:52	N/A	55dB	N/A	N/A	Day
8926	2025-12-24 14:28:53	71.88	55dB	3.2	222%	Day
8927	2025-12-24 14:31:14	N/A	55dB	N/A	N/A	Day
8928	2025-12-24 14:32:39	71.43	55dB	3.1	212%	Day
8929	2025-12-24 14:35:56	71.13	55dB	3.1	206%	Day
8930	2025-12-24 14:37:46	71.36	55dB	3.1	211%	Day
8931	2025-12-24 14:39:44	67.70	55dB	2.4	141%	Day
8932	2025-12-24 14:41:54	74.92	55dB	4.0	298%	Day
8933	2025-12-24 14:43:17	N/A	55dB	N/A	N/A	Day
8934	2025-12-24 14:44:38	N/A	55dB	N/A	N/A	Day
8935	2025-12-24 14:45:55	N/A	55dB	N/A	N/A	Day
8936	2025-12-24 14:47:48	68.99	55dB	2.6	164%	Day
8937	2025-12-24 14:49:09	N/A	55dB	N/A	N/A	Day
8938	2025-12-24 14:50:30	N/A	55dB	N/A	N/A	Day
8939	2025-12-24 14:52:17	68.53	55dB	2.6	155%	Day
8940	2025-12-24 14:53:47	69.10	55dB	2.7	166%	Day
8941	2025-12-24 14:55:00	72.52	55dB	3.4	237%	Day
8942	2025-12-24 14:56:56	68.94	55dB	2.6	163%	Day
8943	2025-12-24 14:58:20	65.22	55dB	2.0	103%	Day
8944	2025-12-24 14:59:35	69.98	55dB	2.8	182%	Day
8945	2025-12-24 15:01:02	70.21	55dB	2.9	187%	Day
8946	2025-12-24 15:02:38	75.03	55dB	4.0	301%	Day
8947	2025-12-24 15:04:58	68.27	55dB	2.5	151%	Day
8948	2025-12-24 15:06:44	68.13	55dB	2.5	148%	Day
8949	2025-12-24 15:09:53	73.25	55dB	3.5	254%	Day
8950	2025-12-24 15:11:20	71.02	55dB	3.0	204%	Day
8951	2025-12-24 15:12:54	73.24	55dB	3.5	254%	Day
8952	2025-12-24 15:14:18	72.50	55dB	3.4	236%	Day
8953	2025-12-24 15:15:33	73.33	55dB	3.6	256%	Day
8954	2025-12-24 15:23:52	71.25	55dB	3.1	208%	Day
8955	2025-12-24 15:26:18	69.69	55dB	2.8	177%	Day
8956	2025-12-24 15:29:10	69.10	55dB	2.7	166%	Day
8957	2025-12-24 15:30:51	71.57	55dB	3.2	215%	Day
8958	2025-12-24 15:33:02	69.06	55dB	2.7	165%	Day
8959	2025-12-24 15:34:49	74.12	55dB	3.8	276%	Day
8960	2025-12-24 15:36:55	65.18	55dB	2.0	103%	Day
8961	2025-12-24 15:38:08	65.20	55dB	2.0	103%	Day
8962	2025-12-24 15:40:08	65.16	55dB	2.0	102%	Day
8963	2025-12-24 15:41:39	N/A	55dB	N/A	N/A	Day
8964	2025-12-24 15:43:02	N/A	55dB	N/A	N/A	Day
8965	2025-12-24 15:44:42	68.12	55dB	2.5	148%	Day
8966	2025-12-24 15:48:36	71.07	55dB	3.0	205%	Day
8967	2025-12-24 15:50:25	71.27	55dB	3.1	209%	Day
8968	2025-12-24 15:52:12	73.82	55dB	3.7	269%	Day

8969	2025-12-24 15:54:15	68.16	55dB	2.5	149%	Day
8970	2025-12-24 15:59:13	67.25	55dB	2.3	134%	Day
8971	2025-12-24 16:00:30	67.90	55dB	2.4	145%	Day
8972	2025-12-24 16:02:10	71.09	55dB	3.1	205%	Day
8973	2025-12-24 16:04:04	66.95	55dB	2.3	129%	Day
8974	2025-12-24 16:05:26	72.48	55dB	3.4	236%	Day
8975	2025-12-24 16:07:01	70.65	55dB	3.0	196%	Day
8976	2025-12-24 16:09:16	68.86	55dB	2.6	161%	Day
8977	2025-12-24 16:10:36	65.25	55dB	2.0	103%	Day
8978	2025-12-24 16:12:35	71.01	55dB	3.0	203%	Day
8979	2025-12-24 16:14:27	65.28	55dB	2.0	104%	Day
8980	2025-12-24 16:15:49	71.76	55dB	3.2	220%	Day
8981	2025-12-24 16:17:18	73.06	55dB	3.5	250%	Day
8982	2025-12-24 16:19:00	73.37	55dB	3.6	257%	Day
8983	2025-12-24 16:20:57	66.22	55dB	2.2	118%	Day
8984	2025-12-24 16:24:00	71.48	55dB	3.1	213%	Day
8985	2025-12-24 16:25:53	70.40	55dB	2.9	191%	Day
8986	2025-12-24 16:30:25	70.01	55dB	2.8	183%	Day
8987	2025-12-24 16:32:00	70.64	55dB	3.0	196%	Day
8988	2025-12-24 16:33:41	68.99	55dB	2.6	164%	Day
8989	2025-12-24 16:38:42	70.46	55dB	2.9	192%	Day
8990	2025-12-24 16:41:35	65.81	55dB	2.1	112%	Day
8991	2025-12-24 16:47:08	N/A	55dB	N/A	N/A	Day
8992	2025-12-24 16:51:16	71.30	55dB	3.1	210%	Day
8993	2025-12-24 16:53:49	72.69	55dB	3.4	241%	Day
8994	2025-12-24 16:56:15	69.06	55dB	2.7	165%	Day
8995	2025-12-24 17:03:42	66.16	55dB	2.2	117%	Day
8996	2025-12-24 17:09:26	66.33	55dB	2.2	119%	Day
8997	2025-12-24 17:11:22	69.81	55dB	2.8	179%	Day
8998	2025-12-24 17:13:00	66.19	55dB	2.2	117%	Day
8999	2025-12-24 17:14:26	67.67	55dB	2.4	141%	Day
9000	2025-12-24 17:15:41	70.33	55dB	2.9	189%	Day
9001	2025-12-24 17:17:02	73.37	55dB	3.6	257%	Day
9002	2025-12-24 17:18:12	67.16	55dB	2.3	132%	Day
9003	2025-12-24 17:19:35	71.37	55dB	3.1	211%	Day
9004	2025-12-24 17:21:58	66.46	55dB	2.2	121%	Day
9005	2025-12-24 17:25:26	72.19	55dB	3.3	229%	Day
9006	2025-12-24 17:26:38	N/A	55dB	N/A	N/A	Day
9007	2025-12-24 17:28:05	70.67	55dB	3.0	196%	Day
9008	2025-12-24 17:29:26	67.31	55dB	2.3	135%	Day
9009	2025-12-24 17:30:52	69.29	55dB	2.7	169%	Day
9010	2025-12-24 17:32:11	68.01	55dB	2.5	146%	Day
9011	2025-12-24 17:37:43	68.96	55dB	2.6	163%	Day
9012	2025-12-24 17:39:07	72.86	55dB	3.4	245%	Day

9013	2025-12-24 17:41:16	70.02	55dB	2.8	183%	Day
9014	2025-12-24 17:43:20	67.47	55dB	2.4	137%	Day
9015	2025-12-24 17:45:15	69.95	55dB	2.8	182%	Day
9016	2025-12-24 17:46:34	N/A	55dB	N/A	N/A	Day
9017	2025-12-24 17:48:13	66.14	55dB	2.2	116%	Day
9018	2025-12-24 17:52:48	70.75	55dB	3.0	198%	Day
9019	2025-12-24 17:59:17	65.97	55dB	2.1	114%	Day
9020	2025-12-24 18:01:11	69.51	55dB	2.7	173%	Day
9021	2025-12-24 18:05:16	66.19	55dB	2.2	117%	Day
9022	2025-12-24 18:07:09	68.96	55dB	2.6	163%	Day
9023	2025-12-24 18:09:11	67.62	55dB	2.4	140%	Day
9024	2025-12-24 18:11:17	66.36	55dB	2.2	120%	Day
9025	2025-12-24 18:12:59	66.79	55dB	2.3	126%	Day
9026	2025-12-24 18:14:57	71.44	55dB	3.1	213%	Day
9027	2025-12-24 18:16:32	70.02	55dB	2.8	183%	Day
9028	2025-12-24 18:22:37	68.25	55dB	2.5	151%	Day
9029	2025-12-24 18:24:56	67.66	55dB	2.4	140%	Day
9030	2025-12-24 18:27:42	67.06	55dB	2.3	131%	Day
9031	2025-12-24 18:31:09	N/A	55dB	N/A	N/A	Day
9032	2025-12-24 18:33:11	67.14	55dB	2.3	132%	Day
9033	2025-12-24 18:34:30	86.53	55dB	8.9	790%	Day
9034	2025-12-24 18:36:21	68.03	55dB	2.5	147%	Day
9035	2025-12-24 18:38:15	76.67	55dB	4.5	349%	Day
9036	2025-12-24 18:40:28	69.90	55dB	2.8	181%	Day
9037	2025-12-24 18:42:06	70.91	55dB	3.0	201%	Day
9038	2025-12-24 18:43:54	71.49	55dB	3.1	214%	Day
9039	2025-12-24 18:46:40	70.96	55dB	3.0	202%	Day
9040	2025-12-24 18:49:12	68.55	55dB	2.6	156%	Day
9041	2025-12-24 18:51:37	69.00	55dB	2.6	164%	Day
9042	2025-12-24 18:53:26	67.50	55dB	2.4	138%	Day
9043	2025-12-24 18:55:08	71.20	55dB	3.1	207%	Day
9044	2025-12-24 18:57:45	69.20	55dB	2.7	168%	Day
9045	2025-12-24 18:59:25	70.12	55dB	2.9	185%	Day
9046	2025-12-24 19:00:47	70.01	55dB	2.8	183%	Day
9047	2025-12-24 19:02:02	69.76	55dB	2.8	178%	Day
9048	2025-12-24 19:04:08	66.63	55dB	2.2	124%	Day
9049	2025-12-24 19:06:04	66.47	55dB	2.2	121%	Day
9050	2025-12-24 19:07:49	68.75	55dB	2.6	159%	Day
9051	2025-12-24 19:09:39	73.19	55dB	3.5	253%	Day
9052	2025-12-24 19:11:24	73.50	55dB	3.6	261%	Day
9053	2025-12-24 19:13:10	66.55	55dB	2.2	123%	Day
9054	2025-12-24 19:14:32	68.80	55dB	2.6	160%	Day
9055	2025-12-24 19:15:53	66.55	55dB	2.2	123%	Day
9056	2025-12-24 19:17:30	69.82	55dB	2.8	179%	Day

9057	2025-12-24 19:18:47	68.22	55dB	2.5	150%	Day
9058	2025-12-24 19:20:20	68.01	55dB	2.5	146%	Day
9059	2025-12-24 19:21:54	N/A	55dB	N/A	N/A	Day
9060	2025-12-24 19:24:19	70.28	55dB	2.9	188%	Day
9061	2025-12-24 19:26:11	67.18	55dB	2.3	133%	Day
9062	2025-12-24 19:27:41	66.55	55dB	2.2	123%	Day
9063	2025-12-24 19:29:13	68.94	55dB	2.6	163%	Day
9064	2025-12-24 19:31:18	77.65	55dB	4.8	381%	Day
9065	2025-12-24 19:33:27	70.70	55dB	3.0	197%	Day
9066	2025-12-24 19:34:57	75.85	55dB	4.2	324%	Day
9067	2025-12-24 19:37:47	71.55	55dB	3.1	215%	Day
9068	2025-12-24 19:40:08	68.11	55dB	2.5	148%	Day
9069	2025-12-24 19:41:36	71.33	55dB	3.1	210%	Day
9070	2025-12-24 19:42:51	72.45	55dB	3.4	235%	Day
9071	2025-12-24 19:44:09	72.51	55dB	3.4	237%	Day
9072	2025-12-24 19:46:40	68.00	55dB	2.5	146%	Day
9073	2025-12-24 19:49:56	67.80	55dB	2.4	143%	Day
9074	2025-12-24 19:51:31	68.12	55dB	2.5	148%	Day
9075	2025-12-24 19:53:37	83.05	55dB	7.0	599%	Day
9076	2025-12-24 19:55:07	68.22	55dB	2.5	150%	Day
9077	2025-12-24 19:56:51	74.48	55dB	3.9	286%	Day
9078	2025-12-24 19:59:49	79.32	55dB	5.4	440%	Day
9079	2025-12-24 20:04:36	70.28	55dB	2.9	188%	Day
9080	2025-12-24 20:06:30	70.52	55dB	2.9	193%	Day
9081	2025-12-24 20:07:44	70.70	55dB	3.0	197%	Day
9082	2025-12-24 20:09:39	69.19	55dB	2.7	167%	Day
9083	2025-12-24 20:10:52	68.73	55dB	2.6	159%	Day
9084	2025-12-24 20:12:05	69.31	55dB	2.7	170%	Day
9085	2025-12-24 20:13:21	66.95	55dB	2.3	129%	Day
9086	2025-12-24 20:16:33	66.55	55dB	2.2	123%	Day
9087	2025-12-24 20:18:36	73.09	55dB	3.5	250%	Day
9088	2025-12-24 20:20:27	69.70	55dB	2.8	177%	Day
9089	2025-12-24 20:22:13	68.82	55dB	2.6	161%	Day
9090	2025-12-24 20:23:50	68.26	55dB	2.5	151%	Day
9091	2025-12-24 20:25:30	68.40	55dB	2.5	153%	Day
9092	2025-12-24 20:27:56	72.18	55dB	3.3	229%	Day
9093	2025-12-24 20:29:27	72.91	55dB	3.5	246%	Day
9094	2025-12-24 20:31:11	N/A	55dB	N/A	N/A	Day
9095	2025-12-24 20:33:10	69.42	55dB	2.7	172%	Day
9096	2025-12-24 20:34:49	70.14	55dB	2.9	186%	Day
9097	2025-12-24 20:36:55	68.47	55dB	2.5	154%	Day
9098	2025-12-24 20:38:44	66.29	55dB	2.2	119%	Day
9099	2025-12-24 20:40:26	N/A	55dB	N/A	N/A	Day
9100	2025-12-24 20:41:54	N/A	55dB	N/A	N/A	Day

9101	2025-12-24 20:43:04	N/A	55dB	N/A	N/A	Day
9102	2025-12-24 20:44:41	70.64	55dB	3.0	196%	Day
9103	2025-12-24 20:46:04	66.33	55dB	2.2	119%	Day
9104	2025-12-24 20:47:39	67.42	55dB	2.4	137%	Day
9105	2025-12-24 20:50:34	69.14	55dB	2.7	166%	Day
9106	2025-12-24 20:51:57	66.44	55dB	2.2	121%	Day
9107	2025-12-24 20:53:29	71.31	55dB	3.1	210%	Day
9108	2025-12-24 20:54:53	69.84	55dB	2.8	180%	Day
9109	2025-12-24 20:56:22	N/A	55dB	N/A	N/A	Day
9110	2025-12-24 20:58:19	72.35	55dB	3.3	233%	Day
9111	2025-12-24 21:00:46	66.69	55dB	2.2	125%	Day
9112	2025-12-24 21:03:03	66.46	55dB	2.2	121%	Day
9113	2025-12-24 21:05:19	69.50	55dB	2.7	173%	Day
9114	2025-12-24 21:07:03	70.07	55dB	2.8	184%	Day
9115	2025-12-24 21:08:58	72.38	55dB	3.3	234%	Day
9116	2025-12-24 21:11:04	69.82	55dB	2.8	179%	Day
9117	2025-12-24 21:12:52	72.99	55dB	3.5	248%	Day
9118	2025-12-24 21:15:21	67.03	55dB	2.3	130%	Day
9119	2025-12-24 21:17:06	69.54	55dB	2.7	174%	Day
9120	2025-12-24 21:18:51	70.36	55dB	2.9	190%	Day
9121	2025-12-24 21:21:00	68.72	55dB	2.6	159%	Day
9122	2025-12-24 21:23:17	66.70	55dB	2.3	125%	Day
9123	2025-12-24 21:25:12	69.56	55dB	2.7	174%	Day
9124	2025-12-24 21:28:05	74.67	55dB	3.9	291%	Day
9125	2025-12-24 21:33:40	69.31	55dB	2.7	170%	Day
9126	2025-12-24 21:35:23	68.07	55dB	2.5	147%	Day
9127	2025-12-24 21:44:32	68.45	55dB	2.5	154%	Day
9128	2025-12-24 21:46:30	69.59	55dB	2.7	175%	Day
9129	2025-12-24 21:49:30	72.82	55dB	3.4	244%	Day
9130	2025-12-24 21:52:26	69.68	55dB	2.8	177%	Day
9131	2025-12-24 21:54:21	N/A	55dB	N/A	N/A	Day
9132	2025-12-24 21:55:55	69.17	55dB	2.7	167%	Day
9133	2025-12-24 21:57:52	N/A	55dB	N/A	N/A	Day
9134	2025-12-24 22:00:20	66.32	55dB	2.2	119%	Day
9135	2025-12-24 22:02:01	68.37	55dB	2.5	153%	Day
9136	2025-12-24 22:04:24	N/A	55dB	N/A	N/A	Day
9137	2025-12-24 22:05:57	N/A	55dB	N/A	N/A	Day
9138	2025-12-24 22:09:36	70.07	55dB	2.8	184%	Day
9139	2025-12-24 22:20:02	66.34	55dB	2.2	119%	Day
9140	2025-12-24 22:21:25	68.93	55dB	2.6	163%	Day
9141	2025-12-24 22:23:13	69.02	55dB	2.6	164%	Day
9142	2025-12-24 22:24:40	66.26	55dB	2.2	118%	Day
9143	2025-12-24 22:26:15	66.27	55dB	2.2	118%	Day
9144	2025-12-24 22:27:53	71.53	55dB	3.1	214%	Day

9145	2025-12-24 22:33:46	68.05	55dB	2.5	147%	Day
9146	2025-12-24 22:37:02	69.28	55dB	2.7	169%	Day
9147	2025-12-24 22:38:28	71.23	55dB	3.1	208%	Day
9148	2025-12-24 22:39:49	67.02	55dB	2.3	130%	Day
9149	2025-12-24 22:42:56	67.70	55dB	2.4	141%	Day
9150	2025-12-24 22:45:03	66.41	55dB	2.2	121%	Day
9151	2025-12-24 22:47:02	66.34	55dB	2.2	119%	Day
9152	2025-12-24 22:49:09	67.71	55dB	2.4	141%	Day
9153	2025-12-24 22:52:19	73.11	55dB	3.5	251%	Day
9154	2025-12-24 22:58:03	68.82	55dB	2.6	161%	Day
9155	2025-12-24 23:00:26	70.02	45dB	5.7	466%	Night
9156	2025-12-24 23:02:23	71.40	45dB	6.2	523%	Night
9157	2025-12-24 23:04:32	69.48	45dB	5.5	446%	Night
9158	2025-12-24 23:07:28	67.92	45dB	4.9	390%	Night
9159	2025-12-24 23:10:56	68.77	45dB	5.2	419%	Night
9160	2025-12-24 23:13:07	68.56	45dB	5.1	412%	Night
9161	2025-12-24 23:16:46	69.30	45dB	5.4	439%	Night
9162	2025-12-24 23:21:14	72.73	45dB	6.8	584%	Night
9163	2025-12-24 23:31:06	70.75	45dB	6.0	496%	Night
9164	2025-12-24 23:34:58	71.41	45dB	6.2	524%	Night
9165	2025-12-24 23:36:40	68.47	45dB	5.1	409%	Night
9166	2025-12-24 23:38:10	69.51	45dB	5.5	447%	Night
9167	2025-12-24 23:39:40	74.57	45dB	7.8	677%	Night
9168	2025-12-24 23:41:03	70.20	45dB	5.7	474%	Night
9169	2025-12-24 23:42:46	N/A	45dB	N/A	N/A	Night
9170	2025-12-24 23:44:17	68.40	45dB	5.1	406%	Night
9171	2025-12-24 23:45:48	N/A	45dB	N/A	N/A	Night
9172	2025-12-24 23:47:25	71.01	45dB	6.1	507%	Night
9173	2025-12-24 23:49:15	N/A	45dB	N/A	N/A	Night
9174	2025-12-24 23:50:42	72.86	45dB	6.9	590%	Night
9175	2025-12-24 23:52:33	71.36	45dB	6.2	522%	Night
9176	2025-12-24 23:54:49	72.83	45dB	6.9	588%	Night
9177	2025-12-24 23:58:31	70.97	45dB	6.1	505%	Night
9178	2025-12-25 00:01:39	68.31	45dB	5.0	403%	Night
9179	2025-12-25 00:08:26	84.58	45dB	15.5	1454%	Night
9180	2025-12-25 00:10:33	69.78	45dB	5.6	457%	Night
9181	2025-12-25 00:13:19	73.06	45dB	7.0	599%	Night
9182	2025-12-25 06:30:43	69.43	45dB	5.4	444%	Night
9183	2025-12-25 06:33:42	66.94	45dB	4.6	358%	Night
9184	2025-12-25 06:35:06	N/A	45dB	N/A	N/A	Night
9185	2025-12-25 06:36:16	71.14	45dB	6.1	512%	Night
9186	2025-12-25 06:37:51	72.60	45dB	6.8	577%	Night
9187	2025-12-25 06:39:53	N/A	45dB	N/A	N/A	Night
9188	2025-12-25 06:41:04	74.13	45dB	7.5	653%	Night

9189	2025-12-25 06:41:56	66.25	45dB	4.4	336%	Night
9190	2025-12-25 06:42:51	66.27	45dB	4.4	337%	Night
9191	2025-12-25 06:44:17	80.32	45dB	11.6	1057%	Night
9192	2025-12-25 06:45:36	66.25	45dB	4.4	336%	Night
9193	2025-12-25 06:46:52	72.38	45dB	6.7	567%	Night
9194	2025-12-25 06:47:54	N/A	45dB	N/A	N/A	Night
9195	2025-12-25 06:48:39	N/A	45dB	N/A	N/A	Night
9196	2025-12-25 06:49:36	81.01	45dB	12.1	1113%	Night
9197	2025-12-25 06:50:21	68.15	45dB	5.0	398%	Night
9198	2025-12-25 06:51:18	66.20	45dB	4.3	335%	Night
9199	2025-12-25 06:52:35	N/A	45dB	N/A	N/A	Night
9200	2025-12-25 06:54:01	80.34	45dB	11.6	1058%	Night
9201	2025-12-25 06:54:47	72.07	45dB	6.5	553%	Night
9202	2025-12-25 06:56:08	66.30	45dB	4.4	338%	Night
9203	2025-12-25 06:57:46	75.43	45dB	8.2	724%	Night
9204	2025-12-25 06:58:58	66.13	45dB	4.3	333%	Night
9205	2025-12-25 07:00:30	N/A	55dB	N/A	N/A	Day
9206	2025-12-25 07:02:17	72.87	55dB	3.5	245%	Day
9207	2025-12-25 07:03:45	68.81	55dB	2.6	160%	Day
9208	2025-12-25 07:12:25	70.71	55dB	3.0	197%	Day
9209	2025-12-25 07:18:56	66.06	55dB	2.2	115%	Day
9210	2025-12-25 07:22:00	66.06	55dB	2.2	115%	Day
9211	2025-12-25 07:25:12	71.92	55dB	3.2	223%	Day
9212	2025-12-25 07:26:36	69.50	55dB	2.7	173%	Day
9213	2025-12-25 07:33:42	66.08	55dB	2.2	116%	Day
9214	2025-12-25 07:37:23	66.07	55dB	2.2	115%	Day
9215	2025-12-25 07:38:24	N/A	55dB	N/A	N/A	Day
9216	2025-12-25 07:39:48	N/A	55dB	N/A	N/A	Day
9217	2025-12-25 07:43:35	66.08	55dB	2.2	116%	Day
9218	2025-12-25 07:45:16	N/A	55dB	N/A	N/A	Day
9219	2025-12-25 07:46:21	N/A	55dB	N/A	N/A	Day
9220	2025-12-25 07:49:06	66.09	55dB	2.2	116%	Day
9221	2025-12-25 07:52:00	71.93	55dB	3.2	223%	Day
9222	2025-12-25 07:53:00	66.12	55dB	2.2	116%	Day
9223	2025-12-25 07:56:01	66.12	55dB	2.2	116%	Day
9224	2025-12-25 07:58:57	76.68	55dB	4.5	349%	Day
9225	2025-12-25 08:00:50	N/A	55dB	N/A	N/A	Day
9226	2025-12-25 08:02:45	66.17	55dB	2.2	117%	Day
9227	2025-12-25 08:05:43	66.29	55dB	2.2	119%	Day
9228	2025-12-25 08:07:16	N/A	55dB	N/A	N/A	Day
9229	2025-12-25 08:08:26	66.35	55dB	2.2	120%	Day
9230	2025-12-25 08:10:13	N/A	55dB	N/A	N/A	Day
9231	2025-12-25 08:12:08	66.28	55dB	2.2	119%	Day
9232	2025-12-25 08:13:17	72.96	55dB	3.5	247%	Day

9233	2025-12-25 08:14:35	70.80	55dB	3.0	199%	Day
9234	2025-12-25 08:16:27	75.45	55dB	4.1	313%	Day
9235	2025-12-25 08:17:26	66.29	55dB	2.2	119%	Day
9236	2025-12-25 08:18:43	71.61	55dB	3.2	216%	Day
9237	2025-12-25 08:23:48	N/A	55dB	N/A	N/A	Day
9238	2025-12-25 08:25:44	66.38	55dB	2.2	120%	Day
9239	2025-12-25 08:26:55	66.36	55dB	2.2	120%	Day
9240	2025-12-25 08:29:11	N/A	55dB	N/A	N/A	Day
9241	2025-12-25 08:30:31	N/A	55dB	N/A	N/A	Day
9242	2025-12-25 08:31:56	66.38	55dB	2.2	120%	Day
9243	2025-12-25 08:33:15	N/A	55dB	N/A	N/A	Day
9244	2025-12-25 08:34:31	66.37	55dB	2.2	120%	Day
9245	2025-12-25 08:35:47	76.15	55dB	4.3	333%	Day
9246	2025-12-25 08:36:58	66.52	55dB	2.2	122%	Day
9247	2025-12-25 08:38:10	N/A	55dB	N/A	N/A	Day
9248	2025-12-25 08:39:18	66.43	55dB	2.2	121%	Day
9249	2025-12-25 08:41:01	N/A	55dB	N/A	N/A	Day
9250	2025-12-25 08:42:56	66.55	55dB	2.2	123%	Day
9251	2025-12-25 08:44:02	66.53	55dB	2.2	122%	Day
9252	2025-12-25 08:45:05	74.59	55dB	3.9	289%	Day
9253	2025-12-25 08:46:47	66.55	55dB	2.2	123%	Day
9254	2025-12-25 08:47:50	N/A	55dB	N/A	N/A	Day
9255	2025-12-25 08:49:35	66.52	55dB	2.2	122%	Day
9256	2025-12-25 08:51:07	69.36	55dB	2.7	171%	Day
9257	2025-12-25 08:52:53	N/A	55dB	N/A	N/A	Day
9258	2025-12-25 08:54:13	66.54	55dB	2.2	123%	Day
9259	2025-12-25 08:54:14	66.54	55dB	2.2	123%	Day
9260	2025-12-25 08:55:42	69.98	55dB	2.8	182%	Day
9261	2025-12-25 08:57:04	69.44	55dB	2.7	172%	Day
9262	2025-12-25 08:58:38	66.17	55dB	2.2	117%	Day
9263	2025-12-25 08:59:50	66.57	55dB	2.2	123%	Day
9264	2025-12-25 09:00:49	74.12	55dB	3.8	276%	Day
9265	2025-12-25 09:02:09	69.34	55dB	2.7	170%	Day
9266	2025-12-25 09:03:52	N/A	55dB	N/A	N/A	Day
9267	2025-12-25 09:05:03	73.46	55dB	3.6	260%	Day
9268	2025-12-25 09:07:00	71.76	55dB	3.2	220%	Day
9269	2025-12-25 09:08:08	66.96	55dB	2.3	129%	Day
9270	2025-12-25 09:10:55	N/A	55dB	N/A	N/A	Day
9271	2025-12-25 09:12:12	66.57	55dB	2.2	123%	Day
9272	2025-12-25 09:13:51	66.66	55dB	2.2	124%	Day
9273	2025-12-25 09:16:38	66.57	55dB	2.2	123%	Day
9274	2025-12-25 09:19:04	N/A	55dB	N/A	N/A	Day
9275	2025-12-25 09:20:22	68.73	55dB	2.6	159%	Day
9276	2025-12-25 09:23:05	71.16	55dB	3.1	207%	Day

9277	2025-12-25 09:25:24	73.86	55dB	3.7	270%	Day
9278	2025-12-25 09:26:31	85.13	55dB	8.1	707%	Day
9279	2025-12-25 09:27:36	66.61	55dB	2.2	124%	Day
9280	2025-12-25 09:28:55	71.14	55dB	3.1	206%	Day
9281	2025-12-25 09:30:14	73.02	55dB	3.5	249%	Day
9282	2025-12-25 09:32:40	66.64	55dB	2.2	124%	Day
9283	2025-12-25 09:34:02	67.10	55dB	2.3	131%	Day
9284	2025-12-25 09:36:01	66.69	55dB	2.2	125%	Day
9285	2025-12-25 09:37:37	68.81	55dB	2.6	160%	Day
9286	2025-12-25 09:38:45	67.75	55dB	2.4	142%	Day
9287	2025-12-25 09:40:30	N/A	55dB	N/A	N/A	Day
9288	2025-12-25 09:41:43	66.90	55dB	2.3	128%	Day
9289	2025-12-25 09:42:46	66.66	55dB	2.2	124%	Day
9290	2025-12-25 09:44:01	68.18	55dB	2.5	149%	Day
9291	2025-12-25 09:45:19	N/A	55dB	N/A	N/A	Day
9292	2025-12-25 09:46:35	N/A	55dB	N/A	N/A	Day
9293	2025-12-25 09:47:53	72.30	55dB	3.3	232%	Day
9294	2025-12-25 09:49:02	74.24	55dB	3.8	279%	Day
9295	2025-12-25 09:50:40	77.72	55dB	4.8	383%	Day
9296	2025-12-25 09:54:31	73.43	55dB	3.6	259%	Day
9297	2025-12-25 09:55:54	73.32	55dB	3.6	256%	Day
9298	2025-12-25 09:57:04	N/A	55dB	N/A	N/A	Day
9299	2025-12-25 09:58:15	66.91	55dB	2.3	128%	Day
9300	2025-12-25 09:59:34	67.15	55dB	2.3	132%	Day
9301	2025-12-25 10:04:15	67.08	55dB	2.3	131%	Day
9302	2025-12-25 10:05:45	67.06	55dB	2.3	131%	Day
9303	2025-12-25 10:07:10	N/A	55dB	N/A	N/A	Day
9304	2025-12-25 10:10:40	67.59	55dB	2.4	139%	Day
9305	2025-12-25 10:12:09	68.59	55dB	2.6	157%	Day
9306	2025-12-25 10:13:20	66.98	55dB	2.3	129%	Day
9307	2025-12-25 10:14:36	N/A	55dB	N/A	N/A	Day
9308	2025-12-25 10:15:52	67.56	55dB	2.4	139%	Day
9309	2025-12-25 10:17:34	70.70	55dB	3.0	197%	Day
9310	2025-12-25 10:19:12	67.48	55dB	2.4	138%	Day
9311	2025-12-25 10:20:51	71.35	55dB	3.1	211%	Day
9312	2025-12-25 10:22:00	67.14	55dB	2.3	132%	Day
9313	2025-12-25 10:23:22	71.79	55dB	3.2	220%	Day
9314	2025-12-25 10:25:11	N/A	55dB	N/A	N/A	Day
9315	2025-12-25 10:26:46	67.37	55dB	2.4	136%	Day
9316	2025-12-25 10:30:48	69.59	55dB	2.7	175%	Day
9317	2025-12-25 10:32:17	67.57	55dB	2.4	139%	Day
9318	2025-12-25 10:32:18	67.57	55dB	2.4	139%	Day
9319	2025-12-25 10:33:25	68.31	55dB	2.5	152%	Day
9320	2025-12-25 10:34:56	67.09	55dB	2.3	131%	Day

9321	2025-12-25 10:36:02	72.03	55dB	3.3	226%	Day
9322	2025-12-25 10:37:15	67.74	55dB	2.4	142%	Day
9323	2025-12-25 10:47:21	N/A	55dB	N/A	N/A	Day
9324	2025-12-25 10:50:23	69.14	55dB	2.7	166%	Day
9325	2025-12-25 10:54:41	80.14	55dB	5.7	471%	Day
9326	2025-12-25 10:58:27	N/A	55dB	N/A	N/A	Day
9327	2025-12-25 10:59:50	69.12	55dB	2.7	166%	Day
9328	2025-12-25 11:01:42	78.18	55dB	5.0	399%	Day
9329	2025-12-25 11:03:02	77.01	55dB	4.6	360%	Day
9330	2025-12-25 11:04:16	73.26	55dB	3.5	255%	Day
9331	2025-12-25 11:06:46	71.12	55dB	3.1	206%	Day
9332	2025-12-25 11:10:10	73.75	55dB	3.7	267%	Day
9333	2025-12-25 11:11:25	67.52	55dB	2.4	138%	Day
9334	2025-12-25 11:13:06	75.04	55dB	4.0	301%	Day
9335	2025-12-25 11:14:48	69.47	55dB	2.7	173%	Day
9336	2025-12-25 11:15:56	N/A	55dB	N/A	N/A	Day
9337	2025-12-25 11:17:14	77.87	55dB	4.9	388%	Day
9338	2025-12-25 11:18:22	N/A	55dB	N/A	N/A	Day
9339	2025-12-25 11:19:32	70.50	55dB	2.9	193%	Day
9340	2025-12-25 11:20:53	N/A	55dB	N/A	N/A	Day
9341	2025-12-25 11:26:09	N/A	55dB	N/A	N/A	Day
9342	2025-12-25 11:34:01	68.48	55dB	2.5	155%	Day
9343	2025-12-25 11:37:16	71.91	55dB	3.2	223%	Day
9344	2025-12-25 11:47:51	73.70	55dB	3.7	266%	Day
9345	2025-12-25 12:54:56	66.93	55dB	2.3	129%	Day
9346	2025-12-25 16:27:50	67.31	55dB	2.3	135%	Day
9347	2025-12-25 16:56:55	N/A	55dB	N/A	N/A	Day
9348	2025-12-26 00:29:58	N/A	45dB	N/A	N/A	Night
9349	2025-12-26 06:31:45	71.39	45dB	6.2	523%	Night
9350	2025-12-26 06:32:56	69.11	45dB	5.3	432%	Night
9351	2025-12-26 06:34:01	70.57	45dB	5.9	488%	Night
9352	2025-12-26 06:34:57	69.60	45dB	5.5	450%	Night
9353	2025-12-26 06:36:27	72.97	45dB	6.9	595%	Night
9354	2025-12-26 06:37:39	N/A	45dB	N/A	N/A	Night
9355	2025-12-26 06:38:46	73.47	45dB	7.2	620%	Night
9356	2025-12-26 06:39:50	N/A	45dB	N/A	N/A	Night
9357	2025-12-26 06:41:07	67.21	45dB	4.7	366%	Night
9358	2025-12-26 06:42:18	71.11	45dB	6.1	511%	Night
9359	2025-12-26 06:43:26	N/A	45dB	N/A	N/A	Night
9360	2025-12-26 06:44:46	72.62	45dB	6.8	578%	Night
9361	2025-12-26 06:46:31	71.15	45dB	6.1	513%	Night
9362	2025-12-26 06:47:40	69.23	45dB	5.4	436%	Night
9363	2025-12-26 06:49:07	N/A	45dB	N/A	N/A	Night
9364	2025-12-26 06:51:44	72.11	45dB	6.5	555%	Night

9365	2025-12-26 06:52:44	69.09	45dB	5.3	431%	Night
9366	2025-12-26 06:53:54	69.08	45dB	5.3	431%	Night
9367	2025-12-26 06:55:09	69.59	45dB	5.5	450%	Night
9368	2025-12-26 06:56:16	73.55	45dB	7.2	624%	Night
9369	2025-12-26 06:57:38	69.08	45dB	5.3	431%	Night
9370	2025-12-26 06:58:57	73.06	45dB	7.0	599%	Night
9371	2025-12-26 07:00:34	69.06	55dB	2.7	165%	Day
9372	2025-12-26 07:01:38	71.51	55dB	3.1	214%	Day
9373	2025-12-26 07:09:28	75.23	55dB	4.1	306%	Day
9374	2025-12-26 07:11:15	72.50	55dB	3.4	236%	Day
9375	2025-12-26 07:15:16	75.16	55dB	4.0	304%	Day
9376	2025-12-26 07:18:03	71.59	55dB	3.2	216%	Day
9377	2025-12-26 07:19:57	69.76	55dB	2.8	178%	Day
9378	2025-12-26 07:23:56	N/A	55dB	N/A	N/A	Day
9379	2025-12-26 07:25:32	69.05	55dB	2.6	165%	Day
9380	2025-12-26 07:26:43	69.00	55dB	2.6	164%	Day
9381	2025-12-26 07:27:57	73.68	55dB	3.7	265%	Day
9382	2025-12-26 07:29:24	73.48	55dB	3.6	260%	Day
9383	2025-12-26 07:31:10	69.00	55dB	2.6	164%	Day
9384	2025-12-26 07:32:02	69.00	55dB	2.6	164%	Day
9385	2025-12-26 07:33:24	69.03	55dB	2.6	164%	Day
9386	2025-12-26 07:37:53	69.00	55dB	2.6	164%	Day
9387	2025-12-26 07:40:22	74.80	55dB	3.9	294%	Day
9388	2025-12-26 07:44:07	69.00	55dB	2.6	164%	Day
9389	2025-12-26 07:45:38	69.01	55dB	2.6	164%	Day
9390	2025-12-26 07:46:50	69.02	55dB	2.6	164%	Day
9391	2025-12-26 07:48:41	69.02	55dB	2.6	164%	Day
9392	2025-12-26 08:41:17	N/A	55dB	N/A	N/A	Day
9393	2025-12-26 14:34:14	74.59	55dB	3.9	289%	Day
9394	2025-12-26 14:53:42	77.50	55dB	4.8	376%	Day
9395	2025-12-26 18:34:57	68.97	55dB	2.6	163%	Day
9396	2025-12-26 21:05:20	N/A	55dB	N/A	N/A	Day
9397	2025-12-26 21:13:02	70.10	55dB	2.8	185%	Day
9398	2025-12-26 21:47:52	71.99	55dB	3.2	225%	Day
9399	2025-12-26 21:51:12	70.18	55dB	2.9	186%	Day
9400	2025-12-26 21:54:03	70.18	55dB	2.9	186%	Day
9401	2025-12-26 21:56:28	70.18	55dB	2.9	186%	Day
9402	2025-12-26 21:59:14	N/A	55dB	N/A	N/A	Day
9403	2025-12-26 22:01:53	70.18	55dB	2.9	186%	Day
9404	2025-12-26 22:04:28	70.18	55dB	2.9	186%	Day
9405	2025-12-26 22:07:20	74.73	55dB	3.9	293%	Day
9406	2025-12-26 22:10:19	70.22	55dB	2.9	187%	Day
9407	2025-12-26 22:12:56	70.17	55dB	2.9	186%	Day
9408	2025-12-26 22:15:09	70.15	55dB	2.9	186%	Day

9409	2025-12-26 22:18:13	N/A	55dB	N/A	N/A	Day
9410	2025-12-26 23:48:16	70.00	45dB	5.7	466%	Night
9411	2025-12-27 07:52:43	69.77	55dB	2.8	178%	Day
9412	2025-12-27 09:58:03	N/A	55dB	N/A	N/A	Day
9413	2025-12-27 10:06:35	72.47	55dB	3.4	236%	Day
9414	2025-12-27 10:42:37	69.49	55dB	2.7	173%	Day
9415	2025-12-27 13:29:37	68.26	55dB	2.5	151%	Day
9416	2025-12-27 13:31:32	68.26	55dB	2.5	151%	Day
9417	2025-12-27 15:01:09	N/A	55dB	N/A	N/A	Day
9418	2025-12-27 17:24:21	68.03	55dB	2.5	147%	Day
9419	2025-12-28 06:33:33	70.58	45dB	5.9	489%	Night
9420	2025-12-28 06:34:31	71.88	45dB	6.4	544%	Night
9421	2025-12-28 06:35:46	74.10	45dB	7.5	652%	Night
9422	2025-12-28 06:38:36	69.22	45dB	5.4	436%	Night
9423	2025-12-28 06:40:18	70.44	45dB	5.8	483%	Night
9424	2025-12-28 06:41:35	N/A	45dB	N/A	N/A	Night
9425	2025-12-28 06:46:34	72.38	45dB	6.7	567%	Night
9426	2025-12-28 06:47:42	72.76	45dB	6.8	585%	Night
9427	2025-12-28 06:52:33	N/A	45dB	N/A	N/A	Night
9428	2025-12-28 06:53:37	68.97	45dB	5.3	427%	Night
9429	2025-12-28 06:56:56	70.77	45dB	6.0	497%	Night
9430	2025-12-28 06:58:34	69.76	45dB	5.6	456%	Night
9431	2025-12-28 06:59:36	68.88	45dB	5.2	423%	Night
9432	2025-12-28 07:00:49	N/A	55dB	N/A	N/A	Day
9433	2025-12-28 07:01:53	68.93	55dB	2.6	163%	Day
9434	2025-12-28 07:03:03	N/A	55dB	N/A	N/A	Day
9435	2025-12-28 07:04:11	68.94	55dB	2.6	163%	Day
9436	2025-12-28 07:05:06	68.94	55dB	2.6	163%	Day
9437	2025-12-28 07:06:28	N/A	55dB	N/A	N/A	Day
9438	2025-12-28 07:07:51	73.86	55dB	3.7	270%	Day
9439	2025-12-28 07:09:41	67.10	55dB	2.3	131%	Day
9440	2025-12-28 07:12:04	68.98	55dB	2.6	164%	Day
9441	2025-12-28 07:13:16	N/A	55dB	N/A	N/A	Day
9442	2025-12-28 07:17:37	68.98	55dB	2.6	164%	Day
9443	2025-12-28 07:20:46	69.00	55dB	2.6	164%	Day
9444	2025-12-28 07:23:52	70.74	55dB	3.0	198%	Day
9445	2025-12-28 07:27:40	69.00	55dB	2.6	164%	Day
9446	2025-12-28 07:32:01	72.36	55dB	3.3	233%	Day
9447	2025-12-28 07:33:41	70.86	55dB	3.0	200%	Day
9448	2025-12-28 07:35:24	69.17	55dB	2.7	167%	Day
9449	2025-12-28 07:36:28	72.71	55dB	3.4	241%	Day
9450	2025-12-28 07:37:39	68.44	55dB	2.5	154%	Day
9451	2025-12-28 07:38:24	71.04	55dB	3.0	204%	Day
9452	2025-12-28 07:40:57	N/A	55dB	N/A	N/A	Day

9453	2025-12-28 07:41:56	69.07	55dB	2.7	165%	Day
9454	2025-12-28 07:42:54	69.10	55dB	2.7	166%	Day
9455	2025-12-28 07:44:00	69.10	55dB	2.7	166%	Day
9456	2025-12-28 07:45:01	69.13	55dB	2.7	166%	Day
9457	2025-12-28 07:46:23	72.49	55dB	3.4	236%	Day
9458	2025-12-28 07:47:35	67.98	55dB	2.5	146%	Day
9459	2025-12-28 07:48:45	69.15	55dB	2.7	167%	Day
9460	2025-12-28 07:49:49	69.15	55dB	2.7	167%	Day
9461	2025-12-28 07:51:14	N/A	55dB	N/A	N/A	Day
9462	2025-12-28 07:58:21	N/A	55dB	N/A	N/A	Day
9463	2025-12-28 07:59:56	69.17	55dB	2.7	167%	Day
9464	2025-12-28 08:04:35	72.56	55dB	3.4	238%	Day
9465	2025-12-28 08:05:58	73.20	55dB	3.5	253%	Day
9466	2025-12-28 08:08:03	74.41	55dB	3.8	284%	Day
9467	2025-12-28 08:12:55	71.18	55dB	3.1	207%	Day
9468	2025-12-28 08:13:56	69.36	55dB	2.7	171%	Day
9469	2025-12-28 08:15:12	71.33	55dB	3.1	210%	Day
9470	2025-12-28 08:16:21	69.18	55dB	2.7	167%	Day
9471	2025-12-28 08:17:30	71.44	55dB	3.1	213%	Day
9472	2025-12-28 08:19:09	73.49	55dB	3.6	260%	Day
9473	2025-12-28 08:20:31	70.08	55dB	2.8	184%	Day
9474	2025-12-28 08:21:37	70.03	55dB	2.8	183%	Day
9475	2025-12-28 08:25:42	69.15	55dB	2.7	167%	Day
9476	2025-12-28 08:27:01	N/A	55dB	N/A	N/A	Day
9477	2025-12-28 08:29:15	N/A	55dB	N/A	N/A	Day
9478	2025-12-28 08:30:37	72.32	55dB	3.3	232%	Day
9479	2025-12-28 08:32:39	68.03	55dB	2.5	147%	Day
9480	2025-12-28 08:33:48	70.03	55dB	2.8	183%	Day
9481	2025-12-28 08:35:28	72.61	55dB	3.4	239%	Day
9482	2025-12-28 08:36:57	70.02	55dB	2.8	183%	Day
9483	2025-12-28 08:38:09	68.39	55dB	2.5	153%	Day
9484	2025-12-28 08:39:28	69.37	55dB	2.7	171%	Day
9485	2025-12-28 08:41:00	70.74	55dB	3.0	198%	Day
9486	2025-12-28 08:42:22	69.71	55dB	2.8	177%	Day
9487	2025-12-28 08:44:23	69.17	55dB	2.7	167%	Day
9488	2025-12-28 08:45:15	70.90	55dB	3.0	201%	Day
9489	2025-12-28 08:46:39	69.45	55dB	2.7	172%	Day
9490	2025-12-28 08:47:48	69.16	55dB	2.7	167%	Day
9491	2025-12-28 08:48:39	72.07	55dB	3.3	226%	Day
9492	2025-12-28 08:50:24	70.07	55dB	2.8	184%	Day
9493	2025-12-28 08:51:28	69.94	55dB	2.8	182%	Day
9494	2025-12-28 08:52:45	75.71	55dB	4.2	320%	Day
9495	2025-12-28 08:54:20	69.96	55dB	2.8	182%	Day
9496	2025-12-28 08:56:18	69.16	55dB	2.7	167%	Day

9497	2025-12-28 08:57:22	75.71	55dB	4.2	320%	Day
9498	2025-12-28 08:58:25	69.11	55dB	2.7	166%	Day
9499	2025-12-28 09:05:37	72.48	55dB	3.4	236%	Day
9500	2025-12-28 09:08:49	N/A	55dB	N/A	N/A	Day
9501	2025-12-28 09:10:55	69.11	55dB	2.7	166%	Day
9502	2025-12-28 09:11:58	69.45	55dB	2.7	172%	Day
9503	2025-12-28 09:15:39	75.93	55dB	4.3	327%	Day
9504	2025-12-28 09:17:05	67.54	55dB	2.4	139%	Day
9505	2025-12-28 09:19:49	72.31	55dB	3.3	232%	Day
9506	2025-12-28 09:21:47	72.25	55dB	3.3	231%	Day
9507	2025-12-28 09:23:32	75.47	55dB	4.1	313%	Day
9508	2025-12-28 09:25:17	N/A	55dB	N/A	N/A	Day
9509	2025-12-28 09:26:33	74.14	55dB	3.8	277%	Day
9510	2025-12-28 09:28:23	74.27	55dB	3.8	280%	Day
9511	2025-12-28 09:29:50	N/A	55dB	N/A	N/A	Day
9512	2025-12-28 09:34:08	75.49	55dB	4.1	314%	Day
9513	2025-12-28 09:35:47	N/A	55dB	N/A	N/A	Day
9514	2025-12-28 09:37:47	69.06	55dB	2.7	165%	Day
9515	2025-12-28 09:38:56	74.19	55dB	3.8	278%	Day
9516	2025-12-28 09:41:27	76.07	55dB	4.3	331%	Day
9517	2025-12-28 09:43:20	69.07	55dB	2.7	165%	Day
9518	2025-12-28 09:44:35	76.62	55dB	4.5	348%	Day
9519	2025-12-28 09:46:13	68.71	55dB	2.6	159%	Day
9520	2025-12-28 09:47:49	67.66	55dB	2.4	140%	Day
9521	2025-12-28 09:49:05	74.02	55dB	3.7	274%	Day
9522	2025-12-28 09:50:19	69.30	55dB	2.7	169%	Day
9523	2025-12-28 09:51:42	71.98	55dB	3.2	224%	Day
9524	2025-12-28 09:53:09	74.70	55dB	3.9	292%	Day
9525	2025-12-28 09:54:46	69.06	55dB	2.7	165%	Day
9526	2025-12-28 09:55:54	70.45	55dB	2.9	192%	Day
9527	2025-12-28 09:56:58	72.26	55dB	3.3	231%	Day
9528	2025-12-28 09:58:16	70.10	55dB	2.8	185%	Day
9529	2025-12-28 09:59:25	69.06	55dB	2.7	165%	Day
9530	2025-12-28 10:00:34	69.08	55dB	2.7	165%	Day
9531	2025-12-28 10:01:43	71.23	55dB	3.1	208%	Day
9532	2025-12-28 10:02:52	77.74	55dB	4.8	384%	Day
9533	2025-12-28 10:03:56	70.00	55dB	2.8	183%	Day
9534	2025-12-28 10:05:11	69.22	55dB	2.7	168%	Day
9535	2025-12-28 10:06:17	69.24	55dB	2.7	168%	Day
9536	2025-12-28 10:07:18	68.27	55dB	2.5	151%	Day
9537	2025-12-28 10:08:36	70.21	55dB	2.9	187%	Day
9538	2025-12-28 10:09:57	N/A	55dB	N/A	N/A	Day
9539	2025-12-28 10:11:36	72.14	55dB	3.3	228%	Day
9540	2025-12-28 10:12:58	N/A	55dB	N/A	N/A	Day

9541	2025-12-28 10:14:56	69.15	55dB	2.7	167%	Day
9542	2025-12-28 10:17:02	N/A	55dB	N/A	N/A	Day
9543	2025-12-28 10:18:32	72.54	55dB	3.4	237%	Day
9544	2025-12-28 10:22:16	N/A	55dB	N/A	N/A	Day
9545	2025-12-28 10:23:37	72.88	55dB	3.5	245%	Day
9546	2025-12-28 10:24:43	73.04	55dB	3.5	249%	Day
9547	2025-12-28 10:26:02	71.15	55dB	3.1	206%	Day
9548	2025-12-28 10:27:10	76.25	55dB	4.4	336%	Day
9549	2025-12-28 10:28:17	72.42	55dB	3.3	234%	Day
9550	2025-12-28 10:30:06	N/A	55dB	N/A	N/A	Day
9551	2025-12-28 10:31:27	76.30	55dB	4.4	338%	Day
9552	2025-12-28 10:32:47	73.23	55dB	3.5	254%	Day
9553	2025-12-28 10:34:24	76.11	55dB	4.3	332%	Day
9554	2025-12-28 10:38:33	69.15	55dB	2.7	167%	Day
9555	2025-12-28 10:39:44	69.14	55dB	2.7	166%	Day
9556	2025-12-28 10:40:46	69.14	55dB	2.7	166%	Day
9557	2025-12-28 10:42:10	69.14	55dB	2.7	166%	Day
9558	2025-12-28 10:43:17	72.75	55dB	3.4	242%	Day
9559	2025-12-28 10:44:20	69.13	55dB	2.7	166%	Day
9560	2025-12-28 10:45:30	69.14	55dB	2.7	166%	Day
9561	2025-12-28 10:46:43	69.14	55dB	2.7	166%	Day
9562	2025-12-28 10:48:33	69.16	55dB	2.7	167%	Day
9563	2025-12-28 10:49:41	N/A	55dB	N/A	N/A	Day
9564	2025-12-28 10:50:53	71.65	55dB	3.2	217%	Day
9565	2025-12-28 10:52:00	69.14	55dB	2.7	166%	Day
9566	2025-12-28 10:53:14	65.69	55dB	2.1	110%	Day
9567	2025-12-28 11:02:20	75.80	55dB	4.2	323%	Day
9568	2025-12-28 11:04:04	69.17	55dB	2.7	167%	Day
9569	2025-12-28 11:05:19	69.44	55dB	2.7	172%	Day
9570	2025-12-28 11:06:26	73.50	55dB	3.6	261%	Day
9571	2025-12-28 11:07:55	69.16	55dB	2.7	167%	Day
9572	2025-12-28 11:09:22	72.84	55dB	3.4	244%	Day
9573	2025-12-28 11:10:22	N/A	55dB	N/A	N/A	Day
9574	2025-12-28 11:11:39	69.60	55dB	2.8	175%	Day
9575	2025-12-28 11:12:45	72.38	55dB	3.3	234%	Day
9576	2025-12-28 11:13:56	68.88	55dB	2.6	162%	Day
9577	2025-12-28 11:15:00	76.53	55dB	4.4	345%	Day
9578	2025-12-28 11:16:08	70.75	55dB	3.0	198%	Day
9579	2025-12-28 11:17:19	72.71	55dB	3.4	241%	Day
9580	2025-12-28 11:18:36	74.76	55dB	3.9	293%	Day
9581	2025-12-28 11:20:04	71.88	55dB	3.2	222%	Day
9582	2025-12-28 11:24:58	71.55	55dB	3.1	215%	Day
9583	2025-12-28 11:28:00	72.63	55dB	3.4	239%	Day
9584	2025-12-28 11:30:50	69.12	55dB	2.7	166%	Day

9585	2025-12-28 11:34:38	74.42	55dB	3.8	284%	Day
9586	2025-12-28 11:37:09	N/A	55dB	N/A	N/A	Day
9587	2025-12-28 11:49:26	69.10	55dB	2.7	166%	Day
9588	2025-12-28 11:50:48	69.08	55dB	2.7	165%	Day
9589	2025-12-28 11:52:52	72.19	55dB	3.3	229%	Day
9590	2025-12-28 11:54:33	N/A	55dB	N/A	N/A	Day
9591	2025-12-28 11:56:45	67.75	55dB	2.4	142%	Day
9592	2025-12-28 11:58:32	N/A	55dB	N/A	N/A	Day
9593	2025-12-28 12:00:33	72.59	55dB	3.4	238%	Day
9594	2025-12-28 12:02:51	69.13	55dB	2.7	166%	Day
9595	2025-12-28 12:04:46	72.53	55dB	3.4	237%	Day
9596	2025-12-28 12:06:11	79.63	55dB	5.5	451%	Day
9597	2025-12-28 12:07:57	76.14	55dB	4.3	333%	Day
9598	2025-12-28 12:09:20	68.01	55dB	2.5	146%	Day
9599	2025-12-28 12:10:46	74.09	55dB	3.8	276%	Day
9600	2025-12-28 12:12:15	74.51	55dB	3.9	287%	Day
9601	2025-12-28 12:14:13	73.42	55dB	3.6	259%	Day
9602	2025-12-28 12:18:03	N/A	55dB	N/A	N/A	Day
9603	2025-12-28 12:19:38	72.50	55dB	3.4	236%	Day
9604	2025-12-28 12:27:30	N/A	55dB	N/A	N/A	Day
9605	2025-12-28 12:29:36	74.62	55dB	3.9	290%	Day
9606	2025-12-28 12:44:08	68.06	55dB	2.5	147%	Day
9607	2025-12-28 19:27:28	72.34	55dB	3.3	233%	Day
9608	2025-12-28 21:55:02	83.92	55dB	7.4	642%	Day
9609	2025-12-28 23:32:59	N/A	45dB	N/A	N/A	Night
9610	2025-12-28 23:38:42	84.84	45dB	15.8	1482%	Night
9611	2025-12-29 06:30:45	75.45	45dB	8.3	725%	Night
9612	2025-12-29 06:32:22	69.42	45dB	5.4	443%	Night
9613	2025-12-29 06:33:58	73.53	45dB	7.2	623%	Night
9614	2025-12-29 06:36:13	70.16	45dB	5.7	472%	Night
9615	2025-12-29 06:38:02	70.12	45dB	5.7	470%	Night
9616	2025-12-29 06:45:19	77.53	45dB	9.5	853%	Night
9617	2025-12-29 07:03:18	72.36	55dB	3.3	233%	Day
9618	2025-12-29 07:13:16	69.68	55dB	2.8	177%	Day
9619	2025-12-29 07:15:26	70.49	55dB	2.9	193%	Day
9620	2025-12-29 07:17:08	73.79	55dB	3.7	268%	Day
9621	2025-12-29 07:20:02	73.10	55dB	3.5	251%	Day
9622	2025-12-29 07:23:27	69.49	55dB	2.7	173%	Day
9623	2025-12-29 07:25:09	72.63	55dB	3.4	239%	Day
9624	2025-12-29 07:26:47	69.53	55dB	2.7	174%	Day
9625	2025-12-29 07:28:44	71.41	55dB	3.1	212%	Day
9626	2025-12-29 07:30:16	69.55	55dB	2.7	174%	Day
9627	2025-12-29 07:31:56	70.92	55dB	3.0	201%	Day
9628	2025-12-29 07:35:31	72.97	55dB	3.5	247%	Day

9629	2025-12-29 07:37:27	75.92	55dB	4.3	326%	Day
9630	2025-12-29 07:45:34	74.80	55dB	3.9	294%	Day
9631	2025-12-29 07:49:04	72.40	55dB	3.3	234%	Day
9632	2025-12-29 07:51:12	69.36	55dB	2.7	171%	Day
9633	2025-12-29 07:54:11	74.25	55dB	3.8	280%	Day
9634	2025-12-29 07:56:02	72.65	55dB	3.4	240%	Day
9635	2025-12-29 07:59:11	69.73	55dB	2.8	178%	Day
9636	2025-12-29 08:07:24	70.26	55dB	2.9	188%	Day
9637	2025-12-29 08:10:32	71.36	55dB	3.1	211%	Day
9638	2025-12-29 08:14:40	70.39	55dB	2.9	191%	Day
9639	2025-12-29 08:17:55	74.81	55dB	3.9	295%	Day
9640	2025-12-29 08:20:48	69.69	55dB	2.8	177%	Day
9641	2025-12-29 08:22:30	69.50	55dB	2.7	173%	Day
9642	2025-12-29 08:29:35	75.46	55dB	4.1	313%	Day
9643	2025-12-29 08:32:22	77.16	55dB	4.6	365%	Day
9644	2025-12-29 08:34:56	72.30	55dB	3.3	232%	Day
9645	2025-12-29 08:36:47	72.70	55dB	3.4	241%	Day
9646	2025-12-29 08:38:35	76.11	55dB	4.3	332%	Day
9647	2025-12-29 08:41:08	73.33	55dB	3.6	256%	Day
9648	2025-12-29 08:44:14	72.47	55dB	3.4	236%	Day
9649	2025-12-29 08:48:32	70.05	55dB	2.8	184%	Day
9650	2025-12-29 08:50:32	68.39	55dB	2.5	153%	Day
9651	2025-12-29 08:52:29	71.55	55dB	3.1	215%	Day
9652	2025-12-29 08:57:55	73.28	55dB	3.6	255%	Day
9653	2025-12-29 09:00:18	74.98	55dB	4.0	299%	Day
9654	2025-12-29 09:03:24	74.61	55dB	3.9	289%	Day
9655	2025-12-29 09:05:06	74.12	55dB	3.8	276%	Day
9656	2025-12-29 09:08:40	69.88	55dB	2.8	180%	Day
9657	2025-12-29 09:15:28	71.78	55dB	3.2	220%	Day
9658	2025-12-29 09:28:55	75.71	55dB	4.2	320%	Day
9659	2025-12-29 09:35:52	86.34	55dB	8.8	778%	Day
9660	2025-12-29 09:38:58	69.78	55dB	2.8	179%	Day
9661	2025-12-29 09:43:06	75.12	55dB	4.0	303%	Day
9662	2025-12-29 09:45:40	74.81	55dB	3.9	295%	Day
9663	2025-12-29 09:52:08	75.94	55dB	4.3	327%	Day
9664	2025-12-29 09:55:02	74.62	55dB	3.9	290%	Day
9665	2025-12-29 09:57:16	70.05	55dB	2.8	184%	Day
9666	2025-12-29 10:00:11	74.83	55dB	4.0	295%	Day
9667	2025-12-29 10:05:19	70.71	55dB	3.0	197%	Day
9668	2025-12-29 10:09:24	78.74	55dB	5.2	418%	Day
9669	2025-12-29 10:23:01	69.80	55dB	2.8	179%	Day
9670	2025-12-29 10:24:55	76.69	55dB	4.5	350%	Day
9671	2025-12-29 11:18:03	78.57	55dB	5.1	412%	Day
9672	2025-12-29 11:21:28	81.39	55dB	6.2	523%	Day

9673	2025-12-29 11:24:45	75.66	55dB	4.2	319%	Day
9674	2025-12-29 11:28:16	75.89	55dB	4.3	325%	Day
9675	2025-12-29 11:33:47	78.63	55dB	5.1	414%	Day
9676	2025-12-29 11:37:13	76.46	55dB	4.4	343%	Day
9677	2025-12-29 11:40:45	82.61	55dB	6.8	578%	Day
9678	2025-12-29 11:44:17	82.73	55dB	6.8	584%	Day
9679	2025-12-29 11:56:23	72.49	55dB	3.4	236%	Day
9680	2025-12-29 12:00:13	75.10	55dB	4.0	303%	Day
9681	2025-12-29 12:02:32	76.75	55dB	4.5	352%	Day
9682	2025-12-29 12:12:11	76.39	55dB	4.4	340%	Day
9683	2025-12-29 12:14:35	77.56	55dB	4.8	378%	Day
9684	2025-12-29 12:19:14	80.03	55dB	5.7	467%	Day
9685	2025-12-29 12:23:46	69.50	55dB	2.7	173%	Day
9686	2025-12-29 12:32:32	76.68	55dB	4.5	349%	Day
9687	2025-12-29 12:37:30	75.67	55dB	4.2	319%	Day
9688	2025-12-29 12:39:37	76.09	55dB	4.3	331%	Day
9689	2025-12-29 12:41:44	73.45	55dB	3.6	259%	Day
9690	2025-12-29 12:43:36	75.76	55dB	4.2	322%	Day
9691	2025-12-29 12:45:25	74.70	55dB	3.9	292%	Day
9692	2025-12-29 12:48:26	76.66	55dB	4.5	349%	Day
9693	2025-12-29 12:50:19	72.10	55dB	3.3	227%	Day
9694	2025-12-29 12:52:05	74.80	55dB	3.9	294%	Day
9695	2025-12-29 12:53:48	77.60	55dB	4.8	379%	Day
9696	2025-12-29 12:55:55	74.26	55dB	3.8	280%	Day
9697	2025-12-29 12:58:39	75.93	55dB	4.3	327%	Day
9698	2025-12-29 13:00:39	74.71	55dB	3.9	292%	Day
9699	2025-12-29 13:02:24	73.78	55dB	3.7	268%	Day
9700	2025-12-29 13:04:19	78.68	55dB	5.2	416%	Day
9701	2025-12-29 13:06:08	70.03	55dB	2.8	183%	Day
9702	2025-12-29 13:08:40	72.80	55dB	3.4	243%	Day
9703	2025-12-29 13:13:05	71.68	55dB	3.2	218%	Day
9704	2025-12-29 13:21:45	73.36	55dB	3.6	257%	Day
9705	2025-12-29 13:25:30	81.28	55dB	6.2	518%	Day
9706	2025-12-29 13:27:07	75.26	55dB	4.1	307%	Day
9707	2025-12-29 13:29:00	78.55	55dB	5.1	412%	Day
9708	2025-12-29 13:30:48	72.89	55dB	3.5	246%	Day
9709	2025-12-29 13:32:47	74.29	55dB	3.8	281%	Day
9710	2025-12-29 13:34:32	69.25	55dB	2.7	169%	Day
9711	2025-12-29 13:36:21	77.38	55dB	4.7	372%	Day
9712	2025-12-29 13:39:16	74.39	55dB	3.8	283%	Day
9713	2025-12-29 13:40:47	78.21	55dB	5.0	400%	Day
9714	2025-12-29 13:42:20	74.02	55dB	3.7	274%	Day
9715	2025-12-29 13:44:06	75.15	55dB	4.0	304%	Day
9716	2025-12-29 13:45:38	72.52	55dB	3.4	237%	Day

9717	2025-12-29 13:47:25	72.73	55dB	3.4	242%	Day
9718	2025-12-29 13:49:04	71.08	55dB	3.0	205%	Day
9719	2025-12-29 13:51:03	76.44	55dB	4.4	342%	Day
9720	2025-12-29 13:52:48	81.42	55dB	6.2	524%	Day
9721	2025-12-29 13:54:23	78.84	55dB	5.2	422%	Day
9722	2025-12-29 13:56:10	73.69	55dB	3.7	265%	Day
9723	2025-12-29 13:59:00	71.20	55dB	3.1	207%	Day
9724	2025-12-29 14:00:37	67.48	55dB	2.4	138%	Day
9725	2025-12-29 14:02:18	71.21	55dB	3.1	208%	Day
9726	2025-12-29 14:04:08	74.50	55dB	3.9	286%	Day
9727	2025-12-29 14:05:41	71.24	55dB	3.1	208%	Day
9728	2025-12-29 14:08:56	73.17	55dB	3.5	252%	Day
9729	2025-12-29 14:12:47	76.41	55dB	4.4	341%	Day
9730	2025-12-29 14:16:57	72.47	55dB	3.4	236%	Day
9731	2025-12-29 14:19:50	73.83	55dB	3.7	269%	Day
9732	2025-12-29 14:22:07	N/A	55dB	N/A	N/A	Day
9733	2025-12-29 14:25:13	73.54	55dB	3.6	262%	Day
9734	2025-12-29 14:27:56	72.28	55dB	3.3	231%	Day
9735	2025-12-29 14:29:54	73.27	55dB	3.5	255%	Day
9736	2025-12-29 14:33:01	73.19	55dB	3.5	253%	Day
9737	2025-12-29 14:34:49	82.06	55dB	6.5	553%	Day
9738	2025-12-29 14:37:10	72.18	55dB	3.3	229%	Day
9739	2025-12-29 14:39:11	74.98	55dB	4.0	299%	Day
9740	2025-12-29 14:41:15	74.18	55dB	3.8	278%	Day
9741	2025-12-29 14:43:20	75.87	55dB	4.2	325%	Day
9742	2025-12-29 14:48:02	76.58	55dB	4.5	346%	Day
9743	2025-12-29 14:52:24	73.77	55dB	3.7	267%	Day
9744	2025-12-29 14:54:24	76.62	55dB	4.5	348%	Day
9745	2025-12-29 15:25:01	76.09	55dB	4.3	331%	Day
9746	2025-12-29 15:29:31	74.66	55dB	3.9	291%	Day
9747	2025-12-29 15:33:49	73.03	55dB	3.5	249%	Day
9748	2025-12-29 15:37:33	81.86	55dB	6.4	544%	Day
9749	2025-12-29 15:39:18	78.70	55dB	5.2	417%	Day
9750	2025-12-29 15:41:02	73.99	55dB	3.7	273%	Day
9751	2025-12-29 15:42:48	73.88	55dB	3.7	270%	Day
9752	2025-12-29 15:44:30	78.83	55dB	5.2	422%	Day
9753	2025-12-29 15:46:23	86.16	55dB	8.7	767%	Day
9754	2025-12-29 15:48:26	78.64	55dB	5.1	415%	Day
9755	2025-12-29 15:50:10	81.23	55dB	6.2	516%	Day
9756	2025-12-29 15:52:03	78.05	55dB	4.9	394%	Day
9757	2025-12-29 15:54:24	74.45	55dB	3.9	285%	Day
9758	2025-12-29 15:56:03	74.49	55dB	3.9	286%	Day
9759	2025-12-29 15:58:41	80.82	55dB	6.0	499%	Day
9760	2025-12-29 16:00:04	79.63	55dB	5.5	451%	Day

9761	2025-12-29 16:01:31	81.41	55dB	6.2	524%	Day
9762	2025-12-29 16:03:00	77.25	55dB	4.7	368%	Day
9763	2025-12-29 16:05:15	74.06	55dB	3.7	275%	Day
9764	2025-12-29 16:06:56	76.72	55dB	4.5	351%	Day
9765	2025-12-29 16:08:35	70.67	55dB	3.0	196%	Day
9766	2025-12-29 16:11:03	80.49	55dB	5.9	485%	Day
9767	2025-12-29 16:12:34	79.51	55dB	5.5	447%	Day
9768	2025-12-29 16:17:13	73.31	55dB	3.6	256%	Day
9769	2025-12-29 16:18:38	74.74	55dB	3.9	293%	Day
9770	2025-12-29 17:17:21	72.79	55dB	3.4	243%	Day
9771	2025-12-29 20:21:39	72.92	55dB	3.5	246%	Day
9772	2025-12-30 03:56:33	72.21	45dB	6.6	559%	Night
9773	2025-12-30 04:50:04	62.95	45dB	3.5	247%	Night
9774	2025-12-30 17:30:25	N/A	55dB	N/A	N/A	Day
9775	2025-12-30 17:32:39	70.36	55dB	2.9	190%	Day
9776	2025-12-30 17:34:18	74.03	55dB	3.7	274%	Day
9777	2025-12-30 17:35:48	66.64	55dB	2.2	124%	Day
9778	2025-12-30 17:37:14	74.13	55dB	3.8	277%	Day
9779	2025-12-30 17:38:50	74.21	55dB	3.8	279%	Day
9780	2025-12-30 17:40:36	69.60	55dB	2.8	175%	Day
9781	2025-12-30 17:44:16	74.38	55dB	3.8	283%	Day
9782	2025-12-30 17:46:32	74.42	55dB	3.8	284%	Day
9783	2025-12-30 17:48:38	74.30	55dB	3.8	281%	Day
9784	2025-12-30 17:50:03	74.13	55dB	3.8	277%	Day
9785	2025-12-30 17:51:45	74.16	55dB	3.8	277%	Day
9786	2025-12-30 17:54:14	71.49	55dB	3.1	214%	Day
9787	2025-12-30 17:58:15	74.15	55dB	3.8	277%	Day
9788	2025-12-30 18:00:07	74.17	55dB	3.8	278%	Day
9789	2025-12-30 18:01:38	74.19	55dB	3.8	278%	Day
9790	2025-12-30 18:04:54	69.69	55dB	2.8	177%	Day
9791	2025-12-30 18:06:57	77.67	55dB	4.8	381%	Day
9792	2025-12-30 18:08:34	75.09	55dB	4.0	303%	Day
9793	2025-12-30 18:10:48	75.47	55dB	4.1	313%	Day
9794	2025-12-30 18:12:20	76.33	55dB	4.4	339%	Day
9795	2025-12-30 18:13:44	75.79	55dB	4.2	323%	Day
9796	2025-12-30 18:15:09	76.24	55dB	4.4	336%	Day
9797	2025-12-30 18:16:43	69.64	55dB	2.8	176%	Day
9798	2025-12-30 18:18:53	72.64	55dB	3.4	240%	Day
9799	2025-12-30 18:21:02	68.56	55dB	2.6	156%	Day
9800	2025-12-30 18:22:39	71.63	55dB	3.2	217%	Day
9801	2025-12-30 18:24:04	74.25	55dB	3.8	280%	Day
9802	2025-12-30 18:25:23	75.92	55dB	4.3	326%	Day
9803	2025-12-30 18:27:05	68.01	55dB	2.5	146%	Day
9804	2025-12-30 18:28:24	N/A	55dB	N/A	N/A	Day

9805	2025-12-30 18:33:15	76.52	55dB	4.4	344%	Day
9806	2025-12-30 18:36:13	74.83	55dB	4.0	295%	Day
9807	2025-12-30 18:37:35	75.23	55dB	4.1	306%	Day
9808	2025-12-30 18:40:54	76.71	55dB	4.5	350%	Day
9809	2025-12-30 18:42:41	74.22	55dB	3.8	279%	Day
9810	2025-12-30 18:44:56	74.17	55dB	3.8	278%	Day
9811	2025-12-30 18:46:22	74.19	55dB	3.8	278%	Day
9812	2025-12-30 18:47:47	N/A	55dB	N/A	N/A	Day
9813	2025-12-30 18:49:11	68.65	55dB	2.6	158%	Day
9814	2025-12-30 18:51:30	74.18	55dB	3.8	278%	Day
9815	2025-12-30 18:52:46	75.10	55dB	4.0	303%	Day
9816	2025-12-30 18:55:00	N/A	55dB	N/A	N/A	Day
9817	2025-12-30 18:56:13	74.24	55dB	3.8	279%	Day
9818	2025-12-30 18:57:31	74.08	55dB	3.8	275%	Day
9819	2025-12-30 18:59:09	74.08	55dB	3.8	275%	Day
9820	2025-12-30 19:00:35	74.10	55dB	3.8	276%	Day
9821	2025-12-30 19:02:05	74.17	55dB	3.8	278%	Day
9822	2025-12-30 19:03:49	74.12	55dB	3.8	276%	Day
9823	2025-12-30 19:07:23	N/A	55dB	N/A	N/A	Day
9824	2025-12-30 19:08:59	73.05	55dB	3.5	249%	Day
9825	2025-12-30 19:10:43	74.60	55dB	3.9	289%	Day
9826	2025-12-30 19:12:02	74.08	55dB	3.8	275%	Day
9827	2025-12-30 19:13:20	71.80	55dB	3.2	220%	Day
9828	2025-12-30 19:14:36	69.53	55dB	2.7	174%	Day
9829	2025-12-30 19:15:49	N/A	55dB	N/A	N/A	Day
9830	2025-12-30 19:17:24	73.99	55dB	3.7	273%	Day
9831	2025-12-30 19:20:05	74.42	55dB	3.8	284%	Day
9832	2025-12-30 19:21:42	72.38	55dB	3.3	234%	Day
9833	2025-12-30 19:24:01	75.41	55dB	4.1	312%	Day
9834	2025-12-30 19:25:26	74.82	55dB	4.0	295%	Day
9835	2025-12-30 19:26:55	74.30	55dB	3.8	281%	Day
9836	2025-12-30 19:28:45	74.08	55dB	3.8	275%	Day
9837	2025-12-30 19:30:42	74.15	55dB	3.8	277%	Day
9838	2025-12-30 19:32:00	72.60	55dB	3.4	239%	Day
9839	2025-12-30 19:34:14	74.03	55dB	3.7	274%	Day
9840	2025-12-30 19:35:25	N/A	55dB	N/A	N/A	Day
9841	2025-12-30 19:36:50	75.37	55dB	4.1	310%	Day
9842	2025-12-30 19:38:19	69.00	55dB	2.6	164%	Day
9843	2025-12-30 19:39:51	72.53	55dB	3.4	237%	Day
9844	2025-12-30 19:42:55	74.03	55dB	3.7	274%	Day
9845	2025-12-30 19:44:27	74.07	55dB	3.8	275%	Day
9846	2025-12-30 19:45:52	74.02	55dB	3.7	274%	Day
9847	2025-12-30 19:47:12	74.16	55dB	3.8	277%	Day
9848	2025-12-30 19:48:38	70.74	55dB	3.0	198%	Day

9849	2025-12-30 19:49:56	73.98	55dB	3.7	273%	Day
9850	2025-12-30 19:51:15	73.97	55dB	3.7	272%	Day
9851	2025-12-30 19:52:39	69.10	55dB	2.7	166%	Day
9852	2025-12-30 19:55:14	N/A	55dB	N/A	N/A	Day
9853	2025-12-30 20:01:06	74.11	55dB	3.8	276%	Day
9854	2025-12-30 20:02:44	74.12	55dB	3.8	276%	Day
9855	2025-12-30 20:05:40	74.10	55dB	3.8	276%	Day
9856	2025-12-30 20:07:40	74.11	55dB	3.8	276%	Day
9857	2025-12-30 20:09:03	74.16	55dB	3.8	277%	Day
9858	2025-12-30 20:10:40	66.48	55dB	2.2	122%	Day
9859	2025-12-30 20:12:23	74.80	55dB	3.9	294%	Day
9860	2025-12-30 20:14:54	74.26	55dB	3.8	280%	Day
9861	2025-12-30 20:16:26	77.25	55dB	4.7	368%	Day
9862	2025-12-30 20:17:49	74.26	55dB	3.8	280%	Day
9863	2025-12-30 20:19:32	74.45	55dB	3.9	285%	Day
9864	2025-12-30 20:20:51	N/A	55dB	N/A	N/A	Day
9865	2025-12-30 20:22:13	67.57	55dB	2.4	139%	Day
9866	2025-12-30 20:24:55	N/A	55dB	N/A	N/A	Day
9867	2025-12-30 20:26:28	74.25	55dB	3.8	280%	Day
9868	2025-12-30 20:28:20	74.30	55dB	3.8	281%	Day
9869	2025-12-30 20:29:37	74.27	55dB	3.8	280%	Day
9870	2025-12-30 20:31:06	74.25	55dB	3.8	280%	Day
9871	2025-12-30 20:32:32	74.28	55dB	3.8	281%	Day
9872	2025-12-30 20:34:18	74.32	55dB	3.8	282%	Day
9873	2025-12-30 20:35:46	68.19	55dB	2.5	149%	Day
9874	2025-12-30 20:37:31	74.31	55dB	3.8	281%	Day
9875	2025-12-30 20:40:14	71.05	55dB	3.0	204%	Day
9876	2025-12-30 20:41:43	74.76	55dB	3.9	293%	Day
9877	2025-12-30 20:43:03	74.74	55dB	3.9	293%	Day
9878	2025-12-30 20:44:20	N/A	55dB	N/A	N/A	Day
9879	2025-12-30 20:45:31	74.26	55dB	3.8	280%	Day
9880	2025-12-30 20:47:03	74.48	55dB	3.9	286%	Day
9881	2025-12-30 20:48:26	74.98	55dB	4.0	299%	Day
9882	2025-12-30 20:50:02	70.87	55dB	3.0	200%	Day
9883	2025-12-30 20:51:50	70.15	55dB	2.9	186%	Day
9884	2025-12-30 20:54:30	N/A	55dB	N/A	N/A	Day
9885	2025-12-30 20:55:54	N/A	55dB	N/A	N/A	Day
9886	2025-12-30 20:57:21	74.50	55dB	3.9	286%	Day
9887	2025-12-30 20:58:37	70.02	55dB	2.8	183%	Day
9888	2025-12-30 20:59:46	N/A	55dB	N/A	N/A	Day
9889	2025-12-30 21:01:16	74.99	55dB	4.0	300%	Day
9890	2025-12-30 21:02:44	74.53	55dB	3.9	287%	Day
9891	2025-12-30 21:04:09	74.50	55dB	3.9	286%	Day
9892	2025-12-30 21:05:35	74.53	55dB	3.9	287%	Day

9893	2025-12-30 21:06:57	67.79	55dB	2.4	143%	Day
9894	2025-12-30 21:08:28	74.86	55dB	4.0	296%	Day
9895	2025-12-30 21:09:51	74.48	55dB	3.9	286%	Day
9896	2025-12-30 21:11:13	69.50	55dB	2.7	173%	Day
9897	2025-12-30 21:13:24	74.92	55dB	4.0	298%	Day
9898	2025-12-30 21:18:31	N/A	55dB	N/A	N/A	Day
9899	2025-12-30 21:19:59	72.68	55dB	3.4	241%	Day
9900	2025-12-30 21:21:19	74.64	55dB	3.9	290%	Day
9901	2025-12-30 21:22:38	N/A	55dB	N/A	N/A	Day
9902	2025-12-30 21:24:04	75.16	55dB	4.0	304%	Day
9903	2025-12-30 21:25:32	75.58	55dB	4.2	316%	Day
9904	2025-12-30 21:27:03	68.13	55dB	2.5	148%	Day
9905	2025-12-30 21:28:37	66.69	55dB	2.2	125%	Day
9906	2025-12-30 21:30:35	68.61	55dB	2.6	157%	Day
9907	2025-12-30 21:42:33	69.74	55dB	2.8	178%	Day
9908	2025-12-30 21:44:34	68.97	55dB	2.6	163%	Day
9909	2025-12-30 21:46:38	75.14	55dB	4.0	304%	Day
9910	2025-12-30 21:48:39	N/A	55dB	N/A	N/A	Day
9911	2025-12-30 21:50:10	74.65	55dB	3.9	290%	Day
9912	2025-12-30 21:53:17	70.95	55dB	3.0	202%	Day
9913	2025-12-30 21:55:19	70.04	55dB	2.8	184%	Day
9914	2025-12-30 21:56:51	74.63	55dB	3.9	290%	Day
9915	2025-12-30 21:58:47	75.10	55dB	4.0	303%	Day
9916	2025-12-30 22:07:30	75.26	55dB	4.1	307%	Day
9917	2025-12-30 22:09:03	69.46	55dB	2.7	172%	Day
9918	2025-12-30 22:10:26	N/A	55dB	N/A	N/A	Day
9919	2025-12-30 22:12:03	74.60	55dB	3.9	289%	Day
9920	2025-12-30 22:13:38	N/A	55dB	N/A	N/A	Day
9921	2025-12-30 22:15:05	N/A	55dB	N/A	N/A	Day
9922	2025-12-30 22:19:27	70.47	55dB	2.9	192%	Day
9923	2025-12-30 22:21:10	74.59	55dB	3.9	289%	Day
9924	2025-12-30 22:23:22	75.72	55dB	4.2	320%	Day
9925	2025-12-30 22:25:58	N/A	55dB	N/A	N/A	Day
9926	2025-12-30 22:27:37	74.70	55dB	3.9	292%	Day
9927	2025-12-30 22:29:08	N/A	55dB	N/A	N/A	Day
9928	2025-12-30 22:31:47	75.01	55dB	4.0	300%	Day
9929	2025-12-30 22:33:13	66.78	55dB	2.3	126%	Day
9930	2025-12-30 22:34:51	74.31	55dB	3.8	281%	Day
9931	2025-12-30 22:36:32	74.33	55dB	3.8	282%	Day
9932	2025-12-30 22:37:45	74.34	55dB	3.8	282%	Day
9933	2025-12-30 22:39:13	74.38	55dB	3.8	283%	Day
9934	2025-12-30 22:40:56	67.81	55dB	2.4	143%	Day
9935	2025-12-30 22:45:07	N/A	55dB	N/A	N/A	Day
9936	2025-12-30 22:54:58	74.54	55dB	3.9	287%	Day

9937	2025-12-30 22:57:17	N/A	55dB	N/A	N/A	Day
9938	2025-12-30 22:58:38	74.25	55dB	3.8	280%	Day
9939	2025-12-30 23:00:02	74.30	45dB	7.6	662%	Night
9940	2025-12-30 23:01:41	74.32	45dB	7.6	663%	Night
9941	2025-12-30 23:10:04	N/A	45dB	N/A	N/A	Night
9942	2025-12-30 23:15:34	67.52	45dB	4.8	376%	Night
9943	2025-12-30 23:19:08	N/A	45dB	N/A	N/A	Night
9944	2025-12-30 23:22:12	67.50	45dB	4.8	376%	Night
9945	2025-12-30 23:24:37	74.43	45dB	7.7	669%	Night
9946	2025-12-30 23:27:04	74.44	45dB	7.7	670%	Night
9947	2025-12-30 23:28:41	69.80	45dB	5.6	458%	Night
9948	2025-12-30 23:33:17	74.49	45dB	7.7	672%	Night
9949	2025-12-30 23:35:10	65.81	45dB	4.2	323%	Night
9950	2025-12-30 23:36:43	74.45	45dB	7.7	670%	Night
9951	2025-12-30 23:38:04	N/A	45dB	N/A	N/A	Night
9952	2025-12-30 23:39:42	67.85	45dB	4.9	387%	Night
9953	2025-12-30 23:41:41	74.43	45dB	7.7	669%	Night
9954	2025-12-30 23:44:55	77.01	45dB	9.2	820%	Night
9955	2025-12-30 23:46:50	74.42	45dB	7.7	668%	Night
9956	2025-12-30 23:48:21	74.41	45dB	7.7	668%	Night
9957	2025-12-30 23:50:46	74.42	45dB	7.7	668%	Night
9958	2025-12-30 23:52:31	74.41	45dB	7.7	668%	Night
9959	2025-12-30 23:54:24	74.38	45dB	7.7	666%	Night
9960	2025-12-30 23:56:19	74.37	45dB	7.7	666%	Night
9961	2025-12-30 23:58:50	N/A	45dB	N/A	N/A	Night
9962	2025-12-31 00:02:36	67.79	45dB	4.9	385%	Night
9963	2025-12-31 00:03:54	77.22	45dB	9.3	833%	Night
9964	2025-12-31 00:07:49	74.41	45dB	7.7	668%	Night
9965	2025-12-31 00:09:18	67.88	45dB	4.9	388%	Night
9966	2025-12-31 00:10:31	72.07	45dB	6.5	553%	Night
9967	2025-12-31 00:11:52	74.43	45dB	7.7	669%	Night
9968	2025-12-31 00:13:31	74.46	45dB	7.7	671%	Night
9969	2025-12-31 00:15:12	74.45	45dB	7.7	670%	Night
9970	2025-12-31 00:16:31	74.44	45dB	7.7	670%	Night
9971	2025-12-31 00:18:19	66.38	45dB	4.4	340%	Night
9972	2025-12-31 00:20:09	75.03	45dB	8.0	702%	Night
9973	2025-12-31 00:23:58	69.02	45dB	5.3	429%	Night
9974	2025-12-31 00:27:00	71.29	45dB	6.2	519%	Night
9975	2025-12-31 00:35:20	68.50	45dB	5.1	410%	Night
9976	2025-12-31 00:37:26	74.46	45dB	7.7	671%	Night
9977	2025-12-31 00:42:15	74.45	45dB	7.7	670%	Night
9978	2025-12-31 00:51:20	74.49	45dB	7.7	672%	Night
9979	2025-12-31 00:53:12	77.00	45dB	9.2	819%	Night
9980	2025-12-31 00:55:09	70.79	45dB	6.0	498%	Night

9981	2025-12-31 00:56:48	74.46	45dB	7.7	671%	Night
9982	2025-12-31 00:59:39	69.66	45dB	5.5	453%	Night
9983	2025-12-31 01:01:21	74.45	45dB	7.7	670%	Night
9984	2025-12-31 01:03:31	74.75	45dB	7.9	686%	Night
9985	2025-12-31 06:26:34	74.55	45dB	7.8	675%	Night
9986	2025-12-31 06:29:21	74.58	45dB	7.8	677%	Night
9987	2025-12-31 06:31:04	N/A	45dB	N/A	N/A	Night
9988	2025-12-31 06:32:52	72.76	45dB	6.8	585%	Night
9989	2025-12-31 06:34:39	74.57	45dB	7.8	677%	Night
9990	2025-12-31 06:36:35	72.32	45dB	6.6	564%	Night
9991	2025-12-31 06:38:20	70.35	45dB	5.8	480%	Night
9992	2025-12-31 06:40:11	74.57	45dB	7.8	677%	Night
9993	2025-12-31 06:42:38	68.92	45dB	5.2	425%	Night
9994	2025-12-31 06:44:42	74.55	45dB	7.8	675%	Night
9995	2025-12-31 06:46:54	74.53	45dB	7.7	674%	Night
9996	2025-12-31 06:49:30	74.55	45dB	7.8	675%	Night
9997	2025-12-31 06:56:11	74.58	45dB	7.8	677%	Night
9998	2025-12-31 06:59:01	74.57	45dB	7.8	677%	Night
9999	2025-12-31 07:01:00	70.01	55dB	2.8	183%	Day
10000	2025-12-31 07:02:44	74.59	55dB	3.9	289%	Day
10001	2025-12-31 07:04:32	73.33	55dB	3.6	256%	Day
10002	2025-12-31 07:06:37	69.30	55dB	2.7	169%	Day
10003	2025-12-31 07:08:22	74.58	55dB	3.9	289%	Day
10004	2025-12-31 07:10:44	74.60	55dB	3.9	289%	Day
10005	2025-12-31 07:13:04	72.61	55dB	3.4	239%	Day
10006	2025-12-31 07:15:00	68.31	55dB	2.5	152%	Day
10007	2025-12-31 07:16:54	70.42	55dB	2.9	191%	Day
10008	2025-12-31 07:22:15	N/A	55dB	N/A	N/A	Day
10009	2025-12-31 07:25:01	N/A	55dB	N/A	N/A	Day
10010	2025-12-31 07:28:32	74.58	55dB	3.9	289%	Day
10011	2025-12-31 07:31:07	70.95	55dB	3.0	202%	Day
10012	2025-12-31 07:33:44	69.22	55dB	2.7	168%	Day
10013	2025-12-31 07:36:20	74.62	55dB	3.9	290%	Day
10014	2025-12-31 07:38:16	74.60	55dB	3.9	289%	Day
10015	2025-12-31 07:43:04	74.60	55dB	3.9	289%	Day
10016	2025-12-31 07:45:40	74.58	55dB	3.9	289%	Day
10017	2025-12-31 07:49:25	74.58	55dB	3.9	289%	Day
10018	2025-12-31 07:52:00	74.56	55dB	3.9	288%	Day
10019	2025-12-31 07:56:18	74.56	55dB	3.9	288%	Day
10020	2025-12-31 07:58:20	69.42	55dB	2.7	172%	Day
10021	2025-12-31 08:00:21	74.55	55dB	3.9	288%	Day
10022	2025-12-31 08:02:51	N/A	55dB	N/A	N/A	Day
10023	2025-12-31 08:04:43	N/A	55dB	N/A	N/A	Day
10024	2025-12-31 08:08:03	74.55	55dB	3.9	288%	Day

10025	2025-12-31 08:12:07	74.56	55dB	3.9	288%	Day
10026	2025-12-31 08:15:38	68.40	55dB	2.5	153%	Day
10027	2025-12-31 08:18:11	69.76	55dB	2.8	178%	Day
10028	2025-12-31 08:22:06	N/A	55dB	N/A	N/A	Day
10029	2025-12-31 08:24:33	74.59	55dB	3.9	289%	Day
10030	2025-12-31 08:26:38	73.37	55dB	3.6	257%	Day
10031	2025-12-31 08:30:51	74.59	55dB	3.9	289%	Day
10032	2025-12-31 08:37:17	70.39	55dB	2.9	191%	Day
10033	2025-12-31 08:39:46	74.58	55dB	3.9	289%	Day
10034	2025-12-31 08:41:43	74.58	55dB	3.9	289%	Day
10035	2025-12-31 08:43:27	70.70	55dB	3.0	197%	Day
10036	2025-12-31 08:45:06	71.52	55dB	3.1	214%	Day
10037	2025-12-31 08:48:17	74.58	55dB	3.9	289%	Day
10038	2025-12-31 08:55:01	74.55	55dB	3.9	288%	Day
10039	2025-12-31 08:56:47	70.75	55dB	3.0	198%	Day
10040	2025-12-31 08:58:39	74.55	55dB	3.9	288%	Day
10041	2025-12-31 09:06:03	70.99	55dB	3.0	203%	Day
10042	2025-12-31 09:09:21	74.52	55dB	3.9	287%	Day
10043	2025-12-31 09:15:43	74.53	55dB	3.9	287%	Day
10044	2025-12-31 09:21:06	77.48	55dB	4.8	375%	Day
10045	2025-12-31 09:24:22	74.43	55dB	3.8	285%	Day
10046	2025-12-31 09:26:24	74.41	55dB	3.8	284%	Day
10047	2025-12-31 09:31:47	74.04	55dB	3.7	274%	Day
10048	2025-12-31 09:40:18	69.95	55dB	2.8	182%	Day
10049	2025-12-31 09:47:52	72.55	55dB	3.4	238%	Day
10050	2025-12-31 09:54:30	74.08	55dB	3.8	275%	Day
10051	2025-12-31 10:02:39	74.06	55dB	3.7	275%	Day
10052	2025-12-31 10:08:49	74.07	55dB	3.8	275%	Day
10053	2025-12-31 10:10:46	74.06	55dB	3.7	275%	Day
10054	2025-12-31 10:17:35	N/A	55dB	N/A	N/A	Day
10055	2025-12-31 10:19:27	74.10	55dB	3.8	276%	Day
10056	2025-12-31 10:24:18	74.12	55dB	3.8	276%	Day
10057	2025-12-31 10:25:45	74.13	55dB	3.8	277%	Day
10058	2025-12-31 10:28:18	74.09	55dB	3.8	276%	Day
10059	2025-12-31 10:36:21	74.06	55dB	3.7	275%	Day
10060	2025-12-31 10:38:37	71.92	55dB	3.2	223%	Day
10061	2025-12-31 10:41:38	74.09	55dB	3.8	276%	Day
10062	2025-12-31 10:45:34	74.20	55dB	3.8	278%	Day
10063	2025-12-31 10:51:53	70.08	55dB	2.8	184%	Day
10064	2025-12-31 10:55:16	76.32	55dB	4.4	338%	Day
10065	2025-12-31 10:56:53	74.74	55dB	3.9	293%	Day
10066	2025-12-31 11:00:33	74.82	55dB	4.0	295%	Day
10067	2025-12-31 11:02:27	68.76	55dB	2.6	160%	Day
10068	2025-12-31 11:05:20	74.59	55dB	3.9	289%	Day

10069	2025-12-31 11:06:39	77.74	55dB	4.8	384%	Day
10070	2025-12-31 11:08:05	74.69	55dB	3.9	291%	Day
10071	2025-12-31 11:09:49	74.61	55dB	3.9	289%	Day
10072	2025-12-31 11:12:02	74.59	55dB	3.9	289%	Day
10073	2025-12-31 11:13:19	74.59	55dB	3.9	289%	Day
10074	2025-12-31 11:15:28	76.27	55dB	4.4	337%	Day
10075	2025-12-31 11:19:18	74.60	55dB	3.9	289%	Day
10076	2025-12-31 11:22:14	74.78	55dB	3.9	294%	Day
10077	2025-12-31 11:24:30	74.66	55dB	3.9	291%	Day
10078	2025-12-31 11:26:30	N/A	55dB	N/A	N/A	Day
10079	2025-12-31 11:29:24	75.08	55dB	4.0	302%	Day
10080	2025-12-31 11:31:14	74.83	55dB	4.0	295%	Day
10081	2025-12-31 11:32:55	66.76	55dB	2.3	126%	Day
10082	2025-12-31 11:35:44	N/A	55dB	N/A	N/A	Day
10083	2025-12-31 11:40:57	N/A	55dB	N/A	N/A	Day
10084	2025-12-31 11:47:18	74.72	55dB	3.9	292%	Day
10085	2025-12-31 12:01:39	74.47	55dB	3.9	286%	Day
10086	2025-12-31 12:03:51	N/A	55dB	N/A	N/A	Day
10087	2025-12-31 12:05:26	74.49	55dB	3.9	286%	Day
10088	2025-12-31 12:07:01	74.47	55dB	3.9	286%	Day
10089	2025-12-31 12:08:26	74.48	55dB	3.9	286%	Day
10090	2025-12-31 12:12:19	74.49	55dB	3.9	286%	Day
10091	2025-12-31 12:19:55	74.54	55dB	3.9	287%	Day
10092	2025-12-31 12:22:26	N/A	55dB	N/A	N/A	Day
10093	2025-12-31 12:26:57	74.80	55dB	3.9	294%	Day
10094	2025-12-31 12:30:34	66.57	55dB	2.2	123%	Day
10095	2025-12-31 12:32:27	74.76	55dB	3.9	293%	Day
10096	2025-12-31 12:34:47	74.73	55dB	3.9	293%	Day
10097	2025-12-31 12:36:28	75.07	55dB	4.0	302%	Day
10098	2025-12-31 12:38:18	72.38	55dB	3.3	234%	Day
10099	2025-12-31 12:40:26	75.05	55dB	4.0	301%	Day
10100	2025-12-31 12:42:04	74.89	55dB	4.0	297%	Day
10101	2025-12-31 12:47:15	80.65	55dB	5.9	492%	Day
10102	2025-12-31 12:48:57	72.86	55dB	3.4	245%	Day
10103	2025-12-31 12:51:59	75.29	55dB	4.1	308%	Day
10104	2025-12-31 12:53:26	74.79	55dB	3.9	294%	Day
10105	2025-12-31 12:56:48	70.56	55dB	2.9	194%	Day
10106	2025-12-31 12:58:27	76.23	55dB	4.4	336%	Day
10107	2025-12-31 13:02:56	74.66	55dB	3.9	291%	Day
10108	2025-12-31 13:06:01	74.67	55dB	3.9	291%	Day
10109	2025-12-31 13:10:08	70.70	55dB	3.0	197%	Day
10110	2025-12-31 13:12:05	74.59	55dB	3.9	289%	Day
10111	2025-12-31 13:13:38	74.60	55dB	3.9	289%	Day
10112	2025-12-31 13:15:12	74.60	55dB	3.9	289%	Day

10113	2025-12-31 13:16:35	74.75	55dB	3.9	293%	Day
10114	2025-12-31 13:18:20	N/A	55dB	N/A	N/A	Day
10115	2025-12-31 13:26:21	69.21	55dB	2.7	168%	Day
10116	2025-12-31 13:28:05	74.66	55dB	3.9	291%	Day
10117	2025-12-31 13:29:46	69.90	55dB	2.8	181%	Day
10118	2025-12-31 13:32:04	74.70	55dB	3.9	292%	Day
10119	2025-12-31 13:34:41	75.10	55dB	4.0	303%	Day
10120	2025-12-31 13:37:31	74.75	55dB	3.9	293%	Day
10121	2025-12-31 13:39:02	68.92	55dB	2.6	162%	Day
10122	2025-12-31 13:40:42	74.61	55dB	3.9	289%	Day
10123	2025-12-31 13:42:21	74.63	55dB	3.9	290%	Day
10124	2025-12-31 13:43:49	74.63	55dB	3.9	290%	Day
10125	2025-12-31 13:45:18	71.74	55dB	3.2	219%	Day
10126	2025-12-31 13:46:44	76.30	55dB	4.4	338%	Day
10127	2025-12-31 13:49:31	74.55	55dB	3.9	288%	Day
10128	2025-12-31 13:57:05	74.64	55dB	3.9	290%	Day
10129	2025-12-31 13:59:48	67.69	55dB	2.4	141%	Day
10130	2025-12-31 14:01:31	74.66	55dB	3.9	291%	Day
10131	2025-12-31 14:04:23	69.07	55dB	2.7	165%	Day
10132	2025-12-31 14:05:50	67.59	55dB	2.4	139%	Day
10133	2025-12-31 14:07:31	71.58	55dB	3.2	216%	Day
10134	2025-12-31 14:10:13	77.71	55dB	4.8	383%	Day
10135	2025-12-31 14:13:55	74.66	55dB	3.9	291%	Day
10136	2025-12-31 14:16:58	N/A	55dB	N/A	N/A	Day
10137	2025-12-31 14:20:13	74.71	55dB	3.9	292%	Day
10138	2025-12-31 14:22:26	70.31	55dB	2.9	189%	Day
10139	2025-12-31 14:24:34	74.54	55dB	3.9	287%	Day
10140	2025-12-31 14:27:00	74.56	55dB	3.9	288%	Day
10141	2025-12-31 14:28:24	74.52	55dB	3.9	287%	Day
10142	2025-12-31 14:30:05	74.49	55dB	3.9	286%	Day
10143	2025-12-31 14:32:08	74.71	55dB	3.9	292%	Day
10144	2025-12-31 14:33:30	74.73	55dB	3.9	293%	Day
10145	2025-12-31 14:35:26	N/A	55dB	N/A	N/A	Day
10146	2025-12-31 14:38:46	74.76	55dB	3.9	293%	Day
10147	2025-12-31 14:40:21	72.85	55dB	3.4	245%	Day
10148	2025-12-31 14:42:46	74.59	55dB	3.9	289%	Day
10149	2025-12-31 14:44:08	74.89	55dB	4.0	297%	Day
10150	2025-12-31 14:45:57	74.77	55dB	3.9	294%	Day
10151	2025-12-31 14:47:43	70.17	55dB	2.9	186%	Day
10152	2025-12-31 14:49:14	70.83	55dB	3.0	200%	Day
10153	2025-12-31 14:50:41	74.54	55dB	3.9	287%	Day
10154	2025-12-31 14:53:28	74.76	55dB	3.9	293%	Day
10155	2025-12-31 14:55:42	75.11	55dB	4.0	303%	Day
10156	2025-12-31 14:57:56	68.28	55dB	2.5	151%	Day

10157	2025-12-31 14:59:32	74.63	55dB	3.9	290%	Day
10158	2025-12-31 15:01:15	71.91	55dB	3.2	223%	Day
10159	2025-12-31 15:02:49	74.59	55dB	3.9	289%	Day
10160	2025-12-31 15:05:10	77.39	55dB	4.7	372%	Day
10161	2025-12-31 15:07:04	71.22	55dB	3.1	208%	Day
10162	2025-12-31 15:09:14	74.67	55dB	3.9	291%	Day
10163	2025-12-31 15:10:58	74.70	55dB	3.9	292%	Day
10164	2025-12-31 15:13:03	73.34	55dB	3.6	257%	Day
10165	2025-12-31 15:14:50	74.63	55dB	3.9	290%	Day
10166	2025-12-31 15:16:23	74.61	55dB	3.9	289%	Day
10167	2025-12-31 15:17:49	69.24	55dB	2.7	168%	Day
10168	2025-12-31 15:19:26	74.55	55dB	3.9	288%	Day
10169	2025-12-31 15:22:16	71.21	55dB	3.1	208%	Day
10170	2025-12-31 15:24:10	74.63	55dB	3.9	290%	Day
10171	2025-12-31 15:25:35	74.70	55dB	3.9	292%	Day
10172	2025-12-31 15:26:46	74.88	55dB	4.0	297%	Day
10173	2025-12-31 15:28:04	74.67	55dB	3.9	291%	Day
10174	2025-12-31 15:29:54	74.73	55dB	3.9	293%	Day
10175	2025-12-31 15:31:27	74.67	55dB	3.9	291%	Day
10176	2025-12-31 15:32:58	72.01	55dB	3.3	225%	Day
10177	2025-12-31 15:35:09	74.80	55dB	3.9	294%	Day
10178	2025-12-31 15:37:56	74.64	55dB	3.9	290%	Day
10179	2025-12-31 15:40:24	74.67	55dB	3.9	291%	Day
10180	2025-12-31 15:42:22	69.94	55dB	2.8	182%	Day
10181	2025-12-31 15:45:31	74.59	55dB	3.9	289%	Day
10182	2025-12-31 15:47:28	67.88	55dB	2.4	144%	Day
10183	2025-12-31 15:49:14	71.28	55dB	3.1	209%	Day
10184	2025-12-31 15:51:01	74.59	55dB	3.9	289%	Day
10185	2025-12-31 15:52:34	68.32	55dB	2.5	152%	Day
10186	2025-12-31 15:53:56	71.53	55dB	3.1	214%	Day
10187	2025-12-31 15:55:26	74.58	55dB	3.9	289%	Day
10188	2025-12-31 15:56:56	N/A	55dB	N/A	N/A	Day
10189	2025-12-31 15:59:25	74.54	55dB	3.9	287%	Day
10190	2025-12-31 16:01:46	74.58	55dB	3.9	289%	Day
10191	2025-12-31 16:03:17	N/A	55dB	N/A	N/A	Day
10192	2025-12-31 16:04:24	74.54	55dB	3.9	287%	Day
10193	2025-12-31 16:05:55	74.63	55dB	3.9	290%	Day
10194	2025-12-31 16:07:21	74.47	55dB	3.9	286%	Day
10195	2025-12-31 16:09:03	71.58	55dB	3.2	216%	Day
10196	2025-12-31 16:11:09	74.69	55dB	3.9	291%	Day
10197	2025-12-31 16:12:41	71.18	55dB	3.1	207%	Day
10198	2025-12-31 16:14:16	N/A	55dB	N/A	N/A	Day
10199	2025-12-31 16:15:55	73.50	55dB	3.6	261%	Day
10200	2025-12-31 16:18:22	67.42	55dB	2.4	137%	Day

10201	2025-12-31 16:19:54	N/A	55dB	N/A	N/A	Day
10202	2025-12-31 17:07:40	68.57	55dB	2.6	156%	Day
10203	2025-12-31 17:09:56	74.28	55dB	3.8	281%	Day
10204	2025-12-31 17:12:08	74.28	55dB	3.8	281%	Day
10205	2025-12-31 17:13:50	74.27	55dB	3.8	280%	Day
10206	2025-12-31 17:15:34	69.59	55dB	2.7	175%	Day
10207	2025-12-31 17:17:32	N/A	55dB	N/A	N/A	Day
10208	2025-12-31 17:19:34	69.61	55dB	2.8	175%	Day
10209	2025-12-31 17:24:51	74.22	55dB	3.8	279%	Day
10210	2025-12-31 17:27:32	72.00	55dB	3.2	225%	Day
10211	2025-12-31 17:30:27	N/A	55dB	N/A	N/A	Day
10212	2025-12-31 17:31:58	74.19	55dB	3.8	278%	Day
10213	2025-12-31 17:33:25	80.19	55dB	5.7	473%	Day
10214	2025-12-31 17:34:57	74.17	55dB	3.8	278%	Day
10215	2025-12-31 17:36:35	74.36	55dB	3.8	283%	Day
10216	2025-12-31 17:38:50	77.08	55dB	4.6	362%	Day
10217	2025-12-31 17:40:30	74.73	55dB	3.9	293%	Day
10218	2025-12-31 18:18:32	N/A	55dB	N/A	N/A	Day
10219	2025-12-31 18:23:38	70.39	55dB	2.9	191%	Day
10220	2025-12-31 18:26:07	N/A	55dB	N/A	N/A	Day
10221	2025-12-31 18:28:22	74.46	55dB	3.9	285%	Day
10222	2025-12-31 18:29:42	74.46	55dB	3.9	285%	Day
10223	2025-12-31 18:31:15	74.56	55dB	3.9	288%	Day
10224	2025-12-31 18:34:32	74.54	55dB	3.9	287%	Day
10225	2025-12-31 18:35:52	N/A	55dB	N/A	N/A	Day
10226	2025-12-31 18:37:27	74.61	55dB	3.9	289%	Day
10227	2025-12-31 18:39:24	74.46	55dB	3.9	285%	Day
10228	2025-12-31 18:40:47	74.50	55dB	3.9	286%	Day
10229	2025-12-31 18:42:16	N/A	55dB	N/A	N/A	Day
10230	2025-12-31 18:43:46	74.70	55dB	3.9	292%	Day
10231	2025-12-31 18:47:13	74.40	55dB	3.8	284%	Day
10232	2025-12-31 18:49:01	N/A	55dB	N/A	N/A	Day
10233	2025-12-31 18:50:54	74.45	55dB	3.9	285%	Day
10234	2025-12-31 18:52:35	74.35	55dB	3.8	282%	Day
10235	2025-12-31 18:54:19	66.77	55dB	2.3	126%	Day
10236	2025-12-31 18:56:03	74.48	55dB	3.9	286%	Day
10237	2025-12-31 18:58:25	N/A	55dB	N/A	N/A	Day
10238	2025-12-31 19:01:31	69.33	55dB	2.7	170%	Day
10239	2025-12-31 19:03:10	68.52	55dB	2.6	155%	Day
10240	2025-12-31 19:04:51	80.10	55dB	5.7	470%	Day
10241	2025-12-31 19:06:37	77.68	55dB	4.8	382%	Day
10242	2025-12-31 19:08:32	74.58	55dB	3.9	289%	Day
10243	2025-12-31 19:10:05	74.55	55dB	3.9	288%	Day
10244	2025-12-31 19:12:11	79.37	55dB	5.4	442%	Day

10245	2025-12-31 19:13:55	73.02	55dB	3.5	249%	Day
10246	2025-12-31 19:16:06	74.56	55dB	3.9	288%	Day
10247	2025-12-31 19:18:43	74.82	55dB	4.0	295%	Day
10248	2025-12-31 19:21:00	N/A	55dB	N/A	N/A	Day
10249	2025-12-31 19:22:40	74.61	55dB	3.9	289%	Day
10250	2025-12-31 19:24:15	74.60	55dB	3.9	289%	Day
10251	2025-12-31 19:25:31	N/A	55dB	N/A	N/A	Day
10252	2025-12-31 19:26:52	74.59	55dB	3.9	289%	Day
10253	2025-12-31 19:28:39	74.63	55dB	3.9	290%	Day
10254	2025-12-31 19:29:55	69.66	55dB	2.8	176%	Day
10255	2025-12-31 19:31:16	N/A	55dB	N/A	N/A	Day
10256	2025-12-31 19:32:45	74.55	55dB	3.9	288%	Day
10257	2025-12-31 19:34:02	76.91	55dB	4.6	357%	Day
10258	2025-12-31 19:35:30	74.56	55dB	3.9	288%	Day
10259	2025-12-31 19:39:02	74.56	55dB	3.9	288%	Day
10260	2025-12-31 19:40:28	71.32	55dB	3.1	210%	Day
10261	2025-12-31 19:42:18	74.54	55dB	3.9	287%	Day
10262	2025-12-31 19:44:23	74.54	55dB	3.9	287%	Day
10263	2025-12-31 19:46:15	74.56	55dB	3.9	288%	Day
10264	2025-12-31 19:47:37	74.53	55dB	3.9	287%	Day
10265	2025-12-31 19:51:52	N/A	55dB	N/A	N/A	Day
10266	2025-12-31 19:53:26	74.46	55dB	3.9	285%	Day
10267	2025-12-31 19:55:19	72.42	55dB	3.3	234%	Day
10268	2025-12-31 19:58:05	74.42	55dB	3.8	284%	Day
10269	2025-12-31 19:59:56	72.78	55dB	3.4	243%	Day
10270	2025-12-31 20:00:00	72.78	55dB	3.4	243%	Day
10271	2025-12-31 20:01:56	74.38	55dB	3.8	283%	Day
10272	2025-12-31 20:03:41	74.38	55dB	3.8	283%	Day
10273	2025-12-31 20:05:30	73.89	55dB	3.7	270%	Day
10274	2025-12-31 20:07:04	74.38	55dB	3.8	283%	Day
10275	2025-12-31 20:08:43	77.76	55dB	4.8	384%	Day
10276	2025-12-31 20:10:51	N/A	55dB	N/A	N/A	Day
10277	2025-12-31 20:12:10	N/A	55dB	N/A	N/A	Day
10278	2025-12-31 20:14:03	N/A	55dB	N/A	N/A	Day
10279	2025-12-31 20:15:08	N/A	55dB	N/A	N/A	Day
10280	2025-12-31 20:17:30	N/A	55dB	N/A	N/A	Day
10281	2025-12-31 20:25:54	74.29	55dB	3.8	281%	Day
10282	2025-12-31 20:30:00	70.81	55dB	3.0	199%	Day
10283	2025-12-31 20:32:16	N/A	55dB	N/A	N/A	Day