

Acacia Park-Noise Monitor-March, 2025

Events	Date and Time of Airplane Noise Event	Decibels as reported by Acacia's noise Monitor	max recommend ed dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	2025-03-01 00:01:30	65.80	45dB	4.2	323%	Night
2	2025-03-01 00:03:00	72.57	45dB	6.8	576%	Night
3	2025-03-01 00:04:16	82.08	45dB	13.1	1207%	Night
4	2025-03-01 00:06:00	71.85	45dB	6.4	543%	Night
5	2025-03-01 00:08:07	70.84	45dB	6.0	500%	Night
6	2025-03-01 00:10:02	76.51	45dB	8.9	788%	Night
7	2025-03-01 00:11:22	71.61	45dB	6.3	532%	Night
8	2025-03-01 00:13:07	68.32	45dB	5.0	404%	Night
9	2025-03-01 00:14:37	68.33	45dB	5.0	404%	Night
10	2025-03-01 00:18:53	68.03	45dB	4.9	393%	Night
11	2025-03-01 00:20:42	75.54	45dB	8.3	731%	Night
12	2025-03-01 00:22:11	71.68	45dB	6.4	536%	Night
13	2025-03-01 00:23:50	69.23	45dB	5.4	436%	Night
14	2025-03-01 00:25:26	70.24	45dB	5.8	475%	Night
15	2025-03-01 00:27:18	69.76	45dB	5.6	456%	Night
16	2025-03-01 20:20:53	N/A	55dB	N/A	N/A	Day
17	2025-03-01 20:23:10	N/A	55dB	N/A	N/A	Day
18	2025-03-01 20:25:36	N/A	55dB	N/A	N/A	Day
19	2025-03-01 20:27:14	72.66	55dB	3.4	240%	Day
20	2025-03-01 20:28:57	N/A	55dB	N/A	N/A	Day
21	2025-03-01 20:31:02	N/A	55dB	N/A	N/A	Day
22	2025-03-01 20:32:14	66.59	55dB	2.2	123%	Day
23	2025-03-01 20:33:40	N/A	55dB	N/A	N/A	Day
24	2025-03-01 20:36:03	N/A	55dB	N/A	N/A	Day
25	2025-03-01 20:37:30	N/A	55dB	N/A	N/A	Day
26	2025-03-01 20:39:00	N/A	55dB	N/A	N/A	Day
27	2025-03-01 20:40:47	N/A	55dB	N/A	N/A	Day
28	2025-03-01 20:42:19	N/A	55dB	N/A	N/A	Day
29	2025-03-01 20:43:51	N/A	55dB	N/A	N/A	Day
30	2025-03-01 20:46:36	N/A	55dB	N/A	N/A	Day
31	2025-03-01 20:48:11	68.65	55dB	2.6	158%	Day
32	2025-03-01 20:50:22	N/A	55dB	N/A	N/A	Day
33	2025-03-01 20:51:41	N/A	55dB	N/A	N/A	Day
34	2025-03-01 20:53:11	N/A	55dB	N/A	N/A	Day
35	2025-03-01 20:54:45	N/A	55dB	N/A	N/A	Day
36	2025-03-01 20:56:47	N/A	55dB	N/A	N/A	Day
37	2025-03-01 20:59:02	N/A	55dB	N/A	N/A	Day
38	2025-03-01 21:00:10	N/A	55dB	N/A	N/A	Day

39	2025-03-01 21:01:32	N/A	55dB	N/A	N/A	Day
40	2025-03-01 21:02:36	N/A	55dB	N/A	N/A	Day
41	2025-03-01 21:03:52	N/A	55dB	N/A	N/A	Day
42	2025-03-01 21:10:19	N/A	55dB	N/A	N/A	Day
43	2025-03-01 21:12:28	N/A	55dB	N/A	N/A	Day
44	2025-03-01 21:13:47	N/A	55dB	N/A	N/A	Day
45	2025-03-01 21:15:56	N/A	55dB	N/A	N/A	Day
46	2025-03-01 21:18:03	N/A	55dB	N/A	N/A	Day
47	2025-03-01 21:20:25	N/A	55dB	N/A	N/A	Day
48	2025-03-01 21:26:39	71.73	55dB	3.2	219%	Day
49	2025-03-01 21:28:01	N/A	55dB	N/A	N/A	Day
50	2025-03-01 21:29:20	74.26	55dB	3.8	280%	Day
51	2025-03-01 21:30:51	N/A	55dB	N/A	N/A	Day
52	2025-03-01 21:32:15	67.28	55dB	2.3	134%	Day
53	2025-03-01 21:33:47	N/A	55dB	N/A	N/A	Day
54	2025-03-01 21:35:30	70.03	55dB	2.8	183%	Day
55	2025-03-01 21:37:13	85.04	55dB	8.0	702%	Day
56	2025-03-01 21:39:26	N/A	55dB	N/A	N/A	Day
57	2025-03-01 21:46:25	N/A	55dB	N/A	N/A	Day
58	2025-03-01 21:48:00	74.62	55dB	3.9	290%	Day
59	2025-03-01 21:49:21	76.61	55dB	4.5	347%	Day
60	2025-03-01 21:50:31	N/A	55dB	N/A	N/A	Day
61	2025-03-01 21:51:51	N/A	55dB	N/A	N/A	Day
62	2025-03-01 21:53:06	N/A	55dB	N/A	N/A	Day
63	2025-03-01 21:54:53	N/A	55dB	N/A	N/A	Day
64	2025-03-01 21:56:31	N/A	55dB	N/A	N/A	Day
65	2025-03-01 22:00:32	N/A	55dB	N/A	N/A	Day
66	2025-03-01 22:01:52	79.86	55dB	5.6	460%	Day
67	2025-03-01 22:03:30	76.65	55dB	4.5	348%	Day
68	2025-03-01 22:05:56	69.22	55dB	2.7	168%	Day
69	2025-03-01 22:07:12	72.97	55dB	3.5	247%	Day
70	2025-03-01 22:08:32	N/A	55dB	N/A	N/A	Day
71	2025-03-01 22:09:50	N/A	55dB	N/A	N/A	Day
72	2025-03-01 22:11:16	71.99	55dB	3.2	225%	Day
73	2025-03-01 22:12:36	N/A	55dB	N/A	N/A	Day
74	2025-03-01 22:13:42	N/A	55dB	N/A	N/A	Day
75	2025-03-01 22:15:10	76.47	55dB	4.4	343%	Day
76	2025-03-01 22:16:45	N/A	55dB	N/A	N/A	Day
77	2025-03-01 22:18:32	68.92	55dB	2.6	162%	Day
78	2025-03-01 22:20:58	N/A	55dB	N/A	N/A	Day
79	2025-03-01 22:22:43	N/A	55dB	N/A	N/A	Day
80	2025-03-01 22:24:14	N/A	55dB	N/A	N/A	Day
81	2025-03-01 22:25:25	N/A	55dB	N/A	N/A	Day
82	2025-03-01 22:26:56	N/A	55dB	N/A	N/A	Day

83	2025-03-01 22:29:00	N/A	55dB	N/A	N/A	Day
84	2025-03-01 22:30:26	N/A	55dB	N/A	N/A	Day
85	2025-03-01 22:31:56	N/A	55dB	N/A	N/A	Day
86	2025-03-01 22:34:56	N/A	55dB	N/A	N/A	Day
87	2025-03-01 22:37:02	N/A	55dB	N/A	N/A	Day
88	2025-03-01 22:40:24	N/A	55dB	N/A	N/A	Day
89	2025-03-01 22:42:03	65.88	55dB	2.1	113%	Day
90	2025-03-01 22:48:24	N/A	55dB	N/A	N/A	Day
91	2025-03-01 22:50:09	68.73	55dB	2.6	159%	Day
92	2025-03-01 22:57:35	N/A	55dB	N/A	N/A	Day
93	2025-03-01 23:07:37	N/A	45dB	N/A	N/A	Night
94	2025-03-01 23:19:18	N/A	45dB	N/A	N/A	Night
95	2025-03-01 23:32:02	N/A	45dB	N/A	N/A	Night
96	2025-03-01 23:34:12	N/A	45dB	N/A	N/A	Night
97	2025-03-01 23:37:04	68.48	45dB	5.1	409%	Night
98	2025-03-01 23:39:25	N/A	45dB	N/A	N/A	Night
99	2025-03-01 23:40:53	N/A	45dB	N/A	N/A	Night
100	2025-03-01 23:42:48	N/A	45dB	N/A	N/A	Night
101	2025-03-01 23:46:56	N/A	45dB	N/A	N/A	Night
102	2025-03-01 23:49:33	N/A	45dB	N/A	N/A	Night
103	2025-03-01 23:54:06	N/A	45dB	N/A	N/A	Night
104	2025-03-01 23:55:38	N/A	45dB	N/A	N/A	Night
105	2025-03-01 23:56:55	N/A	45dB	N/A	N/A	Night
106	2025-03-01 23:58:22	N/A	45dB	N/A	N/A	Night
107	2025-03-02 00:07:18	65.31	45dB	4.1	309%	Night
108	2025-03-02 00:09:26	72.46	45dB	6.7	571%	Night
109	2025-03-02 00:11:41	67.60	45dB	4.8	379%	Night
110	2025-03-02 00:13:06	68.24	45dB	5.0	401%	Night
111	2025-03-02 00:14:33	67.01	45dB	4.6	360%	Night
112	2025-03-02 00:16:38	67.79	45dB	4.9	385%	Night
113	2025-03-02 00:19:32	70.86	45dB	6.0	500%	Night
114	2025-03-02 00:22:32	68.72	45dB	5.2	418%	Night
115	2025-03-02 00:24:46	68.71	45dB	5.2	417%	Night
116	2025-03-02 06:31:32	N/A	45dB	N/A	N/A	Night
117	2025-03-02 06:32:39	69.58	45dB	5.5	449%	Night
118	2025-03-02 06:33:46	N/A	45dB	N/A	N/A	Night
119	2025-03-02 06:34:49	N/A	45dB	N/A	N/A	Night
120	2025-03-02 06:36:10	68.05	45dB	4.9	394%	Night
121	2025-03-02 06:38:10	N/A	45dB	N/A	N/A	Night
122	2025-03-02 06:38:55	68.04	45dB	4.9	394%	Night
123	2025-03-02 06:40:04	70.89	45dB	6.0	502%	Night
124	2025-03-02 06:40:58	N/A	45dB	N/A	N/A	Night
125	2025-03-02 06:41:53	N/A	45dB	N/A	N/A	Night
126	2025-03-02 06:42:34	70.31	45dB	5.8	478%	Night

127	2025-03-02 06:43:41	N/A	45dB	N/A	N/A	Night
128	2025-03-02 06:44:57	69.07	45dB	5.3	430%	Night
129	2025-03-02 06:46:04	67.73	45dB	4.8	383%	Night
130	2025-03-02 06:48:46	69.64	45dB	5.5	452%	Night
131	2025-03-02 06:50:52	N/A	45dB	N/A	N/A	Night
132	2025-03-02 06:52:01	69.56	45dB	5.5	449%	Night
133	2025-03-02 06:54:00	N/A	45dB	N/A	N/A	Night
134	2025-03-02 06:54:56	69.93	45dB	5.6	463%	Night
135	2025-03-02 06:56:23	67.38	45dB	4.7	372%	Night
136	2025-03-02 06:57:19	N/A	45dB	N/A	N/A	Night
137	2025-03-02 06:58:25	67.70	45dB	4.8	382%	Night
138	2025-03-02 07:00:16	68.59	55dB	2.6	157%	Day
139	2025-03-02 07:02:48	N/A	55dB	N/A	N/A	Day
140	2025-03-02 07:07:08	N/A	55dB	N/A	N/A	Day
141	2025-03-02 07:14:23	N/A	55dB	N/A	N/A	Day
142	2025-03-02 07:18:18	N/A	55dB	N/A	N/A	Day
143	2025-03-02 07:19:28	N/A	55dB	N/A	N/A	Day
144	2025-03-02 07:20:56	N/A	55dB	N/A	N/A	Day
145	2025-03-02 07:23:56	N/A	55dB	N/A	N/A	Day
146	2025-03-02 07:26:02	N/A	55dB	N/A	N/A	Day
147	2025-03-02 07:27:00	N/A	55dB	N/A	N/A	Day
148	2025-03-02 07:28:02	N/A	55dB	N/A	N/A	Day
149	2025-03-02 07:28:57	N/A	55dB	N/A	N/A	Day
150	2025-03-02 07:30:08	N/A	55dB	N/A	N/A	Day
151	2025-03-02 07:31:05	68.51	55dB	2.6	155%	Day
152	2025-03-02 07:35:02	70.55	55dB	2.9	194%	Day
153	2025-03-02 07:39:27	70.99	55dB	3.0	203%	Day
154	2025-03-02 07:42:48	69.52	55dB	2.7	174%	Day
155	2025-03-02 07:44:19	N/A	55dB	N/A	N/A	Day
156	2025-03-02 07:47:34	N/A	55dB	N/A	N/A	Day
157	2025-03-02 07:49:33	69.67	55dB	2.8	176%	Day
158	2025-03-02 07:51:26	N/A	55dB	N/A	N/A	Day
159	2025-03-02 07:52:27	N/A	55dB	N/A	N/A	Day
160	2025-03-02 07:53:39	N/A	55dB	N/A	N/A	Day
161	2025-03-02 07:57:36	N/A	55dB	N/A	N/A	Day
162	2025-03-02 07:59:26	68.61	55dB	2.6	157%	Day
163	2025-03-02 08:01:39	N/A	55dB	N/A	N/A	Day
164	2025-03-02 08:02:32	73.38	55dB	3.6	258%	Day
165	2025-03-02 08:10:26	N/A	55dB	N/A	N/A	Day
166	2025-03-02 08:14:39	N/A	55dB	N/A	N/A	Day
167	2025-03-02 08:16:03	N/A	55dB	N/A	N/A	Day
168	2025-03-02 08:17:44	N/A	55dB	N/A	N/A	Day
169	2025-03-02 08:19:16	N/A	55dB	N/A	N/A	Day
170	2025-03-02 08:20:56	N/A	55dB	N/A	N/A	Day

171	2025-03-02 08:22:32	N/A	55dB	N/A	N/A	Day
172	2025-03-02 08:27:26	68.49	55dB	2.5	155%	Day
173	2025-03-02 08:32:02	69.66	55dB	2.8	176%	Day
174	2025-03-02 08:34:27	N/A	55dB	N/A	N/A	Day
175	2025-03-02 08:36:16	N/A	55dB	N/A	N/A	Day
176	2025-03-02 08:41:24	N/A	55dB	N/A	N/A	Day
177	2025-03-02 08:45:56	66.74	55dB	2.3	126%	Day
178	2025-03-02 08:47:44	68.24	55dB	2.5	150%	Day
179	2025-03-02 08:50:07	68.18	55dB	2.5	149%	Day
180	2025-03-02 08:55:40	N/A	55dB	N/A	N/A	Day
181	2025-03-02 08:58:46	70.76	55dB	3.0	198%	Day
182	2025-03-02 09:09:08	N/A	55dB	N/A	N/A	Day
183	2025-03-02 09:18:27	N/A	55dB	N/A	N/A	Day
184	2025-03-02 09:20:18	N/A	55dB	N/A	N/A	Day
185	2025-03-02 09:21:55	67.81	55dB	2.4	143%	Day
186	2025-03-02 09:24:07	N/A	55dB	N/A	N/A	Day
187	2025-03-02 09:27:06	N/A	55dB	N/A	N/A	Day
188	2025-03-02 09:28:50	N/A	55dB	N/A	N/A	Day
189	2025-03-02 09:30:46	68.36	55dB	2.5	152%	Day
190	2025-03-02 09:33:19	N/A	55dB	N/A	N/A	Day
191	2025-03-02 09:41:05	66.45	55dB	2.2	121%	Day
192	2025-03-02 09:57:50	N/A	55dB	N/A	N/A	Day
193	2025-03-02 10:01:28	N/A	55dB	N/A	N/A	Day
194	2025-03-02 10:15:16	N/A	55dB	N/A	N/A	Day
195	2025-03-02 10:17:33	N/A	55dB	N/A	N/A	Day
196	2025-03-02 10:21:26	N/A	55dB	N/A	N/A	Day
197	2025-03-02 10:24:06	N/A	55dB	N/A	N/A	Day
198	2025-03-02 10:25:58	N/A	55dB	N/A	N/A	Day
199	2025-03-02 10:28:11	N/A	55dB	N/A	N/A	Day
200	2025-03-02 10:31:20	70.67	55dB	3.0	196%	Day
201	2025-03-02 10:33:17	N/A	55dB	N/A	N/A	Day
202	2025-03-02 10:34:37	N/A	55dB	N/A	N/A	Day
203	2025-03-02 10:36:01	N/A	55dB	N/A	N/A	Day
204	2025-03-02 10:38:10	N/A	55dB	N/A	N/A	Day
205	2025-03-02 10:39:49	67.46	55dB	2.4	137%	Day
206	2025-03-02 10:41:25	68.30	55dB	2.5	151%	Day
207	2025-03-02 10:42:43	66.39	55dB	2.2	120%	Day
208	2025-03-02 10:45:24	N/A	55dB	N/A	N/A	Day
209	2025-03-02 10:47:36	N/A	55dB	N/A	N/A	Day
210	2025-03-02 10:49:11	N/A	55dB	N/A	N/A	Day
211	2025-03-02 10:52:12	68.79	55dB	2.6	160%	Day
212	2025-03-02 10:57:55	N/A	55dB	N/A	N/A	Day
213	2025-03-02 10:59:46	68.66	55dB	2.6	158%	Day
214	2025-03-02 11:01:22	N/A	55dB	N/A	N/A	Day

215	2025-03-02 11:03:40	N/A	55dB	N/A	N/A	Day
216	2025-03-02 11:05:02	N/A	55dB	N/A	N/A	Day
217	2025-03-02 11:07:46	N/A	55dB	N/A	N/A	Day
218	2025-03-02 11:10:06	N/A	55dB	N/A	N/A	Day
219	2025-03-02 11:13:36	N/A	55dB	N/A	N/A	Day
220	2025-03-02 11:15:07	N/A	55dB	N/A	N/A	Day
221	2025-03-02 11:16:54	N/A	55dB	N/A	N/A	Day
222	2025-03-02 11:18:36	69.83	55dB	2.8	180%	Day
223	2025-03-02 11:20:13	66.38	55dB	2.2	120%	Day
224	2025-03-02 11:22:35	N/A	55dB	N/A	N/A	Day
225	2025-03-02 11:25:39	N/A	55dB	N/A	N/A	Day
226	2025-03-02 11:26:56	N/A	55dB	N/A	N/A	Day
227	2025-03-02 11:28:30	N/A	55dB	N/A	N/A	Day
228	2025-03-02 11:29:41	N/A	55dB	N/A	N/A	Day
229	2025-03-02 11:30:51	N/A	55dB	N/A	N/A	Day
230	2025-03-02 11:37:27	N/A	55dB	N/A	N/A	Day
231	2025-03-02 11:41:19	70.43	55dB	2.9	191%	Day
232	2025-03-02 11:43:31	67.52	55dB	2.4	138%	Day
233	2025-03-02 11:45:52	N/A	55dB	N/A	N/A	Day
234	2025-03-02 11:47:21	N/A	55dB	N/A	N/A	Day
235	2025-03-02 11:49:12	N/A	55dB	N/A	N/A	Day
236	2025-03-02 11:51:19	71.80	55dB	3.2	220%	Day
237	2025-03-02 11:53:09	N/A	55dB	N/A	N/A	Day
238	2025-03-02 11:55:10	N/A	55dB	N/A	N/A	Day
239	2025-03-02 11:56:57	N/A	55dB	N/A	N/A	Day
240	2025-03-02 11:58:52	N/A	55dB	N/A	N/A	Day
241	2025-03-02 12:02:10	67.52	55dB	2.4	138%	Day
242	2025-03-02 12:03:38	N/A	55dB	N/A	N/A	Day
243	2025-03-02 12:05:46	N/A	55dB	N/A	N/A	Day
244	2025-03-02 12:07:14	67.28	55dB	2.3	134%	Day
245	2025-03-02 12:09:20	N/A	55dB	N/A	N/A	Day
246	2025-03-02 12:11:46	N/A	55dB	N/A	N/A	Day
247	2025-03-02 12:13:51	73.78	55dB	3.7	268%	Day
248	2025-03-02 12:23:35	71.49	55dB	3.1	214%	Day
249	2025-03-02 12:25:13	N/A	55dB	N/A	N/A	Day
250	2025-03-02 12:30:10	66.28	55dB	2.2	119%	Day
251	2025-03-02 12:33:43	N/A	55dB	N/A	N/A	Day
252	2025-03-02 12:35:12	N/A	55dB	N/A	N/A	Day
253	2025-03-02 12:37:25	68.53	55dB	2.6	155%	Day
254	2025-03-02 12:40:02	N/A	55dB	N/A	N/A	Day
255	2025-03-02 12:41:42	68.71	55dB	2.6	159%	Day
256	2025-03-02 12:43:54	N/A	55dB	N/A	N/A	Day
257	2025-03-02 12:45:24	N/A	55dB	N/A	N/A	Day
258	2025-03-02 12:46:39	N/A	55dB	N/A	N/A	Day

259	2025-03-02 12:49:12	67.77	55dB	2.4	142%	Day
260	2025-03-02 12:52:14	67.71	55dB	2.4	141%	Day
261	2025-03-02 12:54:47	67.33	55dB	2.4	135%	Day
262	2025-03-02 12:58:12	69.35	55dB	2.7	170%	Day
263	2025-03-02 12:59:27	N/A	55dB	N/A	N/A	Day
264	2025-03-02 13:00:53	N/A	55dB	N/A	N/A	Day
265	2025-03-02 13:04:17	66.51	55dB	2.2	122%	Day
266	2025-03-02 13:13:22	N/A	55dB	N/A	N/A	Day
267	2025-03-02 13:16:53	69.69	55dB	2.8	177%	Day
268	2025-03-02 13:18:20	N/A	55dB	N/A	N/A	Day
269	2025-03-02 13:19:30	67.51	55dB	2.4	138%	Day
270	2025-03-02 13:20:52	N/A	55dB	N/A	N/A	Day
271	2025-03-02 13:22:19	68.98	55dB	2.6	164%	Day
272	2025-03-02 13:23:44	N/A	55dB	N/A	N/A	Day
273	2025-03-02 13:26:18	N/A	55dB	N/A	N/A	Day
274	2025-03-02 13:28:07	76.73	55dB	4.5	351%	Day
275	2025-03-02 13:30:25	N/A	55dB	N/A	N/A	Day
276	2025-03-02 13:32:42	68.67	55dB	2.6	158%	Day
277	2025-03-02 13:44:21	N/A	55dB	N/A	N/A	Day
278	2025-03-02 13:46:32	N/A	55dB	N/A	N/A	Day
279	2025-03-02 13:48:45	N/A	55dB	N/A	N/A	Day
280	2025-03-02 13:50:06	N/A	55dB	N/A	N/A	Day
281	2025-03-02 13:52:00	N/A	55dB	N/A	N/A	Day
282	2025-03-02 13:55:40	N/A	55dB	N/A	N/A	Day
283	2025-03-02 13:59:57	N/A	55dB	N/A	N/A	Day
284	2025-03-02 14:01:46	N/A	55dB	N/A	N/A	Day
285	2025-03-02 14:03:24	69.20	55dB	2.7	168%	Day
286	2025-03-02 14:08:10	76.93	55dB	4.6	357%	Day
287	2025-03-02 14:12:18	67.93	55dB	2.5	145%	Day
288	2025-03-02 14:14:19	72.33	55dB	3.3	232%	Day
289	2025-03-02 14:18:16	N/A	55dB	N/A	N/A	Day
290	2025-03-02 14:19:32	68.61	55dB	2.6	157%	Day
291	2025-03-02 14:20:54	67.90	55dB	2.4	145%	Day
292	2025-03-02 14:22:20	N/A	55dB	N/A	N/A	Day
293	2025-03-02 14:23:28	69.11	55dB	2.7	166%	Day
294	2025-03-02 14:25:07	68.86	55dB	2.6	161%	Day
295	2025-03-02 14:27:38	N/A	55dB	N/A	N/A	Day
296	2025-03-02 14:30:26	N/A	55dB	N/A	N/A	Day
297	2025-03-02 14:32:50	76.86	55dB	4.6	355%	Day
298	2025-03-02 14:34:23	N/A	55dB	N/A	N/A	Day
299	2025-03-02 14:36:08	74.41	55dB	3.8	284%	Day
300	2025-03-02 14:37:28	N/A	55dB	N/A	N/A	Day
301	2025-03-02 14:38:56	71.42	55dB	3.1	212%	Day
302	2025-03-02 14:40:44	N/A	55dB	N/A	N/A	Day

303	2025-03-02 14:42:15	73.50	55dB	3.6	261%	Day
304	2025-03-02 14:43:54	69.57	55dB	2.7	175%	Day
305	2025-03-02 14:46:04	N/A	55dB	N/A	N/A	Day
306	2025-03-02 14:48:01	N/A	55dB	N/A	N/A	Day
307	2025-03-02 14:49:43	67.98	55dB	2.5	146%	Day
308	2025-03-02 14:51:47	N/A	55dB	N/A	N/A	Day
309	2025-03-02 14:53:55	68.09	55dB	2.5	148%	Day
310	2025-03-02 14:58:00	N/A	55dB	N/A	N/A	Day
311	2025-03-02 14:59:38	N/A	55dB	N/A	N/A	Day
312	2025-03-02 15:01:12	N/A	55dB	N/A	N/A	Day
313	2025-03-02 15:02:42	N/A	55dB	N/A	N/A	Day
314	2025-03-02 15:04:11	N/A	55dB	N/A	N/A	Day
315	2025-03-02 15:05:40	73.75	55dB	3.7	267%	Day
316	2025-03-02 15:07:52	72.13	55dB	3.3	228%	Day
317	2025-03-02 15:09:40	72.00	55dB	3.2	225%	Day
318	2025-03-02 15:12:31	N/A	55dB	N/A	N/A	Day
319	2025-03-02 15:14:34	N/A	55dB	N/A	N/A	Day
320	2025-03-02 15:16:14	67.46	55dB	2.4	137%	Day
321	2025-03-02 15:17:43	70.40	55dB	2.9	191%	Day
322	2025-03-02 15:19:08	67.99	55dB	2.5	146%	Day
323	2025-03-02 15:20:31	N/A	55dB	N/A	N/A	Day
324	2025-03-02 15:22:04	N/A	55dB	N/A	N/A	Day
325	2025-03-02 15:23:39	70.09	55dB	2.8	185%	Day
326	2025-03-02 15:26:02	75.58	55dB	4.2	316%	Day
327	2025-03-02 15:27:44	N/A	55dB	N/A	N/A	Day
328	2025-03-02 15:29:19	72.01	55dB	3.3	225%	Day
329	2025-03-02 15:30:43	N/A	55dB	N/A	N/A	Day
330	2025-03-02 15:32:07	66.65	55dB	2.2	124%	Day
331	2025-03-02 15:33:34	69.13	55dB	2.7	166%	Day
332	2025-03-02 15:35:56	N/A	55dB	N/A	N/A	Day
333	2025-03-02 15:37:22	N/A	55dB	N/A	N/A	Day
334	2025-03-02 15:38:47	N/A	55dB	N/A	N/A	Day
335	2025-03-02 15:40:54	67.23	55dB	2.3	133%	Day
336	2025-03-02 15:42:43	70.80	55dB	3.0	199%	Day
337	2025-03-02 15:44:13	68.25	55dB	2.5	151%	Day
338	2025-03-02 15:45:47	N/A	55dB	N/A	N/A	Day
339	2025-03-02 15:47:37	N/A	55dB	N/A	N/A	Day
340	2025-03-02 15:52:44	N/A	55dB	N/A	N/A	Day
341	2025-03-02 15:54:07	N/A	55dB	N/A	N/A	Day
342	2025-03-02 15:55:48	N/A	55dB	N/A	N/A	Day
343	2025-03-02 16:00:05	69.46	55dB	2.7	172%	Day
344	2025-03-02 16:02:24	70.73	55dB	3.0	198%	Day
345	2025-03-02 16:04:32	N/A	55dB	N/A	N/A	Day
346	2025-03-02 16:06:06	76.75	55dB	4.5	352%	Day

347	2025-03-02 16:07:34	77.91	55dB	4.9	389%	Day
348	2025-03-02 16:09:01	N/A	55dB	N/A	N/A	Day
349	2025-03-02 16:11:06	N/A	55dB	N/A	N/A	Day
350	2025-03-02 16:15:46	N/A	55dB	N/A	N/A	Day
351	2025-03-02 16:18:55	N/A	55dB	N/A	N/A	Day
352	2025-03-02 16:20:31	71.94	55dB	3.2	224%	Day
353	2025-03-02 16:22:32	N/A	55dB	N/A	N/A	Day
354	2025-03-02 16:24:12	N/A	55dB	N/A	N/A	Day
355	2025-03-02 16:26:03	N/A	55dB	N/A	N/A	Day
356	2025-03-02 16:27:59	N/A	55dB	N/A	N/A	Day
357	2025-03-02 16:31:01	N/A	55dB	N/A	N/A	Day
358	2025-03-02 16:34:50	N/A	55dB	N/A	N/A	Day
359	2025-03-02 16:36:58	68.22	55dB	2.5	150%	Day
360	2025-03-02 16:38:35	N/A	55dB	N/A	N/A	Day
361	2025-03-02 16:39:52	N/A	55dB	N/A	N/A	Day
362	2025-03-02 16:43:56	76.49	55dB	4.4	344%	Day
363	2025-03-02 16:47:10	70.20	55dB	2.9	187%	Day
364	2025-03-02 16:48:46	N/A	55dB	N/A	N/A	Day
365	2025-03-02 16:50:17	N/A	55dB	N/A	N/A	Day
366	2025-03-02 16:51:53	66.37	55dB	2.2	120%	Day
367	2025-03-02 16:53:57	68.25	55dB	2.5	151%	Day
368	2025-03-02 16:55:33	66.41	55dB	2.2	121%	Day
369	2025-03-02 16:58:17	71.19	55dB	3.1	207%	Day
370	2025-03-02 16:59:59	68.37	55dB	2.5	153%	Day
371	2025-03-02 17:01:54	78.56	55dB	5.1	412%	Day
372	2025-03-02 17:04:28	68.13	55dB	2.5	148%	Day
373	2025-03-02 17:08:12	67.42	55dB	2.4	137%	Day
374	2025-03-02 17:10:24	67.47	55dB	2.4	137%	Day
375	2025-03-02 17:12:32	74.33	55dB	3.8	282%	Day
376	2025-03-02 17:14:06	66.67	55dB	2.2	125%	Day
377	2025-03-02 17:15:54	N/A	55dB	N/A	N/A	Day
378	2025-03-02 17:17:38	N/A	55dB	N/A	N/A	Day
379	2025-03-02 17:19:10	75.99	55dB	4.3	328%	Day
380	2025-03-02 17:21:08	N/A	55dB	N/A	N/A	Day
381	2025-03-02 17:22:46	N/A	55dB	N/A	N/A	Day
382	2025-03-02 17:24:17	66.98	55dB	2.3	129%	Day
383	2025-03-02 17:25:41	N/A	55dB	N/A	N/A	Day
384	2025-03-02 17:27:41	N/A	55dB	N/A	N/A	Day
385	2025-03-02 17:29:48	66.33	55dB	2.2	119%	Day
386	2025-03-02 17:31:14	N/A	55dB	N/A	N/A	Day
387	2025-03-02 17:37:26	N/A	55dB	N/A	N/A	Day
388	2025-03-02 17:39:02	N/A	55dB	N/A	N/A	Day
389	2025-03-02 17:40:27	N/A	55dB	N/A	N/A	Day
390	2025-03-02 17:41:50	N/A	55dB	N/A	N/A	Day

391	2025-03-02 17:43:21	74.78	55dB	3.9	294%	Day
392	2025-03-02 17:44:44	N/A	55dB	N/A	N/A	Day
393	2025-03-02 17:46:22	N/A	55dB	N/A	N/A	Day
394	2025-03-02 17:53:24	N/A	55dB	N/A	N/A	Day
395	2025-03-02 17:54:56	N/A	55dB	N/A	N/A	Day
396	2025-03-02 17:57:25	77.91	55dB	4.9	389%	Day
397	2025-03-02 17:59:32	70.89	55dB	3.0	201%	Day
398	2025-03-02 18:01:08	72.40	55dB	3.3	234%	Day
399	2025-03-02 18:03:06	66.97	55dB	2.3	129%	Day
400	2025-03-02 18:04:23	69.44	55dB	2.7	172%	Day
401	2025-03-02 18:05:47	N/A	55dB	N/A	N/A	Day
402	2025-03-02 18:07:08	N/A	55dB	N/A	N/A	Day
403	2025-03-02 18:08:32	N/A	55dB	N/A	N/A	Day
404	2025-03-02 18:10:46	N/A	55dB	N/A	N/A	Day
405	2025-03-02 18:12:54	N/A	55dB	N/A	N/A	Day
406	2025-03-02 18:15:03	N/A	55dB	N/A	N/A	Day
407	2025-03-02 18:18:41	N/A	55dB	N/A	N/A	Day
408	2025-03-02 18:20:12	N/A	55dB	N/A	N/A	Day
409	2025-03-02 18:21:40	73.68	55dB	3.7	265%	Day
410	2025-03-02 18:24:16	65.74	55dB	2.1	111%	Day
411	2025-03-02 18:26:28	68.52	55dB	2.6	155%	Day
412	2025-03-02 18:28:31	72.99	55dB	3.5	248%	Day
413	2025-03-02 18:30:10	69.58	55dB	2.7	175%	Day
414	2025-03-02 18:32:23	N/A	55dB	N/A	N/A	Day
415	2025-03-02 18:33:50	N/A	55dB	N/A	N/A	Day
416	2025-03-02 18:37:05	N/A	55dB	N/A	N/A	Day
417	2025-03-02 18:38:32	N/A	55dB	N/A	N/A	Day
418	2025-03-02 18:40:11	68.31	55dB	2.5	152%	Day
419	2025-03-02 18:41:45	77.05	55dB	4.6	361%	Day
420	2025-03-02 18:43:01	70.50	55dB	2.9	193%	Day
421	2025-03-02 18:44:33	82.66	55dB	6.8	580%	Day
422	2025-03-02 18:46:22	N/A	55dB	N/A	N/A	Day
423	2025-03-02 18:47:40	N/A	55dB	N/A	N/A	Day
424	2025-03-02 18:49:03	68.00	55dB	2.5	146%	Day
425	2025-03-02 18:50:42	66.91	55dB	2.3	128%	Day
426	2025-03-02 18:53:38	N/A	55dB	N/A	N/A	Day
427	2025-03-02 18:55:05	N/A	55dB	N/A	N/A	Day
428	2025-03-02 18:56:25	67.98	55dB	2.5	146%	Day
429	2025-03-02 18:57:45	N/A	55dB	N/A	N/A	Day
430	2025-03-02 18:59:05	N/A	55dB	N/A	N/A	Day
431	2025-03-02 19:00:23	N/A	55dB	N/A	N/A	Day
432	2025-03-02 19:01:50	70.67	55dB	3.0	196%	Day
433	2025-03-02 19:03:27	67.40	55dB	2.4	136%	Day
434	2025-03-02 19:05:14	N/A	55dB	N/A	N/A	Day

435	2025-03-02 19:06:51	N/A	55dB	N/A	N/A	Day
436	2025-03-02 19:08:16	N/A	55dB	N/A	N/A	Day
437	2025-03-02 19:09:48	N/A	55dB	N/A	N/A	Day
438	2025-03-02 19:14:22	N/A	55dB	N/A	N/A	Day
439	2025-03-02 19:15:48	N/A	55dB	N/A	N/A	Day
440	2025-03-02 19:17:20	N/A	55dB	N/A	N/A	Day
441	2025-03-02 19:18:39	69.60	55dB	2.8	175%	Day
442	2025-03-02 19:21:59	68.56	55dB	2.6	156%	Day
443	2025-03-02 19:26:18	N/A	55dB	N/A	N/A	Day
444	2025-03-02 19:27:56	66.74	55dB	2.3	126%	Day
445	2025-03-02 19:29:23	N/A	55dB	N/A	N/A	Day
446	2025-03-02 19:32:01	N/A	55dB	N/A	N/A	Day
447	2025-03-02 19:33:50	69.06	55dB	2.7	165%	Day
448	2025-03-02 19:36:12	N/A	55dB	N/A	N/A	Day
449	2025-03-02 19:37:25	N/A	55dB	N/A	N/A	Day
450	2025-03-02 19:38:39	N/A	55dB	N/A	N/A	Day
451	2025-03-02 19:40:16	N/A	55dB	N/A	N/A	Day
452	2025-03-02 19:41:38	N/A	55dB	N/A	N/A	Day
453	2025-03-02 19:43:10	N/A	55dB	N/A	N/A	Day
454	2025-03-02 19:44:33	69.85	55dB	2.8	180%	Day
455	2025-03-02 19:46:44	N/A	55dB	N/A	N/A	Day
456	2025-03-02 19:48:10	N/A	55dB	N/A	N/A	Day
457	2025-03-02 19:50:22	N/A	55dB	N/A	N/A	Day
458	2025-03-02 19:51:53	N/A	55dB	N/A	N/A	Day
459	2025-03-02 19:53:16	67.65	55dB	2.4	140%	Day
460	2025-03-02 19:54:48	N/A	55dB	N/A	N/A	Day
461	2025-03-02 19:56:39	77.50	55dB	4.8	376%	Day
462	2025-03-02 19:57:53	66.41	55dB	2.2	121%	Day
463	2025-03-02 19:59:15	N/A	55dB	N/A	N/A	Day
464	2025-03-02 20:00:40	69.02	55dB	2.6	164%	Day
465	2025-03-02 20:02:14	N/A	55dB	N/A	N/A	Day
466	2025-03-02 20:04:22	N/A	55dB	N/A	N/A	Day
467	2025-03-02 20:06:45	N/A	55dB	N/A	N/A	Day
468	2025-03-02 20:08:15	N/A	55dB	N/A	N/A	Day
469	2025-03-02 20:11:14	N/A	55dB	N/A	N/A	Day
470	2025-03-02 20:13:06	67.74	55dB	2.4	142%	Day
471	2025-03-02 20:14:49	68.10	55dB	2.5	148%	Day
472	2025-03-02 20:16:11	67.96	55dB	2.5	146%	Day
473	2025-03-02 20:18:05	N/A	55dB	N/A	N/A	Day
474	2025-03-02 20:19:13	N/A	55dB	N/A	N/A	Day
475	2025-03-02 20:21:52	N/A	55dB	N/A	N/A	Day
476	2025-03-02 20:23:39	N/A	55dB	N/A	N/A	Day
477	2025-03-02 20:25:07	70.77	55dB	3.0	198%	Day
478	2025-03-02 20:26:28	N/A	55dB	N/A	N/A	Day

479	2025-03-02 20:28:02	70.98	55dB	3.0	203%	Day
480	2025-03-02 20:31:47	69.59	55dB	2.7	175%	Day
481	2025-03-02 20:34:50	N/A	55dB	N/A	N/A	Day
482	2025-03-02 20:38:40	75.04	55dB	4.0	301%	Day
483	2025-03-02 20:40:30	N/A	55dB	N/A	N/A	Day
484	2025-03-02 20:42:04	N/A	55dB	N/A	N/A	Day
485	2025-03-02 20:43:26	N/A	55dB	N/A	N/A	Day
486	2025-03-02 20:45:28	65.92	55dB	2.1	113%	Day
487	2025-03-02 20:47:10	N/A	55dB	N/A	N/A	Day
488	2025-03-02 20:48:43	N/A	55dB	N/A	N/A	Day
489	2025-03-02 20:50:05	N/A	55dB	N/A	N/A	Day
490	2025-03-02 20:51:38	N/A	55dB	N/A	N/A	Day
491	2025-03-02 20:52:57	74.87	55dB	4.0	296%	Day
492	2025-03-02 20:54:26	66.79	55dB	2.3	126%	Day
493	2025-03-02 20:56:27	70.87	55dB	3.0	200%	Day
494	2025-03-02 20:58:43	67.41	55dB	2.4	136%	Day
495	2025-03-02 21:00:01	69.31	55dB	2.7	170%	Day
496	2025-03-02 21:01:18	N/A	55dB	N/A	N/A	Day
497	2025-03-02 21:02:53	N/A	55dB	N/A	N/A	Day
498	2025-03-02 21:04:30	N/A	55dB	N/A	N/A	Day
499	2025-03-02 21:07:21	71.48	55dB	3.1	213%	Day
500	2025-03-02 21:09:17	72.10	55dB	3.3	227%	Day
501	2025-03-02 21:11:20	69.80	55dB	2.8	179%	Day
502	2025-03-02 21:12:47	N/A	55dB	N/A	N/A	Day
503	2025-03-02 21:14:25	69.28	55dB	2.7	169%	Day
504	2025-03-02 21:15:46	N/A	55dB	N/A	N/A	Day
505	2025-03-02 21:17:15	N/A	55dB	N/A	N/A	Day
506	2025-03-02 21:18:39	N/A	55dB	N/A	N/A	Day
507	2025-03-02 21:19:54	N/A	55dB	N/A	N/A	Day
508	2025-03-02 21:23:12	73.66	55dB	3.6	265%	Day
509	2025-03-02 21:26:02	N/A	55dB	N/A	N/A	Day
510	2025-03-02 21:27:16	N/A	55dB	N/A	N/A	Day
511	2025-03-02 21:28:51	66.75	55dB	2.3	126%	Day
512	2025-03-02 21:30:16	N/A	55dB	N/A	N/A	Day
513	2025-03-02 21:32:38	N/A	55dB	N/A	N/A	Day
514	2025-03-02 21:35:04	N/A	55dB	N/A	N/A	Day
515	2025-03-02 21:37:03	70.01	55dB	2.8	183%	Day
516	2025-03-02 21:39:20	N/A	55dB	N/A	N/A	Day
517	2025-03-02 21:40:38	68.61	55dB	2.6	157%	Day
518	2025-03-02 21:41:56	N/A	55dB	N/A	N/A	Day
519	2025-03-02 21:43:15	N/A	55dB	N/A	N/A	Day
520	2025-03-02 21:44:38	N/A	55dB	N/A	N/A	Day
521	2025-03-02 21:46:03	N/A	55dB	N/A	N/A	Day
522	2025-03-02 21:47:31	N/A	55dB	N/A	N/A	Day

523	2025-03-02 21:49:19	69.22	55dB	2.7	168%	Day
524	2025-03-02 21:51:18	N/A	55dB	N/A	N/A	Day
525	2025-03-02 21:52:50	N/A	55dB	N/A	N/A	Day
526	2025-03-02 21:54:18	N/A	55dB	N/A	N/A	Day
527	2025-03-02 21:55:48	N/A	55dB	N/A	N/A	Day
528	2025-03-02 21:58:15	N/A	55dB	N/A	N/A	Day
529	2025-03-02 22:01:02	72.18	55dB	3.3	229%	Day
530	2025-03-02 22:02:54	N/A	55dB	N/A	N/A	Day
531	2025-03-02 22:04:38	66.34	55dB	2.2	119%	Day
532	2025-03-02 22:06:15	72.37	55dB	3.3	233%	Day
533	2025-03-02 22:08:16	N/A	55dB	N/A	N/A	Day
534	2025-03-02 22:13:20	72.01	55dB	3.3	225%	Day
535	2025-03-02 22:15:07	N/A	55dB	N/A	N/A	Day
536	2025-03-02 22:20:01	N/A	55dB	N/A	N/A	Day
537	2025-03-02 22:23:18	N/A	55dB	N/A	N/A	Day
538	2025-03-02 22:26:34	N/A	55dB	N/A	N/A	Day
539	2025-03-02 22:28:23	68.82	55dB	2.6	161%	Day
540	2025-03-02 22:30:20	N/A	55dB	N/A	N/A	Day
541	2025-03-02 22:31:49	N/A	55dB	N/A	N/A	Day
542	2025-03-02 22:32:58	66.95	55dB	2.3	129%	Day
543	2025-03-02 22:34:27	N/A	55dB	N/A	N/A	Day
544	2025-03-02 22:35:51	70.24	55dB	2.9	188%	Day
545	2025-03-02 22:38:13	N/A	55dB	N/A	N/A	Day
546	2025-03-02 22:39:31	N/A	55dB	N/A	N/A	Day
547	2025-03-02 22:40:56	N/A	55dB	N/A	N/A	Day
548	2025-03-02 22:42:09	70.93	55dB	3.0	202%	Day
549	2025-03-02 22:43:40	N/A	55dB	N/A	N/A	Day
550	2025-03-02 22:45:01	N/A	55dB	N/A	N/A	Day
551	2025-03-02 22:47:01	73.11	55dB	3.5	251%	Day
552	2025-03-02 22:48:32	66.66	55dB	2.2	124%	Day
553	2025-03-02 22:50:12	N/A	55dB	N/A	N/A	Day
554	2025-03-02 22:53:35	68.66	55dB	2.6	158%	Day
555	2025-03-02 22:56:03	68.23	55dB	2.5	150%	Day
556	2025-03-02 22:59:41	N/A	55dB	N/A	N/A	Day
557	2025-03-02 23:01:17	N/A	45dB	N/A	N/A	Night
558	2025-03-02 23:02:51	N/A	45dB	N/A	N/A	Night
559	2025-03-02 23:04:56	N/A	45dB	N/A	N/A	Night
560	2025-03-02 23:13:49	71.63	45dB	6.3	533%	Night
561	2025-03-02 23:17:02	68.46	45dB	5.1	408%	Night
562	2025-03-02 23:24:01	N/A	45dB	N/A	N/A	Night
563	2025-03-02 23:25:37	N/A	45dB	N/A	N/A	Night
564	2025-03-02 23:28:21	N/A	45dB	N/A	N/A	Night
565	2025-03-02 23:35:28	N/A	45dB	N/A	N/A	Night
566	2025-03-02 23:39:48	69.29	45dB	5.4	439%	Night

567	2025-03-02 23:51:11	66.63	45dB	4.5	348%	Night
568	2025-03-02 23:54:35	N/A	45dB	N/A	N/A	Night
569	2025-03-02 23:55:53	N/A	45dB	N/A	N/A	Night
570	2025-03-02 23:57:30	70.40	45dB	5.8	482%	Night
571	2025-03-02 23:59:39	N/A	45dB	N/A	N/A	Night
572	2025-03-03 00:01:02	77.46	45dB	9.5	849%	Night
573	2025-03-03 00:02:21	67.02	45dB	4.6	360%	Night
574	2025-03-03 00:03:47	66.61	45dB	4.5	347%	Night
575	2025-03-03 00:06:51	66.56	45dB	4.5	346%	Night
576	2025-03-03 00:08:24	68.78	45dB	5.2	420%	Night
577	2025-03-03 00:10:18	67.44	45dB	4.7	374%	Night
578	2025-03-03 00:12:04	66.91	45dB	4.6	357%	Night
579	2025-03-03 00:13:41	67.14	45dB	4.6	364%	Night
580	2025-03-03 00:20:04	67.23	45dB	4.7	367%	Night
581	2025-03-03 00:22:22	71.54	45dB	6.3	529%	Night
582	2025-03-03 00:23:50	66.90	45dB	4.6	356%	Night
583	2025-03-03 00:25:16	67.43	45dB	4.7	373%	Night
584	2025-03-03 00:27:16	66.57	45dB	4.5	346%	Night
585	2025-03-03 00:28:36	73.84	45dB	7.4	638%	Night
586	2025-03-03 00:30:37	66.96	45dB	4.6	358%	Night
587	2025-03-03 00:32:10	67.00	45dB	4.6	359%	Night
588	2025-03-03 00:33:38	72.12	45dB	6.6	555%	Night
589	2025-03-03 00:37:16	75.52	45dB	8.3	729%	Night
590	2025-03-03 00:39:39	67.52	45dB	4.8	376%	Night
591	2025-03-03 00:42:53	69.01	45dB	5.3	428%	Night
592	2025-03-03 00:46:34	67.10	45dB	4.6	363%	Night
593	2025-03-03 00:48:10	67.64	45dB	4.8	380%	Night
594	2025-03-03 00:59:53	72.02	45dB	6.5	551%	Night
595	2025-03-03 01:06:04	66.88	45dB	4.6	356%	Night
596	2025-03-03 01:17:52	66.93	45dB	4.6	357%	Night
597	2025-03-03 01:20:12	67.73	45dB	4.8	383%	Night
598	2025-03-03 01:23:32	65.54	45dB	4.2	315%	Night
599	2025-03-03 01:25:36	71.04	45dB	6.1	508%	Night
600	2025-03-03 01:33:20	68.04	45dB	4.9	394%	Night
601	2025-03-03 01:41:24	66.25	45dB	4.4	336%	Night
602	2025-03-03 01:49:07	72.09	45dB	6.5	554%	Night
603	2025-03-03 01:51:30	66.81	45dB	4.5	353%	Night
604	2025-03-03 01:59:38	65.38	45dB	4.1	311%	Night
605	2025-03-03 02:06:26	68.99	45dB	5.3	427%	Night
606	2025-03-03 02:09:24	67.28	45dB	4.7	368%	Night
607	2025-03-03 02:14:32	67.27	45dB	4.7	368%	Night
608	2025-03-03 02:23:11	69.37	45dB	5.4	442%	Night
609	2025-03-03 02:53:36	65.17	45dB	4.0	305%	Night
610	2025-03-03 03:03:55	69.18	45dB	5.3	434%	Night

611	2025-03-03 03:11:31	67.70	45dB	4.8	382%	Night
612	2025-03-03 03:48:11	67.38	45dB	4.7	372%	Night
613	2025-03-03 04:37:46	69.52	45dB	5.5	447%	Night
614	2025-03-03 05:03:16	68.50	45dB	5.1	410%	Night
615	2025-03-03 05:22:50	66.33	45dB	4.4	339%	Night
616	2025-03-03 05:31:53	69.74	45dB	5.6	456%	Night
617	2025-03-03 05:34:45	66.95	45dB	4.6	358%	Night
618	2025-03-03 05:42:01	70.30	45dB	5.8	478%	Night
619	2025-03-03 05:55:03	69.30	45dB	5.4	439%	Night
620	2025-03-03 05:57:02	69.16	45dB	5.3	434%	Night
621	2025-03-03 05:59:16	67.64	45dB	4.8	380%	Night
622	2025-03-03 06:03:34	N/A	45dB	N/A	N/A	Night
623	2025-03-03 06:09:01	68.19	45dB	5.0	399%	Night
624	2025-03-03 06:10:41	N/A	45dB	N/A	N/A	Night
625	2025-03-03 06:21:21	N/A	45dB	N/A	N/A	Night
626	2025-03-03 06:28:51	N/A	45dB	N/A	N/A	Night
627	2025-03-03 06:30:21	N/A	45dB	N/A	N/A	Night
628	2025-03-03 06:32:04	67.95	45dB	4.9	391%	Night
629	2025-03-03 06:33:22	68.18	45dB	5.0	399%	Night
630	2025-03-03 06:34:48	N/A	45dB	N/A	N/A	Night
631	2025-03-03 06:36:12	69.09	45dB	5.3	431%	Night
632	2025-03-03 06:37:49	N/A	45dB	N/A	N/A	Night
633	2025-03-03 06:39:21	N/A	45dB	N/A	N/A	Night
634	2025-03-03 06:41:07	70.19	45dB	5.7	473%	Night
635	2025-03-03 06:42:44	69.59	45dB	5.5	450%	Night
636	2025-03-03 06:43:56	70.98	45dB	6.1	505%	Night
637	2025-03-03 06:45:30	73.69	45dB	7.3	631%	Night
638	2025-03-03 06:47:05	70.25	45dB	5.8	476%	Night
639	2025-03-03 06:48:54	68.29	45dB	5.0	402%	Night
640	2025-03-03 06:50:15	66.09	45dB	4.3	331%	Night
641	2025-03-03 06:51:24	N/A	45dB	N/A	N/A	Night
642	2025-03-03 06:52:52	N/A	45dB	N/A	N/A	Night
643	2025-03-03 06:54:14	N/A	45dB	N/A	N/A	Night
644	2025-03-03 06:56:01	69.73	45dB	5.6	455%	Night
645	2025-03-03 06:58:29	N/A	45dB	N/A	N/A	Night
646	2025-03-03 07:00:09	N/A	55dB	N/A	N/A	Day
647	2025-03-03 07:02:01	69.78	55dB	2.8	179%	Day
648	2025-03-03 07:03:32	71.73	55dB	3.2	219%	Day
649	2025-03-03 07:05:35	N/A	55dB	N/A	N/A	Day
650	2025-03-03 07:06:56	N/A	55dB	N/A	N/A	Day
651	2025-03-03 07:11:13	65.90	55dB	2.1	113%	Day
652	2025-03-03 07:21:08	70.65	55dB	3.0	196%	Day
653	2025-03-03 07:23:09	69.13	55dB	2.7	166%	Day
654	2025-03-03 07:24:50	70.11	55dB	2.9	185%	Day

655	2025-03-03 07:26:51	N/A	55dB	N/A	N/A	Day
656	2025-03-03 07:28:56	67.63	55dB	2.4	140%	Day
657	2025-03-03 07:31:02	70.74	55dB	3.0	198%	Day
658	2025-03-03 07:33:08	72.06	55dB	3.3	226%	Day
659	2025-03-03 07:35:13	69.08	55dB	2.7	165%	Day
660	2025-03-03 07:36:43	69.27	55dB	2.7	169%	Day
661	2025-03-03 07:45:32	71.51	55dB	3.1	214%	Day
662	2025-03-03 07:47:14	70.93	55dB	3.0	202%	Day
663	2025-03-03 07:55:19	69.94	55dB	2.8	182%	Day
664	2025-03-03 08:01:38	N/A	55dB	N/A	N/A	Day
665	2025-03-03 08:04:01	68.79	55dB	2.6	160%	Day
666	2025-03-03 08:11:01	71.83	55dB	3.2	221%	Day
667	2025-03-03 08:19:49	71.44	55dB	3.1	213%	Day
668	2025-03-03 08:23:42	68.98	55dB	2.6	164%	Day
669	2025-03-03 08:28:16	77.15	55dB	4.6	364%	Day
670	2025-03-03 08:30:44	68.58	55dB	2.6	156%	Day
671	2025-03-03 08:39:53	69.28	55dB	2.7	169%	Day
672	2025-03-03 08:48:12	N/A	55dB	N/A	N/A	Day
673	2025-03-03 08:54:41	68.79	55dB	2.6	160%	Day
674	2025-03-03 08:57:00	67.98	55dB	2.5	146%	Day
675	2025-03-03 08:58:42	N/A	55dB	N/A	N/A	Day
676	2025-03-03 09:03:22	69.30	55dB	2.7	169%	Day
677	2025-03-03 09:18:57	68.17	55dB	2.5	149%	Day
678	2025-03-03 09:26:42	67.71	55dB	2.4	141%	Day
679	2025-03-03 09:29:01	67.89	55dB	2.4	144%	Day
680	2025-03-03 09:30:40	76.24	55dB	4.4	336%	Day
681	2025-03-03 09:32:04	N/A	55dB	N/A	N/A	Day
682	2025-03-03 09:34:02	69.05	55dB	2.6	165%	Day
683	2025-03-03 09:36:57	N/A	55dB	N/A	N/A	Day
684	2025-03-03 09:38:41	71.05	55dB	3.0	204%	Day
685	2025-03-03 09:40:11	N/A	55dB	N/A	N/A	Day
686	2025-03-03 09:42:45	N/A	55dB	N/A	N/A	Day
687	2025-03-03 09:46:22	70.70	55dB	3.0	197%	Day
688	2025-03-03 09:49:50	N/A	55dB	N/A	N/A	Day
689	2025-03-03 10:04:32	70.77	55dB	3.0	198%	Day
690	2025-03-03 10:11:11	N/A	55dB	N/A	N/A	Day
691	2025-03-03 10:13:36	69.56	55dB	2.7	174%	Day
692	2025-03-03 10:20:12	N/A	55dB	N/A	N/A	Day
693	2025-03-03 10:21:41	68.51	55dB	2.6	155%	Day
694	2025-03-03 10:23:05	N/A	55dB	N/A	N/A	Day
695	2025-03-03 10:31:33	N/A	55dB	N/A	N/A	Day
696	2025-03-03 10:35:47	N/A	55dB	N/A	N/A	Day
697	2025-03-03 10:37:58	N/A	55dB	N/A	N/A	Day
698	2025-03-03 10:39:21	N/A	55dB	N/A	N/A	Day

699	2025-03-03 10:42:13	67.91	55dB	2.4	145%	Day
700	2025-03-03 10:44:03	68.66	55dB	2.6	158%	Day
701	2025-03-03 10:46:53	68.93	55dB	2.6	163%	Day
702	2025-03-03 10:54:03	N/A	55dB	N/A	N/A	Day
703	2025-03-03 10:58:44	70.28	55dB	2.9	188%	Day
704	2025-03-03 11:02:31	N/A	55dB	N/A	N/A	Day
705	2025-03-03 11:08:33	N/A	55dB	N/A	N/A	Day
706	2025-03-03 11:10:08	71.79	55dB	3.2	220%	Day
707	2025-03-03 11:12:13	73.99	55dB	3.7	273%	Day
708	2025-03-03 11:13:38	N/A	55dB	N/A	N/A	Day
709	2025-03-03 11:15:06	N/A	55dB	N/A	N/A	Day
710	2025-03-03 11:17:14	N/A	55dB	N/A	N/A	Day
711	2025-03-03 11:18:39	67.27	55dB	2.3	134%	Day
712	2025-03-03 11:20:08	N/A	55dB	N/A	N/A	Day
713	2025-03-03 11:21:46	69.08	55dB	2.7	165%	Day
714	2025-03-03 11:24:20	N/A	55dB	N/A	N/A	Day
715	2025-03-03 11:26:53	N/A	55dB	N/A	N/A	Day
716	2025-03-03 11:28:28	N/A	55dB	N/A	N/A	Day
717	2025-03-03 11:29:50	72.84	55dB	3.4	244%	Day
718	2025-03-03 11:31:31	68.07	55dB	2.5	147%	Day
719	2025-03-03 11:32:48	N/A	55dB	N/A	N/A	Day
720	2025-03-03 11:36:32	N/A	55dB	N/A	N/A	Day
721	2025-03-03 11:37:44	N/A	55dB	N/A	N/A	Day
722	2025-03-03 11:39:06	N/A	55dB	N/A	N/A	Day
723	2025-03-03 11:40:32	N/A	55dB	N/A	N/A	Day
724	2025-03-03 11:42:06	67.37	55dB	2.4	136%	Day
725	2025-03-03 11:44:44	N/A	55dB	N/A	N/A	Day
726	2025-03-03 11:46:34	N/A	55dB	N/A	N/A	Day
727	2025-03-03 11:53:37	67.76	55dB	2.4	142%	Day
728	2025-03-03 11:56:07	N/A	55dB	N/A	N/A	Day
729	2025-03-03 11:57:32	68.12	55dB	2.5	148%	Day
730	2025-03-03 12:00:26	N/A	55dB	N/A	N/A	Day
731	2025-03-03 12:02:17	69.49	55dB	2.7	173%	Day
732	2025-03-03 12:03:33	N/A	55dB	N/A	N/A	Day
733	2025-03-03 12:05:12	N/A	55dB	N/A	N/A	Day
734	2025-03-03 12:08:02	N/A	55dB	N/A	N/A	Day
735	2025-03-03 12:09:27	67.26	55dB	2.3	134%	Day
736	2025-03-03 12:11:13	69.48	55dB	2.7	173%	Day
737	2025-03-03 12:13:10	66.90	55dB	2.3	128%	Day
738	2025-03-03 12:15:05	74.88	55dB	4.0	297%	Day
739	2025-03-03 12:17:07	68.80	55dB	2.6	160%	Day
740	2025-03-03 12:22:39	66.82	55dB	2.3	127%	Day
741	2025-03-03 12:24:22	75.68	55dB	4.2	319%	Day
742	2025-03-03 12:29:19	69.15	55dB	2.7	167%	Day

743	2025-03-03 12:33:28	68.87	55dB	2.6	162%	Day
744	2025-03-03 12:35:51	67.76	55dB	2.4	142%	Day
745	2025-03-03 12:38:48	72.80	55dB	3.4	243%	Day
746	2025-03-03 12:41:56	68.92	55dB	2.6	162%	Day
747	2025-03-03 12:45:16	66.85	55dB	2.3	127%	Day
748	2025-03-03 12:50:52	N/A	55dB	N/A	N/A	Day
749	2025-03-03 12:52:21	65.93	55dB	2.1	113%	Day
750	2025-03-03 12:54:02	N/A	55dB	N/A	N/A	Day
751	2025-03-03 12:55:42	68.42	55dB	2.5	154%	Day
752	2025-03-03 13:00:38	N/A	55dB	N/A	N/A	Day
753	2025-03-03 13:05:24	N/A	55dB	N/A	N/A	Day
754	2025-03-03 13:07:00	N/A	55dB	N/A	N/A	Day
755	2025-03-03 13:09:56	N/A	55dB	N/A	N/A	Day
756	2025-03-03 13:11:26	68.02	55dB	2.5	147%	Day
757	2025-03-03 13:12:54	70.52	55dB	2.9	193%	Day
758	2025-03-03 13:14:43	N/A	55dB	N/A	N/A	Day
759	2025-03-03 13:16:06	N/A	55dB	N/A	N/A	Day
760	2025-03-03 13:17:53	N/A	55dB	N/A	N/A	Day
761	2025-03-03 13:19:14	68.30	55dB	2.5	151%	Day
762	2025-03-03 13:22:09	71.52	55dB	3.1	214%	Day
763	2025-03-03 13:24:50	66.60	55dB	2.2	123%	Day
764	2025-03-03 13:29:20	67.69	55dB	2.4	141%	Day
765	2025-03-03 13:30:55	N/A	55dB	N/A	N/A	Day
766	2025-03-03 13:33:08	68.36	55dB	2.5	152%	Day
767	2025-03-03 13:35:18	72.95	55dB	3.5	247%	Day
768	2025-03-03 13:37:23	68.41	55dB	2.5	153%	Day
769	2025-03-03 13:39:16	71.18	55dB	3.1	207%	Day
770	2025-03-03 13:41:19	70.39	55dB	2.9	191%	Day
771	2025-03-03 13:42:32	71.00	55dB	3.0	203%	Day
772	2025-03-03 13:43:52	N/A	55dB	N/A	N/A	Day
773	2025-03-03 13:46:32	N/A	55dB	N/A	N/A	Day
774	2025-03-03 13:48:06	70.88	55dB	3.0	201%	Day
775	2025-03-03 13:55:19	N/A	55dB	N/A	N/A	Day
776	2025-03-03 13:58:00	71.26	55dB	3.1	209%	Day
777	2025-03-03 13:59:56	N/A	55dB	N/A	N/A	Day
778	2025-03-03 14:01:38	72.54	55dB	3.4	237%	Day
779	2025-03-03 14:03:35	69.44	55dB	2.7	172%	Day
780	2025-03-03 14:07:04	69.67	55dB	2.8	176%	Day
781	2025-03-03 14:09:46	66.93	55dB	2.3	129%	Day
782	2025-03-03 14:14:37	72.33	55dB	3.3	232%	Day
783	2025-03-03 14:23:44	N/A	55dB	N/A	N/A	Day
784	2025-03-03 14:26:32	70.17	55dB	2.9	186%	Day
785	2025-03-03 14:28:17	N/A	55dB	N/A	N/A	Day
786	2025-03-03 14:29:31	N/A	55dB	N/A	N/A	Day

787	2025-03-03 14:32:13	72.76	55dB	3.4	242%	Day
788	2025-03-03 14:34:21	69.62	55dB	2.8	175%	Day
789	2025-03-03 14:37:13	68.22	55dB	2.5	150%	Day
790	2025-03-03 14:38:30	N/A	55dB	N/A	N/A	Day
791	2025-03-03 14:39:51	67.38	55dB	2.4	136%	Day
792	2025-03-03 14:41:10	N/A	55dB	N/A	N/A	Day
793	2025-03-03 14:42:37	67.82	55dB	2.4	143%	Day
794	2025-03-03 14:48:18	N/A	55dB	N/A	N/A	Day
795	2025-03-03 14:50:47	69.29	55dB	2.7	169%	Day
796	2025-03-03 14:52:17	66.92	55dB	2.3	128%	Day
797	2025-03-03 14:53:56	70.79	55dB	3.0	199%	Day
798	2025-03-03 14:55:47	69.44	55dB	2.7	172%	Day
799	2025-03-03 14:58:12	75.30	55dB	4.1	308%	Day
800	2025-03-03 14:59:44	75.44	55dB	4.1	312%	Day
801	2025-03-03 15:01:57	71.45	55dB	3.1	213%	Day
802	2025-03-03 15:03:32	70.39	55dB	2.9	191%	Day
803	2025-03-03 15:05:37	71.42	55dB	3.1	212%	Day
804	2025-03-03 15:08:01	N/A	55dB	N/A	N/A	Day
805	2025-03-03 15:10:39	75.38	55dB	4.1	311%	Day
806	2025-03-03 15:12:22	68.51	55dB	2.6	155%	Day
807	2025-03-03 15:14:05	72.36	55dB	3.3	233%	Day
808	2025-03-03 15:19:16	N/A	55dB	N/A	N/A	Day
809	2025-03-03 15:24:14	73.04	55dB	3.5	249%	Day
810	2025-03-03 15:26:19	N/A	55dB	N/A	N/A	Day
811	2025-03-03 15:29:08	N/A	55dB	N/A	N/A	Day
812	2025-03-03 15:30:32	N/A	55dB	N/A	N/A	Day
813	2025-03-03 15:33:26	72.58	55dB	3.4	238%	Day
814	2025-03-03 15:35:39	67.91	55dB	2.4	145%	Day
815	2025-03-03 15:37:18	N/A	55dB	N/A	N/A	Day
816	2025-03-03 15:38:45	N/A	55dB	N/A	N/A	Day
817	2025-03-03 15:40:08	68.07	55dB	2.5	147%	Day
818	2025-03-03 15:41:23	N/A	55dB	N/A	N/A	Day
819	2025-03-03 15:42:46	N/A	55dB	N/A	N/A	Day
820	2025-03-03 15:44:10	N/A	55dB	N/A	N/A	Day
821	2025-03-03 15:46:39	N/A	55dB	N/A	N/A	Day
822	2025-03-03 15:48:11	76.00	55dB	4.3	329%	Day
823	2025-03-03 15:49:28	65.40	55dB	2.1	106%	Day
824	2025-03-03 15:52:56	N/A	55dB	N/A	N/A	Day
825	2025-03-03 15:54:26	74.88	55dB	4.0	297%	Day
826	2025-03-03 15:56:34	N/A	55dB	N/A	N/A	Day
827	2025-03-03 16:03:05	69.46	55dB	2.7	172%	Day
828	2025-03-03 16:05:49	N/A	55dB	N/A	N/A	Day
829	2025-03-03 16:07:35	68.60	55dB	2.6	157%	Day
830	2025-03-03 16:09:08	N/A	55dB	N/A	N/A	Day

831	2025-03-03 16:11:23	71.41	55dB	3.1	212%	Day
832	2025-03-03 16:13:43	72.29	55dB	3.3	231%	Day
833	2025-03-03 16:18:35	68.38	55dB	2.5	153%	Day
834	2025-03-03 16:20:23	69.04	55dB	2.6	165%	Day
835	2025-03-03 16:21:54	77.64	55dB	4.8	380%	Day
836	2025-03-03 16:23:22	N/A	55dB	N/A	N/A	Day
837	2025-03-03 16:25:40	70.84	55dB	3.0	200%	Day
838	2025-03-03 16:27:10	N/A	55dB	N/A	N/A	Day
839	2025-03-03 16:28:27	79.81	55dB	5.6	458%	Day
840	2025-03-03 16:30:37	N/A	55dB	N/A	N/A	Day
841	2025-03-03 16:32:01	67.60	55dB	2.4	139%	Day
842	2025-03-03 16:37:49	72.47	55dB	3.4	236%	Day
843	2025-03-03 16:41:21	75.71	55dB	4.2	320%	Day
844	2025-03-03 16:43:15	N/A	55dB	N/A	N/A	Day
845	2025-03-03 16:44:34	77.49	55dB	4.8	375%	Day
846	2025-03-03 16:46:06	68.87	55dB	2.6	162%	Day
847	2025-03-03 16:47:58	N/A	55dB	N/A	N/A	Day
848	2025-03-03 16:51:54	N/A	55dB	N/A	N/A	Day
849	2025-03-03 16:53:47	71.66	55dB	3.2	217%	Day
850	2025-03-03 16:57:03	71.95	55dB	3.2	224%	Day
851	2025-03-03 16:58:58	70.98	55dB	3.0	203%	Day
852	2025-03-03 17:01:02	N/A	55dB	N/A	N/A	Day
853	2025-03-03 17:05:34	71.17	55dB	3.1	207%	Day
854	2025-03-03 17:07:11	N/A	55dB	N/A	N/A	Day
855	2025-03-03 17:08:33	N/A	55dB	N/A	N/A	Day
856	2025-03-03 17:10:20	N/A	55dB	N/A	N/A	Day
857	2025-03-03 17:11:48	N/A	55dB	N/A	N/A	Day
858	2025-03-03 17:13:57	N/A	55dB	N/A	N/A	Day
859	2025-03-03 17:15:34	N/A	55dB	N/A	N/A	Day
860	2025-03-03 17:17:16	81.77	55dB	6.4	540%	Day
861	2025-03-03 17:20:14	N/A	55dB	N/A	N/A	Day
862	2025-03-03 17:21:46	69.25	55dB	2.7	169%	Day
863	2025-03-03 17:23:39	76.70	55dB	4.5	350%	Day
864	2025-03-03 17:24:51	N/A	55dB	N/A	N/A	Day
865	2025-03-03 17:29:26	69.75	55dB	2.8	178%	Day
866	2025-03-03 17:32:00	72.91	55dB	3.5	246%	Day
867	2025-03-03 17:34:20	N/A	55dB	N/A	N/A	Day
868	2025-03-03 17:36:49	71.32	55dB	3.1	210%	Day
869	2025-03-03 17:39:19	72.92	55dB	3.5	246%	Day
870	2025-03-03 17:41:30	70.70	55dB	3.0	197%	Day
871	2025-03-03 17:43:43	71.23	55dB	3.1	208%	Day
872	2025-03-03 17:46:00	72.63	55dB	3.4	239%	Day
873	2025-03-03 17:48:30	69.95	55dB	2.8	182%	Day
874	2025-03-03 17:53:27	76.21	55dB	4.3	335%	Day

875	2025-03-03 17:55:46	66.79	55dB	2.3	126%	Day
876	2025-03-03 17:58:36	70.80	55dB	3.0	199%	Day
877	2025-03-03 18:01:09	69.39	55dB	2.7	171%	Day
878	2025-03-03 18:11:56	70.08	55dB	2.8	184%	Day
879	2025-03-03 18:17:25	69.19	55dB	2.7	167%	Day
880	2025-03-03 18:19:56	71.78	55dB	3.2	220%	Day
881	2025-03-03 18:22:18	67.93	55dB	2.5	145%	Day
882	2025-03-03 18:25:06	70.98	55dB	3.0	203%	Day
883	2025-03-03 18:27:13	70.44	55dB	2.9	192%	Day
884	2025-03-03 18:29:46	72.32	55dB	3.3	232%	Day
885	2025-03-03 18:31:52	74.01	55dB	3.7	273%	Day
886	2025-03-03 18:34:11	N/A	55dB	N/A	N/A	Day
887	2025-03-03 18:36:05	70.94	55dB	3.0	202%	Day
888	2025-03-03 18:38:41	71.05	55dB	3.0	204%	Day
889	2025-03-03 18:41:44	72.19	55dB	3.3	229%	Day
890	2025-03-03 18:44:09	72.74	55dB	3.4	242%	Day
891	2025-03-03 18:46:09	N/A	55dB	N/A	N/A	Day
892	2025-03-03 18:48:39	72.78	55dB	3.4	243%	Day
893	2025-03-03 18:53:43	70.13	55dB	2.9	185%	Day
894	2025-03-03 18:56:27	71.00	55dB	3.0	203%	Day
895	2025-03-03 18:59:08	N/A	55dB	N/A	N/A	Day
896	2025-03-03 19:01:18	70.04	55dB	2.8	184%	Day
897	2025-03-03 19:06:12	71.09	55dB	3.1	205%	Day
898	2025-03-03 19:08:26	71.93	55dB	3.2	223%	Day
899	2025-03-03 19:15:54	69.95	55dB	2.8	182%	Day
900	2025-03-03 19:17:57	72.42	55dB	3.3	234%	Day
901	2025-03-03 19:20:13	72.24	55dB	3.3	230%	Day
902	2025-03-03 19:22:20	75.89	55dB	4.3	325%	Day
903	2025-03-03 19:24:36	76.64	55dB	4.5	348%	Day
904	2025-03-03 19:26:58	71.41	55dB	3.1	212%	Day
905	2025-03-03 19:29:19	74.16	55dB	3.8	277%	Day
906	2025-03-03 19:31:53	70.54	55dB	2.9	194%	Day
907	2025-03-03 19:34:03	71.81	55dB	3.2	221%	Day
908	2025-03-03 19:36:08	70.41	55dB	2.9	191%	Day
909	2025-03-03 19:38:01	69.84	55dB	2.8	180%	Day
910	2025-03-03 19:39:50	70.85	55dB	3.0	200%	Day
911	2025-03-03 19:41:43	68.81	55dB	2.6	160%	Day
912	2025-03-03 19:43:14	77.92	55dB	4.9	390%	Day
913	2025-03-03 19:45:36	N/A	55dB	N/A	N/A	Day
914	2025-03-03 19:47:11	N/A	55dB	N/A	N/A	Day
915	2025-03-03 19:48:46	72.66	55dB	3.4	240%	Day
916	2025-03-03 19:50:22	67.25	55dB	2.3	134%	Day
917	2025-03-03 19:52:07	69.97	55dB	2.8	182%	Day
918	2025-03-03 19:54:47	67.83	55dB	2.4	143%	Day

919	2025-03-03 19:56:54	N/A	55dB	N/A	N/A	Day
920	2025-03-03 19:58:15	N/A	55dB	N/A	N/A	Day
921	2025-03-03 20:00:58	N/A	55dB	N/A	N/A	Day
922	2025-03-03 20:02:34	N/A	55dB	N/A	N/A	Day
923	2025-03-03 20:05:38	N/A	55dB	N/A	N/A	Day
924	2025-03-03 20:07:11	N/A	55dB	N/A	N/A	Day
925	2025-03-03 20:08:20	71.61	55dB	3.2	216%	Day
926	2025-03-03 20:10:22	N/A	55dB	N/A	N/A	Day
927	2025-03-03 20:11:46	N/A	55dB	N/A	N/A	Day
928	2025-03-03 20:13:03	N/A	55dB	N/A	N/A	Day
929	2025-03-03 20:14:24	N/A	55dB	N/A	N/A	Day
930	2025-03-03 20:18:09	72.94	55dB	3.5	247%	Day
931	2025-03-03 20:20:24	68.75	55dB	2.6	159%	Day
932	2025-03-03 20:25:42	67.54	55dB	2.4	139%	Day
933	2025-03-03 20:27:30	N/A	55dB	N/A	N/A	Day
934	2025-03-03 20:29:17	N/A	55dB	N/A	N/A	Day
935	2025-03-03 20:31:02	N/A	55dB	N/A	N/A	Day
936	2025-03-03 20:36:13	70.29	55dB	2.9	189%	Day
937	2025-03-03 20:39:25	N/A	55dB	N/A	N/A	Day
938	2025-03-03 20:42:06	N/A	55dB	N/A	N/A	Day
939	2025-03-03 20:43:30	N/A	55dB	N/A	N/A	Day
940	2025-03-03 20:44:49	69.17	55dB	2.7	167%	Day
941	2025-03-03 20:46:03	68.08	55dB	2.5	148%	Day
942	2025-03-03 20:51:23	70.98	55dB	3.0	203%	Day
943	2025-03-03 20:53:26	N/A	55dB	N/A	N/A	Day
944	2025-03-03 20:55:01	N/A	55dB	N/A	N/A	Day
945	2025-03-03 20:56:18	N/A	55dB	N/A	N/A	Day
946	2025-03-03 20:57:36	67.48	55dB	2.4	138%	Day
947	2025-03-03 20:59:02	N/A	55dB	N/A	N/A	Day
948	2025-03-03 21:00:21	67.28	55dB	2.3	134%	Day
949	2025-03-03 21:01:47	N/A	55dB	N/A	N/A	Day
950	2025-03-03 21:03:19	N/A	55dB	N/A	N/A	Day
951	2025-03-03 21:04:36	N/A	55dB	N/A	N/A	Day
952	2025-03-03 21:06:41	N/A	55dB	N/A	N/A	Day
953	2025-03-03 21:08:50	N/A	55dB	N/A	N/A	Day
954	2025-03-03 21:09:56	N/A	55dB	N/A	N/A	Day
955	2025-03-03 21:11:15	N/A	55dB	N/A	N/A	Day
956	2025-03-03 21:12:40	N/A	55dB	N/A	N/A	Day
957	2025-03-03 21:13:56	70.50	55dB	2.9	193%	Day
958	2025-03-03 21:15:38	73.12	55dB	3.5	251%	Day
959	2025-03-03 21:17:32	N/A	55dB	N/A	N/A	Day
960	2025-03-03 21:19:12	N/A	55dB	N/A	N/A	Day
961	2025-03-03 21:21:00	N/A	55dB	N/A	N/A	Day
962	2025-03-03 21:22:37	75.02	55dB	4.0	301%	Day

963	2025-03-03 21:23:56	N/A	55dB	N/A	N/A	Day
964	2025-03-03 21:26:56	67.82	55dB	2.4	143%	Day
965	2025-03-03 21:29:46	N/A	55dB	N/A	N/A	Day
966	2025-03-03 21:34:20	66.45	55dB	2.2	121%	Day
967	2025-03-03 21:36:10	68.67	55dB	2.6	158%	Day
968	2025-03-03 21:37:42	N/A	55dB	N/A	N/A	Day
969	2025-03-03 21:40:01	66.09	55dB	2.2	116%	Day
970	2025-03-03 21:41:30	66.88	55dB	2.3	128%	Day
971	2025-03-03 21:45:11	N/A	55dB	N/A	N/A	Day
972	2025-03-03 21:50:06	N/A	55dB	N/A	N/A	Day
973	2025-03-03 21:53:20	66.47	55dB	2.2	121%	Day
974	2025-03-03 21:55:42	N/A	55dB	N/A	N/A	Day
975	2025-03-03 22:00:28	N/A	55dB	N/A	N/A	Day
976	2025-03-03 22:07:39	N/A	55dB	N/A	N/A	Day
977	2025-03-03 22:12:32	N/A	55dB	N/A	N/A	Day
978	2025-03-03 22:14:24	N/A	55dB	N/A	N/A	Day
979	2025-03-03 22:15:31	76.94	55dB	4.6	358%	Day
980	2025-03-03 22:17:11	N/A	55dB	N/A	N/A	Day
981	2025-03-03 22:18:38	68.90	55dB	2.6	162%	Day
982	2025-03-03 22:20:02	N/A	55dB	N/A	N/A	Day
983	2025-03-03 22:21:56	N/A	55dB	N/A	N/A	Day
984	2025-03-03 22:23:25	N/A	55dB	N/A	N/A	Day
985	2025-03-03 22:25:24	N/A	55dB	N/A	N/A	Day
986	2025-03-03 22:29:41	N/A	55dB	N/A	N/A	Day
987	2025-03-03 22:39:44	N/A	55dB	N/A	N/A	Day
988	2025-03-03 22:42:22	N/A	55dB	N/A	N/A	Day
989	2025-03-03 22:47:56	N/A	55dB	N/A	N/A	Day
990	2025-03-03 22:50:02	N/A	55dB	N/A	N/A	Day
991	2025-03-03 22:51:45	N/A	55dB	N/A	N/A	Day
992	2025-03-03 22:53:38	N/A	55dB	N/A	N/A	Day
993	2025-03-03 22:59:51	N/A	55dB	N/A	N/A	Day
994	2025-03-03 23:04:47	N/A	45dB	N/A	N/A	Night
995	2025-03-03 23:08:37	N/A	45dB	N/A	N/A	Night
996	2025-03-03 23:10:13	67.67	45dB	4.8	381%	Night
997	2025-03-03 23:11:58	N/A	45dB	N/A	N/A	Night
998	2025-03-03 23:15:34	67.05	45dB	4.6	361%	Night
999	2025-03-03 23:20:05	N/A	45dB	N/A	N/A	Night
1000	2025-03-03 23:25:16	N/A	45dB	N/A	N/A	Night
1001	2025-03-03 23:32:27	68.71	45dB	5.2	417%	Night
1002	2025-03-03 23:34:37	N/A	45dB	N/A	N/A	Night
1003	2025-03-03 23:36:28	N/A	45dB	N/A	N/A	Night
1004	2025-03-03 23:37:58	68.93	45dB	5.3	425%	Night
1005	2025-03-03 23:39:34	N/A	45dB	N/A	N/A	Night
1006	2025-03-03 23:41:15	70.94	45dB	6.0	504%	Night

1007	2025-03-03 23:43:23	N/A	45dB	N/A	N/A	Night
1008	2025-03-03 23:44:56	N/A	45dB	N/A	N/A	Night
1009	2025-03-03 23:46:26	N/A	45dB	N/A	N/A	Night
1010	2025-03-03 23:48:12	70.38	45dB	5.8	481%	Night
1011	2025-03-03 23:50:20	68.82	45dB	5.2	421%	Night
1012	2025-03-03 23:51:55	69.49	45dB	5.5	446%	Night
1013	2025-03-03 23:53:53	N/A	45dB	N/A	N/A	Night
1014	2025-03-03 23:57:25	70.35	45dB	5.8	480%	Night
1015	2025-03-03 23:59:48	N/A	45dB	N/A	N/A	Night
1016	2025-03-04 00:02:31	73.53	45dB	7.2	623%	Night
1017	2025-03-04 00:05:46	70.88	45dB	6.0	501%	Night
1018	2025-03-04 00:15:01	69.42	45dB	5.4	443%	Night
1019	2025-03-04 00:27:40	71.83	45dB	6.4	542%	Night
1020	2025-03-04 00:29:31	73.55	45dB	7.2	624%	Night
1021	2025-03-04 00:32:33	73.59	45dB	7.3	626%	Night
1022	2025-03-04 00:36:43	72.81	45dB	6.9	587%	Night
1023	2025-03-04 00:41:56	70.70	45dB	5.9	494%	Night
1024	2025-03-04 00:47:12	69.68	45dB	5.5	453%	Night
1025	2025-03-04 00:56:53	71.67	45dB	6.4	535%	Night
1026	2025-03-04 00:59:33	71.48	45dB	6.3	527%	Night
1027	2025-03-04 01:05:31	68.48	45dB	5.1	409%	Night
1028	2025-03-04 01:12:10	69.99	45dB	5.7	465%	Night
1029	2025-03-04 01:27:54	70.97	45dB	6.1	505%	Night
1030	2025-03-04 01:33:05	71.65	45dB	6.3	534%	Night
1031	2025-03-04 01:42:28	73.57	45dB	7.2	625%	Night
1032	2025-03-04 01:46:05	72.65	45dB	6.8	580%	Night
1033	2025-03-04 01:54:10	69.46	45dB	5.4	445%	Night
1034	2025-03-04 01:56:39	72.94	45dB	6.9	594%	Night
1035	2025-03-04 02:01:40	74.56	45dB	7.8	676%	Night
1036	2025-03-04 02:11:14	72.82	45dB	6.9	588%	Night
1037	2025-03-04 02:17:54	73.82	45dB	7.4	637%	Night
1038	2025-03-04 02:46:11	71.18	45dB	6.1	514%	Night
1039	2025-03-04 02:58:48	72.72	45dB	6.8	583%	Night
1040	2025-03-04 03:12:02	72.44	45dB	6.7	570%	Night
1041	2025-03-04 03:19:17	71.02	45dB	6.1	507%	Night
1042	2025-03-04 05:24:56	70.35	45dB	5.8	480%	Night
1043	2025-03-04 05:27:39	70.17	45dB	5.7	472%	Night
1044	2025-03-04 05:29:44	67.07	45dB	4.6	362%	Night
1045	2025-03-04 05:32:06	68.97	45dB	5.3	427%	Night
1046	2025-03-04 05:47:52	66.28	45dB	4.4	337%	Night
1047	2025-03-04 05:50:26	67.82	45dB	4.9	386%	Night
1048	2025-03-04 05:54:18	68.18	45dB	5.0	399%	Night
1049	2025-03-04 05:55:58	72.02	45dB	6.5	551%	Night
1050	2025-03-04 05:58:11	68.78	45dB	5.2	420%	Night

1051	2025-03-04 06:00:09	67.97	45dB	4.9	391%	Night
1052	2025-03-04 06:06:55	70.54	45dB	5.9	487%	Night
1053	2025-03-04 06:09:19	66.38	45dB	4.4	340%	Night
1054	2025-03-04 06:29:38	N/A	45dB	N/A	N/A	Night
1055	2025-03-04 06:31:10	66.85	45dB	4.5	355%	Night
1056	2025-03-04 06:33:04	68.66	45dB	5.2	416%	Night
1057	2025-03-04 06:34:39	67.07	45dB	4.6	362%	Night
1058	2025-03-04 06:35:48	N/A	45dB	N/A	N/A	Night
1059	2025-03-04 06:37:12	69.33	45dB	5.4	440%	Night
1060	2025-03-04 06:38:46	72.01	45dB	6.5	550%	Night
1061	2025-03-04 06:40:41	67.88	45dB	4.9	388%	Night
1062	2025-03-04 06:42:09	N/A	45dB	N/A	N/A	Night
1063	2025-03-04 06:43:12	N/A	45dB	N/A	N/A	Night
1064	2025-03-04 06:44:36	69.45	45dB	5.4	445%	Night
1065	2025-03-04 06:46:07	66.37	45dB	4.4	340%	Night
1066	2025-03-04 06:47:32	70.19	45dB	5.7	473%	Night
1067	2025-03-04 06:48:43	69.49	45dB	5.5	446%	Night
1068	2025-03-04 06:50:03	68.92	45dB	5.2	425%	Night
1069	2025-03-04 06:51:26	68.57	45dB	5.1	412%	Night
1070	2025-03-04 06:52:56	68.09	45dB	5.0	396%	Night
1071	2025-03-04 06:56:05	69.10	45dB	5.3	431%	Night
1072	2025-03-04 06:58:15	70.66	45dB	5.9	492%	Night
1073	2025-03-04 06:59:41	67.33	45dB	4.7	370%	Night
1074	2025-03-04 07:01:45	68.09	55dB	2.5	148%	Day
1075	2025-03-04 07:03:22	67.09	55dB	2.3	131%	Day
1076	2025-03-04 07:04:50	68.80	55dB	2.6	160%	Day
1077	2025-03-04 07:06:41	66.09	55dB	2.2	116%	Day
1078	2025-03-04 07:08:08	69.78	55dB	2.8	179%	Day
1079	2025-03-04 07:09:39	72.10	55dB	3.3	227%	Day
1080	2025-03-04 07:11:33	67.83	55dB	2.4	143%	Day
1081	2025-03-04 07:13:06	69.62	55dB	2.8	175%	Day
1082	2025-03-04 07:14:44	71.18	55dB	3.1	207%	Day
1083	2025-03-04 07:18:46	67.76	55dB	2.4	142%	Day
1084	2025-03-04 07:27:47	69.03	55dB	2.6	164%	Day
1085	2025-03-04 07:29:53	70.80	55dB	3.0	199%	Day
1086	2025-03-04 07:31:49	68.47	55dB	2.5	154%	Day
1087	2025-03-04 07:33:18	70.62	55dB	3.0	195%	Day
1088	2025-03-04 07:34:39	71.79	55dB	3.2	220%	Day
1089	2025-03-04 07:36:41	66.43	55dB	2.2	121%	Day
1090	2025-03-04 07:38:16	N/A	55dB	N/A	N/A	Day
1091	2025-03-04 07:39:47	N/A	55dB	N/A	N/A	Day
1092	2025-03-04 07:44:25	74.68	55dB	3.9	291%	Day
1093	2025-03-04 07:46:26	72.06	55dB	3.3	226%	Day
1094	2025-03-04 07:48:56	66.33	55dB	2.2	119%	Day

1095	2025-03-04 07:52:48	N/A	55dB	N/A	N/A	Day
1096	2025-03-04 07:58:26	70.97	55dB	3.0	203%	Day
1097	2025-03-04 08:02:01	N/A	55dB	N/A	N/A	Day
1098	2025-03-04 08:04:25	N/A	55dB	N/A	N/A	Day
1099	2025-03-04 08:06:23	69.78	55dB	2.8	179%	Day
1100	2025-03-04 08:11:33	70.85	55dB	3.0	200%	Day
1101	2025-03-04 08:13:20	67.30	55dB	2.3	135%	Day
1102	2025-03-04 08:15:04	69.78	55dB	2.8	179%	Day
1103	2025-03-04 08:20:06	68.82	55dB	2.6	161%	Day
1104	2025-03-04 08:23:10	N/A	55dB	N/A	N/A	Day
1105	2025-03-04 08:26:20	68.50	55dB	2.5	155%	Day
1106	2025-03-04 08:35:23	N/A	55dB	N/A	N/A	Day
1107	2025-03-04 08:37:45	67.57	55dB	2.4	139%	Day
1108	2025-03-04 08:39:45	67.48	55dB	2.4	138%	Day
1109	2025-03-04 08:42:01	N/A	55dB	N/A	N/A	Day
1110	2025-03-04 08:44:09	69.21	55dB	2.7	168%	Day
1111	2025-03-04 08:46:09	68.09	55dB	2.5	148%	Day
1112	2025-03-04 08:49:40	N/A	55dB	N/A	N/A	Day
1113	2025-03-04 09:05:41	N/A	55dB	N/A	N/A	Day
1114	2025-03-04 09:08:43	68.36	55dB	2.5	152%	Day
1115	2025-03-04 09:14:16	N/A	55dB	N/A	N/A	Day
1116	2025-03-04 09:19:25	N/A	55dB	N/A	N/A	Day
1117	2025-03-04 09:21:21	67.23	55dB	2.3	133%	Day
1118	2025-03-04 09:27:56	N/A	55dB	N/A	N/A	Day
1119	2025-03-04 09:32:44	N/A	55dB	N/A	N/A	Day
1120	2025-03-04 09:40:43	71.37	55dB	3.1	211%	Day
1121	2025-03-04 09:43:35	68.32	55dB	2.5	152%	Day
1122	2025-03-04 09:46:01	N/A	55dB	N/A	N/A	Day
1123	2025-03-04 09:49:54	N/A	55dB	N/A	N/A	Day
1124	2025-03-04 09:58:05	67.10	55dB	2.3	131%	Day
1125	2025-03-04 10:00:14	N/A	55dB	N/A	N/A	Day
1126	2025-03-04 10:04:57	77.01	55dB	4.6	360%	Day
1127	2025-03-04 10:10:39	66.47	55dB	2.2	121%	Day
1128	2025-03-04 10:17:15	68.98	55dB	2.6	164%	Day
1129	2025-03-04 10:23:46	N/A	55dB	N/A	N/A	Day
1130	2025-03-04 10:27:49	69.30	55dB	2.7	169%	Day
1131	2025-03-04 10:31:11	69.49	55dB	2.7	173%	Day
1132	2025-03-04 10:33:47	69.99	55dB	2.8	183%	Day
1133	2025-03-04 10:36:58	67.99	55dB	2.5	146%	Day
1134	2025-03-04 10:41:48	66.58	55dB	2.2	123%	Day
1135	2025-03-04 10:43:39	67.70	55dB	2.4	141%	Day
1136	2025-03-04 10:45:03	70.67	55dB	3.0	196%	Day
1137	2025-03-04 10:46:45	70.43	55dB	2.9	191%	Day
1138	2025-03-04 10:48:24	66.55	55dB	2.2	123%	Day

1139	2025-03-04 10:49:49	74.08	55dB	3.8	275%	Day
1140	2025-03-04 10:51:23	N/A	55dB	N/A	N/A	Day
1141	2025-03-04 10:54:40	70.39	55dB	2.9	191%	Day
1142	2025-03-04 10:57:01	71.01	55dB	3.0	203%	Day
1143	2025-03-04 11:03:46	68.11	55dB	2.5	148%	Day
1144	2025-03-04 11:06:27	66.69	55dB	2.2	125%	Day
1145	2025-03-04 11:08:48	68.62	55dB	2.6	157%	Day
1146	2025-03-04 11:10:16	N/A	55dB	N/A	N/A	Day
1147	2025-03-04 11:12:03	68.54	55dB	2.6	156%	Day
1148	2025-03-04 11:13:23	N/A	55dB	N/A	N/A	Day
1149	2025-03-04 11:14:54	67.21	55dB	2.3	133%	Day
1150	2025-03-04 11:16:48	68.01	55dB	2.5	146%	Day
1151	2025-03-04 11:18:30	71.60	55dB	3.2	216%	Day
1152	2025-03-04 11:20:17	N/A	55dB	N/A	N/A	Day
1153	2025-03-04 11:22:38	N/A	55dB	N/A	N/A	Day
1154	2025-03-04 11:24:21	N/A	55dB	N/A	N/A	Day
1155	2025-03-04 11:26:54	68.44	55dB	2.5	154%	Day
1156	2025-03-04 11:28:48	69.03	55dB	2.6	164%	Day
1157	2025-03-04 11:30:06	69.74	55dB	2.8	178%	Day
1158	2025-03-04 11:31:39	68.31	55dB	2.5	152%	Day
1159	2025-03-04 11:37:54	69.83	55dB	2.8	180%	Day
1160	2025-03-04 11:39:38	66.34	55dB	2.2	119%	Day
1161	2025-03-04 11:44:01	68.28	55dB	2.5	151%	Day
1162	2025-03-04 11:47:37	N/A	55dB	N/A	N/A	Day
1163	2025-03-04 11:50:25	69.57	55dB	2.7	175%	Day
1164	2025-03-04 11:52:15	73.70	55dB	3.7	266%	Day
1165	2025-03-04 11:56:00	N/A	55dB	N/A	N/A	Day
1166	2025-03-04 12:04:57	67.08	55dB	2.3	131%	Day
1167	2025-03-04 12:09:19	73.55	55dB	3.6	262%	Day
1168	2025-03-04 12:14:08	71.98	55dB	3.2	224%	Day
1169	2025-03-04 12:17:05	70.50	55dB	2.9	193%	Day
1170	2025-03-04 12:24:58	71.79	55dB	3.2	220%	Day
1171	2025-03-04 12:27:18	71.12	55dB	3.1	206%	Day
1172	2025-03-04 12:29:06	71.19	55dB	3.1	207%	Day
1173	2025-03-04 12:30:53	68.45	55dB	2.5	154%	Day
1174	2025-03-04 12:33:11	75.92	55dB	4.3	326%	Day
1175	2025-03-04 12:34:58	N/A	55dB	N/A	N/A	Day
1176	2025-03-04 12:36:37	67.24	55dB	2.3	134%	Day
1177	2025-03-04 12:38:21	66.39	55dB	2.2	120%	Day
1178	2025-03-04 12:39:53	67.42	55dB	2.4	137%	Day
1179	2025-03-04 12:41:17	67.54	55dB	2.4	139%	Day
1180	2025-03-04 12:42:40	N/A	55dB	N/A	N/A	Day
1181	2025-03-04 12:44:20	70.05	55dB	2.8	184%	Day
1182	2025-03-04 12:48:21	77.16	55dB	4.6	365%	Day

1183	2025-03-04 12:50:48	69.25	55dB	2.7	169%	Day
1184	2025-03-04 12:52:32	69.35	55dB	2.7	170%	Day
1185	2025-03-04 12:55:28	69.46	55dB	2.7	172%	Day
1186	2025-03-04 13:05:48	71.39	55dB	3.1	211%	Day
1187	2025-03-04 13:07:47	72.41	55dB	3.3	234%	Day
1188	2025-03-04 13:10:40	69.92	55dB	2.8	181%	Day
1189	2025-03-04 13:13:30	67.54	55dB	2.4	139%	Day
1190	2025-03-04 13:21:08	68.39	55dB	2.5	153%	Day
1191	2025-03-04 13:22:53	67.49	55dB	2.4	138%	Day
1192	2025-03-04 13:24:13	68.86	55dB	2.6	161%	Day
1193	2025-03-04 13:25:46	N/A	55dB	N/A	N/A	Day
1194	2025-03-04 13:27:18	70.27	55dB	2.9	188%	Day
1195	2025-03-04 13:28:54	70.86	55dB	3.0	200%	Day
1196	2025-03-04 13:31:08	68.63	55dB	2.6	157%	Day
1197	2025-03-04 13:32:47	72.86	55dB	3.4	245%	Day
1198	2025-03-04 13:34:41	N/A	55dB	N/A	N/A	Day
1199	2025-03-04 13:36:07	70.17	55dB	2.9	186%	Day
1200	2025-03-04 13:37:30	N/A	55dB	N/A	N/A	Day
1201	2025-03-04 13:39:18	69.44	55dB	2.7	172%	Day
1202	2025-03-04 13:46:00	67.25	55dB	2.3	134%	Day
1203	2025-03-04 13:50:02	68.77	55dB	2.6	160%	Day
1204	2025-03-04 13:52:48	71.44	55dB	3.1	213%	Day
1205	2025-03-04 13:58:14	67.84	55dB	2.4	144%	Day
1206	2025-03-04 14:00:32	N/A	55dB	N/A	N/A	Day
1207	2025-03-04 14:05:01	N/A	55dB	N/A	N/A	Day
1208	2025-03-04 14:08:43	67.90	55dB	2.4	145%	Day
1209	2025-03-04 14:10:55	68.72	55dB	2.6	159%	Day
1210	2025-03-04 14:13:31	70.25	55dB	2.9	188%	Day
1211	2025-03-04 14:15:33	70.07	55dB	2.8	184%	Day
1212	2025-03-04 14:17:49	70.87	55dB	3.0	200%	Day
1213	2025-03-04 14:19:55	74.51	55dB	3.9	287%	Day
1214	2025-03-04 14:22:07	68.20	55dB	2.5	150%	Day
1215	2025-03-04 14:23:31	N/A	55dB	N/A	N/A	Day
1216	2025-03-04 14:25:19	69.58	55dB	2.7	175%	Day
1217	2025-03-04 14:27:07	69.56	55dB	2.7	174%	Day
1218	2025-03-04 14:33:03	N/A	55dB	N/A	N/A	Day
1219	2025-03-04 14:38:52	69.39	55dB	2.7	171%	Day
1220	2025-03-04 14:41:36	72.37	55dB	3.3	233%	Day
1221	2025-03-04 14:43:32	70.35	55dB	2.9	190%	Day
1222	2025-03-04 14:45:46	68.59	55dB	2.6	157%	Day
1223	2025-03-04 14:47:47	N/A	55dB	N/A	N/A	Day
1224	2025-03-04 14:49:24	69.54	55dB	2.7	174%	Day
1225	2025-03-04 14:51:10	67.04	55dB	2.3	130%	Day
1226	2025-03-04 14:52:25	71.64	55dB	3.2	217%	Day

1227	2025-03-04 14:54:11	67.72	55dB	2.4	141%	Day
1228	2025-03-04 14:56:30	N/A	55dB	N/A	N/A	Day
1229	2025-03-04 14:57:56	66.70	55dB	2.3	125%	Day
1230	2025-03-04 15:00:24	74.04	55dB	3.7	274%	Day
1231	2025-03-04 15:02:53	71.11	55dB	3.1	205%	Day
1232	2025-03-04 15:04:51	67.72	55dB	2.4	141%	Day
1233	2025-03-04 15:08:08	69.57	55dB	2.7	175%	Day
1234	2025-03-04 15:09:38	N/A	55dB	N/A	N/A	Day
1235	2025-03-04 15:13:22	N/A	55dB	N/A	N/A	Day
1236	2025-03-04 15:15:03	69.45	55dB	2.7	172%	Day
1237	2025-03-04 15:16:53	68.75	55dB	2.6	159%	Day
1238	2025-03-04 15:19:00	68.41	55dB	2.5	153%	Day
1239	2025-03-04 15:21:31	68.37	55dB	2.5	153%	Day
1240	2025-03-04 15:23:51	70.40	55dB	2.9	191%	Day
1241	2025-03-04 15:26:26	71.33	55dB	3.1	210%	Day
1242	2025-03-04 15:28:47	72.86	55dB	3.4	245%	Day
1243	2025-03-04 15:31:28	66.66	55dB	2.2	124%	Day
1244	2025-03-04 15:33:24	70.98	55dB	3.0	203%	Day
1245	2025-03-04 15:35:03	72.28	55dB	3.3	231%	Day
1246	2025-03-04 15:37:33	69.66	55dB	2.8	176%	Day
1247	2025-03-04 15:39:41	71.80	55dB	3.2	220%	Day
1248	2025-03-04 15:42:40	70.59	55dB	2.9	195%	Day
1249	2025-03-04 15:47:45	N/A	55dB	N/A	N/A	Day
1250	2025-03-04 15:49:34	N/A	55dB	N/A	N/A	Day
1251	2025-03-04 15:51:23	67.79	55dB	2.4	143%	Day
1252	2025-03-04 15:53:01	66.64	55dB	2.2	124%	Day
1253	2025-03-04 15:54:41	69.05	55dB	2.6	165%	Day
1254	2025-03-04 15:56:27	N/A	55dB	N/A	N/A	Day
1255	2025-03-04 15:58:14	68.52	55dB	2.6	155%	Day
1256	2025-03-04 15:59:48	67.62	55dB	2.4	140%	Day
1257	2025-03-04 16:02:03	69.97	55dB	2.8	182%	Day
1258	2025-03-04 16:03:35	67.29	55dB	2.3	134%	Day
1259	2025-03-04 16:05:44	71.88	55dB	3.2	222%	Day
1260	2025-03-04 16:07:30	71.72	55dB	3.2	219%	Day
1261	2025-03-04 16:09:40	N/A	55dB	N/A	N/A	Day
1262	2025-03-04 16:11:13	69.67	55dB	2.8	176%	Day
1263	2025-03-04 16:17:34	N/A	55dB	N/A	N/A	Day
1264	2025-03-04 16:21:36	67.93	55dB	2.5	145%	Day
1265	2025-03-04 16:25:16	70.16	55dB	2.9	186%	Day
1266	2025-03-04 16:27:02	67.35	55dB	2.4	135%	Day
1267	2025-03-04 16:28:11	76.67	55dB	4.5	349%	Day
1268	2025-03-04 16:30:28	68.87	55dB	2.6	162%	Day
1269	2025-03-04 16:33:17	72.31	55dB	3.3	232%	Day
1270	2025-03-04 16:35:02	70.78	55dB	3.0	199%	Day

1271	2025-03-04 16:37:00	69.40	55dB	2.7	171%	Day
1272	2025-03-04 16:38:25	67.24	55dB	2.3	134%	Day
1273	2025-03-04 16:39:37	69.40	55dB	2.7	171%	Day
1274	2025-03-04 16:40:49	66.80	55dB	2.3	127%	Day
1275	2025-03-04 16:43:10	N/A	55dB	N/A	N/A	Day
1276	2025-03-04 16:44:56	N/A	55dB	N/A	N/A	Day
1277	2025-03-04 16:46:08	N/A	55dB	N/A	N/A	Day
1278	2025-03-04 16:47:28	68.68	55dB	2.6	158%	Day
1279	2025-03-04 16:48:43	69.60	55dB	2.8	175%	Day
1280	2025-03-04 16:53:16	66.80	55dB	2.3	127%	Day
1281	2025-03-04 16:54:42	69.52	55dB	2.7	174%	Day
1282	2025-03-04 16:58:31	73.07	55dB	3.5	250%	Day
1283	2025-03-04 17:01:51	72.42	55dB	3.3	234%	Day
1284	2025-03-04 17:04:28	74.07	55dB	3.8	275%	Day
1285	2025-03-04 17:07:00	70.23	55dB	2.9	187%	Day
1286	2025-03-04 17:09:08	68.52	55dB	2.6	155%	Day
1287	2025-03-04 17:11:24	68.82	55dB	2.6	161%	Day
1288	2025-03-04 17:13:40	76.24	55dB	4.4	336%	Day
1289	2025-03-04 17:20:32	68.98	55dB	2.6	164%	Day
1290	2025-03-04 17:22:40	74.16	55dB	3.8	277%	Day
1291	2025-03-04 17:25:09	69.92	55dB	2.8	181%	Day
1292	2025-03-04 17:28:34	72.73	55dB	3.4	242%	Day
1293	2025-03-04 17:30:48	71.15	55dB	3.1	206%	Day
1294	2025-03-04 17:33:44	74.43	55dB	3.8	285%	Day
1295	2025-03-04 17:36:18	N/A	55dB	N/A	N/A	Day
1296	2025-03-04 17:38:54	71.83	55dB	3.2	221%	Day
1297	2025-03-04 17:42:05	69.24	55dB	2.7	168%	Day
1298	2025-03-04 17:44:24	N/A	55dB	N/A	N/A	Day
1299	2025-03-04 17:58:57	N/A	55dB	N/A	N/A	Day
1300	2025-03-04 18:01:58	69.44	55dB	2.7	172%	Day
1301	2025-03-04 18:04:16	74.35	55dB	3.8	282%	Day
1302	2025-03-04 18:07:58	66.18	55dB	2.2	117%	Day
1303	2025-03-04 18:10:14	71.25	55dB	3.1	208%	Day
1304	2025-03-04 18:20:22	68.15	55dB	2.5	149%	Day
1305	2025-03-04 18:22:21	69.87	55dB	2.8	180%	Day
1306	2025-03-04 18:25:58	72.50	55dB	3.4	236%	Day
1307	2025-03-04 18:28:28	71.60	55dB	3.2	216%	Day
1308	2025-03-04 18:30:54	71.28	55dB	3.1	209%	Day
1309	2025-03-04 18:33:28	73.14	55dB	3.5	252%	Day
1310	2025-03-04 18:35:12	72.70	55dB	3.4	241%	Day
1311	2025-03-04 18:37:09	72.60	55dB	3.4	239%	Day
1312	2025-03-04 18:39:31	71.19	55dB	3.1	207%	Day
1313	2025-03-04 18:41:52	68.43	55dB	2.5	154%	Day
1314	2025-03-04 18:43:54	73.21	55dB	3.5	253%	Day

1315	2025-03-04 18:46:17	71.22	55dB	3.1	208%	Day
1316	2025-03-04 18:48:30	72.29	55dB	3.3	231%	Day
1317	2025-03-04 18:53:56	75.48	55dB	4.1	314%	Day
1318	2025-03-04 18:56:08	75.06	55dB	4.0	302%	Day
1319	2025-03-04 18:58:27	73.52	55dB	3.6	261%	Day
1320	2025-03-04 19:06:12	N/A	55dB	N/A	N/A	Day
1321	2025-03-04 19:07:58	76.57	55dB	4.5	346%	Day
1322	2025-03-04 19:10:37	N/A	55dB	N/A	N/A	Day
1323	2025-03-04 19:12:14	N/A	55dB	N/A	N/A	Day
1324	2025-03-04 19:14:20	N/A	55dB	N/A	N/A	Day
1325	2025-03-04 19:16:23	76.10	55dB	4.3	332%	Day
1326	2025-03-04 19:18:35	72.01	55dB	3.3	225%	Day
1327	2025-03-04 19:21:22	75.36	55dB	4.1	310%	Day
1328	2025-03-04 19:28:42	67.02	55dB	2.3	130%	Day
1329	2025-03-04 19:31:52	N/A	55dB	N/A	N/A	Day
1330	2025-03-04 19:43:46	78.69	55dB	5.2	417%	Day
1331	2025-03-04 19:45:43	N/A	55dB	N/A	N/A	Day
1332	2025-03-04 19:46:46	74.76	55dB	3.9	293%	Day
1333	2025-03-04 19:47:56	70.49	55dB	2.9	193%	Day
1334	2025-03-04 19:54:36	69.39	55dB	2.7	171%	Day
1335	2025-03-05 06:31:36	N/A	45dB	N/A	N/A	Night
1336	2025-03-05 06:32:57	68.99	45dB	5.3	427%	Night
1337	2025-03-05 06:33:55	74.91	45dB	8.0	695%	Night
1338	2025-03-05 06:37:18	74.15	45dB	7.5	654%	Night
1339	2025-03-05 06:38:22	77.08	45dB	9.2	824%	Night
1340	2025-03-05 06:39:43	74.39	45dB	7.7	667%	Night
1341	2025-03-05 06:41:24	77.49	45dB	9.5	851%	Night
1342	2025-03-05 06:44:32	73.39	45dB	7.2	616%	Night
1343	2025-03-05 06:45:34	68.79	45dB	5.2	420%	Night
1344	2025-03-05 06:47:12	78.15	45dB	10.0	895%	Night
1345	2025-03-05 06:48:42	N/A	45dB	N/A	N/A	Night
1346	2025-03-05 06:49:56	71.98	45dB	6.5	549%	Night
1347	2025-03-05 06:50:53	69.28	45dB	5.4	438%	Night
1348	2025-03-05 06:52:11	70.57	45dB	5.9	488%	Night
1349	2025-03-05 06:53:15	77.93	45dB	9.8	880%	Night
1350	2025-03-05 06:56:27	76.62	45dB	9.0	795%	Night
1351	2025-03-05 06:58:27	75.69	45dB	8.4	739%	Night
1352	2025-03-05 06:59:42	77.53	45dB	9.5	853%	Night
1353	2025-03-05 07:00:41	77.46	55dB	4.7	374%	Day
1354	2025-03-05 07:02:12	72.19	55dB	3.3	229%	Day
1355	2025-03-05 07:03:28	72.06	55dB	3.3	226%	Day
1356	2025-03-05 07:04:42	73.13	55dB	3.5	251%	Day
1357	2025-03-05 07:05:50	N/A	55dB	N/A	N/A	Day
1358	2025-03-05 07:07:04	71.13	55dB	3.1	206%	Day

1359	2025-03-05 07:11:20	76.34	55dB	4.4	339%	Day
1360	2025-03-05 07:12:53	76.05	55dB	4.3	330%	Day
1361	2025-03-05 07:14:09	77.68	55dB	4.8	382%	Day
1362	2025-03-05 07:18:26	73.25	55dB	3.5	254%	Day
1363	2025-03-05 07:20:14	72.57	55dB	3.4	238%	Day
1364	2025-03-05 07:21:14	70.99	55dB	3.0	203%	Day
1365	2025-03-05 07:22:23	75.37	55dB	4.1	310%	Day
1366	2025-03-05 07:24:22	N/A	55dB	N/A	N/A	Day
1367	2025-03-05 07:25:27	69.44	55dB	2.7	172%	Day
1368	2025-03-05 07:27:36	74.98	55dB	4.0	299%	Day
1369	2025-03-05 07:28:28	74.23	55dB	3.8	279%	Day
1370	2025-03-05 07:29:48	N/A	55dB	N/A	N/A	Day
1371	2025-03-05 07:31:30	72.32	55dB	3.3	232%	Day
1372	2025-03-05 07:32:58	73.66	55dB	3.6	265%	Day
1373	2025-03-05 07:34:27	70.38	55dB	2.9	190%	Day
1374	2025-03-05 07:36:19	N/A	55dB	N/A	N/A	Day
1375	2025-03-05 07:38:12	75.22	55dB	4.1	306%	Day
1376	2025-03-05 07:39:37	69.11	55dB	2.7	166%	Day
1377	2025-03-05 07:40:41	67.95	55dB	2.5	145%	Day
1378	2025-03-05 07:42:02	N/A	55dB	N/A	N/A	Day
1379	2025-03-05 07:43:17	N/A	55dB	N/A	N/A	Day
1380	2025-03-05 07:44:18	75.71	55dB	4.2	320%	Day
1381	2025-03-05 07:45:17	76.65	55dB	4.5	348%	Day
1382	2025-03-05 07:46:15	72.34	55dB	3.3	233%	Day
1383	2025-03-05 07:47:21	70.78	55dB	3.0	199%	Day
1384	2025-03-05 07:48:42	67.57	55dB	2.4	139%	Day
1385	2025-03-05 07:54:04	68.57	55dB	2.6	156%	Day
1386	2025-03-05 07:55:26	75.71	55dB	4.2	320%	Day
1387	2025-03-05 07:57:05	79.96	55dB	5.6	464%	Day
1388	2025-03-05 07:59:04	72.61	55dB	3.4	239%	Day
1389	2025-03-05 08:03:32	73.17	55dB	3.5	252%	Day
1390	2025-03-05 08:04:41	76.58	55dB	4.5	346%	Day
1391	2025-03-05 08:05:47	73.65	55dB	3.6	264%	Day
1392	2025-03-05 08:06:51	72.43	55dB	3.3	235%	Day
1393	2025-03-05 08:08:03	72.12	55dB	3.3	228%	Day
1394	2025-03-05 08:09:06	70.99	55dB	3.0	203%	Day
1395	2025-03-05 08:10:19	73.63	55dB	3.6	264%	Day
1396	2025-03-05 08:15:30	67.89	55dB	2.4	144%	Day
1397	2025-03-05 08:18:35	68.86	55dB	2.6	161%	Day
1398	2025-03-05 08:20:58	71.61	55dB	3.2	216%	Day
1399	2025-03-05 08:22:02	72.51	55dB	3.4	237%	Day
1400	2025-03-05 08:23:15	N/A	55dB	N/A	N/A	Day
1401	2025-03-05 08:26:05	N/A	55dB	N/A	N/A	Day
1402	2025-03-05 08:27:36	N/A	55dB	N/A	N/A	Day

1403	2025-03-05 08:29:45	70.86	55dB	3.0	200%	Day
1404	2025-03-05 08:35:52	71.99	55dB	3.2	225%	Day
1405	2025-03-05 08:37:52	72.71	55dB	3.4	241%	Day
1406	2025-03-05 08:39:13	71.42	55dB	3.1	212%	Day
1407	2025-03-05 08:40:58	71.44	55dB	3.1	213%	Day
1408	2025-03-05 08:42:38	75.10	55dB	4.0	303%	Day
1409	2025-03-05 08:45:06	N/A	55dB	N/A	N/A	Day
1410	2025-03-05 08:47:20	73.19	55dB	3.5	253%	Day
1411	2025-03-05 08:48:35	70.57	55dB	2.9	194%	Day
1412	2025-03-05 08:55:07	N/A	55dB	N/A	N/A	Day
1413	2025-03-05 09:01:16	68.29	55dB	2.5	151%	Day
1414	2025-03-05 09:03:52	73.03	55dB	3.5	249%	Day
1415	2025-03-05 09:13:17	75.89	55dB	4.3	325%	Day
1416	2025-03-05 09:19:37	N/A	55dB	N/A	N/A	Day
1417	2025-03-05 09:23:07	74.00	55dB	3.7	273%	Day
1418	2025-03-05 09:35:49	74.09	55dB	3.8	276%	Day
1419	2025-03-05 09:46:32	82.63	55dB	6.8	579%	Day
1420	2025-03-05 09:53:58	70.23	55dB	2.9	187%	Day
1421	2025-03-05 09:55:30	68.45	55dB	2.5	154%	Day
1422	2025-03-05 09:56:43	69.83	55dB	2.8	180%	Day
1423	2025-03-05 10:01:36	70.87	55dB	3.0	200%	Day
1424	2025-03-05 10:03:48	79.04	55dB	5.3	429%	Day
1425	2025-03-05 10:05:14	80.01	55dB	5.7	466%	Day
1426	2025-03-05 10:07:04	72.24	55dB	3.3	230%	Day
1427	2025-03-05 10:08:20	69.82	55dB	2.8	179%	Day
1428	2025-03-05 10:13:49	70.78	55dB	3.0	199%	Day
1429	2025-03-05 10:18:27	72.62	55dB	3.4	239%	Day
1430	2025-03-05 10:20:05	N/A	55dB	N/A	N/A	Day
1431	2025-03-05 10:22:50	N/A	55dB	N/A	N/A	Day
1432	2025-03-05 10:26:31	N/A	55dB	N/A	N/A	Day
1433	2025-03-05 10:30:18	N/A	55dB	N/A	N/A	Day
1434	2025-03-05 10:36:16	70.27	55dB	2.9	188%	Day
1435	2025-03-05 10:38:03	69.30	55dB	2.7	169%	Day
1436	2025-03-05 10:40:26	72.35	55dB	3.3	233%	Day
1437	2025-03-05 10:41:37	68.22	55dB	2.5	150%	Day
1438	2025-03-05 10:44:42	66.80	55dB	2.3	127%	Day
1439	2025-03-05 10:46:01	N/A	55dB	N/A	N/A	Day
1440	2025-03-05 10:47:17	72.12	55dB	3.3	228%	Day
1441	2025-03-05 10:48:30	70.99	55dB	3.0	203%	Day
1442	2025-03-05 10:49:40	68.76	55dB	2.6	160%	Day
1443	2025-03-05 10:50:27	72.61	55dB	3.4	239%	Day
1444	2025-03-05 10:51:48	72.94	55dB	3.5	247%	Day
1445	2025-03-05 10:54:27	70.12	55dB	2.9	185%	Day
1446	2025-03-05 10:55:41	67.69	55dB	2.4	141%	Day

1447	2025-03-05 10:56:46	71.79	55dB	3.2	220%	Day
1448	2025-03-05 10:58:00	68.22	55dB	2.5	150%	Day
1449	2025-03-05 11:01:47	N/A	55dB	N/A	N/A	Day
1450	2025-03-05 11:03:08	69.75	55dB	2.8	178%	Day
1451	2025-03-05 11:07:03	68.22	55dB	2.5	150%	Day
1452	2025-03-05 11:08:26	67.59	55dB	2.4	139%	Day
1453	2025-03-05 11:09:46	76.82	55dB	4.5	354%	Day
1454	2025-03-05 11:13:12	N/A	55dB	N/A	N/A	Day
1455	2025-03-05 11:14:33	79.29	55dB	5.4	439%	Day
1456	2025-03-05 11:17:28	83.27	55dB	7.1	610%	Day
1457	2025-03-05 11:19:48	72.67	55dB	3.4	240%	Day
1458	2025-03-05 11:30:38	72.83	55dB	3.4	244%	Day
1459	2025-03-05 11:39:07	76.28	55dB	4.4	337%	Day
1460	2025-03-05 11:39:14	76.28	55dB	4.4	337%	Day
1461	2025-03-05 11:40:15	73.40	55dB	3.6	258%	Day
1462	2025-03-05 11:41:44	73.06	55dB	3.5	250%	Day
1463	2025-03-05 11:47:26	73.87	55dB	3.7	270%	Day
1464	2025-03-05 11:51:25	75.38	55dB	4.1	311%	Day
1465	2025-03-05 12:01:54	73.74	55dB	3.7	267%	Day
1466	2025-03-05 12:03:00	73.50	55dB	3.6	261%	Day
1467	2025-03-05 12:04:45	N/A	55dB	N/A	N/A	Day
1468	2025-03-05 12:10:52	76.66	55dB	4.5	349%	Day
1469	2025-03-05 12:17:21	75.09	55dB	4.0	303%	Day
1470	2025-03-05 12:21:05	77.75	55dB	4.8	384%	Day
1471	2025-03-05 12:22:57	76.50	55dB	4.4	344%	Day
1472	2025-03-05 12:28:07	77.23	55dB	4.7	367%	Day
1473	2025-03-05 12:34:38	75.59	55dB	4.2	317%	Day
1474	2025-03-05 12:35:30	78.12	55dB	5.0	397%	Day
1475	2025-03-05 12:36:39	70.12	55dB	2.9	185%	Day
1476	2025-03-05 12:37:57	73.44	55dB	3.6	259%	Day
1477	2025-03-05 12:40:01	73.81	55dB	3.7	268%	Day
1478	2025-03-05 12:44:09	74.77	55dB	3.9	294%	Day
1479	2025-03-05 12:45:24	68.15	55dB	2.5	149%	Day
1480	2025-03-05 12:46:21	86.10	55dB	8.6	763%	Day
1481	2025-03-05 12:47:27	78.86	55dB	5.2	423%	Day
1482	2025-03-05 12:51:40	N/A	55dB	N/A	N/A	Day
1483	2025-03-05 12:52:52	80.61	55dB	5.9	490%	Day
1484	2025-03-05 12:57:07	76.16	55dB	4.3	333%	Day
1485	2025-03-05 12:59:34	N/A	55dB	N/A	N/A	Day
1486	2025-03-05 13:00:40	75.67	55dB	4.2	319%	Day
1487	2025-03-05 13:01:41	76.22	55dB	4.4	335%	Day
1488	2025-03-05 13:03:13	71.66	55dB	3.2	217%	Day
1489	2025-03-05 13:04:17	69.42	55dB	2.7	172%	Day
1490	2025-03-05 13:14:08	71.24	55dB	3.1	208%	Day

1491	2025-03-05 13:19:19	70.00	55dB	2.8	183%	Day
1492	2025-03-05 13:20:26	N/A	55dB	N/A	N/A	Day
1493	2025-03-05 13:22:08	69.31	55dB	2.7	170%	Day
1494	2025-03-05 13:24:47	N/A	55dB	N/A	N/A	Day
1495	2025-03-05 13:28:23	N/A	55dB	N/A	N/A	Day
1496	2025-03-05 13:29:26	81.42	55dB	6.2	524%	Day
1497	2025-03-05 16:41:17	73.25	55dB	3.5	254%	Day
1498	2025-03-05 16:43:15	72.83	55dB	3.4	244%	Day
1499	2025-03-05 16:45:59	71.51	55dB	3.1	214%	Day
1500	2025-03-05 16:49:26	70.90	55dB	3.0	201%	Day
1501	2025-03-05 16:51:18	73.82	55dB	3.7	269%	Day
1502	2025-03-05 16:54:16	67.33	55dB	2.4	135%	Day
1503	2025-03-05 16:55:53	72.28	55dB	3.3	231%	Day
1504	2025-03-05 16:59:28	67.22	55dB	2.3	133%	Day
1505	2025-03-05 17:03:39	67.36	55dB	2.4	136%	Day
1506	2025-03-05 17:05:02	72.05	55dB	3.3	226%	Day
1507	2025-03-05 17:06:24	70.22	55dB	2.9	187%	Day
1508	2025-03-05 17:10:13	73.60	55dB	3.6	263%	Day
1509	2025-03-05 17:14:21	67.96	55dB	2.5	146%	Day
1510	2025-03-05 17:15:57	66.51	55dB	2.2	122%	Day
1511	2025-03-05 17:17:24	70.90	55dB	3.0	201%	Day
1512	2025-03-05 17:20:50	70.44	55dB	2.9	192%	Day
1513	2025-03-05 17:22:13	N/A	55dB	N/A	N/A	Day
1514	2025-03-05 17:23:36	71.53	55dB	3.1	214%	Day
1515	2025-03-05 17:24:48	70.53	55dB	2.9	193%	Day
1516	2025-03-05 17:26:14	71.47	55dB	3.1	213%	Day
1517	2025-03-05 17:27:48	71.24	55dB	3.1	208%	Day
1518	2025-03-05 17:29:14	69.22	55dB	2.7	168%	Day
1519	2025-03-05 17:30:34	70.75	55dB	3.0	198%	Day
1520	2025-03-05 17:31:47	68.64	55dB	2.6	157%	Day
1521	2025-03-05 17:33:22	69.80	55dB	2.8	179%	Day
1522	2025-03-05 17:34:55	70.68	55dB	3.0	196%	Day
1523	2025-03-05 17:36:14	70.74	55dB	3.0	198%	Day
1524	2025-03-05 17:38:55	69.73	55dB	2.8	178%	Day
1525	2025-03-05 17:40:23	N/A	55dB	N/A	N/A	Day
1526	2025-03-05 17:45:04	70.74	55dB	3.0	198%	Day
1527	2025-03-05 17:46:31	69.59	55dB	2.7	175%	Day
1528	2025-03-05 18:46:33	N/A	55dB	N/A	N/A	Day
1529	2025-03-05 18:49:18	N/A	55dB	N/A	N/A	Day
1530	2025-03-05 18:50:36	69.21	55dB	2.7	168%	Day
1531	2025-03-05 18:52:34	71.11	55dB	3.1	205%	Day
1532	2025-03-05 18:54:04	67.59	55dB	2.4	139%	Day
1533	2025-03-05 18:55:21	67.47	55dB	2.4	137%	Day
1534	2025-03-05 18:56:49	68.83	55dB	2.6	161%	Day

1535	2025-03-05 18:58:46	84.97	55dB	8.0	698%	Day
1536	2025-03-05 19:01:17	N/A	55dB	N/A	N/A	Day
1537	2025-03-05 19:02:40	73.62	55dB	3.6	264%	Day
1538	2025-03-05 19:06:08	82.28	55dB	6.6	563%	Day
1539	2025-03-05 19:08:05	N/A	55dB	N/A	N/A	Day
1540	2025-03-05 19:10:33	N/A	55dB	N/A	N/A	Day
1541	2025-03-05 19:12:40	N/A	55dB	N/A	N/A	Day
1542	2025-03-05 19:14:30	70.20	55dB	2.9	187%	Day
1543	2025-03-05 19:16:47	74.45	55dB	3.9	285%	Day
1544	2025-03-05 19:18:56	75.55	55dB	4.2	316%	Day
1545	2025-03-05 19:25:16	N/A	55dB	N/A	N/A	Day
1546	2025-03-05 19:27:14	75.29	55dB	4.1	308%	Day
1547	2025-03-05 19:29:46	73.23	55dB	3.5	254%	Day
1548	2025-03-05 19:29:47	73.23	55dB	3.5	254%	Day
1549	2025-03-05 19:32:09	77.94	55dB	4.9	390%	Day
1550	2025-03-05 19:34:26	67.50	55dB	2.4	138%	Day
1551	2025-03-05 19:36:28	66.45	55dB	2.2	121%	Day
1552	2025-03-05 19:38:51	N/A	55dB	N/A	N/A	Day
1553	2025-03-05 19:42:47	68.35	55dB	2.5	152%	Day
1554	2025-03-05 19:46:02	N/A	55dB	N/A	N/A	Day
1555	2025-03-05 19:48:43	79.54	55dB	5.5	448%	Day
1556	2025-03-05 19:51:20	N/A	55dB	N/A	N/A	Day
1557	2025-03-05 19:53:30	75.73	55dB	4.2	321%	Day
1558	2025-03-05 19:55:51	72.66	55dB	3.4	240%	Day
1559	2025-03-05 19:58:50	67.77	55dB	2.4	142%	Day
1560	2025-03-05 20:01:25	81.64	55dB	6.3	534%	Day
1561	2025-03-05 20:11:08	68.99	55dB	2.6	164%	Day
1562	2025-03-05 20:14:44	75.03	55dB	4.0	301%	Day
1563	2025-03-05 20:16:22	N/A	55dB	N/A	N/A	Day
1564	2025-03-05 20:18:42	N/A	55dB	N/A	N/A	Day
1565	2025-03-05 20:24:21	N/A	55dB	N/A	N/A	Day
1566	2025-03-05 20:26:53	N/A	55dB	N/A	N/A	Day
1567	2025-03-05 20:29:07	73.94	55dB	3.7	272%	Day
1568	2025-03-05 20:30:54	78.56	55dB	5.1	412%	Day
1569	2025-03-05 20:33:20	N/A	55dB	N/A	N/A	Day
1570	2025-03-05 20:37:17	N/A	55dB	N/A	N/A	Day
1571	2025-03-05 20:43:35	78.32	55dB	5.0	404%	Day
1572	2025-03-05 20:45:51	N/A	55dB	N/A	N/A	Day
1573	2025-03-05 20:56:50	80.96	55dB	6.0	505%	Day
1574	2025-03-05 20:58:41	N/A	55dB	N/A	N/A	Day
1575	2025-03-05 21:01:08	N/A	55dB	N/A	N/A	Day
1576	2025-03-05 21:02:33	68.19	55dB	2.5	149%	Day
1577	2025-03-05 21:04:08	75.45	55dB	4.1	313%	Day
1578	2025-03-05 21:05:36	67.72	55dB	2.4	141%	Day

1579	2025-03-05 21:07:11	80.22	55dB	5.7	474%	Day
1580	2025-03-05 21:09:39	N/A	55dB	N/A	N/A	Day
1581	2025-03-05 21:11:07	68.14	55dB	2.5	149%	Day
1582	2025-03-05 21:21:36	69.91	55dB	2.8	181%	Day
1583	2025-03-05 21:23:12	73.40	55dB	3.6	258%	Day
1584	2025-03-05 21:24:34	73.11	55dB	3.5	251%	Day
1585	2025-03-05 21:26:28	68.80	55dB	2.6	160%	Day
1586	2025-03-05 21:33:06	77.39	55dB	4.7	372%	Day
1587	2025-03-05 21:38:24	76.07	55dB	4.3	331%	Day
1588	2025-03-05 21:43:07	78.34	55dB	5.0	404%	Day
1589	2025-03-05 21:51:52	81.69	55dB	6.4	536%	Day
1590	2025-03-05 22:04:27	73.74	55dB	3.7	267%	Day
1591	2025-03-05 22:08:31	71.92	55dB	3.2	223%	Day
1592	2025-03-05 22:10:23	73.89	55dB	3.7	270%	Day
1593	2025-03-05 22:16:22	72.76	55dB	3.4	242%	Day
1594	2025-03-05 22:22:28	78.11	55dB	5.0	396%	Day
1595	2025-03-05 22:24:15	72.43	55dB	3.3	235%	Day
1596	2025-03-05 22:25:58	69.13	55dB	2.7	166%	Day
1597	2025-03-05 22:29:43	80.69	55dB	5.9	493%	Day
1598	2025-03-05 22:35:31	N/A	55dB	N/A	N/A	Day
1599	2025-03-05 22:38:27	75.59	55dB	4.2	317%	Day
1600	2025-03-05 22:40:03	78.03	55dB	4.9	393%	Day
1601	2025-03-05 22:41:53	73.00	55dB	3.5	248%	Day
1602	2025-03-05 22:43:56	70.81	55dB	3.0	199%	Day
1603	2025-03-05 22:45:41	74.06	55dB	3.7	275%	Day
1604	2025-03-05 22:47:03	78.96	55dB	5.3	426%	Day
1605	2025-03-05 22:48:32	77.30	55dB	4.7	369%	Day
1606	2025-03-05 22:49:49	73.43	55dB	3.6	259%	Day
1607	2025-03-05 22:51:15	69.74	55dB	2.8	178%	Day
1608	2025-03-05 22:52:49	74.41	55dB	3.8	284%	Day
1609	2025-03-05 22:54:44	N/A	55dB	N/A	N/A	Day
1610	2025-03-05 22:56:33	71.00	55dB	3.0	203%	Day
1611	2025-03-05 22:58:01	N/A	55dB	N/A	N/A	Day
1612	2025-03-05 22:59:49	68.64	55dB	2.6	157%	Day
1613	2025-03-05 23:01:37	67.52	45dB	4.8	376%	Night
1614	2025-03-05 23:03:33	71.37	45dB	6.2	522%	Night
1615	2025-03-05 23:05:26	77.79	45dB	9.7	871%	Night
1616	2025-03-05 23:07:07	N/A	45dB	N/A	N/A	Night
1617	2025-03-05 23:08:57	70.28	45dB	5.8	477%	Night
1618	2025-03-05 23:10:41	67.37	45dB	4.7	371%	Night
1619	2025-03-05 23:11:51	78.15	45dB	10.0	895%	Night
1620	2025-03-05 23:13:27	72.21	45dB	6.6	559%	Night
1621	2025-03-05 23:16:14	69.50	45dB	5.5	446%	Night
1622	2025-03-05 23:17:58	72.56	45dB	6.8	576%	Night

1623	2025-03-05 23:20:00	71.94	45dB	6.5	547%	Night
1624	2025-03-05 23:22:53	71.77	45dB	6.4	540%	Night
1625	2025-03-05 23:24:34	79.43	45dB	10.9	988%	Night
1626	2025-03-05 23:25:56	72.86	45dB	6.9	590%	Night
1627	2025-03-05 23:27:28	69.21	45dB	5.4	436%	Night
1628	2025-03-05 23:28:58	70.77	45dB	6.0	497%	Night
1629	2025-03-05 23:30:14	73.32	45dB	7.1	612%	Night
1630	2025-03-05 23:32:10	69.93	45dB	5.6	463%	Night
1631	2025-03-05 23:33:42	70.97	45dB	6.1	505%	Night
1632	2025-03-05 23:35:03	71.63	45dB	6.3	533%	Night
1633	2025-03-05 23:36:27	71.37	45dB	6.2	522%	Night
1634	2025-03-05 23:38:21	71.79	45dB	6.4	540%	Night
1635	2025-03-05 23:40:14	75.59	45dB	8.3	733%	Night
1636	2025-03-05 23:42:07	69.35	45dB	5.4	441%	Night
1637	2025-03-05 23:44:04	70.07	45dB	5.7	468%	Night
1638	2025-03-05 23:45:37	N/A	45dB	N/A	N/A	Night
1639	2025-03-05 23:47:08	70.94	45dB	6.0	504%	Night
1640	2025-03-05 23:48:32	71.55	45dB	6.3	530%	Night
1641	2025-03-05 23:49:53	N/A	45dB	N/A	N/A	Night
1642	2025-03-05 23:51:18	76.26	45dB	8.7	773%	Night
1643	2025-03-05 23:52:50	71.16	45dB	6.1	513%	Night
1644	2025-03-05 23:54:19	67.56	45dB	4.8	378%	Night
1645	2025-03-05 23:55:42	71.68	45dB	6.4	536%	Night
1646	2025-03-05 23:57:09	74.07	45dB	7.5	650%	Night
1647	2025-03-05 23:58:26	69.89	45dB	5.6	461%	Night
1648	2025-03-05 23:59:43	N/A	45dB	N/A	N/A	Night
1649	2025-03-06 00:02:23	76.85	45dB	9.1	809%	Night
1650	2025-03-06 00:03:58	N/A	45dB	N/A	N/A	Night
1651	2025-03-06 00:05:33	84.18	45dB	15.1	1412%	Night
1652	2025-03-06 00:08:18	78.67	45dB	10.3	932%	Night
1653	2025-03-06 00:09:53	72.02	45dB	6.5	551%	Night
1654	2025-03-06 00:12:02	70.58	45dB	5.9	489%	Night
1655	2025-03-06 00:13:31	70.38	45dB	5.8	481%	Night
1656	2025-03-06 00:16:01	75.38	45dB	8.2	721%	Night
1657	2025-03-06 00:17:29	67.13	45dB	4.6	364%	Night
1658	2025-03-06 00:18:48	75.40	45dB	8.2	722%	Night
1659	2025-03-06 00:20:17	68.94	45dB	5.3	426%	Night
1660	2025-03-06 00:21:40	68.33	45dB	5.0	404%	Night
1661	2025-03-06 00:23:27	71.25	45dB	6.2	517%	Night
1662	2025-03-06 00:28:15	68.49	45dB	5.1	409%	Night
1663	2025-03-06 00:33:43	75.39	45dB	8.2	722%	Night
1664	2025-03-06 00:35:21	77.22	45dB	9.3	833%	Night
1665	2025-03-06 00:36:58	74.02	45dB	7.5	647%	Night
1666	2025-03-06 00:38:26	71.18	45dB	6.1	514%	Night

1667	2025-03-06 00:39:57	68.38	45dB	5.1	406%	Night
1668	2025-03-06 00:41:25	67.89	45dB	4.9	389%	Night
1669	2025-03-06 00:43:05	72.19	45dB	6.6	558%	Night
1670	2025-03-06 00:44:21	68.38	45dB	5.1	406%	Night
1671	2025-03-06 00:46:35	74.73	45dB	7.9	685%	Night
1672	2025-03-06 00:48:22	69.24	45dB	5.4	437%	Night
1673	2025-03-06 00:50:00	72.36	45dB	6.7	566%	Night
1674	2025-03-06 00:51:31	71.59	45dB	6.3	532%	Night
1675	2025-03-06 00:53:22	70.84	45dB	6.0	500%	Night
1676	2025-03-06 00:55:08	74.35	45dB	7.6	665%	Night
1677	2025-03-06 00:57:01	70.78	45dB	6.0	497%	Night
1678	2025-03-06 00:58:53	77.06	45dB	9.2	823%	Night
1679	2025-03-06 01:01:04	72.21	45dB	6.6	559%	Night
1680	2025-03-06 01:03:20	69.85	45dB	5.6	460%	Night
1681	2025-03-06 01:06:03	75.37	45dB	8.2	721%	Night
1682	2025-03-06 01:08:20	79.57	45dB	11.0	998%	Night
1683	2025-03-06 01:14:33	65.39	45dB	4.1	311%	Night
1684	2025-03-06 01:20:07	79.08	45dB	10.6	961%	Night
1685	2025-03-06 01:43:34	71.43	45dB	6.2	525%	Night
1686	2025-03-06 01:46:04	70.55	45dB	5.9	488%	Night
1687	2025-03-06 06:30:04	75.93	45dB	8.5	753%	Night
1688	2025-03-06 06:31:42	86.94	45dB	18.3	1730%	Night
1689	2025-03-06 06:33:05	N/A	45dB	N/A	N/A	Night
1690	2025-03-06 06:34:24	N/A	45dB	N/A	N/A	Night
1691	2025-03-06 06:35:57	78.81	45dB	10.4	942%	Night
1692	2025-03-06 06:37:12	82.66	45dB	13.6	1260%	Night
1693	2025-03-06 06:38:30	71.91	45dB	6.5	546%	Night
1694	2025-03-06 06:39:49	N/A	45dB	N/A	N/A	Night
1695	2025-03-06 06:41:42	84.54	45dB	15.5	1450%	Night
1696	2025-03-06 06:43:48	91.15	45dB	24.5	2350%	Night
1697	2025-03-06 06:48:53	82.18	45dB	13.2	1216%	Night
1698	2025-03-06 06:50:30	83.74	45dB	14.7	1366%	Night
1699	2025-03-06 06:52:31	85.49	45dB	16.6	1555%	Night
1700	2025-03-06 06:53:57	N/A	45dB	N/A	N/A	Night
1701	2025-03-06 06:55:25	69.49	45dB	5.5	446%	Night
1702	2025-03-06 06:56:42	70.54	45dB	5.9	487%	Night
1703	2025-03-06 06:57:55	81.64	45dB	12.7	1168%	Night
1704	2025-03-06 06:59:13	70.56	45dB	5.9	488%	Night
1705	2025-03-06 07:00:34	81.41	55dB	6.2	524%	Day
1706	2025-03-06 07:01:53	80.19	55dB	5.7	473%	Day
1707	2025-03-06 07:03:15	74.05	55dB	3.7	275%	Day
1708	2025-03-06 07:04:45	80.06	55dB	5.7	468%	Day
1709	2025-03-06 07:06:43	80.52	55dB	5.9	486%	Day
1710	2025-03-06 07:09:43	84.18	55dB	7.6	656%	Day

1711	2025-03-06 07:11:34	N/A	55dB	N/A	N/A	Day
1712	2025-03-06 07:15:46	70.08	55dB	2.8	184%	Day
1713	2025-03-06 07:21:26	81.54	55dB	6.3	529%	Day
1714	2025-03-06 07:25:00	N/A	55dB	N/A	N/A	Day
1715	2025-03-06 07:33:03	81.87	55dB	6.4	544%	Day
1716	2025-03-06 07:35:18	N/A	55dB	N/A	N/A	Day
1717	2025-03-06 07:37:43	71.90	55dB	3.2	223%	Day
1718	2025-03-06 07:39:57	80.26	55dB	5.8	476%	Day
1719	2025-03-06 07:42:33	N/A	55dB	N/A	N/A	Day
1720	2025-03-06 07:44:44	74.36	55dB	3.8	283%	Day
1721	2025-03-06 07:48:10	71.63	55dB	3.2	217%	Day
1722	2025-03-06 07:49:56	75.96	55dB	4.3	328%	Day
1723	2025-03-06 07:52:33	81.28	55dB	6.2	518%	Day
1724	2025-03-06 07:55:00	69.45	55dB	2.7	172%	Day
1725	2025-03-06 07:57:48	73.14	55dB	3.5	252%	Day
1726	2025-03-06 08:00:39	72.60	55dB	3.4	239%	Day
1727	2025-03-06 08:08:44	82.20	55dB	6.6	559%	Day
1728	2025-03-06 08:10:35	74.32	55dB	3.8	282%	Day
1729	2025-03-06 08:13:18	70.16	55dB	2.9	186%	Day
1730	2025-03-06 08:20:12	72.38	55dB	3.3	234%	Day
1731	2025-03-06 08:22:23	74.88	55dB	4.0	297%	Day
1732	2025-03-06 08:25:54	N/A	55dB	N/A	N/A	Day
1733	2025-03-06 08:28:06	75.12	55dB	4.0	303%	Day
1734	2025-03-06 08:41:15	86.10	55dB	8.6	763%	Day
1735	2025-03-06 08:43:08	82.97	55dB	6.9	595%	Day
1736	2025-03-06 08:58:23	70.60	55dB	2.9	195%	Day
1737	2025-03-06 09:03:02	85.64	55dB	8.4	736%	Day
1738	2025-03-06 09:08:36	69.70	55dB	2.8	177%	Day
1739	2025-03-06 09:10:24	76.01	55dB	4.3	329%	Day
1740	2025-03-06 09:15:10	75.35	55dB	4.1	310%	Day
1741	2025-03-06 09:18:39	78.31	55dB	5.0	403%	Day
1742	2025-03-06 09:20:18	73.10	55dB	3.5	251%	Day
1743	2025-03-06 09:24:55	75.74	55dB	4.2	321%	Day
1744	2025-03-06 09:31:18	78.44	55dB	5.1	408%	Day
1745	2025-03-06 09:33:10	73.94	55dB	3.7	272%	Day
1746	2025-03-06 09:35:37	69.13	55dB	2.7	166%	Day
1747	2025-03-06 09:37:30	75.86	55dB	4.2	325%	Day
1748	2025-03-06 09:39:19	75.36	55dB	4.1	310%	Day
1749	2025-03-06 09:41:50	79.42	55dB	5.4	443%	Day
1750	2025-03-06 09:44:18	79.84	55dB	5.6	459%	Day
1751	2025-03-06 09:47:41	71.81	55dB	3.2	221%	Day
1752	2025-03-06 09:50:17	69.79	55dB	2.8	179%	Day
1753	2025-03-06 09:55:10	81.72	55dB	6.4	537%	Day
1754	2025-03-06 10:08:03	N/A	55dB	N/A	N/A	Day

1755	2025-03-06 10:11:12	71.65	55dB	3.2	217%	Day
1756	2025-03-06 10:13:13	77.91	55dB	4.9	389%	Day
1757	2025-03-06 10:14:35	82.30	55dB	6.6	563%	Day
1758	2025-03-06 10:16:10	71.39	55dB	3.1	211%	Day
1759	2025-03-06 10:22:41	69.88	55dB	2.8	180%	Day
1760	2025-03-06 10:24:23	70.35	55dB	2.9	190%	Day
1761	2025-03-06 10:30:16	71.38	55dB	3.1	211%	Day
1762	2025-03-06 10:34:42	79.99	55dB	5.7	465%	Day
1763	2025-03-06 10:37:41	75.38	55dB	4.1	311%	Day
1764	2025-03-06 10:41:50	78.25	55dB	5.0	401%	Day
1765	2025-03-06 10:43:31	79.53	55dB	5.5	448%	Day
1766	2025-03-06 10:45:46	66.80	55dB	2.3	127%	Day
1767	2025-03-06 10:48:44	77.50	55dB	4.8	376%	Day
1768	2025-03-06 10:53:36	70.53	55dB	2.9	193%	Day
1769	2025-03-06 10:55:39	82.53	55dB	6.7	574%	Day
1770	2025-03-06 11:00:12	75.43	55dB	4.1	312%	Day
1771	2025-03-06 11:02:35	73.32	55dB	3.6	256%	Day
1772	2025-03-06 11:04:13	87.52	55dB	9.5	853%	Day
1773	2025-03-06 11:05:37	80.08	55dB	5.7	469%	Day
1774	2025-03-06 11:07:01	82.79	55dB	6.9	586%	Day
1775	2025-03-06 11:08:33	68.10	55dB	2.5	148%	Day
1776	2025-03-06 11:10:05	N/A	55dB	N/A	N/A	Day
1777	2025-03-06 11:11:31	77.30	55dB	4.7	369%	Day
1778	2025-03-06 11:14:14	69.05	55dB	2.6	165%	Day
1779	2025-03-06 11:16:07	79.51	55dB	5.5	447%	Day
1780	2025-03-06 11:18:39	74.95	55dB	4.0	299%	Day
1781	2025-03-06 11:20:15	80.62	55dB	5.9	491%	Day
1782	2025-03-06 11:21:43	85.36	55dB	8.2	720%	Day
1783	2025-03-06 11:23:02	67.16	55dB	2.3	132%	Day
1784	2025-03-06 11:24:28	85.90	55dB	8.5	751%	Day
1785	2025-03-06 11:25:43	N/A	55dB	N/A	N/A	Day
1786	2025-03-06 11:27:07	N/A	55dB	N/A	N/A	Day
1787	2025-03-06 11:31:26	82.83	55dB	6.9	588%	Day
1788	2025-03-06 11:32:41	70.12	55dB	2.9	185%	Day
1789	2025-03-06 11:34:45	N/A	55dB	N/A	N/A	Day
1790	2025-03-06 11:36:25	86.66	55dB	9.0	798%	Day
1791	2025-03-06 11:41:55	N/A	55dB	N/A	N/A	Day
1792	2025-03-06 11:43:21	N/A	55dB	N/A	N/A	Day
1793	2025-03-06 11:45:26	73.30	55dB	3.6	256%	Day
1794	2025-03-06 11:46:57	76.77	55dB	4.5	352%	Day
1795	2025-03-06 11:49:47	78.23	55dB	5.0	400%	Day
1796	2025-03-06 11:58:28	77.92	55dB	4.9	390%	Day
1797	2025-03-06 12:04:16	80.17	55dB	5.7	472%	Day
1798	2025-03-06 12:06:26	74.82	55dB	4.0	295%	Day

1799	2025-03-06 12:08:28	81.89	55dB	6.4	545%	Day
1800	2025-03-06 12:12:25	68.87	55dB	2.6	162%	Day
1801	2025-03-06 12:14:40	82.95	55dB	6.9	594%	Day
1802	2025-03-06 12:17:51	82.41	55dB	6.7	569%	Day
1803	2025-03-06 12:26:06	83.29	55dB	7.1	611%	Day
1804	2025-03-06 12:27:33	75.15	55dB	4.0	304%	Day
1805	2025-03-06 12:28:53	73.39	55dB	3.6	258%	Day
1806	2025-03-06 12:30:17	73.47	55dB	3.6	260%	Day
1807	2025-03-06 12:31:50	73.92	55dB	3.7	271%	Day
1808	2025-03-06 12:35:32	N/A	55dB	N/A	N/A	Day
1809	2025-03-06 12:38:07	81.09	55dB	6.1	510%	Day
1810	2025-03-06 12:39:41	83.89	55dB	7.4	641%	Day
1811	2025-03-06 12:41:24	86.02	55dB	8.6	759%	Day
1812	2025-03-06 12:42:43	81.64	55dB	6.3	534%	Day
1813	2025-03-06 12:44:13	73.12	55dB	3.5	251%	Day
1814	2025-03-06 12:45:35	77.55	55dB	4.8	377%	Day
1815	2025-03-06 12:47:52	74.96	55dB	4.0	299%	Day
1816	2025-03-06 12:49:13	80.76	55dB	6.0	496%	Day
1817	2025-03-06 12:50:42	87.73	55dB	9.7	867%	Day
1818	2025-03-06 12:52:01	76.56	55dB	4.5	346%	Day
1819	2025-03-06 12:53:25	80.01	55dB	5.7	466%	Day
1820	2025-03-06 12:54:57	70.77	55dB	3.0	198%	Day
1821	2025-03-06 12:56:56	89.13	55dB	10.7	965%	Day
1822	2025-03-06 13:01:28	92.50	55dB	13.5	1245%	Day
1823	2025-03-06 13:10:14	76.84	55dB	4.5	354%	Day
1824	2025-03-06 13:15:19	79.44	55dB	5.4	444%	Day
1825	2025-03-06 13:18:23	74.87	55dB	4.0	296%	Day
1826	2025-03-06 13:19:36	85.51	55dB	8.3	729%	Day
1827	2025-03-06 13:21:14	73.59	55dB	3.6	263%	Day
1828	2025-03-06 13:23:05	72.21	55dB	3.3	230%	Day
1829	2025-03-06 13:24:32	72.57	55dB	3.4	238%	Day
1830	2025-03-06 13:25:45	73.20	55dB	3.5	253%	Day
1831	2025-03-06 13:27:15	81.61	55dB	6.3	532%	Day
1832	2025-03-06 13:29:33	84.69	55dB	7.8	683%	Day
1833	2025-03-06 13:30:57	83.18	55dB	7.1	605%	Day
1834	2025-03-06 13:32:57	87.03	55dB	9.2	821%	Day
1835	2025-03-06 13:34:33	73.74	55dB	3.7	267%	Day
1836	2025-03-06 13:36:42	78.43	55dB	5.1	407%	Day
1837	2025-03-06 13:48:33	88.13	55dB	9.9	894%	Day
1838	2025-03-06 13:50:13	74.06	55dB	3.7	275%	Day
1839	2025-03-06 13:52:04	87.42	55dB	9.5	846%	Day
1840	2025-03-06 13:54:12	76.07	55dB	4.3	331%	Day
1841	2025-03-06 13:55:35	73.12	55dB	3.5	251%	Day
1842	2025-03-06 13:57:34	83.50	55dB	7.2	621%	Day

1843	2025-03-06 14:00:40	N/A	55dB	N/A	N/A	Day
1844	2025-03-06 14:02:07	74.05	55dB	3.7	275%	Day
1845	2025-03-06 14:03:33	89.25	55dB	10.7	974%	Day
1846	2025-03-06 14:05:56	89.39	55dB	10.8	985%	Day
1847	2025-03-06 14:07:32	82.76	55dB	6.8	585%	Day
1848	2025-03-06 14:09:40	79.81	55dB	5.6	458%	Day
1849	2025-03-06 14:11:37	72.71	55dB	3.4	241%	Day
1850	2025-03-06 14:13:05	74.20	55dB	3.8	278%	Day
1851	2025-03-06 14:15:24	76.36	55dB	4.4	340%	Day
1852	2025-03-06 14:17:30	86.61	55dB	8.9	794%	Day
1853	2025-03-06 14:18:44	74.30	55dB	3.8	281%	Day
1854	2025-03-06 14:20:11	88.22	55dB	10.0	900%	Day
1855	2025-03-06 14:21:33	74.20	55dB	3.8	278%	Day
1856	2025-03-06 14:23:01	85.58	55dB	8.3	733%	Day
1857	2025-03-06 14:24:20	87.31	55dB	9.4	839%	Day
1858	2025-03-06 14:27:07	89.24	55dB	10.7	973%	Day
1859	2025-03-06 14:29:16	79.67	55dB	5.5	453%	Day
1860	2025-03-06 14:31:16	84.07	55dB	7.5	650%	Day
1861	2025-03-06 14:32:50	87.07	55dB	9.2	823%	Day
1862	2025-03-06 14:34:17	84.84	55dB	7.9	691%	Day
1863	2025-03-06 14:35:54	84.81	55dB	7.9	690%	Day
1864	2025-03-06 14:37:27	72.76	55dB	3.4	242%	Day
1865	2025-03-06 14:39:02	77.63	55dB	4.8	380%	Day
1866	2025-03-06 14:42:14	81.61	55dB	6.3	532%	Day
1867	2025-03-06 14:43:32	75.19	55dB	4.1	305%	Day
1868	2025-03-06 14:45:02	80.74	55dB	6.0	495%	Day
1869	2025-03-06 14:46:38	76.25	55dB	4.4	336%	Day
1870	2025-03-06 14:48:52	78.64	55dB	5.1	415%	Day
1871	2025-03-06 14:50:16	81.62	55dB	6.3	533%	Day
1872	2025-03-06 14:51:40	75.11	55dB	4.0	303%	Day
1873	2025-03-06 14:53:08	76.73	55dB	4.5	351%	Day
1874	2025-03-06 14:54:27	75.21	55dB	4.1	306%	Day
1875	2025-03-06 14:55:56	81.39	55dB	6.2	523%	Day
1876	2025-03-06 14:57:42	78.54	55dB	5.1	411%	Day
1877	2025-03-06 14:59:24	75.02	55dB	4.0	301%	Day
1878	2025-03-06 15:06:02	84.42	55dB	7.7	668%	Day
1879	2025-03-06 15:07:40	87.08	55dB	9.2	824%	Day
1880	2025-03-06 15:09:20	89.09	55dB	10.6	962%	Day
1881	2025-03-06 22:49:21	74.87	55dB	4.0	296%	Day
1882	2025-03-06 22:50:41	72.34	55dB	3.3	233%	Day
1883	2025-03-06 22:52:31	68.96	55dB	2.6	163%	Day
1884	2025-03-06 22:54:41	74.58	55dB	3.9	289%	Day
1885	2025-03-06 22:56:20	68.48	55dB	2.5	155%	Day
1886	2025-03-06 22:57:51	N/A	55dB	N/A	N/A	Day

1887	2025-03-06 22:59:17	69.22	55dB	2.7	168%	Day
1888	2025-03-06 23:00:48	N/A	45dB	N/A	N/A	Night
1889	2025-03-06 23:02:32	N/A	45dB	N/A	N/A	Night
1890	2025-03-06 23:04:52	73.13	45dB	7.0	603%	Night
1891	2025-03-06 23:09:38	N/A	45dB	N/A	N/A	Night
1892	2025-03-06 23:23:38	N/A	45dB	N/A	N/A	Night
1893	2025-03-06 23:28:26	70.76	45dB	6.0	496%	Night
1894	2025-03-06 23:31:18	67.86	45dB	4.9	388%	Night
1895	2025-03-06 23:33:53	69.73	45dB	5.6	455%	Night
1896	2025-03-06 23:37:22	N/A	45dB	N/A	N/A	Night
1897	2025-03-06 23:41:07	N/A	45dB	N/A	N/A	Night
1898	2025-03-06 23:43:28	71.70	45dB	6.4	536%	Night
1899	2025-03-06 23:46:12	N/A	45dB	N/A	N/A	Night
1900	2025-03-06 23:48:38	70.76	45dB	6.0	496%	Night
1901	2025-03-06 23:50:49	76.72	45dB	9.0	801%	Night
1902	2025-03-06 23:53:28	70.99	45dB	6.1	506%	Night
1903	2025-03-06 23:55:35	78.46	45dB	10.2	917%	Night
1904	2025-03-06 23:57:40	73.88	45dB	7.4	640%	Night
1905	2025-03-06 23:59:49	70.62	45dB	5.9	491%	Night
1906	2025-03-07 00:02:18	67.51	45dB	4.8	376%	Night
1907	2025-03-07 00:04:09	71.34	45dB	6.2	521%	Night
1908	2025-03-07 00:07:02	66.94	45dB	4.6	358%	Night
1909	2025-03-07 00:08:51	69.48	45dB	5.5	446%	Night
1910	2025-03-07 00:10:37	73.66	45dB	7.3	629%	Night
1911	2025-03-07 00:13:07	68.95	45dB	5.3	426%	Night
1912	2025-03-07 00:14:51	70.48	45dB	5.8	485%	Night
1913	2025-03-07 00:16:16	67.80	45dB	4.9	386%	Night
1914	2025-03-07 00:17:53	69.61	45dB	5.5	451%	Night
1915	2025-03-07 00:19:24	66.30	45dB	4.4	338%	Night
1916	2025-03-07 00:21:01	72.08	45dB	6.5	553%	Night
1917	2025-03-07 00:22:41	73.78	45dB	7.4	635%	Night
1918	2025-03-07 00:25:02	69.38	45dB	5.4	442%	Night
1919	2025-03-07 00:26:22	66.91	45dB	4.6	357%	Night
1920	2025-03-07 00:27:49	70.10	45dB	5.7	470%	Night
1921	2025-03-07 00:29:21	67.97	45dB	4.9	391%	Night
1922	2025-03-07 00:31:10	67.85	45dB	4.9	387%	Night
1923	2025-03-07 00:32:43	68.89	45dB	5.2	424%	Night
1924	2025-03-07 00:36:18	72.01	45dB	6.5	550%	Night
1925	2025-03-07 00:55:33	69.31	45dB	5.4	439%	Night
1926	2025-03-07 00:58:38	N/A	45dB	N/A	N/A	Night
1927	2025-03-07 01:10:57	67.48	45dB	4.8	375%	Night
1928	2025-03-07 01:13:39	N/A	45dB	N/A	N/A	Night
1929	2025-03-07 01:17:19	70.39	45dB	5.8	481%	Night
1930	2025-03-07 01:24:22	72.59	45dB	6.8	577%	Night

1931	2025-03-07 01:32:20	72.99	45dB	7.0	596%	Night
1932	2025-03-07 01:41:45	74.67	45dB	7.8	682%	Night
1933	2025-03-07 01:43:23	72.39	45dB	6.7	568%	Night
1934	2025-03-07 01:46:37	70.16	45dB	5.7	472%	Night
1935	2025-03-07 01:51:35	70.88	45dB	6.0	501%	Night
1936	2025-03-07 01:57:23	72.21	45dB	6.6	559%	Night
1937	2025-03-07 02:00:22	65.15	45dB	4.0	304%	Night
1938	2025-03-07 02:07:42	71.39	45dB	6.2	523%	Night
1939	2025-03-07 02:13:47	77.40	45dB	9.4	845%	Night
1940	2025-03-07 02:21:26	72.28	45dB	6.6	563%	Night
1941	2025-03-07 02:23:54	72.21	45dB	6.6	559%	Night
1942	2025-03-07 02:29:46	69.19	45dB	5.3	435%	Night
1943	2025-03-07 02:33:58	69.92	45dB	5.6	463%	Night
1944	2025-03-07 02:37:56	72.58	45dB	6.8	576%	Night
1945	2025-03-07 02:50:58	71.04	45dB	6.1	508%	Night
1946	2025-03-07 02:55:30	80.62	45dB	11.8	1081%	Night
1947	2025-03-07 03:04:03	71.31	45dB	6.2	519%	Night
1948	2025-03-07 03:06:18	72.34	45dB	6.7	565%	Night
1949	2025-03-07 03:08:14	69.03	45dB	5.3	429%	Night
1950	2025-03-07 03:39:10	79.17	45dB	10.7	968%	Night
1951	2025-03-07 03:56:42	66.39	45dB	4.4	340%	Night
1952	2025-03-07 04:11:32	73.14	45dB	7.0	603%	Night
1953	2025-03-07 05:13:52	67.73	45dB	4.8	383%	Night
1954	2025-03-07 05:25:12	73.55	45dB	7.2	624%	Night
1955	2025-03-07 05:28:50	75.86	45dB	8.5	749%	Night
1956	2025-03-07 05:33:52	70.19	45dB	5.7	473%	Night
1957	2025-03-07 05:36:08	73.58	45dB	7.3	625%	Night
1958	2025-03-07 05:38:33	69.84	45dB	5.6	459%	Night
1959	2025-03-07 05:40:17	73.84	45dB	7.4	638%	Night
1960	2025-03-07 05:42:53	71.33	45dB	6.2	520%	Night
1961	2025-03-07 05:48:34	73.28	45dB	7.1	610%	Night
1962	2025-03-07 05:59:53	78.02	45dB	9.9	886%	Night
1963	2025-03-07 06:03:45	71.76	45dB	6.4	539%	Night
1964	2025-03-07 06:29:16	N/A	45dB	N/A	N/A	Night
1965	2025-03-07 06:30:39	69.04	45dB	5.3	429%	Night
1966	2025-03-07 06:32:02	67.13	45dB	4.6	364%	Night
1967	2025-03-07 06:33:26	78.77	45dB	10.4	939%	Night
1968	2025-03-07 06:34:42	N/A	45dB	N/A	N/A	Night
1969	2025-03-07 06:36:44	73.04	45dB	7.0	598%	Night
1970	2025-03-07 06:38:08	N/A	45dB	N/A	N/A	Night
1971	2025-03-07 06:40:15	70.68	45dB	5.9	493%	Night
1972	2025-03-07 06:41:50	71.36	45dB	6.2	522%	Night
1973	2025-03-07 06:43:36	76.28	45dB	8.7	774%	Night
1974	2025-03-07 06:44:49	81.02	45dB	12.1	1114%	Night

1975	2025-03-07 06:46:26	N/A	45dB	N/A	N/A	Night
1976	2025-03-07 06:47:59	68.16	45dB	5.0	398%	Night
1977	2025-03-07 06:49:26	70.56	45dB	5.9	488%	Night
1978	2025-03-07 06:50:45	71.87	45dB	6.4	544%	Night
1979	2025-03-07 06:52:08	71.16	45dB	6.1	513%	Night
1980	2025-03-07 06:53:25	67.28	45dB	4.7	368%	Night
1981	2025-03-07 06:55:25	72.13	45dB	6.6	556%	Night
1982	2025-03-07 06:58:01	72.58	45dB	6.8	576%	Night
1983	2025-03-07 07:00:46	78.02	55dB	4.9	393%	Day
1984	2025-03-07 07:07:37	71.35	55dB	3.1	211%	Day
1985	2025-03-07 07:13:50	70.22	55dB	2.9	187%	Day
1986	2025-03-07 07:15:58	71.70	55dB	3.2	218%	Day
1987	2025-03-07 07:17:23	N/A	55dB	N/A	N/A	Day
1988	2025-03-07 07:19:22	N/A	55dB	N/A	N/A	Day
1989	2025-03-07 07:30:31	71.95	55dB	3.2	224%	Day
1990	2025-03-07 07:33:22	69.04	55dB	2.6	165%	Day
1991	2025-03-07 07:35:03	76.32	55dB	4.4	338%	Day
1992	2025-03-07 07:41:24	79.80	55dB	5.6	458%	Day
1993	2025-03-07 07:53:02	77.14	55dB	4.6	364%	Day
1994	2025-03-07 07:55:57	77.01	55dB	4.6	360%	Day
1995	2025-03-07 08:00:56	76.35	55dB	4.4	339%	Day
1996	2025-03-07 08:03:22	74.82	55dB	4.0	295%	Day
1997	2025-03-07 08:05:07	84.69	55dB	7.8	683%	Day
1998	2025-03-07 08:09:15	85.10	55dB	8.1	706%	Day
1999	2025-03-07 08:13:37	84.74	55dB	7.9	686%	Day
2000	2025-03-07 08:19:20	N/A	55dB	N/A	N/A	Day
2001	2025-03-07 08:22:58	79.70	55dB	5.5	454%	Day
2002	2025-03-07 08:29:27	73.63	55dB	3.6	264%	Day
2003	2025-03-07 08:32:49	72.04	55dB	3.3	226%	Day
2004	2025-03-07 08:41:46	81.13	55dB	6.1	512%	Day
2005	2025-03-07 08:44:38	68.50	55dB	2.5	155%	Day
2006	2025-03-07 08:50:15	N/A	55dB	N/A	N/A	Day
2007	2025-03-07 09:03:31	81.86	55dB	6.4	544%	Day
2008	2025-03-07 09:11:12	N/A	55dB	N/A	N/A	Day
2009	2025-03-07 09:13:25	83.45	55dB	7.2	619%	Day
2010	2025-03-07 09:17:47	83.25	55dB	7.1	609%	Day
2011	2025-03-07 09:23:32	81.76	55dB	6.4	539%	Day
2012	2025-03-07 09:30:56	73.52	55dB	3.6	261%	Day
2013	2025-03-07 09:32:37	76.52	55dB	4.4	344%	Day
2014	2025-03-07 09:34:23	79.87	55dB	5.6	461%	Day
2015	2025-03-07 09:35:51	85.39	55dB	8.2	722%	Day
2016	2025-03-07 09:41:11	83.66	55dB	7.3	629%	Day
2017	2025-03-07 10:08:42	76.58	55dB	4.5	346%	Day
2018	2025-03-07 10:47:10	74.79	55dB	3.9	294%	Day

2019	2025-03-07 11:19:23	74.70	55dB	3.9	292%	Day
2020	2025-03-07 11:21:02	85.05	55dB	8.0	703%	Day
2021	2025-03-07 11:22:25	72.55	55dB	3.4	238%	Day
2022	2025-03-07 11:24:39	86.07	55dB	8.6	762%	Day
2023	2025-03-07 11:26:22	83.35	55dB	7.1	614%	Day
2024	2025-03-07 11:27:49	80.37	55dB	5.8	480%	Day
2025	2025-03-07 11:29:10	86.06	55dB	8.6	761%	Day
2026	2025-03-07 11:30:31	68.82	55dB	2.6	161%	Day
2027	2025-03-07 11:32:34	76.41	55dB	4.4	341%	Day
2028	2025-03-07 11:34:03	75.62	55dB	4.2	318%	Day
2029	2025-03-07 11:35:15	82.90	55dB	6.9	592%	Day
2030	2025-03-07 11:36:46	N/A	55dB	N/A	N/A	Day
2031	2025-03-07 11:38:26	86.06	55dB	8.6	761%	Day
2032	2025-03-07 12:58:26	79.10	55dB	5.3	431%	Day
2033	2025-03-07 13:01:55	85.12	55dB	8.1	707%	Day
2034	2025-03-07 13:06:36	75.44	55dB	4.1	312%	Day
2035	2025-03-07 13:08:26	69.52	55dB	2.7	174%	Day
2036	2025-03-07 13:09:55	N/A	55dB	N/A	N/A	Day
2037	2025-03-07 13:11:03	76.68	55dB	4.5	349%	Day
2038	2025-03-07 13:12:54	79.98	55dB	5.6	465%	Day
2039	2025-03-07 13:22:36	72.96	55dB	3.5	247%	Day
2040	2025-03-07 13:24:03	N/A	55dB	N/A	N/A	Day
2041	2025-03-07 13:25:28	N/A	55dB	N/A	N/A	Day
2042	2025-03-07 13:27:58	81.18	55dB	6.1	514%	Day
2043	2025-03-07 13:29:31	67.05	55dB	2.3	131%	Day
2044	2025-03-07 13:31:01	70.86	55dB	3.0	200%	Day
2045	2025-03-07 13:32:37	72.21	55dB	3.3	230%	Day
2046	2025-03-07 13:34:08	85.13	55dB	8.1	707%	Day
2047	2025-03-07 13:35:58	77.13	55dB	4.6	364%	Day
2048	2025-03-07 13:37:24	74.09	55dB	3.8	276%	Day
2049	2025-03-07 13:38:50	75.73	55dB	4.2	321%	Day
2050	2025-03-07 13:40:12	67.74	55dB	2.4	142%	Day
2051	2025-03-07 13:42:25	76.84	55dB	4.5	354%	Day
2052	2025-03-07 13:44:06	80.86	55dB	6.0	500%	Day
2053	2025-03-07 13:46:47	71.61	55dB	3.2	216%	Day
2054	2025-03-07 13:49:32	88.89	55dB	10.5	948%	Day
2055	2025-03-07 13:51:32	70.31	55dB	2.9	189%	Day
2056	2025-03-07 13:54:47	82.10	55dB	6.5	554%	Day
2057	2025-03-07 14:00:01	74.28	55dB	3.8	281%	Day
2058	2025-03-07 14:01:29	75.09	55dB	4.0	303%	Day
2059	2025-03-07 14:03:18	87.70	55dB	9.6	865%	Day
2060	2025-03-07 14:04:37	74.33	55dB	3.8	282%	Day
2061	2025-03-07 14:05:44	71.97	55dB	3.2	224%	Day
2062	2025-03-07 14:06:58	N/A	55dB	N/A	N/A	Day

2063	2025-03-07 14:09:06	N/A	55dB	N/A	N/A	Day
2064	2025-03-07 14:10:48	72.57	55dB	3.4	238%	Day
2065	2025-03-07 14:14:33	N/A	55dB	N/A	N/A	Day
2066	2025-03-07 14:15:46	78.42	55dB	5.1	407%	Day
2067	2025-03-07 14:18:06	N/A	55dB	N/A	N/A	Day
2068	2025-03-07 14:20:09	67.02	55dB	2.3	130%	Day
2069	2025-03-07 14:21:21	76.59	55dB	4.5	347%	Day
2070	2025-03-07 14:22:46	72.05	55dB	3.3	226%	Day
2071	2025-03-07 14:24:15	73.35	55dB	3.6	257%	Day
2072	2025-03-07 14:26:33	80.31	55dB	5.8	478%	Day
2073	2025-03-07 14:30:35	75.53	55dB	4.1	315%	Day
2074	2025-03-07 14:36:16	69.97	55dB	2.8	182%	Day
2075	2025-03-07 14:38:03	68.43	55dB	2.5	154%	Day
2076	2025-03-07 14:40:09	73.60	55dB	3.6	263%	Day
2077	2025-03-07 14:42:27	71.80	55dB	3.2	220%	Day
2078	2025-03-07 14:45:12	75.90	55dB	4.3	326%	Day
2079	2025-03-07 14:48:48	75.04	55dB	4.0	301%	Day
2080	2025-03-07 14:50:14	79.82	55dB	5.6	459%	Day
2081	2025-03-07 14:51:20	82.01	55dB	6.5	550%	Day
2082	2025-03-07 14:53:06	78.57	55dB	5.1	412%	Day
2083	2025-03-07 14:54:48	75.16	55dB	4.0	304%	Day
2084	2025-03-07 14:57:06	72.60	55dB	3.4	239%	Day
2085	2025-03-07 14:58:49	78.76	55dB	5.2	419%	Day
2086	2025-03-07 15:01:17	72.18	55dB	3.3	229%	Day
2087	2025-03-07 15:02:55	70.47	55dB	2.9	192%	Day
2088	2025-03-07 15:07:41	N/A	55dB	N/A	N/A	Day
2089	2025-03-07 15:09:12	71.77	55dB	3.2	220%	Day
2090	2025-03-07 15:10:38	81.80	55dB	6.4	541%	Day
2091	2025-03-07 15:12:40	80.51	55dB	5.9	486%	Day
2092	2025-03-07 15:14:03	69.78	55dB	2.8	179%	Day
2093	2025-03-07 15:15:27	72.30	55dB	3.3	232%	Day
2094	2025-03-07 15:17:32	76.29	55dB	4.4	337%	Day
2095	2025-03-07 15:18:59	N/A	55dB	N/A	N/A	Day
2096	2025-03-07 15:20:55	67.50	55dB	2.4	138%	Day
2097	2025-03-07 15:22:45	70.62	55dB	3.0	195%	Day
2098	2025-03-07 15:24:32	N/A	55dB	N/A	N/A	Day
2099	2025-03-07 15:26:07	74.21	55dB	3.8	279%	Day
2100	2025-03-07 15:27:33	79.58	55dB	5.5	449%	Day
2101	2025-03-07 15:29:08	68.67	55dB	2.6	158%	Day
2102	2025-03-07 15:30:26	66.56	55dB	2.2	123%	Day
2103	2025-03-07 15:32:02	N/A	55dB	N/A	N/A	Day
2104	2025-03-07 15:33:36	69.00	55dB	2.6	164%	Day
2105	2025-03-07 15:35:09	79.81	55dB	5.6	458%	Day
2106	2025-03-07 15:37:42	73.38	55dB	3.6	258%	Day

2107	2025-03-07 15:39:07	69.42	55dB	2.7	172%	Day
2108	2025-03-07 15:43:56	74.56	55dB	3.9	288%	Day
2109	2025-03-07 15:46:14	73.17	55dB	3.5	252%	Day
2110	2025-03-07 15:47:30	71.35	55dB	3.1	211%	Day
2111	2025-03-07 15:48:49	68.67	55dB	2.6	158%	Day
2112	2025-03-07 15:50:13	68.01	55dB	2.5	146%	Day
2113	2025-03-07 15:52:07	N/A	55dB	N/A	N/A	Day
2114	2025-03-07 15:53:42	84.90	55dB	7.9	694%	Day
2115	2025-03-07 15:56:37	76.57	55dB	4.5	346%	Day
2116	2025-03-07 15:58:24	N/A	55dB	N/A	N/A	Day
2117	2025-03-07 16:00:07	72.68	55dB	3.4	241%	Day
2118	2025-03-07 16:02:41	N/A	55dB	N/A	N/A	Day
2119	2025-03-07 16:05:36	N/A	55dB	N/A	N/A	Day
2120	2025-03-07 16:08:05	N/A	55dB	N/A	N/A	Day
2121	2025-03-07 16:09:31	69.79	55dB	2.8	179%	Day
2122	2025-03-07 16:11:01	N/A	55dB	N/A	N/A	Day
2123	2025-03-07 16:12:22	73.40	55dB	3.6	258%	Day
2124	2025-03-07 16:14:29	79.46	55dB	5.4	445%	Day
2125	2025-03-07 16:15:41	73.17	55dB	3.5	252%	Day
2126	2025-03-07 16:17:15	73.10	55dB	3.5	251%	Day
2127	2025-03-07 16:19:00	78.25	55dB	5.0	401%	Day
2128	2025-03-07 16:21:32	74.35	55dB	3.8	282%	Day
2129	2025-03-07 16:22:48	81.04	55dB	6.1	508%	Day
2130	2025-03-07 16:25:43	N/A	55dB	N/A	N/A	Day
2131	2025-03-07 16:36:04	68.80	55dB	2.6	160%	Day
2132	2025-03-07 16:38:15	73.66	55dB	3.6	265%	Day
2133	2025-03-07 16:40:28	73.25	55dB	3.5	254%	Day
2134	2025-03-07 16:50:49	80.66	55dB	5.9	492%	Day
2135	2025-03-07 16:54:07	77.17	55dB	4.6	365%	Day
2136	2025-03-07 16:57:34	82.17	55dB	6.6	558%	Day
2137	2025-03-07 16:59:56	84.42	55dB	7.7	668%	Day
2138	2025-03-07 17:01:31	77.77	55dB	4.8	385%	Day
2139	2025-03-07 17:04:40	76.77	55dB	4.5	352%	Day
2140	2025-03-07 17:06:26	67.72	55dB	2.4	141%	Day
2141	2025-03-07 17:07:56	N/A	55dB	N/A	N/A	Day
2142	2025-03-07 17:09:41	N/A	55dB	N/A	N/A	Day
2143	2025-03-07 17:12:50	67.03	55dB	2.3	130%	Day
2144	2025-03-07 17:15:10	N/A	55dB	N/A	N/A	Day
2145	2025-03-07 17:16:47	N/A	55dB	N/A	N/A	Day
2146	2025-03-07 17:18:32	75.71	55dB	4.2	320%	Day
2147	2025-03-07 17:21:33	N/A	55dB	N/A	N/A	Day
2148	2025-03-07 17:23:16	76.56	55dB	4.5	346%	Day
2149	2025-03-07 17:25:21	68.99	55dB	2.6	164%	Day
2150	2025-03-07 17:26:40	69.24	55dB	2.7	168%	Day

2151	2025-03-07 17:28:27	72.56	55dB	3.4	238%	Day
2152	2025-03-07 17:29:52	72.45	55dB	3.4	235%	Day
2153	2025-03-07 17:31:18	68.13	55dB	2.5	148%	Day
2154	2025-03-07 17:32:56	67.88	55dB	2.4	144%	Day
2155	2025-03-07 17:34:14	70.11	55dB	2.9	185%	Day
2156	2025-03-07 17:35:46	72.50	55dB	3.4	236%	Day
2157	2025-03-07 17:37:02	80.03	55dB	5.7	467%	Day
2158	2025-03-07 17:38:36	79.50	55dB	5.5	446%	Day
2159	2025-03-07 17:40:11	68.99	55dB	2.6	164%	Day
2160	2025-03-07 17:41:31	76.38	55dB	4.4	340%	Day
2161	2025-03-07 17:43:35	N/A	55dB	N/A	N/A	Day
2162	2025-03-07 17:45:27	72.02	55dB	3.3	225%	Day
2163	2025-03-07 17:49:16	67.73	55dB	2.4	142%	Day
2164	2025-03-07 17:51:37	N/A	55dB	N/A	N/A	Day
2165	2025-03-07 17:52:53	78.33	55dB	5.0	404%	Day
2166	2025-03-07 17:54:31	70.09	55dB	2.8	185%	Day
2167	2025-03-07 17:56:55	N/A	55dB	N/A	N/A	Day
2168	2025-03-07 17:58:27	71.68	55dB	3.2	218%	Day
2169	2025-03-07 17:59:51	73.37	55dB	3.6	257%	Day
2170	2025-03-07 18:06:45	70.07	55dB	2.8	184%	Day
2171	2025-03-07 18:08:28	68.59	55dB	2.6	157%	Day
2172	2025-03-07 18:09:49	68.71	55dB	2.6	159%	Day
2173	2025-03-07 18:11:10	N/A	55dB	N/A	N/A	Day
2174	2025-03-07 18:14:12	69.97	55dB	2.8	182%	Day
2175	2025-03-07 18:15:51	70.53	55dB	2.9	193%	Day
2176	2025-03-07 18:17:33	77.35	55dB	4.7	371%	Day
2177	2025-03-07 18:18:48	69.78	55dB	2.8	179%	Day
2178	2025-03-07 18:20:10	71.52	55dB	3.1	214%	Day
2179	2025-03-07 18:21:33	71.38	55dB	3.1	211%	Day
2180	2025-03-07 18:22:57	74.55	55dB	3.9	288%	Day
2181	2025-03-07 18:25:01	N/A	55dB	N/A	N/A	Day
2182	2025-03-07 18:27:15	69.90	55dB	2.8	181%	Day
2183	2025-03-07 18:29:38	70.00	55dB	2.8	183%	Day
2184	2025-03-07 18:32:04	74.54	55dB	3.9	287%	Day
2185	2025-03-07 18:34:33	71.14	55dB	3.1	206%	Day
2186	2025-03-07 18:37:14	70.74	55dB	3.0	198%	Day
2187	2025-03-07 18:40:00	72.19	55dB	3.3	229%	Day
2188	2025-03-07 18:43:03	69.02	55dB	2.6	164%	Day
2189	2025-03-07 18:49:47	77.95	55dB	4.9	391%	Day
2190	2025-03-07 18:52:32	69.02	55dB	2.6	164%	Day
2191	2025-03-07 18:55:23	N/A	55dB	N/A	N/A	Day
2192	2025-03-07 18:58:10	67.07	55dB	2.3	131%	Day
2193	2025-03-07 19:01:41	N/A	55dB	N/A	N/A	Day
2194	2025-03-07 19:04:06	70.29	55dB	2.9	189%	Day

2195	2025-03-07 19:07:01	69.61	55dB	2.8	175%	Day
2196	2025-03-07 19:09:22	74.30	55dB	3.8	281%	Day
2197	2025-03-07 19:11:47	N/A	55dB	N/A	N/A	Day
2198	2025-03-07 19:14:11	70.90	55dB	3.0	201%	Day
2199	2025-03-07 19:16:22	73.86	55dB	3.7	270%	Day
2200	2025-03-07 19:18:37	71.72	55dB	3.2	219%	Day
2201	2025-03-07 19:20:58	68.57	55dB	2.6	156%	Day
2202	2025-03-07 19:23:10	71.08	55dB	3.0	205%	Day
2203	2025-03-07 19:25:31	68.86	55dB	2.6	161%	Day
2204	2025-03-07 19:28:00	N/A	55dB	N/A	N/A	Day
2205	2025-03-07 19:29:47	66.86	55dB	2.3	128%	Day
2206	2025-03-07 19:31:18	N/A	55dB	N/A	N/A	Day
2207	2025-03-07 19:33:40	68.98	55dB	2.6	164%	Day
2208	2025-03-07 19:35:42	71.51	55dB	3.1	214%	Day
2209	2025-03-07 19:38:42	68.52	55dB	2.6	155%	Day
2210	2025-03-07 19:40:09	N/A	55dB	N/A	N/A	Day
2211	2025-03-07 19:41:53	69.32	55dB	2.7	170%	Day
2212	2025-03-07 19:43:55	N/A	55dB	N/A	N/A	Day
2213	2025-03-07 19:45:35	67.30	55dB	2.3	135%	Day
2214	2025-03-07 19:47:18	N/A	55dB	N/A	N/A	Day
2215	2025-03-07 19:49:03	71.29	55dB	3.1	209%	Day
2216	2025-03-07 19:52:14	N/A	55dB	N/A	N/A	Day
2217	2025-03-07 19:54:23	N/A	55dB	N/A	N/A	Day
2218	2025-03-07 19:56:16	73.11	55dB	3.5	251%	Day
2219	2025-03-07 19:57:34	67.77	55dB	2.4	142%	Day
2220	2025-03-07 19:59:02	N/A	55dB	N/A	N/A	Day
2221	2025-03-07 20:00:33	N/A	55dB	N/A	N/A	Day
2222	2025-03-07 20:02:01	70.29	55dB	2.9	189%	Day
2223	2025-03-07 20:03:56	71.62	55dB	3.2	216%	Day
2224	2025-03-07 20:05:53	N/A	55dB	N/A	N/A	Day
2225	2025-03-07 20:07:40	N/A	55dB	N/A	N/A	Day
2226	2025-03-07 20:09:18	69.46	55dB	2.7	172%	Day
2227	2025-03-07 20:12:47	67.10	55dB	2.3	131%	Day
2228	2025-03-07 20:15:00	68.73	55dB	2.6	159%	Day
2229	2025-03-07 20:17:05	73.37	55dB	3.6	257%	Day
2230	2025-03-07 20:18:26	67.92	55dB	2.4	145%	Day
2231	2025-03-07 20:19:56	N/A	55dB	N/A	N/A	Day
2232	2025-03-07 20:21:30	65.99	55dB	2.1	114%	Day
2233	2025-03-07 20:24:48	73.24	55dB	3.5	254%	Day
2234	2025-03-07 20:26:32	68.95	55dB	2.6	163%	Day
2235	2025-03-07 20:28:01	69.20	55dB	2.7	168%	Day
2236	2025-03-07 20:29:27	69.91	55dB	2.8	181%	Day
2237	2025-03-07 20:31:32	66.75	55dB	2.3	126%	Day
2238	2025-03-07 20:33:02	71.17	55dB	3.1	207%	Day

2239	2025-03-07 20:35:29	N/A	55dB	N/A	N/A	Day
2240	2025-03-07 20:36:52	69.91	55dB	2.8	181%	Day
2241	2025-03-07 20:38:39	69.51	55dB	2.7	173%	Day
2242	2025-03-07 20:40:11	71.27	55dB	3.1	209%	Day
2243	2025-03-07 20:42:07	73.97	55dB	3.7	272%	Day
2244	2025-03-07 20:44:00	77.14	55dB	4.6	364%	Day
2245	2025-03-07 20:45:28	68.95	55dB	2.6	163%	Day
2246	2025-03-07 20:46:51	68.67	55dB	2.6	158%	Day
2247	2025-03-07 20:48:21	N/A	55dB	N/A	N/A	Day
2248	2025-03-07 20:50:22	70.14	55dB	2.9	186%	Day
2249	2025-03-07 20:52:43	73.72	55dB	3.7	266%	Day
2250	2025-03-07 20:54:10	69.51	55dB	2.7	173%	Day
2251	2025-03-07 20:55:45	67.75	55dB	2.4	142%	Day
2252	2025-03-07 20:57:22	69.00	55dB	2.6	164%	Day
2253	2025-03-07 21:00:30	N/A	55dB	N/A	N/A	Day
2254	2025-03-07 21:01:54	69.02	55dB	2.6	164%	Day
2255	2025-03-07 21:03:19	67.05	55dB	2.3	131%	Day
2256	2025-03-07 21:04:39	70.08	55dB	2.8	184%	Day
2257	2025-03-07 21:06:24	66.88	55dB	2.3	128%	Day
2258	2025-03-07 21:08:51	71.25	55dB	3.1	208%	Day
2259	2025-03-07 21:10:35	74.26	55dB	3.8	280%	Day
2260	2025-03-07 21:12:47	N/A	55dB	N/A	N/A	Day
2261	2025-03-07 21:14:22	N/A	55dB	N/A	N/A	Day
2262	2025-03-07 21:15:45	71.12	55dB	3.1	206%	Day
2263	2025-03-07 21:17:34	N/A	55dB	N/A	N/A	Day
2264	2025-03-07 21:19:00	68.63	55dB	2.6	157%	Day
2265	2025-03-07 21:20:31	72.07	55dB	3.3	226%	Day
2266	2025-03-07 21:22:01	66.82	55dB	2.3	127%	Day
2267	2025-03-07 21:23:32	N/A	55dB	N/A	N/A	Day
2268	2025-03-07 21:25:05	83.42	55dB	7.2	617%	Day
2269	2025-03-07 21:27:08	68.30	55dB	2.5	151%	Day
2270	2025-03-07 21:28:50	70.91	55dB	3.0	201%	Day
2271	2025-03-07 21:30:20	72.73	55dB	3.4	242%	Day
2272	2025-03-07 21:32:31	69.16	55dB	2.7	167%	Day
2273	2025-03-07 21:33:56	74.13	55dB	3.8	277%	Day
2274	2025-03-07 21:36:12	71.34	55dB	3.1	210%	Day
2275	2025-03-07 21:37:36	69.38	55dB	2.7	171%	Day
2276	2025-03-07 21:39:10	71.00	55dB	3.0	203%	Day
2277	2025-03-07 21:41:13	N/A	55dB	N/A	N/A	Day
2278	2025-03-07 21:42:39	68.78	55dB	2.6	160%	Day
2279	2025-03-07 21:44:02	N/A	55dB	N/A	N/A	Day
2280	2025-03-07 21:45:56	N/A	55dB	N/A	N/A	Day
2281	2025-03-07 21:51:37	68.58	55dB	2.6	156%	Day
2282	2025-03-07 21:58:22	N/A	55dB	N/A	N/A	Day

2283	2025-03-07 21:59:38	74.88	55dB	4.0	297%	Day
2284	2025-03-07 22:01:10	78.74	55dB	5.2	418%	Day
2285	2025-03-07 22:02:47	73.59	55dB	3.6	263%	Day
2286	2025-03-07 22:04:28	71.79	55dB	3.2	220%	Day
2287	2025-03-07 22:06:21	72.21	55dB	3.3	230%	Day
2288	2025-03-07 22:08:03	74.53	55dB	3.9	287%	Day
2289	2025-03-07 22:10:12	73.30	55dB	3.6	256%	Day
2290	2025-03-07 22:12:08	70.43	55dB	2.9	191%	Day
2291	2025-03-07 22:13:32	75.45	55dB	4.1	313%	Day
2292	2025-03-07 22:21:26	71.62	55dB	3.2	216%	Day
2293	2025-03-07 22:23:52	73.84	55dB	3.7	269%	Day
2294	2025-03-07 22:26:26	69.79	55dB	2.8	179%	Day
2295	2025-03-07 22:30:18	N/A	55dB	N/A	N/A	Day
2296	2025-03-07 22:32:14	N/A	55dB	N/A	N/A	Day
2297	2025-03-07 22:33:45	N/A	55dB	N/A	N/A	Day
2298	2025-03-07 22:35:11	67.25	55dB	2.3	134%	Day
2299	2025-03-07 22:37:10	N/A	55dB	N/A	N/A	Day
2300	2025-03-07 22:38:53	73.09	55dB	3.5	250%	Day
2301	2025-03-07 22:40:52	N/A	55dB	N/A	N/A	Day
2302	2025-03-07 22:43:09	75.19	55dB	4.1	305%	Day
2303	2025-03-07 22:44:58	N/A	55dB	N/A	N/A	Day
2304	2025-03-07 22:46:21	73.10	55dB	3.5	251%	Day
2305	2025-03-07 22:49:22	71.01	55dB	3.0	203%	Day
2306	2025-03-07 22:51:22	70.00	55dB	2.8	183%	Day
2307	2025-03-07 22:56:29	68.80	55dB	2.6	160%	Day
2308	2025-03-07 23:06:02	70.08	45dB	5.7	469%	Night
2309	2025-03-07 23:08:15	70.64	45dB	5.9	491%	Night
2310	2025-03-07 23:10:02	67.24	45dB	4.7	367%	Night
2311	2025-03-07 23:11:45	66.85	45dB	4.5	355%	Night
2312	2025-03-07 23:13:21	N/A	45dB	N/A	N/A	Night
2313	2025-03-07 23:14:48	68.20	45dB	5.0	399%	Night
2314	2025-03-07 23:16:45	70.43	45dB	5.8	483%	Night
2315	2025-03-07 23:18:26	74.22	45dB	7.6	658%	Night
2316	2025-03-07 23:20:13	69.50	45dB	5.5	446%	Night
2317	2025-03-07 23:25:06	N/A	45dB	N/A	N/A	Night
2318	2025-03-07 23:28:22	68.87	45dB	5.2	423%	Night
2319	2025-03-07 23:30:30	N/A	45dB	N/A	N/A	Night
2320	2025-03-07 23:32:18	69.80	45dB	5.6	458%	Night
2321	2025-03-07 23:33:36	70.32	45dB	5.8	478%	Night
2322	2025-03-07 23:35:01	71.02	45dB	6.1	507%	Night
2323	2025-03-07 23:36:42	N/A	45dB	N/A	N/A	Night
2324	2025-03-07 23:37:53	74.41	45dB	7.7	668%	Night
2325	2025-03-07 23:39:19	71.16	45dB	6.1	513%	Night
2326	2025-03-07 23:40:47	N/A	45dB	N/A	N/A	Night

2327	2025-03-07 23:42:22	68.97	45dB	5.3	427%	Night
2328	2025-03-07 23:44:04	N/A	45dB	N/A	N/A	Night
2329	2025-03-07 23:45:33	N/A	45dB	N/A	N/A	Night
2330	2025-03-07 23:47:19	69.98	45dB	5.6	465%	Night
2331	2025-03-07 23:49:48	71.35	45dB	6.2	521%	Night
2332	2025-03-08 02:16:36	N/A	45dB	N/A	N/A	Night
2333	2025-03-08 05:15:07	N/A	45dB	N/A	N/A	Night
2334	2025-03-08 05:19:04	62.90	45dB	3.5	246%	Night
2335	2025-03-08 05:35:39	N/A	45dB	N/A	N/A	Night
2336	2025-03-08 06:32:02	73.98	45dB	7.5	645%	Night
2337	2025-03-08 06:33:03	68.87	45dB	5.2	423%	Night
2338	2025-03-08 06:34:38	68.34	45dB	5.0	404%	Night
2339	2025-03-08 06:36:02	66.86	45dB	4.6	355%	Night
2340	2025-03-08 06:37:23	69.15	45dB	5.3	433%	Night
2341	2025-03-08 06:38:40	72.37	45dB	6.7	567%	Night
2342	2025-03-08 06:40:00	73.09	45dB	7.0	601%	Night
2343	2025-03-08 06:41:44	68.48	45dB	5.1	409%	Night
2344	2025-03-08 06:42:56	N/A	45dB	N/A	N/A	Night
2345	2025-03-08 06:44:26	72.44	45dB	6.7	570%	Night
2346	2025-03-08 06:46:13	68.32	45dB	5.0	404%	Night
2347	2025-03-08 06:47:23	N/A	45dB	N/A	N/A	Night
2348	2025-03-08 06:48:42	70.12	45dB	5.7	470%	Night
2349	2025-03-08 06:50:38	70.12	45dB	5.7	470%	Night
2350	2025-03-08 06:52:09	N/A	45dB	N/A	N/A	Night
2351	2025-03-08 06:54:03	72.36	45dB	6.7	566%	Night
2352	2025-03-08 06:57:45	N/A	45dB	N/A	N/A	Night
2353	2025-03-08 06:58:58	N/A	45dB	N/A	N/A	Night
2354	2025-03-08 07:00:16	79.23	55dB	5.4	436%	Day
2355	2025-03-08 07:02:04	N/A	55dB	N/A	N/A	Day
2356	2025-03-08 07:03:17	82.26	55dB	6.6	562%	Day
2357	2025-03-08 07:05:15	76.00	55dB	4.3	329%	Day
2358	2025-03-08 07:06:37	71.08	55dB	3.0	205%	Day
2359	2025-03-08 07:08:27	71.31	55dB	3.1	210%	Day
2360	2025-03-08 07:09:46	68.48	55dB	2.5	155%	Day
2361	2025-03-08 07:11:02	76.65	55dB	4.5	348%	Day
2362	2025-03-08 07:12:30	N/A	55dB	N/A	N/A	Day
2363	2025-03-08 07:13:32	69.54	55dB	2.7	174%	Day
2364	2025-03-08 07:14:57	70.99	55dB	3.0	203%	Day
2365	2025-03-08 07:16:37	75.40	55dB	4.1	311%	Day
2366	2025-03-08 07:17:52	74.59	55dB	3.9	289%	Day
2367	2025-03-08 07:20:26	68.02	55dB	2.5	147%	Day
2368	2025-03-08 07:22:22	71.93	55dB	3.2	223%	Day
2369	2025-03-08 07:24:13	69.49	55dB	2.7	173%	Day
2370	2025-03-08 07:34:52	N/A	55dB	N/A	N/A	Day

2371	2025-03-08 07:45:36	69.31	55dB	2.7	170%	Day
2372	2025-03-08 07:47:48	72.58	55dB	3.4	238%	Day
2373	2025-03-08 07:53:33	78.61	55dB	5.1	414%	Day
2374	2025-03-08 08:01:10	70.84	55dB	3.0	200%	Day
2375	2025-03-08 08:02:50	76.56	55dB	4.5	346%	Day
2376	2025-03-08 08:04:25	73.82	55dB	3.7	269%	Day
2377	2025-03-08 08:06:35	78.18	55dB	5.0	399%	Day
2378	2025-03-08 08:09:03	76.86	55dB	4.6	355%	Day
2379	2025-03-08 08:12:17	N/A	55dB	N/A	N/A	Day
2380	2025-03-08 08:19:34	74.54	55dB	3.9	287%	Day
2381	2025-03-08 08:21:27	71.69	55dB	3.2	218%	Day
2382	2025-03-08 08:23:00	73.94	55dB	3.7	272%	Day
2383	2025-03-08 08:27:11	N/A	55dB	N/A	N/A	Day
2384	2025-03-08 08:40:37	N/A	55dB	N/A	N/A	Day
2385	2025-03-08 08:49:45	70.82	55dB	3.0	199%	Day
2386	2025-03-08 08:55:50	71.24	55dB	3.1	208%	Day
2387	2025-03-08 09:06:17	69.00	55dB	2.6	164%	Day
2388	2025-03-08 09:23:34	70.96	55dB	3.0	202%	Day
2389	2025-03-08 09:27:40	69.15	55dB	2.7	167%	Day
2390	2025-03-08 09:35:51	N/A	55dB	N/A	N/A	Day
2391	2025-03-08 09:37:13	N/A	55dB	N/A	N/A	Day
2392	2025-03-08 09:38:27	67.47	55dB	2.4	137%	Day
2393	2025-03-08 09:40:43	N/A	55dB	N/A	N/A	Day
2394	2025-03-08 09:42:08	N/A	55dB	N/A	N/A	Day
2395	2025-03-08 09:43:34	68.91	55dB	2.6	162%	Day
2396	2025-03-08 09:44:52	72.11	55dB	3.3	227%	Day
2397	2025-03-08 09:46:36	74.61	55dB	3.9	289%	Day
2398	2025-03-08 09:56:21	68.00	55dB	2.5	146%	Day
2399	2025-03-08 10:01:33	N/A	55dB	N/A	N/A	Day
2400	2025-03-08 10:14:13	79.33	55dB	5.4	440%	Day
2401	2025-03-08 10:16:14	70.30	55dB	2.9	189%	Day
2402	2025-03-08 10:19:01	N/A	55dB	N/A	N/A	Day
2403	2025-03-08 10:23:06	68.99	55dB	2.6	164%	Day
2404	2025-03-08 10:26:21	68.88	55dB	2.6	162%	Day
2405	2025-03-08 10:31:02	N/A	55dB	N/A	N/A	Day
2406	2025-03-08 10:32:47	71.64	55dB	3.2	217%	Day
2407	2025-03-08 10:38:11	69.31	55dB	2.7	170%	Day
2408	2025-03-08 10:40:46	80.44	55dB	5.8	483%	Day
2409	2025-03-08 10:42:09	70.57	55dB	2.9	194%	Day
2410	2025-03-08 10:43:22	N/A	55dB	N/A	N/A	Day
2411	2025-03-08 10:44:41	N/A	55dB	N/A	N/A	Day
2412	2025-03-08 10:47:34	N/A	55dB	N/A	N/A	Day
2413	2025-03-08 10:49:01	79.74	55dB	5.6	456%	Day
2414	2025-03-08 10:50:16	N/A	55dB	N/A	N/A	Day

2415	2025-03-08 10:52:52	N/A	55dB	N/A	N/A	Day
2416	2025-03-08 10:54:49	N/A	55dB	N/A	N/A	Day
2417	2025-03-08 10:56:45	N/A	55dB	N/A	N/A	Day
2418	2025-03-08 10:57:55	69.52	55dB	2.7	174%	Day
2419	2025-03-08 10:59:17	80.06	55dB	5.7	468%	Day
2420	2025-03-08 11:00:41	74.92	55dB	4.0	298%	Day
2421	2025-03-08 11:02:22	N/A	55dB	N/A	N/A	Day
2422	2025-03-08 11:08:54	N/A	55dB	N/A	N/A	Day
2423	2025-03-08 11:16:02	N/A	55dB	N/A	N/A	Day
2424	2025-03-08 11:18:42	N/A	55dB	N/A	N/A	Day
2425	2025-03-08 11:20:14	70.80	55dB	3.0	199%	Day
2426	2025-03-08 11:21:34	68.24	55dB	2.5	150%	Day
2427	2025-03-08 11:22:56	68.06	55dB	2.5	147%	Day
2428	2025-03-08 11:24:21	N/A	55dB	N/A	N/A	Day
2429	2025-03-08 11:25:42	70.35	55dB	2.9	190%	Day
2430	2025-03-08 11:27:11	N/A	55dB	N/A	N/A	Day
2431	2025-03-08 11:33:33	N/A	55dB	N/A	N/A	Day
2432	2025-03-08 11:35:25	N/A	55dB	N/A	N/A	Day
2433	2025-03-08 11:36:48	N/A	55dB	N/A	N/A	Day
2434	2025-03-08 11:38:27	69.12	55dB	2.7	166%	Day
2435	2025-03-08 11:40:06	73.06	55dB	3.5	250%	Day
2436	2025-03-08 11:41:40	N/A	55dB	N/A	N/A	Day
2437	2025-03-08 11:42:58	67.05	55dB	2.3	131%	Day
2438	2025-03-08 11:44:18	67.71	55dB	2.4	141%	Day
2439	2025-03-08 11:46:43	68.81	55dB	2.6	160%	Day
2440	2025-03-08 11:48:24	67.87	55dB	2.4	144%	Day
2441	2025-03-08 11:51:38	68.67	55dB	2.6	158%	Day
2442	2025-03-08 11:53:44	N/A	55dB	N/A	N/A	Day
2443	2025-03-08 11:56:32	72.55	55dB	3.4	238%	Day
2444	2025-03-08 11:59:37	76.11	55dB	4.3	332%	Day
2445	2025-03-08 12:01:25	77.63	55dB	4.8	380%	Day
2446	2025-03-08 12:02:46	74.65	55dB	3.9	290%	Day
2447	2025-03-08 12:05:16	N/A	55dB	N/A	N/A	Day
2448	2025-03-08 12:06:47	69.96	55dB	2.8	182%	Day
2449	2025-03-08 12:08:01	74.32	55dB	3.8	282%	Day
2450	2025-03-08 12:09:43	76.82	55dB	4.5	354%	Day
2451	2025-03-08 12:12:00	66.02	55dB	2.1	115%	Day
2452	2025-03-08 12:13:43	N/A	55dB	N/A	N/A	Day
2453	2025-03-08 12:15:37	78.01	55dB	4.9	393%	Day
2454	2025-03-08 12:17:17	68.42	55dB	2.5	154%	Day
2455	2025-03-08 12:18:33	68.25	55dB	2.5	151%	Day
2456	2025-03-08 12:21:35	N/A	55dB	N/A	N/A	Day
2457	2025-03-08 12:23:49	67.63	55dB	2.4	140%	Day
2458	2025-03-08 12:26:58	70.63	55dB	3.0	195%	Day

2459	2025-03-08 12:29:16	N/A	55dB	N/A	N/A	Day
2460	2025-03-08 12:35:43	N/A	55dB	N/A	N/A	Day
2461	2025-03-08 12:37:53	70.42	55dB	2.9	191%	Day
2462	2025-03-08 12:43:12	N/A	55dB	N/A	N/A	Day
2463	2025-03-08 12:53:47	70.84	55dB	3.0	200%	Day
2464	2025-03-08 12:59:37	80.95	55dB	6.0	504%	Day
2465	2025-03-08 13:01:44	N/A	55dB	N/A	N/A	Day
2466	2025-03-08 13:03:37	N/A	55dB	N/A	N/A	Day
2467	2025-03-08 13:05:14	N/A	55dB	N/A	N/A	Day
2468	2025-03-08 13:06:39	79.63	55dB	5.5	451%	Day
2469	2025-03-08 13:07:50	N/A	55dB	N/A	N/A	Day
2470	2025-03-08 13:11:42	N/A	55dB	N/A	N/A	Day
2471	2025-03-08 13:13:40	74.15	55dB	3.8	277%	Day
2472	2025-03-08 13:21:28	80.09	55dB	5.7	469%	Day
2473	2025-03-08 13:25:35	68.70	55dB	2.6	158%	Day
2474	2025-03-08 13:27:03	80.72	55dB	5.9	495%	Day
2475	2025-03-08 13:28:41	N/A	55dB	N/A	N/A	Day
2476	2025-03-08 13:30:45	76.20	55dB	4.3	335%	Day
2477	2025-03-08 13:32:06	79.11	55dB	5.3	432%	Day
2478	2025-03-08 13:33:17	71.29	55dB	3.1	209%	Day
2479	2025-03-08 13:34:40	N/A	55dB	N/A	N/A	Day
2480	2025-03-08 13:40:16	82.36	55dB	6.7	566%	Day
2481	2025-03-08 13:41:50	79.21	55dB	5.4	436%	Day
2482	2025-03-08 13:48:49	68.81	55dB	2.6	160%	Day
2483	2025-03-08 13:50:39	72.05	55dB	3.3	226%	Day
2484	2025-03-08 13:53:14	81.41	55dB	6.2	524%	Day
2485	2025-03-08 13:54:56	N/A	55dB	N/A	N/A	Day
2486	2025-03-08 13:57:01	66.21	55dB	2.2	117%	Day
2487	2025-03-08 13:59:42	74.54	55dB	3.9	287%	Day
2488	2025-03-08 14:02:26	74.73	55dB	3.9	293%	Day
2489	2025-03-08 14:03:51	N/A	55dB	N/A	N/A	Day
2490	2025-03-08 14:07:41	80.40	55dB	5.8	482%	Day
2491	2025-03-08 14:08:53	N/A	55dB	N/A	N/A	Day
2492	2025-03-08 14:10:00	80.86	55dB	6.0	500%	Day
2493	2025-03-08 14:12:02	82.99	55dB	7.0	596%	Day
2494	2025-03-08 14:13:55	78.32	55dB	5.0	404%	Day
2495	2025-03-08 14:15:12	78.95	55dB	5.3	426%	Day
2496	2025-03-08 14:16:25	75.42	55dB	4.1	312%	Day
2497	2025-03-08 14:19:31	67.31	55dB	2.3	135%	Day
2498	2025-03-08 14:23:37	75.11	55dB	4.0	303%	Day
2499	2025-03-08 14:27:54	71.12	55dB	3.1	206%	Day
2500	2025-03-08 14:30:07	N/A	55dB	N/A	N/A	Day
2501	2025-03-08 14:31:50	70.08	55dB	2.8	184%	Day
2502	2025-03-08 14:33:39	80.85	55dB	6.0	500%	Day

2503	2025-03-08 14:35:15	83.83	55dB	7.4	638%	Day
2504	2025-03-08 14:37:17	68.57	55dB	2.6	156%	Day
2505	2025-03-08 14:40:59	70.94	55dB	3.0	202%	Day
2506	2025-03-08 14:42:38	81.46	55dB	6.3	526%	Day
2507	2025-03-08 14:48:42	81.07	55dB	6.1	509%	Day
2508	2025-03-08 14:50:39	85.68	55dB	8.4	739%	Day
2509	2025-03-08 14:52:48	76.36	55dB	4.4	340%	Day
2510	2025-03-08 14:54:21	70.37	55dB	2.9	190%	Day
2511	2025-03-08 14:55:41	N/A	55dB	N/A	N/A	Day
2512	2025-03-08 14:57:11	86.66	55dB	9.0	798%	Day
2513	2025-03-08 14:59:04	N/A	55dB	N/A	N/A	Day
2514	2025-03-08 15:01:14	N/A	55dB	N/A	N/A	Day
2515	2025-03-08 15:05:39	75.02	55dB	4.0	301%	Day
2516	2025-03-08 15:07:48	81.36	55dB	6.2	522%	Day
2517	2025-03-08 15:09:14	72.42	55dB	3.3	234%	Day
2518	2025-03-08 15:10:50	72.52	55dB	3.4	237%	Day
2519	2025-03-08 15:12:36	N/A	55dB	N/A	N/A	Day
2520	2025-03-08 15:13:52	N/A	55dB	N/A	N/A	Day
2521	2025-03-08 15:16:19	75.46	55dB	4.1	313%	Day
2522	2025-03-08 15:20:21	72.67	55dB	3.4	240%	Day
2523	2025-03-08 15:21:48	72.47	55dB	3.4	236%	Day
2524	2025-03-08 15:26:08	75.98	55dB	4.3	328%	Day
2525	2025-03-08 15:27:55	79.71	55dB	5.5	454%	Day
2526	2025-03-08 15:30:09	81.27	55dB	6.2	518%	Day
2527	2025-03-08 15:31:33	70.68	55dB	3.0	196%	Day
2528	2025-03-08 15:33:00	83.96	55dB	7.4	644%	Day
2529	2025-03-08 15:34:32	79.50	55dB	5.5	446%	Day
2530	2025-03-08 15:36:27	74.57	55dB	3.9	288%	Day
2531	2025-03-08 15:38:08	70.87	55dB	3.0	200%	Day
2532	2025-03-08 15:39:20	76.13	55dB	4.3	333%	Day
2533	2025-03-08 15:41:54	N/A	55dB	N/A	N/A	Day
2534	2025-03-08 15:45:01	79.87	55dB	5.6	461%	Day
2535	2025-03-08 15:47:44	70.26	55dB	2.9	188%	Day
2536	2025-03-08 15:51:44	69.02	55dB	2.6	164%	Day
2537	2025-03-08 15:53:15	81.75	55dB	6.4	539%	Day
2538	2025-03-08 15:54:49	77.63	55dB	4.8	380%	Day
2539	2025-03-08 15:56:55	68.36	55dB	2.5	152%	Day
2540	2025-03-08 16:00:23	N/A	55dB	N/A	N/A	Day
2541	2025-03-08 16:01:46	86.47	55dB	8.9	786%	Day
2542	2025-03-08 16:03:14	N/A	55dB	N/A	N/A	Day
2543	2025-03-08 16:05:04	80.45	55dB	5.8	484%	Day
2544	2025-03-08 16:07:58	85.15	55dB	8.1	708%	Day
2545	2025-03-08 16:10:01	87.24	55dB	9.3	834%	Day
2546	2025-03-08 16:11:35	N/A	55dB	N/A	N/A	Day

2547	2025-03-08 16:16:48	83.16	55dB	7.0	604%	Day
2548	2025-03-08 16:19:46	73.50	55dB	3.6	261%	Day
2549	2025-03-08 16:21:08	70.74	55dB	3.0	198%	Day
2550	2025-03-08 16:22:28	80.14	55dB	5.7	471%	Day
2551	2025-03-08 16:23:50	74.99	55dB	4.0	300%	Day
2552	2025-03-08 16:25:11	78.19	55dB	5.0	399%	Day
2553	2025-03-08 16:27:49	N/A	55dB	N/A	N/A	Day
2554	2025-03-08 16:34:10	75.04	55dB	4.0	301%	Day
2555	2025-03-08 16:36:22	74.96	55dB	4.0	299%	Day
2556	2025-03-08 16:37:53	67.44	55dB	2.4	137%	Day
2557	2025-03-08 16:43:00	78.83	55dB	5.2	422%	Day
2558	2025-03-08 16:48:35	N/A	55dB	N/A	N/A	Day
2559	2025-03-08 16:51:01	78.46	55dB	5.1	408%	Day
2560	2025-03-08 16:52:25	70.49	55dB	2.9	193%	Day
2561	2025-03-08 16:53:56	N/A	55dB	N/A	N/A	Day
2562	2025-03-08 16:56:05	73.41	55dB	3.6	258%	Day
2563	2025-03-08 16:57:32	76.34	55dB	4.4	339%	Day
2564	2025-03-08 17:03:37	67.18	55dB	2.3	133%	Day
2565	2025-03-08 17:05:06	68.98	55dB	2.6	164%	Day
2566	2025-03-08 17:06:21	N/A	55dB	N/A	N/A	Day
2567	2025-03-08 17:07:43	N/A	55dB	N/A	N/A	Day
2568	2025-03-08 17:08:52	70.77	55dB	3.0	198%	Day
2569	2025-03-08 17:10:16	80.43	55dB	5.8	483%	Day
2570	2025-03-08 17:11:43	71.04	55dB	3.0	204%	Day
2571	2025-03-08 17:13:05	77.37	55dB	4.7	371%	Day
2572	2025-03-08 17:14:27	76.71	55dB	4.5	350%	Day
2573	2025-03-08 17:16:08	70.37	55dB	2.9	190%	Day
2574	2025-03-08 17:18:26	69.55	55dB	2.7	174%	Day
2575	2025-03-08 17:19:49	71.25	55dB	3.1	208%	Day
2576	2025-03-08 17:21:12	66.92	55dB	2.3	128%	Day
2577	2025-03-08 17:22:26	79.48	55dB	5.5	446%	Day
2578	2025-03-08 17:24:39	80.30	55dB	5.8	478%	Day
2579	2025-03-08 17:26:04	80.17	55dB	5.7	472%	Day
2580	2025-03-08 17:27:17	76.26	55dB	4.4	337%	Day
2581	2025-03-08 17:28:47	72.53	55dB	3.4	237%	Day
2582	2025-03-08 17:30:16	72.57	55dB	3.4	238%	Day
2583	2025-03-08 17:31:37	N/A	55dB	N/A	N/A	Day
2584	2025-03-08 17:32:58	69.04	55dB	2.6	165%	Day
2585	2025-03-08 17:34:13	73.45	55dB	3.6	259%	Day
2586	2025-03-08 17:36:05	83.04	55dB	7.0	598%	Day
2587	2025-03-08 17:37:38	68.39	55dB	2.5	153%	Day
2588	2025-03-08 17:38:56	N/A	55dB	N/A	N/A	Day
2589	2025-03-08 17:40:15	67.98	55dB	2.5	146%	Day
2590	2025-03-08 17:41:51	75.00	55dB	4.0	300%	Day

2591	2025-03-08 17:44:49	67.27	55dB	2.3	134%	Day
2592	2025-03-08 17:46:20	N/A	55dB	N/A	N/A	Day
2593	2025-03-08 17:47:54	N/A	55dB	N/A	N/A	Day
2594	2025-03-08 17:49:25	N/A	55dB	N/A	N/A	Day
2595	2025-03-08 17:55:22	71.56	55dB	3.2	215%	Day
2596	2025-03-08 17:58:47	68.26	55dB	2.5	151%	Day
2597	2025-03-08 18:03:43	75.81	55dB	4.2	323%	Day
2598	2025-03-08 18:12:42	73.00	55dB	3.5	248%	Day
2599	2025-03-08 18:16:56	68.55	55dB	2.6	156%	Day
2600	2025-03-08 18:24:21	74.30	55dB	3.8	281%	Day
2601	2025-03-08 18:26:32	67.72	55dB	2.4	141%	Day
2602	2025-03-08 18:27:49	72.52	55dB	3.4	237%	Day
2603	2025-03-08 18:29:03	71.35	55dB	3.1	211%	Day
2604	2025-03-08 18:30:25	68.79	55dB	2.6	160%	Day
2605	2025-03-08 18:31:43	74.95	55dB	4.0	299%	Day
2606	2025-03-08 18:34:12	70.21	55dB	2.9	187%	Day
2607	2025-03-08 18:35:40	68.30	55dB	2.5	151%	Day
2608	2025-03-08 18:36:56	72.55	55dB	3.4	238%	Day
2609	2025-03-08 18:38:04	N/A	55dB	N/A	N/A	Day
2610	2025-03-08 18:39:54	N/A	55dB	N/A	N/A	Day
2611	2025-03-08 18:44:19	67.57	55dB	2.4	139%	Day
2612	2025-03-08 18:45:40	74.33	55dB	3.8	282%	Day
2613	2025-03-08 18:46:58	70.29	55dB	2.9	189%	Day
2614	2025-03-08 18:48:26	68.42	55dB	2.5	154%	Day
2615	2025-03-08 18:49:52	66.95	55dB	2.3	129%	Day
2616	2025-03-08 18:52:10	70.70	55dB	3.0	197%	Day
2617	2025-03-08 18:54:10	N/A	55dB	N/A	N/A	Day
2618	2025-03-08 18:55:26	70.63	55dB	3.0	195%	Day
2619	2025-03-08 18:56:54	N/A	55dB	N/A	N/A	Day
2620	2025-03-08 18:59:10	70.70	55dB	3.0	197%	Day
2621	2025-03-08 19:01:04	73.62	55dB	3.6	264%	Day
2622	2025-03-08 19:03:58	66.73	55dB	2.3	125%	Day
2623	2025-03-08 19:06:05	68.77	55dB	2.6	160%	Day
2624	2025-03-08 19:07:50	77.15	55dB	4.6	364%	Day
2625	2025-03-08 19:09:27	68.81	55dB	2.6	160%	Day
2626	2025-03-08 19:13:03	69.76	55dB	2.8	178%	Day
2627	2025-03-08 19:14:49	73.98	55dB	3.7	273%	Day
2628	2025-03-08 19:16:51	69.51	55dB	2.7	173%	Day
2629	2025-03-08 19:18:19	73.45	55dB	3.6	259%	Day
2630	2025-03-08 19:20:51	71.96	55dB	3.2	224%	Day
2631	2025-03-08 19:22:17	70.70	55dB	3.0	197%	Day
2632	2025-03-08 19:23:57	N/A	55dB	N/A	N/A	Day
2633	2025-03-08 19:26:53	N/A	55dB	N/A	N/A	Day
2634	2025-03-08 19:28:41	72.81	55dB	3.4	244%	Day

2635	2025-03-08 19:30:38	73.71	55dB	3.7	266%	Day
2636	2025-03-08 19:32:29	67.70	55dB	2.4	141%	Day
2637	2025-03-08 19:33:52	N/A	55dB	N/A	N/A	Day
2638	2025-03-08 19:35:21	75.91	55dB	4.3	326%	Day
2639	2025-03-08 19:36:58	N/A	55dB	N/A	N/A	Day
2640	2025-03-08 19:38:25	78.83	55dB	5.2	422%	Day
2641	2025-03-08 19:39:47	74.49	55dB	3.9	286%	Day
2642	2025-03-08 19:41:22	68.60	55dB	2.6	157%	Day
2643	2025-03-08 19:42:49	70.76	55dB	3.0	198%	Day
2644	2025-03-08 19:44:16	69.32	55dB	2.7	170%	Day
2645	2025-03-08 19:45:55	N/A	55dB	N/A	N/A	Day
2646	2025-03-08 19:47:52	69.41	55dB	2.7	172%	Day
2647	2025-03-08 19:49:19	68.13	55dB	2.5	148%	Day
2648	2025-03-08 19:52:41	N/A	55dB	N/A	N/A	Day
2649	2025-03-08 19:54:47	75.10	55dB	4.0	303%	Day
2650	2025-03-08 19:56:47	71.22	55dB	3.1	208%	Day
2651	2025-03-08 19:59:15	67.60	55dB	2.4	139%	Day
2652	2025-03-08 20:01:25	71.11	55dB	3.1	205%	Day
2653	2025-03-08 20:03:14	N/A	55dB	N/A	N/A	Day
2654	2025-03-08 20:04:46	71.51	55dB	3.1	214%	Day
2655	2025-03-08 20:07:26	68.93	55dB	2.6	163%	Day
2656	2025-03-08 20:11:32	69.28	55dB	2.7	169%	Day
2657	2025-03-08 20:14:37	N/A	55dB	N/A	N/A	Day
2658	2025-03-08 20:19:28	70.32	55dB	2.9	189%	Day
2659	2025-03-08 20:21:19	67.44	55dB	2.4	137%	Day
2660	2025-03-08 20:23:01	N/A	55dB	N/A	N/A	Day
2661	2025-03-08 20:25:43	75.68	55dB	4.2	319%	Day
2662	2025-03-08 20:27:30	67.54	55dB	2.4	139%	Day
2663	2025-03-08 20:29:26	N/A	55dB	N/A	N/A	Day
2664	2025-03-08 20:30:53	69.69	55dB	2.8	177%	Day
2665	2025-03-08 20:33:18	69.47	55dB	2.7	173%	Day
2666	2025-03-08 20:35:12	N/A	55dB	N/A	N/A	Day
2667	2025-03-08 20:40:10	68.25	55dB	2.5	151%	Day
2668	2025-03-08 20:42:17	69.48	55dB	2.7	173%	Day
2669	2025-03-08 20:44:39	74.02	55dB	3.7	274%	Day
2670	2025-03-08 20:46:11	66.83	55dB	2.3	127%	Day
2671	2025-03-08 20:47:39	N/A	55dB	N/A	N/A	Day
2672	2025-03-08 20:49:06	66.34	55dB	2.2	119%	Day
2673	2025-03-08 20:50:56	73.47	55dB	3.6	260%	Day
2674	2025-03-08 20:53:31	82.22	55dB	6.6	560%	Day
2675	2025-03-08 20:55:03	N/A	55dB	N/A	N/A	Day
2676	2025-03-08 20:56:35	76.40	55dB	4.4	341%	Day
2677	2025-03-08 20:57:46	69.68	55dB	2.8	177%	Day
2678	2025-03-08 20:59:22	69.10	55dB	2.7	166%	Day

2679	2025-03-08 21:00:35	70.01	55dB	2.8	183%	Day
2680	2025-03-08 21:02:56	N/A	55dB	N/A	N/A	Day
2681	2025-03-08 21:04:24	73.54	55dB	3.6	262%	Day
2682	2025-03-08 21:06:16	70.36	55dB	2.9	190%	Day
2683	2025-03-08 21:07:28	66.57	55dB	2.2	123%	Day
2684	2025-03-08 21:09:17	69.85	55dB	2.8	180%	Day
2685	2025-03-08 21:11:04	N/A	55dB	N/A	N/A	Day
2686	2025-03-08 21:12:22	N/A	55dB	N/A	N/A	Day
2687	2025-03-08 21:13:41	69.19	55dB	2.7	167%	Day
2688	2025-03-08 21:15:06	69.84	55dB	2.8	180%	Day
2689	2025-03-08 21:16:33	N/A	55dB	N/A	N/A	Day
2690	2025-03-08 21:17:56	N/A	55dB	N/A	N/A	Day
2691	2025-03-08 21:21:00	68.39	55dB	2.5	153%	Day
2692	2025-03-08 21:22:32	N/A	55dB	N/A	N/A	Day
2693	2025-03-08 21:23:52	67.70	55dB	2.4	141%	Day
2694	2025-03-08 21:25:32	74.47	55dB	3.9	286%	Day
2695	2025-03-08 21:27:49	67.11	55dB	2.3	131%	Day
2696	2025-03-08 21:31:56	N/A	55dB	N/A	N/A	Day
2697	2025-03-08 21:34:08	N/A	55dB	N/A	N/A	Day
2698	2025-03-08 21:35:57	70.73	55dB	3.0	198%	Day
2699	2025-03-08 21:37:31	N/A	55dB	N/A	N/A	Day
2700	2025-03-08 21:38:53	72.60	55dB	3.4	239%	Day
2701	2025-03-08 21:40:37	N/A	55dB	N/A	N/A	Day
2702	2025-03-08 21:41:58	75.33	55dB	4.1	309%	Day
2703	2025-03-08 21:43:20	N/A	55dB	N/A	N/A	Day
2704	2025-03-08 21:44:49	69.80	55dB	2.8	179%	Day
2705	2025-03-08 21:46:15	N/A	55dB	N/A	N/A	Day
2706	2025-03-08 21:47:55	N/A	55dB	N/A	N/A	Day
2707	2025-03-08 21:49:50	N/A	55dB	N/A	N/A	Day
2708	2025-03-08 21:59:36	67.01	55dB	2.3	130%	Day
2709	2025-03-08 22:00:51	65.89	55dB	2.1	113%	Day
2710	2025-03-08 22:02:21	70.15	55dB	2.9	186%	Day
2711	2025-03-08 22:04:12	68.26	55dB	2.5	151%	Day
2712	2025-03-08 22:06:49	67.59	55dB	2.4	139%	Day
2713	2025-03-08 22:10:07	N/A	55dB	N/A	N/A	Day
2714	2025-03-08 22:15:50	N/A	55dB	N/A	N/A	Day
2715	2025-03-08 22:21:26	70.29	55dB	2.9	189%	Day
2716	2025-03-08 22:23:55	N/A	55dB	N/A	N/A	Day
2717	2025-03-08 22:28:19	N/A	55dB	N/A	N/A	Day
2718	2025-03-08 22:29:55	N/A	55dB	N/A	N/A	Day
2719	2025-03-08 22:32:31	N/A	55dB	N/A	N/A	Day
2720	2025-03-08 22:34:31	67.54	55dB	2.4	139%	Day
2721	2025-03-08 22:38:48	68.07	55dB	2.5	147%	Day
2722	2025-03-08 22:42:04	68.36	55dB	2.5	152%	Day

2723	2025-03-08 22:45:18	69.92	55dB	2.8	181%	Day
2724	2025-03-08 22:47:30	N/A	55dB	N/A	N/A	Day
2725	2025-03-08 22:49:25	68.11	55dB	2.5	148%	Day
2726	2025-03-08 22:54:38	66.93	55dB	2.3	129%	Day
2727	2025-03-08 22:56:45	N/A	55dB	N/A	N/A	Day
2728	2025-03-08 22:58:47	69.34	55dB	2.7	170%	Day
2729	2025-03-08 23:00:38	N/A	45dB	N/A	N/A	Night
2730	2025-03-08 23:03:12	72.16	45dB	6.6	557%	Night
2731	2025-03-08 23:07:20	N/A	45dB	N/A	N/A	Night
2732	2025-03-08 23:15:40	N/A	45dB	N/A	N/A	Night
2733	2025-03-08 23:22:26	71.51	45dB	6.3	528%	Night
2734	2025-03-08 23:25:31	71.00	45dB	6.1	506%	Night
2735	2025-03-08 23:28:18	69.98	45dB	5.6	465%	Night
2736	2025-03-08 23:31:17	N/A	45dB	N/A	N/A	Night
2737	2025-03-08 23:33:52	N/A	45dB	N/A	N/A	Night
2738	2025-03-08 23:37:04	66.23	45dB	4.4	336%	Night
2739	2025-03-08 23:39:25	68.53	45dB	5.1	411%	Night
2740	2025-03-08 23:41:46	N/A	45dB	N/A	N/A	Night
2741	2025-03-08 23:44:22	N/A	45dB	N/A	N/A	Night
2742	2025-03-08 23:46:32	71.44	45dB	6.3	525%	Night
2743	2025-03-08 23:49:01	N/A	45dB	N/A	N/A	Night
2744	2025-03-08 23:51:07	67.46	45dB	4.7	374%	Night
2745	2025-03-08 23:52:53	N/A	45dB	N/A	N/A	Night
2746	2025-03-08 23:55:16	70.09	45dB	5.7	469%	Night
2747	2025-03-08 23:58:12	N/A	45dB	N/A	N/A	Night
2748	2025-03-09 00:00:05	N/A	45dB	N/A	N/A	Night
2749	2025-03-09 06:28:57	67.58	45dB	4.8	378%	Night
2750	2025-03-09 06:30:28	N/A	45dB	N/A	N/A	Night
2751	2025-03-09 06:31:45	68.53	45dB	5.1	411%	Night
2752	2025-03-09 06:33:30	70.23	45dB	5.7	475%	Night
2753	2025-03-09 06:35:15	67.20	45dB	4.7	366%	Night
2754	2025-03-09 06:36:57	70.42	45dB	5.8	482%	Night
2755	2025-03-09 06:39:05	67.21	45dB	4.7	366%	Night
2756	2025-03-09 06:40:25	N/A	45dB	N/A	N/A	Night
2757	2025-03-09 06:41:53	67.82	45dB	4.9	386%	Night
2758	2025-03-09 06:45:03	68.49	45dB	5.1	409%	Night
2759	2025-03-09 06:46:22	66.29	45dB	4.4	337%	Night
2760	2025-03-09 06:47:45	68.06	45dB	4.9	395%	Night
2761	2025-03-09 06:49:11	68.65	45dB	5.2	415%	Night
2762	2025-03-09 06:51:01	67.30	45dB	4.7	369%	Night
2763	2025-03-09 06:52:46	67.92	45dB	4.9	390%	Night
2764	2025-03-09 06:55:48	N/A	45dB	N/A	N/A	Night
2765	2025-03-09 06:57:40	68.32	45dB	5.0	404%	Night
2766	2025-03-09 07:05:33	67.61	55dB	2.4	140%	Day

2767	2025-03-09 07:07:02	67.30	55dB	2.3	135%	Day
2768	2025-03-09 07:09:26	68.79	55dB	2.6	160%	Day
2769	2025-03-09 07:11:22	67.54	55dB	2.4	139%	Day
2770	2025-03-09 07:13:10	65.84	55dB	2.1	112%	Day
2771	2025-03-09 07:15:18	67.30	55dB	2.3	135%	Day
2772	2025-03-09 07:18:53	69.50	55dB	2.7	173%	Day
2773	2025-03-09 07:20:17	67.79	55dB	2.4	143%	Day
2774	2025-03-09 07:21:50	69.09	55dB	2.7	166%	Day
2775	2025-03-09 07:23:28	68.30	55dB	2.5	151%	Day
2776	2025-03-09 07:25:16	69.01	55dB	2.6	164%	Day
2777	2025-03-09 07:26:47	67.59	55dB	2.4	139%	Day
2778	2025-03-09 07:28:24	71.88	55dB	3.2	222%	Day
2779	2025-03-09 07:30:32	71.40	55dB	3.1	212%	Day
2780	2025-03-09 07:38:54	72.66	55dB	3.4	240%	Day
2781	2025-03-09 07:41:33	67.58	55dB	2.4	139%	Day
2782	2025-03-09 07:44:10	70.73	55dB	3.0	198%	Day
2783	2025-03-09 07:46:37	69.04	55dB	2.6	165%	Day
2784	2025-03-09 07:48:15	69.30	55dB	2.7	169%	Day
2785	2025-03-09 07:54:21	70.01	55dB	2.8	183%	Day
2786	2025-03-09 07:59:54	70.46	55dB	2.9	192%	Day
2787	2025-03-09 08:03:06	N/A	55dB	N/A	N/A	Day
2788	2025-03-09 08:04:42	68.80	55dB	2.6	160%	Day
2789	2025-03-09 08:07:25	71.00	55dB	3.0	203%	Day
2790	2025-03-09 08:09:08	68.48	55dB	2.5	155%	Day
2791	2025-03-09 08:10:33	N/A	55dB	N/A	N/A	Day
2792	2025-03-09 08:12:31	69.28	55dB	2.7	169%	Day
2793	2025-03-09 08:15:25	N/A	55dB	N/A	N/A	Day
2794	2025-03-09 08:18:16	69.08	55dB	2.7	165%	Day
2795	2025-03-09 08:21:05	71.34	55dB	3.1	210%	Day
2796	2025-03-09 08:23:31	69.33	55dB	2.7	170%	Day
2797	2025-03-09 08:25:31	69.28	55dB	2.7	169%	Day
2798	2025-03-09 08:27:10	66.53	55dB	2.2	122%	Day
2799	2025-03-09 08:30:53	N/A	55dB	N/A	N/A	Day
2800	2025-03-09 08:36:26	70.43	55dB	2.9	191%	Day
2801	2025-03-09 08:44:21	N/A	55dB	N/A	N/A	Day
2802	2025-03-09 08:56:21	N/A	55dB	N/A	N/A	Day
2803	2025-03-09 09:00:07	73.11	55dB	3.5	251%	Day
2804	2025-03-09 09:10:32	N/A	55dB	N/A	N/A	Day
2805	2025-03-09 09:12:41	70.08	55dB	2.8	184%	Day
2806	2025-03-09 09:14:21	N/A	55dB	N/A	N/A	Day
2807	2025-03-09 09:16:32	71.96	55dB	3.2	224%	Day
2808	2025-03-09 09:18:31	71.27	55dB	3.1	209%	Day
2809	2025-03-09 09:21:34	70.41	55dB	2.9	191%	Day
2810	2025-03-09 09:24:25	70.16	55dB	2.9	186%	Day

2811	2025-03-09 09:31:01	N/A	55dB	N/A	N/A	Day
2812	2025-03-09 09:33:28	N/A	55dB	N/A	N/A	Day
2813	2025-03-09 09:35:30	73.20	55dB	3.5	253%	Day
2814	2025-03-09 09:37:53	73.55	55dB	3.6	262%	Day
2815	2025-03-09 09:40:54	N/A	55dB	N/A	N/A	Day
2816	2025-03-09 09:44:57	67.85	55dB	2.4	144%	Day
2817	2025-03-09 09:54:56	N/A	55dB	N/A	N/A	Day
2818	2025-03-09 09:57:52	67.85	55dB	2.4	144%	Day
2819	2025-03-09 09:59:55	73.15	55dB	3.5	252%	Day
2820	2025-03-09 10:03:31	71.37	55dB	3.1	211%	Day
2821	2025-03-09 10:14:38	N/A	55dB	N/A	N/A	Day
2822	2025-03-09 10:21:18	70.46	55dB	2.9	192%	Day
2823	2025-03-09 10:22:50	71.47	55dB	3.1	213%	Day
2824	2025-03-09 10:25:10	N/A	55dB	N/A	N/A	Day
2825	2025-03-09 10:27:56	70.48	55dB	2.9	192%	Day
2826	2025-03-09 10:31:02	67.81	55dB	2.4	143%	Day
2827	2025-03-09 10:32:49	69.66	55dB	2.8	176%	Day
2828	2025-03-09 10:34:19	N/A	55dB	N/A	N/A	Day
2829	2025-03-09 10:35:38	86.12	55dB	8.6	765%	Day
2830	2025-03-09 10:37:03	73.72	55dB	3.7	266%	Day
2831	2025-03-09 10:41:41	82.00	55dB	6.5	550%	Day
2832	2025-03-09 10:44:50	80.24	55dB	5.8	475%	Day
2833	2025-03-09 10:46:27	72.09	55dB	3.3	227%	Day
2834	2025-03-09 10:49:05	77.12	55dB	4.6	363%	Day
2835	2025-03-09 10:51:21	69.77	55dB	2.8	178%	Day
2836	2025-03-09 10:52:56	N/A	55dB	N/A	N/A	Day
2837	2025-03-09 10:57:10	70.55	55dB	2.9	194%	Day
2838	2025-03-09 10:59:31	68.89	55dB	2.6	162%	Day
2839	2025-03-09 11:00:59	72.19	55dB	3.3	229%	Day
2840	2025-03-09 11:02:17	67.70	55dB	2.4	141%	Day
2841	2025-03-09 11:03:26	68.48	55dB	2.5	155%	Day
2842	2025-03-09 11:04:39	79.72	55dB	5.5	455%	Day
2843	2025-03-09 11:07:35	69.09	55dB	2.7	166%	Day
2844	2025-03-09 11:08:49	N/A	55dB	N/A	N/A	Day
2845	2025-03-09 11:11:00	N/A	55dB	N/A	N/A	Day
2846	2025-03-09 11:12:21	75.14	55dB	4.0	304%	Day
2847	2025-03-09 11:13:47	N/A	55dB	N/A	N/A	Day
2848	2025-03-09 11:15:09	71.00	55dB	3.0	203%	Day
2849	2025-03-09 11:16:31	69.28	55dB	2.7	169%	Day
2850	2025-03-09 11:17:49	N/A	55dB	N/A	N/A	Day
2851	2025-03-09 11:19:01	N/A	55dB	N/A	N/A	Day
2852	2025-03-09 11:21:39	76.60	55dB	4.5	347%	Day
2853	2025-03-09 11:22:53	80.74	55dB	6.0	495%	Day
2854	2025-03-09 11:24:26	N/A	55dB	N/A	N/A	Day

2855	2025-03-09 11:26:50	79.94	55dB	5.6	463%	Day
2856	2025-03-09 11:28:12	68.88	55dB	2.6	162%	Day
2857	2025-03-09 11:29:35	N/A	55dB	N/A	N/A	Day
2858	2025-03-09 11:31:22	68.67	55dB	2.6	158%	Day
2859	2025-03-09 11:32:38	68.51	55dB	2.6	155%	Day
2860	2025-03-09 11:34:02	74.18	55dB	3.8	278%	Day
2861	2025-03-09 11:35:31	74.86	55dB	4.0	296%	Day
2862	2025-03-09 11:37:07	N/A	55dB	N/A	N/A	Day
2863	2025-03-09 11:42:26	N/A	55dB	N/A	N/A	Day
2864	2025-03-09 11:46:57	N/A	55dB	N/A	N/A	Day
2865	2025-03-09 11:55:17	79.59	55dB	5.5	450%	Day
2866	2025-03-09 11:57:33	N/A	55dB	N/A	N/A	Day
2867	2025-03-09 12:00:09	81.60	55dB	6.3	532%	Day
2868	2025-03-09 12:01:42	70.85	55dB	3.0	200%	Day
2869	2025-03-09 12:03:29	74.99	55dB	4.0	300%	Day
2870	2025-03-09 12:08:08	81.83	55dB	6.4	542%	Day
2871	2025-03-09 12:14:54	N/A	55dB	N/A	N/A	Day
2872	2025-03-09 12:17:06	76.13	55dB	4.3	333%	Day
2873	2025-03-09 12:19:43	74.41	55dB	3.8	284%	Day
2874	2025-03-09 12:21:28	85.27	55dB	8.2	715%	Day
2875	2025-03-09 12:25:22	68.87	55dB	2.6	162%	Day
2876	2025-03-09 12:30:51	N/A	55dB	N/A	N/A	Day
2877	2025-03-09 12:32:23	N/A	55dB	N/A	N/A	Day
2878	2025-03-09 12:33:49	69.03	55dB	2.6	164%	Day
2879	2025-03-09 12:48:23	79.64	55dB	5.5	452%	Day
2880	2025-03-09 12:49:41	72.07	55dB	3.3	226%	Day
2881	2025-03-09 12:51:22	68.96	55dB	2.6	163%	Day
2882	2025-03-09 12:55:28	70.46	55dB	2.9	192%	Day
2883	2025-03-09 12:57:33	67.57	55dB	2.4	139%	Day
2884	2025-03-09 12:58:50	68.21	55dB	2.5	150%	Day
2885	2025-03-09 13:00:07	71.80	55dB	3.2	220%	Day
2886	2025-03-09 13:02:19	73.37	55dB	3.6	257%	Day
2887	2025-03-09 13:04:09	81.01	55dB	6.1	507%	Day
2888	2025-03-09 13:06:28	82.16	55dB	6.6	557%	Day
2889	2025-03-09 13:08:03	70.85	55dB	3.0	200%	Day
2890	2025-03-09 13:09:52	70.68	55dB	3.0	196%	Day
2891	2025-03-09 13:11:25	71.51	55dB	3.1	214%	Day
2892	2025-03-09 13:13:15	65.78	55dB	2.1	111%	Day
2893	2025-03-09 13:15:24	79.14	55dB	5.3	433%	Day
2894	2025-03-09 13:17:04	72.07	55dB	3.3	226%	Day
2895	2025-03-09 13:19:02	85.09	55dB	8.1	705%	Day
2896	2025-03-09 13:20:50	N/A	55dB	N/A	N/A	Day
2897	2025-03-09 13:22:05	67.34	55dB	2.4	135%	Day
2898	2025-03-09 13:23:33	N/A	55dB	N/A	N/A	Day

2899	2025-03-09 13:34:30	81.24	55dB	6.2	516%	Day
2900	2025-03-09 13:36:17	77.48	55dB	4.8	375%	Day
2901	2025-03-09 13:39:52	80.15	55dB	5.7	472%	Day
2902	2025-03-09 13:44:57	76.75	55dB	4.5	352%	Day
2903	2025-03-09 13:51:17	67.47	55dB	2.4	137%	Day
2904	2025-03-09 13:52:45	N/A	55dB	N/A	N/A	Day
2905	2025-03-09 14:04:55	76.24	55dB	4.4	336%	Day
2906	2025-03-09 14:06:20	N/A	55dB	N/A	N/A	Day
2907	2025-03-09 14:07:53	79.18	55dB	5.3	434%	Day
2908	2025-03-09 14:10:22	68.88	55dB	2.6	162%	Day
2909	2025-03-09 14:11:53	N/A	55dB	N/A	N/A	Day
2910	2025-03-09 14:13:16	79.97	55dB	5.6	465%	Day
2911	2025-03-09 14:16:14	70.62	55dB	3.0	195%	Day
2912	2025-03-09 14:19:12	79.72	55dB	5.5	455%	Day
2913	2025-03-09 14:20:52	73.75	55dB	3.7	267%	Day
2914	2025-03-09 14:25:34	72.30	55dB	3.3	232%	Day
2915	2025-03-09 14:27:07	N/A	55dB	N/A	N/A	Day
2916	2025-03-09 14:28:43	75.01	55dB	4.0	300%	Day
2917	2025-03-09 14:30:07	71.31	55dB	3.1	210%	Day
2918	2025-03-09 14:31:34	76.59	55dB	4.5	347%	Day
2919	2025-03-09 14:33:09	N/A	55dB	N/A	N/A	Day
2920	2025-03-09 14:34:47	74.12	55dB	3.8	276%	Day
2921	2025-03-09 14:36:09	80.64	55dB	5.9	491%	Day
2922	2025-03-09 14:37:23	81.74	55dB	6.4	538%	Day
2923	2025-03-09 14:39:58	80.56	55dB	5.9	488%	Day
2924	2025-03-09 14:42:47	80.73	55dB	6.0	495%	Day
2925	2025-03-09 14:44:50	68.31	55dB	2.5	152%	Day
2926	2025-03-09 14:49:24	72.68	55dB	3.4	241%	Day
2927	2025-03-09 14:50:47	82.68	55dB	6.8	581%	Day
2928	2025-03-09 14:52:09	77.98	55dB	4.9	392%	Day
2929	2025-03-09 14:53:27	72.89	55dB	3.5	246%	Day
2930	2025-03-09 14:54:53	65.71	55dB	2.1	110%	Day
2931	2025-03-09 14:56:41	70.75	55dB	3.0	198%	Day
2932	2025-03-09 14:58:40	N/A	55dB	N/A	N/A	Day
2933	2025-03-09 15:00:28	78.44	55dB	5.1	408%	Day
2934	2025-03-09 15:02:25	75.25	55dB	4.1	307%	Day
2935	2025-03-09 15:04:14	73.84	55dB	3.7	269%	Day
2936	2025-03-09 15:05:45	76.95	55dB	4.6	358%	Day
2937	2025-03-09 15:07:44	84.70	55dB	7.8	684%	Day
2938	2025-03-09 15:09:50	71.54	55dB	3.1	215%	Day
2939	2025-03-09 15:11:34	81.19	55dB	6.1	514%	Day
2940	2025-03-09 15:13:28	N/A	55dB	N/A	N/A	Day
2941	2025-03-09 15:14:48	78.44	55dB	5.1	408%	Day
2942	2025-03-09 15:16:24	72.06	55dB	3.3	226%	Day

2943	2025-03-09 15:17:56	74.73	55dB	3.9	293%	Day
2944	2025-03-09 15:20:00	N/A	55dB	N/A	N/A	Day
2945	2025-03-09 15:23:00	N/A	55dB	N/A	N/A	Day
2946	2025-03-09 15:24:43	83.33	55dB	7.1	613%	Day
2947	2025-03-09 15:27:44	74.17	55dB	3.8	278%	Day
2948	2025-03-09 15:29:25	82.21	55dB	6.6	559%	Day
2949	2025-03-09 15:31:39	N/A	55dB	N/A	N/A	Day
2950	2025-03-09 15:32:52	81.31	55dB	6.2	519%	Day
2951	2025-03-09 15:34:07	N/A	55dB	N/A	N/A	Day
2952	2025-03-09 15:36:31	N/A	55dB	N/A	N/A	Day
2953	2025-03-09 15:39:37	70.91	55dB	3.0	201%	Day
2954	2025-03-09 15:43:28	N/A	55dB	N/A	N/A	Day
2955	2025-03-09 15:44:47	76.58	55dB	4.5	346%	Day
2956	2025-03-09 15:46:07	82.53	55dB	6.7	574%	Day
2957	2025-03-09 15:47:26	N/A	55dB	N/A	N/A	Day
2958	2025-03-09 15:48:42	79.11	55dB	5.3	432%	Day
2959	2025-03-09 15:50:10	80.80	55dB	6.0	498%	Day
2960	2025-03-09 15:51:40	N/A	55dB	N/A	N/A	Day
2961	2025-03-09 15:54:18	69.49	55dB	2.7	173%	Day
2962	2025-03-09 15:59:13	73.91	55dB	3.7	271%	Day
2963	2025-03-09 16:01:07	70.81	55dB	3.0	199%	Day
2964	2025-03-09 16:02:59	69.61	55dB	2.8	175%	Day
2965	2025-03-09 16:04:21	68.28	55dB	2.5	151%	Day
2966	2025-03-09 16:05:30	N/A	55dB	N/A	N/A	Day
2967	2025-03-09 16:07:10	71.12	55dB	3.1	206%	Day
2968	2025-03-09 16:08:36	78.30	55dB	5.0	403%	Day
2969	2025-03-09 16:10:39	69.78	55dB	2.8	179%	Day
2970	2025-03-09 16:12:26	70.09	55dB	2.8	185%	Day
2971	2025-03-09 16:14:11	70.60	55dB	2.9	195%	Day
2972	2025-03-09 16:15:48	74.09	55dB	3.8	276%	Day
2973	2025-03-09 16:18:30	69.98	55dB	2.8	182%	Day
2974	2025-03-09 16:20:07	69.04	55dB	2.6	165%	Day
2975	2025-03-09 16:22:19	N/A	55dB	N/A	N/A	Day
2976	2025-03-09 16:23:47	75.85	55dB	4.2	324%	Day
2977	2025-03-09 16:25:08	73.25	55dB	3.5	254%	Day
2978	2025-03-09 16:25:38	72.89	55dB	3.5	246%	Day
2979	2025-03-09 16:28:05	66.36	55dB	2.2	120%	Day
2980	2025-03-09 16:31:19	68.61	55dB	2.6	157%	Day
2981	2025-03-09 16:32:56	70.24	55dB	2.9	188%	Day
2982	2025-03-09 16:35:07	79.88	55dB	5.6	461%	Day
2983	2025-03-09 16:37:02	N/A	55dB	N/A	N/A	Day
2984	2025-03-09 16:38:34	77.74	55dB	4.8	384%	Day
2985	2025-03-09 16:39:55	74.65	55dB	3.9	290%	Day
2986	2025-03-09 16:41:16	80.99	55dB	6.1	506%	Day

2987	2025-03-09 16:42:57	74.00	55dB	3.7	273%	Day
2988	2025-03-09 16:45:26	80.88	55dB	6.0	501%	Day
2989	2025-03-09 16:46:51	72.68	55dB	3.4	241%	Day
2990	2025-03-09 16:50:03	76.33	55dB	4.4	339%	Day
2991	2025-03-09 16:53:38	77.79	55dB	4.9	385%	Day
2992	2025-03-09 16:55:45	67.14	55dB	2.3	132%	Day
2993	2025-03-09 16:57:17	N/A	55dB	N/A	N/A	Day
2994	2025-03-09 16:59:21	N/A	55dB	N/A	N/A	Day
2995	2025-03-09 17:01:54	75.80	55dB	4.2	323%	Day
2996	2025-03-09 17:03:49	84.06	55dB	7.5	650%	Day
2997	2025-03-09 17:08:48	70.90	55dB	3.0	201%	Day
2998	2025-03-09 17:11:17	N/A	55dB	N/A	N/A	Day
2999	2025-03-09 17:14:16	75.44	55dB	4.1	312%	Day
3000	2025-03-09 17:15:47	N/A	55dB	N/A	N/A	Day
3001	2025-03-09 17:17:20	81.10	55dB	6.1	511%	Day
3002	2025-03-09 17:18:53	73.02	55dB	3.5	249%	Day
3003	2025-03-09 17:21:07	N/A	55dB	N/A	N/A	Day
3004	2025-03-09 17:23:57	67.22	55dB	2.3	133%	Day
3005	2025-03-09 17:25:36	71.40	55dB	3.1	212%	Day
3006	2025-03-09 17:27:19	71.40	55dB	3.1	212%	Day
3007	2025-03-09 17:30:01	70.93	55dB	3.0	202%	Day
3008	2025-03-09 17:31:23	75.12	55dB	4.0	303%	Day
3009	2025-03-09 17:33:06	68.65	55dB	2.6	158%	Day
3010	2025-03-09 17:35:00	70.24	55dB	2.9	188%	Day
3011	2025-03-09 17:37:18	66.42	55dB	2.2	121%	Day
3012	2025-03-09 17:38:48	71.95	55dB	3.2	224%	Day
3013	2025-03-09 17:43:07	70.74	55dB	3.0	198%	Day
3014	2025-03-09 17:46:02	68.38	55dB	2.5	153%	Day
3015	2025-03-09 17:48:00	69.15	55dB	2.7	167%	Day
3016	2025-03-09 17:49:30	70.79	55dB	3.0	199%	Day
3017	2025-03-09 17:51:53	67.34	55dB	2.4	135%	Day
3018	2025-03-09 17:54:28	67.68	55dB	2.4	141%	Day
3019	2025-03-09 17:56:02	N/A	55dB	N/A	N/A	Day
3020	2025-03-09 17:57:35	68.70	55dB	2.6	158%	Day
3021	2025-03-09 18:01:08	69.37	55dB	2.7	171%	Day
3022	2025-03-09 18:03:26	N/A	55dB	N/A	N/A	Day
3023	2025-03-09 18:04:50	N/A	55dB	N/A	N/A	Day
3024	2025-03-09 18:06:28	69.30	55dB	2.7	169%	Day
3025	2025-03-09 18:07:58	N/A	55dB	N/A	N/A	Day
3026	2025-03-09 18:11:06	77.23	55dB	4.7	367%	Day
3027	2025-03-09 18:12:42	N/A	55dB	N/A	N/A	Day
3028	2025-03-09 18:14:10	66.56	55dB	2.2	123%	Day
3029	2025-03-09 18:15:32	68.29	55dB	2.5	151%	Day
3030	2025-03-09 18:16:55	69.53	55dB	2.7	174%	Day

3031	2025-03-09 18:18:48	N/A	55dB	N/A	N/A	Day
3032	2025-03-09 18:20:16	N/A	55dB	N/A	N/A	Day
3033	2025-03-09 18:21:51	69.35	55dB	2.7	170%	Day
3034	2025-03-09 18:23:21	66.02	55dB	2.1	115%	Day
3035	2025-03-09 18:26:05	68.08	55dB	2.5	148%	Day
3036	2025-03-09 18:29:10	68.37	55dB	2.5	153%	Day
3037	2025-03-09 18:30:58	N/A	55dB	N/A	N/A	Day
3038	2025-03-09 18:36:56	72.79	55dB	3.4	243%	Day
3039	2025-03-09 18:38:52	71.26	55dB	3.1	209%	Day
3040	2025-03-09 18:40:19	69.51	55dB	2.7	173%	Day
3041	2025-03-09 18:41:43	67.74	55dB	2.4	142%	Day
3042	2025-03-09 18:43:35	79.31	55dB	5.4	439%	Day
3043	2025-03-09 18:45:38	67.53	55dB	2.4	138%	Day
3044	2025-03-09 18:47:09	67.21	55dB	2.3	133%	Day
3045	2025-03-09 18:48:45	67.88	55dB	2.4	144%	Day
3046	2025-03-09 18:50:12	66.48	55dB	2.2	122%	Day
3047	2025-03-09 18:56:16	69.83	55dB	2.8	180%	Day
3048	2025-03-09 18:57:44	70.89	55dB	3.0	201%	Day
3049	2025-03-09 18:59:33	70.44	55dB	2.9	192%	Day
3050	2025-03-09 19:01:17	71.12	55dB	3.1	206%	Day
3051	2025-03-09 19:03:45	73.67	55dB	3.6	265%	Day
3052	2025-03-09 19:06:56	74.15	55dB	3.8	277%	Day
3053	2025-03-09 19:09:16	69.42	55dB	2.7	172%	Day
3054	2025-03-09 19:11:03	70.83	55dB	3.0	200%	Day
3055	2025-03-09 19:12:47	71.30	55dB	3.1	210%	Day
3056	2025-03-09 19:14:17	71.05	55dB	3.0	204%	Day
3057	2025-03-09 19:17:13	N/A	55dB	N/A	N/A	Day
3058	2025-03-09 19:18:58	68.91	55dB	2.6	162%	Day
3059	2025-03-09 19:20:40	69.92	55dB	2.8	181%	Day
3060	2025-03-09 19:22:06	68.99	55dB	2.6	164%	Day
3061	2025-03-09 19:23:25	69.01	55dB	2.6	164%	Day
3062	2025-03-09 19:24:53	71.10	55dB	3.1	205%	Day
3063	2025-03-09 19:26:15	71.13	55dB	3.1	206%	Day
3064	2025-03-09 19:28:51	70.47	55dB	2.9	192%	Day
3065	2025-03-09 19:30:15	N/A	55dB	N/A	N/A	Day
3066	2025-03-09 19:31:49	N/A	55dB	N/A	N/A	Day
3067	2025-03-09 19:33:32	72.96	55dB	3.5	247%	Day
3068	2025-03-09 19:35:30	72.82	55dB	3.4	244%	Day
3069	2025-03-09 19:37:35	68.28	55dB	2.5	151%	Day
3070	2025-03-09 19:38:53	71.41	55dB	3.1	212%	Day
3071	2025-03-09 19:40:27	N/A	55dB	N/A	N/A	Day
3072	2025-03-09 19:41:43	N/A	55dB	N/A	N/A	Day
3073	2025-03-09 19:43:12	69.06	55dB	2.7	165%	Day
3074	2025-03-09 19:44:47	70.54	55dB	2.9	194%	Day

3075	2025-03-09 19:46:19	67.38	55dB	2.4	136%	Day
3076	2025-03-09 19:48:06	70.02	55dB	2.8	183%	Day
3077	2025-03-09 19:49:40	72.46	55dB	3.4	235%	Day
3078	2025-03-09 19:51:18	N/A	55dB	N/A	N/A	Day
3079	2025-03-09 19:52:51	75.10	55dB	4.0	303%	Day
3080	2025-03-09 19:54:56	68.07	55dB	2.5	147%	Day
3081	2025-03-09 19:56:36	71.18	55dB	3.1	207%	Day
3082	2025-03-09 19:58:10	70.55	55dB	2.9	194%	Day
3083	2025-03-09 20:00:04	71.51	55dB	3.1	214%	Day
3084	2025-03-09 20:01:40	71.26	55dB	3.1	209%	Day
3085	2025-03-09 20:04:07	N/A	55dB	N/A	N/A	Day
3086	2025-03-09 20:05:37	73.13	55dB	3.5	251%	Day
3087	2025-03-09 20:09:17	67.64	55dB	2.4	140%	Day
3088	2025-03-09 20:11:12	N/A	55dB	N/A	N/A	Day
3089	2025-03-09 20:12:43	70.29	55dB	2.9	189%	Day
3090	2025-03-09 20:16:37	71.43	55dB	3.1	212%	Day
3091	2025-03-09 20:18:19	71.90	55dB	3.2	223%	Day
3092	2025-03-09 20:20:09	70.27	55dB	2.9	188%	Day
3093	2025-03-09 20:21:38	67.78	55dB	2.4	143%	Day
3094	2025-03-09 20:23:30	72.35	55dB	3.3	233%	Day
3095	2025-03-09 20:26:02	69.62	55dB	2.8	175%	Day
3096	2025-03-09 20:27:30	N/A	55dB	N/A	N/A	Day
3097	2025-03-09 20:28:56	77.46	55dB	4.7	374%	Day
3098	2025-03-09 20:30:17	68.40	55dB	2.5	153%	Day
3099	2025-03-09 20:32:30	71.97	55dB	3.2	224%	Day
3100	2025-03-09 20:35:00	72.36	55dB	3.3	233%	Day
3101	2025-03-09 20:38:21	71.05	55dB	3.0	204%	Day
3102	2025-03-09 20:40:08	69.62	55dB	2.8	175%	Day
3103	2025-03-09 20:41:35	72.76	55dB	3.4	242%	Day
3104	2025-03-09 20:43:09	72.29	55dB	3.3	231%	Day
3105	2025-03-09 20:44:49	69.38	55dB	2.7	171%	Day
3106	2025-03-09 20:47:35	70.71	55dB	3.0	197%	Day
3107	2025-03-09 20:49:49	76.32	55dB	4.4	338%	Day
3108	2025-03-09 20:51:24	69.20	55dB	2.7	168%	Day
3109	2025-03-09 20:53:45	68.44	55dB	2.5	154%	Day
3110	2025-03-09 20:55:13	N/A	55dB	N/A	N/A	Day
3111	2025-03-09 20:56:42	N/A	55dB	N/A	N/A	Day
3112	2025-03-09 20:58:25	69.86	55dB	2.8	180%	Day
3113	2025-03-09 20:59:57	67.18	55dB	2.3	133%	Day
3114	2025-03-09 21:01:25	71.22	55dB	3.1	208%	Day
3115	2025-03-09 21:04:47	71.80	55dB	3.2	220%	Day
3116	2025-03-09 21:06:17	70.81	55dB	3.0	199%	Day
3117	2025-03-09 21:08:00	71.21	55dB	3.1	208%	Day
3118	2025-03-09 21:09:32	71.81	55dB	3.2	221%	Day

3119	2025-03-09 21:11:02	76.86	55dB	4.6	355%	Day
3120	2025-03-09 21:13:00	73.90	55dB	3.7	271%	Day
3121	2025-03-09 21:14:34	68.26	55dB	2.5	151%	Day
3122	2025-03-09 21:16:01	70.01	55dB	2.8	183%	Day
3123	2025-03-09 21:17:35	75.91	55dB	4.3	326%	Day
3124	2025-03-09 21:18:54	72.13	55dB	3.3	228%	Day
3125	2025-03-09 21:20:19	69.62	55dB	2.8	175%	Day
3126	2025-03-09 21:22:13	N/A	55dB	N/A	N/A	Day
3127	2025-03-09 21:24:13	67.04	55dB	2.3	130%	Day
3128	2025-03-09 21:25:39	71.82	55dB	3.2	221%	Day
3129	2025-03-09 21:26:57	N/A	55dB	N/A	N/A	Day
3130	2025-03-09 21:28:11	81.60	55dB	6.3	532%	Day
3131	2025-03-09 21:29:33	70.43	55dB	2.9	191%	Day
3132	2025-03-09 21:31:22	70.10	55dB	2.8	185%	Day
3133	2025-03-09 21:32:46	69.60	55dB	2.8	175%	Day
3134	2025-03-09 21:33:58	70.91	55dB	3.0	201%	Day
3135	2025-03-09 21:35:27	N/A	55dB	N/A	N/A	Day
3136	2025-03-09 21:36:45	69.55	55dB	2.7	174%	Day
3137	2025-03-09 21:38:13	71.09	55dB	3.1	205%	Day
3138	2025-03-09 21:39:32	69.67	55dB	2.8	176%	Day
3139	2025-03-09 21:41:02	70.16	55dB	2.9	186%	Day
3140	2025-03-09 21:42:25	74.05	55dB	3.7	275%	Day
3141	2025-03-09 21:43:56	68.82	55dB	2.6	161%	Day
3142	2025-03-09 21:45:22	N/A	55dB	N/A	N/A	Day
3143	2025-03-09 21:47:01	N/A	55dB	N/A	N/A	Day
3144	2025-03-09 21:48:54	70.32	55dB	2.9	189%	Day
3145	2025-03-09 21:50:25	69.48	55dB	2.7	173%	Day
3146	2025-03-09 21:52:22	70.00	55dB	2.8	183%	Day
3147	2025-03-09 21:53:57	68.55	55dB	2.6	156%	Day
3148	2025-03-09 21:55:32	69.48	55dB	2.7	173%	Day
3149	2025-03-09 21:57:21	67.97	55dB	2.5	146%	Day
3150	2025-03-09 21:58:53	71.00	55dB	3.0	203%	Day
3151	2025-03-09 22:00:32	N/A	55dB	N/A	N/A	Day
3152	2025-03-09 22:02:22	69.15	55dB	2.7	167%	Day
3153	2025-03-09 22:03:56	71.78	55dB	3.2	220%	Day
3154	2025-03-09 22:05:36	69.02	55dB	2.6	164%	Day
3155	2025-03-09 22:09:26	70.54	55dB	2.9	194%	Day
3156	2025-03-09 22:11:33	73.57	55dB	3.6	262%	Day
3157	2025-03-09 22:13:48	69.73	55dB	2.8	178%	Day
3158	2025-03-09 22:15:51	70.05	55dB	2.8	184%	Day
3159	2025-03-09 22:17:22	70.95	55dB	3.0	202%	Day
3160	2025-03-09 22:19:34	71.93	55dB	3.2	223%	Day
3161	2025-03-09 22:20:52	N/A	55dB	N/A	N/A	Day
3162	2025-03-09 22:22:48	69.20	55dB	2.7	168%	Day

3163	2025-03-09 22:24:54	N/A	55dB	N/A	N/A	Day
3164	2025-03-09 22:26:11	68.41	55dB	2.5	153%	Day
3165	2025-03-09 22:27:45	75.57	55dB	4.2	316%	Day
3166	2025-03-09 22:29:41	73.26	55dB	3.5	255%	Day
3167	2025-03-09 22:32:00	72.32	55dB	3.3	232%	Day
3168	2025-03-09 22:33:48	N/A	55dB	N/A	N/A	Day
3169	2025-03-09 22:36:24	68.44	55dB	2.5	154%	Day
3170	2025-03-09 22:39:17	N/A	55dB	N/A	N/A	Day
3171	2025-03-09 22:42:44	N/A	55dB	N/A	N/A	Day
3172	2025-03-09 22:45:26	74.26	55dB	3.8	280%	Day
3173	2025-03-09 22:48:06	73.99	55dB	3.7	273%	Day
3174	2025-03-09 22:52:30	68.08	55dB	2.5	148%	Day
3175	2025-03-09 22:54:56	70.49	55dB	2.9	193%	Day
3176	2025-03-09 23:01:18	70.67	45dB	5.9	493%	Night
3177	2025-03-09 23:06:38	72.51	45dB	6.7	573%	Night
3178	2025-03-09 23:09:42	68.29	45dB	5.0	402%	Night
3179	2025-03-09 23:12:53	N/A	45dB	N/A	N/A	Night
3180	2025-03-09 23:16:11	75.39	45dB	8.2	722%	Night
3181	2025-03-09 23:18:08	66.79	45dB	4.5	353%	Night
3182	2025-03-09 23:21:44	N/A	45dB	N/A	N/A	Night
3183	2025-03-09 23:25:18	69.04	45dB	5.3	429%	Night
3184	2025-03-09 23:27:42	N/A	45dB	N/A	N/A	Night
3185	2025-03-09 23:29:56	71.01	45dB	6.1	507%	Night
3186	2025-03-09 23:33:07	71.93	45dB	6.5	547%	Night
3187	2025-03-09 23:35:54	70.68	45dB	5.9	493%	Night
3188	2025-03-09 23:38:58	74.74	45dB	7.9	686%	Night
3189	2025-03-09 23:41:58	74.39	45dB	7.7	667%	Night
3190	2025-03-09 23:44:46	69.23	45dB	5.4	436%	Night
3191	2025-03-09 23:46:56	70.97	45dB	6.1	505%	Night
3192	2025-03-09 23:49:03	69.61	45dB	5.5	451%	Night
3193	2025-03-09 23:51:03	N/A	45dB	N/A	N/A	Night
3194	2025-03-09 23:54:27	74.72	45dB	7.8	685%	Night
3195	2025-03-09 23:59:56	N/A	45dB	N/A	N/A	Night
3196	2025-03-10 00:03:38	70.97	45dB	6.1	505%	Night
3197	2025-03-10 00:06:24	71.46	45dB	6.3	526%	Night
3198	2025-03-10 00:09:05	75.15	45dB	8.1	708%	Night
3199	2025-03-10 00:10:50	71.81	45dB	6.4	541%	Night
3200	2025-03-10 00:12:13	73.69	45dB	7.3	631%	Night
3201	2025-03-10 00:14:52	72.63	45dB	6.8	579%	Night
3202	2025-03-10 00:17:31	62.34	45dB	3.3	233%	Night
3203	2025-03-10 00:20:04	73.35	45dB	7.1	614%	Night
3204	2025-03-10 00:21:45	79.06	45dB	10.6	960%	Night
3205	2025-03-10 00:25:02	74.98	45dB	8.0	699%	Night
3206	2025-03-10 00:26:18	71.35	45dB	6.2	521%	Night

3207	2025-03-10 00:28:50	72.08	45dB	6.5	553%	Night
3208	2025-03-10 00:31:44	72.94	45dB	6.9	594%	Night
3209	2025-03-10 00:34:07	75.25	45dB	8.1	714%	Night
3210	2025-03-10 00:36:54	71.41	45dB	6.2	524%	Night
3211	2025-03-10 00:43:30	72.35	45dB	6.7	566%	Night
3212	2025-03-10 00:46:14	74.44	45dB	7.7	670%	Night
3213	2025-03-10 00:51:08	71.30	45dB	6.2	519%	Night
3214	2025-03-10 00:59:01	71.63	45dB	6.3	533%	Night
3215	2025-03-10 01:03:10	75.08	45dB	8.0	704%	Night
3216	2025-03-10 01:14:37	72.89	45dB	6.9	591%	Night
3217	2025-03-10 01:18:06	71.61	45dB	6.3	532%	Night
3218	2025-03-10 01:22:04	74.66	45dB	7.8	681%	Night
3219	2025-03-10 01:26:02	75.48	45dB	8.3	727%	Night
3220	2025-03-10 01:40:31	72.14	45dB	6.6	556%	Night
3221	2025-03-10 01:58:58	73.55	45dB	7.2	624%	Night
3222	2025-03-10 02:07:38	73.18	45dB	7.1	605%	Night
3223	2025-03-10 02:16:25	71.32	45dB	6.2	520%	Night
3224	2025-03-10 02:18:49	69.37	45dB	5.4	442%	Night
3225	2025-03-10 02:28:08	78.33	45dB	10.1	908%	Night
3226	2025-03-10 02:31:02	74.11	45dB	7.5	652%	Night
3227	2025-03-10 02:42:18	76.34	45dB	8.8	778%	Night
3228	2025-03-10 02:54:30	73.44	45dB	7.2	618%	Night
3229	2025-03-10 03:50:58	N/A	45dB	N/A	N/A	Night
3230	2025-03-10 05:09:25	70.71	45dB	5.9	494%	Night
3231	2025-03-10 05:33:36	70.90	45dB	6.0	502%	Night
3232	2025-03-10 05:36:01	72.11	45dB	6.5	555%	Night
3233	2025-03-10 05:38:32	70.12	45dB	5.7	470%	Night
3234	2025-03-10 05:44:48	68.94	45dB	5.3	426%	Night
3235	2025-03-10 05:48:51	74.59	45dB	7.8	678%	Night
3236	2025-03-10 05:50:46	81.56	45dB	12.6	1161%	Night
3237	2025-03-10 05:52:31	71.24	45dB	6.2	516%	Night
3238	2025-03-10 06:08:20	72.74	45dB	6.8	584%	Night
3239	2025-03-10 06:21:27	71.27	45dB	6.2	518%	Night
3240	2025-03-10 06:30:03	73.32	45dB	7.1	612%	Night
3241	2025-03-10 06:32:21	70.51	45dB	5.9	486%	Night
3242	2025-03-10 06:33:43	68.41	45dB	5.1	407%	Night
3243	2025-03-10 06:36:13	69.44	45dB	5.4	444%	Night
3244	2025-03-10 06:37:25	69.56	45dB	5.5	449%	Night
3245	2025-03-10 06:38:47	69.39	45dB	5.4	442%	Night
3246	2025-03-10 06:39:56	68.13	45dB	5.0	397%	Night
3247	2025-03-10 06:41:28	70.21	45dB	5.7	474%	Night
3248	2025-03-10 06:42:57	72.30	45dB	6.6	563%	Night
3249	2025-03-10 06:45:01	71.00	45dB	6.1	506%	Night
3250	2025-03-10 06:46:56	72.15	45dB	6.6	557%	Night

3251	2025-03-10 06:48:26	70.04	45dB	5.7	467%	Night
3252	2025-03-10 06:49:56	68.86	45dB	5.2	423%	Night
3253	2025-03-10 06:51:52	68.11	45dB	5.0	396%	Night
3254	2025-03-10 06:54:41	67.85	45dB	4.9	387%	Night
3255	2025-03-10 06:56:58	69.75	45dB	5.6	456%	Night
3256	2025-03-10 07:02:46	67.51	55dB	2.4	138%	Day
3257	2025-03-10 07:04:45	69.65	55dB	2.8	176%	Day
3258	2025-03-10 07:06:18	N/A	55dB	N/A	N/A	Day
3259	2025-03-10 07:09:47	70.90	55dB	3.0	201%	Day
3260	2025-03-10 07:11:48	72.65	55dB	3.4	240%	Day
3261	2025-03-10 07:14:18	69.12	55dB	2.7	166%	Day
3262	2025-03-10 07:16:26	68.48	55dB	2.5	155%	Day
3263	2025-03-10 07:18:26	73.28	55dB	3.6	255%	Day
3264	2025-03-10 07:19:35	66.74	55dB	2.3	126%	Day
3265	2025-03-10 07:20:42	73.29	55dB	3.6	255%	Day
3266	2025-03-10 07:22:10	67.78	55dB	2.4	143%	Day
3267	2025-03-10 07:23:17	67.46	55dB	2.4	137%	Day
3268	2025-03-10 07:24:48	68.67	55dB	2.6	158%	Day
3269	2025-03-10 07:26:35	69.66	55dB	2.8	176%	Day
3270	2025-03-10 07:28:35	73.53	55dB	3.6	261%	Day
3271	2025-03-10 07:32:50	N/A	55dB	N/A	N/A	Day
3272	2025-03-10 07:37:15	74.25	55dB	3.8	280%	Day
3273	2025-03-10 07:49:57	68.25	55dB	2.5	151%	Day
3274	2025-03-10 07:52:39	72.86	55dB	3.4	245%	Day
3275	2025-03-10 07:55:26	71.27	55dB	3.1	209%	Day
3276	2025-03-10 07:58:11	74.97	55dB	4.0	299%	Day
3277	2025-03-10 08:00:55	72.65	55dB	3.4	240%	Day
3278	2025-03-10 08:02:41	70.77	55dB	3.0	198%	Day
3279	2025-03-10 08:04:31	69.63	55dB	2.8	176%	Day
3280	2025-03-10 08:06:39	72.28	55dB	3.3	231%	Day
3281	2025-03-10 08:09:23	75.30	55dB	4.1	308%	Day
3282	2025-03-10 08:17:59	68.10	55dB	2.5	148%	Day
3283	2025-03-10 08:23:50	72.00	55dB	3.2	225%	Day
3284	2025-03-10 08:29:58	71.32	55dB	3.1	210%	Day
3285	2025-03-10 08:32:14	68.02	55dB	2.5	147%	Day
3286	2025-03-10 08:34:16	70.86	55dB	3.0	200%	Day
3287	2025-03-10 08:37:06	73.21	55dB	3.5	253%	Day
3288	2025-03-10 09:10:00	71.00	55dB	3.0	203%	Day
3289	2025-03-10 09:17:13	N/A	55dB	N/A	N/A	Day
3290	2025-03-10 09:23:31	N/A	55dB	N/A	N/A	Day
3291	2025-03-10 09:32:42	67.91	55dB	2.4	145%	Day
3292	2025-03-10 09:34:49	73.98	55dB	3.7	273%	Day
3293	2025-03-10 09:38:01	N/A	55dB	N/A	N/A	Day
3294	2025-03-10 09:41:09	68.54	55dB	2.6	156%	Day

3295	2025-03-10 09:49:27	70.07	55dB	2.8	184%	Day
3296	2025-03-10 09:56:19	70.12	55dB	2.9	185%	Day
3297	2025-03-10 10:08:15	72.05	55dB	3.3	226%	Day
3298	2025-03-10 10:18:20	71.82	55dB	3.2	221%	Day
3299	2025-03-10 10:20:46	68.32	55dB	2.5	152%	Day
3300	2025-03-10 10:22:21	68.92	55dB	2.6	162%	Day
3301	2025-03-10 10:23:56	68.62	55dB	2.6	157%	Day
3302	2025-03-10 10:25:23	N/A	55dB	N/A	N/A	Day
3303	2025-03-10 10:27:06	77.27	55dB	4.7	368%	Day
3304	2025-03-10 10:28:32	N/A	55dB	N/A	N/A	Day
3305	2025-03-10 10:31:51	N/A	55dB	N/A	N/A	Day
3306	2025-03-10 10:36:50	67.58	55dB	2.4	139%	Day
3307	2025-03-10 10:39:10	67.23	55dB	2.3	133%	Day
3308	2025-03-10 10:42:02	68.91	55dB	2.6	162%	Day
3309	2025-03-10 10:44:57	69.57	55dB	2.7	175%	Day
3310	2025-03-10 10:46:44	69.36	55dB	2.7	171%	Day
3311	2025-03-10 10:55:44	70.78	55dB	3.0	199%	Day
3312	2025-03-10 10:57:36	68.68	55dB	2.6	158%	Day
3313	2025-03-10 10:59:15	71.72	55dB	3.2	219%	Day
3314	2025-03-10 11:00:44	N/A	55dB	N/A	N/A	Day
3315	2025-03-10 11:02:19	69.92	55dB	2.8	181%	Day
3316	2025-03-10 11:04:19	N/A	55dB	N/A	N/A	Day
3317	2025-03-10 11:11:49	66.91	55dB	2.3	128%	Day
3318	2025-03-10 11:14:19	71.43	55dB	3.1	212%	Day
3319	2025-03-10 11:16:20	69.65	55dB	2.8	176%	Day
3320	2025-03-10 11:17:40	66.51	55dB	2.2	122%	Day
3321	2025-03-10 11:19:17	65.98	55dB	2.1	114%	Day
3322	2025-03-10 11:20:33	69.18	55dB	2.7	167%	Day
3323	2025-03-10 11:22:57	N/A	55dB	N/A	N/A	Day
3324	2025-03-10 11:24:55	71.41	55dB	3.1	212%	Day
3325	2025-03-10 11:26:17	70.56	55dB	2.9	194%	Day
3326	2025-03-10 11:27:34	70.59	55dB	2.9	195%	Day
3327	2025-03-10 11:29:17	N/A	55dB	N/A	N/A	Day
3328	2025-03-10 11:30:28	68.89	55dB	2.6	162%	Day
3329	2025-03-10 11:32:13	N/A	55dB	N/A	N/A	Day
3330	2025-03-10 11:35:00	N/A	55dB	N/A	N/A	Day
3331	2025-03-10 11:36:45	71.54	55dB	3.1	215%	Day
3332	2025-03-10 11:41:15	70.88	55dB	3.0	201%	Day
3333	2025-03-10 11:49:38	69.39	55dB	2.7	171%	Day
3334	2025-03-10 11:55:43	70.57	55dB	2.9	194%	Day
3335	2025-03-10 11:58:07	78.86	55dB	5.2	423%	Day
3336	2025-03-10 12:04:04	68.04	55dB	2.5	147%	Day
3337	2025-03-10 12:05:44	68.45	55dB	2.5	154%	Day
3338	2025-03-10 12:07:20	N/A	55dB	N/A	N/A	Day

3339	2025-03-10 12:09:04	71.00	55dB	3.0	203%	Day
3340	2025-03-10 12:10:19	67.71	55dB	2.4	141%	Day
3341	2025-03-10 12:11:41	67.52	55dB	2.4	138%	Day
3342	2025-03-10 12:13:16	70.53	55dB	2.9	193%	Day
3343	2025-03-10 12:14:43	68.76	55dB	2.6	160%	Day
3344	2025-03-10 12:16:05	77.50	55dB	4.8	376%	Day
3345	2025-03-10 12:17:25	70.07	55dB	2.8	184%	Day
3346	2025-03-10 12:21:27	68.52	55dB	2.6	155%	Day
3347	2025-03-10 12:32:14	71.68	55dB	3.2	218%	Day
3348	2025-03-10 12:33:46	68.97	55dB	2.6	163%	Day
3349	2025-03-10 12:35:46	69.40	55dB	2.7	171%	Day
3350	2025-03-10 12:37:15	68.74	55dB	2.6	159%	Day
3351	2025-03-10 12:38:50	70.76	55dB	3.0	198%	Day
3352	2025-03-10 12:40:27	74.49	55dB	3.9	286%	Day
3353	2025-03-10 12:46:23	71.53	55dB	3.1	214%	Day
3354	2025-03-10 12:47:52	68.69	55dB	2.6	158%	Day
3355	2025-03-10 12:52:50	68.98	55dB	2.6	164%	Day
3356	2025-03-10 12:57:54	67.72	55dB	2.4	141%	Day
3357	2025-03-10 12:59:35	68.94	55dB	2.6	163%	Day
3358	2025-03-10 13:01:35	N/A	55dB	N/A	N/A	Day
3359	2025-03-10 13:03:18	72.79	55dB	3.4	243%	Day
3360	2025-03-10 13:04:41	67.47	55dB	2.4	137%	Day
3361	2025-03-10 13:05:56	69.55	55dB	2.7	174%	Day
3362	2025-03-10 13:10:06	70.66	55dB	3.0	196%	Day
3363	2025-03-10 13:11:42	68.07	55dB	2.5	147%	Day
3364	2025-03-10 13:13:27	69.60	55dB	2.8	175%	Day
3365	2025-03-10 13:14:40	N/A	55dB	N/A	N/A	Day
3366	2025-03-10 13:15:52	72.42	55dB	3.3	234%	Day
3367	2025-03-10 13:17:42	N/A	55dB	N/A	N/A	Day
3368	2025-03-10 13:19:33	69.60	55dB	2.8	175%	Day
3369	2025-03-10 13:23:20	70.79	55dB	3.0	199%	Day
3370	2025-03-10 13:24:40	68.93	55dB	2.6	163%	Day
3371	2025-03-10 13:29:37	70.62	55dB	3.0	195%	Day
3372	2025-03-10 13:31:34	70.34	55dB	2.9	190%	Day
3373	2025-03-10 13:32:55	69.97	55dB	2.8	182%	Day
3374	2025-03-10 13:34:14	66.92	55dB	2.3	128%	Day
3375	2025-03-10 13:35:30	67.04	55dB	2.3	130%	Day
3376	2025-03-10 13:40:00	70.20	55dB	2.9	187%	Day
3377	2025-03-10 13:43:19	70.50	55dB	2.9	193%	Day
3378	2025-03-10 13:45:32	70.04	55dB	2.8	184%	Day
3379	2025-03-10 13:57:08	69.25	55dB	2.7	169%	Day
3380	2025-03-10 14:01:19	73.52	55dB	3.6	261%	Day
3381	2025-03-10 14:03:10	78.65	55dB	5.2	415%	Day
3382	2025-03-10 14:04:46	72.28	55dB	3.3	231%	Day

3383	2025-03-10 14:10:27	73.17	55dB	3.5	252%	Day
3384	2025-03-10 14:13:06	71.65	55dB	3.2	217%	Day
3385	2025-03-10 14:15:20	N/A	55dB	N/A	N/A	Day
3386	2025-03-10 14:20:33	69.61	55dB	2.8	175%	Day
3387	2025-03-10 14:22:19	69.51	55dB	2.7	173%	Day
3388	2025-03-10 14:24:42	72.04	55dB	3.3	226%	Day
3389	2025-03-10 14:29:54	69.31	55dB	2.7	170%	Day
3390	2025-03-10 14:31:55	71.88	55dB	3.2	222%	Day
3391	2025-03-10 14:33:34	69.38	55dB	2.7	171%	Day
3392	2025-03-10 14:35:10	67.33	55dB	2.4	135%	Day
3393	2025-03-10 14:36:50	69.16	55dB	2.7	167%	Day
3394	2025-03-10 14:38:20	73.55	55dB	3.6	262%	Day
3395	2025-03-10 14:40:34	68.71	55dB	2.6	159%	Day
3396	2025-03-10 14:41:55	71.08	55dB	3.0	205%	Day
3397	2025-03-10 14:43:19	68.54	55dB	2.6	156%	Day
3398	2025-03-10 14:44:46	75.22	55dB	4.1	306%	Day
3399	2025-03-10 14:46:08	73.14	55dB	3.5	252%	Day
3400	2025-03-10 14:48:49	67.96	55dB	2.5	146%	Day
3401	2025-03-10 14:50:07	68.05	55dB	2.5	147%	Day
3402	2025-03-10 14:54:20	N/A	55dB	N/A	N/A	Day
3403	2025-03-10 14:56:54	73.17	55dB	3.5	252%	Day
3404	2025-03-10 14:59:04	69.79	55dB	2.8	179%	Day
3405	2025-03-10 15:00:39	71.04	55dB	3.0	204%	Day
3406	2025-03-10 15:06:02	72.02	55dB	3.3	225%	Day
3407	2025-03-10 15:08:07	70.40	55dB	2.9	191%	Day
3408	2025-03-10 15:09:38	69.83	55dB	2.8	180%	Day
3409	2025-03-10 15:23:43	67.43	55dB	2.4	137%	Day
3410	2025-03-10 15:25:25	69.53	55dB	2.7	174%	Day
3411	2025-03-10 15:27:26	N/A	55dB	N/A	N/A	Day
3412	2025-03-10 15:31:45	71.19	55dB	3.1	207%	Day
3413	2025-03-10 15:33:18	71.60	55dB	3.2	216%	Day
3414	2025-03-10 15:35:04	N/A	55dB	N/A	N/A	Day
3415	2025-03-10 15:36:30	70.00	55dB	2.8	183%	Day
3416	2025-03-10 15:38:02	68.90	55dB	2.6	162%	Day
3417	2025-03-10 15:39:28	71.24	55dB	3.1	208%	Day
3418	2025-03-10 15:40:57	66.73	55dB	2.3	125%	Day
3419	2025-03-10 15:42:14	69.05	55dB	2.6	165%	Day
3420	2025-03-10 15:43:56	72.43	55dB	3.3	235%	Day
3421	2025-03-10 15:45:20	78.04	55dB	4.9	394%	Day
3422	2025-03-10 15:47:38	N/A	55dB	N/A	N/A	Day
3423	2025-03-10 15:48:50	70.39	55dB	2.9	191%	Day
3424	2025-03-10 15:50:06	72.04	55dB	3.3	226%	Day
3425	2025-03-10 15:51:30	N/A	55dB	N/A	N/A	Day
3426	2025-03-10 15:52:54	73.03	55dB	3.5	249%	Day

3427	2025-03-10 15:55:02	N/A	55dB	N/A	N/A	Day
3428	2025-03-10 15:56:18	68.93	55dB	2.6	163%	Day
3429	2025-03-10 15:57:38	70.45	55dB	2.9	192%	Day
3430	2025-03-10 15:58:50	68.68	55dB	2.6	158%	Day
3431	2025-03-10 16:00:35	68.67	55dB	2.6	158%	Day
3432	2025-03-10 16:02:11	72.38	55dB	3.3	234%	Day
3433	2025-03-10 16:04:28	71.62	55dB	3.2	216%	Day
3434	2025-03-10 16:06:20	70.49	55dB	2.9	193%	Day
3435	2025-03-10 16:07:43	70.51	55dB	2.9	193%	Day
3436	2025-03-10 16:09:03	81.64	55dB	6.3	534%	Day
3437	2025-03-10 16:11:26	72.11	55dB	3.3	227%	Day
3438	2025-03-10 16:13:14	73.84	55dB	3.7	269%	Day
3439	2025-03-10 16:15:06	71.36	55dB	3.1	211%	Day
3440	2025-03-10 16:17:02	N/A	55dB	N/A	N/A	Day
3441	2025-03-10 16:18:30	N/A	55dB	N/A	N/A	Day
3442	2025-03-10 16:20:40	70.64	55dB	3.0	196%	Day
3443	2025-03-10 16:24:46	77.10	55dB	4.6	363%	Day
3444	2025-03-10 16:34:48	73.28	55dB	3.6	255%	Day
3445	2025-03-10 16:37:36	71.25	55dB	3.1	208%	Day
3446	2025-03-10 16:40:32	73.07	55dB	3.5	250%	Day
3447	2025-03-10 16:42:36	72.29	55dB	3.3	231%	Day
3448	2025-03-10 16:45:18	78.65	55dB	5.2	415%	Day
3449	2025-03-10 16:47:36	74.58	55dB	3.9	289%	Day
3450	2025-03-10 16:49:49	77.31	55dB	4.7	369%	Day
3451	2025-03-10 16:52:39	70.74	55dB	3.0	198%	Day
3452	2025-03-10 16:54:49	69.20	55dB	2.7	168%	Day
3453	2025-03-10 16:57:21	70.95	55dB	3.0	202%	Day
3454	2025-03-10 17:00:13	70.76	55dB	3.0	198%	Day
3455	2025-03-10 17:04:10	75.48	55dB	4.1	314%	Day
3456	2025-03-10 17:06:16	66.43	55dB	2.2	121%	Day
3457	2025-03-10 17:09:32	77.08	55dB	4.6	362%	Day
3458	2025-03-10 17:11:48	77.19	55dB	4.7	366%	Day
3459	2025-03-10 17:20:27	70.49	55dB	2.9	193%	Day
3460	2025-03-10 17:22:37	72.06	55dB	3.3	226%	Day
3461	2025-03-10 17:24:43	71.65	55dB	3.2	217%	Day
3462	2025-03-10 17:26:54	71.00	55dB	3.0	203%	Day
3463	2025-03-10 17:29:25	71.95	55dB	3.2	224%	Day
3464	2025-03-10 17:31:40	71.84	55dB	3.2	221%	Day
3465	2025-03-10 17:33:41	72.38	55dB	3.3	234%	Day
3466	2025-03-10 17:48:34	73.94	55dB	3.7	272%	Day
3467	2025-03-10 17:52:56	70.42	55dB	2.9	191%	Day
3468	2025-03-10 17:55:15	67.92	55dB	2.4	145%	Day
3469	2025-03-10 17:57:37	72.09	55dB	3.3	227%	Day
3470	2025-03-10 17:59:38	71.33	55dB	3.1	210%	Day

3471	2025-03-10 18:01:45	75.83	55dB	4.2	324%	Day
3472	2025-03-10 18:03:52	71.34	55dB	3.1	210%	Day
3473	2025-03-10 18:05:56	71.25	55dB	3.1	208%	Day
3474	2025-03-10 18:08:10	72.58	55dB	3.4	238%	Day
3475	2025-03-10 18:10:19	74.61	55dB	3.9	289%	Day
3476	2025-03-10 18:12:30	73.98	55dB	3.7	273%	Day
3477	2025-03-10 18:22:52	73.16	55dB	3.5	252%	Day
3478	2025-03-10 18:25:00	73.53	55dB	3.6	261%	Day
3479	2025-03-10 18:27:12	70.44	55dB	2.9	192%	Day
3480	2025-03-10 18:29:47	70.75	55dB	3.0	198%	Day
3481	2025-03-10 18:32:07	70.45	55dB	2.9	192%	Day
3482	2025-03-10 18:34:16	73.85	55dB	3.7	269%	Day
3483	2025-03-10 18:36:32	72.48	55dB	3.4	236%	Day
3484	2025-03-10 18:40:55	71.14	55dB	3.1	206%	Day
3485	2025-03-10 18:43:04	73.11	55dB	3.5	251%	Day
3486	2025-03-10 18:46:00	72.71	55dB	3.4	241%	Day
3487	2025-03-10 18:48:32	73.71	55dB	3.7	266%	Day
3488	2025-03-10 18:55:34	73.83	55dB	3.7	269%	Day
3489	2025-03-10 18:59:25	72.56	55dB	3.4	238%	Day
3490	2025-03-10 19:02:25	77.68	55dB	4.8	382%	Day
3491	2025-03-10 19:11:55	71.81	55dB	3.2	221%	Day
3492	2025-03-10 19:19:11	77.22	55dB	4.7	367%	Day
3493	2025-03-10 19:21:27	73.65	55dB	3.6	264%	Day
3494	2025-03-10 19:23:39	72.60	55dB	3.4	239%	Day
3495	2025-03-10 19:25:56	73.13	55dB	3.5	251%	Day
3496	2025-03-10 19:29:15	77.28	55dB	4.7	368%	Day
3497	2025-03-10 19:31:58	75.44	55dB	4.1	312%	Day
3498	2025-03-10 19:36:47	70.45	55dB	2.9	192%	Day
3499	2025-03-10 19:42:14	70.15	55dB	2.9	186%	Day
3500	2025-03-10 19:44:22	72.59	55dB	3.4	238%	Day
3501	2025-03-10 19:46:24	72.00	55dB	3.2	225%	Day
3502	2025-03-10 19:49:53	N/A	55dB	N/A	N/A	Day
3503	2025-03-10 19:52:15	73.44	55dB	3.6	259%	Day
3504	2025-03-10 19:54:51	72.36	55dB	3.3	233%	Day
3505	2025-03-10 19:57:25	74.81	55dB	3.9	295%	Day
3506	2025-03-10 19:59:43	71.41	55dB	3.1	212%	Day
3507	2025-03-10 20:02:22	74.49	55dB	3.9	286%	Day
3508	2025-03-10 20:04:35	72.46	55dB	3.4	235%	Day
3509	2025-03-10 20:09:17	79.22	55dB	5.4	436%	Day
3510	2025-03-10 20:11:28	77.62	55dB	4.8	380%	Day
3511	2025-03-10 20:13:55	73.66	55dB	3.6	265%	Day
3512	2025-03-10 20:16:31	70.86	55dB	3.0	200%	Day
3513	2025-03-10 20:19:45	72.66	55dB	3.4	240%	Day
3514	2025-03-10 20:23:38	73.30	55dB	3.6	256%	Day

3515	2025-03-10 20:32:15	71.70	55dB	3.2	218%	Day
3516	2025-03-10 20:34:33	72.45	55dB	3.4	235%	Day
3517	2025-03-10 20:36:50	77.24	55dB	4.7	367%	Day
3518	2025-03-10 20:39:33	72.91	55dB	3.5	246%	Day
3519	2025-03-10 20:45:05	76.88	55dB	4.6	356%	Day
3520	2025-03-10 20:47:23	74.97	55dB	4.0	299%	Day
3521	2025-03-10 20:49:41	76.93	55dB	4.6	357%	Day
3522	2025-03-10 20:51:36	74.10	55dB	3.8	276%	Day
3523	2025-03-10 20:53:11	69.38	55dB	2.7	171%	Day
3524	2025-03-10 20:55:10	68.74	55dB	2.6	159%	Day
3525	2025-03-10 20:57:09	72.64	55dB	3.4	240%	Day
3526	2025-03-10 20:58:43	69.67	55dB	2.8	176%	Day
3527	2025-03-10 21:00:11	72.75	55dB	3.4	242%	Day
3528	2025-03-10 21:02:23	70.66	55dB	3.0	196%	Day
3529	2025-03-10 21:03:41	70.20	55dB	2.9	187%	Day
3530	2025-03-10 21:05:37	70.40	55dB	2.9	191%	Day
3531	2025-03-10 21:09:20	80.64	55dB	5.9	491%	Day
3532	2025-03-10 21:11:37	69.07	55dB	2.7	165%	Day
3533	2025-03-10 21:14:05	68.11	55dB	2.5	148%	Day
3534	2025-03-10 21:16:22	72.42	55dB	3.3	234%	Day
3535	2025-03-10 21:17:54	72.05	55dB	3.3	226%	Day
3536	2025-03-10 21:20:05	68.05	55dB	2.5	147%	Day
3537	2025-03-10 21:21:22	N/A	55dB	N/A	N/A	Day
3538	2025-03-10 21:22:52	N/A	55dB	N/A	N/A	Day
3539	2025-03-10 21:24:16	68.59	55dB	2.6	157%	Day
3540	2025-03-10 21:28:34	70.56	55dB	2.9	194%	Day
3541	2025-03-10 21:31:34	75.15	55dB	4.0	304%	Day
3542	2025-03-10 21:34:13	72.82	55dB	3.4	244%	Day
3543	2025-03-10 21:36:22	69.73	55dB	2.8	178%	Day
3544	2025-03-10 21:37:37	N/A	55dB	N/A	N/A	Day
3545	2025-03-10 21:38:56	N/A	55dB	N/A	N/A	Day
3546	2025-03-10 21:40:15	67.49	55dB	2.4	138%	Day
3547	2025-03-10 21:41:46	72.91	55dB	3.5	246%	Day
3548	2025-03-10 21:45:53	72.10	55dB	3.3	227%	Day
3549	2025-03-10 21:47:26	72.80	55dB	3.4	243%	Day
3550	2025-03-10 21:53:15	70.94	55dB	3.0	202%	Day
3551	2025-03-10 21:56:01	69.59	55dB	2.7	175%	Day
3552	2025-03-10 21:57:43	69.37	55dB	2.7	171%	Day
3553	2025-03-10 21:59:36	67.90	55dB	2.4	145%	Day
3554	2025-03-10 22:01:24	70.61	55dB	3.0	195%	Day
3555	2025-03-10 22:03:14	67.94	55dB	2.5	145%	Day
3556	2025-03-10 22:04:48	71.51	55dB	3.1	214%	Day
3557	2025-03-10 22:07:22	72.23	55dB	3.3	230%	Day
3558	2025-03-10 22:09:07	73.02	55dB	3.5	249%	Day

3559	2025-03-10 22:11:21	72.11	55dB	3.3	227%	Day
3560	2025-03-10 22:13:15	67.54	55dB	2.4	139%	Day
3561	2025-03-10 22:14:58	67.35	55dB	2.4	135%	Day
3562	2025-03-10 22:17:03	69.82	55dB	2.8	179%	Day
3563	2025-03-10 22:19:00	71.80	55dB	3.2	220%	Day
3564	2025-03-10 22:21:45	70.97	55dB	3.0	203%	Day
3565	2025-03-10 22:23:40	N/A	55dB	N/A	N/A	Day
3566	2025-03-10 22:25:40	N/A	55dB	N/A	N/A	Day
3567	2025-03-10 22:27:16	N/A	55dB	N/A	N/A	Day
3568	2025-03-10 22:28:32	68.94	55dB	2.6	163%	Day
3569	2025-03-10 22:30:12	68.94	55dB	2.6	163%	Day
3570	2025-03-10 22:32:39	76.42	55dB	4.4	341%	Day
3571	2025-03-10 22:35:02	67.36	55dB	2.4	136%	Day
3572	2025-03-10 22:36:32	N/A	55dB	N/A	N/A	Day
3573	2025-03-10 22:38:12	70.10	55dB	2.8	185%	Day
3574	2025-03-10 22:40:32	68.48	55dB	2.5	155%	Day
3575	2025-03-10 22:56:01	N/A	55dB	N/A	N/A	Day
3576	2025-03-10 23:01:09	69.30	45dB	5.4	439%	Night
3577	2025-03-10 23:03:11	71.08	45dB	6.1	510%	Night
3578	2025-03-10 23:05:12	N/A	45dB	N/A	N/A	Night
3579	2025-03-10 23:07:05	N/A	45dB	N/A	N/A	Night
3580	2025-03-10 23:08:36	71.36	45dB	6.2	522%	Night
3581	2025-03-10 23:10:30	68.00	45dB	4.9	392%	Night
3582	2025-03-10 23:14:16	66.51	45dB	4.4	344%	Night
3583	2025-03-10 23:19:44	67.95	45dB	4.9	391%	Night
3584	2025-03-10 23:24:40	68.50	45dB	5.1	410%	Night
3585	2025-03-10 23:26:50	68.18	45dB	5.0	399%	Night
3586	2025-03-10 23:29:52	69.18	45dB	5.3	434%	Night
3587	2025-03-10 23:35:37	67.81	45dB	4.9	386%	Night
3588	2025-03-10 23:37:18	72.04	45dB	6.5	552%	Night
3589	2025-03-10 23:40:00	71.55	45dB	6.3	530%	Night
3590	2025-03-10 23:41:54	68.86	45dB	5.2	423%	Night
3591	2025-03-10 23:43:26	N/A	45dB	N/A	N/A	Night
3592	2025-03-10 23:45:04	70.97	45dB	6.1	505%	Night
3593	2025-03-10 23:46:25	66.99	45dB	4.6	359%	Night
3594	2025-03-10 23:47:58	71.20	45dB	6.1	515%	Night
3595	2025-03-10 23:53:39	71.60	45dB	6.3	532%	Night
3596	2025-03-10 23:56:11	71.47	45dB	6.3	526%	Night
3597	2025-03-11 00:01:33	75.90	45dB	8.5	751%	Night
3598	2025-03-11 00:05:20	71.48	45dB	6.3	527%	Night
3599	2025-03-11 00:08:34	70.63	45dB	5.9	491%	Night
3600	2025-03-11 00:11:18	67.83	45dB	4.9	387%	Night
3601	2025-03-11 00:15:37	74.01	45dB	7.5	647%	Night
3602	2025-03-11 00:22:09	72.97	45dB	6.9	595%	Night

3603	2025-03-11 00:26:54	75.84	45dB	8.5	748%	Night
3604	2025-03-11 00:34:28	72.04	45dB	6.5	552%	Night
3605	2025-03-11 00:38:42	70.32	45dB	5.8	478%	Night
3606	2025-03-11 00:44:03	72.62	45dB	6.8	578%	Night
3607	2025-03-11 00:46:42	71.09	45dB	6.1	510%	Night
3608	2025-03-11 00:49:30	71.51	45dB	6.3	528%	Night
3609	2025-03-11 00:53:30	74.39	45dB	7.7	667%	Night
3610	2025-03-11 00:55:46	73.65	45dB	7.3	629%	Night
3611	2025-03-11 00:58:10	75.82	45dB	8.5	747%	Night
3612	2025-03-11 01:01:35	N/A	45dB	N/A	N/A	Night
3613	2025-03-11 01:05:35	72.77	45dB	6.9	585%	Night
3614	2025-03-11 01:20:08	72.92	45dB	6.9	593%	Night
3615	2025-03-11 01:31:56	69.97	45dB	5.6	465%	Night
3616	2025-03-11 01:35:24	70.48	45dB	5.8	485%	Night
3617	2025-03-11 01:47:43	72.07	45dB	6.5	553%	Night
3618	2025-03-11 02:02:57	73.26	45dB	7.1	609%	Night
3619	2025-03-11 02:05:45	73.11	45dB	7.0	602%	Night
3620	2025-03-11 02:07:57	75.69	45dB	8.4	739%	Night
3621	2025-03-11 02:27:34	72.73	45dB	6.8	584%	Night
3622	2025-03-11 02:45:30	70.27	45dB	5.8	476%	Night
3623	2025-03-11 03:05:28	71.28	45dB	6.2	518%	Night
3624	2025-03-11 03:23:25	70.48	45dB	5.8	485%	Night
3625	2025-03-11 04:17:33	78.46	45dB	10.2	917%	Night
3626	2025-03-11 04:51:16	76.11	45dB	8.6	764%	Night
3627	2025-03-11 05:01:41	64.18	45dB	3.8	278%	Night
3628	2025-03-11 05:15:13	74.38	45dB	7.7	666%	Night
3629	2025-03-11 05:22:30	73.81	45dB	7.4	637%	Night
3630	2025-03-11 05:25:32	73.02	45dB	7.0	597%	Night
3631	2025-03-11 05:31:03	70.33	45dB	5.8	479%	Night
3632	2025-03-11 05:33:37	72.06	45dB	6.5	553%	Night
3633	2025-03-11 05:37:45	71.10	45dB	6.1	511%	Night
3634	2025-03-11 05:42:48	68.64	45dB	5.1	415%	Night
3635	2025-03-11 05:48:07	76.78	45dB	9.1	805%	Night
3636	2025-03-11 05:53:07	72.43	45dB	6.7	569%	Night
3637	2025-03-11 05:55:28	72.09	45dB	6.5	554%	Night
3638	2025-03-11 06:01:22	77.36	45dB	9.4	842%	Night
3639	2025-03-11 06:04:02	77.64	45dB	9.6	861%	Night
3640	2025-03-11 06:08:35	73.69	45dB	7.3	631%	Night
3641	2025-03-11 06:11:36	70.54	45dB	5.9	487%	Night
3642	2025-03-11 06:13:56	73.34	45dB	7.1	613%	Night
3643	2025-03-11 06:30:41	69.59	45dB	5.5	450%	Night
3644	2025-03-11 06:32:15	75.29	45dB	8.2	716%	Night
3645	2025-03-11 06:33:33	75.27	45dB	8.2	715%	Night
3646	2025-03-11 06:35:38	70.98	45dB	6.1	505%	Night

3647	2025-03-11 06:36:55	70.67	45dB	5.9	493%	Night
3648	2025-03-11 06:38:20	69.26	45dB	5.4	437%	Night
3649	2025-03-11 06:39:47	N/A	45dB	N/A	N/A	Night
3650	2025-03-11 06:41:19	69.80	45dB	5.6	458%	Night
3651	2025-03-11 06:43:25	68.61	45dB	5.1	414%	Night
3652	2025-03-11 06:44:43	70.31	45dB	5.8	478%	Night
3653	2025-03-11 06:46:02	68.69	45dB	5.2	417%	Night
3654	2025-03-11 06:47:18	71.12	45dB	6.1	511%	Night
3655	2025-03-11 06:48:42	71.41	45dB	6.2	524%	Night
3656	2025-03-11 06:49:56	72.12	45dB	6.6	555%	Night
3657	2025-03-11 06:51:35	72.07	45dB	6.5	553%	Night
3658	2025-03-11 06:52:58	N/A	45dB	N/A	N/A	Night
3659	2025-03-11 06:54:23	80.59	45dB	11.8	1079%	Night
3660	2025-03-11 06:55:58	N/A	45dB	N/A	N/A	Night
3661	2025-03-11 06:57:38	68.72	45dB	5.2	418%	Night
3662	2025-03-11 06:59:26	N/A	45dB	N/A	N/A	Night
3663	2025-03-11 07:01:25	70.38	55dB	2.9	190%	Day
3664	2025-03-11 07:04:53	69.94	55dB	2.8	182%	Day
3665	2025-03-11 07:08:03	68.03	55dB	2.5	147%	Day
3666	2025-03-11 07:11:34	67.24	55dB	2.3	134%	Day
3667	2025-03-11 07:14:25	69.34	55dB	2.7	170%	Day
3668	2025-03-11 07:23:27	70.18	55dB	2.9	186%	Day
3669	2025-03-11 07:26:27	N/A	55dB	N/A	N/A	Day
3670	2025-03-11 07:38:45	N/A	55dB	N/A	N/A	Day
3671	2025-03-11 07:40:44	71.46	55dB	3.1	213%	Day
3672	2025-03-11 07:43:07	N/A	55dB	N/A	N/A	Day
3673	2025-03-11 07:49:11	N/A	55dB	N/A	N/A	Day
3674	2025-03-11 07:55:41	67.54	55dB	2.4	139%	Day
3675	2025-03-11 07:57:44	75.53	55dB	4.1	315%	Day
3676	2025-03-11 07:59:46	71.88	55dB	3.2	222%	Day
3677	2025-03-11 08:04:10	70.43	55dB	2.9	191%	Day
3678	2025-03-11 08:08:08	69.47	55dB	2.7	173%	Day
3679	2025-03-11 08:10:10	N/A	55dB	N/A	N/A	Day
3680	2025-03-11 08:11:45	69.03	55dB	2.6	164%	Day
3681	2025-03-11 08:14:47	70.59	55dB	2.9	195%	Day
3682	2025-03-11 08:16:28	69.21	55dB	2.7	168%	Day
3683	2025-03-11 08:26:34	N/A	55dB	N/A	N/A	Day
3684	2025-03-11 08:28:14	74.51	55dB	3.9	287%	Day
3685	2025-03-11 08:29:58	69.45	55dB	2.7	172%	Day
3686	2025-03-11 08:31:32	N/A	55dB	N/A	N/A	Day
3687	2025-03-11 08:36:49	N/A	55dB	N/A	N/A	Day
3688	2025-03-11 08:48:25	70.40	55dB	2.9	191%	Day
3689	2025-03-11 08:54:08	76.28	55dB	4.4	337%	Day
3690	2025-03-11 08:57:21	70.25	55dB	2.9	188%	Day

3691	2025-03-11 09:10:44	72.58	55dB	3.4	238%	Day
3692	2025-03-11 09:14:02	70.07	55dB	2.8	184%	Day
3693	2025-03-11 09:24:34	74.07	55dB	3.8	275%	Day
3694	2025-03-11 09:27:34	70.73	55dB	3.0	198%	Day
3695	2025-03-11 09:32:01	71.72	55dB	3.2	219%	Day
3696	2025-03-11 09:34:41	69.98	55dB	2.8	182%	Day
3697	2025-03-11 09:36:57	71.96	55dB	3.2	224%	Day
3698	2025-03-11 09:39:20	76.54	55dB	4.5	345%	Day
3699	2025-03-11 09:46:25	72.06	55dB	3.3	226%	Day
3700	2025-03-11 09:51:51	70.78	55dB	3.0	199%	Day
3701	2025-03-11 09:57:48	74.52	55dB	3.9	287%	Day
3702	2025-03-11 10:03:48	72.66	55dB	3.4	240%	Day
3703	2025-03-11 10:10:56	71.26	55dB	3.1	209%	Day
3704	2025-03-11 10:19:21	72.25	55dB	3.3	231%	Day
3705	2025-03-11 10:22:12	74.09	55dB	3.8	276%	Day
3706	2025-03-11 10:27:18	72.67	55dB	3.4	240%	Day
3707	2025-03-11 10:32:32	N/A	55dB	N/A	N/A	Day
3708	2025-03-11 10:34:33	N/A	55dB	N/A	N/A	Day
3709	2025-03-11 10:36:34	69.65	55dB	2.8	176%	Day
3710	2025-03-11 10:38:03	71.70	55dB	3.2	218%	Day
3711	2025-03-11 10:39:48	77.69	55dB	4.8	382%	Day
3712	2025-03-11 10:43:43	N/A	55dB	N/A	N/A	Day
3713	2025-03-11 10:47:13	70.46	55dB	2.9	192%	Day
3714	2025-03-11 10:48:53	69.03	55dB	2.6	164%	Day
3715	2025-03-11 10:50:44	68.77	55dB	2.6	160%	Day
3716	2025-03-11 10:52:28	69.74	55dB	2.8	178%	Day
3717	2025-03-11 10:53:57	71.59	55dB	3.2	216%	Day
3718	2025-03-11 10:55:20	70.37	55dB	2.9	190%	Day
3719	2025-03-11 10:57:09	69.61	55dB	2.8	175%	Day
3720	2025-03-11 10:59:12	71.70	55dB	3.2	218%	Day
3721	2025-03-11 11:00:30	72.14	55dB	3.3	228%	Day
3722	2025-03-11 11:05:11	76.14	55dB	4.3	333%	Day
3723	2025-03-11 11:06:51	69.07	55dB	2.7	165%	Day
3724	2025-03-11 11:08:21	68.17	55dB	2.5	149%	Day
3725	2025-03-11 11:09:49	69.90	55dB	2.8	181%	Day
3726	2025-03-11 11:11:05	80.65	55dB	5.9	492%	Day
3727	2025-03-11 11:14:38	70.47	55dB	2.9	192%	Day
3728	2025-03-11 11:16:14	71.14	55dB	3.1	206%	Day
3729	2025-03-11 11:17:36	N/A	55dB	N/A	N/A	Day
3730	2025-03-11 11:18:52	N/A	55dB	N/A	N/A	Day
3731	2025-03-11 11:20:02	88.54	55dB	10.2	922%	Day
3732	2025-03-11 11:21:44	68.42	55dB	2.5	154%	Day
3733	2025-03-11 11:23:04	81.11	55dB	6.1	511%	Day
3734	2025-03-11 11:24:22	67.04	55dB	2.3	130%	Day

3735	2025-03-11 11:25:32	74.28	55dB	3.8	281%	Day
3736	2025-03-11 11:27:00	68.18	55dB	2.5	149%	Day
3737	2025-03-11 11:28:32	74.39	55dB	3.8	283%	Day
3738	2025-03-11 11:29:42	N/A	55dB	N/A	N/A	Day
3739	2025-03-11 11:31:07	81.97	55dB	6.5	548%	Day
3740	2025-03-11 11:32:23	75.62	55dB	4.2	318%	Day
3741	2025-03-11 11:33:44	68.58	55dB	2.6	156%	Day
3742	2025-03-11 11:35:12	69.58	55dB	2.7	175%	Day
3743	2025-03-11 11:36:48	71.10	55dB	3.1	205%	Day
3744	2025-03-11 11:41:55	68.77	55dB	2.6	160%	Day
3745	2025-03-11 11:48:10	70.69	55dB	3.0	197%	Day
3746	2025-03-11 11:53:47	N/A	55dB	N/A	N/A	Day
3747	2025-03-11 11:59:20	76.69	55dB	4.5	350%	Day
3748	2025-03-11 12:01:09	70.39	55dB	2.9	191%	Day
3749	2025-03-11 12:03:16	75.85	55dB	4.2	324%	Day
3750	2025-03-11 12:04:45	67.87	55dB	2.4	144%	Day
3751	2025-03-11 12:06:20	70.77	55dB	3.0	198%	Day
3752	2025-03-11 12:08:23	N/A	55dB	N/A	N/A	Day
3753	2025-03-11 12:12:17	70.02	55dB	2.8	183%	Day
3754	2025-03-11 12:14:06	69.67	55dB	2.8	176%	Day
3755	2025-03-11 12:18:05	71.38	55dB	3.1	211%	Day
3756	2025-03-11 12:27:46	66.61	55dB	2.2	124%	Day
3757	2025-03-11 12:29:35	75.08	55dB	4.0	302%	Day
3758	2025-03-11 12:31:55	N/A	55dB	N/A	N/A	Day
3759	2025-03-11 12:33:57	72.08	55dB	3.3	227%	Day
3760	2025-03-11 12:35:39	72.66	55dB	3.4	240%	Day
3761	2025-03-11 12:38:07	70.43	55dB	2.9	191%	Day
3762	2025-03-11 12:41:26	82.63	55dB	6.8	579%	Day
3763	2025-03-11 12:43:27	74.30	55dB	3.8	281%	Day
3764	2025-03-11 12:45:32	N/A	55dB	N/A	N/A	Day
3765	2025-03-11 12:47:14	72.62	55dB	3.4	239%	Day
3766	2025-03-11 12:54:21	69.79	55dB	2.8	179%	Day
3767	2025-03-11 12:59:04	71.06	55dB	3.0	204%	Day
3768	2025-03-11 13:03:14	N/A	55dB	N/A	N/A	Day
3769	2025-03-11 13:05:31	78.04	55dB	4.9	394%	Day
3770	2025-03-11 13:08:42	71.55	55dB	3.1	215%	Day
3771	2025-03-11 13:10:14	78.52	55dB	5.1	411%	Day
3772	2025-03-11 13:11:48	76.57	55dB	4.5	346%	Day
3773	2025-03-11 13:19:26	80.72	55dB	5.9	495%	Day
3774	2025-03-11 13:21:39	N/A	55dB	N/A	N/A	Day
3775	2025-03-11 13:22:57	86.28	55dB	8.7	774%	Day
3776	2025-03-11 13:25:06	67.06	55dB	2.3	131%	Day
3777	2025-03-11 13:28:56	77.87	55dB	4.9	388%	Day
3778	2025-03-11 13:31:09	N/A	55dB	N/A	N/A	Day

3779	2025-03-11 13:33:10	68.63	55dB	2.6	157%	Day
3780	2025-03-11 13:35:15	85.65	55dB	8.4	737%	Day
3781	2025-03-11 13:37:17	70.21	55dB	2.9	187%	Day
3782	2025-03-11 13:40:11	N/A	55dB	N/A	N/A	Day
3783	2025-03-11 13:41:26	69.01	55dB	2.6	164%	Day
3784	2025-03-11 13:42:49	79.07	55dB	5.3	430%	Day
3785	2025-03-11 13:46:30	85.73	55dB	8.4	742%	Day
3786	2025-03-11 13:49:10	71.83	55dB	3.2	221%	Day
3787	2025-03-11 13:54:11	N/A	55dB	N/A	N/A	Day
3788	2025-03-11 13:58:39	68.97	55dB	2.6	163%	Day
3789	2025-03-11 14:01:15	69.98	55dB	2.8	182%	Day
3790	2025-03-11 14:04:46	77.63	55dB	4.8	380%	Day
3791	2025-03-11 14:06:12	78.03	55dB	4.9	393%	Day
3792	2025-03-11 14:08:35	77.78	55dB	4.9	385%	Day
3793	2025-03-11 14:11:31	79.24	55dB	5.4	437%	Day
3794	2025-03-11 14:13:07	84.20	55dB	7.6	657%	Day
3795	2025-03-11 14:16:20	80.82	55dB	6.0	499%	Day
3796	2025-03-11 14:18:53	84.23	55dB	7.6	658%	Day
3797	2025-03-11 14:20:50	N/A	55dB	N/A	N/A	Day
3798	2025-03-11 14:22:16	70.09	55dB	2.8	185%	Day
3799	2025-03-11 14:23:56	69.63	55dB	2.8	176%	Day
3800	2025-03-11 14:25:28	69.37	55dB	2.7	171%	Day
3801	2025-03-11 14:29:26	84.03	55dB	7.5	648%	Day
3802	2025-03-11 14:30:53	74.96	55dB	4.0	299%	Day
3803	2025-03-11 14:38:22	86.26	55dB	8.7	773%	Day
3804	2025-03-11 14:40:53	70.34	55dB	2.9	190%	Day
3805	2025-03-11 14:48:52	74.76	55dB	3.9	293%	Day
3806	2025-03-11 14:53:46	87.66	55dB	9.6	862%	Day
3807	2025-03-11 14:55:23	N/A	55dB	N/A	N/A	Day
3808	2025-03-11 14:56:47	N/A	55dB	N/A	N/A	Day
3809	2025-03-11 14:58:28	72.12	55dB	3.3	228%	Day
3810	2025-03-11 15:00:20	71.95	55dB	3.2	224%	Day
3811	2025-03-11 15:02:35	74.36	55dB	3.8	283%	Day
3812	2025-03-11 15:04:28	70.87	55dB	3.0	200%	Day
3813	2025-03-11 15:08:36	72.05	55dB	3.3	226%	Day
3814	2025-03-11 15:11:46	78.08	55dB	5.0	395%	Day
3815	2025-03-11 15:16:03	70.37	55dB	2.9	190%	Day
3816	2025-03-11 15:17:37	N/A	55dB	N/A	N/A	Day
3817	2025-03-11 15:18:53	N/A	55dB	N/A	N/A	Day
3818	2025-03-11 15:20:08	79.98	55dB	5.6	465%	Day
3819	2025-03-11 15:21:27	83.42	55dB	7.2	617%	Day
3820	2025-03-11 15:22:39	N/A	55dB	N/A	N/A	Day
3821	2025-03-11 15:24:03	68.46	55dB	2.5	154%	Day
3822	2025-03-11 15:26:09	N/A	55dB	N/A	N/A	Day

3823	2025-03-11 15:28:33	N/A	55dB	N/A	N/A	Day
3824	2025-03-11 15:30:56	85.38	55dB	8.2	721%	Day
3825	2025-03-11 15:32:39	70.02	55dB	2.8	183%	Day
3826	2025-03-11 15:34:42	69.81	55dB	2.8	179%	Day
3827	2025-03-11 15:36:34	74.54	55dB	3.9	287%	Day
3828	2025-03-11 15:37:44	N/A	55dB	N/A	N/A	Day
3829	2025-03-11 15:39:03	N/A	55dB	N/A	N/A	Day
3830	2025-03-11 15:40:30	78.38	55dB	5.1	406%	Day
3831	2025-03-11 15:42:07	76.50	55dB	4.4	344%	Day
3832	2025-03-11 15:44:44	82.20	55dB	6.6	559%	Day
3833	2025-03-11 15:46:02	76.65	55dB	4.5	348%	Day
3834	2025-03-11 15:47:32	73.17	55dB	3.5	252%	Day
3835	2025-03-11 15:48:42	79.79	55dB	5.6	458%	Day
3836	2025-03-11 15:49:57	67.94	55dB	2.5	145%	Day
3837	2025-03-11 15:51:25	76.64	55dB	4.5	348%	Day
3838	2025-03-11 15:54:54	N/A	55dB	N/A	N/A	Day
3839	2025-03-11 15:56:06	69.96	55dB	2.8	182%	Day
3840	2025-03-11 15:57:16	N/A	55dB	N/A	N/A	Day
3841	2025-03-11 15:59:00	N/A	55dB	N/A	N/A	Day
3842	2025-03-11 16:01:43	N/A	55dB	N/A	N/A	Day
3843	2025-03-11 16:03:58	75.04	55dB	4.0	301%	Day
3844	2025-03-11 16:05:36	70.96	55dB	3.0	202%	Day
3845	2025-03-11 16:06:50	82.62	55dB	6.8	578%	Day
3846	2025-03-11 16:08:47	69.34	55dB	2.7	170%	Day
3847	2025-03-11 16:10:02	78.71	55dB	5.2	417%	Day
3848	2025-03-11 16:11:28	69.52	55dB	2.7	174%	Day
3849	2025-03-11 16:12:48	N/A	55dB	N/A	N/A	Day
3850	2025-03-11 16:14:14	86.07	55dB	8.6	762%	Day
3851	2025-03-11 16:15:23	77.27	55dB	4.7	368%	Day
3852	2025-03-11 16:17:25	67.22	55dB	2.3	133%	Day
3853	2025-03-11 16:18:57	N/A	55dB	N/A	N/A	Day
3854	2025-03-11 16:20:38	72.78	55dB	3.4	243%	Day
3855	2025-03-11 16:22:02	75.74	55dB	4.2	321%	Day
3856	2025-03-11 16:23:45	81.59	55dB	6.3	532%	Day
3857	2025-03-11 16:25:42	78.80	55dB	5.2	421%	Day
3858	2025-03-11 16:26:58	78.77	55dB	5.2	419%	Day
3859	2025-03-11 16:30:20	72.07	55dB	3.3	226%	Day
3860	2025-03-11 16:33:23	N/A	55dB	N/A	N/A	Day
3861	2025-03-11 16:36:14	N/A	55dB	N/A	N/A	Day
3862	2025-03-11 16:38:24	69.97	55dB	2.8	182%	Day
3863	2025-03-11 16:39:58	N/A	55dB	N/A	N/A	Day
3864	2025-03-11 16:42:15	N/A	55dB	N/A	N/A	Day
3865	2025-03-11 16:43:25	82.57	55dB	6.8	576%	Day
3866	2025-03-11 16:47:20	73.57	55dB	3.6	262%	Day

3867	2025-03-11 16:49:33	73.09	55dB	3.5	250%	Day
3868	2025-03-11 16:52:18	N/A	55dB	N/A	N/A	Day
3869	2025-03-11 16:53:54	68.25	55dB	2.5	151%	Day
3870	2025-03-11 16:55:30	N/A	55dB	N/A	N/A	Day
3871	2025-03-11 16:57:03	73.49	55dB	3.6	260%	Day
3872	2025-03-11 17:00:00	81.94	55dB	6.5	547%	Day
3873	2025-03-11 17:09:16	N/A	55dB	N/A	N/A	Day
3874	2025-03-11 17:11:12	N/A	55dB	N/A	N/A	Day
3875	2025-03-11 17:13:31	71.47	55dB	3.1	213%	Day
3876	2025-03-11 17:16:28	N/A	55dB	N/A	N/A	Day
3877	2025-03-11 17:19:18	N/A	55dB	N/A	N/A	Day
3878	2025-03-11 17:20:31	70.75	55dB	3.0	198%	Day
3879	2025-03-11 17:21:43	76.49	55dB	4.4	344%	Day
3880	2025-03-11 17:24:02	72.18	55dB	3.3	229%	Day
3881	2025-03-11 17:25:14	66.66	55dB	2.2	124%	Day
3882	2025-03-11 17:26:27	81.96	55dB	6.5	548%	Day
3883	2025-03-11 17:28:08	70.40	55dB	2.9	191%	Day
3884	2025-03-11 17:32:19	74.85	55dB	4.0	296%	Day
3885	2025-03-11 17:34:15	71.95	55dB	3.2	224%	Day
3886	2025-03-11 17:36:47	78.51	55dB	5.1	410%	Day
3887	2025-03-11 17:39:10	N/A	55dB	N/A	N/A	Day
3888	2025-03-11 17:40:32	70.57	55dB	2.9	194%	Day
3889	2025-03-11 17:41:41	66.68	55dB	2.2	125%	Day
3890	2025-03-11 17:42:42	73.08	55dB	3.5	250%	Day
3891	2025-03-11 17:44:11	73.89	55dB	3.7	270%	Day
3892	2025-03-11 17:46:42	N/A	55dB	N/A	N/A	Day
3893	2025-03-11 17:48:39	N/A	55dB	N/A	N/A	Day
3894	2025-03-11 17:50:10	71.28	55dB	3.1	209%	Day
3895	2025-03-11 17:53:02	80.32	55dB	5.8	478%	Day
3896	2025-03-11 17:54:58	N/A	55dB	N/A	N/A	Day
3897	2025-03-11 17:56:51	71.56	55dB	3.2	215%	Day
3898	2025-03-11 17:59:32	77.11	55dB	4.6	363%	Day
3899	2025-03-11 18:00:56	71.87	55dB	3.2	222%	Day
3900	2025-03-11 18:02:35	70.18	55dB	2.9	186%	Day
3901	2025-03-11 18:04:40	70.15	55dB	2.9	186%	Day
3902	2025-03-11 18:06:31	67.24	55dB	2.3	134%	Day
3903	2025-03-11 18:09:20	66.62	55dB	2.2	124%	Day
3904	2025-03-11 18:10:39	73.43	55dB	3.6	259%	Day
3905	2025-03-11 18:14:06	74.47	55dB	3.9	286%	Day
3906	2025-03-11 18:20:24	72.66	55dB	3.4	240%	Day
3907	2025-03-11 18:22:17	79.82	55dB	5.6	459%	Day
3908	2025-03-11 18:23:30	70.35	55dB	2.9	190%	Day
3909	2025-03-11 18:25:02	75.64	55dB	4.2	318%	Day
3910	2025-03-11 18:26:39	74.37	55dB	3.8	283%	Day

3911	2025-03-11 18:29:33	71.91	55dB	3.2	223%	Day
3912	2025-03-11 18:31:46	78.29	55dB	5.0	402%	Day
3913	2025-03-11 18:33:50	73.07	55dB	3.5	250%	Day
3914	2025-03-11 18:35:56	73.79	55dB	3.7	268%	Day
3915	2025-03-11 18:38:01	70.01	55dB	2.8	183%	Day
3916	2025-03-11 18:39:22	73.11	55dB	3.5	251%	Day
3917	2025-03-11 18:41:25	73.59	55dB	3.6	263%	Day
3918	2025-03-11 18:43:44	73.84	55dB	3.7	269%	Day
3919	2025-03-11 18:45:57	75.27	55dB	4.1	308%	Day
3920	2025-03-11 18:47:58	73.53	55dB	3.6	261%	Day
3921	2025-03-11 18:49:56	68.25	55dB	2.5	151%	Day
3922	2025-03-11 18:52:01	72.85	55dB	3.4	245%	Day
3923	2025-03-11 18:54:40	73.46	55dB	3.6	260%	Day
3924	2025-03-11 18:57:10	76.02	55dB	4.3	329%	Day
3925	2025-03-11 18:59:33	73.09	55dB	3.5	250%	Day
3926	2025-03-11 19:01:55	72.44	55dB	3.3	235%	Day
3927	2025-03-11 19:10:44	73.66	55dB	3.6	265%	Day
3928	2025-03-11 19:12:35	71.55	55dB	3.1	215%	Day
3929	2025-03-11 19:14:31	76.36	55dB	4.4	340%	Day
3930	2025-03-11 19:16:44	71.62	55dB	3.2	216%	Day
3931	2025-03-11 19:20:34	72.46	55dB	3.4	235%	Day
3932	2025-03-11 19:24:16	68.69	55dB	2.6	158%	Day
3933	2025-03-11 19:27:20	73.73	55dB	3.7	266%	Day
3934	2025-03-11 19:29:38	74.96	55dB	4.0	299%	Day
3935	2025-03-11 19:32:09	72.77	55dB	3.4	243%	Day
3936	2025-03-11 19:37:17	72.69	55dB	3.4	241%	Day
3937	2025-03-11 19:42:12	71.74	55dB	3.2	219%	Day
3938	2025-03-11 19:44:21	72.55	55dB	3.4	238%	Day
3939	2025-03-11 19:47:10	71.79	55dB	3.2	220%	Day
3940	2025-03-11 19:49:35	74.26	55dB	3.8	280%	Day
3941	2025-03-11 19:52:20	76.67	55dB	4.5	349%	Day
3942	2025-03-11 19:54:04	71.85	55dB	3.2	222%	Day
3943	2025-03-11 19:58:26	73.60	55dB	3.6	263%	Day
3944	2025-03-11 20:03:23	69.69	55dB	2.8	177%	Day
3945	2025-03-11 20:05:30	73.70	55dB	3.7	266%	Day
3946	2025-03-11 20:07:28	70.10	55dB	2.8	185%	Day
3947	2025-03-11 20:09:51	70.55	55dB	2.9	194%	Day
3948	2025-03-11 20:14:12	74.44	55dB	3.8	285%	Day
3949	2025-03-11 20:19:47	71.99	55dB	3.2	225%	Day
3950	2025-03-11 20:23:38	73.65	55dB	3.6	264%	Day
3951	2025-03-11 20:25:32	76.56	55dB	4.5	346%	Day
3952	2025-03-11 20:26:46	69.51	55dB	2.7	173%	Day
3953	2025-03-11 20:28:36	70.61	55dB	3.0	195%	Day
3954	2025-03-11 20:30:48	68.13	55dB	2.5	148%	Day

3955	2025-03-11 20:32:17	67.69	55dB	2.4	141%	Day
3956	2025-03-11 20:36:16	70.62	55dB	3.0	195%	Day
3957	2025-03-11 20:37:42	70.99	55dB	3.0	203%	Day
3958	2025-03-11 20:39:04	69.39	55dB	2.7	171%	Day
3959	2025-03-11 20:40:12	69.87	55dB	2.8	180%	Day
3960	2025-03-11 20:44:19	70.71	55dB	3.0	197%	Day
3961	2025-03-11 20:46:32	74.31	55dB	3.8	281%	Day
3962	2025-03-11 20:48:06	68.56	55dB	2.6	156%	Day
3963	2025-03-11 20:49:57	69.41	55dB	2.7	172%	Day
3964	2025-03-11 20:51:41	N/A	55dB	N/A	N/A	Day
3965	2025-03-11 20:52:58	71.38	55dB	3.1	211%	Day
3966	2025-03-11 20:54:10	77.67	55dB	4.8	381%	Day
3967	2025-03-11 20:55:09	67.99	55dB	2.5	146%	Day
3968	2025-03-11 20:56:16	69.21	55dB	2.7	168%	Day
3969	2025-03-11 20:57:21	70.66	55dB	3.0	196%	Day
3970	2025-03-11 20:58:56	N/A	55dB	N/A	N/A	Day
3971	2025-03-11 21:00:14	67.00	55dB	2.3	130%	Day
3972	2025-03-11 21:01:44	65.94	55dB	2.1	113%	Day
3973	2025-03-11 21:03:24	69.79	55dB	2.8	179%	Day
3974	2025-03-12 01:19:06	63.12	45dB	3.5	251%	Night
3975	2025-03-12 06:31:33	72.40	45dB	6.7	568%	Night
3976	2025-03-12 06:32:48	N/A	45dB	N/A	N/A	Night
3977	2025-03-12 06:33:52	68.28	45dB	5.0	402%	Night
3978	2025-03-12 06:35:14	65.98	45dB	4.3	328%	Night
3979	2025-03-12 06:36:05	70.74	45dB	6.0	495%	Night
3980	2025-03-12 06:37:03	N/A	45dB	N/A	N/A	Night
3981	2025-03-12 06:38:20	75.44	45dB	8.2	725%	Night
3982	2025-03-12 06:39:32	75.66	45dB	8.4	737%	Night
3983	2025-03-12 06:41:00	N/A	45dB	N/A	N/A	Night
3984	2025-03-12 06:43:52	N/A	45dB	N/A	N/A	Night
3985	2025-03-12 06:45:45	66.15	45dB	4.3	333%	Night
3986	2025-03-12 06:47:05	68.85	45dB	5.2	422%	Night
3987	2025-03-12 06:48:03	70.91	45dB	6.0	503%	Night
3988	2025-03-12 06:49:08	68.30	45dB	5.0	403%	Night
3989	2025-03-12 06:52:31	73.81	45dB	7.4	637%	Night
3990	2025-03-12 06:53:34	66.93	45dB	4.6	357%	Night
3991	2025-03-12 06:54:38	72.56	45dB	6.8	576%	Night
3992	2025-03-12 06:56:33	67.86	45dB	4.9	388%	Night
3993	2025-03-12 06:57:35	69.20	45dB	5.4	435%	Night
3994	2025-03-12 06:58:38	69.14	45dB	5.3	433%	Night
3995	2025-03-12 07:00:36	69.76	55dB	2.8	178%	Day
3996	2025-03-12 07:01:56	74.65	55dB	3.9	290%	Day
3997	2025-03-12 07:03:08	72.90	55dB	3.5	246%	Day
3998	2025-03-12 07:04:20	N/A	55dB	N/A	N/A	Day

3999	2025-03-12 07:05:30	69.13	55dB	2.7	166%	Day
4000	2025-03-12 07:06:21	68.54	55dB	2.6	156%	Day
4001	2025-03-12 07:07:23	68.17	55dB	2.5	149%	Day
4002	2025-03-12 07:08:25	68.86	55dB	2.6	161%	Day
4003	2025-03-12 07:09:47	69.37	55dB	2.7	171%	Day
4004	2025-03-12 07:10:57	73.69	55dB	3.7	265%	Day
4005	2025-03-12 07:12:12	N/A	55dB	N/A	N/A	Day
4006	2025-03-12 07:13:33	67.70	55dB	2.4	141%	Day
4007	2025-03-12 07:14:37	N/A	55dB	N/A	N/A	Day
4008	2025-03-12 07:19:07	72.34	55dB	3.3	233%	Day
4009	2025-03-12 07:22:33	68.14	55dB	2.5	149%	Day
4010	2025-03-12 07:26:26	N/A	55dB	N/A	N/A	Day
4011	2025-03-12 07:27:54	N/A	55dB	N/A	N/A	Day
4012	2025-03-12 07:29:35	68.74	55dB	2.6	159%	Day
4013	2025-03-12 07:32:27	73.90	55dB	3.7	271%	Day
4014	2025-03-12 07:33:46	75.48	55dB	4.1	314%	Day
4015	2025-03-12 07:36:26	70.70	55dB	3.0	197%	Day
4016	2025-03-12 07:37:25	76.14	55dB	4.3	333%	Day
4017	2025-03-12 07:38:14	68.18	55dB	2.5	149%	Day
4018	2025-03-12 07:39:15	75.02	55dB	4.0	301%	Day
4019	2025-03-12 07:41:35	68.17	55dB	2.5	149%	Day
4020	2025-03-12 07:42:27	67.73	55dB	2.4	142%	Day
4021	2025-03-12 07:44:54	74.23	55dB	3.8	279%	Day
4022	2025-03-12 07:46:05	72.24	55dB	3.3	230%	Day
4023	2025-03-12 07:48:04	74.41	55dB	3.8	284%	Day
4024	2025-03-12 07:48:49	74.53	55dB	3.9	287%	Day
4025	2025-03-12 07:50:14	N/A	55dB	N/A	N/A	Day
4026	2025-03-12 07:51:04	N/A	55dB	N/A	N/A	Day
4027	2025-03-12 07:52:23	75.38	55dB	4.1	311%	Day
4028	2025-03-12 07:53:30	67.28	55dB	2.3	134%	Day
4029	2025-03-12 07:55:14	71.08	55dB	3.0	205%	Day
4030	2025-03-12 07:56:33	67.73	55dB	2.4	142%	Day
4031	2025-03-12 08:01:15	75.03	55dB	4.0	301%	Day
4032	2025-03-12 08:09:15	68.26	55dB	2.5	151%	Day
4033	2025-03-12 08:12:26	N/A	55dB	N/A	N/A	Day
4034	2025-03-12 08:14:02	N/A	55dB	N/A	N/A	Day
4035	2025-03-12 08:15:15	71.83	55dB	3.2	221%	Day
4036	2025-03-12 08:16:23	68.60	55dB	2.6	157%	Day
4037	2025-03-12 08:17:30	67.58	55dB	2.4	139%	Day
4038	2025-03-12 08:19:04	67.39	55dB	2.4	136%	Day
4039	2025-03-12 08:20:31	N/A	55dB	N/A	N/A	Day
4040	2025-03-12 08:22:56	72.48	55dB	3.4	236%	Day
4041	2025-03-12 08:24:02	N/A	55dB	N/A	N/A	Day
4042	2025-03-12 08:27:40	71.70	55dB	3.2	218%	Day

4043	2025-03-12 08:33:04	75.62	55dB	4.2	318%	Day
4044	2025-03-12 08:35:48	69.27	55dB	2.7	169%	Day
4045	2025-03-12 08:38:58	68.84	55dB	2.6	161%	Day
4046	2025-03-12 08:41:12	72.79	55dB	3.4	243%	Day
4047	2025-03-12 08:44:02	N/A	55dB	N/A	N/A	Day
4048	2025-03-12 08:45:17	N/A	55dB	N/A	N/A	Day
4049	2025-03-12 08:48:55	74.42	55dB	3.8	284%	Day
4050	2025-03-12 08:50:24	N/A	55dB	N/A	N/A	Day
4051	2025-03-12 08:51:19	68.66	55dB	2.6	158%	Day
4052	2025-03-12 08:53:28	68.30	55dB	2.5	151%	Day
4053	2025-03-12 08:54:27	70.88	55dB	3.0	201%	Day
4054	2025-03-12 08:55:38	69.49	55dB	2.7	173%	Day
4055	2025-03-12 08:56:48	69.48	55dB	2.7	173%	Day
4056	2025-03-12 08:58:02	71.75	55dB	3.2	219%	Day
4057	2025-03-12 09:01:02	75.79	55dB	4.2	323%	Day
4058	2025-03-12 09:02:07	74.47	55dB	3.9	286%	Day
4059	2025-03-12 09:04:21	72.73	55dB	3.4	242%	Day
4060	2025-03-12 09:05:32	69.71	55dB	2.8	177%	Day
4061	2025-03-12 09:07:02	N/A	55dB	N/A	N/A	Day
4062	2025-03-12 09:08:20	N/A	55dB	N/A	N/A	Day
4063	2025-03-12 09:09:31	72.04	55dB	3.3	226%	Day
4064	2025-03-12 09:10:45	72.05	55dB	3.3	226%	Day
4065	2025-03-12 09:14:01	74.81	55dB	3.9	295%	Day
4066	2025-03-12 09:15:08	83.67	55dB	7.3	630%	Day
4067	2025-03-12 09:16:11	72.08	55dB	3.3	227%	Day
4068	2025-03-12 09:19:44	N/A	55dB	N/A	N/A	Day
4069	2025-03-12 09:21:02	69.75	55dB	2.8	178%	Day
4070	2025-03-12 09:22:15	71.44	55dB	3.1	213%	Day
4071	2025-03-12 09:24:46	N/A	55dB	N/A	N/A	Day
4072	2025-03-12 09:27:04	74.57	55dB	3.9	288%	Day
4073	2025-03-12 09:28:18	68.04	55dB	2.5	147%	Day
4074	2025-03-12 09:31:45	75.12	55dB	4.0	303%	Day
4075	2025-03-12 09:35:30	78.22	55dB	5.0	400%	Day
4076	2025-03-12 09:36:30	70.17	55dB	2.9	186%	Day
4077	2025-03-12 09:37:51	68.50	55dB	2.5	155%	Day
4078	2025-03-12 09:39:04	74.37	55dB	3.8	283%	Day
4079	2025-03-12 09:43:39	N/A	55dB	N/A	N/A	Day
4080	2025-03-12 09:45:48	72.72	55dB	3.4	242%	Day
4081	2025-03-12 09:46:56	69.01	55dB	2.6	164%	Day
4082	2025-03-12 09:48:00	70.19	55dB	2.9	187%	Day
4083	2025-03-12 09:49:14	68.55	55dB	2.6	156%	Day
4084	2025-03-12 09:50:34	72.74	55dB	3.4	242%	Day
4085	2025-03-12 09:56:45	68.26	55dB	2.5	151%	Day
4086	2025-03-12 10:00:04	69.28	55dB	2.7	169%	Day

4087	2025-03-12 10:01:31	76.37	55dB	4.4	340%	Day
4088	2025-03-12 14:05:21	80.08	55dB	5.7	469%	Day
4089	2025-03-12 18:32:15	71.99	55dB	3.2	225%	Day
4090	2025-03-12 18:33:58	76.64	55dB	4.5	348%	Day
4091	2025-03-12 18:36:41	N/A	55dB	N/A	N/A	Day
4092	2025-03-12 18:41:47	68.35	55dB	2.5	152%	Day
4093	2025-03-12 18:44:09	N/A	55dB	N/A	N/A	Day
4094	2025-03-12 18:47:14	70.03	55dB	2.8	183%	Day
4095	2025-03-12 18:49:50	N/A	55dB	N/A	N/A	Day
4096	2025-03-12 18:52:00	72.97	55dB	3.5	247%	Day
4097	2025-03-12 18:54:38	N/A	55dB	N/A	N/A	Day
4098	2025-03-12 18:56:47	66.64	55dB	2.2	124%	Day
4099	2025-03-12 19:00:40	73.89	55dB	3.7	270%	Day
4100	2025-03-12 19:04:35	N/A	55dB	N/A	N/A	Day
4101	2025-03-12 19:09:02	N/A	55dB	N/A	N/A	Day
4102	2025-03-12 19:11:47	71.72	55dB	3.2	219%	Day
4103	2025-03-12 19:14:44	N/A	55dB	N/A	N/A	Day
4104	2025-03-12 19:25:39	67.19	55dB	2.3	133%	Day
4105	2025-03-12 19:28:00	74.35	55dB	3.8	282%	Day
4106	2025-03-12 19:42:43	74.43	55dB	3.8	285%	Day
4107	2025-03-12 19:43:57	75.11	55dB	4.0	303%	Day
4108	2025-03-12 19:49:34	N/A	55dB	N/A	N/A	Day
4109	2025-03-12 19:52:04	70.42	55dB	2.9	191%	Day
4110	2025-03-12 19:54:30	70.57	55dB	2.9	194%	Day
4111	2025-03-12 19:56:23	73.97	55dB	3.7	272%	Day
4112	2025-03-12 20:01:14	N/A	55dB	N/A	N/A	Day
4113	2025-03-12 20:04:04	67.06	55dB	2.3	131%	Day
4114	2025-03-12 20:06:44	N/A	55dB	N/A	N/A	Day
4115	2025-03-12 20:16:04	69.38	55dB	2.7	171%	Day
4116	2025-03-12 20:17:01	N/A	55dB	N/A	N/A	Day
4117	2025-03-12 20:17:56	68.80	55dB	2.6	160%	Day
4118	2025-03-12 20:19:08	70.27	55dB	2.9	188%	Day
4119	2025-03-12 20:20:58	72.40	55dB	3.3	234%	Day
4120	2025-03-12 21:20:42	N/A	55dB	N/A	N/A	Day
4121	2025-03-13 05:50:38	63.17	45dB	3.5	252%	Night
4122	2025-03-13 06:31:33	N/A	45dB	N/A	N/A	Night
4123	2025-03-13 06:32:26	67.03	45dB	4.6	360%	Night
4124	2025-03-13 06:33:26	72.47	45dB	6.7	571%	Night
4125	2025-03-13 06:34:10	71.60	45dB	6.3	532%	Night
4126	2025-03-13 06:34:57	74.17	45dB	7.6	655%	Night
4127	2025-03-13 06:35:58	71.02	45dB	6.1	507%	Night
4128	2025-03-13 06:37:38	67.29	45dB	4.7	369%	Night
4129	2025-03-13 06:38:27	75.44	45dB	8.2	725%	Night
4130	2025-03-13 06:39:01	72.12	45dB	6.6	555%	Night

4131	2025-03-13 06:40:08	75.82	45dB	8.5	747%	Night
4132	2025-03-13 06:40:43	75.08	45dB	8.0	704%	Night
4133	2025-03-13 06:42:39	N/A	45dB	N/A	N/A	Night
4134	2025-03-13 06:43:30	75.14	45dB	8.1	708%	Night
4135	2025-03-13 06:44:20	74.19	45dB	7.6	656%	Night
4136	2025-03-13 06:45:22	76.39	45dB	8.8	781%	Night
4137	2025-03-13 06:46:08	N/A	45dB	N/A	N/A	Night
4138	2025-03-13 06:46:58	77.79	45dB	9.7	871%	Night
4139	2025-03-13 06:49:54	N/A	45dB	N/A	N/A	Night
4140	2025-03-13 06:51:12	74.36	45dB	7.7	665%	Night
4141	2025-03-13 06:51:54	75.56	45dB	8.3	732%	Night
4142	2025-03-13 06:52:40	74.34	45dB	7.6	664%	Night
4143	2025-03-13 06:55:27	73.34	45dB	7.1	613%	Night
4144	2025-03-13 06:57:02	N/A	45dB	N/A	N/A	Night
4145	2025-03-13 06:59:04	67.01	45dB	4.6	360%	Night
4146	2025-03-13 07:00:02	75.45	55dB	4.1	313%	Day
4147	2025-03-13 07:00:57	N/A	55dB	N/A	N/A	Day
4148	2025-03-13 07:02:03	74.45	55dB	3.9	285%	Day
4149	2025-03-13 07:02:28	68.13	55dB	2.5	148%	Day
4150	2025-03-13 07:03:44	72.07	55dB	3.3	226%	Day
4151	2025-03-13 07:10:06	74.16	55dB	3.8	277%	Day
4152	2025-03-13 07:12:36	N/A	55dB	N/A	N/A	Day
4153	2025-03-13 07:15:07	N/A	55dB	N/A	N/A	Day
4154	2025-03-13 07:16:41	74.11	55dB	3.8	276%	Day
4155	2025-03-13 07:18:53	72.21	55dB	3.3	230%	Day
4156	2025-03-13 07:19:44	78.03	55dB	4.9	393%	Day
4157	2025-03-13 07:22:31	N/A	55dB	N/A	N/A	Day
4158	2025-03-13 07:23:31	73.39	55dB	3.6	258%	Day
4159	2025-03-13 07:24:20	N/A	55dB	N/A	N/A	Day
4160	2025-03-13 07:25:07	N/A	55dB	N/A	N/A	Day
4161	2025-03-13 07:26:17	N/A	55dB	N/A	N/A	Day
4162	2025-03-13 07:28:11	70.59	55dB	2.9	195%	Day
4163	2025-03-13 07:29:10	N/A	55dB	N/A	N/A	Day
4164	2025-03-13 07:31:18	69.27	55dB	2.7	169%	Day
4165	2025-03-13 07:32:45	N/A	55dB	N/A	N/A	Day
4166	2025-03-13 07:34:48	67.50	55dB	2.4	138%	Day
4167	2025-03-13 07:37:30	68.80	55dB	2.6	160%	Day
4168	2025-03-13 07:38:27	N/A	55dB	N/A	N/A	Day
4169	2025-03-13 07:39:30	69.24	55dB	2.7	168%	Day
4170	2025-03-13 07:40:34	N/A	55dB	N/A	N/A	Day
4171	2025-03-13 07:42:06	68.44	55dB	2.5	154%	Day
4172	2025-03-13 07:43:07	73.52	55dB	3.6	261%	Day
4173	2025-03-13 07:44:09	80.88	55dB	6.0	501%	Day
4174	2025-03-13 07:45:32	68.29	55dB	2.5	151%	Day

4175	2025-03-13 07:46:26	69.88	55dB	2.8	180%	Day
4176	2025-03-13 07:47:32	69.36	55dB	2.7	171%	Day
4177	2025-03-13 07:50:34	N/A	55dB	N/A	N/A	Day
4178	2025-03-13 07:51:44	74.65	55dB	3.9	290%	Day
4179	2025-03-13 07:55:37	N/A	55dB	N/A	N/A	Day
4180	2025-03-13 07:56:26	73.96	55dB	3.7	272%	Day
4181	2025-03-13 07:57:10	N/A	55dB	N/A	N/A	Day
4182	2025-03-13 07:58:05	72.90	55dB	3.5	246%	Day
4183	2025-03-13 07:59:03	N/A	55dB	N/A	N/A	Day
4184	2025-03-13 08:02:54	70.54	55dB	2.9	194%	Day
4185	2025-03-13 08:04:27	N/A	55dB	N/A	N/A	Day
4186	2025-03-13 08:05:36	68.44	55dB	2.5	154%	Day
4187	2025-03-13 08:06:58	70.75	55dB	3.0	198%	Day
4188	2025-03-13 08:08:05	68.25	55dB	2.5	151%	Day
4189	2025-03-13 08:09:06	68.63	55dB	2.6	157%	Day
4190	2025-03-13 08:09:48	74.22	55dB	3.8	279%	Day
4191	2025-03-13 08:10:41	67.01	55dB	2.3	130%	Day
4192	2025-03-13 08:12:04	78.31	55dB	5.0	403%	Day
4193	2025-03-13 08:12:44	71.44	55dB	3.1	213%	Day
4194	2025-03-13 08:15:04	68.33	55dB	2.5	152%	Day
4195	2025-03-13 08:16:10	71.82	55dB	3.2	221%	Day
4196	2025-03-13 08:18:55	67.81	55dB	2.4	143%	Day
4197	2025-03-13 08:19:40	74.33	55dB	3.8	282%	Day
4198	2025-03-13 08:20:30	73.49	55dB	3.6	260%	Day
4199	2025-03-13 08:21:28	73.15	55dB	3.5	252%	Day
4200	2025-03-13 08:22:18	72.08	55dB	3.3	227%	Day
4201	2025-03-13 08:25:15	68.02	55dB	2.5	147%	Day
4202	2025-03-13 08:26:50	N/A	55dB	N/A	N/A	Day
4203	2025-03-13 08:27:50	71.40	55dB	3.1	212%	Day
4204	2025-03-13 08:30:07	N/A	55dB	N/A	N/A	Day
4205	2025-03-13 08:31:26	N/A	55dB	N/A	N/A	Day
4206	2025-03-13 08:34:03	N/A	55dB	N/A	N/A	Day
4207	2025-03-13 08:35:06	76.15	55dB	4.3	333%	Day
4208	2025-03-13 08:35:56	75.29	55dB	4.1	308%	Day
4209	2025-03-13 08:36:40	75.29	55dB	4.1	308%	Day
4210	2025-03-13 08:37:56	73.11	55dB	3.5	251%	Day
4211	2025-03-13 08:39:04	73.31	55dB	3.6	256%	Day
4212	2025-03-13 08:40:09	72.86	55dB	3.4	245%	Day
4213	2025-03-13 08:41:04	75.57	55dB	4.2	316%	Day
4214	2025-03-13 08:41:58	N/A	55dB	N/A	N/A	Day
4215	2025-03-13 08:43:12	72.49	55dB	3.4	236%	Day
4216	2025-03-13 08:43:51	76.37	55dB	4.4	340%	Day
4217	2025-03-13 08:46:27	75.01	55dB	4.0	300%	Day
4218	2025-03-13 08:47:13	76.52	55dB	4.4	344%	Day

4219	2025-03-13 08:49:20	75.55	55dB	4.2	316%	Day
4220	2025-03-13 08:50:18	N/A	55dB	N/A	N/A	Day
4221	2025-03-13 08:52:08	69.75	55dB	2.8	178%	Day
4222	2025-03-13 08:54:45	75.18	55dB	4.1	305%	Day
4223	2025-03-13 08:56:02	N/A	55dB	N/A	N/A	Day
4224	2025-03-13 08:57:14	68.62	55dB	2.6	157%	Day
4225	2025-03-13 08:58:51	69.80	55dB	2.8	179%	Day
4226	2025-03-13 09:00:32	72.23	55dB	3.3	230%	Day
4227	2025-03-13 09:01:52	N/A	55dB	N/A	N/A	Day
4228	2025-03-13 09:03:30	69.38	55dB	2.7	171%	Day
4229	2025-03-13 09:05:21	N/A	55dB	N/A	N/A	Day
4230	2025-03-13 09:08:26	N/A	55dB	N/A	N/A	Day
4231	2025-03-13 09:10:08	71.12	55dB	3.1	206%	Day
4232	2025-03-13 09:11:27	N/A	55dB	N/A	N/A	Day
4233	2025-03-13 09:13:44	N/A	55dB	N/A	N/A	Day
4234	2025-03-13 09:16:00	70.00	55dB	2.8	183%	Day
4235	2025-03-13 09:16:28	N/A	55dB	N/A	N/A	Day
4236	2025-03-13 09:17:32	69.03	55dB	2.6	164%	Day
4237	2025-03-13 09:18:26	69.58	55dB	2.7	175%	Day
4238	2025-03-13 09:19:30	71.99	55dB	3.2	225%	Day
4239	2025-03-13 09:22:52	71.40	55dB	3.1	212%	Day
4240	2025-03-13 09:25:01	70.31	55dB	2.9	189%	Day
4241	2025-03-13 09:30:16	N/A	55dB	N/A	N/A	Day
4242	2025-03-13 09:31:32	74.39	55dB	3.8	283%	Day
4243	2025-03-13 09:33:23	72.69	55dB	3.4	241%	Day
4244	2025-03-13 09:34:01	71.09	55dB	3.1	205%	Day
4245	2025-03-13 09:35:02	73.94	55dB	3.7	272%	Day
4246	2025-03-13 09:36:04	72.46	55dB	3.4	235%	Day
4247	2025-03-13 09:37:04	N/A	55dB	N/A	N/A	Day
4248	2025-03-13 09:38:24	70.61	55dB	3.0	195%	Day
4249	2025-03-13 09:39:08	N/A	55dB	N/A	N/A	Day
4250	2025-03-13 09:43:04	67.36	55dB	2.4	136%	Day
4251	2025-03-13 09:44:04	70.21	55dB	2.9	187%	Day
4252	2025-03-13 09:45:26	69.00	55dB	2.6	164%	Day
4253	2025-03-13 09:47:11	72.07	55dB	3.3	226%	Day
4254	2025-03-13 09:48:02	69.10	55dB	2.7	166%	Day
4255	2025-03-13 09:48:49	73.43	55dB	3.6	259%	Day
4256	2025-03-13 09:49:39	75.54	55dB	4.2	315%	Day
4257	2025-03-13 09:50:27	77.19	55dB	4.7	366%	Day
4258	2025-03-13 09:51:10	76.93	55dB	4.6	357%	Day
4259	2025-03-13 09:52:02	N/A	55dB	N/A	N/A	Day
4260	2025-03-13 09:53:02	69.58	55dB	2.7	175%	Day
4261	2025-03-13 09:54:19	74.01	55dB	3.7	273%	Day
4262	2025-03-13 09:55:14	69.57	55dB	2.7	175%	Day

4263	2025-03-13 09:55:58	72.12	55dB	3.3	228%	Day
4264	2025-03-13 09:57:12	N/A	55dB	N/A	N/A	Day
4265	2025-03-13 09:58:27	74.80	55dB	3.9	294%	Day
4266	2025-03-13 10:00:30	75.24	55dB	4.1	307%	Day
4267	2025-03-13 10:01:12	74.70	55dB	3.9	292%	Day
4268	2025-03-13 10:02:07	70.28	55dB	2.9	188%	Day
4269	2025-03-13 10:03:12	69.87	55dB	2.8	180%	Day
4270	2025-03-13 10:04:20	70.28	55dB	2.9	188%	Day
4271	2025-03-13 10:05:21	N/A	55dB	N/A	N/A	Day
4272	2025-03-13 10:07:41	72.05	55dB	3.3	226%	Day
4273	2025-03-13 10:08:32	71.32	55dB	3.1	210%	Day
4274	2025-03-13 10:09:21	74.36	55dB	3.8	283%	Day
4275	2025-03-13 10:10:25	72.75	55dB	3.4	242%	Day
4276	2025-03-13 10:11:10	N/A	55dB	N/A	N/A	Day
4277	2025-03-13 10:12:18	70.35	55dB	2.9	190%	Day
4278	2025-03-13 10:13:23	72.93	55dB	3.5	247%	Day
4279	2025-03-13 10:14:06	69.26	55dB	2.7	169%	Day
4280	2025-03-13 10:16:30	75.48	55dB	4.1	314%	Day
4281	2025-03-13 10:17:47	69.86	55dB	2.8	180%	Day
4282	2025-03-13 10:18:55	77.65	55dB	4.8	381%	Day
4283	2025-03-13 10:19:39	N/A	55dB	N/A	N/A	Day
4284	2025-03-13 10:20:33	74.03	55dB	3.7	274%	Day
4285	2025-03-13 10:24:24	75.10	55dB	4.0	303%	Day
4286	2025-03-13 10:28:23	N/A	55dB	N/A	N/A	Day
4287	2025-03-13 10:30:17	77.38	55dB	4.7	372%	Day
4288	2025-03-13 10:30:18	77.38	55dB	4.7	372%	Day
4289	2025-03-13 10:32:17	67.08	55dB	2.3	131%	Day
4290	2025-03-13 10:34:55	71.53	55dB	3.1	214%	Day
4291	2025-03-13 10:40:08	N/A	55dB	N/A	N/A	Day
4292	2025-03-13 10:44:18	68.42	55dB	2.5	154%	Day
4293	2025-03-13 10:45:27	N/A	55dB	N/A	N/A	Day
4294	2025-03-13 10:46:34	N/A	55dB	N/A	N/A	Day
4295	2025-03-13 10:47:56	69.39	55dB	2.7	171%	Day
4296	2025-03-13 10:49:04	71.75	55dB	3.2	219%	Day
4297	2025-03-13 10:49:48	N/A	55dB	N/A	N/A	Day
4298	2025-03-13 10:52:33	75.37	55dB	4.1	310%	Day
4299	2025-03-13 10:54:25	N/A	55dB	N/A	N/A	Day
4300	2025-03-13 10:55:37	N/A	55dB	N/A	N/A	Day
4301	2025-03-13 10:56:49	N/A	55dB	N/A	N/A	Day
4302	2025-03-13 11:00:16	N/A	55dB	N/A	N/A	Day
4303	2025-03-13 11:01:15	N/A	55dB	N/A	N/A	Day
4304	2025-03-13 11:02:50	69.48	55dB	2.7	173%	Day
4305	2025-03-13 11:04:14	66.32	55dB	2.2	119%	Day
4306	2025-03-13 11:06:11	N/A	55dB	N/A	N/A	Day

4307	2025-03-13 11:08:47	66.77	55dB	2.3	126%	Day
4308	2025-03-13 11:10:22	88.11	55dB	9.9	892%	Day
4309	2025-03-13 11:14:26	73.65	55dB	3.6	264%	Day
4310	2025-03-13 11:15:49	N/A	55dB	N/A	N/A	Day
4311	2025-03-13 11:18:40	N/A	55dB	N/A	N/A	Day
4312	2025-03-13 11:20:31	N/A	55dB	N/A	N/A	Day
4313	2025-03-13 11:25:04	N/A	55dB	N/A	N/A	Day
4314	2025-03-13 11:38:32	N/A	55dB	N/A	N/A	Day
4315	2025-03-13 11:43:03	N/A	55dB	N/A	N/A	Day
4316	2025-03-13 11:44:28	N/A	55dB	N/A	N/A	Day
4317	2025-03-13 11:54:53	77.97	55dB	4.9	391%	Day
4318	2025-03-13 11:58:04	71.70	55dB	3.2	218%	Day
4319	2025-03-13 12:00:49	68.42	55dB	2.5	154%	Day
4320	2025-03-13 12:02:06	74.85	55dB	4.0	296%	Day
4321	2025-03-13 12:05:16	73.69	55dB	3.7	265%	Day
4322	2025-03-13 12:07:14	67.43	55dB	2.4	137%	Day
4323	2025-03-13 12:15:47	N/A	55dB	N/A	N/A	Day
4324	2025-03-13 12:20:15	75.43	55dB	4.1	312%	Day
4325	2025-03-13 15:29:02	N/A	55dB	N/A	N/A	Day
4326	2025-03-13 16:55:24	66.98	55dB	2.3	129%	Day
4327	2025-03-13 16:57:25	N/A	55dB	N/A	N/A	Day
4328	2025-03-13 16:58:57	69.31	55dB	2.7	170%	Day
4329	2025-03-13 17:00:26	69.23	55dB	2.7	168%	Day
4330	2025-03-13 17:02:03	73.78	55dB	3.7	268%	Day
4331	2025-03-13 17:04:31	71.29	55dB	3.1	209%	Day
4332	2025-03-13 17:06:01	72.51	55dB	3.4	237%	Day
4333	2025-03-13 17:08:18	N/A	55dB	N/A	N/A	Day
4334	2025-03-13 17:09:43	70.38	55dB	2.9	190%	Day
4335	2025-03-13 17:11:54	68.00	55dB	2.5	146%	Day
4336	2025-03-13 17:13:17	67.78	55dB	2.4	143%	Day
4337	2025-03-13 17:15:12	67.30	55dB	2.3	135%	Day
4338	2025-03-13 17:16:26	N/A	55dB	N/A	N/A	Day
4339	2025-03-13 17:17:39	69.79	55dB	2.8	179%	Day
4340	2025-03-13 17:18:58	73.53	55dB	3.6	261%	Day
4341	2025-03-13 17:21:09	N/A	55dB	N/A	N/A	Day
4342	2025-03-13 17:22:23	N/A	55dB	N/A	N/A	Day
4343	2025-03-13 17:23:34	68.54	55dB	2.6	156%	Day
4344	2025-03-13 17:24:51	67.35	55dB	2.4	135%	Day
4345	2025-03-13 17:26:04	68.33	55dB	2.5	152%	Day
4346	2025-03-13 17:27:24	N/A	55dB	N/A	N/A	Day
4347	2025-03-13 17:28:56	70.96	55dB	3.0	202%	Day
4348	2025-03-13 17:30:42	73.61	55dB	3.6	263%	Day
4349	2025-03-13 17:32:32	74.82	55dB	4.0	295%	Day
4350	2025-03-13 17:34:42	69.55	55dB	2.7	174%	Day

4351	2025-03-13 17:35:50	69.86	55dB	2.8	180%	Day
4352	2025-03-13 17:37:07	N/A	55dB	N/A	N/A	Day
4353	2025-03-13 17:38:18	N/A	55dB	N/A	N/A	Day
4354	2025-03-13 17:39:37	67.80	55dB	2.4	143%	Day
4355	2025-03-13 17:40:48	68.75	55dB	2.6	159%	Day
4356	2025-03-13 17:42:11	70.37	55dB	2.9	190%	Day
4357	2025-03-13 17:44:31	67.65	55dB	2.4	140%	Day
4358	2025-03-13 17:46:23	N/A	55dB	N/A	N/A	Day
4359	2025-03-13 17:50:49	72.16	55dB	3.3	229%	Day
4360	2025-03-13 17:53:11	68.67	55dB	2.6	158%	Day
4361	2025-03-13 17:54:19	67.84	55dB	2.4	144%	Day
4362	2025-03-13 17:55:59	69.60	55dB	2.8	175%	Day
4363	2025-03-13 17:57:17	70.89	55dB	3.0	201%	Day
4364	2025-03-13 18:00:08	N/A	55dB	N/A	N/A	Day
4365	2025-03-13 18:02:01	68.86	55dB	2.6	161%	Day
4366	2025-03-13 18:04:34	69.03	55dB	2.6	164%	Day
4367	2025-03-13 18:06:20	68.19	55dB	2.5	149%	Day
4368	2025-03-13 18:11:35	68.96	55dB	2.6	163%	Day
4369	2025-03-13 18:13:39	70.34	55dB	2.9	190%	Day
4370	2025-03-13 18:15:56	67.92	55dB	2.4	145%	Day
4371	2025-03-13 18:17:09	68.65	55dB	2.6	158%	Day
4372	2025-03-13 18:18:23	67.89	55dB	2.4	144%	Day
4373	2025-03-13 18:19:22	68.45	55dB	2.5	154%	Day
4374	2025-03-13 18:20:36	68.54	55dB	2.6	156%	Day
4375	2025-03-13 18:21:49	70.22	55dB	2.9	187%	Day
4376	2025-03-13 18:23:05	74.84	55dB	4.0	296%	Day
4377	2025-03-13 18:25:21	N/A	55dB	N/A	N/A	Day
4378	2025-03-13 18:27:04	70.41	55dB	2.9	191%	Day
4379	2025-03-13 18:28:46	67.83	55dB	2.4	143%	Day
4380	2025-03-13 18:29:58	68.72	55dB	2.6	159%	Day
4381	2025-03-13 18:31:20	N/A	55dB	N/A	N/A	Day
4382	2025-03-13 18:32:39	72.65	55dB	3.4	240%	Day
4383	2025-03-13 18:34:05	N/A	55dB	N/A	N/A	Day
4384	2025-03-13 18:35:40	72.94	55dB	3.5	247%	Day
4385	2025-03-13 18:37:41	67.55	55dB	2.4	139%	Day
4386	2025-03-13 18:38:48	68.81	55dB	2.6	160%	Day
4387	2025-03-13 18:40:03	69.59	55dB	2.7	175%	Day
4388	2025-03-13 18:41:13	66.38	55dB	2.2	120%	Day
4389	2025-03-13 18:46:16	67.75	55dB	2.4	142%	Day
4390	2025-03-13 18:48:14	71.46	55dB	3.1	213%	Day
4391	2025-03-13 18:50:04	67.90	55dB	2.4	145%	Day
4392	2025-03-13 18:51:20	69.43	55dB	2.7	172%	Day
4393	2025-03-13 18:52:33	67.56	55dB	2.4	139%	Day
4394	2025-03-13 18:53:48	68.13	55dB	2.5	148%	Day

4395	2025-03-13 18:55:02	67.83	55dB	2.4	143%	Day
4396	2025-03-13 18:56:08	N/A	55dB	N/A	N/A	Day
4397	2025-03-13 18:59:07	70.35	55dB	2.9	190%	Day
4398	2025-03-13 19:00:21	69.07	55dB	2.7	165%	Day
4399	2025-03-13 19:01:55	72.56	55dB	3.4	238%	Day
4400	2025-03-13 19:04:10	69.37	55dB	2.7	171%	Day
4401	2025-03-13 19:05:58	69.25	55dB	2.7	169%	Day
4402	2025-03-13 19:08:13	67.82	55dB	2.4	143%	Day
4403	2025-03-13 19:10:43	72.75	55dB	3.4	242%	Day
4404	2025-03-13 19:13:14	69.50	55dB	2.7	173%	Day
4405	2025-03-13 19:14:34	68.56	55dB	2.6	156%	Day
4406	2025-03-13 19:15:47	70.90	55dB	3.0	201%	Day
4407	2025-03-13 19:17:01	68.96	55dB	2.6	163%	Day
4408	2025-03-13 19:18:17	66.83	55dB	2.3	127%	Day
4409	2025-03-13 19:19:33	68.59	55dB	2.6	157%	Day
4410	2025-03-13 19:20:39	68.53	55dB	2.6	155%	Day
4411	2025-03-13 19:22:57	69.88	55dB	2.8	180%	Day
4412	2025-03-13 19:24:57	68.83	55dB	2.6	161%	Day
4413	2025-03-13 19:27:07	72.77	55dB	3.4	243%	Day
4414	2025-03-13 19:29:03	N/A	55dB	N/A	N/A	Day
4415	2025-03-13 19:33:05	66.95	55dB	2.3	129%	Day
4416	2025-03-13 19:34:19	81.53	55dB	6.3	529%	Day
4417	2025-03-13 19:35:46	69.23	55dB	2.7	168%	Day
4418	2025-03-13 19:37:05	70.01	55dB	2.8	183%	Day
4419	2025-03-13 19:38:19	69.21	55dB	2.7	168%	Day
4420	2025-03-13 19:39:49	70.13	55dB	2.9	185%	Day
4421	2025-03-13 19:41:45	67.50	55dB	2.4	138%	Day
4422	2025-03-13 19:43:17	68.82	55dB	2.6	161%	Day
4423	2025-03-13 19:44:40	68.43	55dB	2.5	154%	Day
4424	2025-03-13 19:46:57	N/A	55dB	N/A	N/A	Day
4425	2025-03-13 19:49:26	69.98	55dB	2.8	182%	Day
4426	2025-03-13 19:52:06	68.69	55dB	2.6	158%	Day
4427	2025-03-13 19:53:41	72.76	55dB	3.4	242%	Day
4428	2025-03-13 19:56:06	68.37	55dB	2.5	153%	Day
4429	2025-03-13 19:57:33	68.16	55dB	2.5	149%	Day
4430	2025-03-13 19:58:55	68.98	55dB	2.6	164%	Day
4431	2025-03-13 20:00:32	68.80	55dB	2.6	160%	Day
4432	2025-03-13 20:01:44	68.53	55dB	2.6	155%	Day
4433	2025-03-13 20:03:21	68.99	55dB	2.6	164%	Day
4434	2025-03-13 20:05:47	68.91	55dB	2.6	162%	Day
4435	2025-03-13 20:08:31	68.39	55dB	2.5	153%	Day
4436	2025-03-13 20:09:42	70.19	55dB	2.9	187%	Day
4437	2025-03-13 20:12:53	71.04	55dB	3.0	204%	Day
4438	2025-03-13 20:15:35	67.69	55dB	2.4	141%	Day

4439	2025-03-13 20:17:02	67.90	55dB	2.4	145%	Day
4440	2025-03-13 20:18:56	68.56	55dB	2.6	156%	Day
4441	2025-03-13 20:23:37	72.07	55dB	3.3	226%	Day
4442	2025-03-13 20:27:13	69.13	55dB	2.7	166%	Day
4443	2025-03-13 20:33:03	68.45	55dB	2.5	154%	Day
4444	2025-03-13 20:34:46	67.98	55dB	2.5	146%	Day
4445	2025-03-13 20:36:17	69.44	55dB	2.7	172%	Day
4446	2025-03-13 20:38:24	67.62	55dB	2.4	140%	Day
4447	2025-03-13 20:40:28	68.03	55dB	2.5	147%	Day
4448	2025-03-13 20:43:10	67.13	55dB	2.3	132%	Day
4449	2025-03-13 20:44:49	73.62	55dB	3.6	264%	Day
4450	2025-03-13 20:46:36	N/A	55dB	N/A	N/A	Day
4451	2025-03-13 20:48:04	67.96	55dB	2.5	146%	Day
4452	2025-03-13 20:50:33	76.78	55dB	4.5	353%	Day
4453	2025-03-13 20:51:44	68.26	55dB	2.5	151%	Day
4454	2025-03-13 20:53:06	69.22	55dB	2.7	168%	Day
4455	2025-03-13 20:54:28	69.42	55dB	2.7	172%	Day
4456	2025-03-13 20:55:44	N/A	55dB	N/A	N/A	Day
4457	2025-03-13 20:56:58	68.28	55dB	2.5	151%	Day
4458	2025-03-13 20:58:03	69.98	55dB	2.8	182%	Day
4459	2025-03-13 21:00:02	71.35	55dB	3.1	211%	Day
4460	2025-03-13 21:01:24	69.08	55dB	2.7	165%	Day
4461	2025-03-13 21:02:33	68.09	55dB	2.5	148%	Day
4462	2025-03-13 21:03:48	67.20	55dB	2.3	133%	Day
4463	2025-03-13 21:05:05	68.86	55dB	2.6	161%	Day
4464	2025-03-13 21:06:16	68.54	55dB	2.6	156%	Day
4465	2025-03-13 21:07:34	68.98	55dB	2.6	164%	Day
4466	2025-03-13 21:08:54	69.94	55dB	2.8	182%	Day
4467	2025-03-13 21:11:06	67.62	55dB	2.4	140%	Day
4468	2025-03-13 21:12:19	67.95	55dB	2.5	145%	Day
4469	2025-03-13 21:14:15	N/A	55dB	N/A	N/A	Day
4470	2025-03-13 21:15:41	69.62	55dB	2.8	175%	Day
4471	2025-03-13 21:17:35	68.60	55dB	2.6	157%	Day
4472	2025-03-13 21:18:52	68.87	55dB	2.6	162%	Day
4473	2025-03-13 21:20:24	72.30	55dB	3.3	232%	Day
4474	2025-03-13 21:23:50	68.99	55dB	2.6	164%	Day
4475	2025-03-13 21:26:00	68.19	55dB	2.5	149%	Day
4476	2025-03-13 21:27:37	69.58	55dB	2.7	175%	Day
4477	2025-03-13 21:32:46	67.52	55dB	2.4	138%	Day
4478	2025-03-13 21:34:49	67.52	55dB	2.4	138%	Day
4479	2025-03-13 21:36:56	67.98	55dB	2.5	146%	Day
4480	2025-03-13 21:38:10	N/A	55dB	N/A	N/A	Day
4481	2025-03-13 21:40:11	69.61	55dB	2.8	175%	Day
4482	2025-03-13 21:41:34	67.50	55dB	2.4	138%	Day

4483	2025-03-13 21:43:21	66.13	55dB	2.2	116%	Day
4484	2025-03-13 21:47:36	73.13	55dB	3.5	251%	Day
4485	2025-03-13 21:48:56	68.15	55dB	2.5	149%	Day
4486	2025-03-13 21:50:18	69.25	55dB	2.7	169%	Day
4487	2025-03-13 21:51:46	70.21	55dB	2.9	187%	Day
4488	2025-03-13 21:53:20	N/A	55dB	N/A	N/A	Day
4489	2025-03-13 21:54:45	66.91	55dB	2.3	128%	Day
4490	2025-03-13 21:57:53	72.06	55dB	3.3	226%	Day
4491	2025-03-13 21:59:58	69.42	55dB	2.7	172%	Day
4492	2025-03-13 22:01:25	68.35	55dB	2.5	152%	Day
4493	2025-03-13 22:02:41	68.13	55dB	2.5	148%	Day
4494	2025-03-13 22:04:23	67.71	55dB	2.4	141%	Day
4495	2025-03-13 22:07:49	72.65	55dB	3.4	240%	Day
4496	2025-03-13 22:10:19	69.60	55dB	2.8	175%	Day
4497	2025-03-13 22:12:10	67.09	55dB	2.3	131%	Day
4498	2025-03-13 22:14:28	65.87	55dB	2.1	112%	Day
4499	2025-03-13 22:17:23	67.01	55dB	2.3	130%	Day
4500	2025-03-13 22:19:04	N/A	55dB	N/A	N/A	Day
4501	2025-03-13 22:20:35	67.60	55dB	2.4	139%	Day
4502	2025-03-13 22:22:23	66.18	55dB	2.2	117%	Day
4503	2025-03-13 22:24:53	N/A	55dB	N/A	N/A	Day
4504	2025-03-13 22:27:56	N/A	55dB	N/A	N/A	Day
4505	2025-03-13 22:30:49	69.21	55dB	2.7	168%	Day
4506	2025-03-13 22:32:41	72.77	55dB	3.4	243%	Day
4507	2025-03-13 22:34:14	68.43	55dB	2.5	154%	Day
4508	2025-03-13 22:35:43	N/A	55dB	N/A	N/A	Day
4509	2025-03-13 22:37:07	69.38	55dB	2.7	171%	Day
4510	2025-03-13 22:38:46	N/A	55dB	N/A	N/A	Day
4511	2025-03-13 22:45:30	67.90	55dB	2.4	145%	Day
4512	2025-03-13 22:47:04	67.31	55dB	2.3	135%	Day
4513	2025-03-13 22:50:11	66.83	55dB	2.3	127%	Day
4514	2025-03-13 22:55:01	69.86	55dB	2.8	180%	Day
4515	2025-03-13 22:57:52	N/A	55dB	N/A	N/A	Day
4516	2025-03-13 23:01:38	69.18	45dB	5.3	434%	Night
4517	2025-03-13 23:13:02	N/A	45dB	N/A	N/A	Night
4518	2025-03-13 23:15:37	69.10	45dB	5.3	431%	Night
4519	2025-03-13 23:22:01	68.40	45dB	5.1	406%	Night
4520	2025-03-13 23:24:31	69.19	45dB	5.3	435%	Night
4521	2025-03-13 23:26:11	68.03	45dB	4.9	393%	Night
4522	2025-03-13 23:28:19	70.70	45dB	5.9	494%	Night
4523	2025-03-13 23:38:55	69.07	45dB	5.3	430%	Night
4524	2025-03-13 23:40:26	N/A	45dB	N/A	N/A	Night
4525	2025-03-13 23:42:21	69.30	45dB	5.4	439%	Night
4526	2025-03-13 23:49:35	65.75	45dB	4.2	321%	Night

4527	2025-03-13 23:53:35	66.25	45dB	4.4	336%	Night
4528	2025-03-13 23:57:47	68.65	45dB	5.2	415%	Night
4529	2025-03-13 23:59:56	N/A	45dB	N/A	N/A	Night
4530	2025-03-14 00:02:14	69.49	45dB	5.5	446%	Night
4531	2025-03-14 00:04:26	71.57	45dB	6.3	531%	Night
4532	2025-03-14 00:05:42	67.63	45dB	4.8	380%	Night
4533	2025-03-14 00:07:00	68.44	45dB	5.1	408%	Night
4534	2025-03-14 00:08:51	68.50	45dB	5.1	410%	Night
4535	2025-03-14 00:10:23	78.86	45dB	10.5	945%	Night
4536	2025-03-14 00:12:15	70.69	45dB	5.9	493%	Night
4537	2025-03-14 00:15:07	70.48	45dB	5.8	485%	Night
4538	2025-03-14 00:17:32	68.05	45dB	4.9	394%	Night
4539	2025-03-14 00:22:16	74.72	45dB	7.8	685%	Night
4540	2025-03-14 15:05:20	N/A	55dB	N/A	N/A	Day
4541	2025-03-14 15:51:13	70.48	55dB	2.9	192%	Day
4542	2025-03-14 15:52:54	N/A	55dB	N/A	N/A	Day
4543	2025-03-14 15:54:32	74.51	55dB	3.9	287%	Day
4544	2025-03-14 15:56:49	71.58	55dB	3.2	216%	Day
4545	2025-03-14 15:57:58	70.97	55dB	3.0	203%	Day
4546	2025-03-14 16:00:08	N/A	55dB	N/A	N/A	Day
4547	2025-03-14 16:01:21	74.64	55dB	3.9	290%	Day
4548	2025-03-14 16:02:25	75.53	55dB	4.1	315%	Day
4549	2025-03-14 16:03:41	72.17	55dB	3.3	229%	Day
4550	2025-03-14 16:08:56	69.62	55dB	2.8	175%	Day
4551	2025-03-14 16:10:43	72.55	55dB	3.4	238%	Day
4552	2025-03-14 16:13:58	67.30	55dB	2.3	135%	Day
4553	2025-03-14 16:17:22	70.39	55dB	2.9	191%	Day
4554	2025-03-14 16:18:32	73.13	55dB	3.5	251%	Day
4555	2025-03-14 16:19:45	72.05	55dB	3.3	226%	Day
4556	2025-03-14 16:21:11	71.44	55dB	3.1	213%	Day
4557	2025-03-14 16:23:11	70.98	55dB	3.0	203%	Day
4558	2025-03-14 16:25:17	70.94	55dB	3.0	202%	Day
4559	2025-03-14 16:27:38	70.63	55dB	3.0	195%	Day
4560	2025-03-14 16:29:28	72.74	55dB	3.4	242%	Day
4561	2025-03-14 16:31:16	70.59	55dB	2.9	195%	Day
4562	2025-03-14 16:33:34	N/A	55dB	N/A	N/A	Day
4563	2025-03-14 16:34:58	71.14	55dB	3.1	206%	Day
4564	2025-03-14 16:36:07	68.55	55dB	2.6	156%	Day
4565	2025-03-14 16:38:25	70.73	55dB	3.0	198%	Day
4566	2025-03-14 16:39:32	67.52	55dB	2.4	138%	Day
4567	2025-03-14 16:40:47	70.98	55dB	3.0	203%	Day
4568	2025-03-14 16:41:58	74.68	55dB	3.9	291%	Day
4569	2025-03-14 16:44:02	70.82	55dB	3.0	199%	Day
4570	2025-03-14 16:45:54	71.24	55dB	3.1	208%	Day

4571	2025-03-14 16:47:13	N/A	55dB	N/A	N/A	Day
4572	2025-03-14 16:49:25	72.06	55dB	3.3	226%	Day
4573	2025-03-14 16:50:53	N/A	55dB	N/A	N/A	Day
4574	2025-03-14 16:52:02	79.36	55dB	5.4	441%	Day
4575	2025-03-14 16:56:50	72.22	55dB	3.3	230%	Day
4576	2025-03-14 16:58:58	68.27	55dB	2.5	151%	Day
4577	2025-03-14 17:00:17	70.43	55dB	2.9	191%	Day
4578	2025-03-14 17:07:13	70.22	55dB	2.9	187%	Day
4579	2025-03-14 17:08:31	76.99	55dB	4.6	359%	Day
4580	2025-03-14 17:10:56	73.44	55dB	3.6	259%	Day
4581	2025-03-14 17:16:56	75.74	55dB	4.2	321%	Day
4582	2025-03-14 17:18:03	70.71	55dB	3.0	197%	Day
4583	2025-03-14 17:19:19	76.21	55dB	4.3	335%	Day
4584	2025-03-14 17:21:01	72.31	55dB	3.3	232%	Day
4585	2025-03-14 17:22:55	69.93	55dB	2.8	181%	Day
4586	2025-03-15 06:28:47	71.57	45dB	6.3	531%	Night
4587	2025-03-15 06:30:23	69.27	45dB	5.4	438%	Night
4588	2025-03-15 06:32:04	69.76	45dB	5.6	456%	Night
4589	2025-03-15 06:33:45	74.09	45dB	7.5	651%	Night
4590	2025-03-15 06:35:06	70.24	45dB	5.8	475%	Night
4591	2025-03-15 06:37:31	71.14	45dB	6.1	512%	Night
4592	2025-03-15 06:39:57	N/A	45dB	N/A	N/A	Night
4593	2025-03-15 06:41:41	74.21	45dB	7.6	657%	Night
4594	2025-03-15 06:43:09	71.06	45dB	6.1	509%	Night
4595	2025-03-15 06:44:28	74.53	45dB	7.7	674%	Night
4596	2025-03-15 06:46:07	77.40	45dB	9.4	845%	Night
4597	2025-03-15 06:48:09	75.69	45dB	8.4	739%	Night
4598	2025-03-15 06:49:40	73.07	45dB	7.0	600%	Night
4599	2025-03-15 06:50:57	69.00	45dB	5.3	428%	Night
4600	2025-03-15 06:53:03	69.74	45dB	5.6	456%	Night
4601	2025-03-15 06:55:12	69.57	45dB	5.5	449%	Night
4602	2025-03-15 06:56:41	71.76	45dB	6.4	539%	Night
4603	2025-03-15 06:57:50	72.69	45dB	6.8	582%	Night
4604	2025-03-15 07:00:15	N/A	55dB	N/A	N/A	Day
4605	2025-03-15 07:02:03	N/A	55dB	N/A	N/A	Day
4606	2025-03-15 07:05:42	70.49	55dB	2.9	193%	Day
4607	2025-03-15 07:09:16	69.05	55dB	2.6	165%	Day
4608	2025-03-15 07:11:13	70.95	55dB	3.0	202%	Day
4609	2025-03-15 07:13:21	71.82	55dB	3.2	221%	Day
4610	2025-03-15 07:16:23	76.25	55dB	4.4	336%	Day
4611	2025-03-15 07:18:22	70.11	55dB	2.9	185%	Day
4612	2025-03-15 07:20:43	72.27	55dB	3.3	231%	Day
4613	2025-03-15 07:24:12	73.94	55dB	3.7	272%	Day
4614	2025-03-15 07:35:26	82.94	55dB	6.9	594%	Day

4615	2025-03-15 07:38:32	70.43	55dB	2.9	191%	Day
4616	2025-03-15 07:45:47	72.47	55dB	3.4	236%	Day
4617	2025-03-15 07:55:54	N/A	55dB	N/A	N/A	Day
4618	2025-03-15 07:57:40	69.75	55dB	2.8	178%	Day
4619	2025-03-15 08:00:14	73.75	55dB	3.7	267%	Day
4620	2025-03-15 08:02:04	75.42	55dB	4.1	312%	Day
4621	2025-03-15 08:04:13	68.93	55dB	2.6	163%	Day
4622	2025-03-15 08:06:28	70.62	55dB	3.0	195%	Day
4623	2025-03-15 08:11:18	72.33	55dB	3.3	232%	Day
4624	2025-03-15 08:13:02	80.57	55dB	5.9	488%	Day
4625	2025-03-15 08:21:35	73.23	55dB	3.5	254%	Day
4626	2025-03-15 08:24:26	73.49	55dB	3.6	260%	Day
4627	2025-03-15 08:26:38	68.87	55dB	2.6	162%	Day
4628	2025-03-15 08:29:58	N/A	55dB	N/A	N/A	Day
4629	2025-03-15 08:36:08	72.25	55dB	3.3	231%	Day
4630	2025-03-15 08:44:26	72.59	55dB	3.4	238%	Day
4631	2025-03-15 08:51:16	69.87	55dB	2.8	180%	Day
4632	2025-03-15 08:53:32	73.10	55dB	3.5	251%	Day
4633	2025-03-15 09:04:07	75.09	55dB	4.0	303%	Day
4634	2025-03-15 09:10:32	73.23	55dB	3.5	254%	Day
4635	2025-03-15 09:13:05	71.86	55dB	3.2	222%	Day
4636	2025-03-15 09:21:47	69.65	55dB	2.8	176%	Day
4637	2025-03-15 09:26:35	71.96	55dB	3.2	224%	Day
4638	2025-03-15 09:30:11	71.07	55dB	3.0	205%	Day
4639	2025-03-15 09:36:26	N/A	55dB	N/A	N/A	Day
4640	2025-03-15 09:40:43	69.08	55dB	2.7	165%	Day
4641	2025-03-15 09:43:09	N/A	55dB	N/A	N/A	Day
4642	2025-03-15 09:45:20	70.83	55dB	3.0	200%	Day
4643	2025-03-15 09:48:10	74.29	55dB	3.8	281%	Day
4644	2025-03-15 09:50:35	74.24	55dB	3.8	279%	Day
4645	2025-03-15 09:53:41	72.17	55dB	3.3	229%	Day
4646	2025-03-15 09:55:01	69.49	55dB	2.7	173%	Day
4647	2025-03-15 09:57:03	69.44	55dB	2.7	172%	Day
4648	2025-03-15 10:00:55	71.30	55dB	3.1	210%	Day
4649	2025-03-15 10:08:38	77.39	55dB	4.7	372%	Day
4650	2025-03-15 10:13:04	68.18	55dB	2.5	149%	Day
4651	2025-03-15 10:18:10	71.29	55dB	3.1	209%	Day
4652	2025-03-15 10:38:33	74.54	55dB	3.9	287%	Day
4653	2025-03-15 10:44:36	70.09	55dB	2.8	185%	Day
4654	2025-03-15 10:46:19	70.85	55dB	3.0	200%	Day
4655	2025-03-15 10:49:07	72.74	55dB	3.4	242%	Day
4656	2025-03-15 10:51:02	72.60	55dB	3.4	239%	Day
4657	2025-03-15 10:52:37	70.08	55dB	2.8	184%	Day
4658	2025-03-15 10:54:38	70.26	55dB	2.9	188%	Day

4659	2025-03-15 10:56:45	73.65	55dB	3.6	264%	Day
4660	2025-03-15 11:01:12	68.99	55dB	2.6	164%	Day
4661	2025-03-15 11:04:06	68.85	55dB	2.6	161%	Day
4662	2025-03-15 11:05:56	72.82	55dB	3.4	244%	Day
4663	2025-03-15 11:07:45	73.25	55dB	3.5	254%	Day
4664	2025-03-15 11:09:50	92.81	55dB	13.7	1275%	Day
4665	2025-03-15 11:11:55	72.03	55dB	3.3	226%	Day
4666	2025-03-15 11:14:07	73.00	55dB	3.5	248%	Day
4667	2025-03-15 11:15:58	72.86	55dB	3.4	245%	Day
4668	2025-03-15 11:17:43	76.31	55dB	4.4	338%	Day
4669	2025-03-15 11:19:41	70.94	55dB	3.0	202%	Day
4670	2025-03-15 11:21:43	70.77	55dB	3.0	198%	Day
4671	2025-03-15 11:23:52	69.24	55dB	2.7	168%	Day
4672	2025-03-15 11:25:55	69.52	55dB	2.7	174%	Day
4673	2025-03-15 11:28:10	72.51	55dB	3.4	237%	Day
4674	2025-03-15 11:30:02	73.28	55dB	3.6	255%	Day
4675	2025-03-15 11:31:37	68.24	55dB	2.5	150%	Day
4676	2025-03-15 11:33:32	71.77	55dB	3.2	220%	Day
4677	2025-03-15 11:35:35	71.23	55dB	3.1	208%	Day
4678	2025-03-15 11:37:35	70.72	55dB	3.0	197%	Day
4679	2025-03-15 11:40:02	74.76	55dB	3.9	293%	Day
4680	2025-03-15 11:42:02	71.83	55dB	3.2	221%	Day
4681	2025-03-15 11:44:35	70.09	55dB	2.8	185%	Day
4682	2025-03-15 11:46:33	70.33	55dB	2.9	189%	Day
4683	2025-03-15 11:48:21	74.43	55dB	3.8	285%	Day
4684	2025-03-15 11:49:58	71.87	55dB	3.2	222%	Day
4685	2025-03-15 11:52:02	69.34	55dB	2.7	170%	Day
4686	2025-03-15 11:54:45	72.85	55dB	3.4	245%	Day
4687	2025-03-15 11:58:05	N/A	55dB	N/A	N/A	Day
4688	2025-03-15 12:02:05	70.43	55dB	2.9	191%	Day
4689	2025-03-15 12:04:56	69.55	55dB	2.7	174%	Day
4690	2025-03-15 12:07:15	70.15	55dB	2.9	186%	Day
4691	2025-03-15 12:10:53	74.69	55dB	3.9	291%	Day
4692	2025-03-15 12:13:19	68.81	55dB	2.6	160%	Day
4693	2025-03-15 12:15:16	71.34	55dB	3.1	210%	Day
4694	2025-03-15 12:17:20	72.01	55dB	3.3	225%	Day
4695	2025-03-15 12:19:07	73.93	55dB	3.7	271%	Day
4696	2025-03-15 12:24:02	75.70	55dB	4.2	320%	Day
4697	2025-03-15 12:29:04	71.66	55dB	3.2	217%	Day
4698	2025-03-15 12:31:20	75.81	55dB	4.2	323%	Day
4699	2025-03-15 12:33:57	70.59	55dB	2.9	195%	Day
4700	2025-03-15 12:40:26	70.83	55dB	3.0	200%	Day
4701	2025-03-15 12:43:20	75.02	55dB	4.0	301%	Day
4702	2025-03-15 12:45:53	73.84	55dB	3.7	269%	Day

4703	2025-03-15 12:47:41	N/A	55dB	N/A	N/A	Day
4704	2025-03-15 12:54:30	74.00	55dB	3.7	273%	Day
4705	2025-03-15 12:58:13	71.88	55dB	3.2	222%	Day
4706	2025-03-15 13:10:58	73.95	55dB	3.7	272%	Day
4707	2025-03-15 13:13:10	73.90	55dB	3.7	271%	Day
4708	2025-03-15 13:15:51	75.11	55dB	4.0	303%	Day
4709	2025-03-15 13:22:34	76.38	55dB	4.4	340%	Day
4710	2025-03-15 13:25:00	70.78	55dB	3.0	199%	Day
4711	2025-03-15 13:26:27	74.38	55dB	3.8	283%	Day
4712	2025-03-15 13:28:03	N/A	55dB	N/A	N/A	Day
4713	2025-03-15 13:29:48	73.92	55dB	3.7	271%	Day
4714	2025-03-15 13:32:34	70.55	55dB	2.9	194%	Day
4715	2025-03-15 13:34:13	72.29	55dB	3.3	231%	Day
4716	2025-03-15 13:35:53	73.71	55dB	3.7	266%	Day
4717	2025-03-15 13:37:37	N/A	55dB	N/A	N/A	Day
4718	2025-03-15 13:39:12	N/A	55dB	N/A	N/A	Day
4719	2025-03-15 13:41:08	72.77	55dB	3.4	243%	Day
4720	2025-03-15 13:42:56	67.79	55dB	2.4	143%	Day
4721	2025-03-15 13:44:46	N/A	55dB	N/A	N/A	Day
4722	2025-03-15 13:47:45	68.48	55dB	2.5	155%	Day
4723	2025-03-15 13:50:19	74.12	55dB	3.8	276%	Day
4724	2025-03-15 13:53:37	72.17	55dB	3.3	229%	Day
4725	2025-03-15 13:59:08	76.49	55dB	4.4	344%	Day
4726	2025-03-15 14:00:28	75.88	55dB	4.3	325%	Day
4727	2025-03-15 14:05:14	72.30	55dB	3.3	232%	Day
4728	2025-03-15 14:09:04	71.03	55dB	3.0	204%	Day
4729	2025-03-15 14:11:19	73.23	55dB	3.5	254%	Day
4730	2025-03-15 14:12:41	73.28	55dB	3.6	255%	Day
4731	2025-03-15 14:14:13	74.13	55dB	3.8	277%	Day
4732	2025-03-15 14:15:35	74.69	55dB	3.9	291%	Day
4733	2025-03-15 14:18:26	69.66	55dB	2.8	176%	Day
4734	2025-03-15 14:20:32	73.03	55dB	3.5	249%	Day
4735	2025-03-15 14:22:38	75.87	55dB	4.2	325%	Day
4736	2025-03-15 14:24:39	69.27	55dB	2.7	169%	Day
4737	2025-03-15 14:26:01	71.12	55dB	3.1	206%	Day
4738	2025-03-15 14:27:25	72.24	55dB	3.3	230%	Day
4739	2025-03-15 14:29:50	69.50	55dB	2.7	173%	Day
4740	2025-03-15 14:31:25	89.30	55dB	10.8	978%	Day
4741	2025-03-15 14:32:45	73.03	55dB	3.5	249%	Day
4742	2025-03-15 14:34:15	71.51	55dB	3.1	214%	Day
4743	2025-03-15 14:35:46	N/A	55dB	N/A	N/A	Day
4744	2025-03-15 14:37:11	73.45	55dB	3.6	259%	Day
4745	2025-03-15 14:38:41	74.25	55dB	3.8	280%	Day
4746	2025-03-15 14:40:23	72.99	55dB	3.5	248%	Day

4747	2025-03-15 14:43:55	70.48	55dB	2.9	192%	Day
4748	2025-03-15 14:45:58	73.23	55dB	3.5	254%	Day
4749	2025-03-15 14:47:33	75.00	55dB	4.0	300%	Day
4750	2025-03-15 14:49:43	70.14	55dB	2.9	186%	Day
4751	2025-03-15 14:51:08	72.20	55dB	3.3	229%	Day
4752	2025-03-15 14:52:45	71.86	55dB	3.2	222%	Day
4753	2025-03-15 14:54:37	71.76	55dB	3.2	220%	Day
4754	2025-03-15 14:56:10	71.93	55dB	3.2	223%	Day
4755	2025-03-15 14:57:47	76.29	55dB	4.4	337%	Day
4756	2025-03-15 15:02:25	75.49	55dB	4.1	314%	Day
4757	2025-03-15 15:04:32	73.36	55dB	3.6	257%	Day
4758	2025-03-15 15:06:02	72.19	55dB	3.3	229%	Day
4759	2025-03-15 15:07:40	72.31	55dB	3.3	232%	Day
4760	2025-03-15 15:09:51	72.21	55dB	3.3	230%	Day
4761	2025-03-15 15:11:21	73.07	55dB	3.5	250%	Day
4762	2025-03-15 15:12:49	77.21	55dB	4.7	366%	Day
4763	2025-03-15 15:15:53	75.18	55dB	4.1	305%	Day
4764	2025-03-15 15:18:38	N/A	55dB	N/A	N/A	Day
4765	2025-03-15 15:21:08	74.43	55dB	3.8	285%	Day
4766	2025-03-15 15:23:52	69.01	55dB	2.6	164%	Day
4767	2025-03-15 15:26:24	N/A	55dB	N/A	N/A	Day
4768	2025-03-15 15:32:35	70.20	55dB	2.9	187%	Day
4769	2025-03-15 15:34:45	71.95	55dB	3.2	224%	Day
4770	2025-03-15 15:38:58	70.91	55dB	3.0	201%	Day
4771	2025-03-15 15:41:14	74.53	55dB	3.9	287%	Day
4772	2025-03-15 15:42:54	73.97	55dB	3.7	272%	Day
4773	2025-03-15 15:45:25	N/A	55dB	N/A	N/A	Day
4774	2025-03-15 15:47:15	74.66	55dB	3.9	291%	Day
4775	2025-03-15 15:48:34	70.17	55dB	2.9	186%	Day
4776	2025-03-15 15:50:02	70.51	55dB	2.9	193%	Day
4777	2025-03-15 15:51:19	77.91	55dB	4.9	389%	Day
4778	2025-03-15 15:52:58	73.62	55dB	3.6	264%	Day
4779	2025-03-15 15:54:34	72.12	55dB	3.3	228%	Day
4780	2025-03-15 15:56:00	N/A	55dB	N/A	N/A	Day
4781	2025-03-15 15:57:24	67.40	55dB	2.4	136%	Day
4782	2025-03-15 15:58:41	N/A	55dB	N/A	N/A	Day
4783	2025-03-15 16:02:21	73.81	55dB	3.7	268%	Day
4784	2025-03-15 16:04:01	74.22	55dB	3.8	279%	Day
4785	2025-03-15 16:06:19	73.42	55dB	3.6	259%	Day
4786	2025-03-15 16:08:20	67.56	55dB	2.4	139%	Day
4787	2025-03-15 16:10:20	N/A	55dB	N/A	N/A	Day
4788	2025-03-15 16:11:52	N/A	55dB	N/A	N/A	Day
4789	2025-03-15 16:13:26	71.62	55dB	3.2	216%	Day
4790	2025-03-15 16:14:52	69.58	55dB	2.7	175%	Day

4791	2025-03-15 16:18:22	74.09	55dB	3.8	276%	Day
4792	2025-03-15 16:21:03	66.11	55dB	2.2	116%	Day
4793	2025-03-15 16:26:45	75.11	55dB	4.0	303%	Day
4794	2025-03-15 16:28:08	N/A	55dB	N/A	N/A	Day
4795	2025-03-15 16:29:42	N/A	55dB	N/A	N/A	Day
4796	2025-03-15 16:31:01	72.71	55dB	3.4	241%	Day
4797	2025-03-15 16:32:18	N/A	55dB	N/A	N/A	Day
4798	2025-03-15 16:33:39	74.35	55dB	3.8	282%	Day
4799	2025-03-15 16:35:42	69.43	55dB	2.7	172%	Day
4800	2025-03-15 16:38:22	73.67	55dB	3.6	265%	Day
4801	2025-03-15 16:40:10	72.43	55dB	3.3	235%	Day
4802	2025-03-15 16:42:32	76.59	55dB	4.5	347%	Day
4803	2025-03-15 16:45:18	74.29	55dB	3.8	281%	Day
4804	2025-03-15 16:47:13	74.40	55dB	3.8	284%	Day
4805	2025-03-15 16:48:42	71.54	55dB	3.1	215%	Day
4806	2025-03-15 16:50:11	69.89	55dB	2.8	181%	Day
4807	2025-03-15 16:52:09	74.99	55dB	4.0	300%	Day
4808	2025-03-15 16:54:14	71.52	55dB	3.1	214%	Day
4809	2025-03-15 16:55:38	N/A	55dB	N/A	N/A	Day
4810	2025-03-15 16:57:42	79.61	55dB	5.5	451%	Day
4811	2025-03-15 16:59:10	N/A	55dB	N/A	N/A	Day
4812	2025-03-15 17:00:48	74.25	55dB	3.8	280%	Day
4813	2025-03-15 17:02:25	75.82	55dB	4.2	323%	Day
4814	2025-03-15 17:04:48	69.17	55dB	2.7	167%	Day
4815	2025-03-15 17:06:21	70.09	55dB	2.8	185%	Day
4816	2025-03-15 17:07:40	75.62	55dB	4.2	318%	Day
4817	2025-03-15 17:10:09	N/A	55dB	N/A	N/A	Day
4818	2025-03-15 17:13:07	76.67	55dB	4.5	349%	Day
4819	2025-03-15 17:16:06	68.10	55dB	2.5	148%	Day
4820	2025-03-15 17:17:49	70.68	55dB	3.0	196%	Day
4821	2025-03-15 17:19:18	70.32	55dB	2.9	189%	Day
4822	2025-03-15 17:23:27	70.88	55dB	3.0	201%	Day
4823	2025-03-15 17:27:55	69.42	55dB	2.7	172%	Day
4824	2025-03-15 17:31:57	78.65	55dB	5.2	415%	Day
4825	2025-03-15 17:34:17	74.32	55dB	3.8	282%	Day
4826	2025-03-15 17:36:27	71.16	55dB	3.1	207%	Day
4827	2025-03-15 17:38:36	71.18	55dB	3.1	207%	Day
4828	2025-03-15 17:40:18	71.27	55dB	3.1	209%	Day
4829	2025-03-15 17:43:03	74.44	55dB	3.8	285%	Day
4830	2025-03-15 17:46:02	70.29	55dB	2.9	189%	Day
4831	2025-03-15 17:48:06	73.76	55dB	3.7	267%	Day
4832	2025-03-15 17:52:05	76.12	55dB	4.3	332%	Day
4833	2025-03-15 17:54:22	70.99	55dB	3.0	203%	Day
4834	2025-03-15 17:57:25	71.70	55dB	3.2	218%	Day

4835	2025-03-15 17:59:47	76.96	55dB	4.6	358%	Day
4836	2025-03-15 18:06:13	74.14	55dB	3.8	277%	Day
4837	2025-03-15 18:08:31	76.06	55dB	4.3	330%	Day
4838	2025-03-15 18:10:26	75.40	55dB	4.1	311%	Day
4839	2025-03-15 18:12:22	71.63	55dB	3.2	217%	Day
4840	2025-03-15 18:17:41	70.96	55dB	3.0	202%	Day
4841	2025-03-15 18:20:31	79.39	55dB	5.4	442%	Day
4842	2025-03-15 18:22:02	69.32	55dB	2.7	170%	Day
4843	2025-03-15 18:23:36	72.57	55dB	3.4	238%	Day
4844	2025-03-15 18:25:44	71.83	55dB	3.2	221%	Day
4845	2025-03-15 18:27:36	73.50	55dB	3.6	261%	Day
4846	2025-03-15 18:29:22	74.78	55dB	3.9	294%	Day
4847	2025-03-15 18:30:56	N/A	55dB	N/A	N/A	Day
4848	2025-03-15 18:32:21	N/A	55dB	N/A	N/A	Day
4849	2025-03-15 18:34:12	76.94	55dB	4.6	358%	Day
4850	2025-03-15 18:36:26	68.02	55dB	2.5	147%	Day
4851	2025-03-15 18:38:39	71.46	55dB	3.1	213%	Day
4852	2025-03-15 18:40:56	70.83	55dB	3.0	200%	Day
4853	2025-03-15 18:44:34	67.69	55dB	2.4	141%	Day
4854	2025-03-15 18:48:24	67.88	55dB	2.4	144%	Day
4855	2025-03-15 18:52:12	74.19	55dB	3.8	278%	Day
4856	2025-03-15 18:54:51	N/A	55dB	N/A	N/A	Day
4857	2025-03-15 18:57:06	N/A	55dB	N/A	N/A	Day
4858	2025-03-15 18:58:50	71.38	55dB	3.1	211%	Day
4859	2025-03-15 19:00:12	79.99	55dB	5.7	465%	Day
4860	2025-03-15 19:01:51	73.50	55dB	3.6	261%	Day
4861	2025-03-15 19:03:49	68.99	55dB	2.6	164%	Day
4862	2025-03-15 19:05:02	69.31	55dB	2.7	170%	Day
4863	2025-03-15 19:06:30	70.39	55dB	2.9	191%	Day
4864	2025-03-15 19:07:48	69.38	55dB	2.7	171%	Day
4865	2025-03-15 19:09:47	75.03	55dB	4.0	301%	Day
4866	2025-03-15 19:11:30	65.83	55dB	2.1	112%	Day
4867	2025-03-15 19:12:56	N/A	55dB	N/A	N/A	Day
4868	2025-03-15 19:14:45	74.25	55dB	3.8	280%	Day
4869	2025-03-15 19:16:07	72.23	55dB	3.3	230%	Day
4870	2025-03-15 19:18:49	N/A	55dB	N/A	N/A	Day
4871	2025-03-15 19:21:54	69.24	55dB	2.7	168%	Day
4872	2025-03-15 19:23:50	N/A	55dB	N/A	N/A	Day
4873	2025-03-15 19:25:38	70.97	55dB	3.0	203%	Day
4874	2025-03-15 19:27:09	75.03	55dB	4.0	301%	Day
4875	2025-03-15 19:28:39	71.48	55dB	3.1	213%	Day
4876	2025-03-15 19:30:03	70.96	55dB	3.0	202%	Day
4877	2025-03-15 19:31:25	68.42	55dB	2.5	154%	Day
4878	2025-03-15 19:32:51	71.12	55dB	3.1	206%	Day

4879	2025-03-15 19:34:32	75.94	55dB	4.3	327%	Day
4880	2025-03-15 19:36:14	71.34	55dB	3.1	210%	Day
4881	2025-03-15 19:37:37	74.92	55dB	4.0	298%	Day
4882	2025-03-15 19:39:28	68.86	55dB	2.6	161%	Day
4883	2025-03-15 19:41:02	78.95	55dB	5.3	426%	Day
4884	2025-03-15 19:42:48	68.91	55dB	2.6	162%	Day
4885	2025-03-15 19:44:52	N/A	55dB	N/A	N/A	Day
4886	2025-03-15 19:46:27	71.28	55dB	3.1	209%	Day
4887	2025-03-15 19:47:50	71.46	55dB	3.1	213%	Day
4888	2025-03-15 19:49:13	73.10	55dB	3.5	251%	Day
4889	2025-03-15 19:51:13	73.13	55dB	3.5	251%	Day
4890	2025-03-15 19:52:56	71.59	55dB	3.2	216%	Day
4891	2025-03-15 19:54:47	72.24	55dB	3.3	230%	Day
4892	2025-03-15 19:56:23	68.08	55dB	2.5	148%	Day
4893	2025-03-15 19:58:21	N/A	55dB	N/A	N/A	Day
4894	2025-03-15 19:59:53	70.22	55dB	2.9	187%	Day
4895	2025-03-15 20:01:38	69.34	55dB	2.7	170%	Day
4896	2025-03-15 20:03:09	71.64	55dB	3.2	217%	Day
4897	2025-03-15 20:04:33	70.27	55dB	2.9	188%	Day
4898	2025-03-15 20:06:11	67.77	55dB	2.4	142%	Day
4899	2025-03-15 20:07:43	77.70	55dB	4.8	382%	Day
4900	2025-03-15 20:09:31	68.83	55dB	2.6	161%	Day
4901	2025-03-15 20:10:56	71.69	55dB	3.2	218%	Day
4902	2025-03-15 20:13:51	78.34	55dB	5.0	404%	Day
4903	2025-03-15 20:15:28	72.01	55dB	3.3	225%	Day
4904	2025-03-15 20:16:56	72.72	55dB	3.4	242%	Day
4905	2025-03-15 20:18:19	70.25	55dB	2.9	188%	Day
4906	2025-03-15 20:19:42	70.98	55dB	3.0	203%	Day
4907	2025-03-15 20:21:37	71.07	55dB	3.0	205%	Day
4908	2025-03-15 20:25:53	N/A	55dB	N/A	N/A	Day
4909	2025-03-15 20:28:46	N/A	55dB	N/A	N/A	Day
4910	2025-03-15 20:32:02	70.11	55dB	2.9	185%	Day
4911	2025-03-15 20:37:44	71.88	55dB	3.2	222%	Day
4912	2025-03-15 20:40:44	69.37	55dB	2.7	171%	Day
4913	2025-03-15 20:42:12	71.26	55dB	3.1	209%	Day
4914	2025-03-15 20:44:26	71.48	55dB	3.1	213%	Day
4915	2025-03-15 20:46:28	70.59	55dB	2.9	195%	Day
4916	2025-03-15 20:51:56	70.65	55dB	3.0	196%	Day
4917	2025-03-15 20:56:13	N/A	55dB	N/A	N/A	Day
4918	2025-03-15 20:58:07	69.89	55dB	2.8	181%	Day
4919	2025-03-15 20:59:53	69.18	55dB	2.7	167%	Day
4920	2025-03-15 21:01:56	70.00	55dB	2.8	183%	Day
4921	2025-03-15 21:04:48	71.41	55dB	3.1	212%	Day
4922	2025-03-15 21:09:02	69.59	55dB	2.7	175%	Day

4923	2025-03-15 21:11:01	75.66	55dB	4.2	319%	Day
4924	2025-03-15 21:12:50	71.95	55dB	3.2	224%	Day
4925	2025-03-15 21:14:12	70.63	55dB	3.0	195%	Day
4926	2025-03-15 21:15:50	72.18	55dB	3.3	229%	Day
4927	2025-03-15 21:18:05	68.15	55dB	2.5	149%	Day
4928	2025-03-15 21:19:34	72.87	55dB	3.5	245%	Day
4929	2025-03-15 21:20:39	71.40	55dB	3.1	212%	Day
4930	2025-03-15 21:22:20	72.62	55dB	3.4	239%	Day
4931	2025-03-15 21:23:40	70.34	55dB	2.9	190%	Day
4932	2025-03-15 21:25:00	73.04	55dB	3.5	249%	Day
4933	2025-03-15 21:26:31	71.99	55dB	3.2	225%	Day
4934	2025-03-15 21:27:56	N/A	55dB	N/A	N/A	Day
4935	2025-03-15 21:29:16	68.10	55dB	2.5	148%	Day
4936	2025-03-15 21:30:33	72.74	55dB	3.4	242%	Day
4937	2025-03-15 21:32:00	73.79	55dB	3.7	268%	Day
4938	2025-03-15 21:33:33	71.11	55dB	3.1	205%	Day
4939	2025-03-15 21:34:49	80.42	55dB	5.8	482%	Day
4940	2025-03-15 21:36:15	75.62	55dB	4.2	318%	Day
4941	2025-03-15 21:37:57	72.95	55dB	3.5	247%	Day
4942	2025-03-15 21:41:43	73.21	55dB	3.5	253%	Day
4943	2025-03-15 21:43:14	75.13	55dB	4.0	304%	Day
4944	2025-03-15 21:45:50	N/A	55dB	N/A	N/A	Day
4945	2025-03-15 21:47:13	68.35	55dB	2.5	152%	Day
4946	2025-03-15 21:48:43	73.40	55dB	3.6	258%	Day
4947	2025-03-15 21:50:05	73.62	55dB	3.6	264%	Day
4948	2025-03-15 21:51:38	N/A	55dB	N/A	N/A	Day
4949	2025-03-15 21:53:22	N/A	55dB	N/A	N/A	Day
4950	2025-03-15 21:54:39	72.22	55dB	3.3	230%	Day
4951	2025-03-15 21:56:39	73.82	55dB	3.7	269%	Day
4952	2025-03-15 21:59:00	75.17	55dB	4.0	305%	Day
4953	2025-03-15 22:01:25	67.95	55dB	2.5	145%	Day
4954	2025-03-15 22:03:39	69.84	55dB	2.8	180%	Day
4955	2025-03-15 22:06:25	69.51	55dB	2.7	173%	Day
4956	2025-03-15 22:09:03	71.87	55dB	3.2	222%	Day
4957	2025-03-15 22:10:51	71.97	55dB	3.2	224%	Day
4958	2025-03-15 22:12:50	71.44	55dB	3.1	213%	Day
4959	2025-03-15 22:14:35	70.90	55dB	3.0	201%	Day
4960	2025-03-15 22:16:14	70.66	55dB	3.0	196%	Day
4961	2025-03-15 22:17:36	84.72	55dB	7.8	685%	Day
4962	2025-03-15 22:19:16	70.89	55dB	3.0	201%	Day
4963	2025-03-15 22:21:06	69.48	55dB	2.7	173%	Day
4964	2025-03-15 22:22:58	N/A	55dB	N/A	N/A	Day
4965	2025-03-15 22:24:26	72.97	55dB	3.5	247%	Day
4966	2025-03-15 22:26:23	N/A	55dB	N/A	N/A	Day

4967	2025-03-15 22:27:42	69.25	55dB	2.7	169%	Day
4968	2025-03-15 22:32:21	72.37	55dB	3.3	233%	Day
4969	2025-03-15 22:35:50	69.24	55dB	2.7	168%	Day
4970	2025-03-15 22:42:11	N/A	55dB	N/A	N/A	Day
4971	2025-03-15 22:45:56	74.05	55dB	3.7	275%	Day
4972	2025-03-15 23:01:12	71.07	45dB	6.1	509%	Night
4973	2025-03-15 23:03:21	72.76	45dB	6.8	585%	Night
4974	2025-03-15 23:05:22	N/A	45dB	N/A	N/A	Night
4975	2025-03-15 23:07:00	70.13	45dB	5.7	471%	Night
4976	2025-03-15 23:10:24	73.97	45dB	7.4	645%	Night
4977	2025-03-15 23:14:12	75.34	45dB	8.2	719%	Night
4978	2025-03-15 23:17:02	69.40	45dB	5.4	443%	Night
4979	2025-03-15 23:19:24	73.45	45dB	7.2	619%	Night
4980	2025-03-15 23:27:24	72.26	45dB	6.6	562%	Night
4981	2025-03-15 23:33:02	68.27	45dB	5.0	402%	Night
4982	2025-03-15 23:35:33	69.70	45dB	5.5	454%	Night
4983	2025-03-15 23:37:08	68.62	45dB	5.1	414%	Night
4984	2025-03-15 23:39:27	70.95	45dB	6.0	504%	Night
4985	2025-03-15 23:40:57	70.27	45dB	5.8	476%	Night
4986	2025-03-15 23:42:36	70.37	45dB	5.8	480%	Night
4987	2025-03-15 23:44:26	69.29	45dB	5.4	439%	Night
4988	2025-03-15 23:45:55	73.60	45dB	7.3	626%	Night
4989	2025-03-15 23:48:27	69.14	45dB	5.3	433%	Night
4990	2025-03-15 23:50:10	N/A	45dB	N/A	N/A	Night
4991	2025-03-15 23:51:39	N/A	45dB	N/A	N/A	Night
4992	2025-03-15 23:53:01	72.43	45dB	6.7	569%	Night
4993	2025-03-15 23:54:34	70.32	45dB	5.8	478%	Night
4994	2025-03-15 23:56:38	N/A	45dB	N/A	N/A	Night
4995	2025-03-15 23:58:57	72.30	45dB	6.6	563%	Night
4996	2025-03-16 00:03:23	72.46	45dB	6.7	571%	Night
4997	2025-03-16 00:05:30	69.20	45dB	5.4	435%	Night
4998	2025-03-16 00:07:37	70.09	45dB	5.7	469%	Night
4999	2025-03-16 00:09:12	70.22	45dB	5.7	474%	Night
5000	2025-03-16 00:11:24	71.14	45dB	6.1	512%	Night
5001	2025-03-16 00:14:56	70.85	45dB	6.0	500%	Night
5002	2025-03-16 00:17:25	72.94	45dB	6.9	594%	Night
5003	2025-03-16 06:28:36	73.30	45dB	7.1	611%	Night
5004	2025-03-16 06:30:14	70.57	45dB	5.9	488%	Night
5005	2025-03-16 06:31:56	71.15	45dB	6.1	513%	Night
5006	2025-03-16 06:33:15	70.85	45dB	6.0	500%	Night
5007	2025-03-16 06:34:45	74.41	45dB	7.7	668%	Night
5008	2025-03-16 06:36:40	70.68	45dB	5.9	493%	Night
5009	2025-03-16 06:38:00	70.75	45dB	6.0	496%	Night
5010	2025-03-16 06:39:38	73.45	45dB	7.2	619%	Night

5011	2025-03-16 06:41:40	73.74	45dB	7.3	633%	Night
5012	2025-03-16 06:43:10	71.39	45dB	6.2	523%	Night
5013	2025-03-16 06:44:34	71.39	45dB	6.2	523%	Night
5014	2025-03-16 06:46:56	74.52	45dB	7.7	674%	Night
5015	2025-03-16 06:48:22	73.86	45dB	7.4	639%	Night
5016	2025-03-16 06:50:33	71.50	45dB	6.3	528%	Night
5017	2025-03-16 06:51:43	71.55	45dB	6.3	530%	Night
5018	2025-03-16 06:53:30	72.55	45dB	6.8	575%	Night
5019	2025-03-16 06:56:42	70.86	45dB	6.0	500%	Night
5020	2025-03-16 06:58:58	77.31	45dB	9.4	839%	Night
5021	2025-03-16 07:01:11	70.89	55dB	3.0	201%	Day
5022	2025-03-16 07:03:04	68.85	55dB	2.6	161%	Day
5023	2025-03-16 07:04:47	73.52	55dB	3.6	261%	Day
5024	2025-03-16 07:06:39	72.30	55dB	3.3	232%	Day
5025	2025-03-16 07:10:08	71.42	55dB	3.1	212%	Day
5026	2025-03-16 07:12:10	74.36	55dB	3.8	283%	Day
5027	2025-03-16 09:18:44	N/A	55dB	N/A	N/A	Day
5028	2025-03-16 11:43:03	N/A	55dB	N/A	N/A	Day
5029	2025-03-16 12:33:33	72.98	55dB	3.5	248%	Day
5030	2025-03-16 12:52:46	77.07	55dB	4.6	362%	Day
5031	2025-03-16 12:55:36	80.09	55dB	5.7	469%	Day
5032	2025-03-16 12:58:00	70.09	55dB	2.8	185%	Day
5033	2025-03-16 13:00:04	71.78	55dB	3.2	220%	Day
5034	2025-03-16 13:02:01	73.51	55dB	3.6	261%	Day
5035	2025-03-16 13:03:30	73.62	55dB	3.6	264%	Day
5036	2025-03-16 13:05:41	78.59	55dB	5.1	413%	Day
5037	2025-03-16 13:07:38	71.85	55dB	3.2	222%	Day
5038	2025-03-16 13:09:24	71.36	55dB	3.1	211%	Day
5039	2025-03-16 13:11:40	82.37	55dB	6.7	567%	Day
5040	2025-03-16 13:13:16	71.08	55dB	3.0	205%	Day
5041	2025-03-16 13:15:08	72.83	55dB	3.4	244%	Day
5042	2025-03-16 13:16:45	76.51	55dB	4.4	344%	Day
5043	2025-03-16 13:18:54	75.02	55dB	4.0	301%	Day
5044	2025-03-16 13:20:45	72.14	55dB	3.3	228%	Day
5045	2025-03-16 13:22:26	75.00	55dB	4.0	300%	Day
5046	2025-03-16 13:24:20	77.64	55dB	4.8	380%	Day
5047	2025-03-16 13:26:43	74.21	55dB	3.8	279%	Day
5048	2025-03-16 13:28:35	78.14	55dB	5.0	397%	Day
5049	2025-03-16 13:31:47	70.92	55dB	3.0	201%	Day
5050	2025-03-16 13:34:54	79.21	55dB	5.4	436%	Day
5051	2025-03-16 13:40:02	75.64	55dB	4.2	318%	Day
5052	2025-03-16 13:42:01	74.12	55dB	3.8	276%	Day
5053	2025-03-16 13:45:05	73.76	55dB	3.7	267%	Day
5054	2025-03-16 13:49:30	71.13	55dB	3.1	206%	Day

5055	2025-03-16 13:51:42	74.54	55dB	3.9	287%	Day
5056	2025-03-16 13:53:16	N/A	55dB	N/A	N/A	Day
5057	2025-03-16 13:55:23	72.17	55dB	3.3	229%	Day
5058	2025-03-16 13:57:41	77.46	55dB	4.7	374%	Day
5059	2025-03-16 14:06:46	72.75	55dB	3.4	242%	Day
5060	2025-03-16 14:10:26	73.02	55dB	3.5	249%	Day
5061	2025-03-16 14:15:10	71.59	55dB	3.2	216%	Day
5062	2025-03-16 14:18:31	71.66	55dB	3.2	217%	Day
5063	2025-03-16 14:20:16	80.10	55dB	5.7	470%	Day
5064	2025-03-16 14:22:05	76.87	55dB	4.6	355%	Day
5065	2025-03-16 14:24:30	68.42	55dB	2.5	154%	Day
5066	2025-03-16 14:26:36	69.57	55dB	2.7	175%	Day
5067	2025-03-16 14:29:18	74.27	55dB	3.8	280%	Day
5068	2025-03-16 14:31:30	71.90	55dB	3.2	223%	Day
5069	2025-03-16 14:33:16	69.00	55dB	2.6	164%	Day
5070	2025-03-16 14:35:10	73.92	55dB	3.7	271%	Day
5071	2025-03-16 14:37:12	75.10	55dB	4.0	303%	Day
5072	2025-03-16 14:38:49	74.71	55dB	3.9	292%	Day
5073	2025-03-16 14:41:06	74.04	55dB	3.7	274%	Day
5074	2025-03-16 14:43:54	73.33	55dB	3.6	256%	Day
5075	2025-03-16 14:46:44	75.49	55dB	4.1	314%	Day
5076	2025-03-16 14:48:22	72.51	55dB	3.4	237%	Day
5077	2025-03-16 14:50:25	76.18	55dB	4.3	334%	Day
5078	2025-03-16 14:51:45	74.63	55dB	3.9	290%	Day
5079	2025-03-16 14:53:11	70.97	55dB	3.0	203%	Day
5080	2025-03-16 14:54:41	76.64	55dB	4.5	348%	Day
5081	2025-03-16 14:56:53	70.90	55dB	3.0	201%	Day
5082	2025-03-16 14:58:30	67.73	55dB	2.4	142%	Day
5083	2025-03-16 14:59:54	73.02	55dB	3.5	249%	Day
5084	2025-03-16 15:01:13	73.15	55dB	3.5	252%	Day
5085	2025-03-16 15:03:00	71.55	55dB	3.1	215%	Day
5086	2025-03-16 15:04:26	74.93	55dB	4.0	298%	Day
5087	2025-03-16 15:06:15	71.73	55dB	3.2	219%	Day
5088	2025-03-16 15:09:34	74.98	55dB	4.0	299%	Day
5089	2025-03-16 15:11:41	74.05	55dB	3.7	275%	Day
5090	2025-03-16 15:13:15	75.57	55dB	4.2	316%	Day
5091	2025-03-16 15:16:23	74.32	55dB	3.8	282%	Day
5092	2025-03-16 15:18:52	69.07	55dB	2.7	165%	Day
5093	2025-03-16 15:20:27	78.28	55dB	5.0	402%	Day
5094	2025-03-16 15:23:03	73.25	55dB	3.5	254%	Day
5095	2025-03-16 15:24:34	79.44	55dB	5.4	444%	Day
5096	2025-03-16 15:26:34	74.42	55dB	3.8	284%	Day
5097	2025-03-16 15:28:10	78.30	55dB	5.0	403%	Day
5098	2025-03-16 15:30:08	76.20	55dB	4.3	335%	Day

5099	2025-03-16 15:31:40	71.92	55dB	3.2	223%	Day
5100	2025-03-16 15:33:32	73.40	55dB	3.6	258%	Day
5101	2025-03-16 15:35:27	73.32	55dB	3.6	256%	Day
5102	2025-03-16 15:36:53	78.03	55dB	4.9	393%	Day
5103	2025-03-16 15:38:18	79.15	55dB	5.3	433%	Day
5104	2025-03-16 15:40:21	77.13	55dB	4.6	364%	Day
5105	2025-03-16 15:41:53	85.03	55dB	8.0	702%	Day
5106	2025-03-16 15:43:21	73.74	55dB	3.7	267%	Day
5107	2025-03-16 15:45:10	81.30	55dB	6.2	519%	Day
5108	2025-03-16 15:48:14	70.18	55dB	2.9	186%	Day
5109	2025-03-16 15:55:00	72.51	55dB	3.4	237%	Day
5110	2025-03-16 15:56:27	73.75	55dB	3.7	267%	Day
5111	2025-03-16 15:58:23	N/A	55dB	N/A	N/A	Day
5112	2025-03-16 15:59:56	73.81	55dB	3.7	268%	Day
5113	2025-03-16 16:02:00	73.52	55dB	3.6	261%	Day
5114	2025-03-16 16:05:04	N/A	55dB	N/A	N/A	Day
5115	2025-03-16 16:06:36	71.29	55dB	3.1	209%	Day
5116	2025-03-16 16:07:56	71.67	55dB	3.2	218%	Day
5117	2025-03-16 16:09:19	73.74	55dB	3.7	267%	Day
5118	2025-03-16 16:10:44	81.38	55dB	6.2	522%	Day
5119	2025-03-16 16:12:14	70.53	55dB	2.9	193%	Day
5120	2025-03-16 16:13:43	82.95	55dB	6.9	594%	Day
5121	2025-03-16 16:16:27	76.50	55dB	4.4	344%	Day
5122	2025-03-16 16:21:45	75.39	55dB	4.1	311%	Day
5123	2025-03-16 16:25:00	75.15	55dB	4.0	304%	Day
5124	2025-03-16 16:27:12	69.84	55dB	2.8	180%	Day
5125	2025-03-16 16:29:13	71.57	55dB	3.2	215%	Day
5126	2025-03-16 16:34:22	78.30	55dB	5.0	403%	Day
5127	2025-03-16 16:37:09	79.75	55dB	5.6	456%	Day
5128	2025-03-16 16:39:25	82.55	55dB	6.8	575%	Day
5129	2025-03-16 16:41:46	79.84	55dB	5.6	459%	Day
5130	2025-03-16 16:43:16	85.20	55dB	8.1	711%	Day
5131	2025-03-16 16:44:41	87.98	55dB	9.8	884%	Day
5132	2025-03-16 16:46:28	83.32	55dB	7.1	612%	Day
5133	2025-03-16 16:49:06	92.83	55dB	13.8	1277%	Day
5134	2025-03-16 16:50:38	76.62	55dB	4.5	348%	Day
5135	2025-03-16 16:53:38	86.83	55dB	9.1	808%	Day
5136	2025-03-16 16:56:02	81.39	55dB	6.2	523%	Day
5137	2025-03-16 17:01:28	80.47	55dB	5.8	484%	Day
5138	2025-03-16 17:03:13	88.72	55dB	10.4	935%	Day
5139	2025-03-16 17:05:28	85.48	55dB	8.3	727%	Day
5140	2025-03-16 17:07:54	N/A	55dB	N/A	N/A	Day
5141	2025-03-16 17:09:41	75.08	55dB	4.0	302%	Day
5142	2025-03-16 17:12:05	N/A	55dB	N/A	N/A	Day

5143	2025-03-16 17:15:21	87.43	55dB	9.5	847%	Day
5144	2025-03-16 17:17:33	90.28	55dB	11.5	1054%	Day
5145	2025-03-16 17:19:18	78.36	55dB	5.0	405%	Day
5146	2025-03-16 17:21:11	77.95	55dB	4.9	391%	Day
5147	2025-03-16 17:24:50	80.20	55dB	5.7	474%	Day
5148	2025-03-16 17:27:36	83.19	55dB	7.1	606%	Day
5149	2025-03-16 17:30:35	73.78	55dB	3.7	268%	Day
5150	2025-03-16 17:32:25	75.12	55dB	4.0	303%	Day
5151	2025-03-16 17:33:52	74.89	55dB	4.0	297%	Day
5152	2025-03-16 17:36:14	71.67	55dB	3.2	218%	Day
5153	2025-03-16 17:38:05	83.09	55dB	7.0	601%	Day
5154	2025-03-16 17:39:30	76.98	55dB	4.6	359%	Day
5155	2025-03-16 17:41:20	70.12	55dB	2.9	185%	Day
5156	2025-03-16 17:45:37	77.02	55dB	4.6	360%	Day
5157	2025-03-16 17:47:04	76.77	55dB	4.5	352%	Day
5158	2025-03-16 17:48:32	73.72	55dB	3.7	266%	Day
5159	2025-03-16 17:50:00	74.43	55dB	3.8	285%	Day
5160	2025-03-16 17:53:44	88.37	55dB	10.1	911%	Day
5161	2025-03-16 17:55:07	N/A	55dB	N/A	N/A	Day
5162	2025-03-16 17:56:35	74.46	55dB	3.9	285%	Day
5163	2025-03-16 17:59:19	77.83	55dB	4.9	387%	Day
5164	2025-03-16 18:00:51	73.07	55dB	3.5	250%	Day
5165	2025-03-16 18:02:08	72.88	55dB	3.5	245%	Day
5166	2025-03-16 18:05:32	70.08	55dB	2.8	184%	Day
5167	2025-03-16 18:07:32	83.44	55dB	7.2	618%	Day
5168	2025-03-16 18:09:14	73.23	55dB	3.5	254%	Day
5169	2025-03-16 18:10:51	72.04	55dB	3.3	226%	Day
5170	2025-03-16 18:12:45	88.04	55dB	9.9	888%	Day
5171	2025-03-16 18:18:38	81.91	55dB	6.5	546%	Day
5172	2025-03-16 18:21:02	N/A	55dB	N/A	N/A	Day
5173	2025-03-16 18:24:09	75.55	55dB	4.2	316%	Day
5174	2025-03-16 18:25:39	75.76	55dB	4.2	322%	Day
5175	2025-03-16 18:27:47	77.42	55dB	4.7	373%	Day
5176	2025-03-16 18:29:42	82.66	55dB	6.8	580%	Day
5177	2025-03-16 18:32:32	80.61	55dB	5.9	490%	Day
5178	2025-03-16 18:40:24	80.29	55dB	5.8	477%	Day
5179	2025-03-16 18:45:16	71.42	55dB	3.1	212%	Day
5180	2025-03-16 18:48:30	73.78	55dB	3.7	268%	Day
5181	2025-03-16 18:52:35	79.56	55dB	5.5	449%	Day
5182	2025-03-16 18:55:19	73.89	55dB	3.7	270%	Day
5183	2025-03-16 18:58:47	70.86	55dB	3.0	200%	Day
5184	2025-03-16 19:00:32	69.77	55dB	2.8	178%	Day
5185	2025-03-16 19:01:37	79.22	55dB	5.4	436%	Day
5186	2025-03-16 19:03:04	70.72	55dB	3.0	197%	Day

5187	2025-03-16 19:04:32	71.22	55dB	3.1	208%	Day
5188	2025-03-16 19:05:55	73.18	55dB	3.5	253%	Day
5189	2025-03-16 19:07:12	71.95	55dB	3.2	224%	Day
5190	2025-03-16 19:08:51	71.85	55dB	3.2	222%	Day
5191	2025-03-16 19:11:41	69.12	55dB	2.7	166%	Day
5192	2025-03-16 19:13:05	73.61	55dB	3.6	263%	Day
5193	2025-03-16 19:15:19	70.59	55dB	2.9	195%	Day
5194	2025-03-16 19:16:33	73.31	55dB	3.6	256%	Day
5195	2025-03-16 19:18:21	73.41	55dB	3.6	258%	Day
5196	2025-03-16 19:19:33	73.11	55dB	3.5	251%	Day
5197	2025-03-16 19:21:35	71.48	55dB	3.1	213%	Day
5198	2025-03-16 19:22:57	76.45	55dB	4.4	342%	Day
5199	2025-03-16 19:24:19	72.86	55dB	3.4	245%	Day
5200	2025-03-16 19:25:40	72.14	55dB	3.3	228%	Day
5201	2025-03-16 19:27:08	71.06	55dB	3.0	204%	Day
5202	2025-03-16 19:28:39	73.63	55dB	3.6	264%	Day
5203	2025-03-16 19:29:48	70.42	55dB	2.9	191%	Day
5204	2025-03-16 19:31:24	73.39	55dB	3.6	258%	Day
5205	2025-03-16 19:32:47	68.85	55dB	2.6	161%	Day
5206	2025-03-16 19:33:58	76.39	55dB	4.4	340%	Day
5207	2025-03-16 19:35:32	80.86	55dB	6.0	500%	Day
5208	2025-03-16 19:36:56	69.86	55dB	2.8	180%	Day
5209	2025-03-16 19:39:35	74.35	55dB	3.8	282%	Day
5210	2025-03-16 19:41:48	69.40	55dB	2.7	171%	Day
5211	2025-03-16 19:43:42	71.66	55dB	3.2	217%	Day
5212	2025-03-16 19:46:09	73.46	55dB	3.6	260%	Day
5213	2025-03-16 19:48:35	68.65	55dB	2.6	158%	Day
5214	2025-03-16 19:51:26	71.17	55dB	3.1	207%	Day
5215	2025-03-16 19:53:30	72.33	55dB	3.3	232%	Day
5216	2025-03-16 19:55:35	81.69	55dB	6.4	536%	Day
5217	2025-03-16 19:58:31	78.67	55dB	5.2	416%	Day
5218	2025-03-16 20:00:05	72.54	55dB	3.4	237%	Day
5219	2025-03-16 20:01:27	71.53	55dB	3.1	214%	Day
5220	2025-03-16 20:03:13	68.90	55dB	2.6	162%	Day
5221	2025-03-16 20:06:46	73.10	55dB	3.5	251%	Day
5222	2025-03-16 20:08:03	72.48	55dB	3.4	236%	Day
5223	2025-03-16 20:09:35	N/A	55dB	N/A	N/A	Day
5224	2025-03-16 20:11:42	68.09	55dB	2.5	148%	Day
5225	2025-03-16 20:13:15	N/A	55dB	N/A	N/A	Day
5226	2025-03-16 20:15:16	67.69	55dB	2.4	141%	Day
5227	2025-03-16 20:17:01	75.73	55dB	4.2	321%	Day
5228	2025-03-16 20:19:02	N/A	55dB	N/A	N/A	Day
5229	2025-03-16 20:20:21	75.24	55dB	4.1	307%	Day
5230	2025-03-16 20:21:43	69.02	55dB	2.6	164%	Day

5231	2025-03-16 20:23:03	71.21	55dB	3.1	208%	Day
5232	2025-03-16 20:26:38	72.63	55dB	3.4	239%	Day
5233	2025-03-16 20:27:55	73.63	55dB	3.6	264%	Day
5234	2025-03-16 20:30:10	75.83	55dB	4.2	324%	Day
5235	2025-03-16 20:31:26	69.69	55dB	2.8	177%	Day
5236	2025-03-16 20:32:40	71.66	55dB	3.2	217%	Day
5237	2025-03-16 20:34:06	71.33	55dB	3.1	210%	Day
5238	2025-03-16 20:35:18	69.62	55dB	2.8	175%	Day
5239	2025-03-16 20:37:14	70.17	55dB	2.9	186%	Day
5240	2025-03-16 20:41:11	71.39	55dB	3.1	211%	Day
5241	2025-03-16 20:43:32	70.91	55dB	3.0	201%	Day
5242	2025-03-16 20:45:38	69.84	55dB	2.8	180%	Day
5243	2025-03-16 20:46:51	70.05	55dB	2.8	184%	Day
5244	2025-03-16 20:48:15	71.09	55dB	3.1	205%	Day
5245	2025-03-16 20:49:38	67.94	55dB	2.5	145%	Day
5246	2025-03-16 20:51:40	69.83	55dB	2.8	180%	Day
5247	2025-03-16 20:53:36	73.11	55dB	3.5	251%	Day
5248	2025-03-16 20:57:26	72.43	55dB	3.3	235%	Day
5249	2025-03-16 20:58:56	68.60	55dB	2.6	157%	Day
5250	2025-03-16 21:00:34	73.58	55dB	3.6	263%	Day
5251	2025-03-16 21:02:48	70.79	55dB	3.0	199%	Day
5252	2025-03-16 21:05:25	72.74	55dB	3.4	242%	Day
5253	2025-03-16 21:06:58	71.67	55dB	3.2	218%	Day
5254	2025-03-16 21:08:22	72.64	55dB	3.4	240%	Day
5255	2025-03-16 21:10:00	73.69	55dB	3.7	265%	Day
5256	2025-03-16 21:11:34	N/A	55dB	N/A	N/A	Day
5257	2025-03-16 21:12:43	69.62	55dB	2.8	175%	Day
5258	2025-03-16 21:14:00	81.34	55dB	6.2	521%	Day
5259	2025-03-16 21:15:07	71.06	55dB	3.0	204%	Day
5260	2025-03-16 21:16:40	71.19	55dB	3.1	207%	Day
5261	2025-03-16 21:18:07	71.63	55dB	3.2	217%	Day
5262	2025-03-16 21:20:35	68.21	55dB	2.5	150%	Day
5263	2025-03-16 21:21:51	73.10	55dB	3.5	251%	Day
5264	2025-03-16 21:23:06	70.17	55dB	2.9	186%	Day
5265	2025-03-16 21:24:44	70.73	55dB	3.0	198%	Day
5266	2025-03-16 21:27:19	68.93	55dB	2.6	163%	Day
5267	2025-03-16 21:29:22	71.46	55dB	3.1	213%	Day
5268	2025-03-16 21:30:51	70.37	55dB	2.9	190%	Day
5269	2025-03-16 21:32:11	71.00	55dB	3.0	203%	Day
5270	2025-03-16 21:33:32	68.86	55dB	2.6	161%	Day
5271	2025-03-16 21:34:47	70.19	55dB	2.9	187%	Day
5272	2025-03-16 21:36:17	69.78	55dB	2.8	179%	Day
5273	2025-03-16 21:37:57	73.84	55dB	3.7	269%	Day
5274	2025-03-16 21:39:18	71.60	55dB	3.2	216%	Day

5275	2025-03-16 21:40:51	69.96	55dB	2.8	182%	Day
5276	2025-03-16 21:42:15	70.45	55dB	2.9	192%	Day
5277	2025-03-16 21:43:38	70.70	55dB	3.0	197%	Day
5278	2025-03-16 21:46:26	69.77	55dB	2.8	178%	Day
5279	2025-03-16 21:48:10	78.44	55dB	5.1	408%	Day
5280	2025-03-16 21:49:38	72.45	55dB	3.4	235%	Day
5281	2025-03-16 21:52:15	73.19	55dB	3.5	253%	Day
5282	2025-03-16 21:53:49	75.11	55dB	4.0	303%	Day
5283	2025-03-16 21:55:21	71.57	55dB	3.2	215%	Day
5284	2025-03-16 21:56:57	72.65	55dB	3.4	240%	Day
5285	2025-03-16 21:58:24	69.78	55dB	2.8	179%	Day
5286	2025-03-16 22:00:41	71.39	55dB	3.1	211%	Day
5287	2025-03-16 22:06:13	75.37	55dB	4.1	310%	Day
5288	2025-03-16 22:08:46	75.65	55dB	4.2	318%	Day
5289	2025-03-16 22:11:05	73.07	55dB	3.5	250%	Day
5290	2025-03-16 22:14:10	70.49	55dB	2.9	193%	Day
5291	2025-03-16 22:16:01	70.60	55dB	2.9	195%	Day
5292	2025-03-16 22:22:25	78.95	55dB	5.3	426%	Day
5293	2025-03-16 22:24:42	70.57	55dB	2.9	194%	Day
5294	2025-03-16 22:27:02	77.36	55dB	4.7	371%	Day
5295	2025-03-16 22:29:10	70.66	55dB	3.0	196%	Day
5296	2025-03-16 22:32:48	68.45	55dB	2.5	154%	Day
5297	2025-03-16 22:35:06	69.58	55dB	2.7	175%	Day
5298	2025-03-16 22:37:28	69.13	55dB	2.7	166%	Day
5299	2025-03-16 22:39:21	71.08	55dB	3.0	205%	Day
5300	2025-03-16 22:42:24	72.70	55dB	3.4	241%	Day
5301	2025-03-16 22:45:21	72.99	55dB	3.5	248%	Day
5302	2025-03-16 22:50:13	76.28	55dB	4.4	337%	Day
5303	2025-03-16 22:53:02	71.39	55dB	3.1	211%	Day
5304	2025-03-16 22:54:26	68.16	55dB	2.5	149%	Day
5305	2025-03-16 22:56:21	69.70	55dB	2.8	177%	Day
5306	2025-03-16 22:58:53	73.55	55dB	3.6	262%	Day
5307	2025-03-16 23:01:37	N/A	45dB	N/A	N/A	Night
5308	2025-03-16 23:04:39	N/A	45dB	N/A	N/A	Night
5309	2025-03-16 23:06:20	N/A	45dB	N/A	N/A	Night
5310	2025-03-16 23:14:02	74.96	45dB	8.0	698%	Night
5311	2025-03-16 23:15:50	70.82	45dB	6.0	499%	Night
5312	2025-03-16 23:17:03	70.02	45dB	5.7	466%	Night
5313	2025-03-16 23:20:26	N/A	45dB	N/A	N/A	Night
5314	2025-03-16 23:23:04	N/A	45dB	N/A	N/A	Night
5315	2025-03-16 23:32:37	73.27	45dB	7.1	610%	Night
5316	2025-03-16 23:34:44	73.70	45dB	7.3	631%	Night
5317	2025-03-16 23:37:34	73.82	45dB	7.4	637%	Night
5318	2025-03-16 23:38:50	77.85	45dB	9.7	875%	Night

5319	2025-03-16 23:40:10	69.53	45dB	5.5	448%	Night
5320	2025-03-16 23:41:53	75.20	45dB	8.1	711%	Night
5321	2025-03-16 23:43:52	70.34	45dB	5.8	479%	Night
5322	2025-03-16 23:45:35	68.49	45dB	5.1	409%	Night
5323	2025-03-16 23:47:33	78.61	45dB	10.3	927%	Night
5324	2025-03-16 23:48:57	67.35	45dB	4.7	371%	Night
5325	2025-03-16 23:50:35	73.12	45dB	7.0	602%	Night
5326	2025-03-16 23:53:07	70.50	45dB	5.9	486%	Night
5327	2025-03-16 23:55:08	72.10	45dB	6.5	554%	Night
5328	2025-03-16 23:56:38	70.18	45dB	5.7	473%	Night
5329	2025-03-17 00:00:44	75.29	45dB	8.2	716%	Night
5330	2025-03-17 00:06:41	75.22	45dB	8.1	712%	Night
5331	2025-03-17 00:09:21	84.75	45dB	15.7	1473%	Night
5332	2025-03-17 00:13:35	77.79	45dB	9.7	871%	Night
5333	2025-03-17 00:16:01	70.99	45dB	6.1	506%	Night
5334	2025-03-17 00:17:31	75.97	45dB	8.6	756%	Night
5335	2025-03-17 00:22:03	76.70	45dB	9.0	800%	Night
5336	2025-03-17 00:23:45	71.50	45dB	6.3	528%	Night
5337	2025-03-17 00:25:22	74.56	45dB	7.8	676%	Night
5338	2025-03-17 00:27:16	73.23	45dB	7.1	608%	Night
5339	2025-03-17 00:28:55	69.95	45dB	5.6	464%	Night
5340	2025-03-17 00:30:10	71.35	45dB	6.2	521%	Night
5341	2025-03-17 00:31:31	69.59	45dB	5.5	450%	Night
5342	2025-03-17 00:33:28	69.07	45dB	5.3	430%	Night
5343	2025-03-17 00:37:04	71.61	45dB	6.3	532%	Night
5344	2025-03-17 00:41:44	92.47	45dB	26.9	2585%	Night
5345	2025-03-17 00:43:24	70.75	45dB	6.0	496%	Night
5346	2025-03-17 00:46:00	70.68	45dB	5.9	493%	Night
5347	2025-03-17 00:47:43	62.99	45dB	3.5	248%	Night
5348	2025-03-17 00:50:15	80.42	45dB	11.6	1065%	Night
5349	2025-03-17 00:57:16	69.20	45dB	5.4	435%	Night
5350	2025-03-17 01:01:28	69.62	45dB	5.5	451%	Night
5351	2025-03-17 01:04:50	75.55	45dB	8.3	731%	Night
5352	2025-03-17 01:09:25	77.53	45dB	9.5	853%	Night
5353	2025-03-17 01:13:07	79.56	45dB	11.0	997%	Night
5354	2025-03-17 01:19:50	71.41	45dB	6.2	524%	Night
5355	2025-03-17 01:26:53	74.12	45dB	7.5	653%	Night
5356	2025-03-17 01:29:22	72.05	45dB	6.5	552%	Night
5357	2025-03-17 01:32:48	71.28	45dB	6.2	518%	Night
5358	2025-03-17 01:34:48	71.05	45dB	6.1	508%	Night
5359	2025-03-17 01:48:00	70.41	45dB	5.8	482%	Night
5360	2025-03-17 01:51:18	69.09	45dB	5.3	431%	Night
5361	2025-03-17 02:00:26	75.44	45dB	8.2	725%	Night
5362	2025-03-17 02:02:51	73.59	45dB	7.3	626%	Night

5363	2025-03-17 02:04:35	70.05	45dB	5.7	468%	Night
5364	2025-03-17 02:14:24	68.61	45dB	5.1	414%	Night
5365	2025-03-17 02:20:08	75.52	45dB	8.3	729%	Night
5366	2025-03-17 02:25:39	73.68	45dB	7.3	630%	Night
5367	2025-03-17 02:31:13	75.36	45dB	8.2	720%	Night
5368	2025-03-17 02:34:50	75.32	45dB	8.2	718%	Night
5369	2025-03-17 02:39:36	80.66	45dB	11.8	1084%	Night
5370	2025-03-17 02:42:46	79.75	45dB	11.1	1012%	Night
5371	2025-03-17 02:45:20	71.08	45dB	6.1	510%	Night
5372	2025-03-17 03:01:55	69.98	45dB	5.6	465%	Night
5373	2025-03-17 03:14:51	69.78	45dB	5.6	457%	Night
5374	2025-03-17 03:18:00	76.60	45dB	8.9	794%	Night
5375	2025-03-17 03:23:56	71.55	45dB	6.3	530%	Night
5376	2025-03-17 04:17:49	N/A	45dB	N/A	N/A	Night
5377	2025-03-17 05:12:34	75.68	45dB	8.4	739%	Night
5378	2025-03-17 05:42:21	74.02	45dB	7.5	647%	Night
5379	2025-03-17 05:44:22	75.09	45dB	8.1	705%	Night
5380	2025-03-17 05:46:30	77.78	45dB	9.7	870%	Night
5381	2025-03-17 05:49:04	75.32	45dB	8.2	718%	Night
5382	2025-03-17 05:51:35	69.33	45dB	5.4	440%	Night
5383	2025-03-17 06:31:26	N/A	45dB	N/A	N/A	Night
5384	2025-03-17 06:32:35	69.51	45dB	5.5	447%	Night
5385	2025-03-17 06:33:34	76.64	45dB	9.0	796%	Night
5386	2025-03-17 06:34:48	70.38	45dB	5.8	481%	Night
5387	2025-03-17 06:36:04	68.86	45dB	5.2	423%	Night
5388	2025-03-17 06:37:16	73.96	45dB	7.4	644%	Night
5389	2025-03-17 06:38:23	N/A	45dB	N/A	N/A	Night
5390	2025-03-17 06:39:33	71.93	45dB	6.5	547%	Night
5391	2025-03-17 06:40:52	68.91	45dB	5.2	425%	Night
5392	2025-03-17 06:42:03	77.45	45dB	9.5	848%	Night
5393	2025-03-17 06:43:10	79.35	45dB	10.8	982%	Night
5394	2025-03-17 06:45:40	N/A	45dB	N/A	N/A	Night
5395	2025-03-17 06:50:13	N/A	45dB	N/A	N/A	Night
5396	2025-03-17 06:51:12	67.98	45dB	4.9	392%	Night
5397	2025-03-17 06:52:32	68.16	45dB	5.0	398%	Night
5398	2025-03-17 06:53:45	74.44	45dB	7.7	670%	Night
5399	2025-03-17 06:54:57	73.23	45dB	7.1	608%	Night
5400	2025-03-17 06:56:00	N/A	45dB	N/A	N/A	Night
5401	2025-03-17 06:57:20	N/A	45dB	N/A	N/A	Night
5402	2025-03-17 06:58:43	66.83	45dB	4.5	354%	Night
5403	2025-03-17 07:00:24	N/A	55dB	N/A	N/A	Day
5404	2025-03-17 07:01:32	76.20	55dB	4.3	335%	Day
5405	2025-03-17 07:02:48	71.78	55dB	3.2	220%	Day
5406	2025-03-17 07:04:02	79.10	55dB	5.3	431%	Day

5407	2025-03-17 07:05:50	N/A	55dB	N/A	N/A	Day
5408	2025-03-17 07:07:15	79.30	55dB	5.4	439%	Day
5409	2025-03-17 07:08:28	73.10	55dB	3.5	251%	Day
5410	2025-03-17 07:09:41	82.06	55dB	6.5	553%	Day
5411	2025-03-17 07:18:57	76.70	55dB	4.5	350%	Day
5412	2025-03-17 07:21:12	75.46	55dB	4.1	313%	Day
5413	2025-03-17 07:23:28	N/A	55dB	N/A	N/A	Day
5414	2025-03-17 07:26:35	N/A	55dB	N/A	N/A	Day
5415	2025-03-17 07:28:12	N/A	55dB	N/A	N/A	Day
5416	2025-03-17 07:29:24	N/A	55dB	N/A	N/A	Day
5417	2025-03-17 07:30:38	80.44	55dB	5.8	483%	Day
5418	2025-03-17 07:32:03	75.32	55dB	4.1	309%	Day
5419	2025-03-17 07:34:55	68.14	55dB	2.5	149%	Day
5420	2025-03-17 07:36:13	82.25	55dB	6.6	561%	Day
5421	2025-03-17 07:37:32	N/A	55dB	N/A	N/A	Day
5422	2025-03-17 07:38:41	83.46	55dB	7.2	619%	Day
5423	2025-03-17 07:39:56	N/A	55dB	N/A	N/A	Day
5424	2025-03-17 07:41:06	74.16	55dB	3.8	277%	Day
5425	2025-03-17 07:43:31	N/A	55dB	N/A	N/A	Day
5426	2025-03-17 07:44:43	78.40	55dB	5.1	406%	Day
5427	2025-03-17 07:45:58	N/A	55dB	N/A	N/A	Day
5428	2025-03-17 07:47:19	73.09	55dB	3.5	250%	Day
5429	2025-03-17 07:50:51	68.78	55dB	2.6	160%	Day
5430	2025-03-17 07:56:18	79.68	55dB	5.5	453%	Day
5431	2025-03-17 07:57:25	71.82	55dB	3.2	221%	Day
5432	2025-03-17 07:58:36	68.37	55dB	2.5	153%	Day
5433	2025-03-17 08:00:46	N/A	55dB	N/A	N/A	Day
5434	2025-03-17 08:02:56	71.64	55dB	3.2	217%	Day
5435	2025-03-17 08:04:14	N/A	55dB	N/A	N/A	Day
5436	2025-03-17 08:05:14	N/A	55dB	N/A	N/A	Day
5437	2025-03-17 08:06:25	70.10	55dB	2.8	185%	Day
5438	2025-03-17 08:07:33	74.83	55dB	4.0	295%	Day
5439	2025-03-17 08:09:20	81.52	55dB	6.3	529%	Day
5440	2025-03-17 08:10:20	69.60	55dB	2.8	175%	Day
5441	2025-03-17 08:13:17	N/A	55dB	N/A	N/A	Day
5442	2025-03-17 08:17:02	71.98	55dB	3.2	224%	Day
5443	2025-03-17 08:19:45	70.72	55dB	3.0	197%	Day
5444	2025-03-17 08:20:50	N/A	55dB	N/A	N/A	Day
5445	2025-03-17 08:22:22	72.86	55dB	3.4	245%	Day
5446	2025-03-17 08:25:35	66.13	55dB	2.2	116%	Day
5447	2025-03-17 08:29:58	N/A	55dB	N/A	N/A	Day
5448	2025-03-17 08:34:02	N/A	55dB	N/A	N/A	Day
5449	2025-03-17 08:35:13	70.95	55dB	3.0	202%	Day
5450	2025-03-17 08:36:32	75.90	55dB	4.3	326%	Day

5451	2025-03-17 08:37:26	70.17	55dB	2.9	186%	Day
5452	2025-03-17 08:38:20	74.41	55dB	3.8	284%	Day
5453	2025-03-17 08:39:44	77.73	55dB	4.8	383%	Day
5454	2025-03-17 08:40:55	68.71	55dB	2.6	159%	Day
5455	2025-03-17 08:44:15	71.83	55dB	3.2	221%	Day
5456	2025-03-17 08:46:13	78.02	55dB	4.9	393%	Day
5457	2025-03-17 08:47:06	82.51	55dB	6.7	573%	Day
5458	2025-03-17 08:48:11	70.07	55dB	2.8	184%	Day
5459	2025-03-17 08:51:01	78.33	55dB	5.0	404%	Day
5460	2025-03-17 08:52:02	73.24	55dB	3.5	254%	Day
5461	2025-03-17 08:53:10	67.62	55dB	2.4	140%	Day
5462	2025-03-17 08:54:12	68.98	55dB	2.6	164%	Day
5463	2025-03-17 08:55:21	71.11	55dB	3.1	205%	Day
5464	2025-03-17 08:56:27	68.27	55dB	2.5	151%	Day
5465	2025-03-17 08:57:26	N/A	55dB	N/A	N/A	Day
5466	2025-03-17 08:58:53	N/A	55dB	N/A	N/A	Day
5467	2025-03-17 09:00:44	71.97	55dB	3.2	224%	Day
5468	2025-03-17 09:03:06	72.28	55dB	3.3	231%	Day
5469	2025-03-17 09:04:50	N/A	55dB	N/A	N/A	Day
5470	2025-03-17 09:07:06	71.09	55dB	3.1	205%	Day
5471	2025-03-17 09:08:16	N/A	55dB	N/A	N/A	Day
5472	2025-03-17 09:10:04	71.73	55dB	3.2	219%	Day
5473	2025-03-17 09:11:58	69.72	55dB	2.8	177%	Day
5474	2025-03-17 09:12:59	71.01	55dB	3.0	203%	Day
5475	2025-03-17 09:14:50	69.74	55dB	2.8	178%	Day
5476	2025-03-17 09:20:03	N/A	55dB	N/A	N/A	Day
5477	2025-03-17 09:21:17	66.61	55dB	2.2	124%	Day
5478	2025-03-17 09:22:22	76.03	55dB	4.3	330%	Day
5479	2025-03-17 09:23:35	76.31	55dB	4.4	338%	Day
5480	2025-03-17 09:24:32	73.80	55dB	3.7	268%	Day
5481	2025-03-17 09:27:26	N/A	55dB	N/A	N/A	Day
5482	2025-03-17 09:28:26	66.08	55dB	2.2	116%	Day
5483	2025-03-17 09:29:35	65.89	55dB	2.1	113%	Day
5484	2025-03-17 09:30:44	77.53	55dB	4.8	377%	Day
5485	2025-03-17 09:32:02	72.32	55dB	3.3	232%	Day
5486	2025-03-17 09:34:56	73.35	55dB	3.6	257%	Day
5487	2025-03-17 09:40:42	76.41	55dB	4.4	341%	Day
5488	2025-03-17 09:42:03	N/A	55dB	N/A	N/A	Day
5489	2025-03-17 09:44:12	70.56	55dB	2.9	194%	Day
5490	2025-03-17 09:54:52	70.31	55dB	2.9	189%	Day
5491	2025-03-17 09:56:45	N/A	55dB	N/A	N/A	Day
5492	2025-03-17 09:58:19	N/A	55dB	N/A	N/A	Day
5493	2025-03-17 10:01:32	76.69	55dB	4.5	350%	Day
5494	2025-03-17 10:03:44	77.52	55dB	4.8	376%	Day

5495	2025-03-17 10:05:01	71.42	55dB	3.1	212%	Day
5496	2025-03-17 10:06:09	71.54	55dB	3.1	215%	Day
5497	2025-03-17 10:08:26	N/A	55dB	N/A	N/A	Day
5498	2025-03-17 10:11:17	72.37	55dB	3.3	233%	Day
5499	2025-03-17 10:12:26	69.11	55dB	2.7	166%	Day
5500	2025-03-17 10:14:24	N/A	55dB	N/A	N/A	Day
5501	2025-03-17 10:15:34	N/A	55dB	N/A	N/A	Day
5502	2025-03-17 11:09:58	N/A	55dB	N/A	N/A	Day
5503	2025-03-17 12:03:08	N/A	55dB	N/A	N/A	Day
5504	2025-03-17 12:51:22	N/A	55dB	N/A	N/A	Day
5505	2025-03-17 13:35:02	66.15	55dB	2.2	117%	Day
5506	2025-03-17 13:59:50	N/A	55dB	N/A	N/A	Day
5507	2025-03-17 14:50:17	N/A	55dB	N/A	N/A	Day
5508	2025-03-17 15:04:16	74.48	55dB	3.9	286%	Day
5509	2025-03-17 15:16:53	N/A	55dB	N/A	N/A	Day
5510	2025-03-17 15:58:10	N/A	55dB	N/A	N/A	Day
5511	2025-03-17 17:42:40	N/A	55dB	N/A	N/A	Day
5512	2025-03-17 19:54:28	N/A	55dB	N/A	N/A	Day
5513	2025-03-17 22:27:50	69.93	55dB	2.8	181%	Day
5514	2025-03-17 22:31:02	66.56	55dB	2.2	123%	Day
5515	2025-03-17 22:32:58	66.99	55dB	2.3	130%	Day
5516	2025-03-17 22:35:12	67.72	55dB	2.4	141%	Day
5517	2025-03-17 22:37:00	70.68	55dB	3.0	196%	Day
5518	2025-03-17 22:38:35	69.32	55dB	2.7	170%	Day
5519	2025-03-17 22:40:43	N/A	55dB	N/A	N/A	Day
5520	2025-03-17 22:42:02	67.25	55dB	2.3	134%	Day
5521	2025-03-17 22:43:22	68.91	55dB	2.6	162%	Day
5522	2025-03-17 22:44:54	69.16	55dB	2.7	167%	Day
5523	2025-03-17 22:46:34	70.82	55dB	3.0	199%	Day
5524	2025-03-17 22:48:51	68.43	55dB	2.5	154%	Day
5525	2025-03-17 22:52:44	67.28	55dB	2.3	134%	Day
5526	2025-03-17 22:57:28	71.97	55dB	3.2	224%	Day
5527	2025-03-17 23:02:24	71.82	45dB	6.4	542%	Night
5528	2025-03-17 23:11:32	67.93	45dB	4.9	390%	Night
5529	2025-03-17 23:16:02	71.46	45dB	6.3	526%	Night
5530	2025-03-17 23:23:23	71.87	45dB	6.4	544%	Night
5531	2025-03-17 23:25:15	N/A	45dB	N/A	N/A	Night
5532	2025-03-17 23:26:57	69.42	45dB	5.4	443%	Night
5533	2025-03-17 23:28:53	67.41	45dB	4.7	373%	Night
5534	2025-03-17 23:31:30	68.17	45dB	5.0	398%	Night
5535	2025-03-17 23:33:00	72.18	45dB	6.6	558%	Night
5536	2025-03-17 23:34:45	69.94	45dB	5.6	463%	Night
5537	2025-03-17 23:36:26	72.01	45dB	6.5	550%	Night
5538	2025-03-17 23:40:39	70.35	45dB	5.8	480%	Night

5539	2025-03-17 23:42:35	70.04	45dB	5.7	467%	Night
5540	2025-03-17 23:44:11	69.49	45dB	5.5	446%	Night
5541	2025-03-17 23:45:23	69.17	45dB	5.3	434%	Night
5542	2025-03-17 23:46:55	66.14	45dB	4.3	333%	Night
5543	2025-03-17 23:49:11	71.37	45dB	6.2	522%	Night
5544	2025-03-17 23:52:17	77.48	45dB	9.5	850%	Night
5545	2025-03-17 23:55:01	74.84	45dB	7.9	691%	Night
5546	2025-03-17 23:57:30	79.75	45dB	11.1	1012%	Night
5547	2025-03-17 23:59:43	72.67	45dB	6.8	581%	Night
5548	2025-03-18 00:02:30	73.12	45dB	7.0	602%	Night
5549	2025-03-18 00:03:41	74.13	45dB	7.5	653%	Night
5550	2025-03-18 00:05:26	74.07	45dB	7.5	650%	Night
5551	2025-03-18 00:10:28	72.99	45dB	7.0	596%	Night
5552	2025-03-18 00:13:11	73.95	45dB	7.4	644%	Night
5553	2025-03-18 00:17:24	76.32	45dB	8.8	777%	Night
5554	2025-03-18 00:21:47	72.22	45dB	6.6	560%	Night
5555	2025-03-18 00:26:11	76.77	45dB	9.0	804%	Night
5556	2025-03-18 00:29:11	74.50	45dB	7.7	673%	Night
5557	2025-03-18 00:32:08	74.06	45dB	7.5	650%	Night
5558	2025-03-18 00:34:43	74.66	45dB	7.8	681%	Night
5559	2025-03-18 00:37:18	71.63	45dB	6.3	533%	Night
5560	2025-03-18 00:42:58	74.23	45dB	7.6	658%	Night
5561	2025-03-18 00:54:03	72.76	45dB	6.8	585%	Night
5562	2025-03-18 00:56:37	73.72	45dB	7.3	632%	Night
5563	2025-03-18 01:03:04	74.36	45dB	7.7	665%	Night
5564	2025-03-18 01:05:34	75.52	45dB	8.3	729%	Night
5565	2025-03-18 01:06:58	71.04	45dB	6.1	508%	Night
5566	2025-03-18 01:08:22	74.07	45dB	7.5	650%	Night
5567	2025-03-18 01:15:51	75.08	45dB	8.0	704%	Night
5568	2025-03-18 01:28:28	72.73	45dB	6.8	584%	Night
5569	2025-03-18 01:42:30	74.15	45dB	7.5	654%	Night
5570	2025-03-18 01:53:05	75.43	45dB	8.2	724%	Night
5571	2025-03-18 01:54:57	72.47	45dB	6.7	571%	Night
5572	2025-03-18 01:56:23	75.25	45dB	8.1	714%	Night
5573	2025-03-18 02:06:06	81.91	45dB	12.9	1192%	Night
5574	2025-03-18 02:08:25	73.49	45dB	7.2	621%	Night
5575	2025-03-18 02:11:04	74.03	45dB	7.5	648%	Night
5576	2025-03-18 02:12:47	75.02	45dB	8.0	701%	Night
5577	2025-03-18 02:41:40	71.49	45dB	6.3	527%	Night
5578	2025-03-18 02:53:24	75.34	45dB	8.2	719%	Night
5579	2025-03-18 03:20:04	73.61	45dB	7.3	627%	Night
5580	2025-03-18 04:27:25	76.01	45dB	8.6	758%	Night
5581	2025-03-18 04:35:05	64.58	45dB	3.9	289%	Night
5582	2025-03-18 05:09:44	76.65	45dB	9.0	797%	Night

5583	2025-03-18 05:13:38	72.19	45dB	6.6	558%	Night
5584	2025-03-18 05:15:50	75.41	45dB	8.2	723%	Night
5585	2025-03-18 05:19:58	72.64	45dB	6.8	579%	Night
5586	2025-03-18 05:26:59	76.55	45dB	8.9	791%	Night
5587	2025-03-18 05:40:05	74.67	45dB	7.8	682%	Night
5588	2025-03-18 05:47:23	70.96	45dB	6.0	505%	Night
5589	2025-03-18 05:49:31	75.93	45dB	8.5	753%	Night
5590	2025-03-18 05:58:51	71.81	45dB	6.4	541%	Night
5591	2025-03-18 06:13:02	77.53	45dB	9.5	853%	Night
5592	2025-03-18 06:19:16	75.83	45dB	8.5	747%	Night
5593	2025-03-18 06:22:16	72.52	45dB	6.7	574%	Night
5594	2025-03-18 06:29:34	70.12	45dB	5.7	470%	Night
5595	2025-03-18 06:32:02	71.40	45dB	6.2	523%	Night
5596	2025-03-18 06:33:56	N/A	45dB	N/A	N/A	Night
5597	2025-03-18 06:35:21	72.17	45dB	6.6	558%	Night
5598	2025-03-18 06:36:50	69.38	45dB	5.4	442%	Night
5599	2025-03-18 06:38:33	69.64	45dB	5.5	452%	Night
5600	2025-03-18 06:40:04	67.25	45dB	4.7	368%	Night
5601	2025-03-18 06:41:32	70.45	45dB	5.8	484%	Night
5602	2025-03-18 06:43:36	70.04	45dB	5.7	467%	Night
5603	2025-03-18 06:44:39	68.37	45dB	5.1	405%	Night
5604	2025-03-18 06:45:00	70.06	45dB	5.7	468%	Night
5605	2025-03-18 06:46:35	70.78	45dB	6.0	497%	Night
5606	2025-03-18 06:47:56	69.79	45dB	5.6	458%	Night
5607	2025-03-18 06:49:44	69.34	45dB	5.4	440%	Night
5608	2025-03-18 06:51:00	72.62	45dB	6.8	578%	Night
5609	2025-03-18 06:52:46	69.58	45dB	5.5	449%	Night
5610	2025-03-18 06:55:41	68.98	45dB	5.3	427%	Night
5611	2025-03-18 06:56:56	72.38	45dB	6.7	567%	Night
5612	2025-03-18 06:59:15	80.22	45dB	11.5	1049%	Night
5613	2025-03-18 07:00:32	70.14	55dB	2.9	186%	Day
5614	2025-03-18 07:01:59	69.56	55dB	2.7	174%	Day
5615	2025-03-18 07:03:26	73.56	55dB	3.6	262%	Day
5616	2025-03-18 07:05:22	70.95	55dB	3.0	202%	Day
5617	2025-03-18 07:07:05	71.49	55dB	3.1	214%	Day
5618	2025-03-18 07:08:28	67.47	55dB	2.4	137%	Day
5619	2025-03-18 07:10:08	72.89	55dB	3.5	246%	Day
5620	2025-03-18 07:11:35	69.39	55dB	2.7	171%	Day
5621	2025-03-18 07:13:07	73.17	55dB	3.5	252%	Day
5622	2025-03-18 07:14:37	71.23	55dB	3.1	208%	Day
5623	2025-03-18 07:16:19	71.55	55dB	3.1	215%	Day
5624	2025-03-18 07:21:03	69.39	55dB	2.7	171%	Day
5625	2025-03-18 07:32:23	N/A	55dB	N/A	N/A	Day
5626	2025-03-18 07:38:41	72.51	55dB	3.4	237%	Day

5627	2025-03-18 07:46:28	76.53	55dB	4.4	345%	Day
5628	2025-03-18 07:47:46	71.08	55dB	3.0	205%	Day
5629	2025-03-18 07:49:39	69.14	55dB	2.7	166%	Day
5630	2025-03-18 07:52:51	70.68	55dB	3.0	196%	Day
5631	2025-03-18 07:55:31	70.22	55dB	2.9	187%	Day
5632	2025-03-18 07:57:40	73.32	55dB	3.6	256%	Day
5633	2025-03-18 08:00:12	74.20	55dB	3.8	278%	Day
5634	2025-03-18 08:05:40	69.41	55dB	2.7	172%	Day
5635	2025-03-18 08:15:35	74.57	55dB	3.9	288%	Day
5636	2025-03-18 08:18:02	N/A	55dB	N/A	N/A	Day
5637	2025-03-18 08:20:48	73.24	55dB	3.5	254%	Day
5638	2025-03-18 08:28:52	67.91	55dB	2.4	145%	Day
5639	2025-03-18 08:30:49	70.60	55dB	2.9	195%	Day
5640	2025-03-18 08:32:13	70.74	55dB	3.0	198%	Day
5641	2025-03-18 08:38:09	72.24	55dB	3.3	230%	Day
5642	2025-03-18 08:40:45	75.32	55dB	4.1	309%	Day
5643	2025-03-18 08:49:26	68.57	55dB	2.6	156%	Day
5644	2025-03-18 08:50:54	N/A	55dB	N/A	N/A	Day
5645	2025-03-18 08:52:23	N/A	55dB	N/A	N/A	Day
5646	2025-03-18 08:54:36	69.64	55dB	2.8	176%	Day
5647	2025-03-18 08:56:15	70.21	55dB	2.9	187%	Day
5648	2025-03-18 09:01:35	N/A	55dB	N/A	N/A	Day
5649	2025-03-18 09:10:03	77.04	55dB	4.6	361%	Day
5650	2025-03-18 09:14:39	70.17	55dB	2.9	186%	Day
5651	2025-03-18 09:28:57	71.28	55dB	3.1	209%	Day
5652	2025-03-18 09:31:17	70.10	55dB	2.8	185%	Day
5653	2025-03-18 09:34:47	67.14	55dB	2.3	132%	Day
5654	2025-03-18 09:37:13	74.17	55dB	3.8	278%	Day
5655	2025-03-18 09:39:59	69.09	55dB	2.7	166%	Day
5656	2025-03-18 09:41:56	N/A	55dB	N/A	N/A	Day
5657	2025-03-18 09:43:13	71.68	55dB	3.2	218%	Day
5658	2025-03-18 09:45:11	75.77	55dB	4.2	322%	Day
5659	2025-03-18 09:51:46	77.02	55dB	4.6	360%	Day
5660	2025-03-18 09:55:14	72.91	55dB	3.5	246%	Day
5661	2025-03-18 09:57:10	74.40	55dB	3.8	284%	Day
5662	2025-03-18 09:59:35	70.18	55dB	2.9	186%	Day
5663	2025-03-18 10:01:56	70.49	55dB	2.9	193%	Day
5664	2025-03-18 10:10:36	71.01	55dB	3.0	203%	Day
5665	2025-03-18 10:15:15	71.77	55dB	3.2	220%	Day
5666	2025-03-18 10:18:52	71.05	55dB	3.0	204%	Day
5667	2025-03-18 10:20:21	68.00	55dB	2.5	146%	Day
5668	2025-03-18 10:25:34	74.94	55dB	4.0	298%	Day
5669	2025-03-18 10:27:04	N/A	55dB	N/A	N/A	Day
5670	2025-03-18 10:28:34	70.45	55dB	2.9	192%	Day

5671	2025-03-18 10:30:27	72.15	55dB	3.3	228%	Day
5672	2025-03-18 10:32:19	69.17	55dB	2.7	167%	Day
5673	2025-03-18 10:39:42	70.63	55dB	3.0	195%	Day
5674	2025-03-18 10:43:07	67.85	55dB	2.4	144%	Day
5675	2025-03-18 10:44:33	72.56	55dB	3.4	238%	Day
5676	2025-03-18 10:46:02	72.61	55dB	3.4	239%	Day
5677	2025-03-18 10:48:43	71.57	55dB	3.2	215%	Day
5678	2025-03-18 10:50:20	67.87	55dB	2.4	144%	Day
5679	2025-03-18 10:52:12	73.14	55dB	3.5	252%	Day
5680	2025-03-18 10:55:56	73.40	55dB	3.6	258%	Day
5681	2025-03-18 10:58:16	69.33	55dB	2.7	170%	Day
5682	2025-03-18 11:00:19	70.51	55dB	2.9	193%	Day
5683	2025-03-18 11:03:26	67.42	55dB	2.4	137%	Day
5684	2025-03-18 11:05:21	N/A	55dB	N/A	N/A	Day
5685	2025-03-18 11:07:04	71.31	55dB	3.1	210%	Day
5686	2025-03-18 11:09:11	69.59	55dB	2.7	175%	Day
5687	2025-03-18 11:11:25	73.51	55dB	3.6	261%	Day
5688	2025-03-18 11:12:53	N/A	55dB	N/A	N/A	Day
5689	2025-03-18 11:16:56	N/A	55dB	N/A	N/A	Day
5690	2025-03-18 11:18:22	71.55	55dB	3.1	215%	Day
5691	2025-03-18 11:21:03	69.93	55dB	2.8	181%	Day
5692	2025-03-18 11:22:23	72.30	55dB	3.3	232%	Day
5693	2025-03-18 11:23:53	67.40	55dB	2.4	136%	Day
5694	2025-03-18 11:25:24	67.72	55dB	2.4	141%	Day
5695	2025-03-18 11:28:10	N/A	55dB	N/A	N/A	Day
5696	2025-03-18 11:29:47	71.73	55dB	3.2	219%	Day
5697	2025-03-18 11:35:13	68.95	55dB	2.6	163%	Day
5698	2025-03-18 11:37:15	70.81	55dB	3.0	199%	Day
5699	2025-03-18 11:39:20	N/A	55dB	N/A	N/A	Day
5700	2025-03-18 11:41:25	67.96	55dB	2.5	146%	Day
5701	2025-03-18 11:44:07	70.60	55dB	2.9	195%	Day
5702	2025-03-18 11:45:49	67.17	55dB	2.3	132%	Day
5703	2025-03-18 11:48:14	67.54	55dB	2.4	139%	Day
5704	2025-03-18 11:51:56	70.01	55dB	2.8	183%	Day
5705	2025-03-18 11:55:35	N/A	55dB	N/A	N/A	Day
5706	2025-03-18 12:11:37	69.53	55dB	2.7	174%	Day
5707	2025-03-18 12:13:21	69.39	55dB	2.7	171%	Day
5708	2025-03-18 12:17:16	69.49	55dB	2.7	173%	Day
5709	2025-03-18 12:20:53	69.03	55dB	2.6	164%	Day
5710	2025-03-18 12:22:20	68.52	55dB	2.6	155%	Day
5711	2025-03-18 12:25:43	70.04	55dB	2.8	184%	Day
5712	2025-03-18 12:29:15	71.74	55dB	3.2	219%	Day
5713	2025-03-18 12:30:51	73.60	55dB	3.6	263%	Day
5714	2025-03-18 12:32:47	71.09	55dB	3.1	205%	Day

5715	2025-03-18 12:34:08	N/A	55dB	N/A	N/A	Day
5716	2025-03-18 12:35:30	N/A	55dB	N/A	N/A	Day
5717	2025-03-18 12:37:19	N/A	55dB	N/A	N/A	Day
5718	2025-03-18 12:38:52	72.26	55dB	3.3	231%	Day
5719	2025-03-18 12:40:14	N/A	55dB	N/A	N/A	Day
5720	2025-03-18 12:41:52	68.23	55dB	2.5	150%	Day
5721	2025-03-18 12:43:26	70.40	55dB	2.9	191%	Day
5722	2025-03-18 12:45:15	71.74	55dB	3.2	219%	Day
5723	2025-03-18 12:46:56	71.76	55dB	3.2	220%	Day
5724	2025-03-18 12:54:09	72.38	55dB	3.3	234%	Day
5725	2025-03-18 12:56:03	N/A	55dB	N/A	N/A	Day
5726	2025-03-18 12:57:30	71.14	55dB	3.1	206%	Day
5727	2025-03-18 12:59:06	67.97	55dB	2.5	146%	Day
5728	2025-03-18 13:03:08	82.25	55dB	6.6	561%	Day
5729	2025-03-18 13:06:03	71.24	55dB	3.1	208%	Day
5730	2025-03-18 13:08:15	68.67	55dB	2.6	158%	Day
5731	2025-03-18 13:10:15	69.02	55dB	2.6	164%	Day
5732	2025-03-18 13:11:37	N/A	55dB	N/A	N/A	Day
5733	2025-03-18 13:13:02	72.42	55dB	3.3	234%	Day
5734	2025-03-18 13:15:47	67.51	55dB	2.4	138%	Day
5735	2025-03-18 13:17:18	69.67	55dB	2.8	176%	Day
5736	2025-03-18 13:19:23	70.66	55dB	3.0	196%	Day
5737	2025-03-18 13:21:43	N/A	55dB	N/A	N/A	Day
5738	2025-03-18 13:25:55	N/A	55dB	N/A	N/A	Day
5739	2025-03-18 13:27:44	N/A	55dB	N/A	N/A	Day
5740	2025-03-18 13:29:26	N/A	55dB	N/A	N/A	Day
5741	2025-03-18 13:30:41	69.18	55dB	2.7	167%	Day
5742	2025-03-18 13:32:02	78.77	55dB	5.2	419%	Day
5743	2025-03-18 13:33:44	79.97	55dB	5.6	465%	Day
5744	2025-03-18 13:36:22	78.16	55dB	5.0	398%	Day
5745	2025-03-18 13:38:36	71.10	55dB	3.1	205%	Day
5746	2025-03-18 13:40:22	N/A	55dB	N/A	N/A	Day
5747	2025-03-18 13:41:47	69.93	55dB	2.8	181%	Day
5748	2025-03-18 13:43:24	69.52	55dB	2.7	174%	Day
5749	2025-03-18 13:44:44	N/A	55dB	N/A	N/A	Day
5750	2025-03-18 13:48:31	71.22	55dB	3.1	208%	Day
5751	2025-03-18 13:50:54	68.02	55dB	2.5	147%	Day
5752	2025-03-18 13:54:21	71.33	55dB	3.1	210%	Day
5753	2025-03-18 13:56:58	73.17	55dB	3.5	252%	Day
5754	2025-03-18 13:59:38	74.03	55dB	3.7	274%	Day
5755	2025-03-18 14:02:16	68.44	55dB	2.5	154%	Day
5756	2025-03-18 14:07:57	68.88	55dB	2.6	162%	Day
5757	2025-03-18 14:10:51	70.16	55dB	2.9	186%	Day
5758	2025-03-18 14:15:33	N/A	55dB	N/A	N/A	Day

5759	2025-03-18 14:21:44	68.11	55dB	2.5	148%	Day
5760	2025-03-18 14:23:55	80.46	55dB	5.8	484%	Day
5761	2025-03-18 14:26:03	N/A	55dB	N/A	N/A	Day
5762	2025-03-18 14:27:24	68.84	55dB	2.6	161%	Day
5763	2025-03-18 14:29:23	70.85	55dB	3.0	200%	Day
5764	2025-03-18 14:31:05	69.77	55dB	2.8	178%	Day
5765	2025-03-18 14:32:35	71.30	55dB	3.1	210%	Day
5766	2025-03-18 14:34:05	70.38	55dB	2.9	190%	Day
5767	2025-03-18 14:36:53	67.35	55dB	2.4	135%	Day
5768	2025-03-18 14:38:26	N/A	55dB	N/A	N/A	Day
5769	2025-03-18 14:39:45	70.24	55dB	2.9	188%	Day
5770	2025-03-18 14:42:33	N/A	55dB	N/A	N/A	Day
5771	2025-03-18 14:44:13	72.51	55dB	3.4	237%	Day
5772	2025-03-18 14:45:45	73.86	55dB	3.7	270%	Day
5773	2025-03-18 14:47:40	71.54	55dB	3.1	215%	Day
5774	2025-03-18 14:49:00	67.66	55dB	2.4	140%	Day
5775	2025-03-18 14:50:28	70.58	55dB	2.9	194%	Day
5776	2025-03-18 14:52:06	76.92	55dB	4.6	357%	Day
5777	2025-03-18 14:54:32	68.93	55dB	2.6	163%	Day
5778	2025-03-18 14:56:01	69.63	55dB	2.8	176%	Day
5779	2025-03-18 14:57:34	73.86	55dB	3.7	270%	Day
5780	2025-03-18 14:59:42	73.08	55dB	3.5	250%	Day
5781	2025-03-18 15:01:48	71.96	55dB	3.2	224%	Day
5782	2025-03-18 15:04:37	71.27	55dB	3.1	209%	Day
5783	2025-03-18 15:06:50	73.84	55dB	3.7	269%	Day
5784	2025-03-18 15:08:16	71.60	55dB	3.2	216%	Day
5785	2025-03-18 15:13:26	71.20	55dB	3.1	207%	Day
5786	2025-03-18 15:15:33	73.84	55dB	3.7	269%	Day
5787	2025-03-18 15:17:32	71.08	55dB	3.0	205%	Day
5788	2025-03-18 15:18:48	75.20	55dB	4.1	306%	Day
5789	2025-03-18 15:20:03	70.05	55dB	2.8	184%	Day
5790	2025-03-18 15:22:01	80.54	55dB	5.9	487%	Day
5791	2025-03-18 15:23:28	72.64	55dB	3.4	240%	Day
5792	2025-03-18 15:33:03	71.40	55dB	3.1	212%	Day
5793	2025-03-18 15:34:47	N/A	55dB	N/A	N/A	Day
5794	2025-03-18 15:37:34	67.38	55dB	2.4	136%	Day
5795	2025-03-18 15:38:44	68.71	55dB	2.6	159%	Day
5796	2025-03-18 15:40:27	77.98	55dB	4.9	392%	Day
5797	2025-03-18 15:42:06	69.08	55dB	2.7	165%	Day
5798	2025-03-18 15:43:30	69.50	55dB	2.7	173%	Day
5799	2025-03-18 15:44:35	N/A	55dB	N/A	N/A	Day
5800	2025-03-18 15:45:45	N/A	55dB	N/A	N/A	Day
5801	2025-03-18 15:47:02	69.45	55dB	2.7	172%	Day
5802	2025-03-18 15:48:12	79.48	55dB	5.5	446%	Day

5803	2025-03-18 15:50:32	67.28	55dB	2.3	134%	Day
5804	2025-03-18 15:51:49	N/A	55dB	N/A	N/A	Day
5805	2025-03-18 15:53:01	67.73	55dB	2.4	142%	Day
5806	2025-03-18 15:54:16	77.45	55dB	4.7	374%	Day
5807	2025-03-18 15:55:35	69.37	55dB	2.7	171%	Day
5808	2025-03-18 15:57:56	74.48	55dB	3.9	286%	Day
5809	2025-03-18 16:01:11	73.26	55dB	3.5	255%	Day
5810	2025-03-18 16:03:26	N/A	55dB	N/A	N/A	Day
5811	2025-03-18 16:05:00	66.42	55dB	2.2	121%	Day
5812	2025-03-18 16:07:02	68.54	55dB	2.6	156%	Day
5813	2025-03-18 16:09:02	68.95	55dB	2.6	163%	Day
5814	2025-03-18 16:10:19	72.77	55dB	3.4	243%	Day
5815	2025-03-18 16:11:33	70.00	55dB	2.8	183%	Day
5816	2025-03-18 16:13:11	71.83	55dB	3.2	221%	Day
5817	2025-03-18 16:15:38	69.07	55dB	2.7	165%	Day
5818	2025-03-18 16:18:31	70.55	55dB	2.9	194%	Day
5819	2025-03-18 16:21:01	72.37	55dB	3.3	233%	Day
5820	2025-03-18 16:22:58	N/A	55dB	N/A	N/A	Day
5821	2025-03-18 16:28:02	73.36	55dB	3.6	257%	Day
5822	2025-03-18 16:30:27	71.75	55dB	3.2	219%	Day
5823	2025-03-18 16:33:05	70.66	55dB	3.0	196%	Day
5824	2025-03-18 16:35:25	70.76	55dB	3.0	198%	Day
5825	2025-03-18 16:37:19	72.32	55dB	3.3	232%	Day
5826	2025-03-18 16:39:38	71.84	55dB	3.2	221%	Day
5827	2025-03-18 16:42:39	70.53	55dB	2.9	193%	Day
5828	2025-03-18 16:44:46	75.93	55dB	4.3	327%	Day
5829	2025-03-18 16:46:35	72.44	55dB	3.3	235%	Day
5830	2025-03-18 16:47:51	71.89	55dB	3.2	222%	Day
5831	2025-03-18 16:49:49	N/A	55dB	N/A	N/A	Day
5832	2025-03-18 16:51:40	N/A	55dB	N/A	N/A	Day
5833	2025-03-18 16:53:05	68.56	55dB	2.6	156%	Day
5834	2025-03-18 16:55:47	68.98	55dB	2.6	164%	Day
5835	2025-03-18 16:57:39	91.94	55dB	12.9	1194%	Day
5836	2025-03-18 17:00:11	75.80	55dB	4.2	323%	Day
5837	2025-03-18 17:04:28	N/A	55dB	N/A	N/A	Day
5838	2025-03-18 17:05:46	73.59	55dB	3.6	263%	Day
5839	2025-03-18 17:07:14	77.30	55dB	4.7	369%	Day
5840	2025-03-18 17:09:03	73.01	55dB	3.5	248%	Day
5841	2025-03-18 17:11:02	N/A	55dB	N/A	N/A	Day
5842	2025-03-18 17:12:26	70.31	55dB	2.9	189%	Day
5843	2025-03-18 17:13:41	N/A	55dB	N/A	N/A	Day
5844	2025-03-18 17:14:55	67.44	55dB	2.4	137%	Day
5845	2025-03-18 17:16:19	N/A	55dB	N/A	N/A	Day
5846	2025-03-18 17:17:42	73.53	55dB	3.6	261%	Day

5847	2025-03-18 17:20:38	70.57	55dB	2.9	194%	Day
5848	2025-03-18 17:22:42	74.49	55dB	3.9	286%	Day
5849	2025-03-18 17:25:03	70.71	55dB	3.0	197%	Day
5850	2025-03-18 17:26:48	70.66	55dB	3.0	196%	Day
5851	2025-03-18 17:28:17	74.68	55dB	3.9	291%	Day
5852	2025-03-18 17:30:20	68.49	55dB	2.5	155%	Day
5853	2025-03-18 17:32:03	73.51	55dB	3.6	261%	Day
5854	2025-03-18 17:33:50	N/A	55dB	N/A	N/A	Day
5855	2025-03-18 17:35:53	70.63	55dB	3.0	195%	Day
5856	2025-03-18 17:37:15	76.41	55dB	4.4	341%	Day
5857	2025-03-18 17:41:03	74.46	55dB	3.9	285%	Day
5858	2025-03-18 17:47:12	72.93	55dB	3.5	247%	Day
5859	2025-03-18 17:48:54	71.90	55dB	3.2	223%	Day
5860	2025-03-18 17:50:46	69.77	55dB	2.8	178%	Day
5861	2025-03-18 17:52:11	70.96	55dB	3.0	202%	Day
5862	2025-03-18 17:53:31	71.77	55dB	3.2	220%	Day
5863	2025-03-18 17:54:51	73.14	55dB	3.5	252%	Day
5864	2025-03-18 17:56:47	70.39	55dB	2.9	191%	Day
5865	2025-03-18 17:58:11	70.30	55dB	2.9	189%	Day
5866	2025-03-18 17:59:37	73.38	55dB	3.6	258%	Day
5867	2025-03-18 18:02:03	67.47	55dB	2.4	137%	Day
5868	2025-03-18 18:03:19	70.34	55dB	2.9	190%	Day
5869	2025-03-18 18:04:42	68.06	55dB	2.5	147%	Day
5870	2025-03-18 18:05:56	66.81	55dB	2.3	127%	Day
5871	2025-03-18 18:07:26	68.91	55dB	2.6	162%	Day
5872	2025-03-18 18:08:52	77.44	55dB	4.7	374%	Day
5873	2025-03-18 18:10:59	76.40	55dB	4.4	341%	Day
5874	2025-03-18 18:12:26	70.15	55dB	2.9	186%	Day
5875	2025-03-18 18:14:01	71.32	55dB	3.1	210%	Day
5876	2025-03-18 18:18:07	69.57	55dB	2.7	175%	Day
5877	2025-03-18 18:19:37	72.87	55dB	3.5	245%	Day
5878	2025-03-18 18:21:31	69.85	55dB	2.8	180%	Day
5879	2025-03-18 18:23:43	73.34	55dB	3.6	257%	Day
5880	2025-03-18 18:26:26	69.30	55dB	2.7	169%	Day
5881	2025-03-18 18:28:15	68.95	55dB	2.6	163%	Day
5882	2025-03-18 18:30:12	66.09	55dB	2.2	116%	Day
5883	2025-03-18 18:31:45	72.13	55dB	3.3	228%	Day
5884	2025-03-18 18:34:38	71.69	55dB	3.2	218%	Day
5885	2025-03-18 18:38:10	69.12	55dB	2.7	166%	Day
5886	2025-03-18 18:40:00	69.25	55dB	2.7	169%	Day
5887	2025-03-18 18:41:56	71.83	55dB	3.2	221%	Day
5888	2025-03-18 18:43:37	69.75	55dB	2.8	178%	Day
5889	2025-03-18 18:44:51	72.10	55dB	3.3	227%	Day
5890	2025-03-18 18:46:26	73.76	55dB	3.7	267%	Day

5891	2025-03-18 18:48:20	70.50	55dB	2.9	193%	Day
5892	2025-03-18 18:49:26	67.97	55dB	2.5	146%	Day
5893	2025-03-18 18:50:55	N/A	55dB	N/A	N/A	Day
5894	2025-03-18 18:52:17	72.59	55dB	3.4	238%	Day
5895	2025-03-18 18:53:36	69.17	55dB	2.7	167%	Day
5896	2025-03-18 18:54:54	69.98	55dB	2.8	182%	Day
5897	2025-03-18 18:56:14	71.42	55dB	3.1	212%	Day
5898	2025-03-18 18:57:28	71.73	55dB	3.2	219%	Day
5899	2025-03-18 18:59:33	68.59	55dB	2.6	157%	Day
5900	2025-03-18 19:01:13	68.54	55dB	2.6	156%	Day
5901	2025-03-18 19:02:22	71.45	55dB	3.1	213%	Day
5902	2025-03-18 19:04:42	71.01	55dB	3.0	203%	Day
5903	2025-03-18 19:06:20	70.13	55dB	2.9	185%	Day
5904	2025-03-18 19:07:31	71.80	55dB	3.2	220%	Day
5905	2025-03-18 19:08:58	73.59	55dB	3.6	263%	Day
5906	2025-03-18 19:11:21	69.03	55dB	2.6	164%	Day
5907	2025-03-18 19:12:39	71.47	55dB	3.1	213%	Day
5908	2025-03-18 19:13:58	70.17	55dB	2.9	186%	Day
5909	2025-03-18 19:16:02	70.89	55dB	3.0	201%	Day
5910	2025-03-18 19:17:32	69.21	55dB	2.7	168%	Day
5911	2025-03-18 19:18:47	69.02	55dB	2.6	164%	Day
5912	2025-03-18 19:20:02	69.36	55dB	2.7	171%	Day
5913	2025-03-18 19:21:25	67.14	55dB	2.3	132%	Day
5914	2025-03-18 19:23:17	71.50	55dB	3.1	214%	Day
5915	2025-03-18 19:24:52	71.15	55dB	3.1	206%	Day
5916	2025-03-18 19:26:02	67.49	55dB	2.4	138%	Day
5917	2025-03-18 19:27:54	70.45	55dB	2.9	192%	Day
5918	2025-03-18 19:30:33	69.35	55dB	2.7	170%	Day
5919	2025-03-18 19:32:48	69.99	55dB	2.8	183%	Day
5920	2025-03-18 19:36:16	76.02	55dB	4.3	329%	Day
5921	2025-03-18 19:38:19	69.88	55dB	2.8	180%	Day
5922	2025-03-18 19:39:44	70.17	55dB	2.9	186%	Day
5923	2025-03-18 19:42:28	72.10	55dB	3.3	227%	Day
5924	2025-03-18 19:43:58	71.49	55dB	3.1	214%	Day
5925	2025-03-18 19:45:23	77.94	55dB	4.9	390%	Day
5926	2025-03-18 19:47:05	70.44	55dB	2.9	192%	Day
5927	2025-03-18 19:48:34	69.61	55dB	2.8	175%	Day
5928	2025-03-18 19:49:44	68.62	55dB	2.6	157%	Day
5929	2025-03-18 19:51:02	68.36	55dB	2.5	152%	Day
5930	2025-03-18 19:52:51	68.63	55dB	2.6	157%	Day
5931	2025-03-18 19:57:45	66.81	55dB	2.3	127%	Day
5932	2025-03-18 20:00:21	70.61	55dB	3.0	195%	Day
5933	2025-03-18 20:01:46	70.93	55dB	3.0	202%	Day
5934	2025-03-18 20:03:31	71.09	55dB	3.1	205%	Day

5935	2025-03-18 20:04:57	69.57	55dB	2.7	175%	Day
5936	2025-03-18 20:06:14	70.05	55dB	2.8	184%	Day
5937	2025-03-18 20:07:34	68.19	55dB	2.5	149%	Day
5938	2025-03-18 20:09:06	71.91	55dB	3.2	223%	Day
5939	2025-03-18 20:11:26	71.48	55dB	3.1	213%	Day
5940	2025-03-18 20:12:50	N/A	55dB	N/A	N/A	Day
5941	2025-03-18 20:15:56	70.77	55dB	3.0	198%	Day
5942	2025-03-18 20:19:06	77.63	55dB	4.8	380%	Day
5943	2025-03-18 20:21:42	68.74	55dB	2.6	159%	Day
5944	2025-03-18 20:24:54	71.65	55dB	3.2	217%	Day
5945	2025-03-18 20:27:13	75.85	55dB	4.2	324%	Day
5946	2025-03-18 20:29:46	71.73	55dB	3.2	219%	Day
5947	2025-03-18 20:32:11	74.80	55dB	3.9	294%	Day
5948	2025-03-18 20:34:01	69.98	55dB	2.8	182%	Day
5949	2025-03-18 20:35:21	70.58	55dB	2.9	194%	Day
5950	2025-03-18 20:37:23	70.10	55dB	2.8	185%	Day
5951	2025-03-18 20:39:02	71.58	55dB	3.2	216%	Day
5952	2025-03-18 20:41:20	69.09	55dB	2.7	166%	Day
5953	2025-03-18 20:42:47	72.11	55dB	3.3	227%	Day
5954	2025-03-18 20:44:30	69.39	55dB	2.7	171%	Day
5955	2025-03-18 20:46:14	70.51	55dB	2.9	193%	Day
5956	2025-03-18 20:48:34	68.27	55dB	2.5	151%	Day
5957	2025-03-18 20:50:03	68.99	55dB	2.6	164%	Day
5958	2025-03-18 20:51:49	67.72	55dB	2.4	141%	Day
5959	2025-03-18 20:53:15	71.45	55dB	3.1	213%	Day
5960	2025-03-18 20:54:41	70.81	55dB	3.0	199%	Day
5961	2025-03-18 20:56:00	72.60	55dB	3.4	239%	Day
5962	2025-03-18 20:57:32	69.33	55dB	2.7	170%	Day
5963	2025-03-18 20:59:12	70.20	55dB	2.9	187%	Day
5964	2025-03-18 21:00:34	69.63	55dB	2.8	176%	Day
5965	2025-03-18 21:01:48	68.51	55dB	2.6	155%	Day
5966	2025-03-18 21:03:16	70.26	55dB	2.9	188%	Day
5967	2025-03-18 21:05:14	71.02	55dB	3.0	204%	Day
5968	2025-03-18 21:06:26	67.98	55dB	2.5	146%	Day
5969	2025-03-18 21:09:12	70.40	55dB	2.9	191%	Day
5970	2025-03-18 21:10:55	69.25	55dB	2.7	169%	Day
5971	2025-03-18 21:12:32	69.81	55dB	2.8	179%	Day
5972	2025-03-18 21:13:48	85.03	55dB	8.0	702%	Day
5973	2025-03-18 21:15:23	68.54	55dB	2.6	156%	Day
5974	2025-03-18 21:17:33	70.67	55dB	3.0	196%	Day
5975	2025-03-18 21:19:02	71.21	55dB	3.1	208%	Day
5976	2025-03-18 21:21:21	70.04	55dB	2.8	184%	Day
5977	2025-03-18 21:23:00	68.32	55dB	2.5	152%	Day
5978	2025-03-18 21:24:56	74.69	55dB	3.9	291%	Day

5979	2025-03-18 21:27:12	73.94	55dB	3.7	272%	Day
5980	2025-03-18 21:31:39	70.84	55dB	3.0	200%	Day
5981	2025-03-18 21:33:40	67.58	55dB	2.4	139%	Day
5982	2025-03-18 21:35:56	67.83	55dB	2.4	143%	Day
5983	2025-03-18 21:38:27	74.06	55dB	3.7	275%	Day
5984	2025-03-18 21:40:31	72.56	55dB	3.4	238%	Day
5985	2025-03-18 21:42:36	70.06	55dB	2.8	184%	Day
5986	2025-03-18 21:44:43	71.50	55dB	3.1	214%	Day
5987	2025-03-18 21:49:10	71.95	55dB	3.2	224%	Day
5988	2025-03-18 21:52:15	74.19	55dB	3.8	278%	Day
5989	2025-03-18 21:54:33	66.51	55dB	2.2	122%	Day
5990	2025-03-18 22:00:03	68.56	55dB	2.6	156%	Day
5991	2025-03-18 22:01:42	67.66	55dB	2.4	140%	Day
5992	2025-03-18 22:03:36	68.01	55dB	2.5	146%	Day
5993	2025-03-18 22:05:43	73.79	55dB	3.7	268%	Day
5994	2025-03-18 22:07:58	67.92	55dB	2.4	145%	Day
5995	2025-03-18 22:09:46	69.65	55dB	2.8	176%	Day
5996	2025-03-18 22:11:45	70.53	55dB	2.9	193%	Day
5997	2025-03-18 22:13:38	74.29	55dB	3.8	281%	Day
5998	2025-03-18 22:15:28	67.45	55dB	2.4	137%	Day
5999	2025-03-18 22:17:04	68.14	55dB	2.5	149%	Day
6000	2025-03-18 22:18:51	71.21	55dB	3.1	208%	Day
6001	2025-03-18 22:31:32	69.59	55dB	2.7	175%	Day
6002	2025-03-18 22:33:40	68.79	55dB	2.6	160%	Day
6003	2025-03-18 22:35:23	69.41	55dB	2.7	172%	Day
6004	2025-03-18 22:37:14	70.00	55dB	2.8	183%	Day
6005	2025-03-18 22:40:33	69.05	55dB	2.6	165%	Day
6006	2025-03-18 22:41:56	70.76	55dB	3.0	198%	Day
6007	2025-03-18 22:43:52	72.21	55dB	3.3	230%	Day
6008	2025-03-18 22:45:56	75.64	55dB	4.2	318%	Day
6009	2025-03-18 22:47:36	71.96	55dB	3.2	224%	Day
6010	2025-03-18 22:49:56	70.30	55dB	2.9	189%	Day
6011	2025-03-18 22:54:12	67.24	55dB	2.3	134%	Day
6012	2025-03-18 22:58:49	67.94	55dB	2.5	145%	Day
6013	2025-03-18 23:03:02	68.62	45dB	5.1	414%	Night
6014	2025-03-18 23:05:08	70.05	45dB	5.7	468%	Night
6015	2025-03-18 23:06:39	69.14	45dB	5.3	433%	Night
6016	2025-03-18 23:10:11	70.20	45dB	5.7	474%	Night
6017	2025-03-18 23:12:38	72.90	45dB	6.9	592%	Night
6018	2025-03-18 23:20:31	70.83	45dB	6.0	499%	Night
6019	2025-03-18 23:23:43	N/A	45dB	N/A	N/A	Night
6020	2025-03-18 23:28:40	67.92	45dB	4.9	390%	Night
6021	2025-03-18 23:32:58	69.90	45dB	5.6	462%	Night
6022	2025-03-18 23:34:53	67.99	45dB	4.9	392%	Night

6023	2025-03-18 23:36:32	68.78	45dB	5.2	420%	Night
6024	2025-03-18 23:39:45	72.84	45dB	6.9	589%	Night
6025	2025-03-18 23:41:26	67.50	45dB	4.8	376%	Night
6026	2025-03-18 23:43:05	72.09	45dB	6.5	554%	Night
6027	2025-03-18 23:44:39	67.44	45dB	4.7	374%	Night
6028	2025-03-18 23:48:33	69.77	45dB	5.6	457%	Night
6029	2025-03-18 23:53:39	67.76	45dB	4.8	384%	Night
6030	2025-03-18 23:55:33	73.46	45dB	7.2	619%	Night
6031	2025-03-19 00:03:00	70.86	45dB	6.0	500%	Night
6032	2025-03-19 00:05:50	70.32	45dB	5.8	478%	Night
6033	2025-03-19 00:07:32	72.06	45dB	6.5	553%	Night
6034	2025-03-19 00:09:48	75.26	45dB	8.1	715%	Night
6035	2025-03-19 00:11:14	71.04	45dB	6.1	508%	Night
6036	2025-03-19 00:13:32	76.77	45dB	9.0	804%	Night
6037	2025-03-19 00:15:53	73.16	45dB	7.0	604%	Night
6038	2025-03-19 00:20:13	79.76	45dB	11.1	1013%	Night
6039	2025-03-19 00:22:58	74.26	45dB	7.6	660%	Night
6040	2025-03-19 00:24:20	70.96	45dB	6.0	505%	Night
6041	2025-03-19 00:28:03	71.02	45dB	6.1	507%	Night
6042	2025-03-19 00:36:03	72.80	45dB	6.9	587%	Night
6043	2025-03-19 00:40:19	69.54	45dB	5.5	448%	Night
6044	2025-03-19 00:58:12	73.11	45dB	7.0	602%	Night
6045	2025-03-19 01:00:28	71.53	45dB	6.3	529%	Night
6046	2025-03-19 01:08:45	72.49	45dB	6.7	572%	Night
6047	2025-03-19 01:12:52	70.64	45dB	5.9	491%	Night
6048	2025-03-19 01:27:01	72.88	45dB	6.9	591%	Night
6049	2025-03-19 01:34:22	75.84	45dB	8.5	748%	Night
6050	2025-03-19 02:00:35	73.97	45dB	7.4	645%	Night
6051	2025-03-19 02:14:50	73.26	45dB	7.1	609%	Night
6052	2025-03-19 05:08:27	71.62	45dB	6.3	533%	Night
6053	2025-03-19 05:11:31	71.48	45dB	6.3	527%	Night
6054	2025-03-19 05:20:28	69.16	45dB	5.3	434%	Night
6055	2025-03-19 05:38:21	68.06	45dB	4.9	395%	Night
6056	2025-03-19 05:41:13	72.54	45dB	6.7	575%	Night
6057	2025-03-19 05:44:11	70.15	45dB	5.7	472%	Night
6058	2025-03-19 05:46:51	72.79	45dB	6.9	586%	Night
6059	2025-03-19 05:52:01	73.99	45dB	7.5	646%	Night
6060	2025-03-19 05:54:42	70.67	45dB	5.9	493%	Night
6061	2025-03-19 05:56:24	73.09	45dB	7.0	601%	Night
6062	2025-03-19 05:58:32	70.20	45dB	5.7	474%	Night
6063	2025-03-19 06:04:53	68.82	45dB	5.2	421%	Night
6064	2025-03-19 06:29:53	75.79	45dB	8.5	745%	Night
6065	2025-03-19 06:31:10	67.88	45dB	4.9	388%	Night
6066	2025-03-19 06:32:39	75.18	45dB	8.1	710%	Night

6067	2025-03-19 06:34:02	74.47	45dB	7.7	671%	Night
6068	2025-03-19 06:35:29	71.53	45dB	6.3	529%	Night
6069	2025-03-19 06:36:42	74.62	45dB	7.8	679%	Night
6070	2025-03-19 06:38:52	71.43	45dB	6.2	525%	Night
6071	2025-03-19 06:40:05	70.95	45dB	6.0	504%	Night
6072	2025-03-19 06:41:18	71.80	45dB	6.4	541%	Night
6073	2025-03-19 06:42:46	71.98	45dB	6.5	549%	Night
6074	2025-03-19 06:44:10	70.78	45dB	6.0	497%	Night
6075	2025-03-19 06:45:23	69.94	45dB	5.6	463%	Night
6076	2025-03-19 06:47:00	72.19	45dB	6.6	558%	Night
6077	2025-03-19 06:49:10	70.59	45dB	5.9	489%	Night
6078	2025-03-19 06:50:45	69.91	45dB	5.6	462%	Night
6079	2025-03-19 06:52:09	69.16	45dB	5.3	434%	Night
6080	2025-03-19 06:53:32	70.26	45dB	5.8	476%	Night
6081	2025-03-19 06:54:48	73.72	45dB	7.3	632%	Night
6082	2025-03-19 06:56:11	70.68	45dB	5.9	493%	Night
6083	2025-03-19 06:57:56	65.83	45dB	4.2	324%	Night
6084	2025-03-19 06:59:25	69.65	45dB	5.5	452%	Night
6085	2025-03-19 07:01:25	67.09	55dB	2.3	131%	Day
6086	2025-03-19 07:05:41	69.39	55dB	2.7	171%	Day
6087	2025-03-19 07:12:14	69.68	55dB	2.8	177%	Day
6088	2025-03-19 07:14:18	70.48	55dB	2.9	192%	Day
6089	2025-03-19 07:16:11	67.36	55dB	2.4	136%	Day
6090	2025-03-19 07:18:18	70.41	55dB	2.9	191%	Day
6091	2025-03-19 07:20:53	72.30	55dB	3.3	232%	Day
6092	2025-03-19 07:23:58	72.64	55dB	3.4	240%	Day
6093	2025-03-19 07:25:31	71.40	55dB	3.1	212%	Day
6094	2025-03-19 07:42:42	70.50	55dB	2.9	193%	Day
6095	2025-03-19 07:44:40	77.46	55dB	4.7	374%	Day
6096	2025-03-19 07:47:38	69.29	55dB	2.7	169%	Day
6097	2025-03-19 07:53:48	72.08	55dB	3.3	227%	Day
6098	2025-03-19 07:56:05	73.15	55dB	3.5	252%	Day
6099	2025-03-19 07:57:41	70.12	55dB	2.9	185%	Day
6100	2025-03-19 07:59:26	74.90	55dB	4.0	297%	Day
6101	2025-03-19 08:01:58	68.39	55dB	2.5	153%	Day
6102	2025-03-19 08:04:37	77.59	55dB	4.8	379%	Day
6103	2025-03-19 08:09:49	67.38	55dB	2.4	136%	Day
6104	2025-03-19 08:18:18	73.22	55dB	3.5	254%	Day
6105	2025-03-19 08:20:37	70.73	55dB	3.0	198%	Day
6106	2025-03-19 08:22:38	72.40	55dB	3.3	234%	Day
6107	2025-03-19 08:30:19	69.69	55dB	2.8	177%	Day
6108	2025-03-19 08:32:10	69.31	55dB	2.7	170%	Day
6109	2025-03-19 08:34:16	68.03	55dB	2.5	147%	Day
6110	2025-03-19 08:41:11	70.91	55dB	3.0	201%	Day

6111	2025-03-19 08:44:06	74.08	55dB	3.8	275%	Day
6112	2025-03-19 08:46:39	74.27	55dB	3.8	280%	Day
6113	2025-03-19 09:00:15	66.37	55dB	2.2	120%	Day
6114	2025-03-19 09:06:05	N/A	55dB	N/A	N/A	Day
6115	2025-03-19 09:08:18	72.38	55dB	3.3	234%	Day
6116	2025-03-19 09:20:44	N/A	55dB	N/A	N/A	Day
6117	2025-03-19 09:24:33	68.54	55dB	2.6	156%	Day
6118	2025-03-19 09:26:14	70.69	55dB	3.0	197%	Day
6119	2025-03-19 09:28:32	75.43	55dB	4.1	312%	Day
6120	2025-03-19 09:32:40	70.77	55dB	3.0	198%	Day
6121	2025-03-19 09:35:54	70.45	55dB	2.9	192%	Day
6122	2025-03-19 09:42:06	79.16	55dB	5.3	434%	Day
6123	2025-03-19 09:43:56	67.85	55dB	2.4	144%	Day
6124	2025-03-19 09:46:56	68.86	55dB	2.6	161%	Day
6125	2025-03-19 09:55:32	69.83	55dB	2.8	180%	Day
6126	2025-03-19 09:59:13	N/A	55dB	N/A	N/A	Day
6127	2025-03-19 10:04:30	75.63	55dB	4.2	318%	Day
6128	2025-03-19 10:06:53	75.54	55dB	4.2	315%	Day
6129	2025-03-19 10:11:05	70.60	55dB	2.9	195%	Day
6130	2025-03-19 10:22:41	N/A	55dB	N/A	N/A	Day
6131	2025-03-19 10:25:58	68.94	55dB	2.6	163%	Day
6132	2025-03-19 10:28:15	68.65	55dB	2.6	158%	Day
6133	2025-03-19 10:29:35	73.29	55dB	3.6	255%	Day
6134	2025-03-19 10:31:54	69.86	55dB	2.8	180%	Day
6135	2025-03-19 10:36:15	71.17	55dB	3.1	207%	Day
6136	2025-03-19 10:41:22	70.29	55dB	2.9	189%	Day
6137	2025-03-19 10:43:09	73.05	55dB	3.5	249%	Day
6138	2025-03-19 10:44:44	71.66	55dB	3.2	217%	Day
6139	2025-03-19 10:46:21	N/A	55dB	N/A	N/A	Day
6140	2025-03-19 10:47:48	82.47	55dB	6.7	571%	Day
6141	2025-03-19 10:49:05	82.13	55dB	6.6	556%	Day
6142	2025-03-19 10:50:30	84.86	55dB	7.9	692%	Day
6143	2025-03-19 10:52:20	68.33	55dB	2.5	152%	Day
6144	2025-03-19 10:53:51	78.86	55dB	5.2	423%	Day
6145	2025-03-19 10:55:13	72.65	55dB	3.4	240%	Day
6146	2025-03-19 10:57:12	N/A	55dB	N/A	N/A	Day
6147	2025-03-19 10:58:43	77.50	55dB	4.8	376%	Day
6148	2025-03-19 11:00:11	78.89	55dB	5.2	424%	Day
6149	2025-03-19 11:01:47	73.37	55dB	3.6	257%	Day
6150	2025-03-19 11:06:31	82.68	55dB	6.8	581%	Day
6151	2025-03-19 11:08:27	70.12	55dB	2.9	185%	Day
6152	2025-03-19 11:12:40	71.99	55dB	3.2	225%	Day
6153	2025-03-19 11:14:52	69.30	55dB	2.7	169%	Day
6154	2025-03-19 11:16:31	73.15	55dB	3.5	252%	Day

6155	2025-03-19 11:19:52	68.52	55dB	2.6	155%	Day
6156	2025-03-19 11:21:41	N/A	55dB	N/A	N/A	Day
6157	2025-03-19 11:23:13	N/A	55dB	N/A	N/A	Day
6158	2025-03-19 11:25:08	72.78	55dB	3.4	243%	Day
6159	2025-03-19 11:26:12	68.08	55dB	2.5	148%	Day
6160	2025-03-19 11:27:31	77.63	55dB	4.8	380%	Day
6161	2025-03-19 11:28:42	N/A	55dB	N/A	N/A	Day
6162	2025-03-19 11:29:52	70.02	55dB	2.8	183%	Day
6163	2025-03-19 11:31:18	N/A	55dB	N/A	N/A	Day
6164	2025-03-19 11:32:55	72.76	55dB	3.4	242%	Day
6165	2025-03-19 11:34:23	74.15	55dB	3.8	277%	Day
6166	2025-03-19 11:36:33	N/A	55dB	N/A	N/A	Day
6167	2025-03-19 11:51:26	68.43	55dB	2.5	154%	Day
6168	2025-03-19 11:53:13	N/A	55dB	N/A	N/A	Day
6169	2025-03-19 11:54:39	72.21	55dB	3.3	230%	Day
6170	2025-03-19 11:56:21	N/A	55dB	N/A	N/A	Day
6171	2025-03-19 12:07:32	70.85	55dB	3.0	200%	Day
6172	2025-03-19 12:10:02	69.76	55dB	2.8	178%	Day
6173	2025-03-19 12:11:53	N/A	55dB	N/A	N/A	Day
6174	2025-03-19 12:15:02	69.76	55dB	2.8	178%	Day
6175	2025-03-19 12:17:04	71.37	55dB	3.1	211%	Day
6176	2025-03-19 12:18:48	71.26	55dB	3.1	209%	Day
6177	2025-03-19 12:20:30	68.24	55dB	2.5	150%	Day
6178	2025-03-19 12:22:12	71.63	55dB	3.2	217%	Day
6179	2025-03-19 12:24:03	71.91	55dB	3.2	223%	Day
6180	2025-03-19 12:25:45	70.10	55dB	2.8	185%	Day
6181	2025-03-19 12:29:50	69.59	55dB	2.7	175%	Day
6182	2025-03-19 12:31:31	73.87	55dB	3.7	270%	Day
6183	2025-03-19 12:33:22	73.43	55dB	3.6	259%	Day
6184	2025-03-19 12:36:26	N/A	55dB	N/A	N/A	Day
6185	2025-03-19 12:38:11	72.68	55dB	3.4	241%	Day
6186	2025-03-19 12:39:24	73.90	55dB	3.7	271%	Day
6187	2025-03-19 12:43:05	N/A	55dB	N/A	N/A	Day
6188	2025-03-19 12:44:51	73.34	55dB	3.6	257%	Day
6189	2025-03-19 12:46:38	72.82	55dB	3.4	244%	Day
6190	2025-03-19 12:48:38	69.04	55dB	2.6	165%	Day
6191	2025-03-19 12:51:16	68.12	55dB	2.5	148%	Day
6192	2025-03-19 12:54:51	70.85	55dB	3.0	200%	Day
6193	2025-03-19 13:05:25	N/A	55dB	N/A	N/A	Day
6194	2025-03-19 13:07:19	N/A	55dB	N/A	N/A	Day
6195	2025-03-19 13:11:57	74.13	55dB	3.8	277%	Day
6196	2025-03-19 13:16:17	68.96	55dB	2.6	163%	Day
6197	2025-03-19 13:18:33	68.46	55dB	2.5	154%	Day
6198	2025-03-19 13:19:55	70.80	55dB	3.0	199%	Day

6199	2025-03-19 13:21:08	73.88	55dB	3.7	270%	Day
6200	2025-03-19 13:22:16	74.38	55dB	3.8	283%	Day
6201	2025-03-19 13:23:47	70.75	55dB	3.0	198%	Day
6202	2025-03-19 13:27:26	71.27	55dB	3.1	209%	Day
6203	2025-03-19 13:30:26	70.09	55dB	2.8	185%	Day
6204	2025-03-19 13:31:48	74.62	55dB	3.9	290%	Day
6205	2025-03-19 13:33:05	70.42	55dB	2.9	191%	Day
6206	2025-03-19 13:34:32	72.11	55dB	3.3	227%	Day
6207	2025-03-19 13:36:24	73.26	55dB	3.5	255%	Day
6208	2025-03-19 13:41:11	N/A	55dB	N/A	N/A	Day
6209	2025-03-19 13:43:02	69.44	55dB	2.7	172%	Day
6210	2025-03-19 13:44:19	69.67	55dB	2.8	176%	Day
6211	2025-03-19 13:45:44	74.54	55dB	3.9	287%	Day
6212	2025-03-19 13:47:41	77.19	55dB	4.7	366%	Day
6213	2025-03-19 13:50:59	68.04	55dB	2.5	147%	Day
6214	2025-03-19 13:53:00	71.08	55dB	3.0	205%	Day
6215	2025-03-19 13:55:53	81.63	55dB	6.3	533%	Day
6216	2025-03-19 13:58:30	81.57	55dB	6.3	531%	Day
6217	2025-03-19 14:00:33	70.68	55dB	3.0	196%	Day
6218	2025-03-19 14:01:53	70.87	55dB	3.0	200%	Day
6219	2025-03-19 14:05:28	75.55	55dB	4.2	316%	Day
6220	2025-03-19 14:06:43	81.80	55dB	6.4	541%	Day
6221	2025-03-19 14:08:25	69.44	55dB	2.7	172%	Day
6222	2025-03-19 14:09:58	70.65	55dB	3.0	196%	Day
6223	2025-03-19 14:11:27	74.44	55dB	3.8	285%	Day
6224	2025-03-19 14:17:39	70.68	55dB	3.0	196%	Day
6225	2025-03-19 14:24:56	67.70	55dB	2.4	141%	Day
6226	2025-03-19 14:28:05	71.17	55dB	3.1	207%	Day
6227	2025-03-19 14:31:04	74.72	55dB	3.9	292%	Day
6228	2025-03-19 14:34:04	68.11	55dB	2.5	148%	Day
6229	2025-03-19 14:35:23	76.60	55dB	4.5	347%	Day
6230	2025-03-19 14:36:53	79.37	55dB	5.4	442%	Day
6231	2025-03-19 14:38:14	70.40	55dB	2.9	191%	Day
6232	2025-03-19 14:41:10	67.75	55dB	2.4	142%	Day
6233	2025-03-19 14:45:28	69.68	55dB	2.8	177%	Day
6234	2025-03-19 14:47:20	82.43	55dB	6.7	569%	Day
6235	2025-03-19 14:49:39	72.18	55dB	3.3	229%	Day
6236	2025-03-19 14:51:23	72.53	55dB	3.4	237%	Day
6237	2025-03-19 14:53:15	68.29	55dB	2.5	151%	Day
6238	2025-03-19 14:54:32	80.28	55dB	5.8	477%	Day
6239	2025-03-19 14:56:28	68.35	55dB	2.5	152%	Day
6240	2025-03-19 14:57:40	69.91	55dB	2.8	181%	Day
6241	2025-03-19 14:58:58	N/A	55dB	N/A	N/A	Day
6242	2025-03-19 15:00:26	73.97	55dB	3.7	272%	Day

6243	2025-03-19 15:01:45	72.69	55dB	3.4	241%	Day
6244	2025-03-19 15:03:32	80.78	55dB	6.0	497%	Day
6245	2025-03-19 15:05:45	N/A	55dB	N/A	N/A	Day
6246	2025-03-19 15:07:00	72.20	55dB	3.3	229%	Day
6247	2025-03-19 15:08:34	73.57	55dB	3.6	262%	Day
6248	2025-03-19 15:11:52	N/A	55dB	N/A	N/A	Day
6249	2025-03-19 15:13:42	68.44	55dB	2.5	154%	Day
6250	2025-03-19 15:15:09	74.35	55dB	3.8	282%	Day
6251	2025-03-19 15:17:22	71.16	55dB	3.1	207%	Day
6252	2025-03-19 15:18:36	70.79	55dB	3.0	199%	Day
6253	2025-03-19 15:20:02	69.50	55dB	2.7	173%	Day
6254	2025-03-19 15:21:56	71.75	55dB	3.2	219%	Day
6255	2025-03-19 15:23:54	71.89	55dB	3.2	222%	Day
6256	2025-03-19 15:25:13	76.53	55dB	4.4	345%	Day
6257	2025-03-19 15:26:46	71.73	55dB	3.2	219%	Day
6258	2025-03-19 15:28:36	71.42	55dB	3.1	212%	Day
6259	2025-03-19 15:30:58	75.42	55dB	4.1	312%	Day
6260	2025-03-19 15:32:31	70.63	55dB	3.0	195%	Day
6261	2025-03-19 15:33:51	N/A	55dB	N/A	N/A	Day
6262	2025-03-19 15:35:21	69.70	55dB	2.8	177%	Day
6263	2025-03-19 15:36:56	68.88	55dB	2.6	162%	Day
6264	2025-03-19 15:38:21	67.74	55dB	2.4	142%	Day
6265	2025-03-19 15:39:41	73.19	55dB	3.5	253%	Day
6266	2025-03-19 15:42:33	N/A	55dB	N/A	N/A	Day
6267	2025-03-19 15:46:18	N/A	55dB	N/A	N/A	Day
6268	2025-03-19 15:50:12	N/A	55dB	N/A	N/A	Day
6269	2025-03-19 15:52:24	70.90	55dB	3.0	201%	Day
6270	2025-03-19 15:53:56	N/A	55dB	N/A	N/A	Day
6271	2025-03-19 15:55:17	70.19	55dB	2.9	187%	Day
6272	2025-03-19 15:57:08	71.83	55dB	3.2	221%	Day
6273	2025-03-19 15:58:41	75.93	55dB	4.3	327%	Day
6274	2025-03-19 16:01:14	70.46	55dB	2.9	192%	Day
6275	2025-03-19 16:03:58	69.69	55dB	2.8	177%	Day
6276	2025-03-19 16:06:20	74.28	55dB	3.8	281%	Day
6277	2025-03-19 16:09:17	74.87	55dB	4.0	296%	Day
6278	2025-03-19 16:12:25	72.00	55dB	3.2	225%	Day
6279	2025-03-19 16:14:28	69.75	55dB	2.8	178%	Day
6280	2025-03-19 16:16:09	72.31	55dB	3.3	232%	Day
6281	2025-03-19 16:18:34	81.69	55dB	6.4	536%	Day
6282	2025-03-19 16:21:15	73.63	55dB	3.6	264%	Day
6283	2025-03-19 16:22:34	71.97	55dB	3.2	224%	Day
6284	2025-03-19 16:24:16	72.75	55dB	3.4	242%	Day
6285	2025-03-19 16:25:56	73.99	55dB	3.7	273%	Day
6286	2025-03-19 16:28:21	N/A	55dB	N/A	N/A	Day

6287	2025-03-19 16:32:00	67.21	55dB	2.3	133%	Day
6288	2025-03-19 16:33:55	70.71	55dB	3.0	197%	Day
6289	2025-03-19 16:35:27	71.91	55dB	3.2	223%	Day
6290	2025-03-19 16:37:22	69.08	55dB	2.7	165%	Day
6291	2025-03-19 16:39:48	69.64	55dB	2.8	176%	Day
6292	2025-03-19 16:49:32	72.57	55dB	3.4	238%	Day
6293	2025-03-19 16:52:03	71.57	55dB	3.2	215%	Day
6294	2025-03-19 16:55:13	N/A	55dB	N/A	N/A	Day
6295	2025-03-19 16:58:13	N/A	55dB	N/A	N/A	Day
6296	2025-03-19 17:03:10	74.73	55dB	3.9	293%	Day
6297	2025-03-19 17:05:07	67.58	55dB	2.4	139%	Day
6298	2025-03-19 17:06:27	74.66	55dB	3.9	291%	Day
6299	2025-03-19 17:07:44	65.78	55dB	2.1	111%	Day
6300	2025-03-19 17:09:39	69.08	55dB	2.7	165%	Day
6301	2025-03-19 17:10:56	75.28	55dB	4.1	308%	Day
6302	2025-03-19 17:12:44	70.42	55dB	2.9	191%	Day
6303	2025-03-19 17:13:55	N/A	55dB	N/A	N/A	Day
6304	2025-03-19 17:16:48	69.27	55dB	2.7	169%	Day
6305	2025-03-19 17:18:05	73.53	55dB	3.6	261%	Day
6306	2025-03-19 17:20:37	75.57	55dB	4.2	316%	Day
6307	2025-03-19 17:22:16	73.03	55dB	3.5	249%	Day
6308	2025-03-19 17:25:35	74.49	55dB	3.9	286%	Day
6309	2025-03-19 17:28:17	N/A	55dB	N/A	N/A	Day
6310	2025-03-19 17:30:56	71.46	55dB	3.1	213%	Day
6311	2025-03-19 17:33:12	72.93	55dB	3.5	247%	Day
6312	2025-03-19 17:35:32	74.98	55dB	4.0	299%	Day
6313	2025-03-19 17:40:40	75.96	55dB	4.3	328%	Day
6314	2025-03-19 17:43:49	72.30	55dB	3.3	232%	Day
6315	2025-03-19 17:46:37	70.78	55dB	3.0	199%	Day
6316	2025-03-19 17:51:17	72.35	55dB	3.3	233%	Day
6317	2025-03-19 17:55:06	72.77	55dB	3.4	243%	Day
6318	2025-03-19 18:01:43	78.98	55dB	5.3	427%	Day
6319	2025-03-19 18:04:16	75.27	55dB	4.1	308%	Day
6320	2025-03-19 18:10:07	71.40	55dB	3.1	212%	Day
6321	2025-03-19 18:12:55	75.05	55dB	4.0	301%	Day
6322	2025-03-19 18:17:26	77.55	55dB	4.8	377%	Day
6323	2025-03-19 18:25:05	72.81	55dB	3.4	244%	Day
6324	2025-03-19 18:28:18	71.63	55dB	3.2	217%	Day
6325	2025-03-19 18:30:26	73.40	55dB	3.6	258%	Day
6326	2025-03-19 18:36:23	76.48	55dB	4.4	343%	Day
6327	2025-03-19 18:38:31	77.74	55dB	4.8	384%	Day
6328	2025-03-19 18:40:44	74.79	55dB	3.9	294%	Day
6329	2025-03-19 18:45:13	71.73	55dB	3.2	219%	Day
6330	2025-03-19 18:47:20	73.94	55dB	3.7	272%	Day

6331	2025-03-19 18:49:14	75.40	55dB	4.1	311%	Day
6332	2025-03-19 18:53:43	73.16	55dB	3.5	252%	Day
6333	2025-03-19 18:58:07	74.54	55dB	3.9	287%	Day
6334	2025-03-19 19:00:42	73.90	55dB	3.7	271%	Day
6335	2025-03-19 19:02:45	78.03	55dB	4.9	393%	Day
6336	2025-03-19 19:05:22	75.27	55dB	4.1	308%	Day
6337	2025-03-19 19:07:49	78.52	55dB	5.1	411%	Day
6338	2025-03-19 19:10:45	73.81	55dB	3.7	268%	Day
6339	2025-03-19 19:14:07	77.96	55dB	4.9	391%	Day
6340	2025-03-19 19:16:53	72.09	55dB	3.3	227%	Day
6341	2025-03-19 19:19:27	75.62	55dB	4.2	318%	Day
6342	2025-03-19 19:22:25	71.68	55dB	3.2	218%	Day
6343	2025-03-19 19:24:55	68.72	55dB	2.6	159%	Day
6344	2025-03-19 19:32:12	74.22	55dB	3.8	279%	Day
6345	2025-03-19 19:34:56	74.47	55dB	3.9	286%	Day
6346	2025-03-19 19:37:17	74.02	55dB	3.7	274%	Day
6347	2025-03-19 19:39:30	73.45	55dB	3.6	259%	Day
6348	2025-03-19 19:41:53	73.74	55dB	3.7	267%	Day
6349	2025-03-19 19:44:31	72.87	55dB	3.5	245%	Day
6350	2025-03-19 19:46:42	74.93	55dB	4.0	298%	Day
6351	2025-03-19 19:50:41	65.71	55dB	2.1	110%	Day
6352	2025-03-19 19:53:17	71.49	55dB	3.1	214%	Day
6353	2025-03-19 19:55:35	71.38	55dB	3.1	211%	Day
6354	2025-03-19 20:00:46	74.15	55dB	3.8	277%	Day
6355	2025-03-19 20:03:46	73.04	55dB	3.5	249%	Day
6356	2025-03-19 20:07:21	73.90	55dB	3.7	271%	Day
6357	2025-03-19 20:10:12	74.02	55dB	3.7	274%	Day
6358	2025-03-19 20:12:13	75.51	55dB	4.1	314%	Day
6359	2025-03-19 20:14:10	71.98	55dB	3.2	224%	Day
6360	2025-03-19 20:18:13	70.65	55dB	3.0	196%	Day
6361	2025-03-19 20:19:54	68.93	55dB	2.6	163%	Day
6362	2025-03-19 20:24:28	70.28	55dB	2.9	188%	Day
6363	2025-03-19 20:30:02	70.66	55dB	3.0	196%	Day
6364	2025-03-19 20:33:07	71.44	55dB	3.1	213%	Day
6365	2025-03-19 20:34:40	69.44	55dB	2.7	172%	Day
6366	2025-03-19 20:36:56	74.89	55dB	4.0	297%	Day
6367	2025-03-19 20:39:24	N/A	55dB	N/A	N/A	Day
6368	2025-03-19 20:40:39	70.82	55dB	3.0	199%	Day
6369	2025-03-19 20:41:58	69.66	55dB	2.8	176%	Day
6370	2025-03-19 20:43:34	76.32	55dB	4.4	338%	Day
6371	2025-03-19 20:45:25	69.40	55dB	2.7	171%	Day
6372	2025-03-19 20:46:37	68.77	55dB	2.6	160%	Day
6373	2025-03-19 20:47:55	71.38	55dB	3.1	211%	Day
6374	2025-03-19 20:49:14	73.17	55dB	3.5	252%	Day

6375	2025-03-19 20:51:22	71.02	55dB	3.0	204%	Day
6376	2025-03-19 20:53:12	72.11	55dB	3.3	227%	Day
6377	2025-03-19 20:54:47	71.65	55dB	3.2	217%	Day
6378	2025-03-19 20:56:42	70.07	55dB	2.8	184%	Day
6379	2025-03-19 20:57:52	69.71	55dB	2.8	177%	Day
6380	2025-03-19 21:00:04	69.51	55dB	2.7	173%	Day
6381	2025-03-19 21:01:30	69.70	55dB	2.8	177%	Day
6382	2025-03-19 21:02:48	69.18	55dB	2.7	167%	Day
6383	2025-03-19 21:04:14	71.92	55dB	3.2	223%	Day
6384	2025-03-19 21:06:26	N/A	55dB	N/A	N/A	Day
6385	2025-03-19 21:07:43	71.20	55dB	3.1	207%	Day
6386	2025-03-19 21:09:07	71.42	55dB	3.1	212%	Day
6387	2025-03-19 21:10:34	70.75	55dB	3.0	198%	Day
6388	2025-03-19 21:11:48	71.56	55dB	3.2	215%	Day
6389	2025-03-19 21:12:55	70.42	55dB	2.9	191%	Day
6390	2025-03-19 21:14:17	68.27	55dB	2.5	151%	Day
6391	2025-03-19 21:16:07	71.34	55dB	3.1	210%	Day
6392	2025-03-19 21:17:49	67.43	55dB	2.4	137%	Day
6393	2025-03-19 21:19:50	72.31	55dB	3.3	232%	Day
6394	2025-03-19 21:23:43	69.77	55dB	2.8	178%	Day
6395	2025-03-19 21:25:40	N/A	55dB	N/A	N/A	Day
6396	2025-03-19 21:31:43	70.83	55dB	3.0	200%	Day
6397	2025-03-19 21:33:22	69.93	55dB	2.8	181%	Day
6398	2025-03-19 21:34:42	68.96	55dB	2.6	163%	Day
6399	2025-03-19 21:35:52	N/A	55dB	N/A	N/A	Day
6400	2025-03-19 21:37:55	69.96	55dB	2.8	182%	Day
6401	2025-03-19 21:39:38	70.62	55dB	3.0	195%	Day
6402	2025-03-19 21:41:26	72.74	55dB	3.4	242%	Day
6403	2025-03-19 21:43:33	79.93	55dB	5.6	463%	Day
6404	2025-03-19 21:47:46	66.98	55dB	2.3	129%	Day
6405	2025-03-19 21:49:39	71.02	55dB	3.0	204%	Day
6406	2025-03-19 21:53:14	70.79	55dB	3.0	199%	Day
6407	2025-03-19 22:00:10	N/A	55dB	N/A	N/A	Day
6408	2025-03-19 22:02:05	68.77	55dB	2.6	160%	Day
6409	2025-03-19 22:03:37	72.32	55dB	3.3	232%	Day
6410	2025-03-19 22:05:00	75.42	55dB	4.1	312%	Day
6411	2025-03-19 22:06:37	68.80	55dB	2.6	160%	Day
6412	2025-03-19 22:09:35	68.41	55dB	2.5	153%	Day
6413	2025-03-19 22:10:49	72.64	55dB	3.4	240%	Day
6414	2025-03-19 22:12:27	71.65	55dB	3.2	217%	Day
6415	2025-03-19 22:14:49	70.05	55dB	2.8	184%	Day
6416	2025-03-19 22:16:04	71.44	55dB	3.1	213%	Day
6417	2025-03-19 22:18:14	N/A	55dB	N/A	N/A	Day
6418	2025-03-19 22:20:10	N/A	55dB	N/A	N/A	Day

6419	2025-03-19 22:22:10	70.95	55dB	3.0	202%	Day
6420	2025-03-19 22:33:18	N/A	55dB	N/A	N/A	Day
6421	2025-03-19 22:37:37	69.78	55dB	2.8	179%	Day
6422	2025-03-19 22:42:25	73.40	55dB	3.6	258%	Day
6423	2025-03-19 22:44:57	71.98	55dB	3.2	224%	Day
6424	2025-03-19 22:46:33	72.57	55dB	3.4	238%	Day
6425	2025-03-19 22:48:52	66.85	55dB	2.3	127%	Day
6426	2025-03-19 22:52:17	68.79	55dB	2.6	160%	Day
6427	2025-03-19 22:59:07	73.81	55dB	3.7	268%	Day
6428	2025-03-19 23:01:44	71.46	45dB	6.3	526%	Night
6429	2025-03-19 23:06:35	66.94	45dB	4.6	358%	Night
6430	2025-03-19 23:09:54	72.25	45dB	6.6	561%	Night
6431	2025-03-19 23:11:35	N/A	45dB	N/A	N/A	Night
6432	2025-03-19 23:13:30	69.51	45dB	5.5	447%	Night
6433	2025-03-19 23:15:10	69.09	45dB	5.3	431%	Night
6434	2025-03-19 23:16:44	71.03	45dB	6.1	508%	Night
6435	2025-03-19 23:18:17	N/A	45dB	N/A	N/A	Night
6436	2025-03-19 23:20:18	73.18	45dB	7.1	605%	Night
6437	2025-03-19 23:22:00	68.96	45dB	5.3	426%	Night
6438	2025-03-19 23:23:55	73.86	45dB	7.4	639%	Night
6439	2025-03-19 23:27:08	N/A	45dB	N/A	N/A	Night
6440	2025-03-19 23:30:44	69.49	45dB	5.5	446%	Night
6441	2025-03-19 23:33:11	70.30	45dB	5.8	478%	Night
6442	2025-03-19 23:34:36	68.42	45dB	5.1	407%	Night
6443	2025-03-19 23:36:00	71.55	45dB	6.3	530%	Night
6444	2025-03-19 23:37:42	73.67	45dB	7.3	630%	Night
6445	2025-03-19 23:40:16	74.04	45dB	7.5	648%	Night
6446	2025-03-19 23:41:52	70.61	45dB	5.9	490%	Night
6447	2025-03-19 23:46:06	73.74	45dB	7.3	633%	Night
6448	2025-03-19 23:47:41	75.02	45dB	8.0	701%	Night
6449	2025-03-19 23:49:38	71.40	45dB	6.2	523%	Night
6450	2025-03-19 23:51:23	70.91	45dB	6.0	503%	Night
6451	2025-03-19 23:52:41	72.86	45dB	6.9	590%	Night
6452	2025-03-19 23:54:55	70.02	45dB	5.7	466%	Night
6453	2025-03-19 23:56:36	70.62	45dB	5.9	491%	Night
6454	2025-03-19 23:58:29	72.62	45dB	6.8	578%	Night
6455	2025-03-20 00:00:05	N/A	45dB	N/A	N/A	Night
6456	2025-03-20 00:01:36	70.69	45dB	5.9	493%	Night
6457	2025-03-20 00:14:12	68.23	45dB	5.0	400%	Night
6458	2025-03-20 00:19:37	67.19	45dB	4.7	366%	Night
6459	2025-03-20 00:21:51	73.02	45dB	7.0	597%	Night
6460	2025-03-20 00:24:53	72.13	45dB	6.6	556%	Night
6461	2025-03-20 00:30:58	71.29	45dB	6.2	519%	Night
6462	2025-03-20 00:33:21	73.96	45dB	7.4	644%	Night

6463	2025-03-20 00:46:07	68.75	45dB	5.2	419%	Night
6464	2025-03-20 00:52:36	71.93	45dB	6.5	547%	Night
6465	2025-03-20 06:30:32	70.98	45dB	6.1	505%	Night
6466	2025-03-20 06:32:19	83.79	45dB	14.7	1371%	Night
6467	2025-03-20 06:33:44	75.46	45dB	8.3	726%	Night
6468	2025-03-20 06:35:41	73.29	45dB	7.1	611%	Night
6469	2025-03-20 06:38:02	68.47	45dB	5.1	409%	Night
6470	2025-03-20 06:39:23	76.35	45dB	8.8	778%	Night
6471	2025-03-20 06:40:50	73.93	45dB	7.4	643%	Night
6472	2025-03-20 06:42:24	72.07	45dB	6.5	553%	Night
6473	2025-03-20 06:43:46	71.20	45dB	6.1	515%	Night
6474	2025-03-20 06:45:36	69.93	45dB	5.6	463%	Night
6475	2025-03-20 06:46:56	71.34	45dB	6.2	521%	Night
6476	2025-03-20 06:48:43	79.33	45dB	10.8	980%	Night
6477	2025-03-20 06:50:32	74.62	45dB	7.8	679%	Night
6478	2025-03-20 06:51:57	71.34	45dB	6.2	521%	Night
6479	2025-03-20 06:53:13	N/A	45dB	N/A	N/A	Night
6480	2025-03-20 06:55:00	70.62	45dB	5.9	491%	Night
6481	2025-03-20 06:56:21	76.09	45dB	8.6	763%	Night
6482	2025-03-20 06:57:33	85.39	45dB	16.4	1544%	Night
6483	2025-03-20 06:59:08	75.13	45dB	8.1	707%	Night
6484	2025-03-20 07:00:26	73.61	55dB	3.6	263%	Day
6485	2025-03-20 07:03:00	88.30	55dB	10.1	906%	Day
6486	2025-03-20 07:05:21	73.44	55dB	3.6	259%	Day
6487	2025-03-20 07:06:52	79.83	55dB	5.6	459%	Day
6488	2025-03-20 07:08:45	88.62	55dB	10.3	928%	Day
6489	2025-03-20 07:10:08	88.46	55dB	10.2	917%	Day
6490	2025-03-20 07:14:04	71.74	55dB	3.2	219%	Day
6491	2025-03-20 07:18:31	70.33	55dB	2.9	189%	Day
6492	2025-03-20 07:20:11	70.16	55dB	2.9	186%	Day
6493	2025-03-20 07:22:06	72.29	55dB	3.3	231%	Day
6494	2025-03-20 07:29:23	71.53	55dB	3.1	214%	Day
6495	2025-03-20 07:31:04	72.35	55dB	3.3	233%	Day
6496	2025-03-20 07:32:56	N/A	55dB	N/A	N/A	Day
6497	2025-03-20 07:48:00	74.41	55dB	3.8	284%	Day
6498	2025-03-20 07:51:03	73.56	55dB	3.6	262%	Day
6499	2025-03-20 07:53:37	74.18	55dB	3.8	278%	Day
6500	2025-03-20 07:57:56	71.26	55dB	3.1	209%	Day
6501	2025-03-20 08:04:05	75.34	55dB	4.1	310%	Day
6502	2025-03-20 08:07:44	74.77	55dB	3.9	294%	Day
6503	2025-03-20 08:11:23	72.47	55dB	3.4	236%	Day
6504	2025-03-20 08:15:47	75.96	55dB	4.3	328%	Day
6505	2025-03-20 08:19:22	73.66	55dB	3.6	265%	Day
6506	2025-03-20 08:22:31	76.23	55dB	4.4	336%	Day

6507	2025-03-20 08:44:30	77.25	55dB	4.7	368%	Day
6508	2025-03-20 09:00:44	72.41	55dB	3.3	234%	Day
6509	2025-03-20 09:15:30	71.29	55dB	3.1	209%	Day
6510	2025-03-20 09:19:25	76.62	55dB	4.5	348%	Day
6511	2025-03-20 09:25:18	76.68	55dB	4.5	349%	Day
6512	2025-03-20 09:28:30	71.75	55dB	3.2	219%	Day
6513	2025-03-20 09:30:07	77.30	55dB	4.7	369%	Day
6514	2025-03-20 09:33:56	73.88	55dB	3.7	270%	Day
6515	2025-03-20 09:36:22	69.39	55dB	2.7	171%	Day
6516	2025-03-20 09:37:40	71.53	55dB	3.1	214%	Day
6517	2025-03-20 09:39:12	N/A	55dB	N/A	N/A	Day
6518	2025-03-20 09:40:56	N/A	55dB	N/A	N/A	Day
6519	2025-03-20 09:43:04	73.09	55dB	3.5	250%	Day
6520	2025-03-20 09:44:35	79.01	55dB	5.3	428%	Day
6521	2025-03-20 09:47:27	70.80	55dB	3.0	199%	Day
6522	2025-03-20 09:49:45	75.69	55dB	4.2	320%	Day
6523	2025-03-20 09:51:54	72.40	55dB	3.3	234%	Day
6524	2025-03-20 09:53:46	71.61	55dB	3.2	216%	Day
6525	2025-03-20 09:57:31	76.47	55dB	4.4	343%	Day
6526	2025-03-20 10:11:44	71.42	55dB	3.1	212%	Day
6527	2025-03-20 10:15:27	77.88	55dB	4.9	388%	Day
6528	2025-03-20 10:19:49	74.78	55dB	3.9	294%	Day
6529	2025-03-20 10:23:04	70.41	55dB	2.9	191%	Day
6530	2025-03-20 10:26:00	69.78	55dB	2.8	179%	Day
6531	2025-03-20 10:27:53	75.01	55dB	4.0	300%	Day
6532	2025-03-20 10:29:27	70.76	55dB	3.0	198%	Day
6533	2025-03-20 10:31:21	74.64	55dB	3.9	290%	Day
6534	2025-03-20 10:34:38	69.66	55dB	2.8	176%	Day
6535	2025-03-20 10:41:33	71.07	55dB	3.0	205%	Day
6536	2025-03-20 10:44:38	68.77	55dB	2.6	160%	Day
6537	2025-03-20 10:48:20	N/A	55dB	N/A	N/A	Day
6538	2025-03-20 10:52:26	74.05	55dB	3.7	275%	Day
6539	2025-03-20 10:54:15	71.22	55dB	3.1	208%	Day
6540	2025-03-20 10:56:09	68.10	55dB	2.5	148%	Day
6541	2025-03-20 10:57:55	72.06	55dB	3.3	226%	Day
6542	2025-03-20 11:00:09	74.80	55dB	3.9	294%	Day
6543	2025-03-20 11:02:10	72.25	55dB	3.3	231%	Day
6544	2025-03-20 11:03:48	N/A	55dB	N/A	N/A	Day
6545	2025-03-20 11:05:25	N/A	55dB	N/A	N/A	Day
6546	2025-03-20 11:06:56	76.73	55dB	4.5	351%	Day
6547	2025-03-20 11:08:26	N/A	55dB	N/A	N/A	Day
6548	2025-03-20 11:09:55	73.37	55dB	3.6	257%	Day
6549	2025-03-20 11:11:11	70.17	55dB	2.9	186%	Day
6550	2025-03-20 11:12:39	72.34	55dB	3.3	233%	Day

6551	2025-03-20 11:14:08	70.14	55dB	2.9	186%	Day
6552	2025-03-20 11:16:53	75.16	55dB	4.0	304%	Day
6553	2025-03-20 11:20:42	68.62	55dB	2.6	157%	Day
6554	2025-03-20 11:23:02	N/A	55dB	N/A	N/A	Day
6555	2025-03-20 11:24:36	71.97	55dB	3.2	224%	Day
6556	2025-03-20 11:26:49	75.19	55dB	4.1	305%	Day
6557	2025-03-20 11:28:32	69.14	55dB	2.7	166%	Day
6558	2025-03-20 11:31:49	69.84	55dB	2.8	180%	Day
6559	2025-03-20 11:33:19	76.65	55dB	4.5	348%	Day
6560	2025-03-20 11:34:46	71.56	55dB	3.2	215%	Day
6561	2025-03-20 11:36:32	73.65	55dB	3.6	264%	Day
6562	2025-03-20 11:38:50	75.42	55dB	4.1	312%	Day
6563	2025-03-20 11:40:50	78.14	55dB	5.0	397%	Day
6564	2025-03-20 11:42:57	72.26	55dB	3.3	231%	Day
6565	2025-03-20 11:46:11	N/A	55dB	N/A	N/A	Day
6566	2025-03-20 11:51:14	N/A	55dB	N/A	N/A	Day
6567	2025-03-20 11:56:14	79.22	55dB	5.4	436%	Day
6568	2025-03-20 11:58:03	79.94	55dB	5.6	463%	Day
6569	2025-03-20 12:03:31	76.48	55dB	4.4	343%	Day
6570	2025-03-20 12:07:22	84.99	55dB	8.0	699%	Day
6571	2025-03-20 12:15:18	72.99	55dB	3.5	248%	Day
6572	2025-03-20 12:18:31	74.55	55dB	3.9	288%	Day
6573	2025-03-20 12:20:53	77.54	55dB	4.8	377%	Day
6574	2025-03-20 12:22:15	71.41	55dB	3.1	212%	Day
6575	2025-03-20 12:23:37	70.24	55dB	2.9	188%	Day
6576	2025-03-20 12:24:51	68.62	55dB	2.6	157%	Day
6577	2025-03-20 12:28:53	77.21	55dB	4.7	366%	Day
6578	2025-03-20 12:30:45	75.68	55dB	4.2	319%	Day
6579	2025-03-20 12:32:48	N/A	55dB	N/A	N/A	Day
6580	2025-03-20 12:35:14	72.55	55dB	3.4	238%	Day
6581	2025-03-20 12:36:33	72.75	55dB	3.4	242%	Day
6582	2025-03-20 12:38:05	69.81	55dB	2.8	179%	Day
6583	2025-03-20 12:39:32	77.98	55dB	4.9	392%	Day
6584	2025-03-20 12:40:58	N/A	55dB	N/A	N/A	Day
6585	2025-03-20 12:42:30	78.07	55dB	4.9	395%	Day
6586	2025-03-20 12:44:17	71.65	55dB	3.2	217%	Day
6587	2025-03-20 12:46:58	75.14	55dB	4.0	304%	Day
6588	2025-03-20 12:49:02	69.98	55dB	2.8	182%	Day
6589	2025-03-20 12:50:27	76.13	55dB	4.3	333%	Day
6590	2025-03-20 12:51:47	82.06	55dB	6.5	553%	Day
6591	2025-03-20 12:53:06	74.52	55dB	3.9	287%	Day
6592	2025-03-20 12:54:57	75.86	55dB	4.2	325%	Day
6593	2025-03-20 12:57:24	69.90	55dB	2.8	181%	Day
6594	2025-03-20 12:58:52	73.44	55dB	3.6	259%	Day

6595	2025-03-20 13:06:04	73.63	55dB	3.6	264%	Day
6596	2025-03-20 13:07:54	82.00	55dB	6.5	550%	Day
6597	2025-03-20 13:11:10	73.11	55dB	3.5	251%	Day
6598	2025-03-20 13:12:55	70.10	55dB	2.8	185%	Day
6599	2025-03-20 13:18:06	72.03	55dB	3.3	226%	Day
6600	2025-03-20 13:23:27	71.88	55dB	3.2	222%	Day
6601	2025-03-20 13:28:48	70.15	55dB	2.9	186%	Day
6602	2025-03-20 13:30:31	71.53	55dB	3.1	214%	Day
6603	2025-03-20 13:33:40	73.26	55dB	3.5	255%	Day
6604	2025-03-20 13:35:37	72.86	55dB	3.4	245%	Day
6605	2025-03-20 13:38:00	73.96	55dB	3.7	272%	Day
6606	2025-03-20 13:39:54	72.55	55dB	3.4	238%	Day
6607	2025-03-20 13:41:22	69.67	55dB	2.8	176%	Day
6608	2025-03-20 13:43:20	70.68	55dB	3.0	196%	Day
6609	2025-03-20 13:45:14	N/A	55dB	N/A	N/A	Day
6610	2025-03-20 13:54:02	72.18	55dB	3.3	229%	Day
6611	2025-03-20 13:59:30	72.34	55dB	3.3	233%	Day
6612	2025-03-20 14:03:17	74.69	55dB	3.9	291%	Day
6613	2025-03-20 14:06:36	79.37	55dB	5.4	442%	Day
6614	2025-03-20 14:08:06	73.72	55dB	3.7	266%	Day
6615	2025-03-20 14:09:26	74.72	55dB	3.9	292%	Day
6616	2025-03-20 14:10:48	70.62	55dB	3.0	195%	Day
6617	2025-03-20 14:12:26	76.61	55dB	4.5	347%	Day
6618	2025-03-20 14:15:41	72.35	55dB	3.3	233%	Day
6619	2025-03-20 14:18:54	73.75	55dB	3.7	267%	Day
6620	2025-03-20 14:22:26	75.31	55dB	4.1	309%	Day
6621	2025-03-20 14:28:51	70.70	55dB	3.0	197%	Day
6622	2025-03-20 14:30:16	72.33	55dB	3.3	232%	Day
6623	2025-03-20 14:32:04	72.16	55dB	3.3	229%	Day
6624	2025-03-20 14:37:40	69.37	55dB	2.7	171%	Day
6625	2025-03-20 14:39:18	75.46	55dB	4.1	313%	Day
6626	2025-03-20 14:41:17	74.59	55dB	3.9	289%	Day
6627	2025-03-20 14:43:02	73.39	55dB	3.6	258%	Day
6628	2025-03-20 14:44:24	68.65	55dB	2.6	158%	Day
6629	2025-03-20 14:45:50	73.06	55dB	3.5	250%	Day
6630	2025-03-20 14:47:10	73.46	55dB	3.6	260%	Day
6631	2025-03-20 14:48:30	68.46	55dB	2.5	154%	Day
6632	2025-03-20 14:52:00	72.16	55dB	3.3	229%	Day
6633	2025-03-20 14:53:35	N/A	55dB	N/A	N/A	Day
6634	2025-03-20 14:57:13	78.03	55dB	4.9	393%	Day
6635	2025-03-20 15:00:02	69.99	55dB	2.8	183%	Day
6636	2025-03-20 15:03:24	71.84	55dB	3.2	221%	Day
6637	2025-03-20 15:05:58	74.42	55dB	3.8	284%	Day
6638	2025-03-20 15:07:55	70.35	55dB	2.9	190%	Day

6639	2025-03-20 15:09:32	70.53	55dB	2.9	193%	Day
6640	2025-03-20 15:11:19	75.28	55dB	4.1	308%	Day
6641	2025-03-20 15:14:13	81.45	55dB	6.3	525%	Day
6642	2025-03-20 15:16:31	72.22	55dB	3.3	230%	Day
6643	2025-03-20 15:28:32	70.87	55dB	3.0	200%	Day
6644	2025-03-20 15:30:11	69.23	55dB	2.7	168%	Day
6645	2025-03-20 15:32:40	78.15	55dB	5.0	398%	Day
6646	2025-03-20 15:34:44	77.66	55dB	4.8	381%	Day
6647	2025-03-20 15:36:11	78.12	55dB	5.0	397%	Day
6648	2025-03-20 15:38:18	73.73	55dB	3.7	266%	Day
6649	2025-03-20 15:39:42	70.35	55dB	2.9	190%	Day
6650	2025-03-20 15:41:07	71.01	55dB	3.0	203%	Day
6651	2025-03-20 15:42:29	74.06	55dB	3.7	275%	Day
6652	2025-03-20 15:45:26	79.95	55dB	5.6	464%	Day
6653	2025-03-20 15:47:47	76.10	55dB	4.3	332%	Day
6654	2025-03-20 15:49:28	81.41	55dB	6.2	524%	Day
6655	2025-03-20 15:51:38	82.15	55dB	6.6	557%	Day
6656	2025-03-20 15:53:02	85.72	55dB	8.4	741%	Day
6657	2025-03-20 15:54:11	86.17	55dB	8.7	768%	Day
6658	2025-03-20 15:55:43	78.97	55dB	5.3	427%	Day
6659	2025-03-20 15:57:09	85.40	55dB	8.2	722%	Day
6660	2025-03-20 15:58:44	N/A	55dB	N/A	N/A	Day
6661	2025-03-20 16:01:52	75.62	55dB	4.2	318%	Day
6662	2025-03-20 16:04:32	77.57	55dB	4.8	378%	Day
6663	2025-03-20 16:07:04	71.98	55dB	3.2	224%	Day
6664	2025-03-20 16:09:07	79.75	55dB	5.6	456%	Day
6665	2025-03-20 16:12:13	74.33	55dB	3.8	282%	Day
6666	2025-03-20 16:15:03	72.86	55dB	3.4	245%	Day
6667	2025-03-20 16:20:40	80.48	55dB	5.8	485%	Day
6668	2025-03-20 16:23:49	73.03	55dB	3.5	249%	Day
6669	2025-03-20 16:26:11	76.60	55dB	4.5	347%	Day
6670	2025-03-20 16:28:36	75.99	55dB	4.3	328%	Day
6671	2025-03-20 16:37:39	78.67	55dB	5.2	416%	Day
6672	2025-03-20 16:40:18	74.50	55dB	3.9	286%	Day
6673	2025-03-20 16:43:37	75.81	55dB	4.2	323%	Day
6674	2025-03-20 16:46:19	74.94	55dB	4.0	298%	Day
6675	2025-03-20 16:48:13	80.59	55dB	5.9	489%	Day
6676	2025-03-20 16:51:56	78.91	55dB	5.2	425%	Day
6677	2025-03-20 16:55:35	82.65	55dB	6.8	580%	Day
6678	2025-03-20 16:58:54	75.36	55dB	4.1	310%	Day
6679	2025-03-20 17:01:52	69.41	55dB	2.7	172%	Day
6680	2025-03-20 17:04:42	N/A	55dB	N/A	N/A	Day
6681	2025-03-20 17:07:03	73.29	55dB	3.6	255%	Day
6682	2025-03-20 17:14:11	81.49	55dB	6.3	527%	Day

6683	2025-03-20 17:16:41	83.30	55dB	7.1	611%	Day
6684	2025-03-20 17:19:11	84.87	55dB	7.9	693%	Day
6685	2025-03-20 17:21:32	81.08	55dB	6.1	510%	Day
6686	2025-03-20 17:24:01	77.72	55dB	4.8	383%	Day
6687	2025-03-20 17:26:42	71.65	55dB	3.2	217%	Day
6688	2025-03-20 17:28:40	74.82	55dB	4.0	295%	Day
6689	2025-03-20 17:30:40	75.15	55dB	4.0	304%	Day
6690	2025-03-20 17:33:02	79.76	55dB	5.6	456%	Day
6691	2025-03-20 17:38:47	73.86	55dB	3.7	270%	Day
6692	2025-03-20 17:49:56	72.81	55dB	3.4	244%	Day
6693	2025-03-20 17:52:24	75.23	55dB	4.1	306%	Day
6694	2025-03-20 17:55:10	77.47	55dB	4.7	375%	Day
6695	2025-03-20 17:57:54	72.27	55dB	3.3	231%	Day
6696	2025-03-20 18:00:11	72.24	55dB	3.3	230%	Day
6697	2025-03-20 18:02:23	74.90	55dB	4.0	297%	Day
6698	2025-03-20 18:04:38	79.55	55dB	5.5	448%	Day
6699	2025-03-20 18:06:58	N/A	55dB	N/A	N/A	Day
6700	2025-03-20 18:10:25	73.38	55dB	3.6	258%	Day
6701	2025-03-20 18:15:34	74.86	55dB	4.0	296%	Day
6702	2025-03-20 18:17:56	N/A	55dB	N/A	N/A	Day
6703	2025-03-20 18:20:06	76.79	55dB	4.5	353%	Day
6704	2025-03-20 18:22:35	79.87	55dB	5.6	461%	Day
6705	2025-03-20 18:24:43	78.46	55dB	5.1	408%	Day
6706	2025-03-20 18:28:14	74.62	55dB	3.9	290%	Day
6707	2025-03-20 18:30:32	73.30	55dB	3.6	256%	Day
6708	2025-03-20 18:32:57	76.73	55dB	4.5	351%	Day
6709	2025-03-20 18:35:19	N/A	55dB	N/A	N/A	Day
6710	2025-03-20 18:37:36	77.14	55dB	4.6	364%	Day
6711	2025-03-20 18:39:45	75.55	55dB	4.2	316%	Day
6712	2025-03-20 18:42:17	72.32	55dB	3.3	232%	Day
6713	2025-03-20 20:21:10	70.31	55dB	2.9	189%	Day
6714	2025-03-21 03:36:45	67.94	45dB	4.9	390%	Night
6715	2025-03-21 04:54:55	70.88	45dB	6.0	501%	Night
6716	2025-03-21 04:59:05	74.53	45dB	7.7	674%	Night
6717	2025-03-21 05:18:18	74.56	45dB	7.8	676%	Night
6718	2025-03-21 05:26:11	75.38	45dB	8.2	721%	Night
6719	2025-03-21 05:28:43	72.31	45dB	6.6	564%	Night
6720	2025-03-21 05:31:43	70.72	45dB	5.9	495%	Night
6721	2025-03-21 05:35:46	76.42	45dB	8.8	783%	Night
6722	2025-03-21 05:38:39	72.28	45dB	6.6	563%	Night
6723	2025-03-21 05:41:14	70.25	45dB	5.8	476%	Night
6724	2025-03-21 05:42:39	73.16	45dB	7.0	604%	Night
6725	2025-03-21 05:46:45	69.89	45dB	5.6	461%	Night
6726	2025-03-21 05:50:42	71.66	45dB	6.3	535%	Night

6727	2025-03-21 05:52:12	68.36	45dB	5.0	405%	Night
6728	2025-03-21 05:59:39	74.71	45dB	7.8	684%	Night
6729	2025-03-21 06:16:01	66.64	45dB	4.5	348%	Night
6730	2025-03-21 06:19:09	70.05	45dB	5.7	468%	Night
6731	2025-03-21 06:29:38	69.58	45dB	5.5	449%	Night
6732	2025-03-21 06:31:07	69.53	45dB	5.5	448%	Night
6733	2025-03-21 06:32:37	68.48	45dB	5.1	409%	Night
6734	2025-03-21 06:33:53	68.05	45dB	4.9	394%	Night
6735	2025-03-21 06:35:06	70.44	45dB	5.8	483%	Night
6736	2025-03-21 06:36:25	N/A	45dB	N/A	N/A	Night
6737	2025-03-21 06:37:53	70.47	45dB	5.8	484%	Night
6738	2025-03-21 06:39:12	69.80	45dB	5.6	458%	Night
6739	2025-03-21 06:40:50	73.18	45dB	7.1	605%	Night
6740	2025-03-21 06:42:21	69.03	45dB	5.3	429%	Night
6741	2025-03-21 06:44:00	69.13	45dB	5.3	433%	Night
6742	2025-03-21 06:45:32	71.05	45dB	6.1	508%	Night
6743	2025-03-21 06:47:08	73.51	45dB	7.2	622%	Night
6744	2025-03-21 06:49:25	73.22	45dB	7.1	607%	Night
6745	2025-03-21 06:51:14	68.35	45dB	5.0	405%	Night
6746	2025-03-21 06:52:39	66.80	45dB	4.5	353%	Night
6747	2025-03-21 06:54:22	69.09	45dB	5.3	431%	Night
6748	2025-03-21 06:55:27	N/A	45dB	N/A	N/A	Night
6749	2025-03-21 06:56:42	70.95	45dB	6.0	504%	Night
6750	2025-03-21 06:58:18	73.06	45dB	7.0	599%	Night
6751	2025-03-21 06:59:33	69.49	45dB	5.5	446%	Night
6752	2025-03-21 07:00:34	66.33	55dB	2.2	119%	Day
6753	2025-03-21 07:01:51	N/A	55dB	N/A	N/A	Day
6754	2025-03-21 07:03:04	68.34	55dB	2.5	152%	Day
6755	2025-03-21 07:05:12	68.95	55dB	2.6	163%	Day
6756	2025-03-21 07:08:12	73.89	55dB	3.7	270%	Day
6757	2025-03-21 07:10:09	73.70	55dB	3.7	266%	Day
6758	2025-03-21 07:12:50	68.23	55dB	2.5	150%	Day
6759	2025-03-21 07:16:04	N/A	55dB	N/A	N/A	Day
6760	2025-03-21 07:17:19	66.79	55dB	2.3	126%	Day
6761	2025-03-21 07:18:32	70.50	55dB	2.9	193%	Day
6762	2025-03-21 07:19:55	71.69	55dB	3.2	218%	Day
6763	2025-03-21 07:23:41	69.38	55dB	2.7	171%	Day
6764	2025-03-21 07:28:13	68.27	55dB	2.5	151%	Day
6765	2025-03-21 07:43:00	71.67	55dB	3.2	218%	Day
6766	2025-03-21 07:47:40	66.83	55dB	2.3	127%	Day
6767	2025-03-21 07:52:32	70.10	55dB	2.8	185%	Day
6768	2025-03-21 07:57:52	69.61	55dB	2.8	175%	Day
6769	2025-03-21 07:59:18	68.92	55dB	2.6	162%	Day
6770	2025-03-21 08:00:55	68.15	55dB	2.5	149%	Day

6771	2025-03-21 08:04:13	73.87	55dB	3.7	270%	Day
6772	2025-03-21 08:07:17	68.88	55dB	2.6	162%	Day
6773	2025-03-21 08:08:26	72.73	55dB	3.4	242%	Day
6774	2025-03-21 08:09:47	69.98	55dB	2.8	182%	Day
6775	2025-03-21 08:18:15	67.99	55dB	2.5	146%	Day
6776	2025-03-21 08:21:24	69.62	55dB	2.8	175%	Day
6777	2025-03-21 08:26:18	N/A	55dB	N/A	N/A	Day
6778	2025-03-21 08:29:11	N/A	55dB	N/A	N/A	Day
6779	2025-03-21 08:35:19	69.83	55dB	2.8	180%	Day
6780	2025-03-21 08:39:41	72.97	55dB	3.5	247%	Day
6781	2025-03-21 08:46:39	71.22	55dB	3.1	208%	Day
6782	2025-03-21 08:49:08	73.90	55dB	3.7	271%	Day
6783	2025-03-21 08:53:07	76.18	55dB	4.3	334%	Day
6784	2025-03-21 08:57:50	79.53	55dB	5.5	448%	Day
6785	2025-03-21 08:59:17	67.69	55dB	2.4	141%	Day
6786	2025-03-21 09:01:02	67.28	55dB	2.3	134%	Day
6787	2025-03-21 09:02:40	74.66	55dB	3.9	291%	Day
6788	2025-03-21 09:05:32	N/A	55dB	N/A	N/A	Day
6789	2025-03-21 09:11:58	67.96	55dB	2.5	146%	Day
6790	2025-03-21 09:13:50	N/A	55dB	N/A	N/A	Day
6791	2025-03-21 09:25:07	66.73	55dB	2.3	125%	Day
6792	2025-03-21 09:30:02	73.04	55dB	3.5	249%	Day
6793	2025-03-21 09:32:23	69.33	55dB	2.7	170%	Day
6794	2025-03-21 09:33:46	66.02	55dB	2.1	115%	Day
6795	2025-03-21 09:39:02	75.20	55dB	4.1	306%	Day
6796	2025-03-21 09:47:10	N/A	55dB	N/A	N/A	Day
6797	2025-03-21 09:52:27	67.97	55dB	2.5	146%	Day
6798	2025-03-21 10:03:22	N/A	55dB	N/A	N/A	Day
6799	2025-03-21 10:04:41	N/A	55dB	N/A	N/A	Day
6800	2025-03-21 10:06:32	N/A	55dB	N/A	N/A	Day
6801	2025-03-21 10:13:13	69.06	55dB	2.7	165%	Day
6802	2025-03-21 10:16:13	71.89	55dB	3.2	222%	Day
6803	2025-03-21 10:20:41	67.77	55dB	2.4	142%	Day
6804	2025-03-21 10:22:58	71.14	55dB	3.1	206%	Day
6805	2025-03-21 10:25:36	N/A	55dB	N/A	N/A	Day
6806	2025-03-21 10:31:35	N/A	55dB	N/A	N/A	Day
6807	2025-03-21 10:35:13	72.35	55dB	3.3	233%	Day
6808	2025-03-21 10:36:28	69.47	55dB	2.7	173%	Day
6809	2025-03-21 10:37:55	N/A	55dB	N/A	N/A	Day
6810	2025-03-21 10:39:32	69.57	55dB	2.7	175%	Day
6811	2025-03-21 10:41:28	70.96	55dB	3.0	202%	Day
6812	2025-03-21 10:43:29	N/A	55dB	N/A	N/A	Day
6813	2025-03-21 10:45:01	N/A	55dB	N/A	N/A	Day
6814	2025-03-21 10:46:37	N/A	55dB	N/A	N/A	Day

6815	2025-03-21 10:48:16	N/A	55dB	N/A	N/A	Day
6816	2025-03-21 10:50:21	71.18	55dB	3.1	207%	Day
6817	2025-03-21 10:51:41	73.58	55dB	3.6	263%	Day
6818	2025-03-21 10:53:56	69.46	55dB	2.7	172%	Day
6819	2025-03-21 10:55:05	N/A	55dB	N/A	N/A	Day
6820	2025-03-21 10:56:23	70.51	55dB	2.9	193%	Day
6821	2025-03-21 10:57:32	69.41	55dB	2.7	172%	Day
6822	2025-03-21 10:58:45	N/A	55dB	N/A	N/A	Day
6823	2025-03-21 11:00:16	70.26	55dB	2.9	188%	Day
6824	2025-03-21 11:01:43	72.14	55dB	3.3	228%	Day
6825	2025-03-21 11:04:02	67.92	55dB	2.4	145%	Day
6826	2025-03-21 11:05:18	N/A	55dB	N/A	N/A	Day
6827	2025-03-21 11:09:18	N/A	55dB	N/A	N/A	Day
6828	2025-03-21 11:11:33	73.42	55dB	3.6	259%	Day
6829	2025-03-21 11:14:01	N/A	55dB	N/A	N/A	Day
6830	2025-03-21 11:16:28	68.48	55dB	2.5	155%	Day
6831	2025-03-21 11:18:02	71.40	55dB	3.1	212%	Day
6832	2025-03-21 11:19:44	N/A	55dB	N/A	N/A	Day
6833	2025-03-21 11:21:18	N/A	55dB	N/A	N/A	Day
6834	2025-03-21 11:22:39	70.53	55dB	2.9	193%	Day
6835	2025-03-21 11:24:09	71.21	55dB	3.1	208%	Day
6836	2025-03-21 11:25:36	N/A	55dB	N/A	N/A	Day
6837	2025-03-21 11:27:09	N/A	55dB	N/A	N/A	Day
6838	2025-03-21 11:28:42	N/A	55dB	N/A	N/A	Day
6839	2025-03-21 11:30:08	67.13	55dB	2.3	132%	Day
6840	2025-03-21 11:31:47	67.09	55dB	2.3	131%	Day
6841	2025-03-21 11:33:06	67.93	55dB	2.5	145%	Day
6842	2025-03-21 11:34:32	N/A	55dB	N/A	N/A	Day
6843	2025-03-21 11:35:51	72.17	55dB	3.3	229%	Day
6844	2025-03-21 11:37:21	N/A	55dB	N/A	N/A	Day
6845	2025-03-21 11:38:40	70.78	55dB	3.0	199%	Day
6846	2025-03-21 11:40:18	68.51	55dB	2.6	155%	Day
6847	2025-03-21 11:42:18	N/A	55dB	N/A	N/A	Day
6848	2025-03-21 11:43:47	72.81	55dB	3.4	244%	Day
6849	2025-03-21 11:49:07	70.34	55dB	2.9	190%	Day
6850	2025-03-21 11:51:48	72.69	55dB	3.4	241%	Day
6851	2025-03-21 11:55:55	N/A	55dB	N/A	N/A	Day
6852	2025-03-21 11:57:32	N/A	55dB	N/A	N/A	Day
6853	2025-03-21 11:59:03	68.07	55dB	2.5	147%	Day
6854	2025-03-21 12:01:16	75.04	55dB	4.0	301%	Day
6855	2025-03-21 12:03:32	N/A	55dB	N/A	N/A	Day
6856	2025-03-21 12:05:18	N/A	55dB	N/A	N/A	Day
6857	2025-03-21 12:07:17	67.37	55dB	2.4	136%	Day
6858	2025-03-21 12:13:28	73.97	55dB	3.7	272%	Day

6859	2025-03-21 12:15:39	68.82	55dB	2.6	161%	Day
6860	2025-03-21 12:17:31	74.94	55dB	4.0	298%	Day
6861	2025-03-21 12:19:44	N/A	55dB	N/A	N/A	Day
6862	2025-03-21 12:23:43	69.86	55dB	2.8	180%	Day
6863	2025-03-21 12:25:18	N/A	55dB	N/A	N/A	Day
6864	2025-03-21 12:27:07	69.87	55dB	2.8	180%	Day
6865	2025-03-21 12:28:24	72.94	55dB	3.5	247%	Day
6866	2025-03-21 12:29:51	69.53	55dB	2.7	174%	Day
6867	2025-03-21 12:31:40	66.07	55dB	2.2	115%	Day
6868	2025-03-21 12:33:47	74.20	55dB	3.8	278%	Day
6869	2025-03-21 12:37:32	70.62	55dB	3.0	195%	Day
6870	2025-03-21 12:39:33	68.34	55dB	2.5	152%	Day
6871	2025-03-21 12:42:34	N/A	55dB	N/A	N/A	Day
6872	2025-03-21 12:44:28	71.46	55dB	3.1	213%	Day
6873	2025-03-21 12:46:50	72.15	55dB	3.3	228%	Day
6874	2025-03-21 12:54:00	N/A	55dB	N/A	N/A	Day
6875	2025-03-21 12:57:32	75.09	55dB	4.0	303%	Day
6876	2025-03-21 12:59:10	74.96	55dB	4.0	299%	Day
6877	2025-03-21 13:02:41	N/A	55dB	N/A	N/A	Day
6878	2025-03-21 13:05:21	66.91	55dB	2.3	128%	Day
6879	2025-03-21 13:06:56	71.62	55dB	3.2	216%	Day
6880	2025-03-21 13:08:43	72.42	55dB	3.3	234%	Day
6881	2025-03-21 13:13:16	N/A	55dB	N/A	N/A	Day
6882	2025-03-21 13:17:26	N/A	55dB	N/A	N/A	Day
6883	2025-03-21 13:19:28	N/A	55dB	N/A	N/A	Day
6884	2025-03-21 13:20:58	N/A	55dB	N/A	N/A	Day
6885	2025-03-21 13:26:32	69.98	55dB	2.8	182%	Day
6886	2025-03-21 13:27:56	68.81	55dB	2.6	160%	Day
6887	2025-03-21 13:29:25	71.64	55dB	3.2	217%	Day
6888	2025-03-21 13:30:44	69.56	55dB	2.7	174%	Day
6889	2025-03-21 13:32:20	72.60	55dB	3.4	239%	Day
6890	2025-03-21 13:35:53	71.35	55dB	3.1	211%	Day
6891	2025-03-21 13:37:14	68.89	55dB	2.6	162%	Day
6892	2025-03-21 13:38:46	69.00	55dB	2.6	164%	Day
6893	2025-03-21 13:40:35	N/A	55dB	N/A	N/A	Day
6894	2025-03-21 13:41:56	74.13	55dB	3.8	277%	Day
6895	2025-03-21 13:46:05	N/A	55dB	N/A	N/A	Day
6896	2025-03-21 13:47:48	N/A	55dB	N/A	N/A	Day
6897	2025-03-21 13:49:14	69.26	55dB	2.7	169%	Day
6898	2025-03-21 13:50:46	68.18	55dB	2.5	149%	Day
6899	2025-03-21 13:55:33	77.31	55dB	4.7	369%	Day
6900	2025-03-21 13:57:34	67.44	55dB	2.4	137%	Day
6901	2025-03-21 14:00:45	72.22	55dB	3.3	230%	Day
6902	2025-03-21 14:02:11	74.23	55dB	3.8	279%	Day

6903	2025-03-21 14:03:27	69.06	55dB	2.7	165%	Day
6904	2025-03-21 14:05:36	72.93	55dB	3.5	247%	Day
6905	2025-03-21 14:09:26	70.65	55dB	3.0	196%	Day
6906	2025-03-21 14:10:32	N/A	55dB	N/A	N/A	Day
6907	2025-03-21 14:12:03	72.65	55dB	3.4	240%	Day
6908	2025-03-21 14:21:27	72.78	55dB	3.4	243%	Day
6909	2025-03-21 14:22:58	71.73	55dB	3.2	219%	Day
6910	2025-03-21 14:25:13	69.37	55dB	2.7	171%	Day
6911	2025-03-21 14:26:18	79.46	55dB	5.4	445%	Day
6912	2025-03-21 14:28:21	75.55	55dB	4.2	316%	Day
6913	2025-03-21 14:30:30	74.89	55dB	4.0	297%	Day
6914	2025-03-21 14:32:13	67.30	55dB	2.3	135%	Day
6915	2025-03-21 14:36:32	68.26	55dB	2.5	151%	Day
6916	2025-03-21 14:38:36	72.19	55dB	3.3	229%	Day
6917	2025-03-21 14:41:17	71.93	55dB	3.2	223%	Day
6918	2025-03-21 14:43:02	76.04	55dB	4.3	330%	Day
6919	2025-03-21 14:46:09	72.94	55dB	3.5	247%	Day
6920	2025-03-21 14:49:57	N/A	55dB	N/A	N/A	Day
6921	2025-03-21 14:54:12	71.35	55dB	3.1	211%	Day
6922	2025-03-21 14:55:59	70.42	55dB	2.9	191%	Day
6923	2025-03-21 14:57:23	N/A	55dB	N/A	N/A	Day
6924	2025-03-21 14:58:42	69.85	55dB	2.8	180%	Day
6925	2025-03-21 15:00:08	69.56	55dB	2.7	174%	Day
6926	2025-03-21 15:01:35	73.16	55dB	3.5	252%	Day
6927	2025-03-21 15:03:52	72.01	55dB	3.3	225%	Day
6928	2025-03-21 15:05:28	73.56	55dB	3.6	262%	Day
6929	2025-03-21 15:07:09	75.79	55dB	4.2	323%	Day
6930	2025-03-21 15:09:25	77.95	55dB	4.9	391%	Day
6931	2025-03-21 15:11:06	69.78	55dB	2.8	179%	Day
6932	2025-03-21 15:13:58	73.40	55dB	3.6	258%	Day
6933	2025-03-21 15:17:56	72.69	55dB	3.4	241%	Day
6934	2025-03-21 15:20:22	74.67	55dB	3.9	291%	Day
6935	2025-03-21 15:21:52	71.50	55dB	3.1	214%	Day
6936	2025-03-21 15:24:16	69.45	55dB	2.7	172%	Day
6937	2025-03-21 15:26:13	N/A	55dB	N/A	N/A	Day
6938	2025-03-21 15:27:34	73.75	55dB	3.7	267%	Day
6939	2025-03-21 15:29:22	73.04	55dB	3.5	249%	Day
6940	2025-03-21 15:31:10	73.09	55dB	3.5	250%	Day
6941	2025-03-21 15:35:35	N/A	55dB	N/A	N/A	Day
6942	2025-03-21 15:36:56	N/A	55dB	N/A	N/A	Day
6943	2025-03-21 15:38:18	71.12	55dB	3.1	206%	Day
6944	2025-03-21 15:39:28	N/A	55dB	N/A	N/A	Day
6945	2025-03-21 15:40:56	74.81	55dB	3.9	295%	Day
6946	2025-03-21 15:42:14	72.42	55dB	3.3	234%	Day

6947	2025-03-21 15:44:15	72.20	55dB	3.3	229%	Day
6948	2025-03-21 15:45:33	67.99	55dB	2.5	146%	Day
6949	2025-03-21 15:48:17	N/A	55dB	N/A	N/A	Day
6950	2025-03-21 15:49:27	74.10	55dB	3.8	276%	Day
6951	2025-03-21 15:50:41	N/A	55dB	N/A	N/A	Day
6952	2025-03-21 15:52:16	70.14	55dB	2.9	186%	Day
6953	2025-03-21 15:53:40	N/A	55dB	N/A	N/A	Day
6954	2025-03-21 15:56:08	71.62	55dB	3.2	216%	Day
6955	2025-03-21 15:57:26	75.55	55dB	4.2	316%	Day
6956	2025-03-21 15:58:40	70.56	55dB	2.9	194%	Day
6957	2025-03-21 16:00:30	N/A	55dB	N/A	N/A	Day
6958	2025-03-21 16:01:47	N/A	55dB	N/A	N/A	Day
6959	2025-03-21 16:03:54	66.15	55dB	2.2	117%	Day
6960	2025-03-21 16:05:16	68.68	55dB	2.6	158%	Day
6961	2025-03-21 16:06:36	N/A	55dB	N/A	N/A	Day
6962	2025-03-21 16:07:56	68.30	55dB	2.5	151%	Day
6963	2025-03-21 16:09:34	67.85	55dB	2.4	144%	Day
6964	2025-03-21 16:10:56	67.45	55dB	2.4	137%	Day
6965	2025-03-21 16:13:18	67.05	55dB	2.3	131%	Day
6966	2025-03-21 16:14:44	75.79	55dB	4.2	323%	Day
6967	2025-03-21 16:16:31	70.30	55dB	2.9	189%	Day
6968	2025-03-21 16:18:03	70.64	55dB	3.0	196%	Day
6969	2025-03-21 16:20:05	72.20	55dB	3.3	229%	Day
6970	2025-03-21 16:22:56	72.91	55dB	3.5	246%	Day
6971	2025-03-21 16:25:13	N/A	55dB	N/A	N/A	Day
6972	2025-03-21 16:26:31	70.09	55dB	2.8	185%	Day
6973	2025-03-21 16:27:53	69.71	55dB	2.8	177%	Day
6974	2025-03-21 16:29:42	75.64	55dB	4.2	318%	Day
6975	2025-03-21 16:31:18	68.59	55dB	2.6	157%	Day
6976	2025-03-21 16:37:46	69.69	55dB	2.8	177%	Day
6977	2025-03-21 16:41:09	74.72	55dB	3.9	292%	Day
6978	2025-03-21 16:43:16	76.45	55dB	4.4	342%	Day
6979	2025-03-21 16:45:30	81.69	55dB	6.4	536%	Day
6980	2025-03-21 16:47:13	71.11	55dB	3.1	205%	Day
6981	2025-03-21 16:48:39	70.52	55dB	2.9	193%	Day
6982	2025-03-21 16:52:05	N/A	55dB	N/A	N/A	Day
6983	2025-03-21 16:53:46	73.74	55dB	3.7	267%	Day
6984	2025-03-21 16:56:29	N/A	55dB	N/A	N/A	Day
6985	2025-03-21 16:57:55	N/A	55dB	N/A	N/A	Day
6986	2025-03-21 17:00:47	N/A	55dB	N/A	N/A	Day
6987	2025-03-21 17:06:02	N/A	55dB	N/A	N/A	Day
6988	2025-03-21 17:09:17	75.20	55dB	4.1	306%	Day
6989	2025-03-21 17:11:56	N/A	55dB	N/A	N/A	Day
6990	2025-03-21 17:13:43	69.78	55dB	2.8	179%	Day

6991	2025-03-21 17:15:17	N/A	55dB	N/A	N/A	Day
6992	2025-03-21 17:16:48	N/A	55dB	N/A	N/A	Day
6993	2025-03-21 17:25:24	N/A	55dB	N/A	N/A	Day
6994	2025-03-21 17:26:57	69.90	55dB	2.8	181%	Day
6995	2025-03-21 17:29:49	70.38	55dB	2.9	190%	Day
6996	2025-03-21 17:31:18	70.41	55dB	2.9	191%	Day
6997	2025-03-21 17:32:33	73.34	55dB	3.6	257%	Day
6998	2025-03-21 17:34:38	67.10	55dB	2.3	131%	Day
6999	2025-03-21 17:35:56	81.16	55dB	6.1	513%	Day
7000	2025-03-21 17:37:41	68.88	55dB	2.6	162%	Day
7001	2025-03-21 17:39:11	75.81	55dB	4.2	323%	Day
7002	2025-03-21 17:40:41	74.81	55dB	3.9	295%	Day
7003	2025-03-21 17:42:58	N/A	55dB	N/A	N/A	Day
7004	2025-03-21 17:44:56	73.81	55dB	3.7	268%	Day
7005	2025-03-21 17:47:26	N/A	55dB	N/A	N/A	Day
7006	2025-03-21 17:48:44	68.32	55dB	2.5	152%	Day
7007	2025-03-21 17:50:03	72.69	55dB	3.4	241%	Day
7008	2025-03-21 17:51:37	69.22	55dB	2.7	168%	Day
7009	2025-03-21 17:53:20	68.89	55dB	2.6	162%	Day
7010	2025-03-21 17:54:54	71.79	55dB	3.2	220%	Day
7011	2025-03-21 17:57:05	N/A	55dB	N/A	N/A	Day
7012	2025-03-21 17:58:27	73.37	55dB	3.6	257%	Day
7013	2025-03-21 18:00:06	N/A	55dB	N/A	N/A	Day
7014	2025-03-21 18:02:10	70.00	55dB	2.8	183%	Day
7015	2025-03-21 18:03:43	67.44	55dB	2.4	137%	Day
7016	2025-03-21 18:05:03	68.49	55dB	2.5	155%	Day
7017	2025-03-21 18:07:16	68.67	55dB	2.6	158%	Day
7018	2025-03-21 18:09:18	N/A	55dB	N/A	N/A	Day
7019	2025-03-21 18:10:53	68.88	55dB	2.6	162%	Day
7020	2025-03-21 18:12:49	76.91	55dB	4.6	357%	Day
7021	2025-03-21 18:14:25	76.84	55dB	4.5	354%	Day
7022	2025-03-21 18:15:55	73.06	55dB	3.5	250%	Day
7023	2025-03-21 18:17:19	69.98	55dB	2.8	182%	Day
7024	2025-03-21 18:19:02	78.76	55dB	5.2	419%	Day
7025	2025-03-21 18:20:39	70.08	55dB	2.8	184%	Day
7026	2025-03-21 18:22:18	N/A	55dB	N/A	N/A	Day
7027	2025-03-21 18:23:35	N/A	55dB	N/A	N/A	Day
7028	2025-03-21 18:25:07	77.01	55dB	4.6	360%	Day
7029	2025-03-21 18:27:32	71.79	55dB	3.2	220%	Day
7030	2025-03-21 18:29:40	72.56	55dB	3.4	238%	Day
7031	2025-03-21 18:31:11	N/A	55dB	N/A	N/A	Day
7032	2025-03-21 18:32:32	72.09	55dB	3.3	227%	Day
7033	2025-03-21 18:34:10	N/A	55dB	N/A	N/A	Day
7034	2025-03-21 18:35:35	70.50	55dB	2.9	193%	Day

7035	2025-03-21 18:37:24	70.74	55dB	3.0	198%	Day
7036	2025-03-21 18:39:07	70.30	55dB	2.9	189%	Day
7037	2025-03-21 18:41:21	N/A	55dB	N/A	N/A	Day
7038	2025-03-21 18:42:36	N/A	55dB	N/A	N/A	Day
7039	2025-03-21 18:43:52	69.07	55dB	2.7	165%	Day
7040	2025-03-21 18:45:19	71.46	55dB	3.1	213%	Day
7041	2025-03-21 18:46:34	N/A	55dB	N/A	N/A	Day
7042	2025-03-21 18:47:55	66.57	55dB	2.2	123%	Day
7043	2025-03-21 18:49:50	N/A	55dB	N/A	N/A	Day
7044	2025-03-21 18:51:14	70.91	55dB	3.0	201%	Day
7045	2025-03-21 18:52:31	N/A	55dB	N/A	N/A	Day
7046	2025-03-21 18:54:27	N/A	55dB	N/A	N/A	Day
7047	2025-03-21 18:55:56	72.18	55dB	3.3	229%	Day
7048	2025-03-21 18:57:32	69.89	55dB	2.8	181%	Day
7049	2025-03-21 18:58:39	68.36	55dB	2.5	152%	Day
7050	2025-03-21 19:00:26	72.97	55dB	3.5	247%	Day
7051	2025-03-21 19:01:43	68.85	55dB	2.6	161%	Day
7052	2025-03-21 19:03:58	76.27	55dB	4.4	337%	Day
7053	2025-03-21 19:05:31	N/A	55dB	N/A	N/A	Day
7054	2025-03-21 19:07:11	68.94	55dB	2.6	163%	Day
7055	2025-03-21 19:08:52	75.12	55dB	4.0	303%	Day
7056	2025-03-21 19:10:34	N/A	55dB	N/A	N/A	Day
7057	2025-03-21 19:12:06	66.25	55dB	2.2	118%	Day
7058	2025-03-21 19:13:28	N/A	55dB	N/A	N/A	Day
7059	2025-03-21 19:14:52	67.52	55dB	2.4	138%	Day
7060	2025-03-21 19:16:12	69.67	55dB	2.8	176%	Day
7061	2025-03-21 19:17:33	72.70	55dB	3.4	241%	Day
7062	2025-03-21 19:19:01	77.56	55dB	4.8	378%	Day
7063	2025-03-21 19:20:30	71.85	55dB	3.2	222%	Day
7064	2025-03-21 19:21:50	N/A	55dB	N/A	N/A	Day
7065	2025-03-21 19:23:14	73.82	55dB	3.7	269%	Day
7066	2025-03-21 19:24:52	78.40	55dB	5.1	406%	Day
7067	2025-03-21 19:26:51	72.02	55dB	3.3	225%	Day
7068	2025-03-21 19:28:24	68.30	55dB	2.5	151%	Day
7069	2025-03-21 19:30:23	73.09	55dB	3.5	250%	Day
7070	2025-03-21 19:32:09	72.70	55dB	3.4	241%	Day
7071	2025-03-21 19:34:22	77.49	55dB	4.8	375%	Day
7072	2025-03-21 19:35:45	70.92	55dB	3.0	201%	Day
7073	2025-03-21 19:37:02	71.92	55dB	3.2	223%	Day
7074	2025-03-21 19:38:26	N/A	55dB	N/A	N/A	Day
7075	2025-03-21 19:39:55	N/A	55dB	N/A	N/A	Day
7076	2025-03-21 19:41:19	74.47	55dB	3.9	286%	Day
7077	2025-03-21 19:42:40	70.11	55dB	2.9	185%	Day
7078	2025-03-21 19:43:57	67.21	55dB	2.3	133%	Day

7079	2025-03-21 19:46:03	N/A	55dB	N/A	N/A	Day
7080	2025-03-21 19:47:43	75.43	55dB	4.1	312%	Day
7081	2025-03-21 19:49:11	69.82	55dB	2.8	179%	Day
7082	2025-03-21 19:50:38	68.73	55dB	2.6	159%	Day
7083	2025-03-21 19:52:25	69.30	55dB	2.7	169%	Day
7084	2025-03-21 19:56:34	68.96	55dB	2.6	163%	Day
7085	2025-03-21 19:59:12	70.05	55dB	2.8	184%	Day
7086	2025-03-21 20:00:55	72.49	55dB	3.4	236%	Day
7087	2025-03-21 20:02:37	73.03	55dB	3.5	249%	Day
7088	2025-03-21 20:06:45	72.28	55dB	3.3	231%	Day
7089	2025-03-21 20:11:51	70.60	55dB	2.9	195%	Day
7090	2025-03-21 20:13:48	74.44	55dB	3.8	285%	Day
7091	2025-03-21 20:15:18	68.79	55dB	2.6	160%	Day
7092	2025-03-21 20:17:00	68.58	55dB	2.6	156%	Day
7093	2025-03-21 20:24:06	74.05	55dB	3.7	275%	Day
7094	2025-03-21 20:27:20	76.43	55dB	4.4	342%	Day
7095	2025-03-21 20:29:12	71.27	55dB	3.1	209%	Day
7096	2025-03-21 20:31:04	72.22	55dB	3.3	230%	Day
7097	2025-03-21 20:33:32	69.23	55dB	2.7	168%	Day
7098	2025-03-21 20:35:01	73.06	55dB	3.5	250%	Day
7099	2025-03-21 20:37:05	70.73	55dB	3.0	198%	Day
7100	2025-03-21 20:38:44	69.81	55dB	2.8	179%	Day
7101	2025-03-21 20:41:12	75.16	55dB	4.0	304%	Day
7102	2025-03-21 20:45:32	71.26	55dB	3.1	209%	Day
7103	2025-03-21 20:47:26	71.46	55dB	3.1	213%	Day
7104	2025-03-21 20:48:56	N/A	55dB	N/A	N/A	Day
7105	2025-03-21 20:50:25	70.46	55dB	2.9	192%	Day
7106	2025-03-21 20:52:19	73.48	55dB	3.6	260%	Day
7107	2025-03-21 20:53:50	75.46	55dB	4.1	313%	Day
7108	2025-03-21 20:55:53	71.96	55dB	3.2	224%	Day
7109	2025-03-21 20:57:26	71.16	55dB	3.1	207%	Day
7110	2025-03-21 20:59:13	72.07	55dB	3.3	226%	Day
7111	2025-03-21 21:00:38	71.18	55dB	3.1	207%	Day
7112	2025-03-21 21:02:13	68.83	55dB	2.6	161%	Day
7113	2025-03-21 21:03:34	N/A	55dB	N/A	N/A	Day
7114	2025-03-21 21:04:56	71.15	55dB	3.1	206%	Day
7115	2025-03-21 21:06:18	71.33	55dB	3.1	210%	Day
7116	2025-03-21 21:07:52	73.56	55dB	3.6	262%	Day
7117	2025-03-21 21:09:17	71.17	55dB	3.1	207%	Day
7118	2025-03-21 21:11:02	73.17	55dB	3.5	252%	Day
7119	2025-03-21 21:12:33	N/A	55dB	N/A	N/A	Day
7120	2025-03-21 21:14:13	N/A	55dB	N/A	N/A	Day
7121	2025-03-21 21:15:48	74.40	55dB	3.8	284%	Day
7122	2025-03-21 21:17:19	69.36	55dB	2.7	171%	Day

7123	2025-03-21 21:18:45	69.46	55dB	2.7	172%	Day
7124	2025-03-21 21:20:14	N/A	55dB	N/A	N/A	Day
7125	2025-03-21 21:21:36	74.23	55dB	3.8	279%	Day
7126	2025-03-21 21:23:33	69.00	55dB	2.6	164%	Day
7127	2025-03-21 21:25:26	66.56	55dB	2.2	123%	Day
7128	2025-03-21 21:26:51	68.70	55dB	2.6	158%	Day
7129	2025-03-21 21:28:33	73.69	55dB	3.7	265%	Day
7130	2025-03-21 21:30:45	72.37	55dB	3.3	233%	Day
7131	2025-03-21 21:33:21	66.00	55dB	2.1	114%	Day
7132	2025-03-21 21:35:24	71.24	55dB	3.1	208%	Day
7133	2025-03-21 21:38:08	N/A	55dB	N/A	N/A	Day
7134	2025-03-21 21:40:03	69.19	55dB	2.7	167%	Day
7135	2025-03-21 21:41:40	73.93	55dB	3.7	271%	Day
7136	2025-03-21 21:43:50	69.56	55dB	2.7	174%	Day
7137	2025-03-21 21:45:51	67.78	55dB	2.4	143%	Day
7138	2025-03-21 21:47:45	70.51	55dB	2.9	193%	Day
7139	2025-03-21 21:50:07	71.62	55dB	3.2	216%	Day
7140	2025-03-21 22:01:35	67.66	55dB	2.4	140%	Day
7141	2025-03-21 22:03:53	N/A	55dB	N/A	N/A	Day
7142	2025-03-21 22:08:02	N/A	55dB	N/A	N/A	Day
7143	2025-03-21 22:11:39	N/A	55dB	N/A	N/A	Day
7144	2025-03-21 22:13:36	67.68	55dB	2.4	141%	Day
7145	2025-03-21 22:15:26	74.41	55dB	3.8	284%	Day
7146	2025-03-21 22:17:30	70.30	55dB	2.9	189%	Day
7147	2025-03-21 22:18:57	70.44	55dB	2.9	192%	Day
7148	2025-03-21 22:21:02	70.07	55dB	2.8	184%	Day
7149	2025-03-21 22:22:43	N/A	55dB	N/A	N/A	Day
7150	2025-03-21 22:24:51	N/A	55dB	N/A	N/A	Day
7151	2025-03-21 22:26:37	N/A	55dB	N/A	N/A	Day
7152	2025-03-21 22:28:11	73.10	55dB	3.5	251%	Day
7153	2025-03-21 22:30:15	70.85	55dB	3.0	200%	Day
7154	2025-03-21 22:32:17	72.95	55dB	3.5	247%	Day
7155	2025-03-21 22:34:04	70.14	55dB	2.9	186%	Day
7156	2025-03-21 22:38:04	N/A	55dB	N/A	N/A	Day
7157	2025-03-21 22:41:30	67.77	55dB	2.4	142%	Day
7158	2025-03-21 22:44:13	71.82	55dB	3.2	221%	Day
7159	2025-03-21 22:46:45	70.73	55dB	3.0	198%	Day
7160	2025-03-21 22:49:03	73.24	55dB	3.5	254%	Day
7161	2025-03-21 22:51:56	70.79	55dB	3.0	199%	Day
7162	2025-03-21 22:53:58	N/A	55dB	N/A	N/A	Day
7163	2025-03-21 22:55:30	N/A	55dB	N/A	N/A	Day
7164	2025-03-21 22:59:37	70.53	55dB	2.9	193%	Day
7165	2025-03-21 23:01:30	68.81	45dB	5.2	421%	Night
7166	2025-03-21 23:02:56	70.03	45dB	5.7	467%	Night

7167	2025-03-21 23:04:52	71.47	45dB	6.3	526%	Night
7168	2025-03-21 23:06:56	75.05	45dB	8.0	703%	Night
7169	2025-03-21 23:09:24	70.11	45dB	5.7	470%	Night
7170	2025-03-21 23:19:21	71.61	45dB	6.3	532%	Night
7171	2025-03-21 23:22:03	69.12	45dB	5.3	432%	Night
7172	2025-03-21 23:23:42	68.55	45dB	5.1	412%	Night
7173	2025-03-21 23:25:13	72.40	45dB	6.7	568%	Night
7174	2025-03-21 23:26:58	N/A	45dB	N/A	N/A	Night
7175	2025-03-21 23:32:33	72.34	45dB	6.7	565%	Night
7176	2025-03-21 23:34:57	72.55	45dB	6.8	575%	Night
7177	2025-03-21 23:37:18	68.18	45dB	5.0	399%	Night
7178	2025-03-21 23:39:10	73.80	45dB	7.4	636%	Night
7179	2025-03-21 23:41:37	N/A	45dB	N/A	N/A	Night
7180	2025-03-21 23:44:24	70.63	45dB	5.9	491%	Night
7181	2025-03-21 23:48:36	69.92	45dB	5.6	463%	Night
7182	2025-03-21 23:50:20	69.64	45dB	5.5	452%	Night
7183	2025-03-21 23:52:02	74.96	45dB	8.0	698%	Night
7184	2025-03-21 23:53:56	73.51	45dB	7.2	622%	Night
7185	2025-03-21 23:55:31	67.20	45dB	4.7	366%	Night
7186	2025-03-21 23:57:04	71.07	45dB	6.1	509%	Night
7187	2025-03-21 23:59:20	71.22	45dB	6.2	516%	Night
7188	2025-03-25 00:37:15	81.19	45dB	12.3	1129%	Night
7189	2025-03-25 00:39:43	76.42	45dB	8.8	783%	Night
7190	2025-03-25 00:55:26	71.96	45dB	6.5	548%	Night
7191	2025-03-25 01:20:51	67.01	45dB	4.6	360%	Night
7192	2025-03-25 01:23:25	69.06	45dB	5.3	430%	Night
7193	2025-03-25 02:01:04	N/A	45dB	N/A	N/A	Night
7194	2025-03-25 02:06:01	N/A	45dB	N/A	N/A	Night
7195	2025-03-25 02:16:56	72.78	45dB	6.9	586%	Night
7196	2025-03-25 02:21:16	69.60	45dB	5.5	450%	Night
7197	2025-03-25 03:09:39	72.58	45dB	6.8	576%	Night
7198	2025-03-25 03:33:24	80.47	45dB	11.7	1069%	Night
7199	2025-03-25 05:05:54	72.34	45dB	6.7	565%	Night
7200	2025-03-25 05:27:33	73.23	45dB	7.1	608%	Night
7201	2025-03-25 05:40:11	70.64	45dB	5.9	491%	Night
7202	2025-03-25 05:42:08	75.49	45dB	8.3	728%	Night
7203	2025-03-25 05:45:12	68.01	45dB	4.9	393%	Night
7204	2025-03-25 05:47:27	75.53	45dB	8.3	730%	Night
7205	2025-03-25 05:52:56	75.68	45dB	8.4	739%	Night
7206	2025-03-25 05:59:46	81.72	45dB	12.7	1175%	Night
7207	2025-03-25 06:04:38	77.62	45dB	9.6	859%	Night
7208	2025-03-25 06:15:55	73.05	45dB	7.0	599%	Night
7209	2025-03-25 06:21:22	75.74	45dB	8.4	742%	Night
7210	2025-03-25 06:30:01	74.30	45dB	7.6	662%	Night

7211	2025-03-25 06:31:52	73.40	45dB	7.2	616%	Night
7212	2025-03-25 06:34:06	69.44	45dB	5.4	444%	Night
7213	2025-03-25 06:35:24	70.96	45dB	6.0	505%	Night
7214	2025-03-25 06:36:46	69.97	45dB	5.6	465%	Night
7215	2025-03-25 06:38:10	74.01	45dB	7.5	647%	Night
7216	2025-03-25 06:40:11	70.94	45dB	6.0	504%	Night
7217	2025-03-25 06:41:16	71.62	45dB	6.3	533%	Night
7218	2025-03-25 06:42:41	N/A	45dB	N/A	N/A	Night
7219	2025-03-25 06:43:47	70.26	45dB	5.8	476%	Night
7220	2025-03-25 06:45:10	70.29	45dB	5.8	477%	Night
7221	2025-03-25 06:46:24	70.04	45dB	5.7	467%	Night
7222	2025-03-25 06:47:34	N/A	45dB	N/A	N/A	Night
7223	2025-03-25 06:49:28	69.94	45dB	5.6	463%	Night
7224	2025-03-25 06:55:32	82.24	45dB	13.2	1221%	Night
7225	2025-03-25 06:59:14	71.25	45dB	6.2	517%	Night
7226	2025-03-25 07:00:38	70.77	55dB	3.0	198%	Day
7227	2025-03-25 07:02:21	75.61	55dB	4.2	317%	Day
7228	2025-03-25 07:03:23	72.26	55dB	3.3	231%	Day
7229	2025-03-25 07:04:42	71.60	55dB	3.2	216%	Day
7230	2025-03-25 07:05:44	71.51	55dB	3.1	214%	Day
7231	2025-03-25 07:07:10	75.91	55dB	4.3	326%	Day
7232	2025-03-25 07:08:28	73.51	55dB	3.6	261%	Day
7233	2025-03-25 07:10:12	76.16	55dB	4.3	333%	Day
7234	2025-03-25 07:11:32	72.40	55dB	3.3	234%	Day
7235	2025-03-25 07:15:58	71.99	55dB	3.2	225%	Day
7236	2025-03-25 07:19:08	80.40	55dB	5.8	482%	Day
7237	2025-03-25 07:21:27	73.45	55dB	3.6	259%	Day
7238	2025-03-25 07:23:02	N/A	55dB	N/A	N/A	Day
7239	2025-03-25 07:24:37	N/A	55dB	N/A	N/A	Day
7240	2025-03-25 07:29:42	N/A	55dB	N/A	N/A	Day
7241	2025-03-25 07:36:37	N/A	55dB	N/A	N/A	Day
7242	2025-03-25 07:42:03	75.58	55dB	4.2	316%	Day
7243	2025-03-25 07:44:08	N/A	55dB	N/A	N/A	Day
7244	2025-03-25 07:45:51	75.56	55dB	4.2	316%	Day
7245	2025-03-25 07:56:51	68.95	55dB	2.6	163%	Day
7246	2025-03-25 07:58:19	69.95	55dB	2.8	182%	Day
7247	2025-03-25 08:00:13	73.46	55dB	3.6	260%	Day
7248	2025-03-25 08:03:45	74.40	55dB	3.8	284%	Day
7249	2025-03-25 08:09:40	74.37	55dB	3.8	283%	Day
7250	2025-03-25 08:14:34	82.36	55dB	6.7	566%	Day
7251	2025-03-25 08:21:35	69.81	55dB	2.8	179%	Day
7252	2025-03-25 08:25:06	70.45	55dB	2.9	192%	Day
7253	2025-03-25 08:30:56	82.68	55dB	6.8	581%	Day
7254	2025-03-25 08:36:15	69.80	55dB	2.8	179%	Day

7255	2025-03-25 08:48:07	74.12	55dB	3.8	276%	Day
7256	2025-03-25 08:50:41	74.22	55dB	3.8	279%	Day
7257	2025-03-25 08:57:32	82.71	55dB	6.8	583%	Day
7258	2025-03-25 09:08:14	72.76	55dB	3.4	242%	Day
7259	2025-03-25 09:18:48	75.87	55dB	4.2	325%	Day
7260	2025-03-25 09:20:28	75.00	55dB	4.0	300%	Day
7261	2025-03-25 09:22:38	76.18	55dB	4.3	334%	Day
7262	2025-03-25 09:23:53	70.67	55dB	3.0	196%	Day
7263	2025-03-25 09:25:33	72.93	55dB	3.5	247%	Day
7264	2025-03-25 09:26:57	70.04	55dB	2.8	184%	Day
7265	2025-03-25 09:29:00	72.82	55dB	3.4	244%	Day
7266	2025-03-25 09:33:28	72.59	55dB	3.4	238%	Day
7267	2025-03-25 09:35:46	80.62	55dB	5.9	491%	Day
7268	2025-03-25 09:43:49	68.91	55dB	2.6	162%	Day
7269	2025-03-25 09:45:29	77.12	55dB	4.6	363%	Day
7270	2025-03-25 09:48:05	70.59	55dB	2.9	195%	Day
7271	2025-03-25 09:56:21	79.96	55dB	5.6	464%	Day
7272	2025-03-25 10:00:41	70.53	55dB	2.9	193%	Day
7273	2025-03-25 10:09:48	79.97	55dB	5.6	465%	Day
7274	2025-03-25 10:17:05	N/A	55dB	N/A	N/A	Day
7275	2025-03-25 10:19:07	N/A	55dB	N/A	N/A	Day
7276	2025-03-25 10:21:02	N/A	55dB	N/A	N/A	Day
7277	2025-03-25 10:23:05	70.82	55dB	3.0	199%	Day
7278	2025-03-25 10:24:40	79.37	55dB	5.4	442%	Day
7279	2025-03-25 10:28:47	N/A	55dB	N/A	N/A	Day
7280	2025-03-25 10:34:38	71.32	55dB	3.1	210%	Day
7281	2025-03-25 10:36:41	68.81	55dB	2.6	160%	Day
7282	2025-03-25 10:40:30	79.27	55dB	5.4	438%	Day
7283	2025-03-25 10:44:51	N/A	55dB	N/A	N/A	Day
7284	2025-03-25 10:46:23	N/A	55dB	N/A	N/A	Day
7285	2025-03-25 10:48:53	77.85	55dB	4.9	387%	Day
7286	2025-03-25 10:55:10	75.49	55dB	4.1	314%	Day
7287	2025-03-25 10:57:09	78.01	55dB	4.9	393%	Day
7288	2025-03-25 10:59:03	79.24	55dB	5.4	437%	Day
7289	2025-03-25 11:00:53	84.00	55dB	7.5	646%	Day
7290	2025-03-25 11:03:03	84.59	55dB	7.8	678%	Day
7291	2025-03-25 11:04:41	68.55	55dB	2.6	156%	Day
7292	2025-03-25 11:06:06	76.65	55dB	4.5	348%	Day
7293	2025-03-25 11:07:26	68.94	55dB	2.6	163%	Day
7294	2025-03-25 11:08:55	71.55	55dB	3.1	215%	Day
7295	2025-03-25 11:10:27	73.25	55dB	3.5	254%	Day
7296	2025-03-25 11:12:41	79.75	55dB	5.6	456%	Day
7297	2025-03-25 11:14:17	79.99	55dB	5.7	465%	Day
7298	2025-03-25 11:15:53	70.80	55dB	3.0	199%	Day

7299	2025-03-25 11:17:50	73.19	55dB	3.5	253%	Day
7300	2025-03-25 11:19:39	71.04	55dB	3.0	204%	Day
7301	2025-03-25 11:20:56	N/A	55dB	N/A	N/A	Day
7302	2025-03-25 11:22:25	85.29	55dB	8.2	716%	Day
7303	2025-03-25 11:24:18	76.52	55dB	4.4	344%	Day
7304	2025-03-25 11:25:49	76.03	55dB	4.3	330%	Day
7305	2025-03-25 11:27:10	80.66	55dB	5.9	492%	Day
7306	2025-03-25 11:28:42	77.81	55dB	4.9	386%	Day
7307	2025-03-25 11:30:33	82.26	55dB	6.6	562%	Day
7308	2025-03-25 11:34:21	69.48	55dB	2.7	173%	Day
7309	2025-03-25 11:36:11	74.15	55dB	3.8	277%	Day
7310	2025-03-25 11:38:07	69.29	55dB	2.7	169%	Day
7311	2025-03-25 11:42:24	68.52	55dB	2.6	155%	Day
7312	2025-03-25 11:44:41	77.32	55dB	4.7	370%	Day
7313	2025-03-25 11:48:02	79.39	55dB	5.4	442%	Day
7314	2025-03-25 11:49:50	79.26	55dB	5.4	437%	Day
7315	2025-03-25 11:51:33	N/A	55dB	N/A	N/A	Day
7316	2025-03-25 11:52:53	N/A	55dB	N/A	N/A	Day
7317	2025-03-25 11:54:28	68.33	55dB	2.5	152%	Day
7318	2025-03-25 11:57:23	79.79	55dB	5.6	458%	Day
7319	2025-03-25 11:59:20	76.30	55dB	4.4	338%	Day
7320	2025-03-25 12:07:49	80.06	55dB	5.7	468%	Day
7321	2025-03-25 12:16:12	72.39	55dB	3.3	234%	Day
7322	2025-03-25 12:19:46	74.82	55dB	4.0	295%	Day
7323	2025-03-25 12:24:30	81.33	55dB	6.2	520%	Day
7324	2025-03-25 12:27:06	71.44	55dB	3.1	213%	Day
7325	2025-03-25 12:31:10	75.43	55dB	4.1	312%	Day
7326	2025-03-25 12:34:08	73.14	55dB	3.5	252%	Day
7327	2025-03-25 12:36:15	74.92	55dB	4.0	298%	Day
7328	2025-03-25 12:38:00	74.25	55dB	3.8	280%	Day
7329	2025-03-25 12:39:52	71.63	55dB	3.2	217%	Day
7330	2025-03-25 12:43:23	71.56	55dB	3.2	215%	Day
7331	2025-03-25 12:49:25	80.83	55dB	6.0	499%	Day
7332	2025-03-25 12:51:10	N/A	55dB	N/A	N/A	Day
7333	2025-03-25 12:53:08	N/A	55dB	N/A	N/A	Day
7334	2025-03-25 12:56:42	75.03	55dB	4.0	301%	Day
7335	2025-03-25 12:58:56	70.52	55dB	2.9	193%	Day
7336	2025-03-25 13:00:28	74.40	55dB	3.8	284%	Day
7337	2025-03-25 13:02:33	78.59	55dB	5.1	413%	Day
7338	2025-03-25 13:04:49	68.39	55dB	2.5	153%	Day
7339	2025-03-25 13:11:56	N/A	55dB	N/A	N/A	Day
7340	2025-03-25 13:18:15	69.43	55dB	2.7	172%	Day
7341	2025-03-25 13:19:38	N/A	55dB	N/A	N/A	Day
7342	2025-03-25 13:20:57	N/A	55dB	N/A	N/A	Day

7343	2025-03-25 13:22:25	75.78	55dB	4.2	322%	Day
7344	2025-03-25 13:23:36	86.97	55dB	9.2	817%	Day
7345	2025-03-25 13:24:45	73.49	55dB	3.6	260%	Day
7346	2025-03-25 13:26:42	78.31	55dB	5.0	403%	Day
7347	2025-03-25 13:28:15	86.90	55dB	9.1	813%	Day
7348	2025-03-25 13:29:21	74.56	55dB	3.9	288%	Day
7349	2025-03-25 13:31:23	72.73	55dB	3.4	242%	Day
7350	2025-03-25 13:35:23	76.87	55dB	4.6	355%	Day
7351	2025-03-25 13:37:25	87.16	55dB	9.3	829%	Day
7352	2025-03-25 13:39:27	72.12	55dB	3.3	228%	Day
7353	2025-03-25 13:40:51	72.48	55dB	3.4	236%	Day
7354	2025-03-25 13:42:15	74.51	55dB	3.9	287%	Day
7355	2025-03-25 13:43:43	69.57	55dB	2.7	175%	Day
7356	2025-03-25 13:45:18	72.97	55dB	3.5	247%	Day
7357	2025-03-25 13:46:35	77.10	55dB	4.6	363%	Day
7358	2025-03-25 13:49:15	72.76	55dB	3.4	242%	Day
7359	2025-03-25 13:51:00	71.76	55dB	3.2	220%	Day
7360	2025-03-25 13:54:06	76.76	55dB	4.5	352%	Day
7361	2025-03-25 14:00:05	75.26	55dB	4.1	307%	Day
7362	2025-03-25 14:05:02	77.17	55dB	4.6	365%	Day
7363	2025-03-25 14:07:58	83.19	55dB	7.1	606%	Day
7364	2025-03-25 14:16:52	66.31	55dB	2.2	119%	Day
7365	2025-03-25 14:19:07	N/A	55dB	N/A	N/A	Day
7366	2025-03-25 14:22:56	70.54	55dB	2.9	194%	Day
7367	2025-03-25 14:25:14	79.93	55dB	5.6	463%	Day
7368	2025-03-25 14:26:50	77.24	55dB	4.7	367%	Day
7369	2025-03-25 14:28:18	69.46	55dB	2.7	172%	Day
7370	2025-03-25 14:29:55	71.34	55dB	3.1	210%	Day
7371	2025-03-25 14:31:11	69.51	55dB	2.7	173%	Day
7372	2025-03-25 14:34:11	74.56	55dB	3.9	288%	Day
7373	2025-03-25 14:38:05	77.28	55dB	4.7	368%	Day
7374	2025-03-25 14:40:32	70.28	55dB	2.9	188%	Day
7375	2025-03-25 14:42:04	N/A	55dB	N/A	N/A	Day
7376	2025-03-25 14:43:35	N/A	55dB	N/A	N/A	Day
7377	2025-03-25 14:45:01	83.08	55dB	7.0	600%	Day
7378	2025-03-25 14:46:18	77.95	55dB	4.9	391%	Day
7379	2025-03-25 14:48:33	76.71	55dB	4.5	350%	Day
7380	2025-03-25 14:49:42	79.42	55dB	5.4	443%	Day
7381	2025-03-25 14:50:56	70.23	55dB	2.9	187%	Day
7382	2025-03-25 14:52:39	72.65	55dB	3.4	240%	Day
7383	2025-03-25 14:54:31	81.08	55dB	6.1	510%	Day
7384	2025-03-25 14:56:04	82.15	55dB	6.6	557%	Day
7385	2025-03-25 14:58:54	78.60	55dB	5.1	413%	Day
7386	2025-03-25 15:03:01	69.97	55dB	2.8	182%	Day

7387	2025-03-25 15:04:39	85.85	55dB	8.5	749%	Day
7388	2025-03-25 15:06:16	N/A	55dB	N/A	N/A	Day
7389	2025-03-25 15:10:49	74.23	55dB	3.8	279%	Day
7390	2025-03-25 15:15:11	74.20	55dB	3.8	278%	Day
7391	2025-03-25 15:18:51	75.45	55dB	4.1	313%	Day
7392	2025-03-25 15:21:09	77.79	55dB	4.9	385%	Day
7393	2025-03-25 15:22:32	79.79	55dB	5.6	458%	Day
7394	2025-03-25 15:24:34	74.50	55dB	3.9	286%	Day
7395	2025-03-25 15:26:00	80.63	55dB	5.9	491%	Day
7396	2025-03-25 15:27:35	76.73	55dB	4.5	351%	Day
7397	2025-03-25 15:29:41	72.86	55dB	3.4	245%	Day
7398	2025-03-25 15:31:17	N/A	55dB	N/A	N/A	Day
7399	2025-03-25 15:32:50	75.92	55dB	4.3	326%	Day
7400	2025-03-25 15:34:19	79.36	55dB	5.4	441%	Day
7401	2025-03-25 15:35:41	69.43	55dB	2.7	172%	Day
7402	2025-03-25 15:39:02	84.73	55dB	7.9	685%	Day
7403	2025-03-25 15:40:35	73.04	55dB	3.5	249%	Day
7404	2025-03-25 15:43:19	N/A	55dB	N/A	N/A	Day
7405	2025-03-25 15:44:42	77.55	55dB	4.8	377%	Day
7406	2025-03-25 15:46:21	78.36	55dB	5.0	405%	Day
7407	2025-03-25 15:48:42	70.91	55dB	3.0	201%	Day
7408	2025-03-25 15:50:14	74.08	55dB	3.8	275%	Day
7409	2025-03-25 15:52:24	80.44	55dB	5.8	483%	Day
7410	2025-03-25 15:55:02	79.35	55dB	5.4	441%	Day
7411	2025-03-25 15:56:41	69.90	55dB	2.8	181%	Day
7412	2025-03-25 15:59:26	80.89	55dB	6.0	502%	Day
7413	2025-03-25 16:01:40	75.55	55dB	4.2	316%	Day
7414	2025-03-25 16:03:53	76.59	55dB	4.5	347%	Day
7415	2025-03-25 16:06:12	74.07	55dB	3.8	275%	Day
7416	2025-03-25 16:08:12	73.35	55dB	3.6	257%	Day
7417	2025-03-25 16:10:55	76.92	55dB	4.6	357%	Day
7418	2025-03-25 16:18:14	73.37	55dB	3.6	257%	Day
7419	2025-03-25 16:20:51	80.49	55dB	5.9	485%	Day
7420	2025-03-25 16:23:50	68.40	55dB	2.5	153%	Day
7421	2025-03-25 16:25:56	74.78	55dB	3.9	294%	Day
7422	2025-03-25 16:36:18	81.46	55dB	6.3	526%	Day
7423	2025-03-25 16:38:26	74.31	55dB	3.8	281%	Day
7424	2025-03-25 16:41:48	74.71	55dB	3.9	292%	Day
7425	2025-03-25 16:44:23	82.53	55dB	6.7	574%	Day
7426	2025-03-25 16:46:40	72.49	55dB	3.4	236%	Day
7427	2025-03-25 16:48:50	N/A	55dB	N/A	N/A	Day
7428	2025-03-25 16:53:35	69.50	55dB	2.7	173%	Day
7429	2025-03-25 16:55:32	72.64	55dB	3.4	240%	Day
7430	2025-03-25 16:58:05	73.55	55dB	3.6	262%	Day

7431	2025-03-25 17:06:05	70.74	55dB	3.0	198%	Day
7432	2025-03-25 17:09:12	81.69	55dB	6.4	536%	Day
7433	2025-03-25 17:17:04	75.13	55dB	4.0	304%	Day
7434	2025-03-25 17:21:16	77.92	55dB	4.9	390%	Day
7435	2025-03-25 17:24:09	78.94	55dB	5.3	426%	Day
7436	2025-03-25 17:27:05	75.48	55dB	4.1	314%	Day
7437	2025-03-25 17:29:18	73.26	55dB	3.5	255%	Day
7438	2025-03-25 17:31:19	76.95	55dB	4.6	358%	Day
7439	2025-03-25 17:34:10	73.04	55dB	3.5	249%	Day
7440	2025-03-25 17:36:28	80.46	55dB	5.8	484%	Day
7441	2025-03-25 17:38:42	83.43	55dB	7.2	618%	Day
7442	2025-03-25 17:41:27	84.44	55dB	7.7	670%	Day
7443	2025-03-25 17:45:57	74.52	55dB	3.9	287%	Day
7444	2025-03-25 17:48:12	72.89	55dB	3.5	246%	Day
7445	2025-03-25 17:53:23	76.36	55dB	4.4	340%	Day
7446	2025-03-25 17:57:15	72.12	55dB	3.3	228%	Day
7447	2025-03-25 18:03:23	70.58	55dB	2.9	194%	Day
7448	2025-03-25 18:06:04	72.13	55dB	3.3	228%	Day
7449	2025-03-25 18:08:42	70.69	55dB	3.0	197%	Day
7450	2025-03-25 18:11:43	74.48	55dB	3.9	286%	Day
7451	2025-03-25 18:14:21	87.23	55dB	9.3	834%	Day
7452	2025-03-25 18:16:40	83.53	55dB	7.2	623%	Day
7453	2025-03-25 18:23:49	N/A	55dB	N/A	N/A	Day
7454	2025-03-25 18:27:26	77.20	55dB	4.7	366%	Day
7455	2025-03-25 18:30:02	75.71	55dB	4.2	320%	Day
7456	2025-03-25 18:34:33	73.35	55dB	3.6	257%	Day
7457	2025-03-25 18:36:56	73.47	55dB	3.6	260%	Day
7458	2025-03-25 18:39:42	73.12	55dB	3.5	251%	Day
7459	2025-03-25 18:42:01	72.29	55dB	3.3	231%	Day
7460	2025-03-25 18:44:44	N/A	55dB	N/A	N/A	Day
7461	2025-03-25 18:47:06	73.13	55dB	3.5	251%	Day
7462	2025-03-25 18:49:26	73.07	55dB	3.5	250%	Day
7463	2025-03-25 18:51:52	77.50	55dB	4.8	376%	Day
7464	2025-03-25 18:54:03	74.79	55dB	3.9	294%	Day
7465	2025-03-25 18:56:18	75.66	55dB	4.2	319%	Day
7466	2025-03-25 18:58:57	76.70	55dB	4.5	350%	Day
7467	2025-03-25 19:03:04	73.98	55dB	3.7	273%	Day
7468	2025-03-25 19:05:14	75.08	55dB	4.0	302%	Day
7469	2025-03-25 19:10:36	70.91	55dB	3.0	201%	Day
7470	2025-03-25 19:13:25	71.95	55dB	3.2	224%	Day
7471	2025-03-25 19:15:52	75.68	55dB	4.2	319%	Day
7472	2025-03-25 19:18:01	74.30	55dB	3.8	281%	Day
7473	2025-03-25 19:20:07	74.74	55dB	3.9	293%	Day
7474	2025-03-25 19:22:06	76.55	55dB	4.5	345%	Day

7475	2025-03-25 19:24:18	77.75	55dB	4.8	384%	Day
7476	2025-03-25 19:33:33	78.98	55dB	5.3	427%	Day
7477	2025-03-25 19:38:18	74.21	55dB	3.8	279%	Day
7478	2025-03-25 19:40:11	75.39	55dB	4.1	311%	Day
7479	2025-03-25 19:42:31	71.47	55dB	3.1	213%	Day
7480	2025-03-25 19:45:21	74.16	55dB	3.8	277%	Day
7481	2025-03-25 19:47:54	71.49	55dB	3.1	214%	Day
7482	2025-03-25 19:50:09	73.10	55dB	3.5	251%	Day
7483	2025-03-25 19:52:23	75.65	55dB	4.2	318%	Day
7484	2025-03-25 19:54:30	70.27	55dB	2.9	188%	Day
7485	2025-03-25 19:59:11	74.11	55dB	3.8	276%	Day
7486	2025-03-25 20:04:23	75.71	55dB	4.2	320%	Day
7487	2025-03-25 20:13:02	72.56	55dB	3.4	238%	Day
7488	2025-03-25 20:15:36	72.04	55dB	3.3	226%	Day
7489	2025-03-25 20:19:22	72.29	55dB	3.3	231%	Day
7490	2025-03-25 20:21:56	73.30	55dB	3.6	256%	Day
7491	2025-03-25 20:24:48	74.19	55dB	3.8	278%	Day
7492	2025-03-25 20:27:46	75.13	55dB	4.0	304%	Day
7493	2025-03-25 20:31:11	83.27	55dB	7.1	610%	Day
7494	2025-03-25 20:33:27	68.84	55dB	2.6	161%	Day
7495	2025-03-25 20:35:52	72.93	55dB	3.5	247%	Day
7496	2025-03-25 20:38:04	73.45	55dB	3.6	259%	Day
7497	2025-03-25 20:43:11	77.20	55dB	4.7	366%	Day
7498	2025-03-25 20:45:33	73.31	55dB	3.6	256%	Day
7499	2025-03-25 20:47:36	72.01	55dB	3.3	225%	Day
7500	2025-03-25 20:49:46	67.23	55dB	2.3	133%	Day
7501	2025-03-25 20:52:07	72.85	55dB	3.4	245%	Day
7502	2025-03-25 20:54:10	73.34	55dB	3.6	257%	Day
7503	2025-03-25 20:56:22	74.54	55dB	3.9	287%	Day
7504	2025-03-25 20:59:01	71.95	55dB	3.2	224%	Day
7505	2025-03-25 21:01:04	74.57	55dB	3.9	288%	Day
7506	2025-03-25 21:03:30	73.80	55dB	3.7	268%	Day
7507	2025-03-25 21:08:09	74.62	55dB	3.9	290%	Day
7508	2025-03-25 21:10:23	71.52	55dB	3.1	214%	Day
7509	2025-03-25 21:12:20	72.05	55dB	3.3	226%	Day
7510	2025-03-25 21:14:51	75.01	55dB	4.0	300%	Day
7511	2025-03-25 21:21:17	76.48	55dB	4.4	343%	Day
7512	2025-03-25 21:23:12	74.34	55dB	3.8	282%	Day
7513	2025-03-25 21:26:44	81.38	55dB	6.2	522%	Day
7514	2025-03-25 21:29:41	N/A	55dB	N/A	N/A	Day
7515	2025-03-25 21:32:02	69.95	55dB	2.8	182%	Day
7516	2025-03-25 21:34:27	72.51	55dB	3.4	237%	Day
7517	2025-03-25 21:36:07	74.18	55dB	3.8	278%	Day
7518	2025-03-25 21:38:32	78.36	55dB	5.0	405%	Day

7519	2025-03-25 21:39:48	68.90	55dB	2.6	162%	Day
7520	2025-03-25 21:41:14	68.64	55dB	2.6	157%	Day
7521	2025-03-25 21:42:39	69.66	55dB	2.8	176%	Day
7522	2025-03-25 21:43:54	68.37	55dB	2.5	153%	Day
7523	2025-03-25 21:45:24	N/A	55dB	N/A	N/A	Day
7524	2025-03-25 21:46:37	N/A	55dB	N/A	N/A	Day
7525	2025-03-25 21:48:19	71.73	55dB	3.2	219%	Day
7526	2025-03-25 21:50:18	68.37	55dB	2.5	153%	Day
7527	2025-03-25 21:51:55	74.81	55dB	3.9	295%	Day
7528	2025-03-25 21:54:36	70.96	55dB	3.0	202%	Day
7529	2025-03-25 21:57:08	N/A	55dB	N/A	N/A	Day
7530	2025-03-25 21:59:39	70.13	55dB	2.9	185%	Day
7531	2025-03-25 22:05:16	69.17	55dB	2.7	167%	Day
7532	2025-03-25 22:08:39	72.03	55dB	3.3	226%	Day
7533	2025-03-25 22:11:14	N/A	55dB	N/A	N/A	Day
7534	2025-03-25 22:13:26	N/A	55dB	N/A	N/A	Day
7535	2025-03-25 22:15:30	68.75	55dB	2.6	159%	Day
7536	2025-03-25 22:26:39	68.24	55dB	2.5	150%	Day
7537	2025-03-25 22:30:19	71.82	55dB	3.2	221%	Day
7538	2025-03-25 22:34:01	68.17	55dB	2.5	149%	Day
7539	2025-03-25 22:36:30	N/A	55dB	N/A	N/A	Day
7540	2025-03-25 22:42:14	69.06	55dB	2.7	165%	Day
7541	2025-03-25 22:46:53	68.16	55dB	2.5	149%	Day
7542	2025-03-25 22:48:56	68.72	55dB	2.6	159%	Day
7543	2025-03-25 22:51:53	70.22	55dB	2.9	187%	Day
7544	2025-03-25 22:54:18	N/A	55dB	N/A	N/A	Day
7545	2025-03-25 22:56:19	69.09	55dB	2.7	166%	Day
7546	2025-03-25 22:58:12	69.73	55dB	2.8	178%	Day
7547	2025-03-25 23:00:04	71.51	45dB	6.3	528%	Night
7548	2025-03-25 23:03:07	69.32	45dB	5.4	440%	Night
7549	2025-03-25 23:12:35	68.66	45dB	5.2	416%	Night
7550	2025-03-25 23:14:49	67.76	45dB	4.8	384%	Night
7551	2025-03-25 23:20:21	69.62	45dB	5.5	451%	Night
7552	2025-03-25 23:21:57	67.92	45dB	4.9	390%	Night
7553	2025-03-25 23:28:57	67.53	45dB	4.8	377%	Night
7554	2025-03-25 23:30:39	72.83	45dB	6.9	588%	Night
7555	2025-03-25 23:32:44	71.77	45dB	6.4	540%	Night
7556	2025-03-25 23:36:23	70.02	45dB	5.7	466%	Night
7557	2025-03-25 23:38:17	68.39	45dB	5.1	406%	Night
7558	2025-03-25 23:40:37	N/A	45dB	N/A	N/A	Night
7559	2025-03-25 23:42:02	70.08	45dB	5.7	469%	Night
7560	2025-03-25 23:43:41	71.48	45dB	6.3	527%	Night
7561	2025-03-25 23:46:25	70.06	45dB	5.7	468%	Night
7562	2025-03-25 23:52:15	70.96	45dB	6.0	505%	Night

7563	2025-03-25 23:56:19	73.04	45dB	7.0	598%	Night
7564	2025-03-25 23:58:15	73.82	45dB	7.4	637%	Night
7565	2025-03-25 23:59:39	73.14	45dB	7.0	603%	Night
7566	2025-03-26 00:01:23	72.30	45dB	6.6	563%	Night
7567	2025-03-26 00:03:10	71.92	45dB	6.5	546%	Night
7568	2025-03-26 00:06:37	75.03	45dB	8.0	702%	Night
7569	2025-03-26 00:12:43	74.72	45dB	7.8	685%	Night
7570	2025-03-26 00:15:30	76.79	45dB	9.1	806%	Night
7571	2025-03-26 00:17:11	72.79	45dB	6.9	586%	Night
7572	2025-03-26 00:18:45	76.37	45dB	8.8	780%	Night
7573	2025-03-26 00:21:08	72.98	45dB	7.0	595%	Night
7574	2025-03-26 00:31:52	76.25	45dB	8.7	772%	Night
7575	2025-03-26 00:35:04	72.60	45dB	6.8	577%	Night
7576	2025-03-26 00:42:21	72.55	45dB	6.8	575%	Night
7577	2025-03-26 00:46:54	74.91	45dB	8.0	695%	Night
7578	2025-03-26 00:52:20	72.93	45dB	6.9	593%	Night
7579	2025-03-26 01:04:35	73.70	45dB	7.3	631%	Night
7580	2025-03-26 01:39:28	73.57	45dB	7.2	625%	Night
7581	2025-03-26 01:43:16	74.06	45dB	7.5	650%	Night
7582	2025-03-26 02:59:14	69.13	45dB	5.3	433%	Night
7583	2025-03-26 03:14:35	78.61	45dB	10.3	927%	Night
7584	2025-03-26 05:09:23	75.90	45dB	8.5	751%	Night
7585	2025-03-26 05:11:49	71.38	45dB	6.2	522%	Night
7586	2025-03-26 05:13:39	73.76	45dB	7.3	634%	Night
7587	2025-03-26 05:17:26	71.75	45dB	6.4	539%	Night
7588	2025-03-26 05:25:10	76.24	45dB	8.7	772%	Night
7589	2025-03-26 05:30:41	74.48	45dB	7.7	672%	Night
7590	2025-03-26 05:32:57	80.56	45dB	11.8	1076%	Night
7591	2025-03-26 05:43:47	73.20	45dB	7.1	606%	Night
7592	2025-03-26 05:48:13	73.86	45dB	7.4	639%	Night
7593	2025-03-26 05:55:49	70.02	45dB	5.7	466%	Night
7594	2025-03-26 06:22:31	68.78	45dB	5.2	420%	Night
7595	2025-03-26 06:29:23	73.51	45dB	7.2	622%	Night
7596	2025-03-26 06:31:23	N/A	45dB	N/A	N/A	Night
7597	2025-03-26 06:32:41	68.71	45dB	5.2	417%	Night
7598	2025-03-26 06:34:00	70.30	45dB	5.8	478%	Night
7599	2025-03-26 06:35:10	69.77	45dB	5.6	457%	Night
7600	2025-03-26 06:36:21	68.99	45dB	5.3	427%	Night
7601	2025-03-26 06:37:31	69.69	45dB	5.5	454%	Night
7602	2025-03-26 06:38:51	71.87	45dB	6.4	544%	Night
7603	2025-03-26 06:39:57	69.95	45dB	5.6	464%	Night
7604	2025-03-26 06:42:31	69.32	45dB	5.4	440%	Night
7605	2025-03-26 06:44:23	66.84	45dB	4.5	354%	Night
7606	2025-03-26 06:46:07	69.65	45dB	5.5	452%	Night

7607	2025-03-26 06:47:26	70.46	45dB	5.8	484%	Night
7608	2025-03-26 06:49:28	74.98	45dB	8.0	699%	Night
7609	2025-03-26 06:51:08	69.33	45dB	5.4	440%	Night
7610	2025-03-26 06:52:13	68.68	45dB	5.2	416%	Night
7611	2025-03-26 06:53:31	68.79	45dB	5.2	420%	Night
7612	2025-03-26 06:56:08	74.02	45dB	7.5	647%	Night
7613	2025-03-26 06:57:54	68.96	45dB	5.3	426%	Night
7614	2025-03-26 06:59:18	69.33	45dB	5.4	440%	Night
7615	2025-03-26 07:00:29	71.64	55dB	3.2	217%	Day
7616	2025-03-26 07:01:46	70.22	55dB	2.9	187%	Day
7617	2025-03-26 07:03:11	68.33	55dB	2.5	152%	Day
7618	2025-03-26 07:04:36	N/A	55dB	N/A	N/A	Day
7619	2025-03-26 07:09:50	68.69	55dB	2.6	158%	Day
7620	2025-03-26 07:10:55	70.24	55dB	2.9	188%	Day
7621	2025-03-26 07:12:06	70.23	55dB	2.9	187%	Day
7622	2025-03-26 07:13:25	70.28	55dB	2.9	188%	Day
7623	2025-03-26 07:14:34	N/A	55dB	N/A	N/A	Day
7624	2025-03-26 07:15:54	70.37	55dB	2.9	190%	Day
7625	2025-03-26 07:17:08	68.08	55dB	2.5	148%	Day
7626	2025-03-26 07:18:34	69.49	55dB	2.7	173%	Day
7627	2025-03-26 07:24:23	68.83	55dB	2.6	161%	Day
7628	2025-03-26 07:28:44	N/A	55dB	N/A	N/A	Day
7629	2025-03-26 07:31:08	75.42	55dB	4.1	312%	Day
7630	2025-03-26 07:36:56	N/A	55dB	N/A	N/A	Day
7631	2025-03-26 07:44:18	69.76	55dB	2.8	178%	Day
7632	2025-03-26 07:53:04	69.48	55dB	2.7	173%	Day
7633	2025-03-26 07:54:44	70.39	55dB	2.9	191%	Day
7634	2025-03-26 07:56:56	73.45	55dB	3.6	259%	Day
7635	2025-03-26 07:59:01	73.97	55dB	3.7	272%	Day
7636	2025-03-26 08:00:41	67.94	55dB	2.5	145%	Day
7637	2025-03-26 08:03:10	70.35	55dB	2.9	190%	Day
7638	2025-03-26 08:05:32	70.10	55dB	2.8	185%	Day
7639	2025-03-26 08:11:03	73.28	55dB	3.6	255%	Day
7640	2025-03-26 08:13:21	69.90	55dB	2.8	181%	Day
7641	2025-03-26 08:17:57	N/A	55dB	N/A	N/A	Day
7642	2025-03-26 08:19:14	75.09	55dB	4.0	303%	Day
7643	2025-03-26 08:21:06	75.59	55dB	4.2	317%	Day
7644	2025-03-26 08:22:36	74.09	55dB	3.8	276%	Day
7645	2025-03-26 08:24:11	72.49	55dB	3.4	236%	Day
7646	2025-03-26 08:31:53	75.76	55dB	4.2	322%	Day
7647	2025-03-26 09:01:14	65.47	55dB	2.1	107%	Day
7648	2025-03-26 09:10:19	71.72	55dB	3.2	219%	Day
7649	2025-03-26 09:12:34	71.92	55dB	3.2	223%	Day
7650	2025-03-26 09:16:30	71.88	55dB	3.2	222%	Day

7651	2025-03-26 09:29:32	76.87	55dB	4.6	355%	Day
7652	2025-03-26 09:32:15	72.93	55dB	3.5	247%	Day
7653	2025-03-26 09:41:33	69.86	55dB	2.8	180%	Day
7654	2025-03-26 09:48:07	77.63	55dB	4.8	380%	Day
7655	2025-03-26 10:01:33	73.68	55dB	3.7	265%	Day
7656	2025-03-26 10:21:15	71.07	55dB	3.0	205%	Day
7657	2025-03-26 10:24:35	73.47	55dB	3.6	260%	Day
7658	2025-03-26 10:28:24	74.73	55dB	3.9	293%	Day
7659	2025-03-26 10:30:16	72.16	55dB	3.3	229%	Day
7660	2025-03-26 10:32:31	67.27	55dB	2.3	134%	Day
7661	2025-03-26 10:33:47	69.72	55dB	2.8	177%	Day
7662	2025-03-26 10:35:10	70.61	55dB	3.0	195%	Day
7663	2025-03-26 10:36:56	N/A	55dB	N/A	N/A	Day
7664	2025-03-26 10:38:25	N/A	55dB	N/A	N/A	Day
7665	2025-03-26 10:40:02	69.43	55dB	2.7	172%	Day
7666	2025-03-26 10:41:24	69.65	55dB	2.8	176%	Day
7667	2025-03-26 10:43:22	N/A	55dB	N/A	N/A	Day
7668	2025-03-26 10:45:08	70.50	55dB	2.9	193%	Day
7669	2025-03-26 10:46:28	69.81	55dB	2.8	179%	Day
7670	2025-03-26 10:48:24	N/A	55dB	N/A	N/A	Day
7671	2025-03-26 10:54:58	74.52	55dB	3.9	287%	Day
7672	2025-03-26 10:56:19	69.67	55dB	2.8	176%	Day
7673	2025-03-26 10:58:45	N/A	55dB	N/A	N/A	Day
7674	2025-03-26 11:00:08	70.57	55dB	2.9	194%	Day
7675	2025-03-26 11:01:50	70.05	55dB	2.8	184%	Day
7676	2025-03-26 11:03:30	70.71	55dB	3.0	197%	Day
7677	2025-03-26 11:04:36	67.97	55dB	2.5	146%	Day
7678	2025-03-26 11:05:50	75.32	55dB	4.1	309%	Day
7679	2025-03-26 11:07:21	N/A	55dB	N/A	N/A	Day
7680	2025-03-26 11:09:01	73.47	55dB	3.6	260%	Day
7681	2025-03-26 11:13:05	N/A	55dB	N/A	N/A	Day
7682	2025-03-26 11:14:26	75.72	55dB	4.2	320%	Day
7683	2025-03-26 11:16:06	68.97	55dB	2.6	163%	Day
7684	2025-03-26 11:17:33	66.85	55dB	2.3	127%	Day
7685	2025-03-26 11:18:56	69.04	55dB	2.6	165%	Day
7686	2025-03-26 11:20:35	83.45	55dB	7.2	619%	Day
7687	2025-03-26 11:25:26	71.19	55dB	3.1	207%	Day
7688	2025-03-26 11:27:02	N/A	55dB	N/A	N/A	Day
7689	2025-03-26 11:28:14	74.27	55dB	3.8	280%	Day
7690	2025-03-26 11:31:17	N/A	55dB	N/A	N/A	Day
7691	2025-03-26 11:32:34	76.55	55dB	4.5	345%	Day
7692	2025-03-26 11:34:53	N/A	55dB	N/A	N/A	Day
7693	2025-03-26 11:40:36	66.82	55dB	2.3	127%	Day
7694	2025-03-26 11:44:17	71.08	55dB	3.0	205%	Day

7695	2025-03-26 11:47:44	69.19	55dB	2.7	167%	Day
7696	2025-03-26 11:50:22	N/A	55dB	N/A	N/A	Day
7697	2025-03-26 11:52:41	70.92	55dB	3.0	201%	Day
7698	2025-03-26 11:54:01	67.29	55dB	2.3	134%	Day
7699	2025-03-26 11:56:15	73.00	55dB	3.5	248%	Day
7700	2025-03-26 12:02:35	68.49	55dB	2.5	155%	Day
7701	2025-03-26 12:04:15	84.45	55dB	7.7	670%	Day
7702	2025-03-26 12:10:36	N/A	55dB	N/A	N/A	Day
7703	2025-03-26 12:12:05	72.48	55dB	3.4	236%	Day
7704	2025-03-26 12:13:52	68.68	55dB	2.6	158%	Day
7705	2025-03-26 12:15:13	68.34	55dB	2.5	152%	Day
7706	2025-03-26 12:16:21	67.70	55dB	2.4	141%	Day
7707	2025-03-26 12:19:42	72.37	55dB	3.3	233%	Day
7708	2025-03-26 12:20:53	77.30	55dB	4.7	369%	Day
7709	2025-03-26 12:22:02	68.37	55dB	2.5	153%	Day
7710	2025-03-26 12:23:34	69.10	55dB	2.7	166%	Day
7711	2025-03-26 12:57:25	N/A	55dB	N/A	N/A	Day
7712	2025-03-26 15:33:33	N/A	55dB	N/A	N/A	Day
7713	2025-03-26 15:35:57	66.69	55dB	2.2	125%	Day
7714	2025-03-26 15:37:31	71.95	55dB	3.2	224%	Day
7715	2025-03-26 15:39:07	71.55	55dB	3.1	215%	Day
7716	2025-03-26 15:41:25	69.14	55dB	2.7	166%	Day
7717	2025-03-26 15:43:22	N/A	55dB	N/A	N/A	Day
7718	2025-03-26 15:44:45	N/A	55dB	N/A	N/A	Day
7719	2025-03-26 15:46:32	80.18	55dB	5.7	473%	Day
7720	2025-03-26 15:47:51	75.59	55dB	4.2	317%	Day
7721	2025-03-26 15:49:11	76.50	55dB	4.4	344%	Day
7722	2025-03-26 15:50:22	69.49	55dB	2.7	173%	Day
7723	2025-03-26 15:51:43	80.08	55dB	5.7	469%	Day
7724	2025-03-26 15:54:03	N/A	55dB	N/A	N/A	Day
7725	2025-03-26 15:55:33	N/A	55dB	N/A	N/A	Day
7726	2025-03-26 15:56:48	76.49	55dB	4.4	344%	Day
7727	2025-03-26 15:58:06	N/A	55dB	N/A	N/A	Day
7728	2025-03-26 15:59:27	76.95	55dB	4.6	358%	Day
7729	2025-03-26 16:00:44	N/A	55dB	N/A	N/A	Day
7730	2025-03-26 16:02:04	69.58	55dB	2.7	175%	Day
7731	2025-03-26 16:03:30	N/A	55dB	N/A	N/A	Day
7732	2025-03-26 16:06:09	79.95	55dB	5.6	464%	Day
7733	2025-03-26 16:07:39	69.46	55dB	2.7	172%	Day
7734	2025-03-26 16:09:33	N/A	55dB	N/A	N/A	Day
7735	2025-03-26 16:10:57	N/A	55dB	N/A	N/A	Day
7736	2025-03-26 16:12:42	N/A	55dB	N/A	N/A	Day
7737	2025-03-26 16:15:19	N/A	55dB	N/A	N/A	Day
7738	2025-03-26 16:17:31	67.29	55dB	2.3	134%	Day

7739	2025-03-26 16:19:03	85.66	55dB	8.4	737%	Day
7740	2025-03-26 16:21:03	72.41	55dB	3.3	234%	Day
7741	2025-03-26 16:22:16	70.67	55dB	3.0	196%	Day
7742	2025-03-26 16:24:19	65.94	55dB	2.1	113%	Day
7743	2025-03-26 16:26:01	N/A	55dB	N/A	N/A	Day
7744	2025-03-26 16:32:22	N/A	55dB	N/A	N/A	Day
7745	2025-03-26 16:34:05	77.56	55dB	4.8	378%	Day
7746	2025-03-26 16:36:08	N/A	55dB	N/A	N/A	Day
7747	2025-03-26 16:38:43	N/A	55dB	N/A	N/A	Day
7748	2025-03-26 16:40:28	79.23	55dB	5.4	436%	Day
7749	2025-03-26 16:41:38	77.81	55dB	4.9	386%	Day
7750	2025-03-26 16:44:45	80.86	55dB	6.0	500%	Day
7751	2025-03-26 16:47:54	70.59	55dB	2.9	195%	Day
7752	2025-03-26 16:51:40	N/A	55dB	N/A	N/A	Day
7753	2025-03-26 16:53:31	67.48	55dB	2.4	138%	Day
7754	2025-03-26 16:55:49	N/A	55dB	N/A	N/A	Day
7755	2025-03-26 16:57:06	N/A	55dB	N/A	N/A	Day
7756	2025-03-26 16:58:35	N/A	55dB	N/A	N/A	Day
7757	2025-03-26 17:00:05	71.43	55dB	3.1	212%	Day
7758	2025-03-26 17:01:26	72.47	55dB	3.4	236%	Day
7759	2025-03-26 17:05:33	72.25	55dB	3.3	231%	Day
7760	2025-03-26 17:07:34	N/A	55dB	N/A	N/A	Day
7761	2025-03-26 17:09:12	68.46	55dB	2.5	154%	Day
7762	2025-03-26 17:11:22	73.17	55dB	3.5	252%	Day
7763	2025-03-26 17:13:31	N/A	55dB	N/A	N/A	Day
7764	2025-03-26 17:15:06	67.71	55dB	2.4	141%	Day
7765	2025-03-26 17:16:26	N/A	55dB	N/A	N/A	Day
7766	2025-03-26 17:17:50	N/A	55dB	N/A	N/A	Day
7767	2025-03-26 17:19:11	N/A	55dB	N/A	N/A	Day
7768	2025-03-26 17:20:27	74.81	55dB	3.9	295%	Day
7769	2025-03-26 17:24:38	N/A	55dB	N/A	N/A	Day
7770	2025-03-26 17:25:57	N/A	55dB	N/A	N/A	Day
7771	2025-03-26 17:27:24	75.67	55dB	4.2	319%	Day
7772	2025-03-26 17:29:11	79.15	55dB	5.3	433%	Day
7773	2025-03-26 17:30:40	73.76	55dB	3.7	267%	Day
7774	2025-03-26 17:32:10	74.55	55dB	3.9	288%	Day
7775	2025-03-26 17:34:28	N/A	55dB	N/A	N/A	Day
7776	2025-03-26 17:36:15	75.64	55dB	4.2	318%	Day
7777	2025-03-26 17:37:57	82.61	55dB	6.8	578%	Day
7778	2025-03-26 17:39:55	80.72	55dB	5.9	495%	Day
7779	2025-03-26 17:41:11	N/A	55dB	N/A	N/A	Day
7780	2025-03-26 17:42:45	71.78	55dB	3.2	220%	Day
7781	2025-03-26 17:44:35	90.76	55dB	11.9	1093%	Day
7782	2025-03-26 17:45:51	72.12	55dB	3.3	228%	Day

7783	2025-03-26 17:47:00	70.66	55dB	3.0	196%	Day
7784	2025-03-26 17:48:39	74.11	55dB	3.8	276%	Day
7785	2025-03-26 17:50:03	72.15	55dB	3.3	228%	Day
7786	2025-03-26 17:51:44	74.87	55dB	4.0	296%	Day
7787	2025-03-26 17:53:11	71.19	55dB	3.1	207%	Day
7788	2025-03-26 17:55:23	N/A	55dB	N/A	N/A	Day
7789	2025-03-26 17:56:32	77.20	55dB	4.7	366%	Day
7790	2025-03-26 17:58:13	70.68	55dB	3.0	196%	Day
7791	2025-03-26 18:02:21	68.63	55dB	2.6	157%	Day
7792	2025-03-26 18:03:50	76.06	55dB	4.3	330%	Day
7793	2025-03-26 18:05:28	74.41	55dB	3.8	284%	Day
7794	2025-03-26 18:06:54	N/A	55dB	N/A	N/A	Day
7795	2025-03-26 18:08:27	N/A	55dB	N/A	N/A	Day
7796	2025-03-26 18:09:46	77.58	55dB	4.8	378%	Day
7797	2025-03-26 18:12:20	74.69	55dB	3.9	291%	Day
7798	2025-03-26 18:13:47	82.79	55dB	6.9	586%	Day
7799	2025-03-26 18:15:14	72.14	55dB	3.3	228%	Day
7800	2025-03-26 18:21:21	69.23	55dB	2.7	168%	Day
7801	2025-03-26 18:23:14	N/A	55dB	N/A	N/A	Day
7802	2025-03-26 18:25:48	73.64	55dB	3.6	264%	Day
7803	2025-03-26 18:27:54	70.96	55dB	3.0	202%	Day
7804	2025-03-26 18:30:02	78.64	55dB	5.1	415%	Day
7805	2025-03-26 18:31:36	N/A	55dB	N/A	N/A	Day
7806	2025-03-26 18:32:50	82.93	55dB	6.9	593%	Day
7807	2025-03-26 18:33:56	78.47	55dB	5.1	409%	Day
7808	2025-03-26 18:37:04	N/A	55dB	N/A	N/A	Day
7809	2025-03-26 18:38:53	84.39	55dB	7.7	667%	Day
7810	2025-03-26 18:40:49	N/A	55dB	N/A	N/A	Day
7811	2025-03-26 18:42:24	68.22	55dB	2.5	150%	Day
7812	2025-03-26 18:43:39	69.66	55dB	2.8	176%	Day
7813	2025-03-26 18:45:03	69.26	55dB	2.7	169%	Day
7814	2025-03-26 18:46:22	72.26	55dB	3.3	231%	Day
7815	2025-03-26 18:49:56	N/A	55dB	N/A	N/A	Day
7816	2025-03-26 18:51:25	N/A	55dB	N/A	N/A	Day
7817	2025-03-26 18:52:50	70.18	55dB	2.9	186%	Day
7818	2025-03-26 18:54:24	N/A	55dB	N/A	N/A	Day
7819	2025-03-26 18:55:42	83.75	55dB	7.3	634%	Day
7820	2025-03-26 18:57:13	74.97	55dB	4.0	299%	Day
7821	2025-03-26 18:58:56	71.34	55dB	3.1	210%	Day
7822	2025-03-26 19:01:56	N/A	55dB	N/A	N/A	Day
7823	2025-03-26 19:03:17	68.35	55dB	2.5	152%	Day
7824	2025-03-26 19:05:00	70.43	55dB	2.9	191%	Day
7825	2025-03-26 19:06:50	73.67	55dB	3.6	265%	Day
7826	2025-03-26 19:10:00	71.20	55dB	3.1	207%	Day

7827	2025-03-26 19:11:36	66.69	55dB	2.2	125%	Day
7828	2025-03-26 19:13:06	69.04	55dB	2.6	165%	Day
7829	2025-03-26 19:16:03	69.77	55dB	2.8	178%	Day
7830	2025-03-26 19:22:21	N/A	55dB	N/A	N/A	Day
7831	2025-03-26 19:26:21	N/A	55dB	N/A	N/A	Day
7832	2025-03-26 19:28:02	68.92	55dB	2.6	162%	Day
7833	2025-03-26 19:29:37	N/A	55dB	N/A	N/A	Day
7834	2025-03-26 19:31:10	N/A	55dB	N/A	N/A	Day
7835	2025-03-26 19:32:53	N/A	55dB	N/A	N/A	Day
7836	2025-03-26 19:34:12	N/A	55dB	N/A	N/A	Day
7837	2025-03-26 19:35:44	67.48	55dB	2.4	138%	Day
7838	2025-03-26 19:37:51	79.97	55dB	5.6	465%	Day
7839	2025-03-26 19:42:54	76.09	55dB	4.3	331%	Day
7840	2025-03-26 19:45:48	66.45	55dB	2.2	121%	Day
7841	2025-03-26 19:47:17	67.22	55dB	2.3	133%	Day
7842	2025-03-26 19:48:57	N/A	55dB	N/A	N/A	Day
7843	2025-03-26 19:51:09	71.28	55dB	3.1	209%	Day
7844	2025-03-26 19:53:39	67.71	55dB	2.4	141%	Day
7845	2025-03-26 19:55:00	N/A	55dB	N/A	N/A	Day
7846	2025-03-26 19:57:41	78.01	55dB	4.9	393%	Day
7847	2025-03-26 19:59:05	77.73	55dB	4.8	383%	Day
7848	2025-03-26 20:00:26	71.42	55dB	3.1	212%	Day
7849	2025-03-26 20:02:30	N/A	55dB	N/A	N/A	Day
7850	2025-03-26 20:03:47	N/A	55dB	N/A	N/A	Day
7851	2025-03-26 20:05:11	72.19	55dB	3.3	229%	Day
7852	2025-03-26 20:07:00	N/A	55dB	N/A	N/A	Day
7853	2025-03-26 20:08:22	67.69	55dB	2.4	141%	Day
7854	2025-03-26 20:09:53	68.42	55dB	2.5	154%	Day
7855	2025-03-26 20:11:00	68.96	55dB	2.6	163%	Day
7856	2025-03-26 20:12:18	N/A	55dB	N/A	N/A	Day
7857	2025-03-26 20:13:37	67.47	55dB	2.4	137%	Day
7858	2025-03-26 20:15:01	71.29	55dB	3.1	209%	Day
7859	2025-03-26 20:16:20	67.31	55dB	2.3	135%	Day
7860	2025-03-26 20:17:33	N/A	55dB	N/A	N/A	Day
7861	2025-03-26 20:18:54	74.15	55dB	3.8	277%	Day
7862	2025-03-26 20:20:34	N/A	55dB	N/A	N/A	Day
7863	2025-03-26 20:22:02	69.93	55dB	2.8	181%	Day
7864	2025-03-26 20:25:28	67.77	55dB	2.4	142%	Day
7865	2025-03-26 20:27:21	N/A	55dB	N/A	N/A	Day
7866	2025-03-26 20:29:10	N/A	55dB	N/A	N/A	Day
7867	2025-03-26 20:30:39	N/A	55dB	N/A	N/A	Day
7868	2025-03-26 20:33:27	72.13	55dB	3.3	228%	Day
7869	2025-03-26 20:36:05	67.64	55dB	2.4	140%	Day
7870	2025-03-26 20:38:27	N/A	55dB	N/A	N/A	Day

7871	2025-03-26 20:42:28	67.78	55dB	2.4	143%	Day
7872	2025-03-26 20:44:52	72.00	55dB	3.2	225%	Day
7873	2025-03-26 20:46:57	67.83	55dB	2.4	143%	Day
7874	2025-03-26 20:48:10	69.37	55dB	2.7	171%	Day
7875	2025-03-26 20:50:13	N/A	55dB	N/A	N/A	Day
7876	2025-03-26 20:51:39	75.66	55dB	4.2	319%	Day
7877	2025-03-26 20:53:02	68.25	55dB	2.5	151%	Day
7878	2025-03-26 20:54:23	70.75	55dB	3.0	198%	Day
7879	2025-03-26 20:57:16	68.98	55dB	2.6	164%	Day
7880	2025-03-26 20:58:38	N/A	55dB	N/A	N/A	Day
7881	2025-03-26 21:00:09	N/A	55dB	N/A	N/A	Day
7882	2025-03-26 21:02:08	N/A	55dB	N/A	N/A	Day
7883	2025-03-26 21:03:31	N/A	55dB	N/A	N/A	Day
7884	2025-03-26 21:04:50	N/A	55dB	N/A	N/A	Day
7885	2025-03-26 21:06:13	N/A	55dB	N/A	N/A	Day
7886	2025-03-26 21:07:24	N/A	55dB	N/A	N/A	Day
7887	2025-03-26 21:08:48	72.91	55dB	3.5	246%	Day
7888	2025-03-26 21:10:26	87.49	55dB	9.5	851%	Day
7889	2025-03-26 21:12:07	N/A	55dB	N/A	N/A	Day
7890	2025-03-26 21:13:32	77.32	55dB	4.7	370%	Day
7891	2025-03-26 21:16:34	73.76	55dB	3.7	267%	Day
7892	2025-03-26 21:17:48	74.14	55dB	3.8	277%	Day
7893	2025-03-26 21:19:14	N/A	55dB	N/A	N/A	Day
7894	2025-03-26 21:21:05	67.34	55dB	2.4	135%	Day
7895	2025-03-26 21:22:40	N/A	55dB	N/A	N/A	Day
7896	2025-03-26 21:27:14	69.13	55dB	2.7	166%	Day
7897	2025-03-26 21:29:39	67.32	55dB	2.3	135%	Day
7898	2025-03-26 21:31:48	N/A	55dB	N/A	N/A	Day
7899	2025-03-26 21:35:14	68.47	55dB	2.5	154%	Day
7900	2025-03-26 21:36:57	68.02	55dB	2.5	147%	Day
7901	2025-03-26 21:38:21	69.30	55dB	2.7	169%	Day
7902	2025-03-26 21:39:50	N/A	55dB	N/A	N/A	Day
7903	2025-03-26 21:43:59	N/A	55dB	N/A	N/A	Day
7904	2025-03-26 21:47:08	N/A	55dB	N/A	N/A	Day
7905	2025-03-26 21:50:55	N/A	55dB	N/A	N/A	Day
7906	2025-03-26 21:52:34	N/A	55dB	N/A	N/A	Day
7907	2025-03-26 21:54:13	N/A	55dB	N/A	N/A	Day
7908	2025-03-26 21:56:19	67.35	55dB	2.4	135%	Day
7909	2025-03-26 21:59:55	N/A	55dB	N/A	N/A	Day
7910	2025-03-26 22:01:14	69.99	55dB	2.8	183%	Day
7911	2025-03-26 22:03:46	N/A	55dB	N/A	N/A	Day
7912	2025-03-26 22:06:14	N/A	55dB	N/A	N/A	Day
7913	2025-03-26 22:10:46	72.36	55dB	3.3	233%	Day
7914	2025-03-26 22:12:08	N/A	55dB	N/A	N/A	Day

7915	2025-03-26 22:13:36	68.52	55dB	2.6	155%	Day
7916	2025-03-26 22:15:18	N/A	55dB	N/A	N/A	Day
7917	2025-03-26 22:17:06	N/A	55dB	N/A	N/A	Day
7918	2025-03-26 22:19:09	68.63	55dB	2.6	157%	Day
7919	2025-03-26 22:20:38	N/A	55dB	N/A	N/A	Day
7920	2025-03-26 22:26:27	74.75	55dB	3.9	293%	Day
7921	2025-03-26 22:28:05	N/A	55dB	N/A	N/A	Day
7922	2025-03-26 22:30:18	N/A	55dB	N/A	N/A	Day
7923	2025-03-26 22:40:30	69.09	55dB	2.7	166%	Day
7924	2025-03-26 22:46:21	N/A	55dB	N/A	N/A	Day
7925	2025-03-26 22:48:14	N/A	55dB	N/A	N/A	Day
7926	2025-03-26 22:49:37	70.87	55dB	3.0	200%	Day
7927	2025-03-26 22:51:44	N/A	55dB	N/A	N/A	Day
7928	2025-03-26 22:55:23	N/A	55dB	N/A	N/A	Day
7929	2025-03-26 22:56:55	N/A	55dB	N/A	N/A	Day
7930	2025-03-26 22:58:21	N/A	55dB	N/A	N/A	Day
7931	2025-03-26 22:59:38	67.89	55dB	2.4	144%	Day
7932	2025-03-26 23:01:00	N/A	45dB	N/A	N/A	Night
7933	2025-03-26 23:02:27	N/A	45dB	N/A	N/A	Night
7934	2025-03-26 23:05:55	N/A	45dB	N/A	N/A	Night
7935	2025-03-26 23:12:55	68.47	45dB	5.1	409%	Night
7936	2025-03-26 23:16:33	N/A	45dB	N/A	N/A	Night
7937	2025-03-26 23:20:56	69.14	45dB	5.3	433%	Night
7938	2025-03-26 23:22:35	N/A	45dB	N/A	N/A	Night
7939	2025-03-26 23:23:51	67.87	45dB	4.9	388%	Night
7940	2025-03-26 23:25:57	70.81	45dB	6.0	498%	Night
7941	2025-03-26 23:28:04	68.12	45dB	5.0	397%	Night
7942	2025-03-26 23:32:53	66.99	45dB	4.6	359%	Night
7943	2025-03-26 23:34:18	66.84	45dB	4.5	354%	Night
7944	2025-03-26 23:36:53	69.69	45dB	5.5	454%	Night
7945	2025-03-26 23:38:58	75.46	45dB	8.3	726%	Night
7946	2025-03-26 23:41:09	N/A	45dB	N/A	N/A	Night
7947	2025-03-26 23:42:28	N/A	45dB	N/A	N/A	Night
7948	2025-03-26 23:43:42	N/A	45dB	N/A	N/A	Night
7949	2025-03-26 23:45:30	N/A	45dB	N/A	N/A	Night
7950	2025-03-26 23:47:38	75.82	45dB	8.5	747%	Night
7951	2025-03-26 23:49:51	67.98	45dB	4.9	392%	Night
7952	2025-03-26 23:51:26	69.41	45dB	5.4	443%	Night
7953	2025-03-26 23:53:16	68.38	45dB	5.1	406%	Night
7954	2025-03-26 23:58:03	67.02	45dB	4.6	360%	Night
7955	2025-03-27 00:01:03	67.30	45dB	4.7	369%	Night
7956	2025-03-27 00:03:10	70.02	45dB	5.7	466%	Night
7957	2025-03-27 00:08:37	70.34	45dB	5.8	479%	Night
7958	2025-03-27 00:14:31	65.88	45dB	4.3	325%	Night

7959	2025-03-27 00:17:02	66.84	45dB	4.5	354%	Night
7960	2025-03-27 00:21:46	66.32	45dB	4.4	338%	Night
7961	2025-03-27 00:24:12	70.29	45dB	5.8	477%	Night
7962	2025-03-27 00:26:20	70.84	45dB	6.0	500%	Night
7963	2025-03-27 00:28:11	68.51	45dB	5.1	410%	Night
7964	2025-03-27 00:31:31	67.73	45dB	4.8	383%	Night
7965	2025-03-27 00:33:38	65.84	45dB	4.2	324%	Night
7966	2025-03-27 00:35:12	73.61	45dB	7.3	627%	Night
7967	2025-03-27 00:37:25	67.58	45dB	4.8	378%	Night
7968	2025-03-27 00:40:55	67.11	45dB	4.6	363%	Night
7969	2025-03-27 00:44:16	69.19	45dB	5.3	435%	Night
7970	2025-03-27 01:04:08	67.18	45dB	4.7	365%	Night
7971	2025-03-27 01:06:28	65.24	45dB	4.1	307%	Night
7972	2025-03-27 01:12:38	67.98	45dB	4.9	392%	Night
7973	2025-03-27 01:15:46	69.57	45dB	5.5	449%	Night
7974	2025-03-27 01:59:10	65.49	45dB	4.1	314%	Night
7975	2025-03-27 02:03:43	66.63	45dB	4.5	348%	Night
7976	2025-03-27 02:26:49	72.90	45dB	6.9	592%	Night
7977	2025-03-27 03:14:15	68.04	45dB	4.9	394%	Night
7978	2025-03-27 04:39:48	70.25	45dB	5.8	476%	Night
7979	2025-03-27 04:48:31	74.80	45dB	7.9	689%	Night
7980	2025-03-27 04:56:49	69.49	45dB	5.5	446%	Night
7981	2025-03-27 05:16:00	67.23	45dB	4.7	367%	Night
7982	2025-03-27 05:26:30	67.80	45dB	4.9	386%	Night
7983	2025-03-27 05:44:46	68.22	45dB	5.0	400%	Night
7984	2025-03-27 05:46:09	72.87	45dB	6.9	590%	Night
7985	2025-03-27 05:49:06	66.03	45dB	4.3	330%	Night
7986	2025-03-27 06:05:26	74.14	45dB	7.5	654%	Night
7987	2025-03-27 06:08:03	65.98	45dB	4.3	328%	Night
7988	2025-03-27 06:11:01	67.84	45dB	4.9	387%	Night
7989	2025-03-27 06:18:34	66.57	45dB	4.5	346%	Night
7990	2025-03-27 06:21:02	66.65	45dB	4.5	348%	Night
7991	2025-03-27 06:29:09	71.63	45dB	6.3	533%	Night
7992	2025-03-27 06:31:05	N/A	45dB	N/A	N/A	Night
7993	2025-03-27 06:32:42	67.10	45dB	4.6	363%	Night
7994	2025-03-27 06:33:56	67.62	45dB	4.8	380%	Night
7995	2025-03-27 06:35:07	68.06	45dB	4.9	395%	Night
7996	2025-03-27 06:36:30	70.42	45dB	5.8	482%	Night
7997	2025-03-27 06:37:54	72.82	45dB	6.9	588%	Night
7998	2025-03-27 06:39:54	67.45	45dB	4.7	374%	Night
7999	2025-03-27 06:41:24	69.20	45dB	5.4	435%	Night
8000	2025-03-27 06:42:42	N/A	45dB	N/A	N/A	Night
8001	2025-03-27 06:44:06	71.00	45dB	6.1	506%	Night
8002	2025-03-27 06:46:07	75.75	45dB	8.4	743%	Night

8003	2025-03-27 06:47:22	68.41	45dB	5.1	407%	Night
8004	2025-03-27 06:48:28	69.17	45dB	5.3	434%	Night
8005	2025-03-27 06:49:47	N/A	45dB	N/A	N/A	Night
8006	2025-03-27 06:51:09	77.78	45dB	9.7	870%	Night
8007	2025-03-27 06:53:32	69.54	45dB	5.5	448%	Night
8008	2025-03-27 06:55:41	68.63	45dB	5.1	414%	Night
8009	2025-03-27 06:57:00	67.92	45dB	4.9	390%	Night
8010	2025-03-27 06:58:18	N/A	45dB	N/A	N/A	Night
8011	2025-03-27 07:02:07	N/A	55dB	N/A	N/A	Day
8012	2025-03-27 07:05:04	70.11	55dB	2.9	185%	Day
8013	2025-03-27 07:07:18	68.30	55dB	2.5	151%	Day
8014	2025-03-27 07:09:03	N/A	55dB	N/A	N/A	Day
8015	2025-03-27 07:10:53	N/A	55dB	N/A	N/A	Day
8016	2025-03-27 07:14:46	71.77	55dB	3.2	220%	Day
8017	2025-03-27 07:16:26	N/A	55dB	N/A	N/A	Day
8018	2025-03-27 07:18:52	69.53	55dB	2.7	174%	Day
8019	2025-03-27 07:20:58	70.64	55dB	3.0	196%	Day
8020	2025-03-27 07:22:45	75.79	55dB	4.2	323%	Day
8021	2025-03-27 07:25:13	66.36	55dB	2.2	120%	Day
8022	2025-03-27 07:32:58	70.31	55dB	2.9	189%	Day
8023	2025-03-27 07:35:20	N/A	55dB	N/A	N/A	Day
8024	2025-03-27 07:40:00	67.35	55dB	2.4	135%	Day
8025	2025-03-27 07:41:45	N/A	55dB	N/A	N/A	Day
8026	2025-03-27 07:46:21	68.16	55dB	2.5	149%	Day
8027	2025-03-27 07:48:02	67.30	55dB	2.3	135%	Day
8028	2025-03-27 07:49:32	68.30	55dB	2.5	151%	Day
8029	2025-03-27 08:00:17	69.22	55dB	2.7	168%	Day
8030	2025-03-27 08:02:44	75.17	55dB	4.0	305%	Day
8031	2025-03-27 08:04:40	N/A	55dB	N/A	N/A	Day
8032	2025-03-27 08:06:12	70.37	55dB	2.9	190%	Day
8033	2025-03-27 08:07:54	N/A	55dB	N/A	N/A	Day
8034	2025-03-27 08:14:30	72.47	55dB	3.4	236%	Day
8035	2025-03-27 08:16:40	73.28	55dB	3.6	255%	Day
8036	2025-03-27 08:18:22	73.27	55dB	3.5	255%	Day
8037	2025-03-27 08:23:27	71.31	55dB	3.1	210%	Day
8038	2025-03-27 08:31:03	N/A	55dB	N/A	N/A	Day
8039	2025-03-27 08:46:01	69.91	55dB	2.8	181%	Day
8040	2025-03-27 08:58:41	70.00	55dB	2.8	183%	Day
8041	2025-03-27 09:18:36	68.94	55dB	2.6	163%	Day
8042	2025-03-27 09:21:01	81.42	55dB	6.2	524%	Day
8043	2025-03-27 09:31:08	68.90	55dB	2.6	162%	Day
8044	2025-03-27 09:33:55	71.31	55dB	3.1	210%	Day
8045	2025-03-27 09:35:09	76.72	55dB	4.5	351%	Day
8046	2025-03-27 09:36:36	68.53	55dB	2.6	155%	Day

8047	2025-03-27 09:38:23	N/A	55dB	N/A	N/A	Day
8048	2025-03-27 09:40:35	N/A	55dB	N/A	N/A	Day
8049	2025-03-27 09:43:26	N/A	55dB	N/A	N/A	Day
8050	2025-03-27 09:46:31	N/A	55dB	N/A	N/A	Day
8051	2025-03-27 09:57:11	69.00	55dB	2.6	164%	Day
8052	2025-03-27 10:13:58	N/A	55dB	N/A	N/A	Day
8053	2025-03-27 10:15:21	67.01	55dB	2.3	130%	Day
8054	2025-03-27 10:17:04	67.03	55dB	2.3	130%	Day
8055	2025-03-27 10:22:44	71.02	55dB	3.0	204%	Day
8056	2025-03-27 10:25:18	N/A	55dB	N/A	N/A	Day
8057	2025-03-27 10:27:08	73.68	55dB	3.7	265%	Day
8058	2025-03-27 10:29:57	N/A	55dB	N/A	N/A	Day
8059	2025-03-27 10:31:45	67.86	55dB	2.4	144%	Day
8060	2025-03-27 10:33:06	66.94	55dB	2.3	129%	Day
8061	2025-03-27 10:35:12	N/A	55dB	N/A	N/A	Day
8062	2025-03-27 10:38:15	68.43	55dB	2.5	154%	Day
8063	2025-03-27 10:40:38	67.59	55dB	2.4	139%	Day
8064	2025-03-27 10:44:52	N/A	55dB	N/A	N/A	Day
8065	2025-03-27 10:46:11	N/A	55dB	N/A	N/A	Day
8066	2025-03-27 10:47:44	N/A	55dB	N/A	N/A	Day
8067	2025-03-27 10:49:07	68.50	55dB	2.5	155%	Day
8068	2025-03-27 10:51:41	72.29	55dB	3.3	231%	Day
8069	2025-03-27 10:54:33	73.22	55dB	3.5	254%	Day
8070	2025-03-27 10:56:22	68.09	55dB	2.5	148%	Day
8071	2025-03-27 10:58:00	68.28	55dB	2.5	151%	Day
8072	2025-03-27 10:59:30	N/A	55dB	N/A	N/A	Day
8073	2025-03-27 11:01:26	N/A	55dB	N/A	N/A	Day
8074	2025-03-27 11:03:12	68.92	55dB	2.6	162%	Day
8075	2025-03-27 11:07:30	69.74	55dB	2.8	178%	Day
8076	2025-03-27 11:10:41	67.96	55dB	2.5	146%	Day
8077	2025-03-27 11:12:47	85.24	55dB	8.1	713%	Day
8078	2025-03-27 11:14:20	67.90	55dB	2.4	145%	Day
8079	2025-03-27 11:17:06	69.28	55dB	2.7	169%	Day
8080	2025-03-27 11:18:39	68.85	55dB	2.6	161%	Day
8081	2025-03-27 11:19:53	67.61	55dB	2.4	140%	Day
8082	2025-03-27 11:21:46	N/A	55dB	N/A	N/A	Day
8083	2025-03-27 11:23:22	69.51	55dB	2.7	173%	Day
8084	2025-03-27 11:24:36	67.92	55dB	2.4	145%	Day
8085	2025-03-27 11:26:32	69.76	55dB	2.8	178%	Day
8086	2025-03-27 11:29:07	N/A	55dB	N/A	N/A	Day
8087	2025-03-27 11:31:01	66.86	55dB	2.3	128%	Day
8088	2025-03-27 11:32:16	N/A	55dB	N/A	N/A	Day
8089	2025-03-27 11:34:42	67.67	55dB	2.4	141%	Day
8090	2025-03-27 11:36:08	N/A	55dB	N/A	N/A	Day

8091	2025-03-27 11:37:33	71.54	55dB	3.1	215%	Day
8092	2025-03-27 11:55:53	N/A	55dB	N/A	N/A	Day
8093	2025-03-27 11:57:55	N/A	55dB	N/A	N/A	Day
8094	2025-03-27 11:59:56	N/A	55dB	N/A	N/A	Day
8095	2025-03-27 12:03:51	72.96	55dB	3.5	247%	Day
8096	2025-03-27 12:07:30	76.26	55dB	4.4	337%	Day
8097	2025-03-27 12:10:03	73.89	55dB	3.7	270%	Day
8098	2025-03-27 12:17:23	71.03	55dB	3.0	204%	Day
8099	2025-03-27 12:20:36	70.42	55dB	2.9	191%	Day
8100	2025-03-27 12:24:41	71.20	55dB	3.1	207%	Day
8101	2025-03-27 12:29:28	69.38	55dB	2.7	171%	Day
8102	2025-03-27 12:31:26	72.18	55dB	3.3	229%	Day
8103	2025-03-27 12:32:46	72.74	55dB	3.4	242%	Day
8104	2025-03-27 12:35:28	N/A	55dB	N/A	N/A	Day
8105	2025-03-27 12:37:11	69.02	55dB	2.6	164%	Day
8106	2025-03-27 12:39:23	68.93	55dB	2.6	163%	Day
8107	2025-03-27 12:40:45	71.79	55dB	3.2	220%	Day
8108	2025-03-27 12:42:23	N/A	55dB	N/A	N/A	Day
8109	2025-03-27 12:44:00	N/A	55dB	N/A	N/A	Day
8110	2025-03-27 12:46:01	69.34	55dB	2.7	170%	Day
8111	2025-03-27 12:53:55	75.95	55dB	4.3	327%	Day
8112	2025-03-27 12:56:13	66.25	55dB	2.2	118%	Day
8113	2025-03-27 12:57:35	67.29	55dB	2.3	134%	Day
8114	2025-03-27 12:59:11	N/A	55dB	N/A	N/A	Day
8115	2025-03-27 13:00:37	N/A	55dB	N/A	N/A	Day
8116	2025-03-27 13:03:02	N/A	55dB	N/A	N/A	Day
8117	2025-03-27 13:04:31	N/A	55dB	N/A	N/A	Day
8118	2025-03-27 13:06:17	68.72	55dB	2.6	159%	Day
8119	2025-03-27 13:10:55	72.50	55dB	3.4	236%	Day
8120	2025-03-27 13:13:35	74.56	55dB	3.9	288%	Day
8121	2025-03-27 13:16:50	70.05	55dB	2.8	184%	Day
8122	2025-03-27 13:20:14	68.09	55dB	2.5	148%	Day
8123	2025-03-27 13:23:15	72.42	55dB	3.3	234%	Day
8124	2025-03-27 13:25:28	67.22	55dB	2.3	133%	Day
8125	2025-03-27 13:26:53	N/A	55dB	N/A	N/A	Day
8126	2025-03-27 13:28:17	N/A	55dB	N/A	N/A	Day
8127	2025-03-27 13:30:09	73.85	55dB	3.7	269%	Day
8128	2025-03-27 13:31:46	76.10	55dB	4.3	332%	Day
8129	2025-03-27 13:33:07	72.87	55dB	3.5	245%	Day
8130	2025-03-27 13:34:21	N/A	55dB	N/A	N/A	Day
8131	2025-03-27 13:36:05	66.93	55dB	2.3	129%	Day
8132	2025-03-27 13:39:33	79.89	55dB	5.6	461%	Day
8133	2025-03-27 13:41:37	73.71	55dB	3.7	266%	Day
8134	2025-03-27 13:44:21	75.96	55dB	4.3	328%	Day

8135	2025-03-27 13:45:34	72.36	55dB	3.3	233%	Day
8136	2025-03-27 13:50:57	68.95	55dB	2.6	163%	Day
8137	2025-03-27 13:52:40	69.93	55dB	2.8	181%	Day
8138	2025-03-27 13:56:08	70.08	55dB	2.8	184%	Day
8139	2025-03-27 13:57:58	71.27	55dB	3.1	209%	Day
8140	2025-03-27 14:01:05	N/A	55dB	N/A	N/A	Day
8141	2025-03-27 14:02:43	77.87	55dB	4.9	388%	Day
8142	2025-03-27 14:04:32	73.50	55dB	3.6	261%	Day
8143	2025-03-27 14:06:26	69.19	55dB	2.7	167%	Day
8144	2025-03-27 14:09:10	69.51	55dB	2.7	173%	Day
8145	2025-03-27 14:12:24	83.51	55dB	7.2	622%	Day
8146	2025-03-27 14:15:05	75.10	55dB	4.0	303%	Day
8147	2025-03-27 14:16:48	76.18	55dB	4.3	334%	Day
8148	2025-03-27 14:19:55	68.39	55dB	2.5	153%	Day
8149	2025-03-27 14:23:11	79.28	55dB	5.4	438%	Day
8150	2025-03-27 14:24:55	75.96	55dB	4.3	328%	Day
8151	2025-03-27 14:26:28	84.06	55dB	7.5	650%	Day
8152	2025-03-27 14:29:00	71.90	55dB	3.2	223%	Day
8153	2025-03-27 14:41:03	73.49	55dB	3.6	260%	Day
8154	2025-03-27 14:43:09	69.19	55dB	2.7	167%	Day
8155	2025-03-27 14:45:02	69.70	55dB	2.8	177%	Day
8156	2025-03-27 14:46:11	N/A	55dB	N/A	N/A	Day
8157	2025-03-27 14:47:31	73.89	55dB	3.7	270%	Day
8158	2025-03-27 14:49:01	80.20	55dB	5.7	474%	Day
8159	2025-03-27 14:50:49	68.67	55dB	2.6	158%	Day
8160	2025-03-27 14:52:29	68.86	55dB	2.6	161%	Day
8161	2025-03-27 14:53:50	73.83	55dB	3.7	269%	Day
8162	2025-03-27 14:56:24	69.24	55dB	2.7	168%	Day
8163	2025-03-27 14:59:32	70.57	55dB	2.9	194%	Day
8164	2025-03-27 15:04:38	65.97	55dB	2.1	114%	Day
8165	2025-03-27 15:06:01	77.26	55dB	4.7	368%	Day
8166	2025-03-27 15:08:16	N/A	55dB	N/A	N/A	Day
8167	2025-03-27 15:09:41	N/A	55dB	N/A	N/A	Day
8168	2025-03-27 15:10:52	N/A	55dB	N/A	N/A	Day
8169	2025-03-27 15:12:21	72.61	55dB	3.4	239%	Day
8170	2025-03-27 15:14:39	75.72	55dB	4.2	320%	Day
8171	2025-03-27 15:18:17	74.91	55dB	4.0	298%	Day
8172	2025-03-27 15:20:40	67.80	55dB	2.4	143%	Day
8173	2025-03-27 15:28:00	70.26	55dB	2.9	188%	Day
8174	2025-03-27 15:30:04	68.83	55dB	2.6	161%	Day
8175	2025-03-27 15:31:32	82.11	55dB	6.5	555%	Day
8176	2025-03-27 15:33:21	N/A	55dB	N/A	N/A	Day
8177	2025-03-27 15:34:49	N/A	55dB	N/A	N/A	Day
8178	2025-03-27 15:36:46	N/A	55dB	N/A	N/A	Day

8179	2025-03-27 15:39:53	79.58	55dB	5.5	449%	Day
8180	2025-03-27 15:41:02	68.49	55dB	2.5	155%	Day
8181	2025-03-27 15:42:34	73.37	55dB	3.6	257%	Day
8182	2025-03-27 15:45:12	N/A	55dB	N/A	N/A	Day
8183	2025-03-27 15:46:46	67.16	55dB	2.3	132%	Day
8184	2025-03-27 15:48:10	75.89	55dB	4.3	325%	Day
8185	2025-03-27 15:49:41	73.91	55dB	3.7	271%	Day
8186	2025-03-27 15:52:02	71.94	55dB	3.2	224%	Day
8187	2025-03-27 15:59:14	69.95	55dB	2.8	182%	Day
8188	2025-03-27 16:01:26	74.95	55dB	4.0	299%	Day
8189	2025-03-27 16:02:46	68.63	55dB	2.6	157%	Day
8190	2025-03-27 16:04:02	N/A	55dB	N/A	N/A	Day
8191	2025-03-27 16:06:22	69.46	55dB	2.7	172%	Day
8192	2025-03-27 16:07:49	76.26	55dB	4.4	337%	Day
8193	2025-03-27 16:09:07	70.87	55dB	3.0	200%	Day
8194	2025-03-27 16:10:57	67.43	55dB	2.4	137%	Day
8195	2025-03-27 16:14:05	N/A	55dB	N/A	N/A	Day
8196	2025-03-27 16:15:50	70.04	55dB	2.8	184%	Day
8197	2025-03-27 16:21:24	70.94	55dB	3.0	202%	Day
8198	2025-03-27 16:24:13	77.69	55dB	4.8	382%	Day
8199	2025-03-27 16:28:35	N/A	55dB	N/A	N/A	Day
8200	2025-03-27 16:30:34	N/A	55dB	N/A	N/A	Day
8201	2025-03-27 16:32:10	N/A	55dB	N/A	N/A	Day
8202	2025-03-27 16:34:56	78.45	55dB	5.1	408%	Day
8203	2025-03-27 16:37:52	67.49	55dB	2.4	138%	Day
8204	2025-03-27 16:39:43	67.32	55dB	2.3	135%	Day
8205	2025-03-27 16:46:13	N/A	55dB	N/A	N/A	Day
8206	2025-03-27 16:52:31	86.21	55dB	8.7	770%	Day
8207	2025-03-27 16:53:54	69.30	55dB	2.7	169%	Day
8208	2025-03-27 16:55:20	N/A	55dB	N/A	N/A	Day
8209	2025-03-27 16:56:40	83.00	55dB	7.0	596%	Day
8210	2025-03-27 16:57:58	N/A	55dB	N/A	N/A	Day
8211	2025-03-27 16:59:25	N/A	55dB	N/A	N/A	Day
8212	2025-03-27 17:01:21	79.03	55dB	5.3	429%	Day
8213	2025-03-27 17:03:01	74.40	55dB	3.8	284%	Day
8214	2025-03-27 17:04:52	N/A	55dB	N/A	N/A	Day
8215	2025-03-27 17:06:19	70.51	55dB	2.9	193%	Day
8216	2025-03-27 17:07:42	N/A	55dB	N/A	N/A	Day
8217	2025-03-27 17:11:07	N/A	55dB	N/A	N/A	Day
8218	2025-03-27 17:13:21	73.93	55dB	3.7	271%	Day
8219	2025-03-27 17:14:43	76.23	55dB	4.4	336%	Day
8220	2025-03-27 17:16:01	N/A	55dB	N/A	N/A	Day
8221	2025-03-27 17:17:37	85.72	55dB	8.4	741%	Day
8222	2025-03-27 17:20:06	72.58	55dB	3.4	238%	Day

8223	2025-03-27 17:21:28	73.52	55dB	3.6	261%	Day
8224	2025-03-27 17:23:03	77.63	55dB	4.8	380%	Day
8225	2025-03-27 17:24:27	72.77	55dB	3.4	243%	Day
8226	2025-03-27 17:25:57	85.94	55dB	8.5	754%	Day
8227	2025-03-27 17:28:02	70.49	55dB	2.9	193%	Day
8228	2025-03-27 17:30:57	74.55	55dB	3.9	288%	Day
8229	2025-03-27 17:32:18	76.04	55dB	4.3	330%	Day
8230	2025-03-27 17:33:39	N/A	55dB	N/A	N/A	Day
8231	2025-03-27 17:35:01	71.03	55dB	3.0	204%	Day
8232	2025-03-27 17:36:47	70.39	55dB	2.9	191%	Day
8233	2025-03-27 17:40:46	83.46	55dB	7.2	619%	Day
8234	2025-03-27 17:43:08	N/A	55dB	N/A	N/A	Day
8235	2025-03-27 17:45:27	76.89	55dB	4.6	356%	Day
8236	2025-03-27 17:49:30	75.76	55dB	4.2	322%	Day
8237	2025-03-27 17:51:20	N/A	55dB	N/A	N/A	Day
8238	2025-03-27 17:52:52	71.26	55dB	3.1	209%	Day
8239	2025-03-27 17:54:47	83.91	55dB	7.4	642%	Day
8240	2025-03-27 17:56:31	N/A	55dB	N/A	N/A	Day
8241	2025-03-27 17:58:26	71.51	55dB	3.1	214%	Day
8242	2025-03-27 18:08:27	71.77	55dB	3.2	220%	Day
8243	2025-03-27 18:11:45	73.84	55dB	3.7	269%	Day
8244	2025-03-27 18:12:52	N/A	55dB	N/A	N/A	Day
8245	2025-03-27 18:15:08	73.69	55dB	3.7	265%	Day
8246	2025-03-27 18:16:22	73.54	55dB	3.6	262%	Day
8247	2025-03-27 18:17:51	75.65	55dB	4.2	318%	Day
8248	2025-03-27 18:19:21	73.47	55dB	3.6	260%	Day
8249	2025-03-27 18:20:49	73.22	55dB	3.5	254%	Day
8250	2025-03-27 18:22:07	77.04	55dB	4.6	361%	Day
8251	2025-03-27 18:23:40	75.06	55dB	4.0	302%	Day
8252	2025-03-27 18:26:15	77.47	55dB	4.7	375%	Day
8253	2025-03-27 18:28:31	77.98	55dB	4.9	392%	Day
8254	2025-03-27 18:31:12	87.42	55dB	9.5	846%	Day
8255	2025-03-27 18:34:02	79.44	55dB	5.4	444%	Day
8256	2025-03-27 18:36:20	75.34	55dB	4.1	310%	Day
8257	2025-03-27 18:38:26	81.22	55dB	6.2	516%	Day
8258	2025-03-27 18:40:30	N/A	55dB	N/A	N/A	Day
8259	2025-03-27 18:43:08	72.16	55dB	3.3	229%	Day
8260	2025-03-27 18:45:34	81.76	55dB	6.4	539%	Day
8261	2025-03-27 18:48:06	83.32	55dB	7.1	612%	Day
8262	2025-03-27 18:50:16	73.78	55dB	3.7	268%	Day
8263	2025-03-27 18:52:24	78.40	55dB	5.1	406%	Day
8264	2025-03-27 18:54:40	74.71	55dB	3.9	292%	Day
8265	2025-03-27 18:56:40	79.09	55dB	5.3	431%	Day
8266	2025-03-27 18:59:01	83.71	55dB	7.3	632%	Day

8267	2025-03-27 19:01:26	81.00	55dB	6.1	506%	Day
8268	2025-03-27 19:03:56	N/A	55dB	N/A	N/A	Day
8269	2025-03-27 19:06:12	87.03	55dB	9.2	821%	Day
8270	2025-03-27 19:08:22	86.49	55dB	8.9	787%	Day
8271	2025-03-27 19:11:06	86.43	55dB	8.8	783%	Day
8272	2025-03-27 19:13:39	75.48	55dB	4.1	314%	Day
8273	2025-03-27 19:20:40	72.57	55dB	3.4	238%	Day
8274	2025-03-27 19:22:44	75.87	55dB	4.2	325%	Day
8275	2025-03-27 19:25:41	80.86	55dB	6.0	500%	Day
8276	2025-03-27 19:28:01	79.94	55dB	5.6	463%	Day
8277	2025-03-27 19:31:31	79.57	55dB	5.5	449%	Day
8278	2025-03-27 19:32:45	71.79	55dB	3.2	220%	Day
8279	2025-03-27 19:34:23	71.08	55dB	3.0	205%	Day
8280	2025-03-27 19:37:27	70.28	55dB	2.9	188%	Day
8281	2025-03-27 19:39:11	78.47	55dB	5.1	409%	Day
8282	2025-03-27 19:41:15	80.05	55dB	5.7	468%	Day
8283	2025-03-27 19:43:04	71.81	55dB	3.2	221%	Day
8284	2025-03-27 19:44:23	82.24	55dB	6.6	561%	Day
8285	2025-03-27 19:45:54	68.03	55dB	2.5	147%	Day
8286	2025-03-27 19:47:25	73.09	55dB	3.5	250%	Day
8287	2025-03-27 19:49:36	74.95	55dB	4.0	299%	Day
8288	2025-03-27 19:52:13	71.72	55dB	3.2	219%	Day
8289	2025-03-27 19:59:52	69.04	55dB	2.6	165%	Day
8290	2025-03-27 20:01:23	78.05	55dB	4.9	394%	Day
8291	2025-03-27 20:03:15	77.76	55dB	4.8	384%	Day
8292	2025-03-27 20:04:47	N/A	55dB	N/A	N/A	Day
8293	2025-03-27 20:06:14	71.57	55dB	3.2	215%	Day
8294	2025-03-27 20:07:28	N/A	55dB	N/A	N/A	Day
8295	2025-03-27 20:08:53	69.47	55dB	2.7	173%	Day
8296	2025-03-27 20:10:39	N/A	55dB	N/A	N/A	Day
8297	2025-03-27 20:12:18	69.95	55dB	2.8	182%	Day
8298	2025-03-27 20:13:47	N/A	55dB	N/A	N/A	Day
8299	2025-03-27 20:15:17	72.74	55dB	3.4	242%	Day
8300	2025-03-27 20:18:14	74.08	55dB	3.8	275%	Day
8301	2025-03-27 20:21:22	69.64	55dB	2.8	176%	Day
8302	2025-03-27 20:23:33	69.57	55dB	2.7	175%	Day
8303	2025-03-27 20:25:37	69.31	55dB	2.7	170%	Day
8304	2025-03-27 20:27:48	72.49	55dB	3.4	236%	Day
8305	2025-03-27 20:29:23	70.25	55dB	2.9	188%	Day
8306	2025-03-27 20:30:57	68.58	55dB	2.6	156%	Day
8307	2025-03-27 20:33:31	70.36	55dB	2.9	190%	Day
8308	2025-03-27 20:35:08	73.55	55dB	3.6	262%	Day
8309	2025-03-27 20:36:39	N/A	55dB	N/A	N/A	Day
8310	2025-03-27 20:38:20	71.52	55dB	3.1	214%	Day

8311	2025-03-27 20:41:08	70.52	55dB	2.9	193%	Day
8312	2025-03-27 20:42:36	68.74	55dB	2.6	159%	Day
8313	2025-03-27 20:44:05	70.07	55dB	2.8	184%	Day
8314	2025-03-27 20:45:31	70.74	55dB	3.0	198%	Day
8315	2025-03-27 20:47:26	N/A	55dB	N/A	N/A	Day
8316	2025-03-27 20:48:41	74.38	55dB	3.8	283%	Day
8317	2025-03-27 20:50:08	70.86	55dB	3.0	200%	Day
8318	2025-03-27 20:51:36	69.02	55dB	2.6	164%	Day
8319	2025-03-27 20:53:17	68.92	55dB	2.6	162%	Day
8320	2025-03-27 20:56:12	69.10	55dB	2.7	166%	Day
8321	2025-03-27 20:57:43	70.31	55dB	2.9	189%	Day
8322	2025-03-27 20:59:54	70.14	55dB	2.9	186%	Day
8323	2025-03-27 21:01:17	70.14	55dB	2.9	186%	Day
8324	2025-03-27 21:02:44	68.13	55dB	2.5	148%	Day
8325	2025-03-27 21:05:44	69.07	55dB	2.7	165%	Day
8326	2025-03-27 21:07:17	68.08	55dB	2.5	148%	Day
8327	2025-03-27 21:08:34	67.92	55dB	2.4	145%	Day
8328	2025-03-27 21:10:10	71.80	55dB	3.2	220%	Day
8329	2025-03-27 21:13:03	N/A	55dB	N/A	N/A	Day
8330	2025-03-27 21:14:30	N/A	55dB	N/A	N/A	Day
8331	2025-03-27 21:16:01	72.21	55dB	3.3	230%	Day
8332	2025-03-27 21:17:22	71.41	55dB	3.1	212%	Day
8333	2025-03-27 21:18:50	79.38	55dB	5.4	442%	Day
8334	2025-03-27 21:20:18	73.20	55dB	3.5	253%	Day
8335	2025-03-27 21:21:41	73.69	55dB	3.7	265%	Day
8336	2025-03-27 21:25:14	70.53	55dB	2.9	193%	Day
8337	2025-03-27 21:27:09	69.05	55dB	2.6	165%	Day
8338	2025-03-27 21:30:32	N/A	55dB	N/A	N/A	Day
8339	2025-03-27 21:33:46	68.94	55dB	2.6	163%	Day
8340	2025-03-27 21:35:10	69.78	55dB	2.8	179%	Day
8341	2025-03-27 21:36:33	69.10	55dB	2.7	166%	Day
8342	2025-03-27 21:37:42	69.56	55dB	2.7	174%	Day
8343	2025-03-27 21:39:04	72.38	55dB	3.3	234%	Day
8344	2025-03-27 21:40:30	69.63	55dB	2.8	176%	Day
8345	2025-03-27 21:41:47	69.54	55dB	2.7	174%	Day
8346	2025-03-27 21:43:12	N/A	55dB	N/A	N/A	Day
8347	2025-03-27 21:44:34	N/A	55dB	N/A	N/A	Day
8348	2025-03-27 21:46:09	69.42	55dB	2.7	172%	Day
8349	2025-03-27 21:47:19	69.46	55dB	2.7	172%	Day
8350	2025-03-27 21:48:41	74.13	55dB	3.8	277%	Day
8351	2025-03-27 21:50:12	68.91	55dB	2.6	162%	Day
8352	2025-03-27 21:51:41	74.10	55dB	3.8	276%	Day
8353	2025-03-27 21:53:02	68.08	55dB	2.5	148%	Day
8354	2025-03-27 21:54:44	70.20	55dB	2.9	187%	Day

8355	2025-03-27 21:57:16	67.93	55dB	2.5	145%	Day
8356	2025-03-27 21:58:50	70.54	55dB	2.9	194%	Day
8357	2025-03-27 22:01:37	66.02	55dB	2.1	115%	Day
8358	2025-03-27 22:03:45	78.56	55dB	5.1	412%	Day
8359	2025-03-27 22:06:57	69.88	55dB	2.8	180%	Day
8360	2025-03-27 22:11:47	66.70	55dB	2.3	125%	Day
8361	2025-03-27 22:16:01	N/A	55dB	N/A	N/A	Day
8362	2025-03-27 22:26:40	67.60	55dB	2.4	139%	Day
8363	2025-03-27 22:28:02	N/A	55dB	N/A	N/A	Day
8364	2025-03-27 22:29:52	69.81	55dB	2.8	179%	Day
8365	2025-03-27 22:31:47	N/A	55dB	N/A	N/A	Day
8366	2025-03-27 22:33:10	69.91	55dB	2.8	181%	Day
8367	2025-03-27 22:34:45	78.30	55dB	5.0	403%	Day
8368	2025-03-27 22:41:58	69.00	55dB	2.6	164%	Day
8369	2025-03-27 22:43:56	68.76	55dB	2.6	160%	Day
8370	2025-03-27 22:46:41	68.37	55dB	2.5	153%	Day
8371	2025-03-27 22:48:42	71.93	55dB	3.2	223%	Day
8372	2025-03-27 22:50:12	72.52	55dB	3.4	237%	Day
8373	2025-03-27 22:52:07	71.27	55dB	3.1	209%	Day
8374	2025-03-27 22:54:39	N/A	55dB	N/A	N/A	Day
8375	2025-03-27 22:58:47	N/A	55dB	N/A	N/A	Day
8376	2025-03-28 06:32:18	66.36	45dB	4.4	340%	Night
8377	2025-03-28 06:33:07	68.83	45dB	5.2	422%	Night
8378	2025-03-28 06:36:27	74.01	45dB	7.5	647%	Night
8379	2025-03-28 06:37:20	N/A	45dB	N/A	N/A	Night
8380	2025-03-28 06:38:21	N/A	45dB	N/A	N/A	Night
8381	2025-03-28 06:39:22	67.02	45dB	4.6	360%	Night
8382	2025-03-28 06:40:21	N/A	45dB	N/A	N/A	Night
8383	2025-03-28 06:41:26	N/A	45dB	N/A	N/A	Night
8384	2025-03-28 06:44:19	N/A	45dB	N/A	N/A	Night
8385	2025-03-28 06:45:43	N/A	45dB	N/A	N/A	Night
8386	2025-03-28 06:46:34	73.25	45dB	7.1	609%	Night
8387	2025-03-28 06:47:22	69.86	45dB	5.6	460%	Night
8388	2025-03-28 06:48:11	N/A	45dB	N/A	N/A	Night
8389	2025-03-28 06:48:52	69.38	45dB	5.4	442%	Night
8390	2025-03-28 06:49:56	72.36	45dB	6.7	566%	Night
8391	2025-03-28 06:50:51	68.35	45dB	5.0	405%	Night
8392	2025-03-28 06:51:57	N/A	45dB	N/A	N/A	Night
8393	2025-03-28 06:53:50	74.13	45dB	7.5	653%	Night
8394	2025-03-28 06:54:48	72.67	45dB	6.8	581%	Night
8395	2025-03-28 06:56:12	69.35	45dB	5.4	441%	Night
8396	2025-03-28 06:58:02	76.03	45dB	8.6	759%	Night
8397	2025-03-28 06:59:18	N/A	45dB	N/A	N/A	Night
8398	2025-03-28 07:00:43	N/A	55dB	N/A	N/A	Day

8399	2025-03-28 07:01:39	72.89	55dB	3.5	246%	Day
8400	2025-03-28 07:02:29	74.62	55dB	3.9	290%	Day
8401	2025-03-28 07:03:24	69.39	55dB	2.7	171%	Day
8402	2025-03-28 07:04:24	N/A	55dB	N/A	N/A	Day
8403	2025-03-28 07:05:40	N/A	55dB	N/A	N/A	Day
8404	2025-03-28 07:08:41	N/A	55dB	N/A	N/A	Day
8405	2025-03-28 07:09:48	71.14	55dB	3.1	206%	Day
8406	2025-03-28 07:13:53	68.55	55dB	2.6	156%	Day
8407	2025-03-28 07:15:22	68.24	55dB	2.5	150%	Day
8408	2025-03-28 07:17:33	N/A	55dB	N/A	N/A	Day
8409	2025-03-28 07:20:44	76.33	55dB	4.4	339%	Day
8410	2025-03-28 07:22:42	70.71	55dB	3.0	197%	Day
8411	2025-03-28 07:23:58	71.28	55dB	3.1	209%	Day
8412	2025-03-28 07:24:44	N/A	55dB	N/A	N/A	Day
8413	2025-03-28 07:25:35	73.46	55dB	3.6	260%	Day
8414	2025-03-28 07:26:50	75.48	55dB	4.1	314%	Day
8415	2025-03-28 07:27:21	N/A	55dB	N/A	N/A	Day
8416	2025-03-28 07:29:22	73.67	55dB	3.6	265%	Day
8417	2025-03-28 07:30:48	68.50	55dB	2.5	155%	Day
8418	2025-03-28 07:32:26	68.16	55dB	2.5	149%	Day
8419	2025-03-28 07:34:31	69.60	55dB	2.8	175%	Day
8420	2025-03-28 07:36:01	N/A	55dB	N/A	N/A	Day
8421	2025-03-28 07:38:00	N/A	55dB	N/A	N/A	Day
8422	2025-03-28 07:38:38	N/A	55dB	N/A	N/A	Day
8423	2025-03-28 07:40:42	N/A	55dB	N/A	N/A	Day
8424	2025-03-28 07:42:32	68.74	55dB	2.6	159%	Day
8425	2025-03-28 07:43:21	N/A	55dB	N/A	N/A	Day
8426	2025-03-28 07:45:22	76.63	55dB	4.5	348%	Day
8427	2025-03-28 07:48:09	N/A	55dB	N/A	N/A	Day
8428	2025-03-28 07:49:47	68.10	55dB	2.5	148%	Day
8429	2025-03-28 07:51:56	N/A	55dB	N/A	N/A	Day
8430	2025-03-28 07:55:22	70.97	55dB	3.0	203%	Day
8431	2025-03-28 07:56:01	N/A	55dB	N/A	N/A	Day
8432	2025-03-28 07:56:59	N/A	55dB	N/A	N/A	Day
8433	2025-03-28 07:57:53	72.71	55dB	3.4	241%	Day
8434	2025-03-28 08:00:13	N/A	55dB	N/A	N/A	Day
8435	2025-03-28 08:02:53	N/A	55dB	N/A	N/A	Day
8436	2025-03-28 08:05:56	75.43	55dB	4.1	312%	Day
8437	2025-03-28 08:07:01	N/A	55dB	N/A	N/A	Day
8438	2025-03-28 08:08:06	72.80	55dB	3.4	243%	Day
8439	2025-03-28 08:09:11	73.71	55dB	3.7	266%	Day
8440	2025-03-28 08:10:09	N/A	55dB	N/A	N/A	Day
8441	2025-03-28 08:12:06	70.89	55dB	3.0	201%	Day
8442	2025-03-28 08:13:26	72.99	55dB	3.5	248%	Day

8443	2025-03-28 08:14:10	67.99	55dB	2.5	146%	Day
8444	2025-03-28 08:14:55	67.84	55dB	2.4	144%	Day
8445	2025-03-28 08:15:46	68.93	55dB	2.6	163%	Day
8446	2025-03-28 08:16:57	70.16	55dB	2.9	186%	Day
8447	2025-03-28 08:17:50	N/A	55dB	N/A	N/A	Day
8448	2025-03-28 08:18:56	N/A	55dB	N/A	N/A	Day
8449	2025-03-28 08:20:58	N/A	55dB	N/A	N/A	Day
8450	2025-03-28 08:21:57	72.58	55dB	3.4	238%	Day
8451	2025-03-28 08:23:10	74.23	55dB	3.8	279%	Day
8452	2025-03-28 08:25:01	68.79	55dB	2.6	160%	Day
8453	2025-03-28 08:25:53	N/A	55dB	N/A	N/A	Day
8454	2025-03-28 08:26:54	72.80	55dB	3.4	243%	Day
8455	2025-03-28 08:27:36	68.81	55dB	2.6	160%	Day
8456	2025-03-28 08:28:51	68.35	55dB	2.5	152%	Day
8457	2025-03-28 08:31:20	73.17	55dB	3.5	252%	Day
8458	2025-03-28 08:35:33	68.08	55dB	2.5	148%	Day
8459	2025-03-28 08:36:40	74.68	55dB	3.9	291%	Day
8460	2025-03-28 08:37:15	N/A	55dB	N/A	N/A	Day
8461	2025-03-28 08:38:17	69.72	55dB	2.8	177%	Day
8462	2025-03-28 08:39:52	72.21	55dB	3.3	230%	Day
8463	2025-03-28 08:40:57	74.98	55dB	4.0	299%	Day
8464	2025-03-28 08:42:46	68.20	55dB	2.5	150%	Day
8465	2025-03-28 08:44:18	N/A	55dB	N/A	N/A	Day
8466	2025-03-28 08:45:21	76.86	55dB	4.6	355%	Day
8467	2025-03-28 08:46:18	74.40	55dB	3.8	284%	Day
8468	2025-03-28 08:47:13	N/A	55dB	N/A	N/A	Day
8469	2025-03-28 08:48:03	70.77	55dB	3.0	198%	Day
8470	2025-03-28 08:48:48	71.59	55dB	3.2	216%	Day
8471	2025-03-28 08:49:43	N/A	55dB	N/A	N/A	Day
8472	2025-03-28 08:51:53	69.60	55dB	2.8	175%	Day
8473	2025-03-28 08:58:35	70.82	55dB	3.0	199%	Day
8474	2025-03-28 09:02:08	N/A	55dB	N/A	N/A	Day
8475	2025-03-28 09:04:27	67.50	55dB	2.4	138%	Day
8476	2025-03-28 09:05:51	N/A	55dB	N/A	N/A	Day
8477	2025-03-28 09:08:58	77.23	55dB	4.7	367%	Day
8478	2025-03-28 09:10:55	67.21	55dB	2.3	133%	Day
8479	2025-03-28 09:12:34	74.76	55dB	3.9	293%	Day
8480	2025-03-28 09:13:20	N/A	55dB	N/A	N/A	Day
8481	2025-03-28 09:14:15	N/A	55dB	N/A	N/A	Day
8482	2025-03-28 09:15:19	N/A	55dB	N/A	N/A	Day
8483	2025-03-28 09:16:36	N/A	55dB	N/A	N/A	Day
8484	2025-03-28 09:17:39	68.83	55dB	2.6	161%	Day
8485	2025-03-28 09:18:53	N/A	55dB	N/A	N/A	Day
8486	2025-03-28 09:20:39	N/A	55dB	N/A	N/A	Day

8487	2025-03-28 09:21:42	75.30	55dB	4.1	308%	Day
8488	2025-03-28 09:22:53	N/A	55dB	N/A	N/A	Day
8489	2025-03-28 09:23:56	70.31	55dB	2.9	189%	Day
8490	2025-03-28 09:24:40	N/A	55dB	N/A	N/A	Day
8491	2025-03-28 09:25:37	70.18	55dB	2.9	186%	Day
8492	2025-03-28 09:26:54	N/A	55dB	N/A	N/A	Day
8493	2025-03-28 09:28:28	71.78	55dB	3.2	220%	Day
8494	2025-03-28 09:29:52	N/A	55dB	N/A	N/A	Day
8495	2025-03-28 09:31:43	N/A	55dB	N/A	N/A	Day
8496	2025-03-28 09:32:50	73.94	55dB	3.7	272%	Day
8497	2025-03-28 09:33:48	71.46	55dB	3.1	213%	Day
8498	2025-03-28 09:34:34	68.75	55dB	2.6	159%	Day
8499	2025-03-28 09:35:50	70.89	55dB	3.0	201%	Day
8500	2025-03-28 09:37:32	N/A	55dB	N/A	N/A	Day
8501	2025-03-28 09:38:52	N/A	55dB	N/A	N/A	Day
8502	2025-03-28 09:40:01	68.97	55dB	2.6	163%	Day
8503	2025-03-28 09:41:48	N/A	55dB	N/A	N/A	Day
8504	2025-03-28 09:43:00	N/A	55dB	N/A	N/A	Day
8505	2025-03-28 09:43:47	N/A	55dB	N/A	N/A	Day
8506	2025-03-28 09:45:09	N/A	55dB	N/A	N/A	Day
8507	2025-03-28 09:47:06	75.14	55dB	4.0	304%	Day
8508	2025-03-28 09:48:26	77.12	55dB	4.6	363%	Day
8509	2025-03-28 09:49:32	69.16	55dB	2.7	167%	Day
8510	2025-03-28 09:51:07	75.46	55dB	4.1	313%	Day
8511	2025-03-28 09:52:57	74.54	55dB	3.9	287%	Day
8512	2025-03-28 09:54:27	N/A	55dB	N/A	N/A	Day
8513	2025-03-28 09:55:31	N/A	55dB	N/A	N/A	Day
8514	2025-03-28 09:57:08	75.43	55dB	4.1	312%	Day
8515	2025-03-28 09:58:01	71.87	55dB	3.2	222%	Day
8516	2025-03-28 09:59:13	67.46	55dB	2.4	137%	Day
8517	2025-03-28 10:00:56	71.22	55dB	3.1	208%	Day
8518	2025-03-28 10:02:44	69.26	55dB	2.7	169%	Day
8519	2025-03-28 10:04:06	68.96	55dB	2.6	163%	Day
8520	2025-03-28 16:08:01	72.02	55dB	3.3	225%	Day
8521	2025-03-29 06:30:27	69.12	45dB	5.3	432%	Night
8522	2025-03-29 06:32:06	71.66	45dB	6.3	535%	Night
8523	2025-03-29 06:33:44	70.08	45dB	5.7	469%	Night
8524	2025-03-29 06:35:24	72.88	45dB	6.9	591%	Night
8525	2025-03-29 06:37:35	68.91	45dB	5.2	425%	Night
8526	2025-03-29 06:38:54	70.88	45dB	6.0	501%	Night
8527	2025-03-29 06:40:15	70.62	45dB	5.9	491%	Night
8528	2025-03-29 06:42:41	68.70	45dB	5.2	417%	Night
8529	2025-03-29 06:44:19	75.11	45dB	8.1	706%	Night
8530	2025-03-29 06:46:15	71.99	45dB	6.5	549%	Night

8531	2025-03-29 06:47:33	N/A	45dB	N/A	N/A	Night
8532	2025-03-29 06:48:46	N/A	45dB	N/A	N/A	Night
8533	2025-03-29 06:50:06	70.22	45dB	5.7	474%	Night
8534	2025-03-29 06:51:20	78.21	45dB	10.0	899%	Night
8535	2025-03-29 06:54:04	71.69	45dB	6.4	536%	Night
8536	2025-03-29 06:56:24	72.38	45dB	6.7	567%	Night
8537	2025-03-29 06:57:42	N/A	45dB	N/A	N/A	Night
8538	2025-03-29 06:59:03	70.38	45dB	5.8	481%	Night
8539	2025-03-29 07:00:23	68.41	55dB	2.5	153%	Day
8540	2025-03-29 07:01:48	N/A	55dB	N/A	N/A	Day
8541	2025-03-29 07:03:16	66.69	55dB	2.2	125%	Day
8542	2025-03-29 07:05:02	N/A	55dB	N/A	N/A	Day
8543	2025-03-29 07:09:54	68.98	55dB	2.6	164%	Day
8544	2025-03-29 07:15:46	N/A	55dB	N/A	N/A	Day
8545	2025-03-29 13:59:34	N/A	55dB	N/A	N/A	Day
8546	2025-03-29 20:15:52	71.94	55dB	3.2	224%	Day
8547	2025-03-30 06:33:56	69.54	45dB	5.5	448%	Night
8548	2025-03-30 06:35:08	71.23	45dB	6.2	516%	Night
8549	2025-03-30 06:36:27	76.46	45dB	8.9	785%	Night
8550	2025-03-30 06:37:19	70.83	45dB	6.0	499%	Night
8551	2025-03-30 06:38:27	74.44	45dB	7.7	670%	Night
8552	2025-03-30 06:40:14	N/A	45dB	N/A	N/A	Night
8553	2025-03-30 06:46:43	N/A	45dB	N/A	N/A	Night
8554	2025-03-30 06:48:47	74.19	45dB	7.6	656%	Night
8555	2025-03-30 06:49:52	70.60	45dB	5.9	490%	Night
8556	2025-03-30 06:53:23	66.50	45dB	4.4	344%	Night
8557	2025-03-30 06:58:04	N/A	45dB	N/A	N/A	Night
8558	2025-03-30 07:01:45	72.35	55dB	3.3	233%	Day
8559	2025-03-30 07:06:28	75.18	55dB	4.1	305%	Day
8560	2025-03-30 07:09:42	N/A	55dB	N/A	N/A	Day
8561	2025-03-30 07:10:51	N/A	55dB	N/A	N/A	Day
8562	2025-03-30 07:12:03	77.81	55dB	4.9	386%	Day
8563	2025-03-30 07:13:09	75.09	55dB	4.0	303%	Day
8564	2025-03-30 07:14:23	74.33	55dB	3.8	282%	Day
8565	2025-03-30 07:15:34	67.68	55dB	2.4	141%	Day
8566	2025-03-30 07:16:51	N/A	55dB	N/A	N/A	Day
8567	2025-03-30 07:17:56	77.78	55dB	4.9	385%	Day
8568	2025-03-30 07:20:19	77.58	55dB	4.8	378%	Day
8569	2025-03-30 07:22:06	75.02	55dB	4.0	301%	Day
8570	2025-03-30 07:24:10	N/A	55dB	N/A	N/A	Day
8571	2025-03-30 07:25:12	70.95	55dB	3.0	202%	Day
8572	2025-03-30 07:26:16	78.16	55dB	5.0	398%	Day
8573	2025-03-30 07:27:37	71.75	55dB	3.2	219%	Day
8574	2025-03-30 07:30:26	69.54	55dB	2.7	174%	Day

8575	2025-03-30 07:31:47	N/A	55dB	N/A	N/A	Day
8576	2025-03-30 07:33:53	71.01	55dB	3.0	203%	Day
8577	2025-03-30 07:36:42	N/A	55dB	N/A	N/A	Day
8578	2025-03-30 07:38:02	N/A	55dB	N/A	N/A	Day
8579	2025-03-30 07:39:47	74.02	55dB	3.7	274%	Day
8580	2025-03-30 07:41:19	N/A	55dB	N/A	N/A	Day
8581	2025-03-30 07:42:36	N/A	55dB	N/A	N/A	Day
8582	2025-03-30 07:44:20	68.40	55dB	2.5	153%	Day
8583	2025-03-30 07:45:36	71.63	55dB	3.2	217%	Day
8584	2025-03-30 07:47:44	73.69	55dB	3.7	265%	Day
8585	2025-03-30 07:49:14	N/A	55dB	N/A	N/A	Day
8586	2025-03-30 07:50:52	74.15	55dB	3.8	277%	Day
8587	2025-03-30 07:52:39	73.61	55dB	3.6	263%	Day
8588	2025-03-30 07:54:50	69.04	55dB	2.6	165%	Day
8589	2025-03-30 07:56:32	71.13	55dB	3.1	206%	Day
8590	2025-03-30 08:01:13	73.51	55dB	3.6	261%	Day
8591	2025-03-30 08:08:33	68.33	55dB	2.5	152%	Day
8592	2025-03-30 08:10:25	74.12	55dB	3.8	276%	Day
8593	2025-03-30 08:11:35	73.29	55dB	3.6	255%	Day
8594	2025-03-30 08:14:38	68.20	55dB	2.5	150%	Day
8595	2025-03-30 08:16:30	71.38	55dB	3.1	211%	Day
8596	2025-03-30 08:19:11	67.24	55dB	2.3	134%	Day
8597	2025-03-30 08:21:09	N/A	55dB	N/A	N/A	Day
8598	2025-03-30 08:22:13	77.05	55dB	4.6	361%	Day
8599	2025-03-30 08:23:36	72.69	55dB	3.4	241%	Day
8600	2025-03-30 08:25:20	75.10	55dB	4.0	303%	Day
8601	2025-03-30 08:27:05	70.25	55dB	2.9	188%	Day
8602	2025-03-30 08:29:28	81.16	55dB	6.1	513%	Day
8603	2025-03-30 08:31:43	71.44	55dB	3.1	213%	Day
8604	2025-03-30 08:33:49	68.36	55dB	2.5	152%	Day
8605	2025-03-30 08:34:52	70.84	55dB	3.0	200%	Day
8606	2025-03-30 08:35:52	69.32	55dB	2.7	170%	Day
8607	2025-03-30 08:37:26	72.83	55dB	3.4	244%	Day
8608	2025-03-30 08:39:11	N/A	55dB	N/A	N/A	Day
8609	2025-03-30 08:41:30	69.37	55dB	2.7	171%	Day
8610	2025-03-30 08:43:05	N/A	55dB	N/A	N/A	Day
8611	2025-03-30 08:47:47	N/A	55dB	N/A	N/A	Day
8612	2025-03-30 08:49:08	77.14	55dB	4.6	364%	Day
8613	2025-03-30 08:50:54	76.40	55dB	4.4	341%	Day
8614	2025-03-30 08:53:41	N/A	55dB	N/A	N/A	Day
8615	2025-03-30 08:56:37	71.21	55dB	3.1	208%	Day
8616	2025-03-30 08:59:19	69.94	55dB	2.8	182%	Day
8617	2025-03-30 09:02:03	67.96	55dB	2.5	146%	Day
8618	2025-03-30 09:05:01	72.23	55dB	3.3	230%	Day

8619	2025-03-30 09:09:16	75.50	55dB	4.1	314%	Day
8620	2025-03-30 09:11:13	72.90	55dB	3.5	246%	Day
8621	2025-03-30 09:13:02	75.81	55dB	4.2	323%	Day
8622	2025-03-30 09:15:04	74.74	55dB	3.9	293%	Day
8623	2025-03-30 09:16:38	75.56	55dB	4.2	316%	Day
8624	2025-03-30 09:18:41	72.85	55dB	3.4	245%	Day
8625	2025-03-30 09:19:42	70.74	55dB	3.0	198%	Day
8626	2025-03-30 09:22:34	78.01	55dB	4.9	393%	Day
8627	2025-03-30 09:23:54	68.00	55dB	2.5	146%	Day
8628	2025-03-30 09:25:56	68.17	55dB	2.5	149%	Day
8629	2025-03-30 09:28:45	78.39	55dB	5.1	406%	Day
8630	2025-03-30 09:30:17	71.83	55dB	3.2	221%	Day
8631	2025-03-30 09:31:46	71.70	55dB	3.2	218%	Day
8632	2025-03-30 09:33:10	79.50	55dB	5.5	446%	Day
8633	2025-03-30 09:35:20	72.10	55dB	3.3	227%	Day
8634	2025-03-30 09:36:18	75.17	55dB	4.0	305%	Day
8635	2025-03-30 09:38:44	70.60	55dB	2.9	195%	Day
8636	2025-03-30 09:39:52	74.07	55dB	3.8	275%	Day
8637	2025-03-30 09:41:33	70.04	55dB	2.8	184%	Day
8638	2025-03-30 09:42:56	74.14	55dB	3.8	277%	Day
8639	2025-03-30 09:44:53	69.91	55dB	2.8	181%	Day
8640	2025-03-30 09:46:25	75.63	55dB	4.2	318%	Day
8641	2025-03-30 09:47:53	83.51	55dB	7.2	622%	Day
8642	2025-03-30 09:49:39	72.41	55dB	3.3	234%	Day
8643	2025-03-30 09:51:23	N/A	55dB	N/A	N/A	Day
8644	2025-03-30 09:52:23	70.41	55dB	2.9	191%	Day
8645	2025-03-30 09:53:36	N/A	55dB	N/A	N/A	Day
8646	2025-03-30 09:56:40	71.69	55dB	3.2	218%	Day
8647	2025-03-30 09:58:17	N/A	55dB	N/A	N/A	Day
8648	2025-03-30 09:59:37	N/A	55dB	N/A	N/A	Day
8649	2025-03-30 10:01:10	N/A	55dB	N/A	N/A	Day
8650	2025-03-30 10:02:16	75.34	55dB	4.1	310%	Day
8651	2025-03-30 10:03:39	78.08	55dB	5.0	395%	Day
8652	2025-03-30 10:05:55	68.64	55dB	2.6	157%	Day
8653	2025-03-30 10:07:08	81.03	55dB	6.1	508%	Day
8654	2025-03-30 10:09:38	68.82	55dB	2.6	161%	Day
8655	2025-03-30 10:11:32	71.21	55dB	3.1	208%	Day
8656	2025-03-30 10:12:45	73.62	55dB	3.6	264%	Day
8657	2025-03-30 10:14:01	76.41	55dB	4.4	341%	Day
8658	2025-03-30 10:15:27	71.00	55dB	3.0	203%	Day
8659	2025-03-30 10:16:36	74.99	55dB	4.0	300%	Day
8660	2025-03-30 10:17:50	73.72	55dB	3.7	266%	Day
8661	2025-03-30 10:19:24	N/A	55dB	N/A	N/A	Day
8662	2025-03-30 10:20:38	71.67	55dB	3.2	218%	Day

8663	2025-03-30 10:22:27	N/A	55dB	N/A	N/A	Day
8664	2025-03-30 10:23:46	N/A	55dB	N/A	N/A	Day
8665	2025-03-30 10:24:33	N/A	55dB	N/A	N/A	Day
8666	2025-03-30 10:26:28	69.82	55dB	2.8	179%	Day
8667	2025-03-30 10:27:40	77.15	55dB	4.6	364%	Day
8668	2025-03-30 10:31:45	N/A	55dB	N/A	N/A	Day
8669	2025-03-30 10:33:47	71.23	55dB	3.1	208%	Day
8670	2025-03-30 10:34:49	74.46	55dB	3.9	285%	Day
8671	2025-03-30 10:36:34	71.64	55dB	3.2	217%	Day
8672	2025-03-30 10:38:31	65.76	55dB	2.1	111%	Day
8673	2025-03-30 10:40:32	75.59	55dB	4.2	317%	Day
8674	2025-03-30 10:42:33	72.96	55dB	3.5	247%	Day
8675	2025-03-30 10:44:28	72.16	55dB	3.3	229%	Day
8676	2025-03-30 10:45:47	N/A	55dB	N/A	N/A	Day
8677	2025-03-30 10:47:08	72.00	55dB	3.2	225%	Day
8678	2025-03-30 10:48:50	75.90	55dB	4.3	326%	Day
8679	2025-03-30 10:53:17	70.60	55dB	2.9	195%	Day
8680	2025-03-30 10:56:42	73.72	55dB	3.7	266%	Day
8681	2025-03-30 10:58:49	N/A	55dB	N/A	N/A	Day
8682	2025-03-30 11:00:30	70.66	55dB	3.0	196%	Day
8683	2025-03-30 11:01:38	70.21	55dB	2.9	187%	Day
8684	2025-03-30 11:03:19	69.86	55dB	2.8	180%	Day
8685	2025-03-30 11:04:49	70.79	55dB	3.0	199%	Day
8686	2025-03-30 11:07:46	69.89	55dB	2.8	181%	Day
8687	2025-03-30 11:09:50	78.88	55dB	5.2	423%	Day
8688	2025-03-30 11:11:17	70.91	55dB	3.0	201%	Day
8689	2025-03-30 11:13:03	71.08	55dB	3.0	205%	Day
8690	2025-03-30 11:14:09	70.64	55dB	3.0	196%	Day
8691	2025-03-30 11:15:20	68.51	55dB	2.6	155%	Day
8692	2025-03-30 11:16:30	68.74	55dB	2.6	159%	Day
8693	2025-03-30 11:17:35	68.04	55dB	2.5	147%	Day
8694	2025-03-30 11:19:17	85.80	55dB	8.5	746%	Day
8695	2025-03-30 11:21:20	69.83	55dB	2.8	180%	Day
8696	2025-03-30 11:23:10	71.64	55dB	3.2	217%	Day
8697	2025-03-30 11:24:26	73.04	55dB	3.5	249%	Day
8698	2025-03-30 11:26:20	69.61	55dB	2.8	175%	Day
8699	2025-03-30 11:27:30	N/A	55dB	N/A	N/A	Day
8700	2025-03-30 11:28:32	77.59	55dB	4.8	379%	Day
8701	2025-03-30 11:29:41	73.59	55dB	3.6	263%	Day
8702	2025-03-30 11:31:26	N/A	55dB	N/A	N/A	Day
8703	2025-03-30 11:32:36	N/A	55dB	N/A	N/A	Day
8704	2025-03-30 11:33:46	78.71	55dB	5.2	417%	Day
8705	2025-03-30 11:35:41	71.82	55dB	3.2	221%	Day
8706	2025-03-30 11:36:43	N/A	55dB	N/A	N/A	Day

8707	2025-03-30 11:38:36	75.97	55dB	4.3	328%	Day
8708	2025-03-30 11:39:31	72.79	55dB	3.4	243%	Day
8709	2025-03-30 11:40:49	70.37	55dB	2.9	190%	Day
8710	2025-03-30 11:40:49	70.37	55dB	2.9	190%	Day
8711	2025-03-30 11:41:58	N/A	55dB	N/A	N/A	Day
8712	2025-03-30 11:43:19	87.75	55dB	9.7	868%	Day
8713	2025-03-30 11:45:49	86.43	55dB	8.8	783%	Day
8714	2025-03-30 11:46:56	68.76	55dB	2.6	160%	Day
8715	2025-03-30 11:48:06	N/A	55dB	N/A	N/A	Day
8716	2025-03-30 11:49:51	69.49	55dB	2.7	173%	Day
8717	2025-03-30 11:50:51	66.43	55dB	2.2	121%	Day
8718	2025-03-30 11:52:48	68.71	55dB	2.6	159%	Day
8719	2025-03-30 11:54:19	76.57	55dB	4.5	346%	Day
8720	2025-03-30 11:55:39	70.99	55dB	3.0	203%	Day
8721	2025-03-30 11:56:43	68.80	55dB	2.6	160%	Day
8722	2025-03-30 11:58:23	74.09	55dB	3.8	276%	Day
8723	2025-03-30 12:00:35	78.55	55dB	5.1	412%	Day
8724	2025-03-30 12:02:35	N/A	55dB	N/A	N/A	Day
8725	2025-03-30 12:03:54	70.62	55dB	3.0	195%	Day
8726	2025-03-30 12:06:35	67.62	55dB	2.4	140%	Day
8727	2025-03-30 12:09:32	75.42	55dB	4.1	312%	Day
8728	2025-03-30 12:11:09	N/A	55dB	N/A	N/A	Day
8729	2025-03-30 12:12:24	70.70	55dB	3.0	197%	Day
8730	2025-03-30 12:15:37	74.17	55dB	3.8	278%	Day
8731	2025-03-30 12:17:53	75.14	55dB	4.0	304%	Day
8732	2025-03-30 12:20:29	69.65	55dB	2.8	176%	Day
8733	2025-03-30 12:23:56	69.80	55dB	2.8	179%	Day
8734	2025-03-30 12:25:06	N/A	55dB	N/A	N/A	Day
8735	2025-03-30 12:31:20	N/A	55dB	N/A	N/A	Day
8736	2025-03-30 12:34:58	68.84	55dB	2.6	161%	Day
8737	2025-03-30 12:38:20	N/A	55dB	N/A	N/A	Day
8738	2025-03-30 12:40:26	70.26	55dB	2.9	188%	Day
8739	2025-03-30 12:42:39	N/A	55dB	N/A	N/A	Day
8740	2025-03-30 12:43:47	71.01	55dB	3.0	203%	Day
8741	2025-03-30 12:45:13	76.39	55dB	4.4	340%	Day
8742	2025-03-30 12:48:24	75.13	55dB	4.0	304%	Day
8743	2025-03-30 12:50:06	76.01	55dB	4.3	329%	Day
8744	2025-03-30 12:52:02	71.29	55dB	3.1	209%	Day
8745	2025-03-30 12:53:16	73.66	55dB	3.6	265%	Day
8746	2025-03-30 12:54:56	74.21	55dB	3.8	279%	Day
8747	2025-03-30 12:58:37	67.05	55dB	2.3	131%	Day
8748	2025-03-30 13:01:47	74.46	55dB	3.9	285%	Day
8749	2025-03-30 13:04:55	77.72	55dB	4.8	383%	Day
8750	2025-03-30 13:07:54	71.64	55dB	3.2	217%	Day

8751	2025-03-30 13:09:43	69.32	55dB	2.7	170%	Day
8752	2025-03-30 13:12:23	N/A	55dB	N/A	N/A	Day
8753	2025-03-30 13:15:50	N/A	55dB	N/A	N/A	Day
8754	2025-03-30 13:17:35	67.99	55dB	2.5	146%	Day
8755	2025-03-30 13:25:00	N/A	55dB	N/A	N/A	Day
8756	2025-03-30 13:27:27	N/A	55dB	N/A	N/A	Day
8757	2025-03-30 13:29:28	N/A	55dB	N/A	N/A	Day
8758	2025-03-30 13:31:16	68.87	55dB	2.6	162%	Day
8759	2025-03-30 13:33:23	N/A	55dB	N/A	N/A	Day
8760	2025-03-30 13:36:10	74.72	55dB	3.9	292%	Day
8761	2025-03-30 13:41:28	68.02	55dB	2.5	147%	Day
8762	2025-03-30 13:42:32	N/A	55dB	N/A	N/A	Day
8763	2025-03-30 13:43:45	N/A	55dB	N/A	N/A	Day
8764	2025-03-30 13:45:33	75.00	55dB	4.0	300%	Day
8765	2025-03-30 13:47:18	N/A	55dB	N/A	N/A	Day
8766	2025-03-30 13:48:24	74.88	55dB	4.0	297%	Day
8767	2025-03-30 13:49:26	83.64	55dB	7.3	628%	Day
8768	2025-03-30 13:51:23	N/A	55dB	N/A	N/A	Day
8769	2025-03-30 13:53:10	68.08	55dB	2.5	148%	Day
8770	2025-03-30 13:56:32	69.33	55dB	2.7	170%	Day
8771	2025-03-30 14:03:45	77.78	55dB	4.9	385%	Day
8772	2025-03-30 14:06:38	74.43	55dB	3.8	285%	Day
8773	2025-03-30 14:08:23	67.67	55dB	2.4	141%	Day
8774	2025-03-30 14:10:25	72.64	55dB	3.4	240%	Day
8775	2025-03-30 14:13:36	68.36	55dB	2.5	152%	Day
8776	2025-03-30 14:16:52	N/A	55dB	N/A	N/A	Day
8777	2025-03-30 14:18:54	79.37	55dB	5.4	442%	Day
8778	2025-03-30 14:20:07	75.86	55dB	4.2	325%	Day
8779	2025-03-30 14:21:06	75.86	55dB	4.2	325%	Day
8780	2025-03-30 14:22:04	70.85	55dB	3.0	200%	Day
8781	2025-03-30 14:25:32	69.71	55dB	2.8	177%	Day
8782	2025-03-30 14:26:30	68.49	55dB	2.5	155%	Day
8783	2025-03-30 14:27:33	73.07	55dB	3.5	250%	Day
8784	2025-03-30 14:30:19	74.94	55dB	4.0	298%	Day
8785	2025-03-30 14:32:18	72.18	55dB	3.3	229%	Day
8786	2025-03-30 14:33:37	75.96	55dB	4.3	328%	Day
8787	2025-03-30 14:37:40	68.67	55dB	2.6	158%	Day
8788	2025-03-30 14:43:32	78.17	55dB	5.0	398%	Day
8789	2025-03-30 14:47:16	70.22	55dB	2.9	187%	Day
8790	2025-03-30 14:48:42	N/A	55dB	N/A	N/A	Day
8791	2025-03-30 14:53:05	69.08	55dB	2.7	165%	Day
8792	2025-03-30 14:54:03	69.07	55dB	2.7	165%	Day
8793	2025-03-30 14:57:15	N/A	55dB	N/A	N/A	Day
8794	2025-03-30 16:20:11	77.85	55dB	4.9	387%	Day

8795	2025-03-30 16:21:53	73.95	55dB	3.7	272%	Day
8796	2025-03-30 16:23:41	74.62	55dB	3.9	290%	Day
8797	2025-03-30 16:26:10	70.99	55dB	3.0	203%	Day
8798	2025-03-30 16:27:36	72.18	55dB	3.3	229%	Day
8799	2025-03-30 16:29:00	68.41	55dB	2.5	153%	Day
8800	2025-03-30 16:30:28	69.36	55dB	2.7	171%	Day
8801	2025-03-30 16:31:42	67.54	55dB	2.4	139%	Day
8802	2025-03-30 16:33:32	72.78	55dB	3.4	243%	Day
8803	2025-03-30 16:35:24	N/A	55dB	N/A	N/A	Day
8804	2025-03-30 16:36:49	77.94	55dB	4.9	390%	Day
8805	2025-03-30 16:38:50	70.25	55dB	2.9	188%	Day
8806	2025-03-30 16:40:16	69.11	55dB	2.7	166%	Day
8807	2025-03-30 16:42:49	66.78	55dB	2.3	126%	Day
8808	2025-03-30 16:44:09	71.33	55dB	3.1	210%	Day
8809	2025-03-30 16:46:05	74.47	55dB	3.9	286%	Day
8810	2025-03-30 16:48:13	70.69	55dB	3.0	197%	Day
8811	2025-03-30 16:50:06	70.41	55dB	2.9	191%	Day
8812	2025-03-30 16:51:44	67.23	55dB	2.3	133%	Day
8813	2025-03-30 16:53:03	68.53	55dB	2.6	155%	Day
8814	2025-03-30 16:54:42	70.58	55dB	2.9	194%	Day
8815	2025-03-30 16:56:10	69.43	55dB	2.7	172%	Day
8816	2025-03-30 16:57:37	72.83	55dB	3.4	244%	Day
8817	2025-03-30 16:59:06	N/A	55dB	N/A	N/A	Day
8818	2025-03-30 17:00:38	73.54	55dB	3.6	262%	Day
8819	2025-03-30 17:02:47	69.54	55dB	2.7	174%	Day
8820	2025-03-30 17:04:14	74.84	55dB	4.0	296%	Day
8821	2025-03-30 17:05:52	76.57	55dB	4.5	346%	Day
8822	2025-03-30 17:20:49	N/A	55dB	N/A	N/A	Day
8823	2025-03-30 17:22:08	71.77	55dB	3.2	220%	Day
8824	2025-03-30 17:23:55	69.42	55dB	2.7	172%	Day
8825	2025-03-30 17:25:25	69.91	55dB	2.8	181%	Day
8826	2025-03-30 17:27:05	69.38	55dB	2.7	171%	Day
8827	2025-03-30 17:31:25	74.34	55dB	3.8	282%	Day
8828	2025-03-30 17:34:01	65.85	55dB	2.1	112%	Day
8829	2025-03-30 17:35:38	N/A	55dB	N/A	N/A	Day
8830	2025-03-30 17:37:17	71.32	55dB	3.1	210%	Day
8831	2025-03-30 17:41:23	N/A	55dB	N/A	N/A	Day
8832	2025-03-30 17:42:54	71.01	55dB	3.0	203%	Day
8833	2025-03-30 17:44:31	73.31	55dB	3.6	256%	Day
8834	2025-03-30 17:46:16	73.61	55dB	3.6	263%	Day
8835	2025-03-30 17:47:57	69.79	55dB	2.8	179%	Day
8836	2025-03-30 17:49:18	71.93	55dB	3.2	223%	Day
8837	2025-03-30 17:50:46	71.05	55dB	3.0	204%	Day
8838	2025-03-30 17:54:55	72.19	55dB	3.3	229%	Day

8839	2025-03-30 17:57:39	72.40	55dB	3.3	234%	Day
8840	2025-03-30 17:58:54	72.15	55dB	3.3	228%	Day
8841	2025-03-30 18:00:43	69.91	55dB	2.8	181%	Day
8842	2025-03-30 18:02:25	69.89	55dB	2.8	181%	Day
8843	2025-03-30 18:04:28	N/A	55dB	N/A	N/A	Day
8844	2025-03-30 18:05:46	81.12	55dB	6.1	511%	Day
8845	2025-03-30 18:07:15	N/A	55dB	N/A	N/A	Day
8846	2025-03-30 18:08:44	N/A	55dB	N/A	N/A	Day
8847	2025-03-30 18:10:07	69.20	55dB	2.7	168%	Day
8848	2025-03-30 18:12:39	N/A	55dB	N/A	N/A	Day
8849	2025-03-30 18:16:35	N/A	55dB	N/A	N/A	Day
8850	2025-03-30 18:18:03	73.41	55dB	3.6	258%	Day
8851	2025-03-30 18:20:32	67.64	55dB	2.4	140%	Day
8852	2025-03-30 18:21:53	70.19	55dB	2.9	187%	Day
8853	2025-03-30 18:23:17	76.05	55dB	4.3	330%	Day
8854	2025-03-30 18:25:03	66.28	55dB	2.2	119%	Day
8855	2025-03-30 18:26:18	71.80	55dB	3.2	220%	Day
8856	2025-03-30 18:27:52	71.62	55dB	3.2	216%	Day
8857	2025-03-30 18:29:38	75.49	55dB	4.1	314%	Day
8858	2025-03-30 18:32:48	N/A	55dB	N/A	N/A	Day
8859	2025-03-30 18:34:15	71.19	55dB	3.1	207%	Day
8860	2025-03-30 18:35:43	68.67	55dB	2.6	158%	Day
8861	2025-03-30 18:37:02	70.48	55dB	2.9	192%	Day
8862	2025-03-30 18:38:42	73.69	55dB	3.7	265%	Day
8863	2025-03-30 18:41:13	78.77	55dB	5.2	419%	Day
8864	2025-03-30 18:42:31	69.05	55dB	2.6	165%	Day
8865	2025-03-30 18:44:07	70.73	55dB	3.0	198%	Day
8866	2025-03-30 18:46:10	70.89	55dB	3.0	201%	Day
8867	2025-03-30 18:48:53	68.90	55dB	2.6	162%	Day
8868	2025-03-30 18:50:27	N/A	55dB	N/A	N/A	Day
8869	2025-03-30 18:53:32	N/A	55dB	N/A	N/A	Day
8870	2025-03-30 18:55:16	N/A	55dB	N/A	N/A	Day
8871	2025-03-30 18:56:57	71.92	55dB	3.2	223%	Day
8872	2025-03-30 18:58:30	72.91	55dB	3.5	246%	Day
8873	2025-03-30 19:00:32	67.09	55dB	2.3	131%	Day
8874	2025-03-30 19:02:35	75.73	55dB	4.2	321%	Day
8875	2025-03-30 19:05:03	73.90	55dB	3.7	271%	Day
8876	2025-03-30 19:07:24	69.86	55dB	2.8	180%	Day
8877	2025-03-30 19:08:46	69.50	55dB	2.7	173%	Day
8878	2025-03-30 19:10:05	N/A	55dB	N/A	N/A	Day
8879	2025-03-30 19:11:30	70.75	55dB	3.0	198%	Day
8880	2025-03-30 19:12:52	76.01	55dB	4.3	329%	Day
8881	2025-03-30 19:14:25	70.00	55dB	2.8	183%	Day
8882	2025-03-30 19:16:52	N/A	55dB	N/A	N/A	Day

8883	2025-03-30 19:18:12	70.96	55dB	3.0	202%	Day
8884	2025-03-30 19:19:53	69.18	55dB	2.7	167%	Day
8885	2025-03-30 19:21:30	73.34	55dB	3.6	257%	Day
8886	2025-03-30 19:22:53	N/A	55dB	N/A	N/A	Day
8887	2025-03-30 19:24:35	N/A	55dB	N/A	N/A	Day
8888	2025-03-30 19:26:19	73.85	55dB	3.7	269%	Day
8889	2025-03-30 19:30:04	N/A	55dB	N/A	N/A	Day
8890	2025-03-30 19:32:00	76.38	55dB	4.4	340%	Day
8891	2025-03-30 19:34:04	67.92	55dB	2.4	145%	Day
8892	2025-03-30 19:37:22	N/A	55dB	N/A	N/A	Day
8893	2025-03-30 19:38:58	69.11	55dB	2.7	166%	Day
8894	2025-03-30 19:40:56	N/A	55dB	N/A	N/A	Day
8895	2025-03-30 19:42:24	74.85	55dB	4.0	296%	Day
8896	2025-03-30 19:43:48	69.73	55dB	2.8	178%	Day
8897	2025-03-30 19:48:24	N/A	55dB	N/A	N/A	Day
8898	2025-03-30 19:50:48	67.20	55dB	2.3	133%	Day
8899	2025-03-30 19:52:50	68.74	55dB	2.6	159%	Day
8900	2025-03-30 19:54:33	78.27	55dB	5.0	402%	Day
8901	2025-03-30 19:57:01	74.82	55dB	4.0	295%	Day
8902	2025-03-30 19:58:37	76.95	55dB	4.6	358%	Day
8903	2025-03-30 20:00:00	74.40	55dB	3.8	284%	Day
8904	2025-03-30 20:01:24	72.54	55dB	3.4	237%	Day
8905	2025-03-30 20:03:02	72.89	55dB	3.5	246%	Day
8906	2025-03-30 20:05:40	N/A	55dB	N/A	N/A	Day
8907	2025-03-30 20:07:20	74.44	55dB	3.8	285%	Day
8908	2025-03-30 20:10:02	72.07	55dB	3.3	226%	Day
8909	2025-03-30 20:11:31	N/A	55dB	N/A	N/A	Day
8910	2025-03-30 20:13:02	N/A	55dB	N/A	N/A	Day
8911	2025-03-30 20:14:53	69.45	55dB	2.7	172%	Day
8912	2025-03-30 20:16:32	71.90	55dB	3.2	223%	Day
8913	2025-03-30 20:18:25	72.23	55dB	3.3	230%	Day
8914	2025-03-30 20:20:49	72.70	55dB	3.4	241%	Day
8915	2025-03-30 20:22:36	68.46	55dB	2.5	154%	Day
8916	2025-03-30 20:24:25	69.34	55dB	2.7	170%	Day
8917	2025-03-30 20:26:27	69.22	55dB	2.7	168%	Day
8918	2025-03-30 20:28:04	71.89	55dB	3.2	222%	Day
8919	2025-03-30 20:29:50	69.08	55dB	2.7	165%	Day
8920	2025-03-30 20:31:34	67.19	55dB	2.3	133%	Day
8921	2025-03-30 20:33:33	70.15	55dB	2.9	186%	Day
8922	2025-03-30 20:36:08	73.15	55dB	3.5	252%	Day
8923	2025-03-30 20:37:55	73.60	55dB	3.6	263%	Day
8924	2025-03-30 20:39:48	70.30	55dB	2.9	189%	Day
8925	2025-03-30 20:42:17	72.24	55dB	3.3	230%	Day
8926	2025-03-30 20:43:47	70.11	55dB	2.9	185%	Day

8927	2025-03-30 20:46:22	68.58	55dB	2.6	156%	Day
8928	2025-03-30 20:48:12	71.94	55dB	3.2	224%	Day
8929	2025-03-30 20:49:55	N/A	55dB	N/A	N/A	Day
8930	2025-03-30 20:51:39	69.63	55dB	2.8	176%	Day
8931	2025-03-30 20:53:54	71.46	55dB	3.1	213%	Day
8932	2025-03-30 20:56:05	70.49	55dB	2.9	193%	Day
8933	2025-03-30 20:58:19	69.62	55dB	2.8	175%	Day
8934	2025-03-30 21:00:05	72.06	55dB	3.3	226%	Day
8935	2025-03-30 21:02:15	72.70	55dB	3.4	241%	Day
8936	2025-03-30 21:03:54	71.67	55dB	3.2	218%	Day
8937	2025-03-30 21:06:03	70.76	55dB	3.0	198%	Day
8938	2025-03-30 21:07:51	72.41	55dB	3.3	234%	Day
8939	2025-03-30 21:10:08	73.11	55dB	3.5	251%	Day
8940	2025-03-30 21:11:55	74.24	55dB	3.8	279%	Day
8941	2025-03-30 21:14:03	73.97	55dB	3.7	272%	Day
8942	2025-03-30 21:16:30	70.61	55dB	3.0	195%	Day
8943	2025-03-30 21:18:24	N/A	55dB	N/A	N/A	Day
8944	2025-03-30 21:20:17	73.32	55dB	3.6	256%	Day
8945	2025-03-30 21:21:55	73.99	55dB	3.7	273%	Day
8946	2025-03-30 21:24:32	69.21	55dB	2.7	168%	Day
8947	2025-03-30 21:26:35	N/A	55dB	N/A	N/A	Day
8948	2025-03-30 21:28:22	70.05	55dB	2.8	184%	Day
8949	2025-03-30 21:30:21	71.80	55dB	3.2	220%	Day
8950	2025-03-30 21:32:30	69.09	55dB	2.7	166%	Day
8951	2025-03-30 21:39:38	N/A	55dB	N/A	N/A	Day
8952	2025-03-30 21:40:54	N/A	55dB	N/A	N/A	Day
8953	2025-03-30 21:43:01	70.53	55dB	2.9	193%	Day
8954	2025-03-30 21:44:13	66.08	55dB	2.2	116%	Day
8955	2025-03-30 21:46:02	82.64	55dB	6.8	579%	Day
8956	2025-03-30 21:48:24	N/A	55dB	N/A	N/A	Day
8957	2025-03-30 21:49:46	N/A	55dB	N/A	N/A	Day
8958	2025-03-30 21:51:13	N/A	55dB	N/A	N/A	Day
8959	2025-03-30 21:53:12	N/A	55dB	N/A	N/A	Day
8960	2025-03-30 21:55:24	73.33	55dB	3.6	256%	Day
8961	2025-03-30 22:00:20	N/A	55dB	N/A	N/A	Day
8962	2025-03-30 22:03:51	N/A	55dB	N/A	N/A	Day
8963	2025-03-30 22:05:05	65.74	55dB	2.1	111%	Day
8964	2025-03-30 22:07:19	72.19	55dB	3.3	229%	Day
8965	2025-03-30 22:09:10	70.21	55dB	2.9	187%	Day
8966	2025-03-30 22:11:19	76.19	55dB	4.3	334%	Day
8967	2025-03-30 22:22:05	75.50	55dB	4.1	314%	Day
8968	2025-03-30 22:23:45	N/A	55dB	N/A	N/A	Day
8969	2025-03-30 22:25:33	68.77	55dB	2.6	160%	Day
8970	2025-03-30 22:27:11	72.43	55dB	3.3	235%	Day

8971	2025-03-30 22:29:30	72.59	55dB	3.4	238%	Day
8972	2025-03-30 22:37:43	68.96	55dB	2.6	163%	Day
8973	2025-03-30 22:40:35	72.90	55dB	3.5	246%	Day
8974	2025-03-30 22:42:28	70.83	55dB	3.0	200%	Day
8975	2025-03-30 22:44:45	69.72	55dB	2.8	177%	Day
8976	2025-03-30 22:46:42	70.53	55dB	2.9	193%	Day
8977	2025-03-30 22:48:13	74.11	55dB	3.8	276%	Day
8978	2025-03-30 22:50:06	N/A	55dB	N/A	N/A	Day
8979	2025-03-30 22:52:02	76.68	55dB	4.5	349%	Day
8980	2025-03-30 22:53:51	72.10	55dB	3.3	227%	Day
8981	2025-03-30 22:56:23	70.09	55dB	2.8	185%	Day
8982	2025-03-30 22:58:21	74.94	55dB	4.0	298%	Day
8983	2025-03-30 23:00:02	71.17	45dB	6.1	513%	Night
8984	2025-03-30 23:01:53	71.05	45dB	6.1	508%	Night
8985	2025-03-30 23:03:51	74.62	45dB	7.8	679%	Night
8986	2025-03-30 23:06:36	72.36	45dB	6.7	566%	Night
8987	2025-03-30 23:10:16	72.97	45dB	6.9	595%	Night
8988	2025-03-30 23:12:04	71.01	45dB	6.1	507%	Night
8989	2025-03-30 23:13:54	70.84	45dB	6.0	500%	Night
8990	2025-03-30 23:15:43	70.57	45dB	5.9	488%	Night
8991	2025-03-30 23:17:31	69.69	45dB	5.5	454%	Night
8992	2025-03-30 23:19:35	69.87	45dB	5.6	461%	Night
8993	2025-03-30 23:23:06	N/A	45dB	N/A	N/A	Night
8994	2025-03-30 23:25:47	70.33	45dB	5.8	479%	Night
8995	2025-03-30 23:30:39	71.18	45dB	6.1	514%	Night
8996	2025-03-30 23:37:14	N/A	45dB	N/A	N/A	Night
8997	2025-03-30 23:39:48	72.73	45dB	6.8	584%	Night
8998	2025-03-30 23:42:02	70.76	45dB	6.0	496%	Night
8999	2025-03-30 23:50:51	80.81	45dB	12.0	1097%	Night
9000	2025-03-30 23:52:54	71.24	45dB	6.2	516%	Night
9001	2025-03-31 00:02:01	71.67	45dB	6.4	535%	Night
9002	2025-03-31 00:05:33	72.85	45dB	6.9	589%	Night
9003	2025-03-31 00:07:25	77.35	45dB	9.4	842%	Night
9004	2025-03-31 00:10:21	69.50	45dB	5.5	446%	Night
9005	2025-03-31 00:11:55	71.35	45dB	6.2	521%	Night
9006	2025-03-31 00:13:34	72.07	45dB	6.5	553%	Night
9007	2025-03-31 00:15:13	72.72	45dB	6.8	583%	Night
9008	2025-03-31 00:17:04	69.25	45dB	5.4	437%	Night
9009	2025-03-31 00:18:48	72.99	45dB	7.0	596%	Night
9010	2025-03-31 00:20:26	73.44	45dB	7.2	618%	Night
9011	2025-03-31 00:23:11	74.17	45dB	7.6	655%	Night
9012	2025-03-31 00:25:02	70.76	45dB	6.0	496%	Night
9013	2025-03-31 00:26:51	68.97	45dB	5.3	427%	Night
9014	2025-03-31 00:28:31	71.11	45dB	6.1	511%	Night

9015	2025-03-31 00:30:34	72.84	45dB	6.9	589%	Night
9016	2025-03-31 00:32:37	68.55	45dB	5.1	412%	Night
9017	2025-03-31 00:35:16	70.45	45dB	5.8	484%	Night
9018	2025-03-31 00:37:54	71.10	45dB	6.1	511%	Night
9019	2025-03-31 00:39:38	73.22	45dB	7.1	607%	Night
9020	2025-03-31 00:41:28	77.50	45dB	9.5	851%	Night
9021	2025-03-31 00:43:19	74.47	45dB	7.7	671%	Night
9022	2025-03-31 00:45:33	72.72	45dB	6.8	583%	Night
9023	2025-03-31 00:47:10	71.46	45dB	6.3	526%	Night
9024	2025-03-31 00:48:50	75.00	45dB	8.0	700%	Night
9025	2025-03-31 00:50:34	70.23	45dB	5.7	475%	Night
9026	2025-03-31 00:52:20	72.57	45dB	6.8	576%	Night
9027	2025-03-31 00:54:05	75.92	45dB	8.5	753%	Night
9028	2025-03-31 00:55:43	75.20	45dB	8.1	711%	Night
9029	2025-03-31 00:57:26	70.23	45dB	5.7	475%	Night
9030	2025-03-31 00:59:39	73.67	45dB	7.3	630%	Night
9031	2025-03-31 01:01:07	72.87	45dB	6.9	590%	Night
9032	2025-03-31 01:03:11	72.83	45dB	6.9	588%	Night
9033	2025-03-31 01:04:46	72.32	45dB	6.6	564%	Night
9034	2025-03-31 01:06:23	70.48	45dB	5.8	485%	Night
9035	2025-03-31 01:07:53	69.91	45dB	5.6	462%	Night
9036	2025-03-31 01:09:28	69.16	45dB	5.3	434%	Night
9037	2025-03-31 01:11:18	72.30	45dB	6.6	563%	Night
9038	2025-03-31 01:12:55	68.65	45dB	5.2	415%	Night
9039	2025-03-31 01:14:25	71.20	45dB	6.1	515%	Night
9040	2025-03-31 01:16:08	69.21	45dB	5.4	436%	Night
9041	2025-03-31 01:18:00	71.52	45dB	6.3	529%	Night
9042	2025-03-31 01:19:45	69.33	45dB	5.4	440%	Night
9043	2025-03-31 01:23:50	70.05	45dB	5.7	468%	Night
9044	2025-03-31 01:25:40	71.17	45dB	6.1	513%	Night
9045	2025-03-31 01:28:14	70.12	45dB	5.7	470%	Night
9046	2025-03-31 01:30:27	71.33	45dB	6.2	520%	Night
9047	2025-03-31 01:32:32	72.39	45dB	6.7	568%	Night
9048	2025-03-31 01:34:50	72.47	45dB	6.7	571%	Night
9049	2025-03-31 01:36:58	72.84	45dB	6.9	589%	Night
9050	2025-03-31 01:39:29	72.09	45dB	6.5	554%	Night
9051	2025-03-31 01:46:10	72.57	45dB	6.8	576%	Night
9052	2025-03-31 01:52:34	69.28	45dB	5.4	438%	Night
9053	2025-03-31 01:59:56	72.77	45dB	6.9	585%	Night
9054	2025-03-31 02:05:20	66.80	45dB	4.5	353%	Night
9055	2025-03-31 02:08:48	69.65	45dB	5.5	452%	Night
9056	2025-03-31 02:11:25	70.79	45dB	6.0	498%	Night
9057	2025-03-31 02:15:32	75.37	45dB	8.2	721%	Night
9058	2025-03-31 02:39:26	63.25	45dB	3.5	254%	Night

9059	2025-03-31 02:42:14	74.77	45dB	7.9	687%	Night
9060	2025-03-31 05:22:07	79.13	45dB	10.7	965%	Night
9061	2025-03-31 05:26:43	73.82	45dB	7.4	637%	Night
9062	2025-03-31 05:29:22	80.19	45dB	11.5	1046%	Night
9063	2025-03-31 05:36:22	71.73	45dB	6.4	538%	Night
9064	2025-03-31 05:38:38	70.71	45dB	5.9	494%	Night
9065	2025-03-31 05:40:40	73.30	45dB	7.1	611%	Night
9066	2025-03-31 05:42:48	71.36	45dB	6.2	522%	Night
9067	2025-03-31 05:46:18	77.42	45dB	9.5	846%	Night
9068	2025-03-31 05:48:57	77.06	45dB	9.2	823%	Night
9069	2025-03-31 05:59:09	73.93	45dB	7.4	643%	Night
9070	2025-03-31 06:05:32	75.95	45dB	8.5	754%	Night
9071	2025-03-31 06:11:33	72.18	45dB	6.6	558%	Night
9072	2025-03-31 06:13:54	70.92	45dB	6.0	503%	Night
9073	2025-03-31 06:19:03	76.21	45dB	8.7	770%	Night
9074	2025-03-31 06:28:38	69.67	45dB	5.5	453%	Night
9075	2025-03-31 06:31:06	71.24	45dB	6.2	516%	Night
9076	2025-03-31 06:32:40	73.05	45dB	7.0	599%	Night
9077	2025-03-31 06:34:16	71.89	45dB	6.4	545%	Night
9078	2025-03-31 06:36:06	73.11	45dB	7.0	602%	Night
9079	2025-03-31 06:37:50	74.50	45dB	7.7	673%	Night
9080	2025-03-31 06:40:15	70.36	45dB	5.8	480%	Night
9081	2025-03-31 06:41:51	71.97	45dB	6.5	548%	Night
9082	2025-03-31 06:43:20	75.53	45dB	8.3	730%	Night
9083	2025-03-31 06:46:05	70.04	45dB	5.7	467%	Night
9084	2025-03-31 06:47:36	72.36	45dB	6.7	566%	Night
9085	2025-03-31 06:49:02	69.84	45dB	5.6	459%	Night
9086	2025-03-31 06:50:47	72.22	45dB	6.6	560%	Night
9087	2025-03-31 06:52:26	72.84	45dB	6.9	589%	Night
9088	2025-03-31 06:54:02	71.11	45dB	6.1	511%	Night
9089	2025-03-31 06:56:30	73.11	45dB	7.0	602%	Night
9090	2025-03-31 07:00:53	70.47	55dB	2.9	192%	Day
9091	2025-03-31 07:02:24	70.60	55dB	2.9	195%	Day
9092	2025-03-31 07:07:07	72.74	55dB	3.4	242%	Day
9093	2025-03-31 07:08:43	71.84	55dB	3.2	221%	Day
9094	2025-03-31 07:10:34	72.28	55dB	3.3	231%	Day
9095	2025-03-31 07:13:07	71.39	55dB	3.1	211%	Day
9096	2025-03-31 07:14:45	73.91	55dB	3.7	271%	Day
9097	2025-03-31 07:16:39	69.34	55dB	2.7	170%	Day
9098	2025-03-31 07:18:24	76.89	55dB	4.6	356%	Day
9099	2025-03-31 07:20:22	69.34	55dB	2.7	170%	Day
9100	2025-03-31 07:22:00	69.74	55dB	2.8	178%	Day
9101	2025-03-31 07:23:50	71.48	55dB	3.1	213%	Day
9102	2025-03-31 07:26:16	74.47	55dB	3.9	286%	Day

9103	2025-03-31 07:28:35	73.64	55dB	3.6	264%	Day
9104	2025-03-31 07:35:31	71.36	55dB	3.1	211%	Day
9105	2025-03-31 07:42:52	70.96	55dB	3.0	202%	Day
9106	2025-03-31 07:46:23	70.15	55dB	2.9	186%	Day
9107	2025-03-31 07:52:11	77.31	55dB	4.7	369%	Day
9108	2025-03-31 07:54:46	70.56	55dB	2.9	194%	Day
9109	2025-03-31 07:56:48	72.20	55dB	3.3	229%	Day
9110	2025-03-31 08:05:32	72.15	55dB	3.3	228%	Day
9111	2025-03-31 08:11:23	72.34	55dB	3.3	233%	Day
9112	2025-03-31 08:14:58	69.56	55dB	2.7	174%	Day
9113	2025-03-31 08:17:27	82.53	55dB	6.7	574%	Day
9114	2025-03-31 08:19:31	78.98	55dB	5.3	427%	Day
9115	2025-03-31 08:22:18	74.15	55dB	3.8	277%	Day
9116	2025-03-31 08:32:58	94.92	55dB	15.9	1491%	Day
9117	2025-03-31 08:45:20	N/A	55dB	N/A	N/A	Day
9118	2025-03-31 08:49:00	72.32	55dB	3.3	232%	Day
9119	2025-03-31 08:50:50	74.13	55dB	3.8	277%	Day
9120	2025-03-31 08:55:10	77.48	55dB	4.8	375%	Day
9121	2025-03-31 08:57:25	77.83	55dB	4.9	387%	Day
9122	2025-03-31 08:59:22	78.17	55dB	5.0	398%	Day
9123	2025-03-31 09:02:48	78.16	55dB	5.0	398%	Day
9124	2025-03-31 09:06:16	83.99	55dB	7.5	646%	Day
9125	2025-03-31 09:15:09	74.23	55dB	3.8	279%	Day
9126	2025-03-31 09:19:59	77.32	55dB	4.7	370%	Day
9127	2025-03-31 09:24:12	84.54	55dB	7.7	675%	Day
9128	2025-03-31 09:29:49	73.70	55dB	3.7	266%	Day
9129	2025-03-31 09:43:46	69.44	55dB	2.7	172%	Day
9130	2025-03-31 09:45:16	72.10	55dB	3.3	227%	Day
9131	2025-03-31 09:46:54	80.52	55dB	5.9	486%	Day
9132	2025-03-31 09:48:46	74.60	55dB	3.9	289%	Day
9133	2025-03-31 09:50:48	68.19	55dB	2.5	149%	Day
9134	2025-03-31 09:52:40	76.32	55dB	4.4	338%	Day
9135	2025-03-31 09:55:34	71.11	55dB	3.1	205%	Day
9136	2025-03-31 09:57:35	73.59	55dB	3.6	263%	Day
9137	2025-03-31 10:01:51	68.36	55dB	2.5	152%	Day
9138	2025-03-31 10:04:54	N/A	55dB	N/A	N/A	Day
9139	2025-03-31 10:10:49	81.55	55dB	6.3	530%	Day
9140	2025-03-31 10:12:18	71.43	55dB	3.1	212%	Day
9141	2025-03-31 10:16:47	71.99	55dB	3.2	225%	Day
9142	2025-03-31 10:20:03	77.06	55dB	4.6	361%	Day
9143	2025-03-31 10:21:42	76.40	55dB	4.4	341%	Day
9144	2025-03-31 10:23:45	75.00	55dB	4.0	300%	Day
9145	2025-03-31 10:26:18	69.86	55dB	2.8	180%	Day
9146	2025-03-31 10:36:50	78.01	55dB	4.9	393%	Day

9147	2025-03-31 10:38:24	70.92	55dB	3.0	201%	Day
9148	2025-03-31 10:41:00	81.94	55dB	6.5	547%	Day
9149	2025-03-31 10:43:17	71.47	55dB	3.1	213%	Day
9150	2025-03-31 10:44:45	72.01	55dB	3.3	225%	Day
9151	2025-03-31 10:46:32	67.41	55dB	2.4	136%	Day
9152	2025-03-31 10:47:56	71.08	55dB	3.0	205%	Day
9153	2025-03-31 10:52:28	76.37	55dB	4.4	340%	Day
9154	2025-03-31 10:56:55	69.36	55dB	2.7	171%	Day
9155	2025-03-31 10:59:18	76.35	55dB	4.4	339%	Day
9156	2025-03-31 11:01:12	77.82	55dB	4.9	386%	Day
9157	2025-03-31 11:07:00	68.56	55dB	2.6	156%	Day
9158	2025-03-31 11:10:26	77.26	55dB	4.7	368%	Day
9159	2025-03-31 11:12:44	76.63	55dB	4.5	348%	Day
9160	2025-03-31 11:14:51	72.30	55dB	3.3	232%	Day
9161	2025-03-31 11:16:27	74.27	55dB	3.8	280%	Day
9162	2025-03-31 11:19:28	74.72	55dB	3.9	292%	Day
9163	2025-03-31 11:22:04	72.59	55dB	3.4	238%	Day
9164	2025-03-31 11:24:02	81.56	55dB	6.3	530%	Day
9165	2025-03-31 11:25:47	85.55	55dB	8.3	731%	Day
9166	2025-03-31 11:27:48	68.90	55dB	2.6	162%	Day
9167	2025-03-31 11:29:54	70.95	55dB	3.0	202%	Day
9168	2025-03-31 11:37:28	72.96	55dB	3.5	247%	Day
9169	2025-03-31 11:39:44	69.29	55dB	2.7	169%	Day
9170	2025-03-31 11:45:24	84.00	55dB	7.5	646%	Day
9171	2025-03-31 11:47:30	68.53	55dB	2.6	155%	Day
9172	2025-03-31 11:49:27	68.39	55dB	2.5	153%	Day
9173	2025-03-31 11:51:56	N/A	55dB	N/A	N/A	Day
9174	2025-03-31 11:54:07	70.29	55dB	2.9	189%	Day
9175	2025-03-31 11:56:31	69.03	55dB	2.6	164%	Day
9176	2025-03-31 11:58:40	76.31	55dB	4.4	338%	Day
9177	2025-03-31 12:03:37	70.01	55dB	2.8	183%	Day
9178	2025-03-31 12:05:36	78.37	55dB	5.1	405%	Day
9179	2025-03-31 12:07:19	77.45	55dB	4.7	374%	Day
9180	2025-03-31 12:09:20	N/A	55dB	N/A	N/A	Day
9181	2025-03-31 12:12:02	91.06	55dB	12.2	1118%	Day
9182	2025-03-31 12:14:20	79.17	55dB	5.3	434%	Day
9183	2025-03-31 12:16:15	66.70	55dB	2.3	125%	Day
9184	2025-03-31 12:18:18	75.10	55dB	4.0	303%	Day
9185	2025-03-31 12:20:23	85.45	55dB	8.3	725%	Day
9186	2025-03-31 12:21:52	84.30	55dB	7.6	662%	Day
9187	2025-03-31 12:23:51	N/A	55dB	N/A	N/A	Day
9188	2025-03-31 12:25:38	72.90	55dB	3.5	246%	Day
9189	2025-03-31 12:26:54	72.70	55dB	3.4	241%	Day
9190	2025-03-31 12:28:22	77.90	55dB	4.9	389%	Day

9191	2025-03-31 12:29:46	79.97	55dB	5.6	465%	Day
9192	2025-03-31 12:31:13	73.63	55dB	3.6	264%	Day
9193	2025-03-31 12:32:33	83.50	55dB	7.2	621%	Day
9194	2025-03-31 12:34:01	78.74	55dB	5.2	418%	Day
9195	2025-03-31 12:43:12	84.57	55dB	7.8	677%	Day
9196	2025-03-31 12:45:05	74.60	55dB	3.9	289%	Day
9197	2025-03-31 12:48:03	82.58	55dB	6.8	576%	Day
9198	2025-03-31 12:49:17	81.78	55dB	6.4	540%	Day
9199	2025-03-31 12:50:38	N/A	55dB	N/A	N/A	Day
9200	2025-03-31 12:52:07	75.99	55dB	4.3	328%	Day
9201	2025-03-31 12:53:31	88.19	55dB	10.0	898%	Day
9202	2025-03-31 12:54:54	73.23	55dB	3.5	254%	Day
9203	2025-03-31 12:57:19	80.51	55dB	5.9	486%	Day
9204	2025-03-31 12:58:48	76.22	55dB	4.4	335%	Day
9205	2025-03-31 13:01:05	76.13	55dB	4.3	333%	Day
9206	2025-03-31 13:02:34	73.43	55dB	3.6	259%	Day
9207	2025-03-31 13:04:54	81.38	55dB	6.2	522%	Day
9208	2025-03-31 13:06:20	72.73	55dB	3.4	242%	Day
9209	2025-03-31 13:08:02	78.24	55dB	5.0	401%	Day
9210	2025-03-31 13:09:15	83.22	55dB	7.1	607%	Day
9211	2025-03-31 13:10:50	68.95	55dB	2.6	163%	Day
9212	2025-03-31 13:12:13	73.10	55dB	3.5	251%	Day
9213	2025-03-31 13:13:53	78.32	55dB	5.0	404%	Day
9214	2025-03-31 13:16:05	N/A	55dB	N/A	N/A	Day
9215	2025-03-31 13:18:31	84.29	55dB	7.6	662%	Day
9216	2025-03-31 13:20:00	75.49	55dB	4.1	314%	Day
9217	2025-03-31 13:21:18	77.14	55dB	4.6	364%	Day
9218	2025-03-31 13:24:06	N/A	55dB	N/A	N/A	Day
9219	2025-03-31 13:25:40	75.93	55dB	4.3	327%	Day
9220	2025-03-31 13:27:32	82.98	55dB	7.0	595%	Day
9221	2025-03-31 13:29:41	82.24	55dB	6.6	561%	Day
9222	2025-03-31 13:31:20	79.94	55dB	5.6	463%	Day
9223	2025-03-31 13:33:10	69.24	55dB	2.7	168%	Day
9224	2025-03-31 13:38:58	74.98	55dB	4.0	299%	Day
9225	2025-03-31 13:40:58	78.47	55dB	5.1	409%	Day
9226	2025-03-31 13:42:26	78.56	55dB	5.1	412%	Day
9227	2025-03-31 13:43:58	75.03	55dB	4.0	301%	Day
9228	2025-03-31 13:45:38	72.73	55dB	3.4	242%	Day
9229	2025-03-31 13:47:22	74.17	55dB	3.8	278%	Day
9230	2025-03-31 13:53:00	79.63	55dB	5.5	451%	Day
9231	2025-03-31 13:55:37	79.35	55dB	5.4	441%	Day
9232	2025-03-31 13:57:37	78.78	55dB	5.2	420%	Day
9233	2025-03-31 13:59:08	82.31	55dB	6.6	564%	Day
9234	2025-03-31 14:00:33	75.43	55dB	4.1	312%	Day

9235	2025-03-31 14:02:45	78.15	55dB	5.0	398%	Day
9236	2025-03-31 14:04:34	77.21	55dB	4.7	366%	Day
9237	2025-03-31 14:05:41	79.77	55dB	5.6	457%	Day
9238	2025-03-31 14:07:01	80.47	55dB	5.8	484%	Day
9239	2025-03-31 14:08:10	73.15	55dB	3.5	252%	Day
9240	2025-03-31 14:15:03	72.37	55dB	3.3	233%	Day
9241	2025-03-31 14:16:25	79.85	55dB	5.6	460%	Day
9242	2025-03-31 14:17:55	80.58	55dB	5.9	489%	Day
9243	2025-03-31 14:20:51	71.56	55dB	3.2	215%	Day
9244	2025-03-31 14:29:38	85.08	55dB	8.0	704%	Day
9245	2025-03-31 14:31:03	79.11	55dB	5.3	432%	Day
9246	2025-03-31 14:32:47	N/A	55dB	N/A	N/A	Day
9247	2025-03-31 14:34:02	69.90	55dB	2.8	181%	Day
9248	2025-03-31 14:35:25	N/A	55dB	N/A	N/A	Day
9249	2025-03-31 14:36:33	N/A	55dB	N/A	N/A	Day
9250	2025-03-31 14:37:56	82.87	55dB	6.9	590%	Day
9251	2025-03-31 14:39:17	71.04	55dB	3.0	204%	Day
9252	2025-03-31 14:44:54	81.58	55dB	6.3	531%	Day
9253	2025-03-31 14:46:34	78.95	55dB	5.3	426%	Day
9254	2025-03-31 14:48:23	72.71	55dB	3.4	241%	Day
9255	2025-03-31 14:49:30	78.47	55dB	5.1	409%	Day
9256	2025-03-31 14:50:49	71.01	55dB	3.0	203%	Day
9257	2025-03-31 14:52:08	81.29	55dB	6.2	519%	Day
9258	2025-03-31 14:54:16	68.12	55dB	2.5	148%	Day
9259	2025-03-31 14:55:33	75.00	55dB	4.0	300%	Day
9260	2025-03-31 14:57:47	70.29	55dB	2.9	189%	Day
9261	2025-03-31 14:59:06	81.17	55dB	6.1	513%	Day
9262	2025-03-31 15:00:45	77.46	55dB	4.7	374%	Day
9263	2025-03-31 15:02:53	N/A	55dB	N/A	N/A	Day
9264	2025-03-31 15:04:22	N/A	55dB	N/A	N/A	Day
9265	2025-03-31 15:08:04	N/A	55dB	N/A	N/A	Day
9266	2025-03-31 15:10:32	78.58	55dB	5.1	413%	Day
9267	2025-03-31 15:12:23	N/A	55dB	N/A	N/A	Day
9268	2025-03-31 15:14:11	79.57	55dB	5.5	449%	Day
9269	2025-03-31 15:16:41	85.73	55dB	8.4	742%	Day
9270	2025-03-31 15:22:12	73.32	55dB	3.6	256%	Day
9271	2025-03-31 15:24:42	85.57	55dB	8.3	732%	Day
9272	2025-03-31 15:26:56	84.19	55dB	7.6	656%	Day
9273	2025-03-31 15:28:21	77.75	55dB	4.8	384%	Day
9274	2025-03-31 15:30:05	70.18	55dB	2.9	186%	Day
9275	2025-03-31 15:31:14	80.05	55dB	5.7	468%	Day
9276	2025-03-31 15:33:41	68.04	55dB	2.5	147%	Day
9277	2025-03-31 15:36:24	70.92	55dB	3.0	201%	Day
9278	2025-03-31 15:37:28	74.27	55dB	3.8	280%	Day

9279	2025-03-31 15:39:36	71.78	55dB	3.2	220%	Day
9280	2025-03-31 15:40:47	79.43	55dB	5.4	444%	Day
9281	2025-03-31 15:42:08	N/A	55dB	N/A	N/A	Day
9282	2025-03-31 15:44:25	84.71	55dB	7.8	684%	Day
9283	2025-03-31 15:47:49	83.61	55dB	7.3	627%	Day
9284	2025-03-31 15:49:27	77.70	55dB	4.8	382%	Day
9285	2025-03-31 15:51:02	69.79	55dB	2.8	179%	Day
9286	2025-03-31 15:52:18	68.79	55dB	2.6	160%	Day
9287	2025-03-31 15:53:51	71.84	55dB	3.2	221%	Day
9288	2025-03-31 15:55:04	78.37	55dB	5.1	405%	Day
9289	2025-03-31 15:56:23	N/A	55dB	N/A	N/A	Day
9290	2025-03-31 15:57:35	79.01	55dB	5.3	428%	Day
9291	2025-03-31 15:59:42	N/A	55dB	N/A	N/A	Day
9292	2025-03-31 16:01:07	78.28	55dB	5.0	402%	Day
9293	2025-03-31 16:02:56	73.16	55dB	3.5	252%	Day
9294	2025-03-31 16:04:35	75.48	55dB	4.1	314%	Day
9295	2025-03-31 16:07:11	75.72	55dB	4.2	320%	Day
9296	2025-03-31 16:09:02	N/A	55dB	N/A	N/A	Day
9297	2025-03-31 16:10:12	81.80	55dB	6.4	541%	Day
9298	2025-03-31 16:11:42	70.13	55dB	2.9	185%	Day
9299	2025-03-31 16:14:30	79.93	55dB	5.6	463%	Day
9300	2025-03-31 16:16:27	70.32	55dB	2.9	189%	Day
9301	2025-03-31 16:20:09	77.40	55dB	4.7	372%	Day
9302	2025-03-31 16:25:34	74.54	55dB	3.9	287%	Day
9303	2025-03-31 16:28:43	70.97	55dB	3.0	203%	Day
9304	2025-03-31 16:31:39	75.18	55dB	4.1	305%	Day
9305	2025-03-31 16:34:01	78.58	55dB	5.1	413%	Day
9306	2025-03-31 16:35:39	78.42	55dB	5.1	407%	Day
9307	2025-03-31 16:37:07	76.58	55dB	4.5	346%	Day
9308	2025-03-31 16:39:25	75.29	55dB	4.1	308%	Day
9309	2025-03-31 16:42:56	77.49	55dB	4.8	375%	Day
9310	2025-03-31 16:44:33	N/A	55dB	N/A	N/A	Day
9311	2025-03-31 16:47:16	N/A	55dB	N/A	N/A	Day
9312	2025-03-31 16:53:21	73.22	55dB	3.5	254%	Day
9313	2025-03-31 16:59:31	N/A	55dB	N/A	N/A	Day
9314	2025-03-31 17:01:22	74.89	55dB	4.0	297%	Day
9315	2025-03-31 17:03:09	76.84	55dB	4.5	354%	Day
9316	2025-03-31 17:05:26	74.26	55dB	3.8	280%	Day
9317	2025-03-31 17:06:50	68.94	55dB	2.6	163%	Day
9318	2025-03-31 17:08:03	68.34	55dB	2.5	152%	Day
9319	2025-03-31 17:09:24	73.13	55dB	3.5	251%	Day
9320	2025-03-31 17:10:50	78.62	55dB	5.1	414%	Day
9321	2025-03-31 17:12:20	70.85	55dB	3.0	200%	Day
9322	2025-03-31 17:15:10	67.71	55dB	2.4	141%	Day

9323	2025-03-31 17:16:39	72.81	55dB	3.4	244%	Day
9324	2025-03-31 17:18:40	69.21	55dB	2.7	168%	Day
9325	2025-03-31 17:20:14	69.95	55dB	2.8	182%	Day
9326	2025-03-31 17:21:21	N/A	55dB	N/A	N/A	Day
9327	2025-03-31 17:22:32	75.03	55dB	4.0	301%	Day
9328	2025-03-31 17:24:04	71.75	55dB	3.2	219%	Day
9329	2025-03-31 17:25:19	71.14	55dB	3.1	206%	Day
9330	2025-03-31 17:27:53	69.98	55dB	2.8	182%	Day
9331	2025-03-31 17:29:56	71.38	55dB	3.1	211%	Day
9332	2025-03-31 17:31:26	76.04	55dB	4.3	330%	Day
9333	2025-03-31 17:33:28	85.47	55dB	8.3	726%	Day
9334	2025-03-31 17:34:55	75.06	55dB	4.0	302%	Day
9335	2025-03-31 17:36:44	N/A	55dB	N/A	N/A	Day
9336	2025-03-31 17:38:36	77.11	55dB	4.6	363%	Day
9337	2025-03-31 17:39:54	71.41	55dB	3.1	212%	Day
9338	2025-03-31 17:41:16	70.66	55dB	3.0	196%	Day
9339	2025-03-31 17:44:35	82.00	55dB	6.5	550%	Day
9340	2025-03-31 17:45:47	N/A	55dB	N/A	N/A	Day
9341	2025-03-31 17:47:07	80.66	55dB	5.9	492%	Day
9342	2025-03-31 17:50:46	75.72	55dB	4.2	320%	Day
9343	2025-03-31 17:56:17	70.77	55dB	3.0	198%	Day
9344	2025-03-31 17:57:40	N/A	55dB	N/A	N/A	Day
9345	2025-03-31 18:00:25	79.32	55dB	5.4	440%	Day
9346	2025-03-31 18:02:32	N/A	55dB	N/A	N/A	Day
9347	2025-03-31 18:04:00	76.89	55dB	4.6	356%	Day
9348	2025-03-31 18:05:07	84.76	55dB	7.9	687%	Day
9349	2025-03-31 18:06:26	77.41	55dB	4.7	373%	Day
9350	2025-03-31 18:07:37	77.32	55dB	4.7	370%	Day
9351	2025-03-31 18:09:11	74.42	55dB	3.8	284%	Day
9352	2025-03-31 18:12:10	75.17	55dB	4.0	305%	Day
9353	2025-03-31 18:14:42	70.77	55dB	3.0	198%	Day
9354	2025-03-31 18:22:20	76.97	55dB	4.6	359%	Day
9355	2025-03-31 18:24:28	76.28	55dB	4.4	337%	Day
9356	2025-03-31 18:26:38	77.99	55dB	4.9	392%	Day
9357	2025-03-31 18:28:46	77.58	55dB	4.8	378%	Day
9358	2025-03-31 18:30:56	71.69	55dB	3.2	218%	Day
9359	2025-03-31 18:36:28	74.50	55dB	3.9	286%	Day
9360	2025-03-31 18:42:07	71.42	55dB	3.1	212%	Day
9361	2025-03-31 18:44:11	73.33	55dB	3.6	256%	Day
9362	2025-03-31 18:46:01	80.48	55dB	5.8	485%	Day
9363	2025-03-31 18:50:24	73.79	55dB	3.7	268%	Day
9364	2025-03-31 18:53:00	N/A	55dB	N/A	N/A	Day
9365	2025-03-31 18:55:28	74.74	55dB	3.9	293%	Day
9366	2025-03-31 18:57:36	66.07	55dB	2.2	115%	Day

9367	2025-03-31 19:04:17	73.40	55dB	3.6	258%	Day
9368	2025-03-31 19:06:37	69.50	55dB	2.7	173%	Day
9369	2025-03-31 19:09:54	74.53	55dB	3.9	287%	Day
9370	2025-03-31 19:13:30	76.66	55dB	4.5	349%	Day
9371	2025-03-31 19:15:04	71.54	55dB	3.1	215%	Day
9372	2025-03-31 19:16:45	70.54	55dB	2.9	194%	Day
9373	2025-03-31 19:18:17	69.52	55dB	2.7	174%	Day
9374	2025-03-31 19:19:47	78.58	55dB	5.1	413%	Day
9375	2025-03-31 19:22:05	72.91	55dB	3.5	246%	Day
9376	2025-03-31 19:24:10	71.82	55dB	3.2	221%	Day
9377	2025-03-31 19:25:40	74.22	55dB	3.8	279%	Day
9378	2025-03-31 19:27:39	74.43	55dB	3.8	285%	Day
9379	2025-03-31 19:29:08	N/A	55dB	N/A	N/A	Day
9380	2025-03-31 19:30:38	79.22	55dB	5.4	436%	Day
9381	2025-03-31 19:32:17	70.99	55dB	3.0	203%	Day
9382	2025-03-31 19:33:39	69.79	55dB	2.8	179%	Day
9383	2025-03-31 19:35:18	70.97	55dB	3.0	203%	Day
9384	2025-03-31 19:38:41	N/A	55dB	N/A	N/A	Day
9385	2025-03-31 19:40:09	71.56	55dB	3.2	215%	Day
9386	2025-03-31 19:41:49	71.31	55dB	3.1	210%	Day
9387	2025-03-31 19:43:37	67.07	55dB	2.3	131%	Day
9388	2025-03-31 19:44:55	72.04	55dB	3.3	226%	Day
9389	2025-03-31 19:46:26	75.34	55dB	4.1	310%	Day
9390	2025-03-31 19:50:20	69.54	55dB	2.7	174%	Day
9391	2025-03-31 19:52:18	N/A	55dB	N/A	N/A	Day
9392	2025-03-31 19:55:37	74.63	55dB	3.9	290%	Day
9393	2025-03-31 19:57:51	73.58	55dB	3.6	263%	Day
9394	2025-03-31 20:00:08	71.79	55dB	3.2	220%	Day
9395	2025-03-31 20:01:24	72.34	55dB	3.3	233%	Day
9396	2025-03-31 20:02:55	72.31	55dB	3.3	232%	Day
9397	2025-03-31 20:04:40	71.16	55dB	3.1	207%	Day
9398	2025-03-31 20:06:40	72.27	55dB	3.3	231%	Day
9399	2025-03-31 20:08:06	73.02	55dB	3.5	249%	Day
9400	2025-03-31 20:09:23	69.41	55dB	2.7	172%	Day
9401	2025-03-31 20:10:50	73.69	55dB	3.7	265%	Day
9402	2025-03-31 20:12:13	68.91	55dB	2.6	162%	Day
9403	2025-03-31 20:14:17	68.39	55dB	2.5	153%	Day
9404	2025-03-31 20:15:49	73.39	55dB	3.6	258%	Day
9405	2025-03-31 20:17:18	69.85	55dB	2.8	180%	Day
9406	2025-03-31 20:18:30	71.22	55dB	3.1	208%	Day
9407	2025-03-31 20:20:30	75.14	55dB	4.0	304%	Day
9408	2025-03-31 20:22:59	70.69	55dB	3.0	197%	Day
9409	2025-03-31 20:25:25	72.03	55dB	3.3	226%	Day
9410	2025-03-31 20:27:38	68.68	55dB	2.6	158%	Day

9411	2025-03-31 20:29:01	80.30	55dB	5.8	478%	Day
9412	2025-03-31 20:30:41	69.95	55dB	2.8	182%	Day
9413	2025-03-31 20:32:12	75.31	55dB	4.1	309%	Day
9414	2025-03-31 20:35:44	73.23	55dB	3.5	254%	Day
9415	2025-03-31 20:37:34	72.46	55dB	3.4	235%	Day
9416	2025-03-31 20:39:30	72.46	55dB	3.4	235%	Day
9417	2025-03-31 20:41:22	73.04	55dB	3.5	249%	Day
9418	2025-03-31 20:43:04	69.89	55dB	2.8	181%	Day
9419	2025-03-31 20:45:00	75.75	55dB	4.2	321%	Day
9420	2025-03-31 20:46:24	71.04	55dB	3.0	204%	Day
9421	2025-03-31 20:47:50	68.57	55dB	2.6	156%	Day
9422	2025-03-31 20:49:19	70.50	55dB	2.9	193%	Day
9423	2025-03-31 20:50:25	70.54	55dB	2.9	194%	Day
9424	2025-03-31 20:52:50	78.40	55dB	5.1	406%	Day
9425	2025-03-31 20:54:06	N/A	55dB	N/A	N/A	Day
9426	2025-03-31 20:55:24	74.40	55dB	3.8	284%	Day
9427	2025-03-31 20:57:30	71.33	55dB	3.1	210%	Day
9428	2025-03-31 20:58:48	72.05	55dB	3.3	226%	Day
9429	2025-03-31 21:00:55	69.67	55dB	2.8	176%	Day
9430	2025-03-31 21:02:56	72.92	55dB	3.5	246%	Day
9431	2025-03-31 21:04:26	71.47	55dB	3.1	213%	Day
9432	2025-03-31 21:07:09	68.69	55dB	2.6	158%	Day
9433	2025-03-31 21:10:13	70.10	55dB	2.8	185%	Day
9434	2025-03-31 21:11:25	70.16	55dB	2.9	186%	Day
9435	2025-03-31 21:12:49	70.84	55dB	3.0	200%	Day
9436	2025-03-31 21:14:13	75.30	55dB	4.1	308%	Day
9437	2025-03-31 21:15:28	N/A	55dB	N/A	N/A	Day
9438	2025-03-31 21:18:05	70.26	55dB	2.9	188%	Day
9439	2025-03-31 21:19:52	72.23	55dB	3.3	230%	Day
9440	2025-03-31 21:23:57	66.03	55dB	2.1	115%	Day
9441	2025-03-31 21:26:02	77.39	55dB	4.7	372%	Day
9442	2025-03-31 21:28:42	70.12	55dB	2.9	185%	Day
9443	2025-03-31 21:30:17	76.72	55dB	4.5	351%	Day
9444	2025-03-31 21:31:33	67.89	55dB	2.4	144%	Day
9445	2025-03-31 21:34:15	69.72	55dB	2.8	177%	Day
9446	2025-03-31 21:37:19	80.04	55dB	5.7	467%	Day
9447	2025-03-31 21:39:24	75.17	55dB	4.0	305%	Day
9448	2025-03-31 21:44:06	77.11	55dB	4.6	363%	Day
9449	2025-03-31 21:47:43	67.24	55dB	2.3	134%	Day
9450	2025-03-31 21:50:45	69.68	55dB	2.8	177%	Day
9451	2025-03-31 21:53:21	72.52	55dB	3.4	237%	Day
9452	2025-03-31 21:55:16	75.49	55dB	4.1	314%	Day
9453	2025-03-31 21:57:21	73.35	55dB	3.6	257%	Day
9454	2025-03-31 21:58:47	72.30	55dB	3.3	232%	Day

9455	2025-03-31 22:01:38	75.06	55dB	4.0	302%	Day
9456	2025-03-31 22:03:15	68.81	55dB	2.6	160%	Day
9457	2025-03-31 22:04:51	69.23	55dB	2.7	168%	Day
9458	2025-03-31 22:07:46	77.83	55dB	4.9	387%	Day
9459	2025-03-31 22:09:25	71.90	55dB	3.2	223%	Day
9460	2025-03-31 22:10:46	69.51	55dB	2.7	173%	Day
9461	2025-03-31 22:12:01	78.14	55dB	5.0	397%	Day
9462	2025-03-31 22:13:50	74.79	55dB	3.9	294%	Day
9463	2025-03-31 22:15:18	67.82	55dB	2.4	143%	Day
9464	2025-03-31 22:16:49	80.78	55dB	6.0	497%	Day
9465	2025-03-31 22:23:12	79.84	55dB	5.6	459%	Day
9466	2025-03-31 22:25:42	68.39	55dB	2.5	153%	Day
9467	2025-03-31 22:27:24	68.95	55dB	2.6	163%	Day
9468	2025-03-31 22:29:32	70.07	55dB	2.8	184%	Day
9469	2025-03-31 22:36:25	68.85	55dB	2.6	161%	Day
9470	2025-03-31 22:40:37	67.39	55dB	2.4	136%	Day
9471	2025-03-31 22:42:23	77.61	55dB	4.8	379%	Day
9472	2025-03-31 22:48:09	70.62	55dB	3.0	195%	Day
9473	2025-03-31 22:50:31	77.99	55dB	4.9	392%	Day
9474	2025-03-31 22:51:47	75.92	55dB	4.3	326%	Day
9475	2025-03-31 22:53:44	70.55	55dB	2.9	194%	Day
9476	2025-03-31 22:55:10	71.54	55dB	3.1	215%	Day
9477	2025-03-31 22:57:42	71.16	55dB	3.1	207%	Day
9478	2025-03-31 22:59:19	70.27	55dB	2.9	188%	Day
9479	2025-03-31 23:02:16	82.13	45dB	13.1	1211%	Night
9480	2025-03-31 23:05:42	N/A	45dB	N/A	N/A	Night
9481	2025-03-31 23:09:49	74.48	45dB	7.7	672%	Night
9482	2025-03-31 23:14:44	74.72	45dB	7.8	685%	Night
9483	2025-03-31 23:20:45	78.84	45dB	10.4	944%	Night
9484	2025-03-31 23:31:07	N/A	45dB	N/A	N/A	Night
9485	2025-03-31 23:32:54	71.61	45dB	6.3	532%	Night
9486	2025-03-31 23:34:56	76.47	45dB	8.9	786%	Night
9487	2025-03-31 23:38:10	75.63	45dB	8.4	736%	Night
9488	2025-03-31 23:40:34	70.42	45dB	5.8	482%	Night
9489	2025-03-31 23:48:07	N/A	45dB	N/A	N/A	Night
9490	2025-03-31 23:53:30	67.86	45dB	4.9	388%	Night
9491	2025-03-31 23:58:36	70.90	45dB	6.0	502%	Night

