

## Acacia Park-Noise Monitor-May, 2025

Events	Date and Time of Airplane Noise Event	Decibels as reported by Acacia's noise Monitor	max recommend ed dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	2025-05-01 00:00:01	N/A	45dB	N/A	N/A	Night
2	2025-05-01 00:05:30	66.88	45dB	4.6	356%	Night
3	2025-05-01 00:07:19	69.53	45dB	5.5	448%	Night
4	2025-05-01 00:08:48	68.55	45dB	5.1	412%	Night
5	2025-05-01 00:11:57	72.55	45dB	6.8	575%	Night
6	2025-05-01 00:17:49	71.12	45dB	6.1	511%	Night
7	2025-05-01 00:24:56	73.54	45dB	7.2	623%	Night
8	2025-05-01 00:27:10	69.98	45dB	5.6	465%	Night
9	2025-05-01 00:43:23	69.90	45dB	5.6	462%	Night
10	2025-05-01 00:48:30	70.78	45dB	6.0	497%	Night
11	2025-05-01 00:50:16	68.97	45dB	5.3	427%	Night
12	2025-05-01 01:04:06	69.62	45dB	5.5	451%	Night
13	2025-05-01 01:09:49	69.45	45dB	5.4	445%	Night
14	2025-05-01 01:12:58	68.31	45dB	5.0	403%	Night
15	2025-05-01 01:15:04	72.00	45dB	6.5	550%	Night
16	2025-05-01 01:17:37	66.73	45dB	4.5	351%	Night
17	2025-05-01 01:38:06	69.33	45dB	5.4	440%	Night
18	2025-05-01 07:25:00	74.30	55dB	3.8	281%	Day
19	2025-05-01 08:34:47	83.69	55dB	7.3	631%	Day
20	2025-05-01 09:09:25	75.13	55dB	4.0	304%	Day
21	2025-05-01 09:15:43	73.73	55dB	3.7	266%	Day
22	2025-05-01 09:51:27	66.96	55dB	2.3	129%	Day
23	2025-05-01 09:52:32	76.24	55dB	4.4	336%	Day
24	2025-05-01 09:53:24	76.98	55dB	4.6	359%	Day
25	2025-05-01 09:54:10	N/A	55dB	N/A	N/A	Day
26	2025-05-01 09:57:17	70.44	55dB	2.9	192%	Day
27	2025-05-01 09:59:38	77.99	55dB	4.9	392%	Day
28	2025-05-01 10:02:30	71.06	55dB	3.0	204%	Day
29	2025-05-01 10:07:40	74.87	55dB	4.0	296%	Day
30	2025-05-01 10:11:07	70.33	55dB	2.9	189%	Day
31	2025-05-01 10:14:16	72.49	55dB	3.4	236%	Day
32	2025-05-01 10:17:08	74.37	55dB	3.8	283%	Day
33	2025-05-01 10:17:54	73.91	55dB	3.7	271%	Day
34	2025-05-01 10:20:56	71.04	55dB	3.0	204%	Day
35	2025-05-01 10:21:58	N/A	55dB	N/A	N/A	Day
36	2025-05-01 10:24:26	77.18	55dB	4.7	365%	Day
37	2025-05-01 10:25:02	73.72	55dB	3.7	266%	Day
38	2025-05-01 10:26:12	72.32	55dB	3.3	232%	Day

39	2025-05-01 10:26:52	84.67	55dB	7.8	682%	Day
40	2025-05-01 10:27:39	N/A	55dB	N/A	N/A	Day
41	2025-05-01 10:28:39	67.55	55dB	2.4	139%	Day
42	2025-05-01 10:29:32	78.47	55dB	5.1	409%	Day
43	2025-05-01 10:30:50	73.32	55dB	3.6	256%	Day
44	2025-05-01 10:32:08	67.46	55dB	2.4	137%	Day
45	2025-05-01 10:33:11	71.76	55dB	3.2	220%	Day
46	2025-05-01 10:34:01	79.63	55dB	5.5	451%	Day
47	2025-05-01 10:36:08	71.23	55dB	3.1	208%	Day
48	2025-05-01 10:37:07	71.24	55dB	3.1	208%	Day
49	2025-05-01 10:38:13	N/A	55dB	N/A	N/A	Day
50	2025-05-01 10:39:28	73.83	55dB	3.7	269%	Day
51	2025-05-01 10:40:41	72.25	55dB	3.3	231%	Day
52	2025-05-01 10:41:52	80.01	55dB	5.7	466%	Day
53	2025-05-01 10:43:00	76.39	55dB	4.4	340%	Day
54	2025-05-01 10:44:34	72.71	55dB	3.4	241%	Day
55	2025-05-01 10:45:32	72.96	55dB	3.5	247%	Day
56	2025-05-01 10:46:33	74.24	55dB	3.8	279%	Day
57	2025-05-01 10:47:41	77.73	55dB	4.8	383%	Day
58	2025-05-01 10:51:31	71.37	55dB	3.1	211%	Day
59	2025-05-01 10:52:42	71.83	55dB	3.2	221%	Day
60	2025-05-01 10:54:00	72.60	55dB	3.4	239%	Day
61	2025-05-01 10:55:33	66.17	55dB	2.2	117%	Day
62	2025-05-01 10:57:37	71.97	55dB	3.2	224%	Day
63	2025-05-01 11:00:33	74.28	55dB	3.8	281%	Day
64	2025-05-01 11:03:17	82.32	55dB	6.6	564%	Day
65	2025-05-01 11:06:20	67.91	55dB	2.4	145%	Day
66	2025-05-01 11:08:15	72.06	55dB	3.3	226%	Day
67	2025-05-01 11:09:25	71.04	55dB	3.0	204%	Day
68	2025-05-01 11:10:33	74.52	55dB	3.9	287%	Day
69	2025-05-01 11:11:40	73.23	55dB	3.5	254%	Day
70	2025-05-01 11:13:34	69.18	55dB	2.7	167%	Day
71	2025-05-01 11:14:33	68.65	55dB	2.6	158%	Day
72	2025-05-01 11:16:38	73.79	55dB	3.7	268%	Day
73	2025-05-01 11:20:09	71.24	55dB	3.1	208%	Day
74	2025-05-01 11:23:41	N/A	55dB	N/A	N/A	Day
75	2025-05-01 11:24:46	69.62	55dB	2.8	175%	Day
76	2025-05-01 11:40:02	71.00	55dB	3.0	203%	Day
77	2025-05-01 11:41:23	70.02	55dB	2.8	183%	Day
78	2025-05-01 11:48:06	74.76	55dB	3.9	293%	Day
79	2025-05-01 11:49:42	75.82	55dB	4.2	323%	Day
80	2025-05-01 11:54:57	N/A	55dB	N/A	N/A	Day
81	2025-05-01 11:56:11	76.60	55dB	4.5	347%	Day
82	2025-05-01 11:57:00	66.20	55dB	2.2	117%	Day

83	2025-05-01 11:58:27	N/A	55dB	N/A	N/A	Day
84	2025-05-01 12:02:38	77.02	55dB	4.6	360%	Day
85	2025-05-01 12:05:03	N/A	55dB	N/A	N/A	Day
86	2025-05-01 12:09:51	74.18	55dB	3.8	278%	Day
87	2025-05-01 12:11:36	75.98	55dB	4.3	328%	Day
88	2025-05-01 12:12:56	N/A	55dB	N/A	N/A	Day
89	2025-05-01 12:14:56	73.11	55dB	3.5	251%	Day
90	2025-05-01 12:16:05	93.21	55dB	14.1	1313%	Day
91	2025-05-01 12:21:16	N/A	55dB	N/A	N/A	Day
92	2025-05-01 12:22:18	75.49	55dB	4.1	314%	Day
93	2025-05-01 12:23:15	74.97	55dB	4.0	299%	Day
94	2025-05-01 12:24:34	68.74	55dB	2.6	159%	Day
95	2025-05-01 12:25:27	74.64	55dB	3.9	290%	Day
96	2025-05-01 12:26:31	N/A	55dB	N/A	N/A	Day
97	2025-05-01 12:27:40	75.76	55dB	4.2	322%	Day
98	2025-05-01 12:28:40	74.56	55dB	3.9	288%	Day
99	2025-05-01 12:29:53	76.66	55dB	4.5	349%	Day
100	2025-05-01 12:31:06	75.68	55dB	4.2	319%	Day
101	2025-05-01 12:32:30	68.05	55dB	2.5	147%	Day
102	2025-05-01 12:35:16	N/A	55dB	N/A	N/A	Day
103	2025-05-01 12:38:05	68.56	55dB	2.6	156%	Day
104	2025-05-01 12:43:22	74.54	55dB	3.9	287%	Day
105	2025-05-01 12:48:52	N/A	55dB	N/A	N/A	Day
106	2025-05-01 12:57:05	75.44	55dB	4.1	312%	Day
107	2025-05-01 13:02:31	74.75	55dB	3.9	293%	Day
108	2025-05-01 13:03:58	87.51	55dB	9.5	852%	Day
109	2025-05-01 13:05:05	74.77	55dB	3.9	294%	Day
110	2025-05-01 13:06:22	71.54	55dB	3.1	215%	Day
111	2025-05-01 13:08:45	71.33	55dB	3.1	210%	Day
112	2025-05-01 13:10:03	75.23	55dB	4.1	306%	Day
113	2025-05-01 13:12:06	76.84	55dB	4.5	354%	Day
114	2025-05-01 13:13:30	71.33	55dB	3.1	210%	Day
115	2025-05-01 13:14:23	73.04	55dB	3.5	249%	Day
116	2025-05-01 13:18:16	71.47	55dB	3.1	213%	Day
117	2025-05-01 13:19:46	73.50	55dB	3.6	261%	Day
118	2025-05-01 13:22:17	66.71	55dB	2.3	125%	Day
119	2025-05-01 13:23:46	N/A	55dB	N/A	N/A	Day
120	2025-05-01 13:25:30	N/A	55dB	N/A	N/A	Day
121	2025-05-01 13:28:48	N/A	55dB	N/A	N/A	Day
122	2025-05-01 13:29:55	N/A	55dB	N/A	N/A	Day
123	2025-05-01 13:32:28	74.09	55dB	3.8	276%	Day
124	2025-05-01 13:33:42	76.91	55dB	4.6	357%	Day
125	2025-05-01 13:36:33	75.75	55dB	4.2	321%	Day
126	2025-05-01 13:37:47	70.92	55dB	3.0	201%	Day

127	2025-05-01 13:40:13	77.12	55dB	4.6	363%	Day
128	2025-05-01 13:41:23	71.76	55dB	3.2	220%	Day
129	2025-05-01 13:43:58	72.17	55dB	3.3	229%	Day
130	2025-05-01 13:45:32	74.76	55dB	3.9	293%	Day
131	2025-05-01 13:46:52	70.17	55dB	2.9	186%	Day
132	2025-05-01 13:48:05	69.74	55dB	2.8	178%	Day
133	2025-05-01 13:50:07	77.85	55dB	4.9	387%	Day
134	2025-05-01 13:51:43	71.64	55dB	3.2	217%	Day
135	2025-05-01 13:53:30	66.13	55dB	2.2	116%	Day
136	2025-05-01 13:55:08	N/A	55dB	N/A	N/A	Day
137	2025-05-01 13:56:05	74.59	55dB	3.9	289%	Day
138	2025-05-01 14:00:04	74.71	55dB	3.9	292%	Day
139	2025-05-01 14:03:52	73.43	55dB	3.6	259%	Day
140	2025-05-01 14:05:21	73.86	55dB	3.7	270%	Day
141	2025-05-01 14:11:55	85.88	55dB	8.5	750%	Day
142	2025-05-01 14:13:06	68.52	55dB	2.6	155%	Day
143	2025-05-01 14:14:30	71.08	55dB	3.0	205%	Day
144	2025-05-01 14:15:34	74.43	55dB	3.8	285%	Day
145	2025-05-01 14:16:35	75.58	55dB	4.2	316%	Day
146	2025-05-01 14:19:27	N/A	55dB	N/A	N/A	Day
147	2025-05-01 14:20:33	67.54	55dB	2.4	139%	Day
148	2025-05-01 14:21:44	72.01	55dB	3.3	225%	Day
149	2025-05-01 14:23:07	77.62	55dB	4.8	380%	Day
150	2025-05-01 14:25:09	72.46	55dB	3.4	235%	Day
151	2025-05-01 14:33:30	77.25	55dB	4.7	368%	Day
152	2025-05-01 14:34:41	N/A	55dB	N/A	N/A	Day
153	2025-05-01 14:35:49	78.66	55dB	5.2	416%	Day
154	2025-05-01 14:36:48	81.31	55dB	6.2	519%	Day
155	2025-05-01 14:38:10	79.06	55dB	5.3	430%	Day
156	2025-05-01 14:39:02	75.68	55dB	4.2	319%	Day
157	2025-05-01 14:40:47	75.65	55dB	4.2	318%	Day
158	2025-05-01 14:42:05	68.77	55dB	2.6	160%	Day
159	2025-05-01 14:43:14	75.81	55dB	4.2	323%	Day
160	2025-05-01 14:44:37	74.74	55dB	3.9	293%	Day
161	2025-05-01 14:45:43	72.66	55dB	3.4	240%	Day
162	2025-05-01 14:46:41	71.55	55dB	3.1	215%	Day
163	2025-05-01 14:47:52	75.89	55dB	4.3	325%	Day
164	2025-05-01 14:52:22	67.73	55dB	2.4	142%	Day
165	2025-05-01 14:53:33	74.33	55dB	3.8	282%	Day
166	2025-05-01 14:55:05	67.67	55dB	2.4	141%	Day
167	2025-05-01 14:56:28	71.81	55dB	3.2	221%	Day
168	2025-05-01 14:57:33	75.54	55dB	4.2	315%	Day
169	2025-05-01 14:59:41	70.18	55dB	2.9	186%	Day
170	2025-05-01 15:03:42	70.25	55dB	2.9	188%	Day

171	2025-05-01 15:05:14	74.17	55dB	3.8	278%	Day
172	2025-05-01 15:06:34	73.10	55dB	3.5	251%	Day
173	2025-05-01 15:08:03	67.01	55dB	2.3	130%	Day
174	2025-05-01 15:16:57	80.86	55dB	6.0	500%	Day
175	2025-05-01 15:22:45	72.42	55dB	3.3	234%	Day
176	2025-05-01 15:29:46	73.99	55dB	3.7	273%	Day
177	2025-05-01 15:36:26	70.92	55dB	3.0	201%	Day
178	2025-05-01 15:41:07	76.36	55dB	4.4	340%	Day
179	2025-05-01 15:45:47	69.56	55dB	2.7	174%	Day
180	2025-05-01 15:49:50	68.21	55dB	2.5	150%	Day
181	2025-05-01 15:54:17	69.41	55dB	2.7	172%	Day
182	2025-05-01 16:01:48	N/A	55dB	N/A	N/A	Day
183	2025-05-01 16:03:43	78.01	55dB	4.9	393%	Day
184	2025-05-01 16:05:32	N/A	55dB	N/A	N/A	Day
185	2025-05-01 16:07:11	73.70	55dB	3.7	266%	Day
186	2025-05-01 16:08:15	76.11	55dB	4.3	332%	Day
187	2025-05-01 16:09:31	66.25	55dB	2.2	118%	Day
188	2025-05-01 16:12:11	74.10	55dB	3.8	276%	Day
189	2025-05-01 16:13:42	74.05	55dB	3.7	275%	Day
190	2025-05-01 16:15:40	68.20	55dB	2.5	150%	Day
191	2025-05-01 16:17:52	N/A	55dB	N/A	N/A	Day
192	2025-05-01 16:19:00	77.99	55dB	4.9	392%	Day
193	2025-05-01 16:23:07	74.93	55dB	4.0	298%	Day
194	2025-05-01 16:28:10	77.03	55dB	4.6	360%	Day
195	2025-05-01 16:34:55	72.64	55dB	3.4	240%	Day
196	2025-05-01 16:36:09	74.96	55dB	4.0	299%	Day
197	2025-05-01 16:37:22	75.13	55dB	4.0	304%	Day
198	2025-05-01 16:38:20	70.29	55dB	2.9	189%	Day
199	2025-05-01 16:40:42	75.74	55dB	4.2	321%	Day
200	2025-05-01 16:41:45	77.81	55dB	4.9	386%	Day
201	2025-05-01 16:52:05	69.41	55dB	2.7	172%	Day
202	2025-05-01 16:53:11	74.38	55dB	3.8	283%	Day
203	2025-05-01 16:55:31	72.01	55dB	3.3	225%	Day
204	2025-05-01 16:56:45	73.60	55dB	3.6	263%	Day
205	2025-05-01 16:57:57	75.47	55dB	4.1	313%	Day
206	2025-05-01 16:58:53	71.81	55dB	3.2	221%	Day
207	2025-05-01 16:59:58	74.69	55dB	3.9	291%	Day
208	2025-05-01 17:01:20	70.77	55dB	3.0	198%	Day
209	2025-05-01 17:02:13	73.24	55dB	3.5	254%	Day
210	2025-05-01 17:04:31	67.72	55dB	2.4	141%	Day
211	2025-05-01 17:08:38	78.84	55dB	5.2	422%	Day
212	2025-05-01 17:10:23	72.66	55dB	3.4	240%	Day
213	2025-05-01 17:15:22	76.47	55dB	4.4	343%	Day
214	2025-05-01 17:17:21	77.14	55dB	4.6	364%	Day

215	2025-05-01 17:19:22	69.53	55dB	2.7	174%	Day
216	2025-05-01 17:21:16	73.69	55dB	3.7	265%	Day
217	2025-05-01 17:23:32	67.89	55dB	2.4	144%	Day
218	2025-05-01 17:25:51	76.98	55dB	4.6	359%	Day
219	2025-05-01 17:28:23	74.32	55dB	3.8	282%	Day
220	2025-05-01 17:29:34	69.91	55dB	2.8	181%	Day
221	2025-05-01 17:35:01	76.56	55dB	4.5	346%	Day
222	2025-05-01 17:36:07	75.14	55dB	4.0	304%	Day
223	2025-05-01 17:39:10	77.93	55dB	4.9	390%	Day
224	2025-05-01 17:39:13	67.59	55dB	2.4	139%	Day
225	2025-05-01 17:40:26	78.42	55dB	5.1	407%	Day
226	2025-05-01 17:43:04	76.66	55dB	4.5	349%	Day
227	2025-05-01 17:44:15	75.00	55dB	4.0	300%	Day
228	2025-05-01 17:46:28	71.07	55dB	3.0	205%	Day
229	2025-05-01 17:48:17	74.90	55dB	4.0	297%	Day
230	2025-05-01 17:50:34	77.47	55dB	4.7	375%	Day
231	2025-05-01 17:52:49	75.16	55dB	4.0	304%	Day
232	2025-05-01 17:53:53	72.90	55dB	3.5	246%	Day
233	2025-05-01 17:54:59	77.85	55dB	4.9	387%	Day
234	2025-05-01 17:57:35	72.08	55dB	3.3	227%	Day
235	2025-05-01 18:04:57	78.95	55dB	5.3	426%	Day
236	2025-05-01 18:06:47	78.67	55dB	5.2	416%	Day
237	2025-05-01 18:07:58	73.83	55dB	3.7	269%	Day
238	2025-05-01 18:09:20	N/A	55dB	N/A	N/A	Day
239	2025-05-01 18:11:24	77.21	55dB	4.7	366%	Day
240	2025-05-01 18:17:44	75.01	55dB	4.0	300%	Day
241	2025-05-01 18:20:47	N/A	55dB	N/A	N/A	Day
242	2025-05-01 18:21:55	70.71	55dB	3.0	197%	Day
243	2025-05-01 18:23:47	75.74	55dB	4.2	321%	Day
244	2025-05-01 18:24:44	69.07	55dB	2.7	165%	Day
245	2025-05-01 18:26:19	N/A	55dB	N/A	N/A	Day
246	2025-05-01 18:27:47	76.10	55dB	4.3	332%	Day
247	2025-05-01 18:29:40	70.06	55dB	2.8	184%	Day
248	2025-05-01 18:32:12	80.08	55dB	5.7	469%	Day
249	2025-05-01 18:35:33	79.82	55dB	5.6	459%	Day
250	2025-05-01 18:39:09	72.64	55dB	3.4	240%	Day
251	2025-05-01 18:40:22	80.96	55dB	6.0	505%	Day
252	2025-05-01 18:43:02	73.27	55dB	3.5	255%	Day
253	2025-05-01 18:45:51	69.18	55dB	2.7	167%	Day
254	2025-05-01 18:47:35	72.25	55dB	3.3	231%	Day
255	2025-05-01 18:48:42	N/A	55dB	N/A	N/A	Day
256	2025-05-01 18:51:11	79.72	55dB	5.5	455%	Day
257	2025-05-01 18:52:50	79.69	55dB	5.5	454%	Day
258	2025-05-01 18:56:28	72.86	55dB	3.4	245%	Day

259	2025-05-01 18:57:44	72.87	55dB	3.5	245%	Day
260	2025-05-01 19:01:03	71.99	55dB	3.2	225%	Day
261	2025-05-01 19:02:03	77.96	55dB	4.9	391%	Day
262	2025-05-01 19:04:27	69.75	55dB	2.8	178%	Day
263	2025-05-01 19:05:37	72.53	55dB	3.4	237%	Day
264	2025-05-01 19:06:43	75.79	55dB	4.2	323%	Day
265	2025-05-01 19:07:49	73.87	55dB	3.7	270%	Day
266	2025-05-01 19:09:48	73.67	55dB	3.6	265%	Day
267	2025-05-01 19:12:33	71.40	55dB	3.1	212%	Day
268	2025-05-01 19:15:16	N/A	55dB	N/A	N/A	Day
269	2025-05-01 19:18:52	74.87	55dB	4.0	296%	Day
270	2025-05-01 19:20:00	79.00	55dB	5.3	428%	Day
271	2025-05-01 19:21:59	78.68	55dB	5.2	416%	Day
272	2025-05-01 19:24:00	73.27	55dB	3.5	255%	Day
273	2025-05-01 19:25:01	69.83	55dB	2.8	180%	Day
274	2025-05-01 19:30:04	74.62	55dB	3.9	290%	Day
275	2025-05-01 19:33:18	N/A	55dB	N/A	N/A	Day
276	2025-05-01 19:33:21	N/A	55dB	N/A	N/A	Day
277	2025-05-01 19:37:16	84.27	55dB	7.6	661%	Day
278	2025-05-01 19:39:00	67.35	55dB	2.4	135%	Day
279	2025-05-01 19:39:53	68.71	55dB	2.6	159%	Day
280	2025-05-01 19:41:03	N/A	55dB	N/A	N/A	Day
281	2025-05-01 19:43:32	71.85	55dB	3.2	222%	Day
282	2025-05-01 19:44:33	76.63	55dB	4.5	348%	Day
283	2025-05-01 19:45:53	73.77	55dB	3.7	267%	Day
284	2025-05-01 19:47:00	71.53	55dB	3.1	214%	Day
285	2025-05-01 19:48:06	70.10	55dB	2.8	185%	Day
286	2025-05-01 19:50:41	79.41	55dB	5.4	443%	Day
287	2025-05-01 19:53:25	74.77	55dB	3.9	294%	Day
288	2025-05-01 19:54:46	74.79	55dB	3.9	294%	Day
289	2025-05-01 19:56:14	68.25	55dB	2.5	151%	Day
290	2025-05-01 19:57:27	70.73	55dB	3.0	198%	Day
291	2025-05-01 19:58:25	81.23	55dB	6.2	516%	Day
292	2025-05-01 20:00:33	73.59	55dB	3.6	263%	Day
293	2025-05-01 20:02:42	68.85	55dB	2.6	161%	Day
294	2025-05-01 20:04:23	76.36	55dB	4.4	340%	Day
295	2025-05-01 20:05:34	74.79	55dB	3.9	294%	Day
296	2025-05-01 20:11:00	N/A	55dB	N/A	N/A	Day
297	2025-05-01 20:12:56	70.04	55dB	2.8	184%	Day
298	2025-05-01 20:16:01	69.56	55dB	2.7	174%	Day
299	2025-05-01 20:18:11	69.47	55dB	2.7	173%	Day
300	2025-05-01 20:19:24	74.34	55dB	3.8	282%	Day
301	2025-05-01 20:21:21	81.99	55dB	6.5	549%	Day
302	2025-05-01 20:23:40	71.92	55dB	3.2	223%	Day

303	2025-05-01 20:27:32	N/A	55dB	N/A	N/A	Day
304	2025-05-01 20:36:07	71.79	55dB	3.2	220%	Day
305	2025-05-01 20:38:40	70.73	55dB	3.0	198%	Day
306	2025-05-01 20:40:21	72.06	55dB	3.3	226%	Day
307	2025-05-01 20:41:17	71.87	55dB	3.2	222%	Day
308	2025-05-01 20:44:53	71.62	55dB	3.2	216%	Day
309	2025-05-01 20:50:49	67.73	55dB	2.4	142%	Day
310	2025-05-01 20:52:20	N/A	55dB	N/A	N/A	Day
311	2025-05-01 20:55:10	83.44	55dB	7.2	618%	Day
312	2025-05-01 20:59:27	78.73	55dB	5.2	418%	Day
313	2025-05-01 21:04:05	72.72	55dB	3.4	242%	Day
314	2025-05-01 21:06:21	75.80	55dB	4.2	323%	Day
315	2025-05-01 21:07:38	N/A	55dB	N/A	N/A	Day
316	2025-05-01 21:10:28	N/A	55dB	N/A	N/A	Day
317	2025-05-01 21:12:52	73.76	55dB	3.7	267%	Day
318	2025-05-01 21:14:14	75.34	55dB	4.1	310%	Day
319	2025-05-01 21:16:04	74.45	55dB	3.9	285%	Day
320	2025-05-01 21:17:34	76.15	55dB	4.3	333%	Day
321	2025-05-01 21:18:50	72.08	55dB	3.3	227%	Day
322	2025-05-01 21:20:05	72.72	55dB	3.4	242%	Day
323	2025-05-01 21:21:17	N/A	55dB	N/A	N/A	Day
324	2025-05-01 21:22:13	N/A	55dB	N/A	N/A	Day
325	2025-05-01 21:23:25	72.26	55dB	3.3	231%	Day
326	2025-05-01 21:24:37	75.43	55dB	4.1	312%	Day
327	2025-05-01 21:25:40	74.29	55dB	3.8	281%	Day
328	2025-05-01 21:27:00	76.06	55dB	4.3	330%	Day
329	2025-05-01 21:28:14	74.84	55dB	4.0	296%	Day
330	2025-05-01 21:29:24	74.24	55dB	3.8	279%	Day
331	2025-05-01 21:30:21	79.67	55dB	5.5	453%	Day
332	2025-05-01 21:31:41	75.55	55dB	4.2	316%	Day
333	2025-05-01 21:33:31	75.69	55dB	4.2	320%	Day
334	2025-05-01 21:34:39	75.83	55dB	4.2	324%	Day
335	2025-05-01 21:37:16	75.56	55dB	4.2	316%	Day
336	2025-05-01 21:39:18	N/A	55dB	N/A	N/A	Day
337	2025-05-01 21:41:09	74.45	55dB	3.9	285%	Day
338	2025-05-01 21:44:29	74.28	55dB	3.8	281%	Day
339	2025-05-01 21:46:12	72.46	55dB	3.4	235%	Day
340	2025-05-01 21:48:00	80.88	55dB	6.0	501%	Day
341	2025-05-01 21:51:34	73.37	55dB	3.6	257%	Day
342	2025-05-01 21:58:18	N/A	55dB	N/A	N/A	Day
343	2025-05-01 22:04:06	71.25	55dB	3.1	208%	Day
344	2025-05-01 22:05:43	77.71	55dB	4.8	383%	Day
345	2025-05-01 22:08:51	75.56	55dB	4.2	316%	Day
346	2025-05-01 22:11:27	78.53	55dB	5.1	411%	Day

347	2025-05-01 22:14:22	71.42	55dB	3.1	212%	Day
348	2025-05-01 22:16:35	70.56	55dB	2.9	194%	Day
349	2025-05-01 22:21:54	69.32	55dB	2.7	170%	Day
350	2025-05-01 22:23:08	70.10	55dB	2.8	185%	Day
351	2025-05-01 22:24:54	76.04	55dB	4.3	330%	Day
352	2025-05-01 22:27:06	67.14	55dB	2.3	132%	Day
353	2025-05-01 22:28:26	74.28	55dB	3.8	281%	Day
354	2025-05-01 22:31:25	67.76	55dB	2.4	142%	Day
355	2025-05-01 22:32:56	75.62	55dB	4.2	318%	Day
356	2025-05-01 22:36:41	73.41	55dB	3.6	258%	Day
357	2025-05-01 22:41:14	73.94	55dB	3.7	272%	Day
358	2025-05-01 22:44:27	74.55	55dB	3.9	288%	Day
359	2025-05-01 22:45:58	75.84	55dB	4.2	324%	Day
360	2025-05-01 22:47:50	75.13	55dB	4.0	304%	Day
361	2025-05-01 22:49:43	N/A	55dB	N/A	N/A	Day
362	2025-05-01 22:50:49	74.01	55dB	3.7	273%	Day
363	2025-05-01 22:52:28	74.32	55dB	3.8	282%	Day
364	2025-05-01 22:53:56	73.10	55dB	3.5	251%	Day
365	2025-05-01 22:55:31	77.58	55dB	4.8	378%	Day
366	2025-05-01 22:56:27	71.73	55dB	3.2	219%	Day
367	2025-05-01 22:59:22	72.70	55dB	3.4	241%	Day
368	2025-05-01 23:00:59	76.62	45dB	9.0	795%	Night
369	2025-05-01 23:04:54	74.56	45dB	7.8	676%	Night
370	2025-05-01 23:06:30	74.77	45dB	7.9	687%	Night
371	2025-05-01 23:08:51	76.30	45dB	8.8	775%	Night
372	2025-05-01 23:13:12	73.07	45dB	7.0	600%	Night
373	2025-05-01 23:16:26	79.33	45dB	10.8	980%	Night
374	2025-05-01 23:18:18	81.36	45dB	12.4	1143%	Night
375	2025-05-01 23:22:44	70.74	45dB	6.0	495%	Night
376	2025-05-01 23:24:01	71.69	45dB	6.4	536%	Night
377	2025-05-01 23:28:56	75.50	45dB	8.3	728%	Night
378	2025-05-01 23:30:03	75.55	45dB	8.3	731%	Night
379	2025-05-01 23:32:08	N/A	45dB	N/A	N/A	Night
380	2025-05-01 23:33:18	70.77	45dB	6.0	497%	Night
381	2025-05-01 23:34:40	72.43	45dB	6.7	569%	Night
382	2025-05-01 23:35:57	69.24	45dB	5.4	437%	Night
383	2025-05-01 23:37:41	80.95	45dB	12.1	1108%	Night
384	2025-05-01 23:40:14	71.70	45dB	6.4	536%	Night
385	2025-05-01 23:43:13	N/A	45dB	N/A	N/A	Night
386	2025-05-01 23:45:38	75.04	45dB	8.0	702%	Night
387	2025-05-01 23:52:43	77.33	45dB	9.4	840%	Night
388	2025-05-01 23:54:34	73.84	45dB	7.4	638%	Night
389	2025-05-02 00:03:51	77.21	45dB	9.3	832%	Night
390	2025-05-02 00:06:23	73.85	45dB	7.4	639%	Night

391	2025-05-02 00:08:52	82.02	45dB	13.0	1201%	Night
392	2025-05-02 00:14:11	79.29	45dB	10.8	977%	Night
393	2025-05-02 00:15:55	77.02	45dB	9.2	820%	Night
394	2025-05-02 00:18:10	70.03	45dB	5.7	467%	Night
395	2025-05-02 00:22:01	77.04	45dB	9.2	822%	Night
396	2025-05-02 00:23:32	74.78	45dB	7.9	688%	Night
397	2025-05-02 00:25:02	78.40	45dB	10.1	913%	Night
398	2025-05-02 00:39:01	79.89	45dB	11.2	1023%	Night
399	2025-05-02 00:42:00	76.17	45dB	8.7	768%	Night
400	2025-05-02 00:48:39	74.58	45dB	7.8	677%	Night
401	2025-05-02 00:50:29	78.42	45dB	10.1	914%	Night
402	2025-05-02 01:05:28	70.89	45dB	6.0	502%	Night
403	2025-05-02 01:08:03	78.10	45dB	9.9	892%	Night
404	2025-05-02 01:23:43	74.75	45dB	7.9	686%	Night
405	2025-05-02 01:27:26	78.63	45dB	10.3	929%	Night
406	2025-05-02 01:44:04	81.53	45dB	12.6	1158%	Night
407	2025-05-02 02:02:11	N/A	45dB	N/A	N/A	Night
408	2025-05-02 03:39:53	67.25	45dB	4.7	368%	Night
409	2025-05-02 05:44:12	69.63	45dB	5.5	451%	Night
410	2025-05-02 05:52:12	68.85	45dB	5.2	422%	Night
411	2025-05-02 05:58:30	78.82	45dB	10.4	943%	Night
412	2025-05-02 06:02:28	70.43	45dB	5.8	483%	Night
413	2025-05-02 06:04:24	73.82	45dB	7.4	637%	Night
414	2025-05-02 06:05:57	70.63	45dB	5.9	491%	Night
415	2025-05-02 06:07:24	77.58	45dB	9.6	857%	Night
416	2025-05-02 06:13:48	76.64	45dB	9.0	796%	Night
417	2025-05-02 06:18:16	69.47	45dB	5.5	445%	Night
418	2025-05-02 06:23:40	69.73	45dB	5.6	455%	Night
419	2025-05-02 06:31:04	74.21	45dB	7.6	657%	Night
420	2025-05-02 06:32:57	71.94	45dB	6.5	547%	Night
421	2025-05-02 06:34:40	71.03	45dB	6.1	508%	Night
422	2025-05-02 06:36:26	72.65	45dB	6.8	580%	Night
423	2025-05-02 06:38:30	70.52	45dB	5.9	486%	Night
424	2025-05-02 06:40:22	73.72	45dB	7.3	632%	Night
425	2025-05-02 06:42:11	75.58	45dB	8.3	733%	Night
426	2025-05-02 06:43:33	71.98	45dB	6.5	549%	Night
427	2025-05-02 06:45:26	70.30	45dB	5.8	478%	Night
428	2025-05-02 06:47:13	69.25	45dB	5.4	437%	Night
429	2025-05-02 06:48:41	69.62	45dB	5.5	451%	Night
430	2025-05-02 06:50:19	72.19	45dB	6.6	558%	Night
431	2025-05-02 06:52:00	70.48	45dB	5.8	485%	Night
432	2025-05-02 06:53:44	74.52	45dB	7.7	674%	Night
433	2025-05-02 06:55:21	73.72	45dB	7.3	632%	Night
434	2025-05-02 06:57:51	69.82	45dB	5.6	459%	Night

435	2025-05-02 06:59:36	71.61	45dB	6.3	532%	Night
436	2025-05-02 07:01:21	71.24	55dB	3.1	208%	Day
437	2025-05-02 07:03:33	68.12	55dB	2.5	148%	Day
438	2025-05-02 07:05:42	69.66	55dB	2.8	176%	Day
439	2025-05-02 07:07:32	66.18	55dB	2.2	117%	Day
440	2025-05-02 07:09:26	71.79	55dB	3.2	220%	Day
441	2025-05-02 07:11:24	74.33	55dB	3.8	282%	Day
442	2025-05-02 07:13:27	71.08	55dB	3.0	205%	Day
443	2025-05-02 07:15:18	71.41	55dB	3.1	212%	Day
444	2025-05-02 07:20:14	69.66	55dB	2.8	176%	Day
445	2025-05-02 07:22:02	74.12	55dB	3.8	276%	Day
446	2025-05-02 07:23:43	74.57	55dB	3.9	288%	Day
447	2025-05-02 07:25:58	70.30	55dB	2.9	189%	Day
448	2025-05-02 07:27:40	84.07	55dB	7.5	650%	Day
449	2025-05-02 07:29:45	73.12	55dB	3.5	251%	Day
450	2025-05-02 07:32:10	77.07	55dB	4.6	362%	Day
451	2025-05-02 07:52:36	68.92	55dB	2.6	162%	Day
452	2025-05-02 07:54:44	71.21	55dB	3.1	208%	Day
453	2025-05-02 07:56:44	N/A	55dB	N/A	N/A	Day
454	2025-05-02 07:59:15	N/A	55dB	N/A	N/A	Day
455	2025-05-02 08:03:48	74.81	55dB	3.9	295%	Day
456	2025-05-02 08:05:28	72.35	55dB	3.3	233%	Day
457	2025-05-02 08:07:21	68.90	55dB	2.6	162%	Day
458	2025-05-02 08:09:25	71.51	55dB	3.1	214%	Day
459	2025-05-02 08:11:19	74.36	55dB	3.8	283%	Day
460	2025-05-02 08:18:02	73.10	55dB	3.5	251%	Day
461	2025-05-02 08:20:01	72.00	55dB	3.2	225%	Day
462	2025-05-02 08:21:42	72.70	55dB	3.4	241%	Day
463	2025-05-02 08:23:36	70.68	55dB	3.0	196%	Day
464	2025-05-02 08:25:30	69.19	55dB	2.7	167%	Day
465	2025-05-02 08:28:12	72.44	55dB	3.3	235%	Day
466	2025-05-02 08:30:46	72.84	55dB	3.4	244%	Day
467	2025-05-02 08:32:33	78.87	55dB	5.2	423%	Day
468	2025-05-02 08:34:26	N/A	55dB	N/A	N/A	Day
469	2025-05-02 08:36:14	71.43	55dB	3.1	212%	Day
470	2025-05-02 08:42:09	N/A	55dB	N/A	N/A	Day
471	2025-05-02 08:44:26	73.39	55dB	3.6	258%	Day
472	2025-05-02 08:46:47	70.15	55dB	2.9	186%	Day
473	2025-05-02 08:59:31	72.05	55dB	3.3	226%	Day
474	2025-05-02 09:05:33	70.01	55dB	2.8	183%	Day
475	2025-05-02 09:17:12	76.86	55dB	4.6	355%	Day
476	2025-05-02 09:20:28	72.58	55dB	3.4	238%	Day
477	2025-05-02 09:23:24	81.90	55dB	6.5	545%	Day
478	2025-05-02 09:25:04	78.51	55dB	5.1	410%	Day

479	2025-05-02 09:35:58	74.38	55dB	3.8	283%	Day
480	2025-05-02 09:38:54	79.28	55dB	5.4	438%	Day
481	2025-05-02 09:40:39	80.78	55dB	6.0	497%	Day
482	2025-05-02 09:42:30	78.13	55dB	5.0	397%	Day
483	2025-05-02 09:44:25	N/A	55dB	N/A	N/A	Day
484	2025-05-02 09:47:11	71.71	55dB	3.2	218%	Day
485	2025-05-02 09:50:24	N/A	55dB	N/A	N/A	Day
486	2025-05-02 09:54:23	75.69	55dB	4.2	320%	Day
487	2025-05-02 09:56:38	77.10	55dB	4.6	363%	Day
488	2025-05-02 10:01:45	82.25	55dB	6.6	561%	Day
489	2025-05-02 10:04:16	74.36	55dB	3.8	283%	Day
490	2025-05-02 10:06:40	71.38	55dB	3.1	211%	Day
491	2025-05-02 10:08:50	N/A	55dB	N/A	N/A	Day
492	2025-05-02 10:10:21	N/A	55dB	N/A	N/A	Day
493	2025-05-02 10:12:00	72.96	55dB	3.5	247%	Day
494	2025-05-02 10:14:27	76.73	55dB	4.5	351%	Day
495	2025-05-02 10:17:37	82.62	55dB	6.8	578%	Day
496	2025-05-02 10:19:58	72.84	55dB	3.4	244%	Day
497	2025-05-02 10:21:52	N/A	55dB	N/A	N/A	Day
498	2025-05-02 10:24:03	N/A	55dB	N/A	N/A	Day
499	2025-05-02 10:26:28	79.18	55dB	5.3	434%	Day
500	2025-05-02 10:31:01	82.92	55dB	6.9	593%	Day
501	2025-05-02 10:34:03	80.48	55dB	5.8	485%	Day
502	2025-05-02 10:36:26	N/A	55dB	N/A	N/A	Day
503	2025-05-02 10:38:17	78.64	55dB	5.1	415%	Day
504	2025-05-02 10:40:12	74.60	55dB	3.9	289%	Day
505	2025-05-02 10:45:07	72.22	55dB	3.3	230%	Day
506	2025-05-02 10:47:17	70.40	55dB	2.9	191%	Day
507	2025-05-02 10:49:31	75.67	55dB	4.2	319%	Day
508	2025-05-02 10:51:13	N/A	55dB	N/A	N/A	Day
509	2025-05-02 10:53:08	80.81	55dB	6.0	498%	Day
510	2025-05-02 10:55:36	76.35	55dB	4.4	339%	Day
511	2025-05-02 10:57:21	77.29	55dB	4.7	369%	Day
512	2025-05-02 10:59:12	N/A	55dB	N/A	N/A	Day
513	2025-05-02 11:01:18	77.26	55dB	4.7	368%	Day
514	2025-05-02 11:03:54	69.49	55dB	2.7	173%	Day
515	2025-05-02 11:05:39	N/A	55dB	N/A	N/A	Day
516	2025-05-02 11:07:31	78.97	55dB	5.3	427%	Day
517	2025-05-02 11:10:00	79.01	55dB	5.3	428%	Day
518	2025-05-02 11:16:49	75.89	55dB	4.3	325%	Day
519	2025-05-02 11:19:54	80.49	55dB	5.9	485%	Day
520	2025-05-02 11:23:06	74.27	55dB	3.8	280%	Day
521	2025-05-02 11:25:51	74.78	55dB	3.9	294%	Day
522	2025-05-02 11:28:46	82.11	55dB	6.5	555%	Day

523	2025-05-02 11:30:17	70.16	55dB	2.9	186%	Day
524	2025-05-02 11:33:41	69.04	55dB	2.6	165%	Day
525	2025-05-02 11:37:04	69.27	55dB	2.7	169%	Day
526	2025-05-02 11:38:21	71.26	55dB	3.1	209%	Day
527	2025-05-02 11:39:46	67.78	55dB	2.4	143%	Day
528	2025-05-02 11:41:09	76.59	55dB	4.5	347%	Day
529	2025-05-02 11:42:35	73.45	55dB	3.6	259%	Day
530	2025-05-02 11:44:01	68.39	55dB	2.5	153%	Day
531	2025-05-02 11:45:15	75.31	55dB	4.1	309%	Day
532	2025-05-02 11:48:27	N/A	55dB	N/A	N/A	Day
533	2025-05-02 11:50:46	75.54	55dB	4.2	315%	Day
534	2025-05-02 11:53:28	87.21	55dB	9.3	832%	Day
535	2025-05-02 11:55:11	73.98	55dB	3.7	273%	Day
536	2025-05-02 11:57:09	74.79	55dB	3.9	294%	Day
537	2025-05-02 11:59:21	68.13	55dB	2.5	148%	Day
538	2025-05-02 12:01:11	N/A	55dB	N/A	N/A	Day
539	2025-05-02 12:04:35	73.01	55dB	3.5	248%	Day
540	2025-05-02 12:06:28	80.42	55dB	5.8	482%	Day
541	2025-05-02 12:08:51	76.19	55dB	4.3	334%	Day
542	2025-05-02 12:10:17	69.35	55dB	2.7	170%	Day
543	2025-05-02 12:11:37	80.88	55dB	6.0	501%	Day
544	2025-05-02 12:13:27	76.04	55dB	4.3	330%	Day
545	2025-05-02 12:17:13	N/A	55dB	N/A	N/A	Day
546	2025-05-02 12:18:57	79.28	55dB	5.4	438%	Day
547	2025-05-02 12:21:03	N/A	55dB	N/A	N/A	Day
548	2025-05-02 12:23:12	77.59	55dB	4.8	379%	Day
549	2025-05-02 12:25:03	77.94	55dB	4.9	390%	Day
550	2025-05-02 12:27:50	N/A	55dB	N/A	N/A	Day
551	2025-05-02 12:30:02	78.30	55dB	5.0	403%	Day
552	2025-05-02 12:31:47	N/A	55dB	N/A	N/A	Day
553	2025-05-02 12:34:11	78.16	55dB	5.0	398%	Day
554	2025-05-02 12:36:01	69.63	55dB	2.8	176%	Day
555	2025-05-02 12:37:24	75.06	55dB	4.0	302%	Day
556	2025-05-02 12:38:51	N/A	55dB	N/A	N/A	Day
557	2025-05-02 12:40:16	74.02	55dB	3.7	274%	Day
558	2025-05-02 12:42:17	78.26	55dB	5.0	401%	Day
559	2025-05-02 12:43:42	79.00	55dB	5.3	428%	Day
560	2025-05-02 12:45:07	74.68	55dB	3.9	291%	Day
561	2025-05-02 12:47:20	78.66	55dB	5.2	416%	Day
562	2025-05-02 12:48:39	78.09	55dB	5.0	396%	Day
563	2025-05-02 12:51:55	77.91	55dB	4.9	389%	Day
564	2025-05-02 12:53:41	74.38	55dB	3.8	283%	Day
565	2025-05-02 12:57:33	79.16	55dB	5.3	434%	Day
566	2025-05-02 12:59:30	N/A	55dB	N/A	N/A	Day

567	2025-05-02 13:01:02	72.14	55dB	3.3	228%	Day
568	2025-05-02 13:02:49	67.07	55dB	2.3	131%	Day
569	2025-05-02 13:04:08	83.12	55dB	7.0	602%	Day
570	2025-05-02 13:05:24	73.36	55dB	3.6	257%	Day
571	2025-05-02 13:06:42	81.12	55dB	6.1	511%	Day
572	2025-05-02 13:07:49	N/A	55dB	N/A	N/A	Day
573	2025-05-02 13:09:20	80.15	55dB	5.7	472%	Day
574	2025-05-02 13:11:27	69.21	55dB	2.7	168%	Day
575	2025-05-02 13:12:56	75.83	55dB	4.2	324%	Day
576	2025-05-02 13:15:36	70.45	55dB	2.9	192%	Day
577	2025-05-02 13:18:41	81.30	55dB	6.2	519%	Day
578	2025-05-02 13:20:27	75.66	55dB	4.2	319%	Day
579	2025-05-02 13:24:17	N/A	55dB	N/A	N/A	Day
580	2025-05-02 13:25:37	81.04	55dB	6.1	508%	Day
581	2025-05-02 13:26:53	75.90	55dB	4.3	326%	Day
582	2025-05-02 13:28:38	72.98	55dB	3.5	248%	Day
583	2025-05-02 13:33:01	74.93	55dB	4.0	298%	Day
584	2025-05-02 13:35:06	68.57	55dB	2.6	156%	Day
585	2025-05-02 13:40:55	71.08	55dB	3.0	205%	Day
586	2025-05-02 13:53:18	74.54	55dB	3.9	287%	Day
587	2025-05-02 13:56:00	70.24	55dB	2.9	188%	Day
588	2025-05-02 13:57:42	77.44	55dB	4.7	374%	Day
589	2025-05-02 14:01:28	67.19	55dB	2.3	133%	Day
590	2025-05-02 14:06:38	82.10	55dB	6.5	554%	Day
591	2025-05-02 14:07:56	80.30	55dB	5.8	478%	Day
592	2025-05-02 14:09:37	77.78	55dB	4.9	385%	Day
593	2025-05-02 14:17:37	77.68	55dB	4.8	382%	Day
594	2025-05-02 14:19:12	77.14	55dB	4.6	364%	Day
595	2025-05-02 14:20:52	72.03	55dB	3.3	226%	Day
596	2025-05-02 14:22:57	71.31	55dB	3.1	210%	Day
597	2025-05-02 14:24:32	74.75	55dB	3.9	293%	Day
598	2025-05-02 14:25:56	74.89	55dB	4.0	297%	Day
599	2025-05-02 14:27:50	75.97	55dB	4.3	328%	Day
600	2025-05-02 14:29:54	78.28	55dB	5.0	402%	Day
601	2025-05-02 14:31:40	80.14	55dB	5.7	471%	Day
602	2025-05-02 14:33:57	84.23	55dB	7.6	658%	Day
603	2025-05-02 14:37:07	74.75	55dB	3.9	293%	Day
604	2025-05-02 14:39:36	73.75	55dB	3.7	267%	Day
605	2025-05-02 14:41:04	68.63	55dB	2.6	157%	Day
606	2025-05-02 14:42:41	73.55	55dB	3.6	262%	Day
607	2025-05-02 14:44:01	68.91	55dB	2.6	162%	Day
608	2025-05-02 14:45:28	79.75	55dB	5.6	456%	Day
609	2025-05-02 14:46:45	70.88	55dB	3.0	201%	Day
610	2025-05-02 14:48:18	87.96	55dB	9.8	882%	Day

611	2025-05-02 14:49:40	74.79	55dB	3.9	294%	Day
612	2025-05-02 14:51:19	81.39	55dB	6.2	523%	Day
613	2025-05-02 14:54:31	68.79	55dB	2.6	160%	Day
614	2025-05-02 14:58:03	79.66	55dB	5.5	453%	Day
615	2025-05-02 14:59:32	76.42	55dB	4.4	341%	Day
616	2025-05-02 15:00:56	78.65	55dB	5.2	415%	Day
617	2025-05-02 15:02:28	81.53	55dB	6.3	529%	Day
618	2025-05-02 15:04:39	77.79	55dB	4.9	385%	Day
619	2025-05-02 15:06:34	74.61	55dB	3.9	289%	Day
620	2025-05-02 15:10:09	73.78	55dB	3.7	268%	Day
621	2025-05-02 15:11:32	81.31	55dB	6.2	519%	Day
622	2025-05-02 15:12:45	69.08	55dB	2.7	165%	Day
623	2025-05-02 15:14:35	76.91	55dB	4.6	357%	Day
624	2025-05-02 15:17:02	75.29	55dB	4.1	308%	Day
625	2025-05-02 15:19:10	N/A	55dB	N/A	N/A	Day
626	2025-05-02 15:20:50	70.77	55dB	3.0	198%	Day
627	2025-05-02 15:22:57	75.79	55dB	4.2	323%	Day
628	2025-05-02 15:25:51	76.15	55dB	4.3	333%	Day
629	2025-05-02 15:30:20	76.82	55dB	4.5	354%	Day
630	2025-05-02 15:32:09	72.57	55dB	3.4	238%	Day
631	2025-05-02 15:34:25	N/A	55dB	N/A	N/A	Day
632	2025-05-02 15:36:06	70.91	55dB	3.0	201%	Day
633	2025-05-02 15:37:43	75.06	55dB	4.0	302%	Day
634	2025-05-02 15:39:07	73.61	55dB	3.6	263%	Day
635	2025-05-02 15:40:35	68.96	55dB	2.6	163%	Day
636	2025-05-02 15:42:01	75.20	55dB	4.1	306%	Day
637	2025-05-02 15:44:03	75.56	55dB	4.2	316%	Day
638	2025-05-02 15:45:56	70.47	55dB	2.9	192%	Day
639	2025-05-02 15:49:33	N/A	55dB	N/A	N/A	Day
640	2025-05-02 15:50:51	79.39	55dB	5.4	442%	Day
641	2025-05-02 15:52:28	79.37	55dB	5.4	442%	Day
642	2025-05-02 15:56:18	73.42	55dB	3.6	259%	Day
643	2025-05-02 15:58:10	73.98	55dB	3.7	273%	Day
644	2025-05-02 16:00:00	78.31	55dB	5.0	403%	Day
645	2025-05-02 16:01:51	77.67	55dB	4.8	381%	Day
646	2025-05-02 16:04:08	78.24	55dB	5.0	401%	Day
647	2025-05-02 16:07:03	77.32	55dB	4.7	370%	Day
648	2025-05-02 16:08:31	79.55	55dB	5.5	448%	Day
649	2025-05-02 16:09:50	67.21	55dB	2.3	133%	Day
650	2025-05-02 16:11:51	76.30	55dB	4.4	338%	Day
651	2025-05-02 16:14:07	77.82	55dB	4.9	386%	Day
652	2025-05-02 16:16:26	77.09	55dB	4.6	362%	Day
653	2025-05-02 16:18:26	78.63	55dB	5.1	414%	Day
654	2025-05-02 16:21:02	77.45	55dB	4.7	374%	Day

655	2025-05-02 16:22:33	N/A	55dB	N/A	N/A	Day
656	2025-05-02 16:24:10	78.09	55dB	5.0	396%	Day
657	2025-05-02 16:25:41	79.40	55dB	5.4	443%	Day
658	2025-05-02 16:26:56	71.50	55dB	3.1	214%	Day
659	2025-05-02 16:28:10	74.69	55dB	3.9	291%	Day
660	2025-05-02 16:29:33	71.56	55dB	3.2	215%	Day
661	2025-05-02 16:31:04	N/A	55dB	N/A	N/A	Day
662	2025-05-02 16:33:40	75.39	55dB	4.1	311%	Day
663	2025-05-02 16:35:35	N/A	55dB	N/A	N/A	Day
664	2025-05-02 16:37:19	N/A	55dB	N/A	N/A	Day
665	2025-05-02 16:38:41	69.36	55dB	2.7	171%	Day
666	2025-05-02 16:40:44	70.29	55dB	2.9	189%	Day
667	2025-05-02 16:42:02	66.37	55dB	2.2	120%	Day
668	2025-05-02 16:43:17	74.40	55dB	3.8	284%	Day
669	2025-05-02 16:45:42	77.04	55dB	4.6	361%	Day
670	2025-05-02 16:51:23	73.85	55dB	3.7	269%	Day
671	2025-05-02 16:54:02	76.23	55dB	4.4	336%	Day
672	2025-05-02 16:56:54	70.84	55dB	3.0	200%	Day
673	2025-05-02 16:58:21	71.01	55dB	3.0	203%	Day
674	2025-05-02 17:00:09	81.54	55dB	6.3	529%	Day
675	2025-05-02 17:02:11	71.05	55dB	3.0	204%	Day
676	2025-05-02 17:03:37	78.30	55dB	5.0	403%	Day
677	2025-05-02 17:04:50	73.24	55dB	3.5	254%	Day
678	2025-05-02 17:06:01	71.11	55dB	3.1	205%	Day
679	2025-05-02 17:07:18	70.44	55dB	2.9	192%	Day
680	2025-05-02 17:08:49	72.13	55dB	3.3	228%	Day
681	2025-05-02 17:10:04	N/A	55dB	N/A	N/A	Day
682	2025-05-02 17:12:16	73.63	55dB	3.6	264%	Day
683	2025-05-02 17:15:39	73.95	55dB	3.7	272%	Day
684	2025-05-02 17:17:31	69.09	55dB	2.7	166%	Day
685	2025-05-02 17:19:05	72.90	55dB	3.5	246%	Day
686	2025-05-02 17:20:20	71.53	55dB	3.1	214%	Day
687	2025-05-02 17:22:02	73.55	55dB	3.6	262%	Day
688	2025-05-02 17:24:05	N/A	55dB	N/A	N/A	Day
689	2025-05-02 17:25:37	71.95	55dB	3.2	224%	Day
690	2025-05-02 17:26:44	N/A	55dB	N/A	N/A	Day
691	2025-05-02 17:28:02	70.86	55dB	3.0	200%	Day
692	2025-05-02 17:29:24	70.13	55dB	2.9	185%	Day
693	2025-05-02 17:30:38	87.01	55dB	9.2	820%	Day
694	2025-05-02 17:31:52	N/A	55dB	N/A	N/A	Day
695	2025-05-02 17:33:03	74.33	55dB	3.8	282%	Day
696	2025-05-02 17:34:26	76.10	55dB	4.3	332%	Day
697	2025-05-02 17:36:34	68.89	55dB	2.6	162%	Day
698	2025-05-02 17:37:50	66.96	55dB	2.3	129%	Day

699	2025-05-02 17:39:20	76.82	55dB	4.5	354%	Day
700	2025-05-02 17:40:32	N/A	55dB	N/A	N/A	Day
701	2025-05-02 17:41:44	69.12	55dB	2.7	166%	Day
702	2025-05-02 17:44:12	69.07	55dB	2.7	165%	Day
703	2025-05-02 17:45:23	77.75	55dB	4.8	384%	Day
704	2025-05-02 17:46:46	75.52	55dB	4.1	315%	Day
705	2025-05-02 17:48:06	76.60	55dB	4.5	347%	Day
706	2025-05-02 17:49:54	67.87	55dB	2.4	144%	Day
707	2025-05-02 17:51:15	73.22	55dB	3.5	254%	Day
708	2025-05-02 17:53:08	69.14	55dB	2.7	166%	Day
709	2025-05-02 17:54:30	69.44	55dB	2.7	172%	Day
710	2025-05-02 17:56:22	75.80	55dB	4.2	323%	Day
711	2025-05-02 17:57:32	77.30	55dB	4.7	369%	Day
712	2025-05-02 17:58:52	70.31	55dB	2.9	189%	Day
713	2025-05-02 18:00:17	N/A	55dB	N/A	N/A	Day
714	2025-05-02 18:05:36	70.18	55dB	2.9	186%	Day
715	2025-05-02 18:07:00	N/A	55dB	N/A	N/A	Day
716	2025-05-02 18:10:24	N/A	55dB	N/A	N/A	Day
717	2025-05-02 18:13:15	69.31	55dB	2.7	170%	Day
718	2025-05-02 18:15:21	N/A	55dB	N/A	N/A	Day
719	2025-05-02 18:16:32	N/A	55dB	N/A	N/A	Day
720	2025-05-02 18:17:40	N/A	55dB	N/A	N/A	Day
721	2025-05-02 18:19:12	75.87	55dB	4.2	325%	Day
722	2025-05-02 18:20:50	73.10	55dB	3.5	251%	Day
723	2025-05-02 18:22:48	69.32	55dB	2.7	170%	Day
724	2025-05-02 18:24:30	67.95	55dB	2.5	145%	Day
725	2025-05-02 18:25:48	N/A	55dB	N/A	N/A	Day
726	2025-05-02 18:27:05	72.37	55dB	3.3	233%	Day
727	2025-05-02 18:29:02	71.17	55dB	3.1	207%	Day
728	2025-05-02 18:30:48	71.80	55dB	3.2	220%	Day
729	2025-05-02 18:32:44	74.08	55dB	3.8	275%	Day
730	2025-05-02 18:36:39	72.80	55dB	3.4	243%	Day
731	2025-05-02 18:39:02	68.59	55dB	2.6	157%	Day
732	2025-05-02 18:40:58	68.13	55dB	2.5	148%	Day
733	2025-05-02 18:42:16	70.06	55dB	2.8	184%	Day
734	2025-05-02 18:43:39	69.60	55dB	2.8	175%	Day
735	2025-05-02 18:45:33	70.83	55dB	3.0	200%	Day
736	2025-05-02 18:47:50	73.44	55dB	3.6	259%	Day
737	2025-05-02 18:49:56	69.29	55dB	2.7	169%	Day
738	2025-05-02 18:51:46	74.02	55dB	3.7	274%	Day
739	2025-05-02 18:53:10	70.05	55dB	2.8	184%	Day
740	2025-05-02 18:54:18	N/A	55dB	N/A	N/A	Day
741	2025-05-02 18:55:39	68.79	55dB	2.6	160%	Day
742	2025-05-02 18:57:02	83.12	55dB	7.0	602%	Day

743	2025-05-02 18:59:22	70.10	55dB	2.8	185%	Day
744	2025-05-02 19:01:23	67.66	55dB	2.4	140%	Day
745	2025-05-02 19:02:44	71.66	55dB	3.2	217%	Day
746	2025-05-02 19:04:21	71.25	55dB	3.1	208%	Day
747	2025-05-02 19:09:28	78.42	55dB	5.1	407%	Day
748	2025-05-02 19:10:45	80.51	55dB	5.9	486%	Day
749	2025-05-02 19:12:34	77.58	55dB	4.8	378%	Day
750	2025-05-02 19:14:30	N/A	55dB	N/A	N/A	Day
751	2025-05-02 19:15:51	72.05	55dB	3.3	226%	Day
752	2025-05-02 19:17:22	70.74	55dB	3.0	198%	Day
753	2025-05-02 19:19:27	69.57	55dB	2.7	175%	Day
754	2025-05-02 19:20:48	N/A	55dB	N/A	N/A	Day
755	2025-05-02 19:22:04	71.07	55dB	3.0	205%	Day
756	2025-05-02 19:23:21	N/A	55dB	N/A	N/A	Day
757	2025-05-02 19:24:35	72.43	55dB	3.3	235%	Day
758	2025-05-02 19:25:46	70.92	55dB	3.0	201%	Day
759	2025-05-02 19:27:05	72.57	55dB	3.4	238%	Day
760	2025-05-02 19:29:28	69.16	55dB	2.7	167%	Day
761	2025-05-02 19:30:45	70.94	55dB	3.0	202%	Day
762	2025-05-02 19:31:52	70.88	55dB	3.0	201%	Day
763	2025-05-02 19:33:25	68.26	55dB	2.5	151%	Day
764	2025-05-02 19:34:48	69.21	55dB	2.7	168%	Day
765	2025-05-02 19:36:08	73.56	55dB	3.6	262%	Day
766	2025-05-02 19:38:00	73.31	55dB	3.6	256%	Day
767	2025-05-02 19:39:16	N/A	55dB	N/A	N/A	Day
768	2025-05-02 19:40:38	69.68	55dB	2.8	177%	Day
769	2025-05-02 19:42:17	68.69	55dB	2.6	158%	Day
770	2025-05-02 19:44:20	N/A	55dB	N/A	N/A	Day
771	2025-05-02 19:46:00	70.56	55dB	2.9	194%	Day
772	2025-05-02 19:47:22	70.37	55dB	2.9	190%	Day
773	2025-05-02 19:48:36	69.77	55dB	2.8	178%	Day
774	2025-05-02 19:49:53	75.14	55dB	4.0	304%	Day
775	2025-05-02 19:52:09	69.27	55dB	2.7	169%	Day
776	2025-05-02 19:53:29	73.97	55dB	3.7	272%	Day
777	2025-05-02 19:54:39	68.96	55dB	2.6	163%	Day
778	2025-05-02 19:57:28	74.94	55dB	4.0	298%	Day
779	2025-05-02 19:58:45	74.65	55dB	3.9	290%	Day
780	2025-05-02 20:00:31	71.32	55dB	3.1	210%	Day
781	2025-05-02 20:02:30	71.13	55dB	3.1	206%	Day
782	2025-05-02 20:04:28	72.80	55dB	3.4	243%	Day
783	2025-05-02 20:07:18	N/A	55dB	N/A	N/A	Day
784	2025-05-02 20:11:03	75.24	55dB	4.1	307%	Day
785	2025-05-02 20:14:32	76.43	55dB	4.4	342%	Day
786	2025-05-02 20:15:47	76.85	55dB	4.5	355%	Day

787	2025-05-02 20:17:25	68.84	55dB	2.6	161%	Day
788	2025-05-02 20:18:56	74.22	55dB	3.8	279%	Day
789	2025-05-02 20:21:25	80.27	55dB	5.8	476%	Day
790	2025-05-02 20:22:49	75.61	55dB	4.2	317%	Day
791	2025-05-02 20:24:35	72.66	55dB	3.4	240%	Day
792	2025-05-02 20:26:02	69.90	55dB	2.8	181%	Day
793	2025-05-02 20:27:26	71.47	55dB	3.1	213%	Day
794	2025-05-02 20:29:07	76.41	55dB	4.4	341%	Day
795	2025-05-03 06:32:24	N/A	45dB	N/A	N/A	Night
796	2025-05-03 07:16:46	N/A	55dB	N/A	N/A	Day
797	2025-05-03 07:36:03	N/A	55dB	N/A	N/A	Day
798	2025-05-03 07:51:58	N/A	55dB	N/A	N/A	Day
799	2025-05-03 11:56:23	N/A	55dB	N/A	N/A	Day
800	2025-05-03 12:12:40	78.96	55dB	5.3	426%	Day
801	2025-05-03 12:54:52	66.24	55dB	2.2	118%	Day
802	2025-05-03 18:47:30	N/A	55dB	N/A	N/A	Day
803	2025-05-03 19:22:34	70.09	55dB	2.8	185%	Day
804	2025-05-03 20:10:43	72.85	55dB	3.4	245%	Day
805	2025-05-03 20:50:02	73.09	55dB	3.5	250%	Day
806	2025-05-03 22:06:43	70.42	55dB	2.9	191%	Day
807	2025-05-04 00:13:46	72.53	45dB	6.7	574%	Night
808	2025-05-04 06:32:14	73.01	45dB	7.0	597%	Night
809	2025-05-04 06:45:11	N/A	45dB	N/A	N/A	Night
810	2025-05-04 07:07:12	71.66	55dB	3.2	217%	Day
811	2025-05-04 07:34:02	N/A	55dB	N/A	N/A	Day
812	2025-05-04 08:01:22	N/A	55dB	N/A	N/A	Day
813	2025-05-04 08:05:10	N/A	55dB	N/A	N/A	Day
814	2025-05-04 08:48:11	N/A	55dB	N/A	N/A	Day
815	2025-05-04 09:25:11	N/A	55dB	N/A	N/A	Day
816	2025-05-04 10:26:16	N/A	55dB	N/A	N/A	Day
817	2025-05-04 10:27:41	69.96	55dB	2.8	182%	Day
818	2025-05-04 12:21:27	68.02	55dB	2.5	147%	Day
819	2025-05-04 12:59:30	N/A	55dB	N/A	N/A	Day
820	2025-05-04 14:41:22	N/A	55dB	N/A	N/A	Day
821	2025-05-04 14:46:44	N/A	55dB	N/A	N/A	Day
822	2025-05-04 14:49:42	67.66	55dB	2.4	140%	Day
823	2025-05-04 14:52:46	N/A	55dB	N/A	N/A	Day
824	2025-05-04 14:53:39	74.68	55dB	3.9	291%	Day
825	2025-05-04 14:56:24	N/A	55dB	N/A	N/A	Day
826	2025-05-04 15:14:50	N/A	55dB	N/A	N/A	Day
827	2025-05-04 15:18:05	N/A	55dB	N/A	N/A	Day
828	2025-05-04 15:20:10	N/A	55dB	N/A	N/A	Day
829	2025-05-04 15:21:45	71.07	55dB	3.0	205%	Day
830	2025-05-04 15:27:39	N/A	55dB	N/A	N/A	Day

831	2025-05-04 15:29:42	76.50	55dB	4.4	344%	Day
832	2025-05-04 15:35:19	68.43	55dB	2.5	154%	Day
833	2025-05-04 15:41:49	68.74	55dB	2.6	159%	Day
834	2025-05-04 15:47:01	N/A	55dB	N/A	N/A	Day
835	2025-05-04 15:49:07	81.32	55dB	6.2	520%	Day
836	2025-05-04 15:51:20	70.02	55dB	2.8	183%	Day
837	2025-05-04 15:54:06	84.55	55dB	7.8	675%	Day
838	2025-05-04 15:58:08	72.77	55dB	3.4	243%	Day
839	2025-05-04 16:06:32	67.38	55dB	2.4	136%	Day
840	2025-05-04 16:09:56	N/A	55dB	N/A	N/A	Day
841	2025-05-04 16:12:35	75.28	55dB	4.1	308%	Day
842	2025-05-04 16:14:46	N/A	55dB	N/A	N/A	Day
843	2025-05-04 16:16:44	69.90	55dB	2.8	181%	Day
844	2025-05-04 16:19:28	68.17	55dB	2.5	149%	Day
845	2025-05-04 16:20:11	N/A	55dB	N/A	N/A	Day
846	2025-05-04 16:29:58	N/A	55dB	N/A	N/A	Day
847	2025-05-04 16:32:30	N/A	55dB	N/A	N/A	Day
848	2025-05-04 16:34:33	78.85	55dB	5.2	422%	Day
849	2025-05-04 16:38:05	N/A	55dB	N/A	N/A	Day
850	2025-05-04 16:41:21	79.46	55dB	5.4	445%	Day
851	2025-05-04 16:45:35	71.27	55dB	3.1	209%	Day
852	2025-05-04 16:46:08	75.79	55dB	4.2	323%	Day
853	2025-05-04 16:47:22	76.02	55dB	4.3	329%	Day
854	2025-05-04 16:49:55	N/A	55dB	N/A	N/A	Day
855	2025-05-04 16:52:02	N/A	55dB	N/A	N/A	Day
856	2025-05-04 16:55:25	66.22	55dB	2.2	118%	Day
857	2025-05-04 16:57:04	70.32	55dB	2.9	189%	Day
858	2025-05-04 16:58:30	70.43	55dB	2.9	191%	Day
859	2025-05-04 16:59:40	67.68	55dB	2.4	141%	Day
860	2025-05-04 17:02:44	N/A	55dB	N/A	N/A	Day
861	2025-05-04 17:08:22	73.55	55dB	3.6	262%	Day
862	2025-05-04 17:10:28	69.83	55dB	2.8	180%	Day
863	2025-05-04 17:12:36	82.75	55dB	6.8	584%	Day
864	2025-05-04 17:15:20	N/A	55dB	N/A	N/A	Day
865	2025-05-04 17:17:42	N/A	55dB	N/A	N/A	Day
866	2025-05-04 17:22:36	71.74	55dB	3.2	219%	Day
867	2025-05-04 17:24:44	67.44	55dB	2.4	137%	Day
868	2025-05-04 18:38:37	N/A	55dB	N/A	N/A	Day
869	2025-05-04 19:02:03	N/A	55dB	N/A	N/A	Day
870	2025-05-04 19:31:58	67.95	55dB	2.5	145%	Day
871	2025-05-04 19:39:30	N/A	55dB	N/A	N/A	Day
872	2025-05-04 19:50:03	71.81	55dB	3.2	221%	Day
873	2025-05-04 19:51:12	N/A	55dB	N/A	N/A	Day
874	2025-05-04 20:10:01	72.31	55dB	3.3	232%	Day

875	2025-05-04 20:45:38	N/A	55dB	N/A	N/A	Day
876	2025-05-05 00:03:15	N/A	45dB	N/A	N/A	Night
877	2025-05-05 06:47:54	66.57	45dB	4.5	346%	Night
878	2025-05-05 07:46:18	N/A	55dB	N/A	N/A	Day
879	2025-05-05 07:47:30	71.19	55dB	3.1	207%	Day
880	2025-05-05 08:22:04	N/A	55dB	N/A	N/A	Day
881	2025-05-05 08:24:21	79.86	55dB	5.6	460%	Day
882	2025-05-05 08:27:23	69.67	55dB	2.8	176%	Day
883	2025-05-05 08:30:18	69.26	55dB	2.7	169%	Day
884	2025-05-05 08:31:29	N/A	55dB	N/A	N/A	Day
885	2025-05-05 08:32:31	76.13	55dB	4.3	333%	Day
886	2025-05-05 08:35:41	79.42	55dB	5.4	443%	Day
887	2025-05-05 08:36:40	N/A	55dB	N/A	N/A	Day
888	2025-05-05 08:37:41	73.74	55dB	3.7	267%	Day
889	2025-05-05 08:41:02	72.08	55dB	3.3	227%	Day
890	2025-05-05 08:42:10	N/A	55dB	N/A	N/A	Day
891	2025-05-05 08:43:22	84.09	55dB	7.5	651%	Day
892	2025-05-05 08:44:26	76.31	55dB	4.4	338%	Day
893	2025-05-05 08:45:34	79.21	55dB	5.4	436%	Day
894	2025-05-05 08:46:51	76.31	55dB	4.4	338%	Day
895	2025-05-05 08:50:41	76.64	55dB	4.5	348%	Day
896	2025-05-05 08:52:08	77.01	55dB	4.6	360%	Day
897	2025-05-05 08:54:38	70.07	55dB	2.8	184%	Day
898	2025-05-05 08:57:10	70.32	55dB	2.9	189%	Day
899	2025-05-05 08:58:26	76.44	55dB	4.4	342%	Day
900	2025-05-05 08:59:35	79.01	55dB	5.3	428%	Day
901	2025-05-05 09:00:31	71.39	55dB	3.1	211%	Day
902	2025-05-05 09:05:26	67.74	55dB	2.4	142%	Day
903	2025-05-05 09:12:23	73.16	55dB	3.5	252%	Day
904	2025-05-05 09:13:53	N/A	55dB	N/A	N/A	Day
905	2025-05-05 09:15:08	74.79	55dB	3.9	294%	Day
906	2025-05-05 09:16:42	78.98	55dB	5.3	427%	Day
907	2025-05-05 09:18:28	N/A	55dB	N/A	N/A	Day
908	2025-05-05 09:21:35	73.46	55dB	3.6	260%	Day
909	2025-05-05 09:42:03	N/A	55dB	N/A	N/A	Day
910	2025-05-05 09:44:44	N/A	55dB	N/A	N/A	Day
911	2025-05-05 10:05:17	81.91	55dB	6.5	546%	Day
912	2025-05-05 10:24:19	80.44	55dB	5.8	483%	Day
913	2025-05-05 10:37:50	71.67	55dB	3.2	218%	Day
914	2025-05-05 11:05:42	67.08	55dB	2.3	131%	Day
915	2025-05-05 11:09:16	N/A	55dB	N/A	N/A	Day
916	2025-05-05 11:52:58	76.98	55dB	4.6	359%	Day
917	2025-05-05 14:23:06	68.53	55dB	2.6	155%	Day
918	2025-05-05 17:33:49	69.34	55dB	2.7	170%	Day

919	2025-05-05 17:43:47	N/A	55dB	N/A	N/A	Day
920	2025-05-05 21:30:34	N/A	55dB	N/A	N/A	Day
921	2025-05-05 21:34:26	74.38	55dB	3.8	283%	Day
922	2025-05-05 21:36:20	73.88	55dB	3.7	270%	Day
923	2025-05-05 21:37:33	72.87	55dB	3.5	245%	Day
924	2025-05-05 21:38:58	83.92	55dB	7.4	642%	Day
925	2025-05-05 21:40:04	80.24	55dB	5.8	475%	Day
926	2025-05-05 21:43:56	77.71	55dB	4.8	383%	Day
927	2025-05-05 21:49:01	N/A	55dB	N/A	N/A	Day
928	2025-05-05 21:50:07	74.30	55dB	3.8	281%	Day
929	2025-05-05 21:57:56	82.22	55dB	6.6	560%	Day
930	2025-05-05 22:00:19	72.57	55dB	3.4	238%	Day
931	2025-05-05 22:01:41	81.48	55dB	6.3	527%	Day
932	2025-05-05 22:08:33	N/A	55dB	N/A	N/A	Day
933	2025-05-05 22:10:41	N/A	55dB	N/A	N/A	Day
934	2025-05-05 22:12:33	69.98	55dB	2.8	182%	Day
935	2025-05-05 22:15:35	N/A	55dB	N/A	N/A	Day
936	2025-05-05 22:23:01	N/A	55dB	N/A	N/A	Day
937	2025-05-05 22:25:12	N/A	55dB	N/A	N/A	Day
938	2025-05-05 22:28:54	N/A	55dB	N/A	N/A	Day
939	2025-05-05 22:30:08	68.44	55dB	2.5	154%	Day
940	2025-05-05 22:31:32	N/A	55dB	N/A	N/A	Day
941	2025-05-05 22:32:40	73.30	55dB	3.6	256%	Day
942	2025-05-05 22:34:24	67.16	55dB	2.3	132%	Day
943	2025-05-05 22:36:41	N/A	55dB	N/A	N/A	Day
944	2025-05-05 22:37:44	77.77	55dB	4.8	385%	Day
945	2025-05-05 22:39:03	73.84	55dB	3.7	269%	Day
946	2025-05-05 22:40:14	74.45	55dB	3.9	285%	Day
947	2025-05-05 22:42:19	68.93	55dB	2.6	163%	Day
948	2025-05-05 22:43:35	73.84	55dB	3.7	269%	Day
949	2025-05-05 22:45:34	78.83	55dB	5.2	422%	Day
950	2025-05-05 22:47:34	67.45	55dB	2.4	137%	Day
951	2025-05-05 22:48:58	N/A	55dB	N/A	N/A	Day
952	2025-05-05 22:50:57	68.27	55dB	2.5	151%	Day
953	2025-05-05 22:52:19	N/A	55dB	N/A	N/A	Day
954	2025-05-05 22:56:55	71.01	55dB	3.0	203%	Day
955	2025-05-05 22:58:18	N/A	55dB	N/A	N/A	Day
956	2025-05-05 22:59:51	74.91	55dB	4.0	298%	Day
957	2025-05-05 23:02:13	N/A	45dB	N/A	N/A	Night
958	2025-05-05 23:04:16	N/A	45dB	N/A	N/A	Night
959	2025-05-05 23:05:45	71.92	45dB	6.5	546%	Night
960	2025-05-05 23:07:49	N/A	45dB	N/A	N/A	Night
961	2025-05-05 23:09:27	72.95	45dB	6.9	594%	Night
962	2025-05-05 23:13:45	70.73	45dB	6.0	495%	Night

963	2025-05-05 23:16:46	73.57	45dB	7.2	625%	Night
964	2025-05-05 23:20:42	N/A	45dB	N/A	N/A	Night
965	2025-05-05 23:22:06	76.78	45dB	9.1	805%	Night
966	2025-05-05 23:24:13	N/A	45dB	N/A	N/A	Night
967	2025-05-05 23:25:46	N/A	45dB	N/A	N/A	Night
968	2025-05-05 23:29:36	N/A	45dB	N/A	N/A	Night
969	2025-05-05 23:31:45	70.80	45dB	6.0	498%	Night
970	2025-05-05 23:33:02	73.28	45dB	7.1	610%	Night
971	2025-05-05 23:34:26	71.56	45dB	6.3	530%	Night
972	2025-05-05 23:35:41	N/A	45dB	N/A	N/A	Night
973	2025-05-05 23:37:05	N/A	45dB	N/A	N/A	Night
974	2025-05-05 23:39:57	N/A	45dB	N/A	N/A	Night
975	2025-05-05 23:54:06	74.75	45dB	7.9	686%	Night
976	2025-05-05 23:57:15	N/A	45dB	N/A	N/A	Night
977	2025-05-06 00:02:06	81.87	45dB	12.9	1188%	Night
978	2025-05-06 00:05:01	77.47	45dB	9.5	849%	Night
979	2025-05-06 08:17:21	73.06	55dB	3.5	250%	Day
980	2025-05-06 08:22:04	75.40	55dB	4.1	311%	Day
981	2025-05-06 08:24:22	72.59	55dB	3.4	238%	Day
982	2025-05-06 08:26:05	74.59	55dB	3.9	289%	Day
983	2025-05-06 08:27:51	73.82	55dB	3.7	269%	Day
984	2025-05-06 08:33:15	72.73	55dB	3.4	242%	Day
985	2025-05-06 08:52:20	78.53	55dB	5.1	411%	Day
986	2025-05-06 08:57:04	74.49	55dB	3.9	286%	Day
987	2025-05-06 09:01:06	73.00	55dB	3.5	248%	Day
988	2025-05-06 09:10:07	74.74	55dB	3.9	293%	Day
989	2025-05-06 09:16:00	80.03	55dB	5.7	467%	Day
990	2025-05-06 09:17:45	72.68	55dB	3.4	241%	Day
991	2025-05-06 09:22:56	72.80	55dB	3.4	243%	Day
992	2025-05-06 09:25:35	N/A	55dB	N/A	N/A	Day
993	2025-05-06 09:28:19	75.49	55dB	4.1	314%	Day
994	2025-05-06 09:36:26	72.60	55dB	3.4	239%	Day
995	2025-05-06 09:38:56	69.04	55dB	2.6	165%	Day
996	2025-05-06 09:40:24	70.29	55dB	2.9	189%	Day
997	2025-05-06 09:42:41	74.66	55dB	3.9	291%	Day
998	2025-05-06 09:51:16	70.77	55dB	3.0	198%	Day
999	2025-05-06 10:02:01	69.15	55dB	2.7	167%	Day
1000	2025-05-06 10:03:33	75.83	55dB	4.2	324%	Day
1001	2025-05-06 10:04:50	72.59	55dB	3.4	238%	Day
1002	2025-05-06 10:06:23	74.90	55dB	4.0	297%	Day
1003	2025-05-06 10:09:13	78.07	55dB	4.9	395%	Day
1004	2025-05-06 10:11:10	80.45	55dB	5.8	484%	Day
1005	2025-05-06 10:13:47	80.55	55dB	5.9	488%	Day
1006	2025-05-06 10:15:23	N/A	55dB	N/A	N/A	Day

1007	2025-05-06 10:19:12	71.01	55dB	3.0	203%	Day
1008	2025-05-06 10:22:27	72.33	55dB	3.3	232%	Day
1009	2025-05-06 10:31:33	74.44	55dB	3.8	285%	Day
1010	2025-05-06 10:33:11	70.94	55dB	3.0	202%	Day
1011	2025-05-06 10:35:18	N/A	55dB	N/A	N/A	Day
1012	2025-05-06 10:36:27	70.57	55dB	2.9	194%	Day
1013	2025-05-06 10:37:54	75.78	55dB	4.2	322%	Day
1014	2025-05-06 10:39:15	70.65	55dB	3.0	196%	Day
1015	2025-05-06 10:41:50	70.69	55dB	3.0	197%	Day
1016	2025-05-06 10:43:21	80.96	55dB	6.0	505%	Day
1017	2025-05-06 10:46:00	70.43	55dB	2.9	191%	Day
1018	2025-05-06 10:47:19	71.01	55dB	3.0	203%	Day
1019	2025-05-06 10:48:51	72.56	55dB	3.4	238%	Day
1020	2025-05-06 10:50:23	73.92	55dB	3.7	271%	Day
1021	2025-05-06 10:51:53	71.81	55dB	3.2	221%	Day
1022	2025-05-06 10:53:05	71.37	55dB	3.1	211%	Day
1023	2025-05-06 10:55:00	71.67	55dB	3.2	218%	Day
1024	2025-05-06 10:56:23	68.74	55dB	2.6	159%	Day
1025	2025-05-06 11:00:21	N/A	55dB	N/A	N/A	Day
1026	2025-05-06 11:01:43	68.35	55dB	2.5	152%	Day
1027	2025-05-06 11:03:08	69.60	55dB	2.8	175%	Day
1028	2025-05-06 11:04:25	72.91	55dB	3.5	246%	Day
1029	2025-05-06 11:05:45	77.66	55dB	4.8	381%	Day
1030	2025-05-06 11:07:36	69.91	55dB	2.8	181%	Day
1031	2025-05-06 11:09:51	68.92	55dB	2.6	162%	Day
1032	2025-05-06 11:11:48	81.75	55dB	6.4	539%	Day
1033	2025-05-06 11:16:02	69.11	55dB	2.7	166%	Day
1034	2025-05-06 11:18:17	73.98	55dB	3.7	273%	Day
1035	2025-05-06 11:21:36	70.75	55dB	3.0	198%	Day
1036	2025-05-06 11:26:47	72.04	55dB	3.3	226%	Day
1037	2025-05-06 11:29:37	70.37	55dB	2.9	190%	Day
1038	2025-05-06 11:31:35	70.64	55dB	3.0	196%	Day
1039	2025-05-06 11:32:56	69.24	55dB	2.7	168%	Day
1040	2025-05-06 11:35:54	68.52	55dB	2.6	155%	Day
1041	2025-05-06 11:37:12	70.90	55dB	3.0	201%	Day
1042	2025-05-06 11:38:28	67.66	55dB	2.4	140%	Day
1043	2025-05-06 11:39:50	71.52	55dB	3.1	214%	Day
1044	2025-05-06 11:41:24	69.48	55dB	2.7	173%	Day
1045	2025-05-06 11:42:43	69.82	55dB	2.8	179%	Day
1046	2025-05-06 11:44:14	74.29	55dB	3.8	281%	Day
1047	2025-05-06 11:46:05	69.86	55dB	2.8	180%	Day
1048	2025-05-06 11:48:49	71.31	55dB	3.1	210%	Day
1049	2025-05-06 11:50:48	67.97	55dB	2.5	146%	Day
1050	2025-05-06 11:52:54	78.34	55dB	5.0	404%	Day

1051	2025-05-06 11:54:33	73.67	55dB	3.6	265%	Day
1052	2025-05-06 11:56:56	72.49	55dB	3.4	236%	Day
1053	2025-05-06 11:58:48	81.55	55dB	6.3	530%	Day
1054	2025-05-06 12:00:30	68.63	55dB	2.6	157%	Day
1055	2025-05-06 12:02:22	71.77	55dB	3.2	220%	Day
1056	2025-05-06 12:03:40	70.00	55dB	2.8	183%	Day
1057	2025-05-06 12:05:49	N/A	55dB	N/A	N/A	Day
1058	2025-05-06 12:07:25	75.46	55dB	4.1	313%	Day
1059	2025-05-06 12:08:45	69.51	55dB	2.7	173%	Day
1060	2025-05-06 12:10:03	72.73	55dB	3.4	242%	Day
1061	2025-05-06 12:11:18	69.51	55dB	2.7	173%	Day
1062	2025-05-06 12:13:02	74.18	55dB	3.8	278%	Day
1063	2025-05-06 12:15:28	N/A	55dB	N/A	N/A	Day
1064	2025-05-06 12:17:45	71.96	55dB	3.2	224%	Day
1065	2025-05-06 12:19:28	72.29	55dB	3.3	231%	Day
1066	2025-05-06 12:20:40	72.61	55dB	3.4	239%	Day
1067	2025-05-06 12:22:30	67.51	55dB	2.4	138%	Day
1068	2025-05-06 12:28:51	74.83	55dB	4.0	295%	Day
1069	2025-05-06 12:30:02	69.75	55dB	2.8	178%	Day
1070	2025-05-06 12:31:41	70.17	55dB	2.9	186%	Day
1071	2025-05-06 12:33:09	68.80	55dB	2.6	160%	Day
1072	2025-05-06 12:34:51	71.57	55dB	3.2	215%	Day
1073	2025-05-06 12:36:31	73.95	55dB	3.7	272%	Day
1074	2025-05-06 12:38:42	71.17	55dB	3.1	207%	Day
1075	2025-05-06 12:41:27	75.71	55dB	4.2	320%	Day
1076	2025-05-06 12:44:20	N/A	55dB	N/A	N/A	Day
1077	2025-05-06 12:45:57	74.50	55dB	3.9	286%	Day
1078	2025-05-06 12:47:12	70.98	55dB	3.0	203%	Day
1079	2025-05-06 12:48:31	70.70	55dB	3.0	197%	Day
1080	2025-05-06 12:55:16	75.93	55dB	4.3	327%	Day
1081	2025-05-06 12:57:02	71.26	55dB	3.1	209%	Day
1082	2025-05-06 12:58:20	66.01	55dB	2.1	115%	Day
1083	2025-05-06 12:59:34	72.72	55dB	3.4	242%	Day
1084	2025-05-06 13:01:38	74.42	55dB	3.8	284%	Day
1085	2025-05-06 13:03:07	69.91	55dB	2.8	181%	Day
1086	2025-05-06 13:04:29	77.34	55dB	4.7	370%	Day
1087	2025-05-06 13:07:01	70.02	55dB	2.8	183%	Day
1088	2025-05-06 13:08:38	71.16	55dB	3.1	207%	Day
1089	2025-05-06 13:11:09	71.83	55dB	3.2	221%	Day
1090	2025-05-06 13:15:43	71.10	55dB	3.1	205%	Day
1091	2025-05-06 13:21:13	73.38	55dB	3.6	258%	Day
1092	2025-05-06 13:23:13	78.38	55dB	5.1	406%	Day
1093	2025-05-06 13:24:38	66.55	55dB	2.2	123%	Day
1094	2025-05-06 13:26:26	72.80	55dB	3.4	243%	Day

1095	2025-05-06 13:27:54	70.31	55dB	2.9	189%	Day
1096	2025-05-06 13:29:17	70.36	55dB	2.9	190%	Day
1097	2025-05-06 13:30:23	70.34	55dB	2.9	190%	Day
1098	2025-05-06 13:31:56	73.20	55dB	3.5	253%	Day
1099	2025-05-06 13:33:15	73.86	55dB	3.7	270%	Day
1100	2025-05-06 13:35:17	71.97	55dB	3.2	224%	Day
1101	2025-05-06 13:38:08	70.18	55dB	2.9	186%	Day
1102	2025-05-06 13:39:51	71.90	55dB	3.2	223%	Day
1103	2025-05-06 13:43:08	76.05	55dB	4.3	330%	Day
1104	2025-05-06 13:46:09	71.73	55dB	3.2	219%	Day
1105	2025-05-06 13:47:35	69.41	55dB	2.7	172%	Day
1106	2025-05-06 13:50:14	74.29	55dB	3.8	281%	Day
1107	2025-05-06 13:51:20	71.94	55dB	3.2	224%	Day
1108	2025-05-06 13:54:48	70.60	55dB	2.9	195%	Day
1109	2025-05-06 13:56:24	73.48	55dB	3.6	260%	Day
1110	2025-05-06 13:58:36	N/A	55dB	N/A	N/A	Day
1111	2025-05-06 14:01:39	67.96	55dB	2.5	146%	Day
1112	2025-05-06 14:03:11	N/A	55dB	N/A	N/A	Day
1113	2025-05-06 14:04:55	70.06	55dB	2.8	184%	Day
1114	2025-05-06 14:07:53	67.23	55dB	2.3	133%	Day
1115	2025-05-06 14:09:31	68.45	55dB	2.5	154%	Day
1116	2025-05-06 14:11:01	68.98	55dB	2.6	164%	Day
1117	2025-05-06 14:14:17	74.19	55dB	3.8	278%	Day
1118	2025-05-06 14:18:43	72.11	55dB	3.3	227%	Day
1119	2025-05-06 14:21:22	70.51	55dB	2.9	193%	Day
1120	2025-05-06 14:23:22	70.66	55dB	3.0	196%	Day
1121	2025-05-06 14:27:20	75.62	55dB	4.2	318%	Day
1122	2025-05-06 14:29:45	71.38	55dB	3.1	211%	Day
1123	2025-05-06 14:31:22	71.03	55dB	3.0	204%	Day
1124	2025-05-06 14:33:26	N/A	55dB	N/A	N/A	Day
1125	2025-05-06 14:38:13	67.83	55dB	2.4	143%	Day
1126	2025-05-06 14:39:35	69.14	55dB	2.7	166%	Day
1127	2025-05-06 14:43:06	72.36	55dB	3.3	233%	Day
1128	2025-05-06 14:47:57	74.51	55dB	3.9	287%	Day
1129	2025-05-06 14:50:43	70.82	55dB	3.0	199%	Day
1130	2025-05-06 14:54:03	71.92	55dB	3.2	223%	Day
1131	2025-05-06 14:55:52	71.37	55dB	3.1	211%	Day
1132	2025-05-06 14:57:40	72.51	55dB	3.4	237%	Day
1133	2025-05-06 14:59:12	75.23	55dB	4.1	306%	Day
1134	2025-05-06 15:01:15	70.32	55dB	2.9	189%	Day
1135	2025-05-06 15:03:32	71.16	55dB	3.1	207%	Day
1136	2025-05-06 15:06:22	66.84	55dB	2.3	127%	Day
1137	2025-05-06 15:08:19	68.51	55dB	2.6	155%	Day
1138	2025-05-06 15:09:55	79.15	55dB	5.3	433%	Day

1139	2025-05-06 15:11:19	71.43	55dB	3.1	212%	Day
1140	2025-05-06 15:17:57	76.71	55dB	4.5	350%	Day
1141	2025-05-06 15:19:55	74.04	55dB	3.7	274%	Day
1142	2025-05-06 15:21:41	70.63	55dB	3.0	195%	Day
1143	2025-05-06 15:23:12	72.98	55dB	3.5	248%	Day
1144	2025-05-06 15:30:21	76.98	55dB	4.6	359%	Day
1145	2025-05-06 15:32:24	72.01	55dB	3.3	225%	Day
1146	2025-05-06 15:33:57	73.32	55dB	3.6	256%	Day
1147	2025-05-06 15:36:12	68.75	55dB	2.6	159%	Day
1148	2025-05-06 15:37:09	74.69	55dB	3.9	291%	Day
1149	2025-05-06 15:38:26	72.62	55dB	3.4	239%	Day
1150	2025-05-06 15:40:19	68.75	55dB	2.6	159%	Day
1151	2025-05-06 15:42:47	71.81	55dB	3.2	221%	Day
1152	2025-05-06 15:44:18	76.78	55dB	4.5	353%	Day
1153	2025-05-06 15:47:55	76.30	55dB	4.4	338%	Day
1154	2025-05-06 15:49:56	69.29	55dB	2.7	169%	Day
1155	2025-05-06 15:53:30	68.89	55dB	2.6	162%	Day
1156	2025-05-06 15:55:01	75.87	55dB	4.2	325%	Day
1157	2025-05-06 15:56:42	75.19	55dB	4.1	305%	Day
1158	2025-05-06 16:01:26	71.27	55dB	3.1	209%	Day
1159	2025-05-06 16:04:11	70.50	55dB	2.9	193%	Day
1160	2025-05-06 16:05:28	N/A	55dB	N/A	N/A	Day
1161	2025-05-06 16:09:14	73.36	55dB	3.6	257%	Day
1162	2025-05-06 16:12:04	67.40	55dB	2.4	136%	Day
1163	2025-05-06 16:13:18	71.24	55dB	3.1	208%	Day
1164	2025-05-06 16:14:34	N/A	55dB	N/A	N/A	Day
1165	2025-05-06 16:15:42	N/A	55dB	N/A	N/A	Day
1166	2025-05-06 16:17:05	67.84	55dB	2.4	144%	Day
1167	2025-05-06 16:18:22	72.56	55dB	3.4	238%	Day
1168	2025-05-06 16:19:57	76.44	55dB	4.4	342%	Day
1169	2025-05-06 16:22:08	77.74	55dB	4.8	384%	Day
1170	2025-05-06 16:24:06	75.55	55dB	4.2	316%	Day
1171	2025-05-06 16:25:35	70.90	55dB	3.0	201%	Day
1172	2025-05-06 16:27:05	68.47	55dB	2.5	154%	Day
1173	2025-05-06 16:29:18	71.37	55dB	3.1	211%	Day
1174	2025-05-06 16:30:45	70.35	55dB	2.9	190%	Day
1175	2025-05-06 16:31:57	69.46	55dB	2.7	172%	Day
1176	2025-05-06 16:33:13	70.95	55dB	3.0	202%	Day
1177	2025-05-06 16:34:23	70.23	55dB	2.9	187%	Day
1178	2025-05-06 16:35:54	70.84	55dB	3.0	200%	Day
1179	2025-05-06 16:38:02	71.31	55dB	3.1	210%	Day
1180	2025-05-06 16:39:14	74.08	55dB	3.8	275%	Day
1181	2025-05-06 16:40:37	70.59	55dB	2.9	195%	Day
1182	2025-05-06 16:42:23	72.36	55dB	3.3	233%	Day

1183	2025-05-06 16:46:54	N/A	55dB	N/A	N/A	Day
1184	2025-05-06 16:54:28	68.65	55dB	2.6	158%	Day
1185	2025-05-06 16:55:35	69.13	55dB	2.7	166%	Day
1186	2025-05-06 16:56:48	N/A	55dB	N/A	N/A	Day
1187	2025-05-06 17:00:04	68.64	55dB	2.6	157%	Day
1188	2025-05-06 17:01:49	68.93	55dB	2.6	163%	Day
1189	2025-05-06 17:07:44	69.78	55dB	2.8	179%	Day
1190	2025-05-06 17:09:30	71.85	55dB	3.2	222%	Day
1191	2025-05-06 17:12:00	71.50	55dB	3.1	214%	Day
1192	2025-05-06 17:13:11	67.46	55dB	2.4	137%	Day
1193	2025-05-06 17:14:23	70.43	55dB	2.9	191%	Day
1194	2025-05-06 17:16:03	68.55	55dB	2.6	156%	Day
1195	2025-05-06 17:17:18	70.35	55dB	2.9	190%	Day
1196	2025-05-06 17:19:15	68.02	55dB	2.5	147%	Day
1197	2025-05-06 17:20:38	72.55	55dB	3.4	238%	Day
1198	2025-05-06 17:22:56	68.78	55dB	2.6	160%	Day
1199	2025-05-06 17:24:07	67.85	55dB	2.4	144%	Day
1200	2025-05-06 17:27:32	69.82	55dB	2.8	179%	Day
1201	2025-05-06 17:29:02	70.64	55dB	3.0	196%	Day
1202	2025-05-06 17:30:31	73.08	55dB	3.5	250%	Day
1203	2025-05-06 17:32:21	N/A	55dB	N/A	N/A	Day
1204	2025-05-06 17:33:32	72.98	55dB	3.5	248%	Day
1205	2025-05-06 17:35:26	70.21	55dB	2.9	187%	Day
1206	2025-05-06 17:36:30	N/A	55dB	N/A	N/A	Day
1207	2025-05-06 17:37:44	69.29	55dB	2.7	169%	Day
1208	2025-05-06 17:39:34	N/A	55dB	N/A	N/A	Day
1209	2025-05-06 17:40:55	72.15	55dB	3.3	228%	Day
1210	2025-05-06 17:42:39	72.49	55dB	3.4	236%	Day
1211	2025-05-06 17:44:36	70.80	55dB	3.0	199%	Day
1212	2025-05-06 17:45:54	68.01	55dB	2.5	146%	Day
1213	2025-05-06 17:47:17	68.39	55dB	2.5	153%	Day
1214	2025-05-06 17:48:33	84.63	55dB	7.8	680%	Day
1215	2025-05-06 17:50:01	66.66	55dB	2.2	124%	Day
1216	2025-05-06 17:51:12	79.14	55dB	5.3	433%	Day
1217	2025-05-06 17:52:26	70.31	55dB	2.9	189%	Day
1218	2025-05-06 17:53:53	77.40	55dB	4.7	372%	Day
1219	2025-05-06 17:56:15	69.00	55dB	2.6	164%	Day
1220	2025-05-06 17:59:17	70.06	55dB	2.8	184%	Day
1221	2025-05-06 18:01:04	68.43	55dB	2.5	154%	Day
1222	2025-05-06 18:04:52	68.91	55dB	2.6	162%	Day
1223	2025-05-06 18:06:39	68.42	55dB	2.5	154%	Day
1224	2025-05-06 18:08:06	69.83	55dB	2.8	180%	Day
1225	2025-05-06 18:09:21	N/A	55dB	N/A	N/A	Day
1226	2025-05-06 18:10:33	77.76	55dB	4.8	384%	Day

1227	2025-05-06 18:11:53	N/A	55dB	N/A	N/A	Day
1228	2025-05-06 18:13:22	69.38	55dB	2.7	171%	Day
1229	2025-05-06 18:16:45	77.29	55dB	4.7	369%	Day
1230	2025-05-06 18:17:55	69.48	55dB	2.7	173%	Day
1231	2025-05-06 18:19:55	N/A	55dB	N/A	N/A	Day
1232	2025-05-06 18:21:11	75.10	55dB	4.0	303%	Day
1233	2025-05-06 18:22:23	70.56	55dB	2.9	194%	Day
1234	2025-05-06 18:23:45	73.73	55dB	3.7	266%	Day
1235	2025-05-06 18:26:02	70.48	55dB	2.9	192%	Day
1236	2025-05-06 18:30:00	73.70	55dB	3.7	266%	Day
1237	2025-05-06 18:31:50	72.40	55dB	3.3	234%	Day
1238	2025-05-06 18:35:57	67.99	55dB	2.5	146%	Day
1239	2025-05-06 18:38:47	69.33	55dB	2.7	170%	Day
1240	2025-05-06 18:40:48	72.34	55dB	3.3	233%	Day
1241	2025-05-06 18:42:34	70.27	55dB	2.9	188%	Day
1242	2025-05-06 18:44:03	70.39	55dB	2.9	191%	Day
1243	2025-05-06 18:46:06	72.71	55dB	3.4	241%	Day
1244	2025-05-06 18:48:02	68.71	55dB	2.6	159%	Day
1245	2025-05-06 18:49:28	N/A	55dB	N/A	N/A	Day
1246	2025-05-06 18:51:07	71.53	55dB	3.1	214%	Day
1247	2025-05-06 18:52:28	N/A	55dB	N/A	N/A	Day
1248	2025-05-06 18:53:45	72.03	55dB	3.3	226%	Day
1249	2025-05-06 18:56:07	76.55	55dB	4.5	345%	Day
1250	2025-05-06 18:57:48	N/A	55dB	N/A	N/A	Day
1251	2025-05-06 18:58:57	77.44	55dB	4.7	374%	Day
1252	2025-05-06 19:01:01	N/A	55dB	N/A	N/A	Day
1253	2025-05-06 19:02:43	69.65	55dB	2.8	176%	Day
1254	2025-05-06 19:04:11	69.72	55dB	2.8	177%	Day
1255	2025-05-06 19:05:50	69.43	55dB	2.7	172%	Day
1256	2025-05-06 19:07:04	68.43	55dB	2.5	154%	Day
1257	2025-05-06 19:08:28	N/A	55dB	N/A	N/A	Day
1258	2025-05-06 19:09:32	69.42	55dB	2.7	172%	Day
1259	2025-05-06 19:10:49	73.67	55dB	3.6	265%	Day
1260	2025-05-06 19:12:06	70.62	55dB	3.0	195%	Day
1261	2025-05-06 19:13:42	78.20	55dB	5.0	399%	Day
1262	2025-05-06 19:14:56	66.64	55dB	2.2	124%	Day
1263	2025-05-06 19:16:06	75.12	55dB	4.0	303%	Day
1264	2025-05-06 19:18:12	74.59	55dB	3.9	289%	Day
1265	2025-05-06 19:22:49	69.48	55dB	2.7	173%	Day
1266	2025-05-06 19:24:53	N/A	55dB	N/A	N/A	Day
1267	2025-05-06 19:26:15	69.96	55dB	2.8	182%	Day
1268	2025-05-06 19:29:00	N/A	55dB	N/A	N/A	Day
1269	2025-05-06 19:30:26	68.82	55dB	2.6	161%	Day
1270	2025-05-06 19:31:30	69.31	55dB	2.7	170%	Day

1271	2025-05-06 19:32:42	68.62	55dB	2.6	157%	Day
1272	2025-05-06 19:34:22	86.87	55dB	9.1	811%	Day
1273	2025-05-06 19:35:40	73.77	55dB	3.7	267%	Day
1274	2025-05-06 19:37:09	68.75	55dB	2.6	159%	Day
1275	2025-05-06 19:38:50	67.87	55dB	2.4	144%	Day
1276	2025-05-06 19:41:35	75.97	55dB	4.3	328%	Day
1277	2025-05-06 19:43:42	71.04	55dB	3.0	204%	Day
1278	2025-05-06 19:47:08	69.62	55dB	2.8	175%	Day
1279	2025-05-06 19:48:34	68.64	55dB	2.6	157%	Day
1280	2025-05-06 19:50:23	70.26	55dB	2.9	188%	Day
1281	2025-05-06 19:53:48	79.17	55dB	5.3	434%	Day
1282	2025-05-06 19:55:22	69.01	55dB	2.6	164%	Day
1283	2025-05-06 19:58:31	73.21	55dB	3.5	253%	Day
1284	2025-05-06 20:01:51	73.45	55dB	3.6	259%	Day
1285	2025-05-06 20:05:20	69.32	55dB	2.7	170%	Day
1286	2025-05-06 20:07:12	72.00	55dB	3.2	225%	Day
1287	2025-05-06 20:09:12	87.21	55dB	9.3	832%	Day
1288	2025-05-06 20:11:22	74.65	55dB	3.9	290%	Day
1289	2025-05-06 20:14:27	72.41	55dB	3.3	234%	Day
1290	2025-05-06 20:17:04	67.89	55dB	2.4	144%	Day
1291	2025-05-06 20:19:03	71.45	55dB	3.1	213%	Day
1292	2025-05-06 20:21:08	71.90	55dB	3.2	223%	Day
1293	2025-05-06 20:22:28	71.98	55dB	3.2	224%	Day
1294	2025-05-06 20:23:58	69.72	55dB	2.8	177%	Day
1295	2025-05-06 20:25:17	67.67	55dB	2.4	141%	Day
1296	2025-05-06 20:26:45	70.60	55dB	2.9	195%	Day
1297	2025-05-06 20:28:22	69.75	55dB	2.8	178%	Day
1298	2025-05-06 20:29:53	69.76	55dB	2.8	178%	Day
1299	2025-05-06 20:31:41	66.58	55dB	2.2	123%	Day
1300	2025-05-06 20:33:03	70.67	55dB	3.0	196%	Day
1301	2025-05-06 20:34:32	73.07	55dB	3.5	250%	Day
1302	2025-05-06 20:36:20	75.17	55dB	4.0	305%	Day
1303	2025-05-06 20:37:40	70.48	55dB	2.9	192%	Day
1304	2025-05-06 20:39:55	70.06	55dB	2.8	184%	Day
1305	2025-05-06 20:42:49	69.73	55dB	2.8	178%	Day
1306	2025-05-06 20:44:23	68.76	55dB	2.6	160%	Day
1307	2025-05-06 20:46:23	69.63	55dB	2.8	176%	Day
1308	2025-05-06 20:47:57	69.66	55dB	2.8	176%	Day
1309	2025-05-06 20:50:00	69.50	55dB	2.7	173%	Day
1310	2025-05-06 20:51:36	70.75	55dB	3.0	198%	Day
1311	2025-05-06 20:53:47	72.90	55dB	3.5	246%	Day
1312	2025-05-06 20:55:38	68.72	55dB	2.6	159%	Day
1313	2025-05-06 21:00:03	70.01	55dB	2.8	183%	Day
1314	2025-05-06 21:01:54	72.61	55dB	3.4	239%	Day

1315	2025-05-06 21:03:35	72.56	55dB	3.4	238%	Day
1316	2025-05-06 21:05:44	71.23	55dB	3.1	208%	Day
1317	2025-05-06 21:08:01	N/A	55dB	N/A	N/A	Day
1318	2025-05-06 21:10:02	70.27	55dB	2.9	188%	Day
1319	2025-05-06 21:11:36	70.32	55dB	2.9	189%	Day
1320	2025-05-06 21:13:26	72.86	55dB	3.4	245%	Day
1321	2025-05-06 21:23:06	67.88	55dB	2.4	144%	Day
1322	2025-05-06 21:24:38	76.41	55dB	4.4	341%	Day
1323	2025-05-06 21:32:31	67.70	55dB	2.4	141%	Day
1324	2025-05-06 21:42:27	68.27	55dB	2.5	151%	Day
1325	2025-05-06 21:51:02	68.09	55dB	2.5	148%	Day
1326	2025-05-06 21:54:27	69.53	55dB	2.7	174%	Day
1327	2025-05-06 21:56:08	71.19	55dB	3.1	207%	Day
1328	2025-05-06 21:57:54	70.03	55dB	2.8	183%	Day
1329	2025-05-06 22:00:45	70.62	55dB	3.0	195%	Day
1330	2025-05-06 22:02:45	66.98	55dB	2.3	129%	Day
1331	2025-05-06 22:04:17	78.00	55dB	4.9	392%	Day
1332	2025-05-06 22:10:07	N/A	55dB	N/A	N/A	Day
1333	2025-05-06 22:12:01	N/A	55dB	N/A	N/A	Day
1334	2025-05-06 22:14:02	68.95	55dB	2.6	163%	Day
1335	2025-05-06 22:15:38	70.49	55dB	2.9	193%	Day
1336	2025-05-06 22:19:39	N/A	55dB	N/A	N/A	Day
1337	2025-05-06 22:22:09	71.58	55dB	3.2	216%	Day
1338	2025-05-06 22:27:30	N/A	55dB	N/A	N/A	Day
1339	2025-05-06 22:29:00	70.54	55dB	2.9	194%	Day
1340	2025-05-06 22:30:23	73.73	55dB	3.7	266%	Day
1341	2025-05-06 22:31:39	70.86	55dB	3.0	200%	Day
1342	2025-05-06 22:33:33	N/A	55dB	N/A	N/A	Day
1343	2025-05-06 22:34:57	68.52	55dB	2.6	155%	Day
1344	2025-05-06 22:38:53	69.82	55dB	2.8	179%	Day
1345	2025-05-06 22:40:19	71.02	55dB	3.0	204%	Day
1346	2025-05-06 22:42:02	78.06	55dB	4.9	395%	Day
1347	2025-05-06 22:48:07	N/A	55dB	N/A	N/A	Day
1348	2025-05-06 22:50:32	72.53	55dB	3.4	237%	Day
1349	2025-05-06 22:58:08	N/A	55dB	N/A	N/A	Day
1350	2025-05-06 22:59:52	73.66	55dB	3.6	265%	Day
1351	2025-05-06 23:03:30	68.28	45dB	5.0	402%	Night
1352	2025-05-06 23:08:06	69.58	45dB	5.5	449%	Night
1353	2025-05-06 23:26:13	68.77	45dB	5.2	419%	Night
1354	2025-05-06 23:28:06	70.06	45dB	5.7	468%	Night
1355	2025-05-06 23:30:02	68.80	45dB	5.2	421%	Night
1356	2025-05-06 23:32:16	72.76	45dB	6.8	585%	Night
1357	2025-05-06 23:34:26	70.79	45dB	6.0	498%	Night
1358	2025-05-06 23:36:13	68.52	45dB	5.1	411%	Night

1359	2025-05-06 23:39:27	71.90	45dB	6.5	545%	Night
1360	2025-05-06 23:40:51	70.00	45dB	5.7	466%	Night
1361	2025-05-06 23:44:01	N/A	45dB	N/A	N/A	Night
1362	2025-05-06 23:45:37	69.67	45dB	5.5	453%	Night
1363	2025-05-06 23:47:14	71.23	45dB	6.2	516%	Night
1364	2025-05-06 23:48:58	73.15	45dB	7.0	604%	Night
1365	2025-05-06 23:55:13	N/A	45dB	N/A	N/A	Night
1366	2025-05-06 23:57:15	71.23	45dB	6.2	516%	Night
1367	2025-05-07 00:01:16	72.49	45dB	6.7	572%	Night
1368	2025-05-07 00:04:55	69.06	45dB	5.3	430%	Night
1369	2025-05-07 00:10:57	69.07	45dB	5.3	430%	Night
1370	2025-05-07 00:12:45	68.65	45dB	5.2	415%	Night
1371	2025-05-07 00:14:55	82.07	45dB	13.1	1206%	Night
1372	2025-05-07 00:16:56	69.62	45dB	5.5	451%	Night
1373	2025-05-07 00:21:31	70.10	45dB	5.7	470%	Night
1374	2025-05-07 00:24:10	75.08	45dB	8.0	704%	Night
1375	2025-05-07 06:28:27	69.34	45dB	5.4	440%	Night
1376	2025-05-07 06:29:37	67.80	45dB	4.9	386%	Night
1377	2025-05-07 06:31:56	69.85	45dB	5.6	460%	Night
1378	2025-05-07 06:33:26	70.36	45dB	5.8	480%	Night
1379	2025-05-07 06:34:51	70.59	45dB	5.9	489%	Night
1380	2025-05-07 06:36:03	69.79	45dB	5.6	458%	Night
1381	2025-05-07 06:37:24	71.37	45dB	6.2	522%	Night
1382	2025-05-07 06:40:41	69.66	45dB	5.5	453%	Night
1383	2025-05-07 06:41:51	N/A	45dB	N/A	N/A	Night
1384	2025-05-07 06:43:10	74.25	45dB	7.6	659%	Night
1385	2025-05-07 06:44:52	75.60	45dB	8.3	734%	Night
1386	2025-05-07 06:46:01	70.68	45dB	5.9	493%	Night
1387	2025-05-07 06:47:24	69.55	45dB	5.5	448%	Night
1388	2025-05-07 06:48:52	70.57	45dB	5.9	488%	Night
1389	2025-05-07 06:50:17	70.59	45dB	5.9	489%	Night
1390	2025-05-07 06:51:30	71.68	45dB	6.4	536%	Night
1391	2025-05-07 06:52:51	73.83	45dB	7.4	638%	Night
1392	2025-05-07 06:54:02	71.65	45dB	6.3	534%	Night
1393	2025-05-07 06:59:49	70.28	45dB	5.8	477%	Night
1394	2025-05-07 07:01:16	69.36	55dB	2.7	171%	Day
1395	2025-05-07 07:02:48	69.37	55dB	2.7	171%	Day
1396	2025-05-07 07:04:58	68.88	55dB	2.6	162%	Day
1397	2025-05-07 07:12:36	72.26	55dB	3.3	231%	Day
1398	2025-05-07 07:14:27	68.77	55dB	2.6	160%	Day
1399	2025-05-07 07:23:16	69.61	55dB	2.8	175%	Day
1400	2025-05-07 07:24:37	67.21	55dB	2.3	133%	Day
1401	2025-05-07 07:25:58	71.57	55dB	3.2	215%	Day
1402	2025-05-07 07:27:14	67.53	55dB	2.4	138%	Day

1403	2025-05-07 07:29:40	68.82	55dB	2.6	161%	Day
1404	2025-05-07 07:30:54	67.57	55dB	2.4	139%	Day
1405	2025-05-07 07:33:27	69.03	55dB	2.6	164%	Day
1406	2025-05-07 07:34:48	66.87	55dB	2.3	128%	Day
1407	2025-05-07 07:40:46	68.57	55dB	2.6	156%	Day
1408	2025-05-07 07:45:09	73.01	55dB	3.5	248%	Day
1409	2025-05-07 07:47:55	71.92	55dB	3.2	223%	Day
1410	2025-05-07 07:49:15	74.99	55dB	4.0	300%	Day
1411	2025-05-07 07:50:57	81.00	55dB	6.1	506%	Day
1412	2025-05-07 07:59:00	72.22	55dB	3.3	230%	Day
1413	2025-05-07 08:26:26	75.92	55dB	4.3	326%	Day
1414	2025-05-07 08:30:22	68.71	55dB	2.6	159%	Day
1415	2025-05-07 08:33:49	72.61	55dB	3.4	239%	Day
1416	2025-05-07 08:37:07	71.15	55dB	3.1	206%	Day
1417	2025-05-07 08:40:43	75.27	55dB	4.1	308%	Day
1418	2025-05-07 08:47:53	74.57	55dB	3.9	288%	Day
1419	2025-05-07 08:53:02	67.20	55dB	2.3	133%	Day
1420	2025-05-07 08:57:12	74.08	55dB	3.8	275%	Day
1421	2025-05-07 09:01:05	76.57	55dB	4.5	346%	Day
1422	2025-05-07 09:20:33	71.79	55dB	3.2	220%	Day
1423	2025-05-07 09:24:35	79.20	55dB	5.4	435%	Day
1424	2025-05-07 10:52:18	71.84	55dB	3.2	221%	Day
1425	2025-05-07 12:27:21	74.03	55dB	3.7	274%	Day
1426	2025-05-07 13:21:49	75.70	55dB	4.2	320%	Day
1427	2025-05-07 16:14:44	74.38	55dB	3.8	283%	Day
1428	2025-05-07 16:16:57	74.67	55dB	3.9	291%	Day
1429	2025-05-07 16:19:13	72.94	55dB	3.5	247%	Day
1430	2025-05-07 16:21:14	70.12	55dB	2.9	185%	Day
1431	2025-05-07 16:23:32	67.55	55dB	2.4	139%	Day
1432	2025-05-07 16:25:43	71.06	55dB	3.0	204%	Day
1433	2025-05-07 16:27:58	79.66	55dB	5.5	453%	Day
1434	2025-05-07 16:28:22	N/A	55dB	N/A	N/A	Day
1435	2025-05-07 16:29:20	72.47	55dB	3.4	236%	Day
1436	2025-05-07 16:31:21	68.38	55dB	2.5	153%	Day
1437	2025-05-07 16:40:11	74.22	55dB	3.8	279%	Day
1438	2025-05-07 16:42:25	72.90	55dB	3.5	246%	Day
1439	2025-05-07 16:44:40	72.19	55dB	3.3	229%	Day
1440	2025-05-07 16:46:41	N/A	55dB	N/A	N/A	Day
1441	2025-05-07 16:49:42	82.92	55dB	6.9	593%	Day
1442	2025-05-07 16:53:51	68.81	55dB	2.6	160%	Day
1443	2025-05-07 16:56:45	71.58	55dB	3.2	216%	Day
1444	2025-05-07 16:59:47	74.08	55dB	3.8	275%	Day
1445	2025-05-07 17:07:04	76.20	55dB	4.3	335%	Day
1446	2025-05-07 17:11:24	72.75	55dB	3.4	242%	Day

1447	2025-05-07 17:13:55	76.76	55dB	4.5	352%	Day
1448	2025-05-07 17:16:32	71.68	55dB	3.2	218%	Day
1449	2025-05-07 17:47:26	85.18	55dB	8.1	710%	Day
1450	2025-05-07 21:00:44	N/A	55dB	N/A	N/A	Day
1451	2025-05-07 21:12:53	77.76	55dB	4.8	384%	Day
1452	2025-05-07 23:11:26	N/A	45dB	N/A	N/A	Night
1453	2025-05-08 06:31:26	73.89	45dB	7.4	641%	Night
1454	2025-05-08 06:32:20	N/A	45dB	N/A	N/A	Night
1455	2025-05-08 06:33:36	76.63	45dB	9.0	796%	Night
1456	2025-05-08 06:34:42	73.34	45dB	7.1	613%	Night
1457	2025-05-08 06:35:47	73.64	45dB	7.3	628%	Night
1458	2025-05-08 06:37:02	75.29	45dB	8.2	716%	Night
1459	2025-05-08 06:38:16	72.39	45dB	6.7	568%	Night
1460	2025-05-08 06:39:23	N/A	45dB	N/A	N/A	Night
1461	2025-05-08 06:40:23	73.13	45dB	7.0	603%	Night
1462	2025-05-08 06:41:40	69.37	45dB	5.4	442%	Night
1463	2025-05-08 06:43:35	N/A	45dB	N/A	N/A	Night
1464	2025-05-08 06:44:41	N/A	45dB	N/A	N/A	Night
1465	2025-05-08 06:45:56	75.13	45dB	8.1	707%	Night
1466	2025-05-08 06:47:02	N/A	45dB	N/A	N/A	Night
1467	2025-05-08 06:48:04	74.69	45dB	7.8	683%	Night
1468	2025-05-08 06:49:06	69.35	45dB	5.4	441%	Night
1469	2025-05-08 06:50:15	75.88	45dB	8.5	750%	Night
1470	2025-05-08 06:51:16	70.00	45dB	5.7	466%	Night
1471	2025-05-08 06:52:28	73.48	45dB	7.2	620%	Night
1472	2025-05-08 06:53:36	70.48	45dB	5.8	485%	Night
1473	2025-05-08 06:54:51	74.84	45dB	7.9	691%	Night
1474	2025-05-08 06:56:14	69.96	45dB	5.6	464%	Night
1475	2025-05-08 06:57:41	74.19	45dB	7.6	656%	Night
1476	2025-05-08 06:59:05	71.43	45dB	6.2	525%	Night
1477	2025-05-08 07:01:51	71.66	55dB	3.2	217%	Day
1478	2025-05-08 07:07:13	N/A	55dB	N/A	N/A	Day
1479	2025-05-08 07:08:36	72.66	55dB	3.4	240%	Day
1480	2025-05-08 07:10:20	80.80	55dB	6.0	498%	Day
1481	2025-05-08 07:11:34	71.06	55dB	3.0	204%	Day
1482	2025-05-08 07:13:54	N/A	55dB	N/A	N/A	Day
1483	2025-05-08 07:15:52	70.08	55dB	2.8	184%	Day
1484	2025-05-08 07:17:33	81.41	55dB	6.2	524%	Day
1485	2025-05-08 07:19:46	72.09	55dB	3.3	227%	Day
1486	2025-05-08 07:20:49	74.98	55dB	4.0	299%	Day
1487	2025-05-08 07:21:57	N/A	55dB	N/A	N/A	Day
1488	2025-05-08 07:23:28	N/A	55dB	N/A	N/A	Day
1489	2025-05-08 07:25:27	74.09	55dB	3.8	276%	Day
1490	2025-05-08 07:29:09	70.14	55dB	2.9	186%	Day

1491	2025-05-08 07:31:32	70.14	55dB	2.9	186%	Day
1492	2025-05-08 07:35:31	N/A	55dB	N/A	N/A	Day
1493	2025-05-08 07:37:53	76.08	55dB	4.3	331%	Day
1494	2025-05-08 07:40:01	68.57	55dB	2.6	156%	Day
1495	2025-05-08 07:41:19	N/A	55dB	N/A	N/A	Day
1496	2025-05-08 07:42:32	73.12	55dB	3.5	251%	Day
1497	2025-05-08 07:44:05	75.83	55dB	4.2	324%	Day
1498	2025-05-08 07:45:32	69.77	55dB	2.8	178%	Day
1499	2025-05-08 07:46:54	N/A	55dB	N/A	N/A	Day
1500	2025-05-08 07:51:36	69.02	55dB	2.6	164%	Day
1501	2025-05-08 07:55:34	75.16	55dB	4.0	304%	Day
1502	2025-05-08 08:46:32	75.54	55dB	4.2	315%	Day
1503	2025-05-08 09:39:27	74.66	55dB	3.9	291%	Day
1504	2025-05-08 10:31:30	75.32	55dB	4.1	309%	Day
1505	2025-05-08 11:56:02	69.48	55dB	2.7	173%	Day
1506	2025-05-08 14:08:33	73.38	55dB	3.6	258%	Day
1507	2025-05-08 14:22:37	68.75	55dB	2.6	159%	Day
1508	2025-05-08 14:38:00	N/A	55dB	N/A	N/A	Day
1509	2025-05-08 15:39:41	79.29	55dB	5.4	439%	Day
1510	2025-05-08 17:29:37	72.20	55dB	3.3	229%	Day
1511	2025-05-08 18:20:48	N/A	55dB	N/A	N/A	Day
1512	2025-05-08 18:29:54	N/A	55dB	N/A	N/A	Day
1513	2025-05-08 18:41:48	70.37	55dB	2.9	190%	Day
1514	2025-05-08 18:43:16	66.48	55dB	2.2	122%	Day
1515	2025-05-08 18:58:26	77.75	55dB	4.8	384%	Day
1516	2025-05-08 19:20:27	N/A	55dB	N/A	N/A	Day
1517	2025-05-08 19:36:48	N/A	55dB	N/A	N/A	Day
1518	2025-05-08 19:50:58	70.31	55dB	2.9	189%	Day
1519	2025-05-09 06:31:43	70.35	45dB	5.8	480%	Night
1520	2025-05-09 06:32:45	74.80	45dB	7.9	689%	Night
1521	2025-05-09 06:33:56	73.78	45dB	7.4	635%	Night
1522	2025-05-09 06:36:36	73.00	45dB	7.0	596%	Night
1523	2025-05-09 06:37:50	78.58	45dB	10.3	925%	Night
1524	2025-05-09 06:39:49	75.79	45dB	8.5	745%	Night
1525	2025-05-09 06:40:42	73.54	45dB	7.2	623%	Night
1526	2025-05-09 06:41:34	69.74	45dB	5.6	456%	Night
1527	2025-05-09 06:42:21	75.84	45dB	8.5	748%	Night
1528	2025-05-09 06:43:19	74.26	45dB	7.6	660%	Night
1529	2025-05-09 06:44:26	69.55	45dB	5.5	448%	Night
1530	2025-05-09 06:45:23	72.93	45dB	6.9	593%	Night
1531	2025-05-09 06:46:19	71.31	45dB	6.2	519%	Night
1532	2025-05-09 06:47:06	76.22	45dB	8.7	771%	Night
1533	2025-05-09 06:48:01	71.44	45dB	6.3	525%	Night
1534	2025-05-09 06:49:00	68.76	45dB	5.2	419%	Night

1535	2025-05-09 06:49:58	69.60	45dB	5.5	450%	Night
1536	2025-05-09 06:50:56	73.99	45dB	7.5	646%	Night
1537	2025-05-09 06:51:55	73.25	45dB	7.1	609%	Night
1538	2025-05-09 06:52:54	72.08	45dB	6.5	553%	Night
1539	2025-05-09 06:55:46	76.35	45dB	8.8	778%	Night
1540	2025-05-09 06:56:27	66.83	45dB	4.5	354%	Night
1541	2025-05-09 06:57:25	67.62	45dB	4.8	380%	Night
1542	2025-05-09 07:00:16	N/A	55dB	N/A	N/A	Day
1543	2025-05-09 07:01:50	N/A	55dB	N/A	N/A	Day
1544	2025-05-09 07:06:24	72.61	55dB	3.4	239%	Day
1545	2025-05-09 07:09:24	N/A	55dB	N/A	N/A	Day
1546	2025-05-09 07:10:18	70.29	55dB	2.9	189%	Day
1547	2025-05-09 07:14:42	N/A	55dB	N/A	N/A	Day
1548	2025-05-09 07:15:36	67.94	55dB	2.5	145%	Day
1549	2025-05-09 07:16:37	67.21	55dB	2.3	133%	Day
1550	2025-05-09 07:17:34	72.59	55dB	3.4	238%	Day
1551	2025-05-09 07:18:35	69.31	55dB	2.7	170%	Day
1552	2025-05-09 07:19:48	67.42	55dB	2.4	137%	Day
1553	2025-05-09 07:21:49	68.38	55dB	2.5	153%	Day
1554	2025-05-09 07:23:03	72.74	55dB	3.4	242%	Day
1555	2025-05-09 07:25:12	73.18	55dB	3.5	253%	Day
1556	2025-05-09 07:26:15	68.58	55dB	2.6	156%	Day
1557	2025-05-09 07:27:15	73.41	55dB	3.6	258%	Day
1558	2025-05-09 07:28:02	72.65	55dB	3.4	240%	Day
1559	2025-05-09 07:29:14	69.17	55dB	2.7	167%	Day
1560	2025-05-09 07:30:19	73.57	55dB	3.6	262%	Day
1561	2025-05-09 07:31:14	N/A	55dB	N/A	N/A	Day
1562	2025-05-09 07:31:58	N/A	55dB	N/A	N/A	Day
1563	2025-05-09 07:33:52	N/A	55dB	N/A	N/A	Day
1564	2025-05-09 07:38:26	N/A	55dB	N/A	N/A	Day
1565	2025-05-09 07:39:46	78.35	55dB	5.0	405%	Day
1566	2025-05-09 07:40:55	N/A	55dB	N/A	N/A	Day
1567	2025-05-09 07:42:54	67.58	55dB	2.4	139%	Day
1568	2025-05-09 07:47:01	68.43	55dB	2.5	154%	Day
1569	2025-05-09 07:48:10	74.83	55dB	4.0	295%	Day
1570	2025-05-09 07:49:51	67.21	55dB	2.3	133%	Day
1571	2025-05-09 07:52:11	70.51	55dB	2.9	193%	Day
1572	2025-05-09 07:53:15	70.51	55dB	2.9	193%	Day
1573	2025-05-09 07:55:31	69.97	55dB	2.8	182%	Day
1574	2025-05-09 08:01:23	69.32	55dB	2.7	170%	Day
1575	2025-05-09 08:02:50	71.84	55dB	3.2	221%	Day
1576	2025-05-09 08:03:57	71.88	55dB	3.2	222%	Day
1577	2025-05-09 08:05:01	73.05	55dB	3.5	249%	Day
1578	2025-05-09 08:06:17	N/A	55dB	N/A	N/A	Day

1579	2025-05-09 08:09:13	73.17	55dB	3.5	252%	Day
1580	2025-05-09 08:10:01	N/A	55dB	N/A	N/A	Day
1581	2025-05-09 08:10:50	68.49	55dB	2.5	155%	Day
1582	2025-05-09 08:11:47	72.04	55dB	3.3	226%	Day
1583	2025-05-09 08:12:48	69.41	55dB	2.7	172%	Day
1584	2025-05-09 08:15:28	N/A	55dB	N/A	N/A	Day
1585	2025-05-09 08:16:44	72.01	55dB	3.3	225%	Day
1586	2025-05-09 08:17:48	75.93	55dB	4.3	327%	Day
1587	2025-05-09 08:18:54	69.56	55dB	2.7	174%	Day
1588	2025-05-09 08:21:46	74.20	55dB	3.8	278%	Day
1589	2025-05-09 08:22:48	N/A	55dB	N/A	N/A	Day
1590	2025-05-09 08:23:53	68.69	55dB	2.6	158%	Day
1591	2025-05-09 08:27:32	69.61	55dB	2.8	175%	Day
1592	2025-05-09 08:29:32	72.89	55dB	3.5	246%	Day
1593	2025-05-09 08:32:21	71.57	55dB	3.2	215%	Day
1594	2025-05-09 08:33:10	69.62	55dB	2.8	175%	Day
1595	2025-05-09 08:34:35	74.60	55dB	3.9	289%	Day
1596	2025-05-09 08:35:17	73.02	55dB	3.5	249%	Day
1597	2025-05-09 08:41:09	68.30	55dB	2.5	151%	Day
1598	2025-05-09 08:42:15	76.64	55dB	4.5	348%	Day
1599	2025-05-09 08:42:52	71.03	55dB	3.0	204%	Day
1600	2025-05-09 08:43:58	74.27	55dB	3.8	280%	Day
1601	2025-05-09 08:44:42	N/A	55dB	N/A	N/A	Day
1602	2025-05-09 08:45:35	67.75	55dB	2.4	142%	Day
1603	2025-05-09 08:46:38	72.17	55dB	3.3	229%	Day
1604	2025-05-09 08:47:52	71.58	55dB	3.2	216%	Day
1605	2025-05-09 08:49:12	68.70	55dB	2.6	158%	Day
1606	2025-05-09 08:51:15	68.19	55dB	2.5	149%	Day
1607	2025-05-09 08:52:19	67.46	55dB	2.4	137%	Day
1608	2025-05-09 08:53:15	74.86	55dB	4.0	296%	Day
1609	2025-05-09 08:53:49	67.11	55dB	2.3	131%	Day
1610	2025-05-09 08:54:56	72.92	55dB	3.5	246%	Day
1611	2025-05-09 08:57:24	71.25	55dB	3.1	208%	Day
1612	2025-05-09 08:57:43	N/A	55dB	N/A	N/A	Day
1613	2025-05-09 08:58:50	69.50	55dB	2.7	173%	Day
1614	2025-05-09 09:05:02	72.90	55dB	3.5	246%	Day
1615	2025-05-09 09:06:11	70.46	55dB	2.9	192%	Day
1616	2025-05-09 09:06:47	N/A	55dB	N/A	N/A	Day
1617	2025-05-09 09:08:32	N/A	55dB	N/A	N/A	Day
1618	2025-05-09 09:09:42	74.60	55dB	3.9	289%	Day
1619	2025-05-09 09:11:21	67.37	55dB	2.4	136%	Day
1620	2025-05-09 09:13:25	72.86	55dB	3.4	245%	Day
1621	2025-05-09 09:14:01	68.37	55dB	2.5	153%	Day
1622	2025-05-09 09:14:52	73.93	55dB	3.7	271%	Day

1623	2025-05-09 09:15:42	71.92	55dB	3.2	223%	Day
1624	2025-05-09 09:16:37	71.94	55dB	3.2	224%	Day
1625	2025-05-09 09:17:21	N/A	55dB	N/A	N/A	Day
1626	2025-05-09 09:18:42	71.48	55dB	3.1	213%	Day
1627	2025-05-09 09:20:19	68.83	55dB	2.6	161%	Day
1628	2025-05-09 09:21:31	69.61	55dB	2.8	175%	Day
1629	2025-05-09 09:22:33	73.87	55dB	3.7	270%	Day
1630	2025-05-09 09:26:14	72.64	55dB	3.4	240%	Day
1631	2025-05-09 09:27:45	74.68	55dB	3.9	291%	Day
1632	2025-05-09 09:29:36	74.26	55dB	3.8	280%	Day
1633	2025-05-09 09:31:08	72.95	55dB	3.5	247%	Day
1634	2025-05-09 09:32:38	79.46	55dB	5.4	445%	Day
1635	2025-05-09 09:33:24	75.50	55dB	4.1	314%	Day
1636	2025-05-09 09:34:21	76.55	55dB	4.5	345%	Day
1637	2025-05-09 09:35:32	67.92	55dB	2.4	145%	Day
1638	2025-05-09 09:36:21	73.11	55dB	3.5	251%	Day
1639	2025-05-09 09:37:28	N/A	55dB	N/A	N/A	Day
1640	2025-05-09 09:38:18	N/A	55dB	N/A	N/A	Day
1641	2025-05-09 09:41:01	72.36	55dB	3.3	233%	Day
1642	2025-05-09 09:42:37	N/A	55dB	N/A	N/A	Day
1643	2025-05-09 09:44:09	74.43	55dB	3.8	285%	Day
1644	2025-05-09 09:46:31	75.21	55dB	4.1	306%	Day
1645	2025-05-09 09:53:00	73.51	55dB	3.6	261%	Day
1646	2025-05-09 09:54:27	72.60	55dB	3.4	239%	Day
1647	2025-05-09 09:56:01	69.57	55dB	2.7	175%	Day
1648	2025-05-09 09:57:39	69.46	55dB	2.7	172%	Day
1649	2025-05-09 09:59:12	N/A	55dB	N/A	N/A	Day
1650	2025-05-09 10:01:00	69.58	55dB	2.7	175%	Day
1651	2025-05-09 10:02:10	69.34	55dB	2.7	170%	Day
1652	2025-05-09 10:04:44	68.52	55dB	2.6	155%	Day
1653	2025-05-09 10:07:21	72.75	55dB	3.4	242%	Day
1654	2025-05-09 10:09:05	74.61	55dB	3.9	289%	Day
1655	2025-05-09 10:10:11	N/A	55dB	N/A	N/A	Day
1656	2025-05-09 10:11:21	76.49	55dB	4.4	344%	Day
1657	2025-05-09 10:12:42	67.49	55dB	2.4	138%	Day
1658	2025-05-09 10:13:56	75.76	55dB	4.2	322%	Day
1659	2025-05-09 10:15:06	73.31	55dB	3.6	256%	Day
1660	2025-05-09 10:16:20	72.65	55dB	3.4	240%	Day
1661	2025-05-09 10:17:33	70.98	55dB	3.0	203%	Day
1662	2025-05-09 10:18:48	70.35	55dB	2.9	190%	Day
1663	2025-05-09 10:21:32	71.12	55dB	3.1	206%	Day
1664	2025-05-09 10:23:46	69.47	55dB	2.7	173%	Day
1665	2025-05-09 10:25:11	69.53	55dB	2.7	174%	Day
1666	2025-05-09 10:26:33	69.92	55dB	2.8	181%	Day

1667	2025-05-09 10:28:40	76.32	55dB	4.4	338%	Day
1668	2025-05-09 10:30:25	70.00	55dB	2.8	183%	Day
1669	2025-05-09 10:32:49	N/A	55dB	N/A	N/A	Day
1670	2025-05-09 10:34:05	N/A	55dB	N/A	N/A	Day
1671	2025-05-09 10:35:14	73.65	55dB	3.6	264%	Day
1672	2025-05-09 10:36:49	69.91	55dB	2.8	181%	Day
1673	2025-05-09 10:42:26	75.24	55dB	4.1	307%	Day
1674	2025-05-09 10:43:33	74.96	55dB	4.0	299%	Day
1675	2025-05-09 10:46:35	68.37	55dB	2.5	153%	Day
1676	2025-05-09 10:48:09	71.29	55dB	3.1	209%	Day
1677	2025-05-09 10:49:15	N/A	55dB	N/A	N/A	Day
1678	2025-05-09 10:51:26	71.37	55dB	3.1	211%	Day
1679	2025-05-09 10:54:49	67.75	55dB	2.4	142%	Day
1680	2025-05-09 10:56:25	N/A	55dB	N/A	N/A	Day
1681	2025-05-09 10:59:15	68.15	55dB	2.5	149%	Day
1682	2025-05-09 11:02:03	N/A	55dB	N/A	N/A	Day
1683	2025-05-09 11:07:41	68.37	55dB	2.5	153%	Day
1684	2025-05-09 11:15:27	71.88	55dB	3.2	222%	Day
1685	2025-05-09 11:16:16	75.28	55dB	4.1	308%	Day
1686	2025-05-09 11:17:28	N/A	55dB	N/A	N/A	Day
1687	2025-05-09 11:18:13	75.04	55dB	4.0	301%	Day
1688	2025-05-09 11:20:58	66.73	55dB	2.3	125%	Day
1689	2025-05-09 11:22:05	N/A	55dB	N/A	N/A	Day
1690	2025-05-09 11:29:07	N/A	55dB	N/A	N/A	Day
1691	2025-05-09 11:30:34	N/A	55dB	N/A	N/A	Day
1692	2025-05-09 11:32:51	68.00	55dB	2.5	146%	Day
1693	2025-05-09 11:35:35	72.63	55dB	3.4	239%	Day
1694	2025-05-09 11:44:30	N/A	55dB	N/A	N/A	Day
1695	2025-05-09 11:47:28	72.16	55dB	3.3	229%	Day
1696	2025-05-09 11:49:10	N/A	55dB	N/A	N/A	Day
1697	2025-05-09 11:52:19	69.58	55dB	2.7	175%	Day
1698	2025-05-09 11:54:18	N/A	55dB	N/A	N/A	Day
1699	2025-05-09 11:59:03	75.90	55dB	4.3	326%	Day
1700	2025-05-09 12:08:42	76.47	55dB	4.4	343%	Day
1701	2025-05-09 12:09:27	N/A	55dB	N/A	N/A	Day
1702	2025-05-09 12:10:42	N/A	55dB	N/A	N/A	Day
1703	2025-05-09 12:12:12	N/A	55dB	N/A	N/A	Day
1704	2025-05-09 12:15:17	74.51	55dB	3.9	287%	Day
1705	2025-05-09 12:17:06	72.93	55dB	3.5	247%	Day
1706	2025-05-09 12:17:56	75.28	55dB	4.1	308%	Day
1707	2025-05-09 12:19:14	68.63	55dB	2.6	157%	Day
1708	2025-05-09 12:20:27	77.70	55dB	4.8	382%	Day
1709	2025-05-09 12:21:44	72.54	55dB	3.4	237%	Day
1710	2025-05-09 12:22:21	N/A	55dB	N/A	N/A	Day

1711	2025-05-09 12:23:30	75.17	55dB	4.0	305%	Day
1712	2025-05-09 12:28:41	73.57	55dB	3.6	262%	Day
1713	2025-05-09 12:30:01	N/A	55dB	N/A	N/A	Day
1714	2025-05-09 12:31:12	N/A	55dB	N/A	N/A	Day
1715	2025-05-09 12:32:15	72.79	55dB	3.4	243%	Day
1716	2025-05-09 12:33:27	N/A	55dB	N/A	N/A	Day
1717	2025-05-09 12:34:56	70.60	55dB	2.9	195%	Day
1718	2025-05-09 12:36:04	71.54	55dB	3.1	215%	Day
1719	2025-05-09 12:38:13	N/A	55dB	N/A	N/A	Day
1720	2025-05-09 12:39:01	74.88	55dB	4.0	297%	Day
1721	2025-05-09 12:42:49	N/A	55dB	N/A	N/A	Day
1722	2025-05-09 12:43:53	74.35	55dB	3.8	282%	Day
1723	2025-05-09 12:43:53	74.35	55dB	3.8	282%	Day
1724	2025-05-09 12:45:38	73.99	55dB	3.7	273%	Day
1725	2025-05-09 12:57:33	N/A	55dB	N/A	N/A	Day
1726	2025-05-09 13:00:30	71.53	55dB	3.1	214%	Day
1727	2025-05-09 13:05:07	N/A	55dB	N/A	N/A	Day
1728	2025-05-09 13:07:18	70.95	55dB	3.0	202%	Day
1729	2025-05-09 13:09:37	75.12	55dB	4.0	303%	Day
1730	2025-05-09 13:11:04	73.74	55dB	3.7	267%	Day
1731	2025-05-09 13:13:06	71.15	55dB	3.1	206%	Day
1732	2025-05-09 13:14:18	76.05	55dB	4.3	330%	Day
1733	2025-05-09 13:16:34	78.82	55dB	5.2	421%	Day
1734	2025-05-09 13:18:10	71.08	55dB	3.0	205%	Day
1735	2025-05-09 13:20:37	76.06	55dB	4.3	330%	Day
1736	2025-05-09 13:22:58	70.06	55dB	2.8	184%	Day
1737	2025-05-09 13:25:09	75.12	55dB	4.0	303%	Day
1738	2025-05-09 13:38:57	76.72	55dB	4.5	351%	Day
1739	2025-05-09 13:40:28	69.43	55dB	2.7	172%	Day
1740	2025-05-09 13:42:02	N/A	55dB	N/A	N/A	Day
1741	2025-05-09 13:43:52	75.49	55dB	4.1	314%	Day
1742	2025-05-09 13:46:10	73.69	55dB	3.7	265%	Day
1743	2025-05-09 13:47:45	69.95	55dB	2.8	182%	Day
1744	2025-05-09 13:48:59	N/A	55dB	N/A	N/A	Day
1745	2025-05-09 13:52:06	74.84	55dB	4.0	296%	Day
1746	2025-05-09 14:01:21	72.74	55dB	3.4	242%	Day
1747	2025-05-09 14:04:46	72.04	55dB	3.3	226%	Day
1748	2025-05-09 14:06:52	69.48	55dB	2.7	173%	Day
1749	2025-05-09 14:08:40	76.71	55dB	4.5	350%	Day
1750	2025-05-09 14:10:35	78.13	55dB	5.0	397%	Day
1751	2025-05-09 14:14:10	79.39	55dB	5.4	442%	Day
1752	2025-05-09 14:15:35	69.12	55dB	2.7	166%	Day
1753	2025-05-09 14:17:10	74.66	55dB	3.9	291%	Day
1754	2025-05-09 17:35:21	N/A	55dB	N/A	N/A	Day

1755	2025-05-09 23:30:02	N/A	45dB	N/A	N/A	Night
1756	2025-05-10 00:34:21	64.44	45dB	3.8	285%	Night
1757	2025-05-10 06:22:19	N/A	45dB	N/A	N/A	Night
1758	2025-05-10 06:24:40	N/A	45dB	N/A	N/A	Night
1759	2025-05-10 06:29:56	71.47	45dB	6.3	526%	Night
1760	2025-05-10 06:31:54	N/A	45dB	N/A	N/A	Night
1761	2025-05-10 06:33:00	N/A	45dB	N/A	N/A	Night
1762	2025-05-10 06:34:24	N/A	45dB	N/A	N/A	Night
1763	2025-05-10 06:35:33	N/A	45dB	N/A	N/A	Night
1764	2025-05-10 06:36:52	N/A	45dB	N/A	N/A	Night
1765	2025-05-10 06:38:08	66.94	45dB	4.6	358%	Night
1766	2025-05-10 06:39:33	67.60	45dB	4.8	379%	Night
1767	2025-05-10 06:41:05	71.13	45dB	6.1	512%	Night
1768	2025-05-10 06:42:39	67.97	45dB	4.9	391%	Night
1769	2025-05-10 06:44:14	N/A	45dB	N/A	N/A	Night
1770	2025-05-10 06:45:41	N/A	45dB	N/A	N/A	Night
1771	2025-05-10 06:46:51	69.49	45dB	5.5	446%	Night
1772	2025-05-10 06:49:12	N/A	45dB	N/A	N/A	Night
1773	2025-05-10 06:50:23	N/A	45dB	N/A	N/A	Night
1774	2025-05-10 06:51:50	N/A	45dB	N/A	N/A	Night
1775	2025-05-10 06:53:06	66.10	45dB	4.3	332%	Night
1776	2025-05-10 06:56:04	66.57	45dB	4.5	346%	Night
1777	2025-05-10 07:06:27	67.04	55dB	2.3	130%	Day
1778	2025-05-10 07:08:52	67.98	55dB	2.5	146%	Day
1779	2025-05-10 07:16:26	N/A	55dB	N/A	N/A	Day
1780	2025-05-10 07:20:36	N/A	55dB	N/A	N/A	Day
1781	2025-05-10 07:23:56	70.16	55dB	2.9	186%	Day
1782	2025-05-10 07:25:56	69.07	55dB	2.7	165%	Day
1783	2025-05-10 07:27:03	N/A	55dB	N/A	N/A	Day
1784	2025-05-10 07:28:22	N/A	55dB	N/A	N/A	Day
1785	2025-05-10 07:29:56	N/A	55dB	N/A	N/A	Day
1786	2025-05-10 07:39:06	N/A	55dB	N/A	N/A	Day
1787	2025-05-10 07:40:55	N/A	55dB	N/A	N/A	Day
1788	2025-05-10 07:46:52	68.12	55dB	2.5	148%	Day
1789	2025-05-10 07:48:45	N/A	55dB	N/A	N/A	Day
1790	2025-05-10 07:51:05	N/A	55dB	N/A	N/A	Day
1791	2025-05-10 07:53:09	67.40	55dB	2.4	136%	Day
1792	2025-05-10 07:54:48	68.37	55dB	2.5	153%	Day
1793	2025-05-10 08:05:44	N/A	55dB	N/A	N/A	Day
1794	2025-05-10 08:10:17	69.17	55dB	2.7	167%	Day
1795	2025-05-10 08:12:49	67.98	55dB	2.5	146%	Day
1796	2025-05-10 08:15:15	N/A	55dB	N/A	N/A	Day
1797	2025-05-10 08:16:43	N/A	55dB	N/A	N/A	Day
1798	2025-05-10 08:21:41	66.96	55dB	2.3	129%	Day

1799	2025-05-10 08:24:05	71.49	55dB	3.1	214%	Day
1800	2025-05-10 08:31:28	66.76	55dB	2.3	126%	Day
1801	2025-05-10 08:39:39	66.06	55dB	2.2	115%	Day
1802	2025-05-10 08:41:20	N/A	55dB	N/A	N/A	Day
1803	2025-05-10 08:43:02	N/A	55dB	N/A	N/A	Day
1804	2025-05-10 08:56:45	66.94	55dB	2.3	129%	Day
1805	2025-05-10 09:18:02	74.05	55dB	3.7	275%	Day
1806	2025-05-10 09:21:08	N/A	55dB	N/A	N/A	Day
1807	2025-05-10 09:23:15	71.24	55dB	3.1	208%	Day
1808	2025-05-10 09:26:14	N/A	55dB	N/A	N/A	Day
1809	2025-05-10 09:30:10	66.95	55dB	2.3	129%	Day
1810	2025-05-10 09:32:14	N/A	55dB	N/A	N/A	Day
1811	2025-05-10 09:36:06	72.45	55dB	3.4	235%	Day
1812	2025-05-10 09:39:09	N/A	55dB	N/A	N/A	Day
1813	2025-05-10 09:42:19	N/A	55dB	N/A	N/A	Day
1814	2025-05-10 09:45:25	N/A	55dB	N/A	N/A	Day
1815	2025-05-10 09:57:00	N/A	55dB	N/A	N/A	Day
1816	2025-05-10 09:59:08	N/A	55dB	N/A	N/A	Day
1817	2025-05-10 10:00:43	N/A	55dB	N/A	N/A	Day
1818	2025-05-10 10:02:08	N/A	55dB	N/A	N/A	Day
1819	2025-05-10 10:03:48	68.10	55dB	2.5	148%	Day
1820	2025-05-10 10:06:30	68.85	55dB	2.6	161%	Day
1821	2025-05-10 10:11:36	N/A	55dB	N/A	N/A	Day
1822	2025-05-10 10:17:50	N/A	55dB	N/A	N/A	Day
1823	2025-05-10 10:19:08	N/A	55dB	N/A	N/A	Day
1824	2025-05-10 10:21:26	66.89	55dB	2.3	128%	Day
1825	2025-05-10 10:24:23	N/A	55dB	N/A	N/A	Day
1826	2025-05-10 10:26:11	66.29	55dB	2.2	119%	Day
1827	2025-05-10 10:28:04	73.23	55dB	3.5	254%	Day
1828	2025-05-10 10:29:32	N/A	55dB	N/A	N/A	Day
1829	2025-05-10 10:31:13	70.09	55dB	2.8	185%	Day
1830	2025-05-10 10:32:31	N/A	55dB	N/A	N/A	Day
1831	2025-05-10 10:33:40	68.16	55dB	2.5	149%	Day
1832	2025-05-10 10:35:03	N/A	55dB	N/A	N/A	Day
1833	2025-05-10 10:36:22	67.06	55dB	2.3	131%	Day
1834	2025-05-10 10:37:58	68.07	55dB	2.5	147%	Day
1835	2025-05-10 10:39:21	68.45	55dB	2.5	154%	Day
1836	2025-05-10 10:41:02	N/A	55dB	N/A	N/A	Day
1837	2025-05-10 10:43:47	72.69	55dB	3.4	241%	Day
1838	2025-05-10 10:45:54	N/A	55dB	N/A	N/A	Day
1839	2025-05-10 10:47:42	N/A	55dB	N/A	N/A	Day
1840	2025-05-10 10:49:03	N/A	55dB	N/A	N/A	Day
1841	2025-05-10 10:52:21	74.09	55dB	3.8	276%	Day
1842	2025-05-10 10:54:23	72.51	55dB	3.4	237%	Day

1843	2025-05-10 10:56:56	67.44	55dB	2.4	137%	Day
1844	2025-05-10 10:58:35	N/A	55dB	N/A	N/A	Day
1845	2025-05-10 11:00:51	71.95	55dB	3.2	224%	Day
1846	2025-05-10 11:03:09	N/A	55dB	N/A	N/A	Day
1847	2025-05-10 11:05:02	N/A	55dB	N/A	N/A	Day
1848	2025-05-10 11:06:39	68.20	55dB	2.5	150%	Day
1849	2025-05-10 11:08:18	68.24	55dB	2.5	150%	Day
1850	2025-05-10 11:10:02	70.60	55dB	2.9	195%	Day
1851	2025-05-10 11:12:02	69.74	55dB	2.8	178%	Day
1852	2025-05-10 11:13:40	N/A	55dB	N/A	N/A	Day
1853	2025-05-10 11:15:07	N/A	55dB	N/A	N/A	Day
1854	2025-05-10 11:17:29	69.15	55dB	2.7	167%	Day
1855	2025-05-10 11:20:44	N/A	55dB	N/A	N/A	Day
1856	2025-05-10 11:22:37	N/A	55dB	N/A	N/A	Day
1857	2025-05-10 11:26:57	68.65	55dB	2.6	158%	Day
1858	2025-05-10 11:29:34	72.89	55dB	3.5	246%	Day
1859	2025-05-10 11:37:02	70.92	55dB	3.0	201%	Day
1860	2025-05-10 11:42:53	78.91	55dB	5.2	425%	Day
1861	2025-05-10 11:44:54	N/A	55dB	N/A	N/A	Day
1862	2025-05-10 11:48:06	69.38	55dB	2.7	171%	Day
1863	2025-05-10 11:49:48	67.56	55dB	2.4	139%	Day
1864	2025-05-10 11:51:21	N/A	55dB	N/A	N/A	Day
1865	2025-05-10 11:52:48	68.95	55dB	2.6	163%	Day
1866	2025-05-10 11:55:06	N/A	55dB	N/A	N/A	Day
1867	2025-05-10 11:56:49	67.95	55dB	2.5	145%	Day
1868	2025-05-10 11:58:40	77.40	55dB	4.7	372%	Day
1869	2025-05-10 12:00:10	N/A	55dB	N/A	N/A	Day
1870	2025-05-10 12:01:31	76.94	55dB	4.6	358%	Day
1871	2025-05-10 12:03:38	N/A	55dB	N/A	N/A	Day
1872	2025-05-10 12:05:38	N/A	55dB	N/A	N/A	Day
1873	2025-05-10 12:07:00	N/A	55dB	N/A	N/A	Day
1874	2025-05-10 12:08:30	N/A	55dB	N/A	N/A	Day
1875	2025-05-10 12:09:46	N/A	55dB	N/A	N/A	Day
1876	2025-05-10 12:11:31	N/A	55dB	N/A	N/A	Day
1877	2025-05-10 12:13:01	68.15	55dB	2.5	149%	Day
1878	2025-05-10 12:14:23	68.79	55dB	2.6	160%	Day
1879	2025-05-10 12:15:56	N/A	55dB	N/A	N/A	Day
1880	2025-05-10 12:17:17	68.85	55dB	2.6	161%	Day
1881	2025-05-10 12:18:26	N/A	55dB	N/A	N/A	Day
1882	2025-05-10 12:24:51	70.43	55dB	2.9	191%	Day
1883	2025-05-10 12:26:24	72.92	55dB	3.5	246%	Day
1884	2025-05-10 12:29:22	N/A	55dB	N/A	N/A	Day
1885	2025-05-10 12:43:55	77.25	55dB	4.7	368%	Day
1886	2025-05-10 12:46:04	75.46	55dB	4.1	313%	Day

1887	2025-05-10 12:48:38	70.12	55dB	2.9	185%	Day
1888	2025-05-10 12:49:53	N/A	55dB	N/A	N/A	Day
1889	2025-05-10 12:51:06	70.92	55dB	3.0	201%	Day
1890	2025-05-10 12:52:38	70.26	55dB	2.9	188%	Day
1891	2025-05-10 12:54:23	69.60	55dB	2.8	175%	Day
1892	2025-05-10 12:55:38	70.11	55dB	2.9	185%	Day
1893	2025-05-10 12:57:13	73.35	55dB	3.6	257%	Day
1894	2025-05-10 12:58:47	79.26	55dB	5.4	437%	Day
1895	2025-05-10 13:01:05	74.51	55dB	3.9	287%	Day
1896	2025-05-10 13:04:59	N/A	55dB	N/A	N/A	Day
1897	2025-05-10 13:07:12	68.01	55dB	2.5	146%	Day
1898	2025-05-10 13:11:02	N/A	55dB	N/A	N/A	Day
1899	2025-05-10 13:13:17	72.96	55dB	3.5	247%	Day
1900	2025-05-10 13:20:57	71.00	55dB	3.0	203%	Day
1901	2025-05-10 13:23:03	71.69	55dB	3.2	218%	Day
1902	2025-05-10 13:25:15	69.54	55dB	2.7	174%	Day
1903	2025-05-10 13:29:52	N/A	55dB	N/A	N/A	Day
1904	2025-05-10 13:38:54	N/A	55dB	N/A	N/A	Day
1905	2025-05-10 13:41:24	70.01	55dB	2.8	183%	Day
1906	2025-05-10 13:46:18	67.67	55dB	2.4	141%	Day
1907	2025-05-10 13:47:49	N/A	55dB	N/A	N/A	Day
1908	2025-05-10 13:50:54	70.98	55dB	3.0	203%	Day
1909	2025-05-10 13:52:36	69.58	55dB	2.7	175%	Day
1910	2025-05-10 13:53:45	68.95	55dB	2.6	163%	Day
1911	2025-05-10 13:54:51	72.21	55dB	3.3	230%	Day
1912	2025-05-10 13:57:37	N/A	55dB	N/A	N/A	Day
1913	2025-05-10 13:58:56	65.81	55dB	2.1	112%	Day
1914	2025-05-10 14:00:53	71.11	55dB	3.1	205%	Day
1915	2025-05-10 14:03:00	N/A	55dB	N/A	N/A	Day
1916	2025-05-10 14:04:21	74.28	55dB	3.8	281%	Day
1917	2025-05-10 14:05:50	N/A	55dB	N/A	N/A	Day
1918	2025-05-10 14:07:05	N/A	55dB	N/A	N/A	Day
1919	2025-05-10 14:08:27	68.74	55dB	2.6	159%	Day
1920	2025-05-10 14:09:57	69.73	55dB	2.8	178%	Day
1921	2025-05-10 14:15:36	79.69	55dB	5.5	454%	Day
1922	2025-05-10 14:20:03	72.03	55dB	3.3	226%	Day
1923	2025-05-10 14:22:16	72.19	55dB	3.3	229%	Day
1924	2025-05-10 14:24:32	67.39	55dB	2.4	136%	Day
1925	2025-05-10 14:26:20	71.63	55dB	3.2	217%	Day
1926	2025-05-10 14:28:31	78.07	55dB	4.9	395%	Day
1927	2025-05-10 14:30:46	68.32	55dB	2.5	152%	Day
1928	2025-05-10 14:32:05	67.71	55dB	2.4	141%	Day
1929	2025-05-10 14:33:30	69.85	55dB	2.8	180%	Day
1930	2025-05-10 14:34:53	70.49	55dB	2.9	193%	Day

1931	2025-05-10 14:36:23	80.27	55dB	5.8	476%	Day
1932	2025-05-10 14:37:40	N/A	55dB	N/A	N/A	Day
1933	2025-05-10 14:38:54	71.21	55dB	3.1	208%	Day
1934	2025-05-10 14:41:04	74.83	55dB	4.0	295%	Day
1935	2025-05-10 14:43:28	72.00	55dB	3.2	225%	Day
1936	2025-05-10 14:46:10	71.03	55dB	3.0	204%	Day
1937	2025-05-10 14:48:33	89.75	55dB	11.1	1012%	Day
1938	2025-05-10 14:55:33	70.83	55dB	3.0	200%	Day
1939	2025-05-10 14:57:43	68.45	55dB	2.5	154%	Day
1940	2025-05-10 14:58:53	73.18	55dB	3.5	253%	Day
1941	2025-05-10 15:00:51	69.66	55dB	2.8	176%	Day
1942	2025-05-10 15:02:10	N/A	55dB	N/A	N/A	Day
1943	2025-05-10 15:03:26	66.71	55dB	2.3	125%	Day
1944	2025-05-10 15:05:29	74.99	55dB	4.0	300%	Day
1945	2025-05-10 15:07:18	N/A	55dB	N/A	N/A	Day
1946	2025-05-10 15:08:35	N/A	55dB	N/A	N/A	Day
1947	2025-05-10 15:10:16	N/A	55dB	N/A	N/A	Day
1948	2025-05-10 15:12:23	69.67	55dB	2.8	176%	Day
1949	2025-05-10 15:14:06	77.64	55dB	4.8	380%	Day
1950	2025-05-10 15:18:47	69.54	55dB	2.7	174%	Day
1951	2025-05-10 15:20:02	73.16	55dB	3.5	252%	Day
1952	2025-05-10 15:21:52	N/A	55dB	N/A	N/A	Day
1953	2025-05-10 15:23:04	68.85	55dB	2.6	161%	Day
1954	2025-05-10 15:24:07	69.79	55dB	2.8	179%	Day
1955	2025-05-10 15:25:32	70.44	55dB	2.9	192%	Day
1956	2025-05-10 15:26:36	74.83	55dB	4.0	295%	Day
1957	2025-05-10 15:28:19	82.30	55dB	6.6	563%	Day
1958	2025-05-10 15:30:34	69.63	55dB	2.8	176%	Day
1959	2025-05-10 15:33:08	73.65	55dB	3.6	264%	Day
1960	2025-05-10 15:35:28	66.70	55dB	2.3	125%	Day
1961	2025-05-10 15:37:03	69.97	55dB	2.8	182%	Day
1962	2025-05-10 15:38:46	70.59	55dB	2.9	195%	Day
1963	2025-05-10 15:41:01	N/A	55dB	N/A	N/A	Day
1964	2025-05-10 15:42:05	68.21	55dB	2.5	150%	Day
1965	2025-05-10 15:43:21	69.96	55dB	2.8	182%	Day
1966	2025-05-10 15:44:46	N/A	55dB	N/A	N/A	Day
1967	2025-05-10 15:46:24	N/A	55dB	N/A	N/A	Day
1968	2025-05-10 15:48:50	74.49	55dB	3.9	286%	Day
1969	2025-05-10 15:50:51	N/A	55dB	N/A	N/A	Day
1970	2025-05-10 15:52:19	72.67	55dB	3.4	240%	Day
1971	2025-05-10 15:57:09	70.73	55dB	3.0	198%	Day
1972	2025-05-10 15:58:56	75.96	55dB	4.3	328%	Day
1973	2025-05-10 16:00:54	74.59	55dB	3.9	289%	Day
1974	2025-05-10 16:03:58	75.13	55dB	4.0	304%	Day

1975	2025-05-10 16:06:36	74.02	55dB	3.7	274%	Day
1976	2025-05-10 16:08:26	71.22	55dB	3.1	208%	Day
1977	2025-05-10 16:09:37	70.06	55dB	2.8	184%	Day
1978	2025-05-10 16:11:02	75.28	55dB	4.1	308%	Day
1979	2025-05-10 16:12:19	68.90	55dB	2.6	162%	Day
1980	2025-05-10 16:14:18	74.59	55dB	3.9	289%	Day
1981	2025-05-10 16:15:53	72.61	55dB	3.4	239%	Day
1982	2025-05-10 16:17:55	71.75	55dB	3.2	219%	Day
1983	2025-05-10 16:19:15	72.80	55dB	3.4	243%	Day
1984	2025-05-10 16:22:26	72.98	55dB	3.5	248%	Day
1985	2025-05-10 16:23:57	70.66	55dB	3.0	196%	Day
1986	2025-05-10 16:25:11	82.12	55dB	6.6	555%	Day
1987	2025-05-10 16:27:07	N/A	55dB	N/A	N/A	Day
1988	2025-05-10 16:28:17	80.40	55dB	5.8	482%	Day
1989	2025-05-10 16:30:09	75.43	55dB	4.1	312%	Day
1990	2025-05-10 16:32:16	71.27	55dB	3.1	209%	Day
1991	2025-05-10 16:33:30	68.74	55dB	2.6	159%	Day
1992	2025-05-10 16:35:08	N/A	55dB	N/A	N/A	Day
1993	2025-05-10 16:36:26	73.49	55dB	3.6	260%	Day
1994	2025-05-10 16:38:24	77.61	55dB	4.8	379%	Day
1995	2025-05-10 16:40:01	72.52	55dB	3.4	237%	Day
1996	2025-05-10 16:42:56	71.53	55dB	3.1	214%	Day
1997	2025-05-10 16:44:31	73.03	55dB	3.5	249%	Day
1998	2025-05-10 16:47:01	73.99	55dB	3.7	273%	Day
1999	2025-05-10 16:48:16	74.46	55dB	3.9	285%	Day
2000	2025-05-10 16:49:35	71.18	55dB	3.1	207%	Day
2001	2025-05-10 16:50:53	75.23	55dB	4.1	306%	Day
2002	2025-05-10 16:52:21	74.80	55dB	3.9	294%	Day
2003	2025-05-10 16:54:33	73.48	55dB	3.6	260%	Day
2004	2025-05-10 16:56:40	N/A	55dB	N/A	N/A	Day
2005	2025-05-10 16:57:54	76.62	55dB	4.5	348%	Day
2006	2025-05-10 16:59:12	N/A	55dB	N/A	N/A	Day
2007	2025-05-10 17:00:25	N/A	55dB	N/A	N/A	Day
2008	2025-05-10 17:02:25	N/A	55dB	N/A	N/A	Day
2009	2025-05-10 17:06:34	71.96	55dB	3.2	224%	Day
2010	2025-05-10 17:07:43	N/A	55dB	N/A	N/A	Day
2011	2025-05-10 17:09:02	78.01	55dB	4.9	393%	Day
2012	2025-05-10 17:10:09	70.15	55dB	2.9	186%	Day
2013	2025-05-10 17:12:36	70.81	55dB	3.0	199%	Day
2014	2025-05-10 17:13:50	N/A	55dB	N/A	N/A	Day
2015	2025-05-10 17:15:09	70.49	55dB	2.9	193%	Day
2016	2025-05-10 17:16:33	68.22	55dB	2.5	150%	Day
2017	2025-05-10 17:17:51	N/A	55dB	N/A	N/A	Day
2018	2025-05-10 17:19:28	67.19	55dB	2.3	133%	Day

2019	2025-05-10 19:05:35	70.45	55dB	2.9	192%	Day
2020	2025-05-10 19:07:43	75.43	55dB	4.1	312%	Day
2021	2025-05-10 19:22:40	78.51	55dB	5.1	410%	Day
2022	2025-05-10 19:26:45	N/A	55dB	N/A	N/A	Day
2023	2025-05-10 19:35:13	68.36	55dB	2.5	152%	Day
2024	2025-05-10 19:36:56	N/A	55dB	N/A	N/A	Day
2025	2025-05-10 19:41:04	N/A	55dB	N/A	N/A	Day
2026	2025-05-10 20:45:15	N/A	55dB	N/A	N/A	Day
2027	2025-05-10 20:50:48	N/A	55dB	N/A	N/A	Day
2028	2025-05-10 21:17:46	N/A	55dB	N/A	N/A	Day
2029	2025-05-10 21:28:26	70.46	55dB	2.9	192%	Day
2030	2025-05-11 06:31:49	67.64	45dB	4.8	380%	Night
2031	2025-05-11 06:32:58	N/A	45dB	N/A	N/A	Night
2032	2025-05-11 06:36:09	N/A	45dB	N/A	N/A	Night
2033	2025-05-11 06:37:55	68.55	45dB	5.1	412%	Night
2034	2025-05-11 06:38:47	72.81	45dB	6.9	587%	Night
2035	2025-05-11 06:39:35	N/A	45dB	N/A	N/A	Night
2036	2025-05-11 06:40:48	N/A	45dB	N/A	N/A	Night
2037	2025-05-11 06:43:21	73.58	45dB	7.3	625%	Night
2038	2025-05-11 06:44:26	N/A	45dB	N/A	N/A	Night
2039	2025-05-11 06:45:17	73.39	45dB	7.2	616%	Night
2040	2025-05-11 06:46:07	71.98	45dB	6.5	549%	Night
2041	2025-05-11 06:46:52	71.50	45dB	6.3	528%	Night
2042	2025-05-11 06:47:47	N/A	45dB	N/A	N/A	Night
2043	2025-05-11 06:48:49	74.41	45dB	7.7	668%	Night
2044	2025-05-11 06:49:41	N/A	45dB	N/A	N/A	Night
2045	2025-05-11 06:50:36	N/A	45dB	N/A	N/A	Night
2046	2025-05-11 06:51:54	N/A	45dB	N/A	N/A	Night
2047	2025-05-11 06:52:38	N/A	45dB	N/A	N/A	Night
2048	2025-05-11 06:53:23	N/A	45dB	N/A	N/A	Night
2049	2025-05-11 06:54:15	N/A	45dB	N/A	N/A	Night
2050	2025-05-11 06:55:05	77.81	45dB	9.7	872%	Night
2051	2025-05-11 06:55:45	73.31	45dB	7.1	612%	Night
2052	2025-05-11 06:56:49	N/A	45dB	N/A	N/A	Night
2053	2025-05-11 07:05:48	71.80	55dB	3.2	220%	Day
2054	2025-05-11 07:07:27	N/A	55dB	N/A	N/A	Day
2055	2025-05-11 07:09:09	N/A	55dB	N/A	N/A	Day
2056	2025-05-11 07:10:22	N/A	55dB	N/A	N/A	Day
2057	2025-05-11 07:14:32	73.01	55dB	3.5	248%	Day
2058	2025-05-11 07:16:39	N/A	55dB	N/A	N/A	Day
2059	2025-05-11 07:17:44	69.29	55dB	2.7	169%	Day
2060	2025-05-11 07:20:02	N/A	55dB	N/A	N/A	Day
2061	2025-05-11 07:21:27	N/A	55dB	N/A	N/A	Day
2062	2025-05-11 07:22:45	N/A	55dB	N/A	N/A	Day

2063	2025-05-11 07:23:54	N/A	55dB	N/A	N/A	Day
2064	2025-05-11 07:25:58	N/A	55dB	N/A	N/A	Day
2065	2025-05-11 07:28:21	N/A	55dB	N/A	N/A	Day
2066	2025-05-11 07:29:50	N/A	55dB	N/A	N/A	Day
2067	2025-05-11 07:35:04	N/A	55dB	N/A	N/A	Day
2068	2025-05-11 07:39:13	77.87	55dB	4.9	388%	Day
2069	2025-05-11 07:40:39	N/A	55dB	N/A	N/A	Day
2070	2025-05-11 07:42:57	N/A	55dB	N/A	N/A	Day
2071	2025-05-11 07:44:05	N/A	55dB	N/A	N/A	Day
2072	2025-05-11 07:47:30	N/A	55dB	N/A	N/A	Day
2073	2025-05-11 07:54:10	80.00	55dB	5.7	466%	Day
2074	2025-05-11 07:57:46	N/A	55dB	N/A	N/A	Day
2075	2025-05-11 07:59:44	N/A	55dB	N/A	N/A	Day
2076	2025-05-11 08:00:48	68.99	55dB	2.6	164%	Day
2077	2025-05-11 08:01:53	N/A	55dB	N/A	N/A	Day
2078	2025-05-11 08:02:47	74.07	55dB	3.8	275%	Day
2079	2025-05-11 08:03:55	68.22	55dB	2.5	150%	Day
2080	2025-05-11 08:05:09	N/A	55dB	N/A	N/A	Day
2081	2025-05-11 08:06:09	N/A	55dB	N/A	N/A	Day
2082	2025-05-11 08:07:06	69.72	55dB	2.8	177%	Day
2083	2025-05-11 08:08:23	N/A	55dB	N/A	N/A	Day
2084	2025-05-11 08:09:08	N/A	55dB	N/A	N/A	Day
2085	2025-05-11 08:10:30	70.50	55dB	2.9	193%	Day
2086	2025-05-11 08:17:06	71.96	55dB	3.2	224%	Day
2087	2025-05-11 08:18:30	N/A	55dB	N/A	N/A	Day
2088	2025-05-11 08:19:25	77.85	55dB	4.9	387%	Day
2089	2025-05-11 08:20:11	72.22	55dB	3.3	230%	Day
2090	2025-05-11 08:21:04	71.81	55dB	3.2	221%	Day
2091	2025-05-11 08:22:00	N/A	55dB	N/A	N/A	Day
2092	2025-05-11 08:23:41	N/A	55dB	N/A	N/A	Day
2093	2025-05-11 08:26:02	72.32	55dB	3.3	232%	Day
2094	2025-05-11 08:27:06	73.39	55dB	3.6	258%	Day
2095	2025-05-11 08:27:54	70.66	55dB	3.0	196%	Day
2096	2025-05-11 08:28:51	78.35	55dB	5.0	405%	Day
2097	2025-05-11 08:30:16	87.27	55dB	9.4	836%	Day
2098	2025-05-11 08:31:39	72.79	55dB	3.4	243%	Day
2099	2025-05-11 08:33:03	N/A	55dB	N/A	N/A	Day
2100	2025-05-11 08:34:57	87.62	55dB	9.6	859%	Day
2101	2025-05-11 08:35:54	71.86	55dB	3.2	222%	Day
2102	2025-05-11 08:36:57	84.95	55dB	8.0	697%	Day
2103	2025-05-11 08:38:31	N/A	55dB	N/A	N/A	Day
2104	2025-05-11 08:40:31	71.79	55dB	3.2	220%	Day
2105	2025-05-11 08:41:52	N/A	55dB	N/A	N/A	Day
2106	2025-05-11 08:44:07	N/A	55dB	N/A	N/A	Day

2107	2025-05-11 08:45:10	74.67	55dB	3.9	291%	Day
2108	2025-05-11 08:46:01	70.85	55dB	3.0	200%	Day
2109	2025-05-11 08:47:12	71.27	55dB	3.1	209%	Day
2110	2025-05-11 08:48:09	75.64	55dB	4.2	318%	Day
2111	2025-05-11 08:49:07	74.33	55dB	3.8	282%	Day
2112	2025-05-11 08:51:10	N/A	55dB	N/A	N/A	Day
2113	2025-05-11 08:52:17	N/A	55dB	N/A	N/A	Day
2114	2025-05-11 08:53:47	N/A	55dB	N/A	N/A	Day
2115	2025-05-11 08:55:32	N/A	55dB	N/A	N/A	Day
2116	2025-05-11 08:57:43	74.64	55dB	3.9	290%	Day
2117	2025-05-11 08:59:09	N/A	55dB	N/A	N/A	Day
2118	2025-05-11 09:01:08	70.93	55dB	3.0	202%	Day
2119	2025-05-11 09:02:46	N/A	55dB	N/A	N/A	Day
2120	2025-05-11 09:07:56	N/A	55dB	N/A	N/A	Day
2121	2025-05-11 09:09:22	73.50	55dB	3.6	261%	Day
2122	2025-05-11 09:10:54	N/A	55dB	N/A	N/A	Day
2123	2025-05-11 09:12:59	N/A	55dB	N/A	N/A	Day
2124	2025-05-11 09:13:54	71.90	55dB	3.2	223%	Day
2125	2025-05-11 09:14:51	N/A	55dB	N/A	N/A	Day
2126	2025-05-11 09:15:43	71.95	55dB	3.2	224%	Day
2127	2025-05-11 09:16:43	N/A	55dB	N/A	N/A	Day
2128	2025-05-11 09:17:34	69.19	55dB	2.7	167%	Day
2129	2025-05-11 09:18:50	N/A	55dB	N/A	N/A	Day
2130	2025-05-11 09:20:18	74.57	55dB	3.9	288%	Day
2131	2025-05-11 09:22:48	67.28	55dB	2.3	134%	Day
2132	2025-05-11 09:24:03	80.39	55dB	5.8	481%	Day
2133	2025-05-11 09:25:50	N/A	55dB	N/A	N/A	Day
2134	2025-05-11 09:29:11	N/A	55dB	N/A	N/A	Day
2135	2025-05-11 09:30:42	75.95	55dB	4.3	327%	Day
2136	2025-05-11 09:31:30	N/A	55dB	N/A	N/A	Day
2137	2025-05-11 09:32:32	73.48	55dB	3.6	260%	Day
2138	2025-05-11 09:33:21	72.81	55dB	3.4	244%	Day
2139	2025-05-11 09:34:07	68.15	55dB	2.5	149%	Day
2140	2025-05-11 09:35:40	78.61	55dB	5.1	414%	Day
2141	2025-05-11 09:36:32	N/A	55dB	N/A	N/A	Day
2142	2025-05-11 09:37:24	N/A	55dB	N/A	N/A	Day
2143	2025-05-11 09:38:38	69.83	55dB	2.8	180%	Day
2144	2025-05-11 09:40:22	73.45	55dB	3.6	259%	Day
2145	2025-05-11 09:41:19	70.98	55dB	3.0	203%	Day
2146	2025-05-11 09:42:15	N/A	55dB	N/A	N/A	Day
2147	2025-05-11 09:43:40	N/A	55dB	N/A	N/A	Day
2148	2025-05-11 09:49:18	N/A	55dB	N/A	N/A	Day
2149	2025-05-11 09:51:07	N/A	55dB	N/A	N/A	Day
2150	2025-05-11 09:51:57	67.28	55dB	2.3	134%	Day

2151	2025-05-11 09:53:51	70.71	55dB	3.0	197%	Day
2152	2025-05-11 09:56:45	72.06	55dB	3.3	226%	Day
2153	2025-05-11 11:12:58	N/A	55dB	N/A	N/A	Day
2154	2025-05-11 13:30:02	N/A	55dB	N/A	N/A	Day
2155	2025-05-11 14:06:12	N/A	55dB	N/A	N/A	Day
2156	2025-05-11 15:23:01	77.89	55dB	4.9	389%	Day
2157	2025-05-11 19:06:25	N/A	55dB	N/A	N/A	Day
2158	2025-05-12 10:01:36	N/A	55dB	N/A	N/A	Day
2159	2025-05-12 12:25:11	N/A	55dB	N/A	N/A	Day
2160	2025-05-12 13:46:39	70.93	55dB	3.0	202%	Day
2161	2025-05-12 13:49:09	68.98	55dB	2.6	164%	Day
2162	2025-05-12 13:50:41	N/A	55dB	N/A	N/A	Day
2163	2025-05-12 13:54:21	70.02	55dB	2.8	183%	Day
2164	2025-05-12 13:56:28	67.17	55dB	2.3	132%	Day
2165	2025-05-12 13:59:23	N/A	55dB	N/A	N/A	Day
2166	2025-05-12 14:01:19	N/A	55dB	N/A	N/A	Day
2167	2025-05-12 14:09:27	N/A	55dB	N/A	N/A	Day
2168	2025-05-12 14:11:02	N/A	55dB	N/A	N/A	Day
2169	2025-05-12 14:12:12	70.32	55dB	2.9	189%	Day
2170	2025-05-12 14:14:26	72.57	55dB	3.4	238%	Day
2171	2025-05-12 14:16:44	N/A	55dB	N/A	N/A	Day
2172	2025-05-12 14:18:02	71.58	55dB	3.2	216%	Day
2173	2025-05-12 14:20:25	69.06	55dB	2.7	165%	Day
2174	2025-05-12 14:22:28	N/A	55dB	N/A	N/A	Day
2175	2025-05-12 14:24:17	71.92	55dB	3.2	223%	Day
2176	2025-05-12 14:27:58	N/A	55dB	N/A	N/A	Day
2177	2025-05-12 14:32:19	N/A	55dB	N/A	N/A	Day
2178	2025-05-12 14:33:41	N/A	55dB	N/A	N/A	Day
2179	2025-05-12 14:35:15	68.65	55dB	2.6	158%	Day
2180	2025-05-12 14:37:18	68.47	55dB	2.5	154%	Day
2181	2025-05-12 14:39:27	70.15	55dB	2.9	186%	Day
2182	2025-05-12 14:42:14	78.86	55dB	5.2	423%	Day
2183	2025-05-12 14:43:55	72.73	55dB	3.4	242%	Day
2184	2025-05-12 14:45:05	68.12	55dB	2.5	148%	Day
2185	2025-05-12 14:46:28	72.86	55dB	3.4	245%	Day
2186	2025-05-12 14:47:43	69.73	55dB	2.8	178%	Day
2187	2025-05-12 14:50:13	69.26	55dB	2.7	169%	Day
2188	2025-05-12 14:52:09	N/A	55dB	N/A	N/A	Day
2189	2025-05-12 14:53:30	68.33	55dB	2.5	152%	Day
2190	2025-05-12 14:55:32	N/A	55dB	N/A	N/A	Day
2191	2025-05-12 14:56:57	68.48	55dB	2.5	155%	Day
2192	2025-05-12 15:01:22	70.00	55dB	2.8	183%	Day
2193	2025-05-12 15:03:04	71.92	55dB	3.2	223%	Day
2194	2025-05-12 15:05:05	N/A	55dB	N/A	N/A	Day

2195	2025-05-12 15:06:28	N/A	55dB	N/A	N/A	Day
2196	2025-05-12 15:07:39	66.74	55dB	2.3	126%	Day
2197	2025-05-12 15:08:50	80.48	55dB	5.8	485%	Day
2198	2025-05-12 15:10:08	71.99	55dB	3.2	225%	Day
2199	2025-05-12 15:11:33	73.29	55dB	3.6	255%	Day
2200	2025-05-12 15:13:22	69.96	55dB	2.8	182%	Day
2201	2025-05-12 15:14:37	N/A	55dB	N/A	N/A	Day
2202	2025-05-12 15:17:20	75.50	55dB	4.1	314%	Day
2203	2025-05-12 15:18:50	N/A	55dB	N/A	N/A	Day
2204	2025-05-12 15:20:14	66.83	55dB	2.3	127%	Day
2205	2025-05-12 15:21:37	N/A	55dB	N/A	N/A	Day
2206	2025-05-12 15:22:50	73.29	55dB	3.6	255%	Day
2207	2025-05-12 15:26:35	N/A	55dB	N/A	N/A	Day
2208	2025-05-12 15:27:48	74.66	55dB	3.9	291%	Day
2209	2025-05-12 15:29:08	75.33	55dB	4.1	309%	Day
2210	2025-05-12 15:31:19	69.55	55dB	2.7	174%	Day
2211	2025-05-12 15:32:39	70.55	55dB	2.9	194%	Day
2212	2025-05-12 15:34:03	67.52	55dB	2.4	138%	Day
2213	2025-05-12 15:37:04	68.91	55dB	2.6	162%	Day
2214	2025-05-12 15:38:21	77.34	55dB	4.7	370%	Day
2215	2025-05-12 15:39:32	68.70	55dB	2.6	158%	Day
2216	2025-05-12 15:41:04	69.78	55dB	2.8	179%	Day
2217	2025-05-12 15:42:28	71.78	55dB	3.2	220%	Day
2218	2025-05-12 15:44:39	67.80	55dB	2.4	143%	Day
2219	2025-05-12 15:46:13	67.28	55dB	2.3	134%	Day
2220	2025-05-12 15:47:38	N/A	55dB	N/A	N/A	Day
2221	2025-05-12 15:48:49	N/A	55dB	N/A	N/A	Day
2222	2025-05-12 15:50:48	72.29	55dB	3.3	231%	Day
2223	2025-05-12 15:55:31	70.60	55dB	2.9	195%	Day
2224	2025-05-12 15:57:24	N/A	55dB	N/A	N/A	Day
2225	2025-05-12 15:58:39	69.77	55dB	2.8	178%	Day
2226	2025-05-12 16:00:25	75.26	55dB	4.1	307%	Day
2227	2025-05-12 16:05:44	79.02	55dB	5.3	429%	Day
2228	2025-05-12 16:07:49	N/A	55dB	N/A	N/A	Day
2229	2025-05-12 16:09:22	N/A	55dB	N/A	N/A	Day
2230	2025-05-12 16:12:30	N/A	55dB	N/A	N/A	Day
2231	2025-05-12 16:14:13	69.06	55dB	2.7	165%	Day
2232	2025-05-12 16:17:25	N/A	55dB	N/A	N/A	Day
2233	2025-05-12 16:18:56	71.53	55dB	3.1	214%	Day
2234	2025-05-12 16:21:10	N/A	55dB	N/A	N/A	Day
2235	2025-05-12 16:23:06	N/A	55dB	N/A	N/A	Day
2236	2025-05-12 16:24:39	68.09	55dB	2.5	148%	Day
2237	2025-05-12 16:25:47	74.86	55dB	4.0	296%	Day
2238	2025-05-12 16:27:07	N/A	55dB	N/A	N/A	Day

2239	2025-05-12 16:29:15	N/A	55dB	N/A	N/A	Day
2240	2025-05-12 16:30:33	70.09	55dB	2.8	185%	Day
2241	2025-05-12 16:32:00	68.92	55dB	2.6	162%	Day
2242	2025-05-12 16:34:31	N/A	55dB	N/A	N/A	Day
2243	2025-05-12 16:36:06	N/A	55dB	N/A	N/A	Day
2244	2025-05-12 16:37:43	N/A	55dB	N/A	N/A	Day
2245	2025-05-12 16:39:12	72.62	55dB	3.4	239%	Day
2246	2025-05-12 16:40:28	N/A	55dB	N/A	N/A	Day
2247	2025-05-12 16:41:31	N/A	55dB	N/A	N/A	Day
2248	2025-05-12 16:42:45	N/A	55dB	N/A	N/A	Day
2249	2025-05-12 16:44:09	69.01	55dB	2.6	164%	Day
2250	2025-05-12 16:47:34	N/A	55dB	N/A	N/A	Day
2251	2025-05-12 16:49:05	N/A	55dB	N/A	N/A	Day
2252	2025-05-12 16:50:25	67.92	55dB	2.4	145%	Day
2253	2025-05-12 16:51:33	N/A	55dB	N/A	N/A	Day
2254	2025-05-12 16:52:42	73.06	55dB	3.5	250%	Day
2255	2025-05-12 16:53:57	78.44	55dB	5.1	408%	Day
2256	2025-05-12 16:55:11	N/A	55dB	N/A	N/A	Day
2257	2025-05-12 16:56:36	71.48	55dB	3.1	213%	Day
2258	2025-05-12 16:58:06	68.75	55dB	2.6	159%	Day
2259	2025-05-12 16:59:32	N/A	55dB	N/A	N/A	Day
2260	2025-05-12 17:01:24	76.54	55dB	4.5	345%	Day
2261	2025-05-12 17:03:14	66.53	55dB	2.2	122%	Day
2262	2025-05-12 17:04:43	70.02	55dB	2.8	183%	Day
2263	2025-05-12 17:06:01	N/A	55dB	N/A	N/A	Day
2264	2025-05-12 17:07:14	N/A	55dB	N/A	N/A	Day
2265	2025-05-12 17:08:25	N/A	55dB	N/A	N/A	Day
2266	2025-05-12 17:09:46	66.57	55dB	2.2	123%	Day
2267	2025-05-12 17:11:13	N/A	55dB	N/A	N/A	Day
2268	2025-05-12 17:12:24	70.69	55dB	3.0	197%	Day
2269	2025-05-12 17:13:48	N/A	55dB	N/A	N/A	Day
2270	2025-05-12 17:15:24	69.87	55dB	2.8	180%	Day
2271	2025-05-12 17:17:37	N/A	55dB	N/A	N/A	Day
2272	2025-05-12 17:18:41	69.21	55dB	2.7	168%	Day
2273	2025-05-12 17:20:14	N/A	55dB	N/A	N/A	Day
2274	2025-05-12 17:21:51	71.95	55dB	3.2	224%	Day
2275	2025-05-12 17:23:42	67.45	55dB	2.4	137%	Day
2276	2025-05-12 17:25:36	N/A	55dB	N/A	N/A	Day
2277	2025-05-12 17:26:55	N/A	55dB	N/A	N/A	Day
2278	2025-05-12 17:28:07	N/A	55dB	N/A	N/A	Day
2279	2025-05-12 17:29:23	N/A	55dB	N/A	N/A	Day
2280	2025-05-12 17:31:00	68.11	55dB	2.5	148%	Day
2281	2025-05-12 17:32:17	N/A	55dB	N/A	N/A	Day
2282	2025-05-12 17:33:32	73.87	55dB	3.7	270%	Day

2283	2025-05-12 17:34:49	N/A	55dB	N/A	N/A	Day
2284	2025-05-12 17:35:58	73.77	55dB	3.7	267%	Day
2285	2025-05-12 17:37:16	69.86	55dB	2.8	180%	Day
2286	2025-05-12 17:38:36	77.82	55dB	4.9	386%	Day
2287	2025-05-12 17:40:47	75.56	55dB	4.2	316%	Day
2288	2025-05-12 17:42:44	N/A	55dB	N/A	N/A	Day
2289	2025-05-12 17:46:54	N/A	55dB	N/A	N/A	Day
2290	2025-05-12 17:48:36	67.95	55dB	2.5	145%	Day
2291	2025-05-12 17:49:58	66.74	55dB	2.3	126%	Day
2292	2025-05-12 17:51:15	N/A	55dB	N/A	N/A	Day
2293	2025-05-12 17:52:46	N/A	55dB	N/A	N/A	Day
2294	2025-05-12 17:54:23	N/A	55dB	N/A	N/A	Day
2295	2025-05-12 17:55:39	76.23	55dB	4.4	336%	Day
2296	2025-05-12 17:57:21	N/A	55dB	N/A	N/A	Day
2297	2025-05-12 17:59:25	72.92	55dB	3.5	246%	Day
2298	2025-05-12 18:06:06	72.66	55dB	3.4	240%	Day
2299	2025-05-12 18:09:16	68.78	55dB	2.6	160%	Day
2300	2025-05-12 18:10:31	66.34	55dB	2.2	119%	Day
2301	2025-05-12 18:12:07	69.37	55dB	2.7	171%	Day
2302	2025-05-12 18:13:26	78.91	55dB	5.2	425%	Day
2303	2025-05-12 18:15:54	68.99	55dB	2.6	164%	Day
2304	2025-05-12 18:17:05	71.93	55dB	3.2	223%	Day
2305	2025-05-12 18:18:16	N/A	55dB	N/A	N/A	Day
2306	2025-05-12 18:19:32	79.92	55dB	5.6	463%	Day
2307	2025-05-12 18:21:49	69.67	55dB	2.8	176%	Day
2308	2025-05-12 18:23:44	68.62	55dB	2.6	157%	Day
2309	2025-05-12 18:24:54	67.82	55dB	2.4	143%	Day
2310	2025-05-12 18:26:04	N/A	55dB	N/A	N/A	Day
2311	2025-05-12 18:27:22	N/A	55dB	N/A	N/A	Day
2312	2025-05-12 18:28:46	67.99	55dB	2.5	146%	Day
2313	2025-05-12 18:30:30	69.78	55dB	2.8	179%	Day
2314	2025-05-12 18:33:14	70.75	55dB	3.0	198%	Day
2315	2025-05-12 18:38:27	70.36	55dB	2.9	190%	Day
2316	2025-05-12 18:39:55	71.80	55dB	3.2	220%	Day
2317	2025-05-12 18:41:24	N/A	55dB	N/A	N/A	Day
2318	2025-05-12 18:42:47	65.86	55dB	2.1	112%	Day
2319	2025-05-12 18:44:15	N/A	55dB	N/A	N/A	Day
2320	2025-05-12 18:46:57	N/A	55dB	N/A	N/A	Day
2321	2025-05-12 18:48:35	73.13	55dB	3.5	251%	Day
2322	2025-05-12 18:50:03	70.57	55dB	2.9	194%	Day
2323	2025-05-12 18:52:10	N/A	55dB	N/A	N/A	Day
2324	2025-05-12 18:53:33	81.83	55dB	6.4	542%	Day
2325	2025-05-12 18:54:42	72.24	55dB	3.3	230%	Day
2326	2025-05-12 18:56:24	N/A	55dB	N/A	N/A	Day

2327	2025-05-12 18:58:48	72.66	55dB	3.4	240%	Day
2328	2025-05-12 19:00:31	N/A	55dB	N/A	N/A	Day
2329	2025-05-12 19:02:02	N/A	55dB	N/A	N/A	Day
2330	2025-05-12 19:03:47	72.88	55dB	3.5	245%	Day
2331	2025-05-12 19:05:45	69.00	55dB	2.6	164%	Day
2332	2025-05-12 19:07:03	69.92	55dB	2.8	181%	Day
2333	2025-05-12 19:08:40	73.18	55dB	3.5	253%	Day
2334	2025-05-12 19:12:08	68.53	55dB	2.6	155%	Day
2335	2025-05-12 19:14:32	N/A	55dB	N/A	N/A	Day
2336	2025-05-12 19:15:55	70.59	55dB	2.9	195%	Day
2337	2025-05-12 19:17:31	66.50	55dB	2.2	122%	Day
2338	2025-05-12 19:18:53	N/A	55dB	N/A	N/A	Day
2339	2025-05-12 19:20:07	68.73	55dB	2.6	159%	Day
2340	2025-05-12 19:21:18	N/A	55dB	N/A	N/A	Day
2341	2025-05-12 19:23:38	71.81	55dB	3.2	221%	Day
2342	2025-05-12 19:25:26	69.24	55dB	2.7	168%	Day
2343	2025-05-12 19:27:06	68.69	55dB	2.6	158%	Day
2344	2025-05-12 19:28:20	N/A	55dB	N/A	N/A	Day
2345	2025-05-12 19:30:01	71.92	55dB	3.2	223%	Day
2346	2025-05-12 19:31:52	N/A	55dB	N/A	N/A	Day
2347	2025-05-12 19:33:18	69.02	55dB	2.6	164%	Day
2348	2025-05-12 19:38:38	70.68	55dB	3.0	196%	Day
2349	2025-05-12 19:40:37	N/A	55dB	N/A	N/A	Day
2350	2025-05-12 19:46:39	71.32	55dB	3.1	210%	Day
2351	2025-05-12 19:48:48	67.93	55dB	2.5	145%	Day
2352	2025-05-12 19:50:08	66.75	55dB	2.3	126%	Day
2353	2025-05-12 19:51:50	67.52	55dB	2.4	138%	Day
2354	2025-05-12 19:53:06	68.87	55dB	2.6	162%	Day
2355	2025-05-12 19:55:21	68.81	55dB	2.6	160%	Day
2356	2025-05-12 19:56:56	72.82	55dB	3.4	244%	Day
2357	2025-05-12 19:58:44	70.05	55dB	2.8	184%	Day
2358	2025-05-12 19:59:58	69.22	55dB	2.7	168%	Day
2359	2025-05-12 20:01:26	68.83	55dB	2.6	161%	Day
2360	2025-05-12 20:03:08	N/A	55dB	N/A	N/A	Day
2361	2025-05-12 20:04:33	72.44	55dB	3.3	235%	Day
2362	2025-05-12 20:05:58	72.34	55dB	3.3	233%	Day
2363	2025-05-12 20:08:08	67.79	55dB	2.4	143%	Day
2364	2025-05-12 20:09:26	67.42	55dB	2.4	137%	Day
2365	2025-05-12 20:11:02	68.99	55dB	2.6	164%	Day
2366	2025-05-12 20:13:03	67.32	55dB	2.3	135%	Day
2367	2025-05-12 20:16:01	68.13	55dB	2.5	148%	Day
2368	2025-05-12 20:18:30	71.03	55dB	3.0	204%	Day
2369	2025-05-12 20:20:23	74.39	55dB	3.8	283%	Day
2370	2025-05-12 20:22:36	67.91	55dB	2.4	145%	Day

2371	2025-05-12 20:23:49	74.04	55dB	3.7	274%	Day
2372	2025-05-12 20:25:46	69.99	55dB	2.8	183%	Day
2373	2025-05-12 20:27:38	69.94	55dB	2.8	182%	Day
2374	2025-05-12 20:29:35	69.44	55dB	2.7	172%	Day
2375	2025-05-12 20:30:51	N/A	55dB	N/A	N/A	Day
2376	2025-05-12 20:32:55	71.43	55dB	3.1	212%	Day
2377	2025-05-12 20:34:17	69.09	55dB	2.7	166%	Day
2378	2025-05-12 20:36:36	69.61	55dB	2.8	175%	Day
2379	2025-05-12 20:42:56	68.63	55dB	2.6	157%	Day
2380	2025-05-12 20:46:15	68.64	55dB	2.6	157%	Day
2381	2025-05-12 20:52:32	67.55	55dB	2.4	139%	Day
2382	2025-05-12 20:54:36	66.87	55dB	2.3	128%	Day
2383	2025-05-12 20:56:04	69.26	55dB	2.7	169%	Day
2384	2025-05-12 20:57:36	69.13	55dB	2.7	166%	Day
2385	2025-05-12 20:59:02	N/A	55dB	N/A	N/A	Day
2386	2025-05-12 21:00:14	69.12	55dB	2.7	166%	Day
2387	2025-05-12 21:02:11	N/A	55dB	N/A	N/A	Day
2388	2025-05-12 21:04:14	70.56	55dB	2.9	194%	Day
2389	2025-05-12 21:07:35	67.50	55dB	2.4	138%	Day
2390	2025-05-12 21:08:57	69.62	55dB	2.8	175%	Day
2391	2025-05-12 21:10:13	70.71	55dB	3.0	197%	Day
2392	2025-05-12 21:11:54	68.79	55dB	2.6	160%	Day
2393	2025-05-12 21:13:32	69.18	55dB	2.7	167%	Day
2394	2025-05-12 21:15:01	69.65	55dB	2.8	176%	Day
2395	2025-05-12 21:18:37	72.21	55dB	3.3	230%	Day
2396	2025-05-12 21:20:01	70.54	55dB	2.9	194%	Day
2397	2025-05-12 21:21:46	N/A	55dB	N/A	N/A	Day
2398	2025-05-12 21:28:43	72.64	55dB	3.4	240%	Day
2399	2025-05-12 21:31:23	67.54	55dB	2.4	139%	Day
2400	2025-05-12 21:41:34	N/A	55dB	N/A	N/A	Day
2401	2025-05-12 21:45:08	67.98	55dB	2.5	146%	Day
2402	2025-05-12 21:47:27	N/A	55dB	N/A	N/A	Day
2403	2025-05-12 21:53:25	70.19	55dB	2.9	187%	Day
2404	2025-05-12 21:55:13	67.49	55dB	2.4	138%	Day
2405	2025-05-12 21:56:51	68.04	55dB	2.5	147%	Day
2406	2025-05-12 21:58:19	67.84	55dB	2.4	144%	Day
2407	2025-05-12 22:01:19	68.46	55dB	2.5	154%	Day
2408	2025-05-12 22:03:13	69.20	55dB	2.7	168%	Day
2409	2025-05-12 22:06:55	70.74	55dB	3.0	198%	Day
2410	2025-05-12 22:10:40	68.33	55dB	2.5	152%	Day
2411	2025-05-12 22:13:02	71.78	55dB	3.2	220%	Day
2412	2025-05-12 22:15:07	N/A	55dB	N/A	N/A	Day
2413	2025-05-12 22:22:39	66.59	55dB	2.2	123%	Day
2414	2025-05-12 22:24:26	68.03	55dB	2.5	147%	Day

2415	2025-05-12 22:27:10	N/A	55dB	N/A	N/A	Day
2416	2025-05-12 22:32:15	66.99	55dB	2.3	130%	Day
2417	2025-05-12 22:34:17	68.80	55dB	2.6	160%	Day
2418	2025-05-12 22:35:39	69.28	55dB	2.7	169%	Day
2419	2025-05-12 22:36:52	N/A	55dB	N/A	N/A	Day
2420	2025-05-12 22:38:19	68.29	55dB	2.5	151%	Day
2421	2025-05-12 22:41:16	67.30	55dB	2.3	135%	Day
2422	2025-05-12 22:43:16	N/A	55dB	N/A	N/A	Day
2423	2025-05-12 22:45:02	70.56	55dB	2.9	194%	Day
2424	2025-05-12 22:47:10	73.74	55dB	3.7	267%	Day
2425	2025-05-12 22:49:27	N/A	55dB	N/A	N/A	Day
2426	2025-05-12 22:51:14	N/A	55dB	N/A	N/A	Day
2427	2025-05-12 22:58:11	70.00	55dB	2.8	183%	Day
2428	2025-05-12 23:01:51	N/A	45dB	N/A	N/A	Night
2429	2025-05-12 23:03:12	68.76	45dB	5.2	419%	Night
2430	2025-05-12 23:08:42	88.98	45dB	21.1	2008%	Night
2431	2025-05-12 23:10:31	N/A	45dB	N/A	N/A	Night
2432	2025-05-12 23:11:55	67.95	45dB	4.9	391%	Night
2433	2025-05-12 23:18:37	70.19	45dB	5.7	473%	Night
2434	2025-05-12 23:20:41	N/A	45dB	N/A	N/A	Night
2435	2025-05-12 23:22:38	68.76	45dB	5.2	419%	Night
2436	2025-05-12 23:32:44	74.16	45dB	7.5	655%	Night
2437	2025-05-12 23:37:36	76.67	45dB	9.0	798%	Night
2438	2025-05-12 23:39:13	73.09	45dB	7.0	601%	Night
2439	2025-05-12 23:40:45	73.50	45dB	7.2	621%	Night
2440	2025-05-12 23:42:06	N/A	45dB	N/A	N/A	Night
2441	2025-05-12 23:43:47	73.48	45dB	7.2	620%	Night
2442	2025-05-12 23:46:18	72.74	45dB	6.8	584%	Night
2443	2025-05-12 23:53:31	73.89	45dB	7.4	641%	Night
2444	2025-05-12 23:56:03	73.46	45dB	7.2	619%	Night
2445	2025-05-12 23:58:53	73.28	45dB	7.1	610%	Night
2446	2025-05-13 00:00:58	74.37	45dB	7.7	666%	Night
2447	2025-05-13 00:02:27	71.73	45dB	6.4	538%	Night
2448	2025-05-13 00:06:31	75.49	45dB	8.3	728%	Night
2449	2025-05-13 00:08:46	73.36	45dB	7.1	614%	Night
2450	2025-05-13 00:10:37	73.86	45dB	7.4	639%	Night
2451	2025-05-13 00:11:54	73.50	45dB	7.2	621%	Night
2452	2025-05-13 00:14:07	72.31	45dB	6.6	564%	Night
2453	2025-05-13 00:16:21	72.27	45dB	6.6	562%	Night
2454	2025-05-13 00:24:54	72.39	45dB	6.7	568%	Night
2455	2025-05-13 09:59:10	N/A	55dB	N/A	N/A	Day
2456	2025-05-13 10:00:41	N/A	55dB	N/A	N/A	Day
2457	2025-05-13 12:04:46	75.56	55dB	4.2	316%	Day
2458	2025-05-13 12:08:51	72.12	55dB	3.3	228%	Day

2459	2025-05-13 12:12:55	77.33	55dB	4.7	370%	Day
2460	2025-05-13 12:14:14	N/A	55dB	N/A	N/A	Day
2461	2025-05-13 12:17:15	N/A	55dB	N/A	N/A	Day
2462	2025-05-13 12:20:25	N/A	55dB	N/A	N/A	Day
2463	2025-05-13 12:21:24	72.49	55dB	3.4	236%	Day
2464	2025-05-13 12:24:03	77.56	55dB	4.8	378%	Day
2465	2025-05-13 12:26:08	66.43	55dB	2.2	121%	Day
2466	2025-05-13 12:28:38	69.85	55dB	2.8	180%	Day
2467	2025-05-13 12:30:36	67.89	55dB	2.4	144%	Day
2468	2025-05-13 12:32:39	72.39	55dB	3.3	234%	Day
2469	2025-05-13 12:35:47	71.03	55dB	3.0	204%	Day
2470	2025-05-13 12:36:57	74.37	55dB	3.8	283%	Day
2471	2025-05-13 12:37:55	71.62	55dB	3.2	216%	Day
2472	2025-05-13 12:39:02	73.02	55dB	3.5	249%	Day
2473	2025-05-13 12:40:05	70.29	55dB	2.9	189%	Day
2474	2025-05-13 12:41:16	74.44	55dB	3.8	285%	Day
2475	2025-05-13 12:42:21	69.54	55dB	2.7	174%	Day
2476	2025-05-13 12:43:32	73.34	55dB	3.6	257%	Day
2477	2025-05-13 12:44:55	68.40	55dB	2.5	153%	Day
2478	2025-05-13 12:45:54	71.03	55dB	3.0	204%	Day
2479	2025-05-13 12:47:00	74.03	55dB	3.7	274%	Day
2480	2025-05-13 12:53:23	69.35	55dB	2.7	170%	Day
2481	2025-05-13 12:55:16	78.44	55dB	5.1	408%	Day
2482	2025-05-13 13:01:02	72.46	55dB	3.4	235%	Day
2483	2025-05-13 13:10:05	N/A	55dB	N/A	N/A	Day
2484	2025-05-13 13:12:34	68.83	55dB	2.6	161%	Day
2485	2025-05-13 13:13:50	69.83	55dB	2.8	180%	Day
2486	2025-05-13 13:15:26	N/A	55dB	N/A	N/A	Day
2487	2025-05-13 13:19:49	67.86	55dB	2.4	144%	Day
2488	2025-05-13 13:21:09	73.47	55dB	3.6	260%	Day
2489	2025-05-13 13:22:13	80.20	55dB	5.7	474%	Day
2490	2025-05-13 13:28:19	74.97	55dB	4.0	299%	Day
2491	2025-05-13 13:31:41	76.32	55dB	4.4	338%	Day
2492	2025-05-13 13:33:00	71.43	55dB	3.1	212%	Day
2493	2025-05-13 13:34:27	74.68	55dB	3.9	291%	Day
2494	2025-05-13 13:35:35	74.82	55dB	4.0	295%	Day
2495	2025-05-13 13:37:30	72.42	55dB	3.3	234%	Day
2496	2025-05-13 13:38:27	74.05	55dB	3.7	275%	Day
2497	2025-05-13 13:39:28	73.46	55dB	3.6	260%	Day
2498	2025-05-13 13:40:03	77.07	55dB	4.6	362%	Day
2499	2025-05-13 13:41:51	N/A	55dB	N/A	N/A	Day
2500	2025-05-13 13:43:35	71.38	55dB	3.1	211%	Day
2501	2025-05-13 13:44:52	72.73	55dB	3.4	242%	Day
2502	2025-05-13 13:46:15	72.59	55dB	3.4	238%	Day

2503	2025-05-13 13:58:43	N/A	55dB	N/A	N/A	Day
2504	2025-05-13 14:10:06	N/A	55dB	N/A	N/A	Day
2505	2025-05-13 14:11:04	68.67	55dB	2.6	158%	Day
2506	2025-05-13 14:12:13	74.63	55dB	3.9	290%	Day
2507	2025-05-13 14:14:11	N/A	55dB	N/A	N/A	Day
2508	2025-05-13 14:15:17	77.21	55dB	4.7	366%	Day
2509	2025-05-13 14:15:50	72.97	55dB	3.5	247%	Day
2510	2025-05-13 14:16:37	74.66	55dB	3.9	291%	Day
2511	2025-05-13 14:17:30	71.90	55dB	3.2	223%	Day
2512	2025-05-13 14:18:35	N/A	55dB	N/A	N/A	Day
2513	2025-05-13 14:20:18	74.89	55dB	4.0	297%	Day
2514	2025-05-13 14:22:11	70.55	55dB	2.9	194%	Day
2515	2025-05-13 14:23:23	70.27	55dB	2.9	188%	Day
2516	2025-05-13 14:26:31	68.24	55dB	2.5	150%	Day
2517	2025-05-13 14:27:16	75.51	55dB	4.1	314%	Day
2518	2025-05-13 14:28:51	72.65	55dB	3.4	240%	Day
2519	2025-05-13 14:30:43	72.10	55dB	3.3	227%	Day
2520	2025-05-13 14:32:11	70.56	55dB	2.9	194%	Day
2521	2025-05-13 14:35:03	N/A	55dB	N/A	N/A	Day
2522	2025-05-13 14:36:19	N/A	55dB	N/A	N/A	Day
2523	2025-05-13 14:37:30	71.86	55dB	3.2	222%	Day
2524	2025-05-13 14:41:04	69.36	55dB	2.7	171%	Day
2525	2025-05-13 14:42:22	74.55	55dB	3.9	288%	Day
2526	2025-05-13 14:43:35	76.26	55dB	4.4	337%	Day
2527	2025-05-13 14:49:01	73.51	55dB	3.6	261%	Day
2528	2025-05-13 14:52:45	68.90	55dB	2.6	162%	Day
2529	2025-05-13 14:55:48	N/A	55dB	N/A	N/A	Day
2530	2025-05-13 14:59:43	N/A	55dB	N/A	N/A	Day
2531	2025-05-13 15:05:01	66.25	55dB	2.2	118%	Day
2532	2025-05-13 15:05:51	73.82	55dB	3.7	269%	Day
2533	2025-05-13 15:08:03	N/A	55dB	N/A	N/A	Day
2534	2025-05-13 15:12:23	74.36	55dB	3.8	283%	Day
2535	2025-05-13 15:13:39	77.37	55dB	4.7	371%	Day
2536	2025-05-13 15:14:36	69.13	55dB	2.7	166%	Day
2537	2025-05-13 15:16:13	N/A	55dB	N/A	N/A	Day
2538	2025-05-13 15:26:39	69.56	55dB	2.7	174%	Day
2539	2025-05-13 15:31:52	80.08	55dB	5.7	469%	Day
2540	2025-05-13 15:34:58	67.70	55dB	2.4	141%	Day
2541	2025-05-13 15:36:07	N/A	55dB	N/A	N/A	Day
2542	2025-05-13 15:40:57	69.84	55dB	2.8	180%	Day
2543	2025-05-13 15:42:50	74.16	55dB	3.8	277%	Day
2544	2025-05-13 15:47:56	74.98	55dB	4.0	299%	Day
2545	2025-05-13 16:05:13	N/A	55dB	N/A	N/A	Day
2546	2025-05-13 19:02:14	N/A	55dB	N/A	N/A	Day

2547	2025-05-13 19:10:08	82.96	55dB	6.9	595%	Day
2548	2025-05-13 19:13:57	78.06	55dB	4.9	395%	Day
2549	2025-05-13 19:17:26	N/A	55dB	N/A	N/A	Day
2550	2025-05-13 19:20:00	72.91	55dB	3.5	246%	Day
2551	2025-05-13 19:24:55	N/A	55dB	N/A	N/A	Day
2552	2025-05-13 19:27:03	N/A	55dB	N/A	N/A	Day
2553	2025-05-13 19:30:40	N/A	55dB	N/A	N/A	Day
2554	2025-05-13 20:06:16	N/A	55dB	N/A	N/A	Day
2555	2025-05-14 00:13:17	62.83	45dB	3.4	244%	Night
2556	2025-05-14 06:31:27	74.28	45dB	7.6	661%	Night
2557	2025-05-14 06:32:37	77.92	45dB	9.8	879%	Night
2558	2025-05-14 06:35:24	74.53	45dB	7.7	674%	Night
2559	2025-05-14 06:36:38	72.13	45dB	6.6	556%	Night
2560	2025-05-14 06:37:45	72.99	45dB	7.0	596%	Night
2561	2025-05-14 06:39:06	75.69	45dB	8.4	739%	Night
2562	2025-05-14 06:40:15	75.32	45dB	8.2	718%	Night
2563	2025-05-14 06:41:44	76.68	45dB	9.0	799%	Night
2564	2025-05-14 06:43:43	72.80	45dB	6.9	587%	Night
2565	2025-05-14 06:44:55	N/A	45dB	N/A	N/A	Night
2566	2025-05-14 06:47:24	71.82	45dB	6.4	542%	Night
2567	2025-05-14 06:48:55	71.97	45dB	6.5	548%	Night
2568	2025-05-14 06:49:50	73.46	45dB	7.2	619%	Night
2569	2025-05-14 06:51:11	77.34	45dB	9.4	841%	Night
2570	2025-05-14 06:53:58	70.49	45dB	5.9	485%	Night
2571	2025-05-14 06:55:15	72.24	45dB	6.6	561%	Night
2572	2025-05-14 06:56:35	N/A	45dB	N/A	N/A	Night
2573	2025-05-14 06:57:46	72.05	45dB	6.5	552%	Night
2574	2025-05-14 06:58:50	73.96	45dB	7.4	644%	Night
2575	2025-05-14 07:00:08	N/A	55dB	N/A	N/A	Day
2576	2025-05-14 07:02:48	73.59	55dB	3.6	263%	Day
2577	2025-05-14 07:04:50	77.07	55dB	4.6	362%	Day
2578	2025-05-14 07:06:07	70.86	55dB	3.0	200%	Day
2579	2025-05-14 07:07:16	71.06	55dB	3.0	204%	Day
2580	2025-05-14 07:08:37	76.02	55dB	4.3	329%	Day
2581	2025-05-14 07:09:42	75.33	55dB	4.1	309%	Day
2582	2025-05-14 07:11:03	77.30	55dB	4.7	369%	Day
2583	2025-05-14 07:12:21	70.16	55dB	2.9	186%	Day
2584	2025-05-14 07:13:28	75.78	55dB	4.2	322%	Day
2585	2025-05-14 07:14:28	74.33	55dB	3.8	282%	Day
2586	2025-05-14 07:16:00	73.65	55dB	3.6	264%	Day
2587	2025-05-14 07:17:04	N/A	55dB	N/A	N/A	Day
2588	2025-05-14 07:18:22	73.68	55dB	3.7	265%	Day
2589	2025-05-14 07:19:42	71.45	55dB	3.1	213%	Day
2590	2025-05-14 07:20:37	68.62	55dB	2.6	157%	Day

2591	2025-05-14 07:22:01	N/A	55dB	N/A	N/A	Day
2592	2025-05-14 07:23:20	71.79	55dB	3.2	220%	Day
2593	2025-05-14 07:24:31	67.03	55dB	2.3	130%	Day
2594	2025-05-14 07:24:32	67.03	55dB	2.3	130%	Day
2595	2025-05-14 07:25:46	72.94	55dB	3.5	247%	Day
2596	2025-05-14 07:26:56	71.39	55dB	3.1	211%	Day
2597	2025-05-14 07:28:09	75.71	55dB	4.2	320%	Day
2598	2025-05-14 07:29:14	74.50	55dB	3.9	286%	Day
2599	2025-05-14 07:30:16	76.21	55dB	4.3	335%	Day
2600	2025-05-14 07:31:17	69.78	55dB	2.8	179%	Day
2601	2025-05-14 07:34:08	72.09	55dB	3.3	227%	Day
2602	2025-05-14 07:40:48	70.05	55dB	2.8	184%	Day
2603	2025-05-14 07:49:41	71.78	55dB	3.2	220%	Day
2604	2025-05-14 07:52:51	73.39	55dB	3.6	258%	Day
2605	2025-05-14 07:59:49	70.52	55dB	2.9	193%	Day
2606	2025-05-14 08:03:10	N/A	55dB	N/A	N/A	Day
2607	2025-05-14 08:09:25	75.21	55dB	4.1	306%	Day
2608	2025-05-14 08:10:46	71.20	55dB	3.1	207%	Day
2609	2025-05-14 08:16:18	76.23	55dB	4.4	336%	Day
2610	2025-05-14 08:17:38	74.59	55dB	3.9	289%	Day
2611	2025-05-14 08:20:06	76.65	55dB	4.5	348%	Day
2612	2025-05-14 08:22:09	75.41	55dB	4.1	312%	Day
2613	2025-05-14 08:23:39	N/A	55dB	N/A	N/A	Day
2614	2025-05-14 08:25:13	74.00	55dB	3.7	273%	Day
2615	2025-05-14 08:26:57	73.83	55dB	3.7	269%	Day
2616	2025-05-14 08:29:32	80.45	55dB	5.8	484%	Day
2617	2025-05-14 08:30:49	78.47	55dB	5.1	409%	Day
2618	2025-05-14 08:33:37	69.52	55dB	2.7	174%	Day
2619	2025-05-14 08:37:04	72.07	55dB	3.3	226%	Day
2620	2025-05-14 08:38:16	68.72	55dB	2.6	159%	Day
2621	2025-05-14 08:39:36	77.33	55dB	4.7	370%	Day
2622	2025-05-14 08:40:44	70.06	55dB	2.8	184%	Day
2623	2025-05-14 08:41:58	79.92	55dB	5.6	463%	Day
2624	2025-05-14 08:43:55	69.95	55dB	2.8	182%	Day
2625	2025-05-14 08:45:01	70.06	55dB	2.8	184%	Day
2626	2025-05-14 08:46:17	71.33	55dB	3.1	210%	Day
2627	2025-05-14 08:47:37	69.61	55dB	2.8	175%	Day
2628	2025-05-14 08:51:49	75.66	55dB	4.2	319%	Day
2629	2025-05-14 08:53:12	71.64	55dB	3.2	217%	Day
2630	2025-05-14 08:55:30	75.38	55dB	4.1	311%	Day
2631	2025-05-14 08:57:23	73.68	55dB	3.7	265%	Day
2632	2025-05-14 08:58:31	N/A	55dB	N/A	N/A	Day
2633	2025-05-14 08:59:32	74.26	55dB	3.8	280%	Day
2634	2025-05-14 09:12:01	75.44	55dB	4.1	312%	Day

2635	2025-05-14 09:14:42	78.04	55dB	4.9	394%	Day
2636	2025-05-14 09:15:58	77.53	55dB	4.8	377%	Day
2637	2025-05-14 09:17:04	73.35	55dB	3.6	257%	Day
2638	2025-05-14 09:18:20	71.91	55dB	3.2	223%	Day
2639	2025-05-14 09:20:54	88.74	55dB	10.4	937%	Day
2640	2025-05-14 09:22:07	74.72	55dB	3.9	292%	Day
2641	2025-05-14 09:23:30	69.29	55dB	2.7	169%	Day
2642	2025-05-14 09:26:02	68.55	55dB	2.6	156%	Day
2643	2025-05-14 10:11:10	N/A	55dB	N/A	N/A	Day
2644	2025-05-14 10:13:55	69.93	55dB	2.8	181%	Day
2645	2025-05-14 10:16:02	77.30	55dB	4.7	369%	Day
2646	2025-05-14 10:20:18	78.11	55dB	5.0	396%	Day
2647	2025-05-14 10:23:17	73.73	55dB	3.7	266%	Day
2648	2025-05-14 10:24:31	75.58	55dB	4.2	316%	Day
2649	2025-05-14 10:25:43	69.49	55dB	2.7	173%	Day
2650	2025-05-14 10:28:10	70.19	55dB	2.9	187%	Day
2651	2025-05-14 10:29:13	N/A	55dB	N/A	N/A	Day
2652	2025-05-14 10:32:30	81.44	55dB	6.3	525%	Day
2653	2025-05-14 10:36:16	70.19	55dB	2.9	187%	Day
2654	2025-05-14 10:39:09	72.97	55dB	3.5	247%	Day
2655	2025-05-14 10:40:14	70.77	55dB	3.0	198%	Day
2656	2025-05-14 10:41:26	73.28	55dB	3.6	255%	Day
2657	2025-05-14 10:44:12	76.76	55dB	4.5	352%	Day
2658	2025-05-14 10:45:48	79.86	55dB	5.6	460%	Day
2659	2025-05-14 10:48:23	75.31	55dB	4.1	309%	Day
2660	2025-05-14 10:50:27	80.78	55dB	6.0	497%	Day
2661	2025-05-14 10:52:43	76.16	55dB	4.3	333%	Day
2662	2025-05-14 10:54:00	79.85	55dB	5.6	460%	Day
2663	2025-05-14 10:55:08	70.19	55dB	2.9	187%	Day
2664	2025-05-14 10:56:01	72.64	55dB	3.4	240%	Day
2665	2025-05-14 10:57:55	71.96	55dB	3.2	224%	Day
2666	2025-05-14 10:58:45	75.75	55dB	4.2	321%	Day
2667	2025-05-14 10:59:38	73.93	55dB	3.7	271%	Day
2668	2025-05-14 11:00:28	78.17	55dB	5.0	398%	Day
2669	2025-05-14 11:01:20	71.95	55dB	3.2	224%	Day
2670	2025-05-14 11:02:21	71.76	55dB	3.2	220%	Day
2671	2025-05-14 11:03:23	72.76	55dB	3.4	242%	Day
2672	2025-05-14 11:04:17	73.26	55dB	3.5	255%	Day
2673	2025-05-14 11:06:14	73.29	55dB	3.6	255%	Day
2674	2025-05-14 11:07:46	71.82	55dB	3.2	221%	Day
2675	2025-05-14 11:09:02	78.05	55dB	4.9	394%	Day
2676	2025-05-14 11:11:45	72.20	55dB	3.3	229%	Day
2677	2025-05-14 11:14:06	77.17	55dB	4.6	365%	Day
2678	2025-05-14 11:15:17	75.72	55dB	4.2	320%	Day

2679	2025-05-14 11:16:26	74.37	55dB	3.8	283%	Day
2680	2025-05-14 11:19:06	72.15	55dB	3.3	228%	Day
2681	2025-05-14 11:20:05	70.98	55dB	3.0	203%	Day
2682	2025-05-14 11:21:08	72.67	55dB	3.4	240%	Day
2683	2025-05-14 11:21:55	N/A	55dB	N/A	N/A	Day
2684	2025-05-14 11:23:48	70.25	55dB	2.9	188%	Day
2685	2025-05-14 11:25:12	71.21	55dB	3.1	208%	Day
2686	2025-05-14 11:26:22	79.45	55dB	5.4	445%	Day
2687	2025-05-14 11:29:23	71.08	55dB	3.0	205%	Day
2688	2025-05-14 11:31:13	74.99	55dB	4.0	300%	Day
2689	2025-05-14 11:33:36	75.48	55dB	4.1	314%	Day
2690	2025-05-14 17:35:26	N/A	55dB	N/A	N/A	Day
2691	2025-05-14 17:38:40	N/A	55dB	N/A	N/A	Day
2692	2025-05-14 18:17:10	73.14	55dB	3.5	252%	Day
2693	2025-05-14 18:18:21	69.15	55dB	2.7	167%	Day
2694	2025-05-14 18:19:43	71.33	55dB	3.1	210%	Day
2695	2025-05-14 18:24:30	71.72	55dB	3.2	219%	Day
2696	2025-05-14 18:26:50	76.18	55dB	4.3	334%	Day
2697	2025-05-14 18:28:47	76.79	55dB	4.5	353%	Day
2698	2025-05-14 18:31:04	72.87	55dB	3.5	245%	Day
2699	2025-05-14 18:34:26	81.62	55dB	6.3	533%	Day
2700	2025-05-14 18:36:41	N/A	55dB	N/A	N/A	Day
2701	2025-05-14 18:39:12	72.32	55dB	3.3	232%	Day
2702	2025-05-14 18:43:41	70.19	55dB	2.9	187%	Day
2703	2025-05-14 18:45:44	76.02	55dB	4.3	329%	Day
2704	2025-05-14 18:48:49	75.35	55dB	4.1	310%	Day
2705	2025-05-14 18:50:40	72.43	55dB	3.3	235%	Day
2706	2025-05-14 18:52:33	N/A	55dB	N/A	N/A	Day
2707	2025-05-14 18:55:40	82.44	55dB	6.7	570%	Day
2708	2025-05-14 18:58:47	76.35	55dB	4.4	339%	Day
2709	2025-05-14 18:59:47	72.23	55dB	3.3	230%	Day
2710	2025-05-14 19:01:00	71.90	55dB	3.2	223%	Day
2711	2025-05-14 19:05:15	80.35	55dB	5.8	480%	Day
2712	2025-05-14 19:07:23	70.35	55dB	2.9	190%	Day
2713	2025-05-14 19:08:31	N/A	55dB	N/A	N/A	Day
2714	2025-05-14 19:16:48	68.93	55dB	2.6	163%	Day
2715	2025-05-14 19:19:36	70.59	55dB	2.9	195%	Day
2716	2025-05-14 19:21:24	N/A	55dB	N/A	N/A	Day
2717	2025-05-14 19:31:07	70.85	55dB	3.0	200%	Day
2718	2025-05-14 20:42:12	N/A	55dB	N/A	N/A	Day
2719	2025-05-14 21:06:57	75.05	55dB	4.0	301%	Day
2720	2025-05-14 21:55:39	71.82	55dB	3.2	221%	Day
2721	2025-05-15 06:31:39	N/A	45dB	N/A	N/A	Night
2722	2025-05-15 06:32:49	N/A	45dB	N/A	N/A	Night

2723	2025-05-15 06:33:43	75.98	45dB	8.6	756%	Night
2724	2025-05-15 06:34:37	82.56	45dB	13.5	1251%	Night
2725	2025-05-15 06:35:53	69.60	45dB	5.5	450%	Night
2726	2025-05-15 06:38:51	N/A	45dB	N/A	N/A	Night
2727	2025-05-15 06:40:20	69.92	45dB	5.6	463%	Night
2728	2025-05-15 06:41:17	74.71	45dB	7.8	684%	Night
2729	2025-05-15 06:42:05	77.42	45dB	9.5	846%	Night
2730	2025-05-15 06:42:50	74.25	45dB	7.6	659%	Night
2731	2025-05-15 06:44:37	N/A	45dB	N/A	N/A	Night
2732	2025-05-15 06:45:21	73.67	45dB	7.3	630%	Night
2733	2025-05-15 06:46:08	76.15	45dB	8.7	766%	Night
2734	2025-05-15 06:47:05	70.07	45dB	5.7	468%	Night
2735	2025-05-15 06:47:51	N/A	45dB	N/A	N/A	Night
2736	2025-05-15 06:48:46	N/A	45dB	N/A	N/A	Night
2737	2025-05-15 06:51:08	74.40	45dB	7.7	667%	Night
2738	2025-05-15 06:52:01	70.30	45dB	5.8	478%	Night
2739	2025-05-15 06:53:02	N/A	45dB	N/A	N/A	Night
2740	2025-05-15 06:53:50	72.15	45dB	6.6	557%	Night
2741	2025-05-15 06:54:42	70.91	45dB	6.0	503%	Night
2742	2025-05-15 06:57:22	69.67	45dB	5.5	453%	Night
2743	2025-05-15 06:58:14	N/A	45dB	N/A	N/A	Night
2744	2025-05-15 06:59:23	N/A	45dB	N/A	N/A	Night
2745	2025-05-15 07:00:15	70.11	55dB	2.9	185%	Day
2746	2025-05-15 07:01:16	N/A	55dB	N/A	N/A	Day
2747	2025-05-15 07:02:56	71.33	55dB	3.1	210%	Day
2748	2025-05-15 07:09:13	N/A	55dB	N/A	N/A	Day
2749	2025-05-15 07:10:19	76.08	55dB	4.3	331%	Day
2750	2025-05-15 07:11:18	75.49	55dB	4.1	314%	Day
2751	2025-05-15 07:12:21	70.01	55dB	2.8	183%	Day
2752	2025-05-15 07:13:03	75.37	55dB	4.1	310%	Day
2753	2025-05-15 07:13:52	N/A	55dB	N/A	N/A	Day
2754	2025-05-15 07:15:15	69.90	55dB	2.8	181%	Day
2755	2025-05-15 07:18:16	N/A	55dB	N/A	N/A	Day
2756	2025-05-15 07:19:55	N/A	55dB	N/A	N/A	Day
2757	2025-05-15 07:22:50	66.62	55dB	2.2	124%	Day
2758	2025-05-15 07:24:07	73.54	55dB	3.6	262%	Day
2759	2025-05-15 07:25:20	N/A	55dB	N/A	N/A	Day
2760	2025-05-15 07:26:45	68.36	55dB	2.5	152%	Day
2761	2025-05-15 07:29:34	68.21	55dB	2.5	150%	Day
2762	2025-05-15 07:30:48	70.85	55dB	3.0	200%	Day
2763	2025-05-15 07:34:46	69.77	55dB	2.8	178%	Day
2764	2025-05-15 07:36:51	N/A	55dB	N/A	N/A	Day
2765	2025-05-15 07:43:16	72.04	55dB	3.3	226%	Day
2766	2025-05-15 07:45:49	69.91	55dB	2.8	181%	Day

2767	2025-05-15 07:48:13	69.35	55dB	2.7	170%	Day
2768	2025-05-15 07:51:03	N/A	55dB	N/A	N/A	Day
2769	2025-05-15 07:53:07	70.13	55dB	2.9	185%	Day
2770	2025-05-15 07:54:16	N/A	55dB	N/A	N/A	Day
2771	2025-05-15 07:55:34	69.43	55dB	2.7	172%	Day
2772	2025-05-15 07:57:00	N/A	55dB	N/A	N/A	Day
2773	2025-05-15 07:58:19	68.76	55dB	2.6	160%	Day
2774	2025-05-15 08:02:02	N/A	55dB	N/A	N/A	Day
2775	2025-05-15 08:04:30	N/A	55dB	N/A	N/A	Day
2776	2025-05-15 08:07:47	N/A	55dB	N/A	N/A	Day
2777	2025-05-15 08:09:12	75.36	55dB	4.1	310%	Day
2778	2025-05-15 08:10:49	69.03	55dB	2.6	164%	Day
2779	2025-05-15 08:13:22	72.14	55dB	3.3	228%	Day
2780	2025-05-15 08:14:36	75.06	55dB	4.0	302%	Day
2781	2025-05-15 08:15:56	71.03	55dB	3.0	204%	Day
2782	2025-05-15 08:17:19	70.91	55dB	3.0	201%	Day
2783	2025-05-15 08:18:44	67.76	55dB	2.4	142%	Day
2784	2025-05-15 08:20:16	75.37	55dB	4.1	310%	Day
2785	2025-05-15 08:21:40	N/A	55dB	N/A	N/A	Day
2786	2025-05-15 08:22:54	74.68	55dB	3.9	291%	Day
2787	2025-05-15 08:23:56	71.71	55dB	3.2	218%	Day
2788	2025-05-15 08:24:51	N/A	55dB	N/A	N/A	Day
2789	2025-05-15 08:26:53	68.32	55dB	2.5	152%	Day
2790	2025-05-15 08:28:38	N/A	55dB	N/A	N/A	Day
2791	2025-05-15 08:31:01	74.92	55dB	4.0	298%	Day
2792	2025-05-15 08:32:11	75.46	55dB	4.1	313%	Day
2793	2025-05-15 08:32:54	N/A	55dB	N/A	N/A	Day
2794	2025-05-15 08:33:51	71.65	55dB	3.2	217%	Day
2795	2025-05-15 08:36:03	N/A	55dB	N/A	N/A	Day
2796	2025-05-15 08:37:03	73.48	55dB	3.6	260%	Day
2797	2025-05-15 08:38:08	72.41	55dB	3.3	234%	Day
2798	2025-05-15 08:38:47	70.77	55dB	3.0	198%	Day
2799	2025-05-15 08:39:40	74.29	55dB	3.8	281%	Day
2800	2025-05-15 08:40:51	69.12	55dB	2.7	166%	Day
2801	2025-05-15 08:41:42	N/A	55dB	N/A	N/A	Day
2802	2025-05-15 08:45:17	N/A	55dB	N/A	N/A	Day
2803	2025-05-15 08:45:57	72.02	55dB	3.3	225%	Day
2804	2025-05-15 08:47:05	69.92	55dB	2.8	181%	Day
2805	2025-05-15 08:48:28	69.42	55dB	2.7	172%	Day
2806	2025-05-15 08:49:34	72.53	55dB	3.4	237%	Day
2807	2025-05-15 08:55:48	N/A	55dB	N/A	N/A	Day
2808	2025-05-15 08:58:34	71.59	55dB	3.2	216%	Day
2809	2025-05-15 08:59:43	75.48	55dB	4.1	314%	Day
2810	2025-05-15 09:01:48	74.09	55dB	3.8	276%	Day

2811	2025-05-15 09:02:50	72.30	55dB	3.3	232%	Day
2812	2025-05-15 09:04:07	67.76	55dB	2.4	142%	Day
2813	2025-05-15 09:05:18	68.44	55dB	2.5	154%	Day
2814	2025-05-15 09:06:39	71.94	55dB	3.2	224%	Day
2815	2025-05-15 09:13:26	69.26	55dB	2.7	169%	Day
2816	2025-05-15 09:14:47	79.24	55dB	5.4	437%	Day
2817	2025-05-15 09:52:35	71.24	55dB	3.1	208%	Day
2818	2025-05-15 12:47:19	N/A	55dB	N/A	N/A	Day
2819	2025-05-15 16:20:54	N/A	55dB	N/A	N/A	Day
2820	2025-05-15 16:56:48	73.35	55dB	3.6	257%	Day
2821	2025-05-15 16:59:12	69.12	55dB	2.7	166%	Day
2822	2025-05-15 17:01:01	68.20	55dB	2.5	150%	Day
2823	2025-05-15 17:02:42	71.07	55dB	3.0	205%	Day
2824	2025-05-15 17:03:53	69.31	55dB	2.7	170%	Day
2825	2025-05-15 17:05:40	70.04	55dB	2.8	184%	Day
2826	2025-05-15 17:06:41	67.85	55dB	2.4	144%	Day
2827	2025-05-15 17:07:58	67.15	55dB	2.3	132%	Day
2828	2025-05-15 17:09:05	67.07	55dB	2.3	131%	Day
2829	2025-05-15 17:11:12	N/A	55dB	N/A	N/A	Day
2830	2025-05-15 17:14:39	72.22	55dB	3.3	230%	Day
2831	2025-05-15 17:16:24	72.34	55dB	3.3	233%	Day
2832	2025-05-15 17:17:26	N/A	55dB	N/A	N/A	Day
2833	2025-05-15 17:19:19	N/A	55dB	N/A	N/A	Day
2834	2025-05-15 17:20:33	66.74	55dB	2.3	126%	Day
2835	2025-05-15 17:21:40	74.17	55dB	3.8	278%	Day
2836	2025-05-15 17:22:56	78.20	55dB	5.0	399%	Day
2837	2025-05-15 17:24:16	N/A	55dB	N/A	N/A	Day
2838	2025-05-15 17:26:46	68.93	55dB	2.6	163%	Day
2839	2025-05-15 17:28:05	71.86	55dB	3.2	222%	Day
2840	2025-05-15 17:29:44	N/A	55dB	N/A	N/A	Day
2841	2025-05-15 17:34:18	70.26	55dB	2.9	188%	Day
2842	2025-05-15 17:36:41	74.50	55dB	3.9	286%	Day
2843	2025-05-15 17:37:58	68.70	55dB	2.6	158%	Day
2844	2025-05-15 17:39:12	78.95	55dB	5.3	426%	Day
2845	2025-05-15 17:41:50	73.01	55dB	3.5	248%	Day
2846	2025-05-15 17:44:00	74.55	55dB	3.9	288%	Day
2847	2025-05-15 17:45:35	68.81	55dB	2.6	160%	Day
2848	2025-05-15 17:47:44	75.18	55dB	4.1	305%	Day
2849	2025-05-15 17:49:50	68.26	55dB	2.5	151%	Day
2850	2025-05-15 17:51:18	N/A	55dB	N/A	N/A	Day
2851	2025-05-15 17:52:38	70.40	55dB	2.9	191%	Day
2852	2025-05-15 17:57:31	76.20	55dB	4.3	335%	Day
2853	2025-05-15 17:59:07	82.43	55dB	6.7	569%	Day
2854	2025-05-15 18:00:24	72.83	55dB	3.4	244%	Day

2855	2025-05-15 18:01:32	69.87	55dB	2.8	180%	Day
2856	2025-05-15 18:03:10	79.94	55dB	5.6	463%	Day
2857	2025-05-15 18:05:36	68.54	55dB	2.6	156%	Day
2858	2025-05-15 18:06:55	69.73	55dB	2.8	178%	Day
2859	2025-05-15 18:08:08	68.41	55dB	2.5	153%	Day
2860	2025-05-15 18:09:21	67.72	55dB	2.4	141%	Day
2861	2025-05-15 18:10:46	N/A	55dB	N/A	N/A	Day
2862	2025-05-15 18:11:57	73.80	55dB	3.7	268%	Day
2863	2025-05-15 18:13:54	N/A	55dB	N/A	N/A	Day
2864	2025-05-15 18:15:26	72.09	55dB	3.3	227%	Day
2865	2025-05-15 18:16:32	70.82	55dB	3.0	199%	Day
2866	2025-05-15 18:17:45	69.33	55dB	2.7	170%	Day
2867	2025-05-15 18:19:02	70.08	55dB	2.8	184%	Day
2868	2025-05-15 18:20:16	70.83	55dB	3.0	200%	Day
2869	2025-05-15 18:22:07	N/A	55dB	N/A	N/A	Day
2870	2025-05-15 18:23:27	78.48	55dB	5.1	409%	Day
2871	2025-05-15 18:25:26	71.01	55dB	3.0	203%	Day
2872	2025-05-15 18:26:43	69.46	55dB	2.7	172%	Day
2873	2025-05-15 18:28:04	71.18	55dB	3.1	207%	Day
2874	2025-05-15 18:31:33	73.43	55dB	3.6	259%	Day
2875	2025-05-15 18:33:40	70.30	55dB	2.9	189%	Day
2876	2025-05-15 18:35:36	75.41	55dB	4.1	312%	Day
2877	2025-05-15 18:40:20	68.22	55dB	2.5	150%	Day
2878	2025-05-15 18:41:49	70.17	55dB	2.9	186%	Day
2879	2025-05-15 18:43:08	69.99	55dB	2.8	183%	Day
2880	2025-05-15 18:45:03	73.94	55dB	3.7	272%	Day
2881	2025-05-15 18:47:08	71.55	55dB	3.1	215%	Day
2882	2025-05-15 18:48:30	72.49	55dB	3.4	236%	Day
2883	2025-05-15 18:53:10	65.72	55dB	2.1	110%	Day
2884	2025-05-15 18:54:34	70.26	55dB	2.9	188%	Day
2885	2025-05-15 18:56:11	71.42	55dB	3.1	212%	Day
2886	2025-05-15 18:57:26	71.80	55dB	3.2	220%	Day
2887	2025-05-15 18:58:37	N/A	55dB	N/A	N/A	Day
2888	2025-05-15 18:59:47	70.01	55dB	2.8	183%	Day
2889	2025-05-15 19:01:25	69.44	55dB	2.7	172%	Day
2890	2025-05-15 19:02:41	72.33	55dB	3.3	232%	Day
2891	2025-05-15 19:05:48	72.86	55dB	3.4	245%	Day
2892	2025-05-15 19:07:19	73.59	55dB	3.6	263%	Day
2893	2025-05-15 19:09:15	73.27	55dB	3.5	255%	Day
2894	2025-05-15 19:11:31	N/A	55dB	N/A	N/A	Day
2895	2025-05-15 19:13:14	73.11	55dB	3.5	251%	Day
2896	2025-05-15 19:15:33	68.59	55dB	2.6	157%	Day
2897	2025-05-15 19:16:48	70.02	55dB	2.8	183%	Day
2898	2025-05-15 19:18:15	69.58	55dB	2.7	175%	Day

2899	2025-05-15 19:19:28	72.72	55dB	3.4	242%	Day
2900	2025-05-15 19:20:48	69.87	55dB	2.8	180%	Day
2901	2025-05-15 19:22:04	70.78	55dB	3.0	199%	Day
2902	2025-05-15 19:23:15	71.17	55dB	3.1	207%	Day
2903	2025-05-15 19:24:26	68.03	55dB	2.5	147%	Day
2904	2025-05-15 19:25:37	71.99	55dB	3.2	225%	Day
2905	2025-05-15 19:26:54	69.51	55dB	2.7	173%	Day
2906	2025-05-15 19:28:42	N/A	55dB	N/A	N/A	Day
2907	2025-05-15 19:31:13	73.87	55dB	3.7	270%	Day
2908	2025-05-15 19:33:19	71.59	55dB	3.2	216%	Day
2909	2025-05-15 19:34:47	72.48	55dB	3.4	236%	Day
2910	2025-05-15 19:37:04	72.99	55dB	3.5	248%	Day
2911	2025-05-15 19:38:16	69.55	55dB	2.7	174%	Day
2912	2025-05-15 19:39:56	71.38	55dB	3.1	211%	Day
2913	2025-05-15 19:42:08	N/A	55dB	N/A	N/A	Day
2914	2025-05-15 19:43:27	70.34	55dB	2.9	190%	Day
2915	2025-05-15 19:45:39	70.21	55dB	2.9	187%	Day
2916	2025-05-15 19:47:22	75.88	55dB	4.3	325%	Day
2917	2025-05-15 19:49:21	71.66	55dB	3.2	217%	Day
2918	2025-05-15 19:50:43	71.17	55dB	3.1	207%	Day
2919	2025-05-15 19:51:52	72.78	55dB	3.4	243%	Day
2920	2025-05-15 19:54:10	68.87	55dB	2.6	162%	Day
2921	2025-05-15 19:55:30	78.67	55dB	5.2	416%	Day
2922	2025-05-15 19:56:43	68.34	55dB	2.5	152%	Day
2923	2025-05-15 19:57:50	68.25	55dB	2.5	151%	Day
2924	2025-05-15 19:59:13	70.92	55dB	3.0	201%	Day
2925	2025-05-15 20:02:51	71.03	55dB	3.0	204%	Day
2926	2025-05-15 20:04:39	69.00	55dB	2.6	164%	Day
2927	2025-05-15 20:06:32	69.29	55dB	2.7	169%	Day
2928	2025-05-15 20:08:16	70.56	55dB	2.9	194%	Day
2929	2025-05-15 20:09:35	66.82	55dB	2.3	127%	Day
2930	2025-05-15 20:14:36	72.08	55dB	3.3	227%	Day
2931	2025-05-15 20:18:21	72.71	55dB	3.4	241%	Day
2932	2025-05-15 20:20:21	70.01	55dB	2.8	183%	Day
2933	2025-05-15 20:21:49	70.88	55dB	3.0	201%	Day
2934	2025-05-15 20:23:16	73.38	55dB	3.6	258%	Day
2935	2025-05-15 20:29:26	77.09	55dB	4.6	362%	Day
2936	2025-05-15 20:32:20	71.46	55dB	3.1	213%	Day
2937	2025-05-15 20:34:25	68.84	55dB	2.6	161%	Day
2938	2025-05-15 20:36:30	72.44	55dB	3.3	235%	Day
2939	2025-05-15 20:41:44	70.61	55dB	3.0	195%	Day
2940	2025-05-15 20:44:02	69.84	55dB	2.8	180%	Day
2941	2025-05-15 20:47:03	69.27	55dB	2.7	169%	Day
2942	2025-05-15 20:48:35	N/A	55dB	N/A	N/A	Day

2943	2025-05-15 20:50:24	70.53	55dB	2.9	193%	Day
2944	2025-05-15 20:51:38	67.72	55dB	2.4	141%	Day
2945	2025-05-15 20:52:54	71.29	55dB	3.1	209%	Day
2946	2025-05-15 20:54:12	70.37	55dB	2.9	190%	Day
2947	2025-05-15 20:55:31	71.58	55dB	3.2	216%	Day
2948	2025-05-15 20:57:25	78.19	55dB	5.0	399%	Day
2949	2025-05-15 20:59:15	71.44	55dB	3.1	213%	Day
2950	2025-05-15 21:00:35	70.01	55dB	2.8	183%	Day
2951	2025-05-15 21:03:00	68.26	55dB	2.5	151%	Day
2952	2025-05-15 21:04:04	72.93	55dB	3.5	247%	Day
2953	2025-05-15 21:05:14	70.24	55dB	2.9	188%	Day
2954	2025-05-15 21:06:36	71.97	55dB	3.2	224%	Day
2955	2025-05-15 21:08:00	68.79	55dB	2.6	160%	Day
2956	2025-05-15 21:09:35	68.11	55dB	2.5	148%	Day
2957	2025-05-15 21:11:07	70.90	55dB	3.0	201%	Day
2958	2025-05-15 21:12:47	70.17	55dB	2.9	186%	Day
2959	2025-05-15 21:14:16	71.01	55dB	3.0	203%	Day
2960	2025-05-15 21:17:06	68.35	55dB	2.5	152%	Day
2961	2025-05-15 21:20:00	72.53	55dB	3.4	237%	Day
2962	2025-05-15 21:22:05	72.89	55dB	3.5	246%	Day
2963	2025-05-15 21:29:53	70.39	55dB	2.9	191%	Day
2964	2025-05-15 21:34:21	73.05	55dB	3.5	249%	Day
2965	2025-05-15 21:37:33	66.61	55dB	2.2	124%	Day
2966	2025-05-15 21:39:39	69.82	55dB	2.8	179%	Day
2967	2025-05-15 21:43:38	73.07	55dB	3.5	250%	Day
2968	2025-05-16 00:20:09	N/A	45dB	N/A	N/A	Night
2969	2025-05-16 03:45:26	78.93	45dB	10.5	950%	Night
2970	2025-05-16 04:13:56	64.51	45dB	3.9	287%	Night
2971	2025-05-16 05:42:01	78.43	45dB	10.1	915%	Night
2972	2025-05-16 05:45:04	79.51	45dB	10.9	994%	Night
2973	2025-05-16 05:47:45	87.26	45dB	18.7	1771%	Night
2974	2025-05-16 05:51:15	74.14	45dB	7.5	654%	Night
2975	2025-05-16 05:53:50	79.05	45dB	10.6	959%	Night
2976	2025-05-16 06:35:02	68.59	45dB	5.1	413%	Night
2977	2025-05-16 06:36:43	69.98	45dB	5.6	465%	Night
2978	2025-05-16 06:38:15	71.72	45dB	6.4	537%	Night
2979	2025-05-16 06:39:56	71.31	45dB	6.2	519%	Night
2980	2025-05-16 06:41:33	76.76	45dB	9.0	804%	Night
2981	2025-05-16 06:43:36	70.98	45dB	6.1	505%	Night
2982	2025-05-16 06:45:24	71.78	45dB	6.4	540%	Night
2983	2025-05-16 06:47:16	72.31	45dB	6.6	564%	Night
2984	2025-05-16 06:49:38	68.23	45dB	5.0	400%	Night
2985	2025-05-16 06:51:15	71.44	45dB	6.3	525%	Night
2986	2025-05-16 06:52:38	69.21	45dB	5.4	436%	Night

2987	2025-05-16 06:54:07	71.94	45dB	6.5	547%	Night
2988	2025-05-16 06:56:53	70.57	45dB	5.9	488%	Night
2989	2025-05-16 06:58:55	75.09	45dB	8.1	705%	Night
2990	2025-05-16 07:03:51	75.21	55dB	4.1	306%	Day
2991	2025-05-16 07:05:31	73.16	55dB	3.5	252%	Day
2992	2025-05-16 07:07:48	67.73	55dB	2.4	142%	Day
2993	2025-05-16 07:09:26	69.71	55dB	2.8	177%	Day
2994	2025-05-16 07:11:48	73.72	55dB	3.7	266%	Day
2995	2025-05-16 07:13:16	72.33	55dB	3.3	232%	Day
2996	2025-05-16 07:14:44	71.32	55dB	3.1	210%	Day
2997	2025-05-16 07:16:07	73.38	55dB	3.6	258%	Day
2998	2025-05-16 07:17:32	69.92	55dB	2.8	181%	Day
2999	2025-05-16 07:19:20	68.85	55dB	2.6	161%	Day
3000	2025-05-16 07:22:19	71.80	55dB	3.2	220%	Day
3001	2025-05-16 07:30:13	N/A	55dB	N/A	N/A	Day
3002	2025-05-16 07:31:53	70.99	55dB	3.0	203%	Day
3003	2025-05-16 07:40:36	N/A	55dB	N/A	N/A	Day
3004	2025-05-16 07:43:16	75.10	55dB	4.0	303%	Day
3005	2025-05-16 07:45:18	73.80	55dB	3.7	268%	Day
3006	2025-05-16 07:50:05	73.97	55dB	3.7	272%	Day
3007	2025-05-16 07:53:27	73.54	55dB	3.6	262%	Day
3008	2025-05-16 07:55:26	77.88	55dB	4.9	388%	Day
3009	2025-05-16 07:58:04	81.47	55dB	6.3	526%	Day
3010	2025-05-16 08:03:18	70.45	55dB	2.9	192%	Day
3011	2025-05-16 08:10:58	72.14	55dB	3.3	228%	Day
3012	2025-05-16 08:15:07	70.51	55dB	2.9	193%	Day
3013	2025-05-16 08:17:22	73.36	55dB	3.6	257%	Day
3014	2025-05-16 08:20:03	69.31	55dB	2.7	170%	Day
3015	2025-05-16 08:24:46	N/A	55dB	N/A	N/A	Day
3016	2025-05-16 08:26:49	68.51	55dB	2.6	155%	Day
3017	2025-05-16 08:31:12	67.47	55dB	2.4	137%	Day
3018	2025-05-16 08:33:04	67.27	55dB	2.3	134%	Day
3019	2025-05-16 08:36:47	71.03	55dB	3.0	204%	Day
3020	2025-05-16 08:41:09	70.53	55dB	2.9	193%	Day
3021	2025-05-16 08:52:40	67.53	55dB	2.4	138%	Day
3022	2025-05-16 09:02:53	69.26	55dB	2.7	169%	Day
3023	2025-05-16 09:05:56	77.34	55dB	4.7	370%	Day
3024	2025-05-16 09:08:04	75.01	55dB	4.0	300%	Day
3025	2025-05-16 09:10:11	74.60	55dB	3.9	289%	Day
3026	2025-05-16 09:13:03	68.47	55dB	2.5	154%	Day
3027	2025-05-16 09:15:55	71.92	55dB	3.2	223%	Day
3028	2025-05-16 09:18:38	68.74	55dB	2.6	159%	Day
3029	2025-05-16 09:30:19	67.41	55dB	2.4	136%	Day
3030	2025-05-16 09:32:18	70.98	55dB	3.0	203%	Day

3031	2025-05-16 09:35:09	69.17	55dB	2.7	167%	Day
3032	2025-05-16 09:37:20	71.46	55dB	3.1	213%	Day
3033	2025-05-16 09:51:12	N/A	55dB	N/A	N/A	Day
3034	2025-05-16 09:53:04	70.23	55dB	2.9	187%	Day
3035	2025-05-16 09:55:09	N/A	55dB	N/A	N/A	Day
3036	2025-05-16 09:56:50	N/A	55dB	N/A	N/A	Day
3037	2025-05-16 09:59:18	69.87	55dB	2.8	180%	Day
3038	2025-05-16 10:02:06	71.85	55dB	3.2	222%	Day
3039	2025-05-16 10:11:37	72.95	55dB	3.5	247%	Day
3040	2025-05-16 10:13:49	70.10	55dB	2.8	185%	Day
3041	2025-05-16 10:15:18	82.11	55dB	6.5	555%	Day
3042	2025-05-16 10:16:47	69.77	55dB	2.8	178%	Day
3043	2025-05-16 10:19:21	80.55	55dB	5.9	488%	Day
3044	2025-05-16 10:20:54	67.69	55dB	2.4	141%	Day
3045	2025-05-16 10:22:10	70.61	55dB	3.0	195%	Day
3046	2025-05-16 10:23:30	66.60	55dB	2.2	123%	Day
3047	2025-05-16 10:24:46	88.05	55dB	9.9	888%	Day
3048	2025-05-16 10:26:32	84.63	55dB	7.8	680%	Day
3049	2025-05-16 10:28:19	66.73	55dB	2.3	125%	Day
3050	2025-05-16 10:31:48	74.57	55dB	3.9	288%	Day
3051	2025-05-16 10:33:11	67.51	55dB	2.4	138%	Day
3052	2025-05-16 10:34:40	78.23	55dB	5.0	400%	Day
3053	2025-05-16 10:36:14	N/A	55dB	N/A	N/A	Day
3054	2025-05-16 10:39:28	71.27	55dB	3.1	209%	Day
3055	2025-05-16 10:41:06	69.01	55dB	2.6	164%	Day
3056	2025-05-16 10:42:47	71.22	55dB	3.1	208%	Day
3057	2025-05-16 10:44:08	77.63	55dB	4.8	380%	Day
3058	2025-05-16 10:46:19	N/A	55dB	N/A	N/A	Day
3059	2025-05-16 10:48:03	N/A	55dB	N/A	N/A	Day
3060	2025-05-16 10:49:47	66.85	55dB	2.3	127%	Day
3061	2025-05-16 10:51:23	72.81	55dB	3.4	244%	Day
3062	2025-05-16 10:53:18	79.82	55dB	5.6	459%	Day
3063	2025-05-16 10:54:46	71.36	55dB	3.1	211%	Day
3064	2025-05-16 10:56:11	69.93	55dB	2.8	181%	Day
3065	2025-05-16 10:57:33	74.98	55dB	4.0	299%	Day
3066	2025-05-16 11:03:30	N/A	55dB	N/A	N/A	Day
3067	2025-05-16 11:05:01	70.51	55dB	2.9	193%	Day
3068	2025-05-16 11:06:42	71.28	55dB	3.1	209%	Day
3069	2025-05-16 11:08:16	72.27	55dB	3.3	231%	Day
3070	2025-05-16 11:12:10	66.93	55dB	2.3	129%	Day
3071	2025-05-16 11:13:43	67.85	55dB	2.4	144%	Day
3072	2025-05-16 11:15:16	73.56	55dB	3.6	262%	Day
3073	2025-05-16 11:18:45	N/A	55dB	N/A	N/A	Day
3074	2025-05-16 11:21:12	N/A	55dB	N/A	N/A	Day

3075	2025-05-16 11:26:38	69.79	55dB	2.8	179%	Day
3076	2025-05-16 11:29:50	70.68	55dB	3.0	196%	Day
3077	2025-05-16 11:31:51	N/A	55dB	N/A	N/A	Day
3078	2025-05-16 11:35:17	67.12	55dB	2.3	132%	Day
3079	2025-05-16 11:39:13	80.58	55dB	5.9	489%	Day
3080	2025-05-16 11:40:35	68.73	55dB	2.6	159%	Day
3081	2025-05-16 11:44:04	70.20	55dB	2.9	187%	Day
3082	2025-05-16 11:45:33	N/A	55dB	N/A	N/A	Day
3083	2025-05-16 11:47:28	69.18	55dB	2.7	167%	Day
3084	2025-05-16 11:53:34	72.65	55dB	3.4	240%	Day
3085	2025-05-16 11:55:15	69.99	55dB	2.8	183%	Day
3086	2025-05-16 11:56:56	N/A	55dB	N/A	N/A	Day
3087	2025-05-16 11:58:32	68.02	55dB	2.5	147%	Day
3088	2025-05-16 12:00:25	71.25	55dB	3.1	208%	Day
3089	2025-05-16 12:02:09	72.89	55dB	3.5	246%	Day
3090	2025-05-16 12:04:09	73.91	55dB	3.7	271%	Day
3091	2025-05-16 12:08:34	76.75	55dB	4.5	352%	Day
3092	2025-05-16 12:10:11	68.49	55dB	2.5	155%	Day
3093	2025-05-16 12:11:47	N/A	55dB	N/A	N/A	Day
3094	2025-05-16 12:13:40	75.19	55dB	4.1	305%	Day
3095	2025-05-16 12:16:22	67.67	55dB	2.4	141%	Day
3096	2025-05-16 12:18:07	69.58	55dB	2.7	175%	Day
3097	2025-05-16 12:20:17	71.72	55dB	3.2	219%	Day
3098	2025-05-16 12:22:40	N/A	55dB	N/A	N/A	Day
3099	2025-05-16 12:24:07	70.69	55dB	3.0	197%	Day
3100	2025-05-16 12:29:34	69.78	55dB	2.8	179%	Day
3101	2025-05-16 12:31:43	71.24	55dB	3.1	208%	Day
3102	2025-05-16 12:34:43	70.56	55dB	2.9	194%	Day
3103	2025-05-16 12:37:07	69.06	55dB	2.7	165%	Day
3104	2025-05-16 12:47:26	69.57	55dB	2.7	175%	Day
3105	2025-05-16 12:50:20	70.87	55dB	3.0	200%	Day
3106	2025-05-16 12:53:06	71.95	55dB	3.2	224%	Day
3107	2025-05-16 12:56:23	N/A	55dB	N/A	N/A	Day
3108	2025-05-16 12:58:21	N/A	55dB	N/A	N/A	Day
3109	2025-05-16 13:00:16	67.93	55dB	2.5	145%	Day
3110	2025-05-16 13:01:38	N/A	55dB	N/A	N/A	Day
3111	2025-05-16 13:02:52	72.95	55dB	3.5	247%	Day
3112	2025-05-16 13:04:53	70.62	55dB	3.0	195%	Day
3113	2025-05-16 13:06:07	70.68	55dB	3.0	196%	Day
3114	2025-05-16 13:07:22	76.90	55dB	4.6	356%	Day
3115	2025-05-16 13:08:44	68.40	55dB	2.5	153%	Day
3116	2025-05-16 13:14:47	67.66	55dB	2.4	140%	Day
3117	2025-05-16 13:17:49	69.25	55dB	2.7	169%	Day
3118	2025-05-16 13:19:29	71.23	55dB	3.1	208%	Day

3119	2025-05-16 13:22:45	68.41	55dB	2.5	153%	Day
3120	2025-05-16 13:24:34	75.02	55dB	4.0	301%	Day
3121	2025-05-16 13:26:57	67.87	55dB	2.4	144%	Day
3122	2025-05-16 13:28:09	70.29	55dB	2.9	189%	Day
3123	2025-05-16 13:29:25	75.80	55dB	4.2	323%	Day
3124	2025-05-16 13:32:02	70.93	55dB	3.0	202%	Day
3125	2025-05-16 13:36:02	70.89	55dB	3.0	201%	Day
3126	2025-05-16 13:38:06	70.42	55dB	2.9	191%	Day
3127	2025-05-16 13:39:39	N/A	55dB	N/A	N/A	Day
3128	2025-05-16 13:43:45	N/A	55dB	N/A	N/A	Day
3129	2025-05-16 13:45:05	69.77	55dB	2.8	178%	Day
3130	2025-05-16 13:46:53	66.30	55dB	2.2	119%	Day
3131	2025-05-16 13:48:15	N/A	55dB	N/A	N/A	Day
3132	2025-05-16 13:49:34	72.07	55dB	3.3	226%	Day
3133	2025-05-16 13:53:49	76.24	55dB	4.4	336%	Day
3134	2025-05-16 13:55:32	74.31	55dB	3.8	281%	Day
3135	2025-05-16 13:58:43	67.43	55dB	2.4	137%	Day
3136	2025-05-16 14:00:22	71.41	55dB	3.1	212%	Day
3137	2025-05-16 14:02:50	67.43	55dB	2.4	137%	Day
3138	2025-05-16 14:07:24	73.92	55dB	3.7	271%	Day
3139	2025-05-16 14:09:04	74.78	55dB	3.9	294%	Day
3140	2025-05-16 14:11:04	71.25	55dB	3.1	208%	Day
3141	2025-05-16 14:12:25	70.15	55dB	2.9	186%	Day
3142	2025-05-16 14:13:37	N/A	55dB	N/A	N/A	Day
3143	2025-05-16 14:15:06	N/A	55dB	N/A	N/A	Day
3144	2025-05-16 14:18:53	N/A	55dB	N/A	N/A	Day
3145	2025-05-16 14:22:39	80.31	55dB	5.8	478%	Day
3146	2025-05-16 14:24:45	69.77	55dB	2.8	178%	Day
3147	2025-05-16 14:26:42	73.65	55dB	3.6	264%	Day
3148	2025-05-16 14:29:19	N/A	55dB	N/A	N/A	Day
3149	2025-05-16 14:30:36	N/A	55dB	N/A	N/A	Day
3150	2025-05-16 14:32:45	N/A	55dB	N/A	N/A	Day
3151	2025-05-16 14:34:54	71.83	55dB	3.2	221%	Day
3152	2025-05-16 14:36:04	69.62	55dB	2.8	175%	Day
3153	2025-05-16 14:37:49	71.02	55dB	3.0	204%	Day
3154	2025-05-16 14:39:10	73.82	55dB	3.7	269%	Day
3155	2025-05-16 14:40:19	70.92	55dB	3.0	201%	Day
3156	2025-05-16 14:43:08	69.41	55dB	2.7	172%	Day
3157	2025-05-16 14:44:46	N/A	55dB	N/A	N/A	Day
3158	2025-05-16 14:46:10	76.47	55dB	4.4	343%	Day
3159	2025-05-16 14:48:27	69.96	55dB	2.8	182%	Day
3160	2025-05-16 14:51:12	68.16	55dB	2.5	149%	Day
3161	2025-05-16 14:52:49	69.14	55dB	2.7	166%	Day
3162	2025-05-16 14:57:33	71.53	55dB	3.1	214%	Day

3163	2025-05-16 14:59:53	N/A	55dB	N/A	N/A	Day
3164	2025-05-16 15:01:28	72.21	55dB	3.3	230%	Day
3165	2025-05-16 15:03:15	69.06	55dB	2.7	165%	Day
3166	2025-05-16 15:04:44	74.45	55dB	3.9	285%	Day
3167	2025-05-16 15:06:51	71.11	55dB	3.1	205%	Day
3168	2025-05-16 15:08:11	72.34	55dB	3.3	233%	Day
3169	2025-05-16 15:10:11	72.10	55dB	3.3	227%	Day
3170	2025-05-16 15:11:21	73.12	55dB	3.5	251%	Day
3171	2025-05-16 15:13:35	N/A	55dB	N/A	N/A	Day
3172	2025-05-16 15:14:56	68.34	55dB	2.5	152%	Day
3173	2025-05-16 15:16:01	73.95	55dB	3.7	272%	Day
3174	2025-05-16 15:17:42	70.30	55dB	2.9	189%	Day
3175	2025-05-16 15:18:55	69.39	55dB	2.7	171%	Day
3176	2025-05-16 15:20:05	66.26	55dB	2.2	118%	Day
3177	2025-05-16 15:21:11	N/A	55dB	N/A	N/A	Day
3178	2025-05-16 15:22:30	N/A	55dB	N/A	N/A	Day
3179	2025-05-16 15:23:48	N/A	55dB	N/A	N/A	Day
3180	2025-05-16 15:24:55	N/A	55dB	N/A	N/A	Day
3181	2025-05-16 15:26:10	82.09	55dB	6.5	554%	Day
3182	2025-05-16 15:28:05	68.41	55dB	2.5	153%	Day
3183	2025-05-16 15:29:32	69.66	55dB	2.8	176%	Day
3184	2025-05-16 15:30:38	70.40	55dB	2.9	191%	Day
3185	2025-05-16 15:33:24	72.95	55dB	3.5	247%	Day
3186	2025-05-16 15:35:30	69.49	55dB	2.7	173%	Day
3187	2025-05-16 15:36:47	72.88	55dB	3.5	245%	Day
3188	2025-05-16 15:37:53	68.95	55dB	2.6	163%	Day
3189	2025-05-16 15:39:32	71.28	55dB	3.1	209%	Day
3190	2025-05-16 15:41:37	68.49	55dB	2.5	155%	Day
3191	2025-05-16 15:44:06	67.27	55dB	2.3	134%	Day
3192	2025-05-16 15:45:47	N/A	55dB	N/A	N/A	Day
3193	2025-05-16 15:48:41	73.20	55dB	3.5	253%	Day
3194	2025-05-16 15:54:10	N/A	55dB	N/A	N/A	Day
3195	2025-05-16 15:57:35	72.86	55dB	3.4	245%	Day
3196	2025-05-16 16:00:06	75.32	55dB	4.1	309%	Day
3197	2025-05-16 16:02:07	69.73	55dB	2.8	178%	Day
3198	2025-05-16 16:03:26	69.21	55dB	2.7	168%	Day
3199	2025-05-16 16:04:32	70.45	55dB	2.9	192%	Day
3200	2025-05-16 16:06:04	73.10	55dB	3.5	251%	Day
3201	2025-05-16 16:07:40	73.90	55dB	3.7	271%	Day
3202	2025-05-16 16:09:20	71.45	55dB	3.1	213%	Day
3203	2025-05-16 16:10:50	75.48	55dB	4.1	314%	Day
3204	2025-05-16 16:12:40	N/A	55dB	N/A	N/A	Day
3205	2025-05-16 16:17:53	67.93	55dB	2.5	145%	Day
3206	2025-05-16 16:20:44	N/A	55dB	N/A	N/A	Day

3207	2025-05-16 16:22:26	69.77	55dB	2.8	178%	Day
3208	2025-05-16 16:24:03	70.64	55dB	3.0	196%	Day
3209	2025-05-16 16:25:13	70.69	55dB	3.0	197%	Day
3210	2025-05-16 16:26:33	70.71	55dB	3.0	197%	Day
3211	2025-05-16 16:27:50	70.34	55dB	2.9	190%	Day
3212	2025-05-16 16:29:10	69.76	55dB	2.8	178%	Day
3213	2025-05-16 16:30:25	69.56	55dB	2.7	174%	Day
3214	2025-05-16 16:35:31	69.53	55dB	2.7	174%	Day
3215	2025-05-16 16:37:19	89.66	55dB	11.1	1005%	Day
3216	2025-05-16 16:39:50	N/A	55dB	N/A	N/A	Day
3217	2025-05-16 16:42:21	72.23	55dB	3.3	230%	Day
3218	2025-05-16 16:44:33	69.97	55dB	2.8	182%	Day
3219	2025-05-16 16:46:06	68.73	55dB	2.6	159%	Day
3220	2025-05-16 16:50:53	76.32	55dB	4.4	338%	Day
3221	2025-05-16 16:53:45	N/A	55dB	N/A	N/A	Day
3222	2025-05-16 16:57:02	72.23	55dB	3.3	230%	Day
3223	2025-05-16 16:58:14	71.15	55dB	3.1	206%	Day
3224	2025-05-16 17:00:15	67.02	55dB	2.3	130%	Day
3225	2025-05-16 17:01:26	N/A	55dB	N/A	N/A	Day
3226	2025-05-16 17:03:34	68.77	55dB	2.6	160%	Day
3227	2025-05-16 17:04:49	71.76	55dB	3.2	220%	Day
3228	2025-05-16 17:06:05	69.64	55dB	2.8	176%	Day
3229	2025-05-16 17:07:30	N/A	55dB	N/A	N/A	Day
3230	2025-05-16 17:10:53	N/A	55dB	N/A	N/A	Day
3231	2025-05-16 17:12:45	68.36	55dB	2.5	152%	Day
3232	2025-05-16 17:14:47	70.29	55dB	2.9	189%	Day
3233	2025-05-16 17:16:00	N/A	55dB	N/A	N/A	Day
3234	2025-05-16 17:17:23	75.05	55dB	4.0	301%	Day
3235	2025-05-16 17:20:02	69.82	55dB	2.8	179%	Day
3236	2025-05-16 17:21:01	N/A	55dB	N/A	N/A	Day
3237	2025-05-16 17:22:16	73.73	55dB	3.7	266%	Day
3238	2025-05-16 17:23:45	69.62	55dB	2.8	175%	Day
3239	2025-05-16 17:24:48	66.91	55dB	2.3	128%	Day
3240	2025-05-16 17:25:54	81.66	55dB	6.3	535%	Day
3241	2025-05-16 17:28:30	66.86	55dB	2.3	128%	Day
3242	2025-05-16 17:33:41	70.48	55dB	2.9	192%	Day
3243	2025-05-16 17:35:40	66.69	55dB	2.2	125%	Day
3244	2025-05-16 17:36:54	69.01	55dB	2.6	164%	Day
3245	2025-05-16 17:38:18	70.96	55dB	3.0	202%	Day
3246	2025-05-16 17:40:51	69.81	55dB	2.8	179%	Day
3247	2025-05-16 17:43:02	N/A	55dB	N/A	N/A	Day
3248	2025-05-16 17:44:48	80.88	55dB	6.0	501%	Day
3249	2025-05-16 17:46:55	69.65	55dB	2.8	176%	Day
3250	2025-05-16 17:48:18	N/A	55dB	N/A	N/A	Day

3251	2025-05-16 17:49:25	67.14	55dB	2.3	132%	Day
3252	2025-05-16 17:50:46	N/A	55dB	N/A	N/A	Day
3253	2025-05-16 17:52:54	N/A	55dB	N/A	N/A	Day
3254	2025-05-16 17:55:57	68.16	55dB	2.5	149%	Day
3255	2025-05-16 17:59:17	N/A	55dB	N/A	N/A	Day
3256	2025-05-16 18:01:06	73.31	55dB	3.6	256%	Day
3257	2025-05-16 18:02:34	78.86	55dB	5.2	423%	Day
3258	2025-05-16 18:08:04	69.63	55dB	2.8	176%	Day
3259	2025-05-16 18:12:24	70.78	55dB	3.0	199%	Day
3260	2025-05-16 18:13:39	69.45	55dB	2.7	172%	Day
3261	2025-05-16 18:15:15	69.86	55dB	2.8	180%	Day
3262	2025-05-16 18:16:47	73.02	55dB	3.5	249%	Day
3263	2025-05-16 18:19:55	85.38	55dB	8.2	721%	Day
3264	2025-05-16 18:21:34	71.29	55dB	3.1	209%	Day
3265	2025-05-16 18:23:18	73.65	55dB	3.6	264%	Day
3266	2025-05-16 18:25:23	N/A	55dB	N/A	N/A	Day
3267	2025-05-16 18:26:33	68.95	55dB	2.6	163%	Day
3268	2025-05-16 18:29:03	71.68	55dB	3.2	218%	Day
3269	2025-05-16 18:31:45	67.46	55dB	2.4	137%	Day
3270	2025-05-16 18:33:41	84.40	55dB	7.7	667%	Day
3271	2025-05-16 18:37:00	75.58	55dB	4.2	316%	Day
3272	2025-05-16 18:39:13	85.95	55dB	8.5	754%	Day
3273	2025-05-16 18:41:09	71.66	55dB	3.2	217%	Day
3274	2025-05-16 18:43:09	79.79	55dB	5.6	458%	Day
3275	2025-05-16 18:52:16	69.58	55dB	2.7	175%	Day
3276	2025-05-16 18:54:23	71.20	55dB	3.1	207%	Day
3277	2025-05-16 18:55:46	69.74	55dB	2.8	178%	Day
3278	2025-05-16 18:57:22	79.57	55dB	5.5	449%	Day
3279	2025-05-16 18:59:34	69.43	55dB	2.7	172%	Day
3280	2025-05-16 19:00:51	68.30	55dB	2.5	151%	Day
3281	2025-05-16 19:02:11	77.92	55dB	4.9	390%	Day
3282	2025-05-16 19:04:06	69.78	55dB	2.8	179%	Day
3283	2025-05-16 19:05:21	73.56	55dB	3.6	262%	Day
3284	2025-05-16 19:06:22	68.86	55dB	2.6	161%	Day
3285	2025-05-16 19:07:44	70.73	55dB	3.0	198%	Day
3286	2025-05-16 19:08:45	69.12	55dB	2.7	166%	Day
3287	2025-05-16 19:09:57	76.79	55dB	4.5	353%	Day
3288	2025-05-16 19:11:54	68.69	55dB	2.6	158%	Day
3289	2025-05-16 19:13:19	N/A	55dB	N/A	N/A	Day
3290	2025-05-16 19:15:03	73.71	55dB	3.7	266%	Day
3291	2025-05-16 19:16:52	67.43	55dB	2.4	137%	Day
3292	2025-05-16 19:18:08	N/A	55dB	N/A	N/A	Day
3293	2025-05-16 19:20:41	69.58	55dB	2.7	175%	Day
3294	2025-05-16 19:23:35	73.50	55dB	3.6	261%	Day

3295	2025-05-16 19:24:44	68.09	55dB	2.5	148%	Day
3296	2025-05-16 19:26:05	68.96	55dB	2.6	163%	Day
3297	2025-05-16 19:27:41	71.01	55dB	3.0	203%	Day
3298	2025-05-16 19:29:25	N/A	55dB	N/A	N/A	Day
3299	2025-05-16 19:30:44	67.08	55dB	2.3	131%	Day
3300	2025-05-16 19:31:56	68.54	55dB	2.6	156%	Day
3301	2025-05-16 19:33:21	N/A	55dB	N/A	N/A	Day
3302	2025-05-16 19:34:36	68.95	55dB	2.6	163%	Day
3303	2025-05-16 19:36:51	N/A	55dB	N/A	N/A	Day
3304	2025-05-16 19:37:58	66.26	55dB	2.2	118%	Day
3305	2025-05-16 19:39:11	67.73	55dB	2.4	142%	Day
3306	2025-05-16 19:40:45	N/A	55dB	N/A	N/A	Day
3307	2025-05-16 19:41:55	69.37	55dB	2.7	171%	Day
3308	2025-05-16 19:43:26	67.21	55dB	2.3	133%	Day
3309	2025-05-16 19:44:31	N/A	55dB	N/A	N/A	Day
3310	2025-05-16 19:45:35	76.15	55dB	4.3	333%	Day
3311	2025-05-16 19:47:25	68.57	55dB	2.6	156%	Day
3312	2025-05-16 19:48:50	N/A	55dB	N/A	N/A	Day
3313	2025-05-16 19:50:13	N/A	55dB	N/A	N/A	Day
3314	2025-05-16 19:51:30	N/A	55dB	N/A	N/A	Day
3315	2025-05-16 19:53:32	71.15	55dB	3.1	206%	Day
3316	2025-05-16 19:55:13	66.81	55dB	2.3	127%	Day
3317	2025-05-16 19:56:23	67.99	55dB	2.5	146%	Day
3318	2025-05-16 19:57:56	68.37	55dB	2.5	153%	Day
3319	2025-05-16 20:00:16	73.56	55dB	3.6	262%	Day
3320	2025-05-16 20:02:30	N/A	55dB	N/A	N/A	Day
3321	2025-05-16 20:03:56	70.91	55dB	3.0	201%	Day
3322	2025-05-16 20:05:43	71.14	55dB	3.1	206%	Day
3323	2025-05-16 20:07:55	68.65	55dB	2.6	158%	Day
3324	2025-05-16 20:09:15	68.22	55dB	2.5	150%	Day
3325	2025-05-16 20:10:36	71.59	55dB	3.2	216%	Day
3326	2025-05-16 20:13:00	68.55	55dB	2.6	156%	Day
3327	2025-05-16 20:16:21	71.13	55dB	3.1	206%	Day
3328	2025-05-16 20:21:01	72.63	55dB	3.4	239%	Day
3329	2025-05-16 20:22:56	67.66	55dB	2.4	140%	Day
3330	2025-05-16 20:24:18	N/A	55dB	N/A	N/A	Day
3331	2025-05-16 20:25:23	69.26	55dB	2.7	169%	Day
3332	2025-05-16 20:26:48	N/A	55dB	N/A	N/A	Day
3333	2025-05-16 20:30:36	69.91	55dB	2.8	181%	Day
3334	2025-05-16 20:38:02	71.15	55dB	3.1	206%	Day
3335	2025-05-16 20:39:42	68.68	55dB	2.6	158%	Day
3336	2025-05-16 20:41:11	68.31	55dB	2.5	152%	Day
3337	2025-05-16 20:42:47	69.03	55dB	2.6	164%	Day
3338	2025-05-16 20:45:06	69.97	55dB	2.8	182%	Day

3339	2025-05-16 20:48:25	68.99	55dB	2.6	164%	Day
3340	2025-05-16 20:50:12	70.32	55dB	2.9	189%	Day
3341	2025-05-16 20:51:27	66.91	55dB	2.3	128%	Day
3342	2025-05-16 20:53:01	69.01	55dB	2.6	164%	Day
3343	2025-05-16 20:54:16	70.20	55dB	2.9	187%	Day
3344	2025-05-16 20:57:43	68.34	55dB	2.5	152%	Day
3345	2025-05-16 20:58:57	70.23	55dB	2.9	187%	Day
3346	2025-05-16 21:00:11	68.25	55dB	2.5	151%	Day
3347	2025-05-16 21:01:28	72.08	55dB	3.3	227%	Day
3348	2025-05-16 21:03:39	68.55	55dB	2.6	156%	Day
3349	2025-05-16 21:05:42	67.64	55dB	2.4	140%	Day
3350	2025-05-16 21:07:49	N/A	55dB	N/A	N/A	Day
3351	2025-05-16 21:09:19	71.37	55dB	3.1	211%	Day
3352	2025-05-16 21:11:08	72.97	55dB	3.5	247%	Day
3353	2025-05-16 21:12:32	70.01	55dB	2.8	183%	Day
3354	2025-05-16 21:14:27	66.52	55dB	2.2	122%	Day
3355	2025-05-16 21:16:21	67.71	55dB	2.4	141%	Day
3356	2025-05-16 21:17:48	68.76	55dB	2.6	160%	Day
3357	2025-05-16 21:19:19	66.21	55dB	2.2	117%	Day
3358	2025-05-16 21:20:47	71.04	55dB	3.0	204%	Day
3359	2025-05-16 21:22:15	67.02	55dB	2.3	130%	Day
3360	2025-05-16 21:26:04	67.58	55dB	2.4	139%	Day
3361	2025-05-16 21:37:02	70.02	55dB	2.8	183%	Day
3362	2025-05-16 21:39:02	72.56	55dB	3.4	238%	Day
3363	2025-05-16 21:41:18	66.91	55dB	2.3	128%	Day
3364	2025-05-16 21:42:50	71.84	55dB	3.2	221%	Day
3365	2025-05-16 21:44:12	68.81	55dB	2.6	160%	Day
3366	2025-05-16 21:46:22	N/A	55dB	N/A	N/A	Day
3367	2025-05-16 21:47:39	67.52	55dB	2.4	138%	Day
3368	2025-05-16 21:49:01	70.05	55dB	2.8	184%	Day
3369	2025-05-16 21:50:27	71.48	55dB	3.1	213%	Day
3370	2025-05-16 21:52:58	N/A	55dB	N/A	N/A	Day
3371	2025-05-16 21:58:56	68.86	55dB	2.6	161%	Day
3372	2025-05-16 22:01:17	67.80	55dB	2.4	143%	Day
3373	2025-05-16 22:04:42	69.53	55dB	2.7	174%	Day
3374	2025-05-16 22:07:43	66.87	55dB	2.3	128%	Day
3375	2025-05-16 22:09:05	71.60	55dB	3.2	216%	Day
3376	2025-05-16 22:17:31	71.98	55dB	3.2	224%	Day
3377	2025-05-16 22:21:44	66.71	55dB	2.3	125%	Day
3378	2025-05-16 22:25:12	68.27	55dB	2.5	151%	Day
3379	2025-05-16 22:29:11	67.43	55dB	2.4	137%	Day
3380	2025-05-16 22:31:09	N/A	55dB	N/A	N/A	Day
3381	2025-05-16 22:34:48	71.32	55dB	3.1	210%	Day
3382	2025-05-16 22:36:17	68.19	55dB	2.5	149%	Day

3383	2025-05-16 22:39:41	68.46	55dB	2.5	154%	Day
3384	2025-05-16 22:40:56	71.15	55dB	3.1	206%	Day
3385	2025-05-16 22:46:10	67.28	55dB	2.3	134%	Day
3386	2025-05-16 22:48:35	68.94	55dB	2.6	163%	Day
3387	2025-05-16 22:50:38	70.12	55dB	2.9	185%	Day
3388	2025-05-16 22:52:42	70.80	55dB	3.0	199%	Day
3389	2025-05-16 22:54:04	69.83	55dB	2.8	180%	Day
3390	2025-05-16 22:55:33	70.83	55dB	3.0	200%	Day
3391	2025-05-16 22:57:17	67.78	55dB	2.4	143%	Day
3392	2025-05-16 22:58:31	67.46	55dB	2.4	137%	Day
3393	2025-05-16 22:59:53	N/A	55dB	N/A	N/A	Day
3394	2025-05-16 23:02:07	70.89	45dB	6.0	502%	Night
3395	2025-05-16 23:05:14	N/A	45dB	N/A	N/A	Night
3396	2025-05-16 23:07:03	68.36	45dB	5.0	405%	Night
3397	2025-05-16 23:16:06	68.32	45dB	5.0	404%	Night
3398	2025-05-16 23:20:48	68.48	45dB	5.1	409%	Night
3399	2025-05-16 23:24:16	70.31	45dB	5.8	478%	Night
3400	2025-05-16 23:26:01	N/A	45dB	N/A	N/A	Night
3401	2025-05-16 23:43:21	83.34	45dB	14.3	1326%	Night
3402	2025-05-16 23:48:31	68.16	45dB	5.0	398%	Night
3403	2025-05-16 23:50:54	76.18	45dB	8.7	768%	Night
3404	2025-05-16 23:52:45	71.10	45dB	6.1	511%	Night
3405	2025-05-16 23:54:16	71.89	45dB	6.4	545%	Night
3406	2025-05-17 00:03:02	67.34	45dB	4.7	370%	Night
3407	2025-05-17 00:06:00	70.00	45dB	5.7	466%	Night
3408	2025-05-17 00:08:47	70.07	45dB	5.7	468%	Night
3409	2025-05-17 00:10:18	75.13	45dB	8.1	707%	Night
3410	2025-05-17 00:13:54	72.60	45dB	6.8	577%	Night
3411	2025-05-17 00:15:44	74.43	45dB	7.7	669%	Night
3412	2025-05-17 00:17:38	72.98	45dB	7.0	595%	Night
3413	2025-05-17 00:18:57	69.38	45dB	5.4	442%	Night
3414	2025-05-17 00:20:25	68.93	45dB	5.3	425%	Night
3415	2025-05-17 00:21:50	68.47	45dB	5.1	409%	Night
3416	2025-05-17 00:26:32	70.53	45dB	5.9	487%	Night
3417	2025-05-17 00:28:02	70.94	45dB	6.0	504%	Night
3418	2025-05-17 00:31:04	68.86	45dB	5.2	423%	Night
3419	2025-05-17 00:32:58	70.60	45dB	5.9	490%	Night
3420	2025-05-17 00:34:27	71.68	45dB	6.4	536%	Night
3421	2025-05-17 00:36:04	69.52	45dB	5.5	447%	Night
3422	2025-05-17 00:37:57	68.43	45dB	5.1	407%	Night
3423	2025-05-17 00:39:24	68.22	45dB	5.0	400%	Night
3424	2025-05-17 00:41:30	79.59	45dB	11.0	1000%	Night
3425	2025-05-17 00:43:47	69.28	45dB	5.4	438%	Night
3426	2025-05-17 00:50:30	70.33	45dB	5.8	479%	Night

3427	2025-05-17 00:52:04	70.10	45dB	5.7	470%	Night
3428	2025-05-17 00:55:05	70.71	45dB	5.9	494%	Night
3429	2025-05-17 01:02:22	71.97	45dB	6.5	548%	Night
3430	2025-05-17 01:04:38	73.32	45dB	7.1	612%	Night
3431	2025-05-17 01:08:51	69.83	45dB	5.6	459%	Night
3432	2025-05-17 01:11:17	70.98	45dB	6.1	505%	Night
3433	2025-05-17 01:16:06	70.34	45dB	5.8	479%	Night
3434	2025-05-17 01:30:03	68.36	45dB	5.0	405%	Night
3435	2025-05-17 01:33:20	73.44	45dB	7.2	618%	Night
3436	2025-05-17 01:55:30	72.02	45dB	6.5	551%	Night
3437	2025-05-17 02:05:40	74.13	45dB	7.5	653%	Night
3438	2025-05-17 02:21:06	70.76	45dB	6.0	496%	Night
3439	2025-05-17 06:30:15	72.82	45dB	6.9	588%	Night
3440	2025-05-17 06:32:23	70.93	45dB	6.0	503%	Night
3441	2025-05-17 06:34:34	N/A	45dB	N/A	N/A	Night
3442	2025-05-17 06:36:36	70.57	45dB	5.9	488%	Night
3443	2025-05-17 06:38:36	70.34	45dB	5.8	479%	Night
3444	2025-05-17 06:40:34	69.24	45dB	5.4	437%	Night
3445	2025-05-17 06:42:32	70.28	45dB	5.8	477%	Night
3446	2025-05-17 06:45:02	78.15	45dB	10.0	895%	Night
3447	2025-05-17 06:46:53	75.12	45dB	8.1	707%	Night
3448	2025-05-17 06:49:02	71.01	45dB	6.1	507%	Night
3449	2025-05-17 06:50:47	68.15	45dB	5.0	398%	Night
3450	2025-05-17 06:52:26	72.57	45dB	6.8	576%	Night
3451	2025-05-17 06:54:53	71.71	45dB	6.4	537%	Night
3452	2025-05-17 06:56:50	73.28	45dB	7.1	610%	Night
3453	2025-05-17 06:58:47	73.75	45dB	7.3	634%	Night
3454	2025-05-17 07:00:38	73.90	55dB	3.7	271%	Day
3455	2025-05-17 07:02:13	72.69	55dB	3.4	241%	Day
3456	2025-05-17 07:03:50	71.66	55dB	3.2	217%	Day
3457	2025-05-17 07:05:38	68.85	55dB	2.6	161%	Day
3458	2025-05-17 07:07:19	67.24	55dB	2.3	134%	Day
3459	2025-05-17 07:09:08	69.37	55dB	2.7	171%	Day
3460	2025-05-17 07:10:54	67.68	55dB	2.4	141%	Day
3461	2025-05-17 07:12:48	72.16	55dB	3.3	229%	Day
3462	2025-05-17 07:16:35	68.56	55dB	2.6	156%	Day
3463	2025-05-17 07:18:18	69.78	55dB	2.8	179%	Day
3464	2025-05-17 07:20:50	69.79	55dB	2.8	179%	Day
3465	2025-05-17 07:23:27	68.41	55dB	2.5	153%	Day
3466	2025-05-17 07:26:08	74.88	55dB	4.0	297%	Day
3467	2025-05-17 07:27:49	70.16	55dB	2.9	186%	Day
3468	2025-05-17 07:29:42	N/A	55dB	N/A	N/A	Day
3469	2025-05-17 07:31:59	69.68	55dB	2.8	177%	Day
3470	2025-05-17 07:34:05	68.94	55dB	2.6	163%	Day

3471	2025-05-17 07:36:10	67.35	55dB	2.4	135%	Day
3472	2025-05-17 07:38:15	66.86	55dB	2.3	128%	Day
3473	2025-05-17 07:45:18	69.18	55dB	2.7	167%	Day
3474	2025-05-17 07:47:20	70.73	55dB	3.0	198%	Day
3475	2025-05-17 07:49:19	N/A	55dB	N/A	N/A	Day
3476	2025-05-17 07:51:46	69.12	55dB	2.7	166%	Day
3477	2025-05-17 08:04:27	67.56	55dB	2.4	139%	Day
3478	2025-05-17 08:06:05	69.53	55dB	2.7	174%	Day
3479	2025-05-17 08:08:22	71.63	55dB	3.2	217%	Day
3480	2025-05-17 08:10:41	71.12	55dB	3.1	206%	Day
3481	2025-05-17 08:12:45	67.60	55dB	2.4	139%	Day
3482	2025-05-17 08:14:28	69.08	55dB	2.7	165%	Day
3483	2025-05-17 08:22:01	72.30	55dB	3.3	232%	Day
3484	2025-05-17 08:31:11	68.11	55dB	2.5	148%	Day
3485	2025-05-17 08:33:02	69.35	55dB	2.7	170%	Day
3486	2025-05-17 08:34:49	69.22	55dB	2.7	168%	Day
3487	2025-05-17 08:36:41	N/A	55dB	N/A	N/A	Day
3488	2025-05-17 08:38:46	72.56	55dB	3.4	238%	Day
3489	2025-05-17 08:40:28	66.53	55dB	2.2	122%	Day
3490	2025-05-17 08:42:31	72.30	55dB	3.3	232%	Day
3491	2025-05-17 08:44:45	69.18	55dB	2.7	167%	Day
3492	2025-05-17 08:46:28	68.33	55dB	2.5	152%	Day
3493	2025-05-17 08:50:58	N/A	55dB	N/A	N/A	Day
3494	2025-05-17 09:00:42	69.86	55dB	2.8	180%	Day
3495	2025-05-17 09:21:19	72.86	55dB	3.4	245%	Day
3496	2025-05-17 09:24:52	68.78	55dB	2.6	160%	Day
3497	2025-05-17 09:27:50	68.19	55dB	2.5	149%	Day
3498	2025-05-17 09:30:49	69.67	55dB	2.8	176%	Day
3499	2025-05-17 09:33:23	70.52	55dB	2.9	193%	Day
3500	2025-05-17 09:36:06	68.60	55dB	2.6	157%	Day
3501	2025-05-17 09:39:22	72.07	55dB	3.3	226%	Day
3502	2025-05-17 09:41:22	72.41	55dB	3.3	234%	Day
3503	2025-05-17 09:43:35	75.00	55dB	4.0	300%	Day
3504	2025-05-17 09:56:32	N/A	55dB	N/A	N/A	Day
3505	2025-05-17 10:01:01	N/A	55dB	N/A	N/A	Day
3506	2025-05-17 10:02:56	68.58	55dB	2.6	156%	Day
3507	2025-05-17 10:05:50	71.10	55dB	3.1	205%	Day
3508	2025-05-17 10:08:01	72.51	55dB	3.4	237%	Day
3509	2025-05-17 10:16:35	70.89	55dB	3.0	201%	Day
3510	2025-05-17 10:18:27	N/A	55dB	N/A	N/A	Day
3511	2025-05-17 10:20:42	69.73	55dB	2.8	178%	Day
3512	2025-05-17 10:23:15	68.86	55dB	2.6	161%	Day
3513	2025-05-17 10:25:20	68.68	55dB	2.6	158%	Day
3514	2025-05-17 10:28:06	71.82	55dB	3.2	221%	Day

3515	2025-05-17 10:31:05	69.54	55dB	2.7	174%	Day
3516	2025-05-17 10:33:13	71.06	55dB	3.0	204%	Day
3517	2025-05-17 10:35:33	74.43	55dB	3.8	285%	Day
3518	2025-05-17 10:37:54	69.37	55dB	2.7	171%	Day
3519	2025-05-17 10:39:58	68.91	55dB	2.6	162%	Day
3520	2025-05-17 10:41:50	70.74	55dB	3.0	198%	Day
3521	2025-05-17 10:43:30	70.83	55dB	3.0	200%	Day
3522	2025-05-17 10:45:28	69.17	55dB	2.7	167%	Day
3523	2025-05-17 10:47:25	72.11	55dB	3.3	227%	Day
3524	2025-05-17 10:49:14	74.70	55dB	3.9	292%	Day
3525	2025-05-17 10:51:20	67.74	55dB	2.4	142%	Day
3526	2025-05-17 10:56:05	69.85	55dB	2.8	180%	Day
3527	2025-05-17 10:57:41	67.93	55dB	2.5	145%	Day
3528	2025-05-17 10:59:32	N/A	55dB	N/A	N/A	Day
3529	2025-05-17 11:01:17	67.18	55dB	2.3	133%	Day
3530	2025-05-17 11:03:21	N/A	55dB	N/A	N/A	Day
3531	2025-05-17 11:05:06	68.60	55dB	2.6	157%	Day
3532	2025-05-17 11:07:00	69.20	55dB	2.7	168%	Day
3533	2025-05-17 11:09:00	67.53	55dB	2.4	138%	Day
3534	2025-05-17 11:11:43	66.69	55dB	2.2	125%	Day
3535	2025-05-17 11:16:07	70.78	55dB	3.0	199%	Day
3536	2025-05-17 11:18:02	71.93	55dB	3.2	223%	Day
3537	2025-05-17 11:19:45	72.98	55dB	3.5	248%	Day
3538	2025-05-17 11:21:33	71.95	55dB	3.2	224%	Day
3539	2025-05-17 11:24:30	70.63	55dB	3.0	195%	Day
3540	2025-05-17 11:28:58	N/A	55dB	N/A	N/A	Day
3541	2025-05-17 11:36:13	N/A	55dB	N/A	N/A	Day
3542	2025-05-17 11:41:07	78.83	55dB	5.2	422%	Day
3543	2025-05-17 11:44:05	70.69	55dB	3.0	197%	Day
3544	2025-05-17 11:50:42	72.56	55dB	3.4	238%	Day
3545	2025-05-17 11:52:36	70.25	55dB	2.9	188%	Day
3546	2025-05-17 11:54:04	70.41	55dB	2.9	191%	Day
3547	2025-05-17 11:55:57	69.70	55dB	2.8	177%	Day
3548	2025-05-17 11:57:24	69.35	55dB	2.7	170%	Day
3549	2025-05-17 11:59:37	70.13	55dB	2.9	185%	Day
3550	2025-05-17 12:01:08	N/A	55dB	N/A	N/A	Day
3551	2025-05-17 12:02:36	68.98	55dB	2.6	164%	Day
3552	2025-05-17 12:07:10	73.50	55dB	3.6	261%	Day
3553	2025-05-17 12:09:08	70.03	55dB	2.8	183%	Day
3554	2025-05-17 12:11:24	66.61	55dB	2.2	124%	Day
3555	2025-05-17 12:16:55	67.50	55dB	2.4	138%	Day
3556	2025-05-17 12:19:44	78.80	55dB	5.2	421%	Day
3557	2025-05-17 12:21:28	77.77	55dB	4.8	385%	Day
3558	2025-05-17 12:23:39	69.25	55dB	2.7	169%	Day

3559	2025-05-17 12:25:12	N/A	55dB	N/A	N/A	Day
3560	2025-05-17 12:28:58	75.91	55dB	4.3	326%	Day
3561	2025-05-17 12:30:54	82.32	55dB	6.6	564%	Day
3562	2025-05-17 12:33:33	77.66	55dB	4.8	381%	Day
3563	2025-05-17 12:35:02	68.08	55dB	2.5	148%	Day
3564	2025-05-17 12:36:46	82.84	55dB	6.9	589%	Day
3565	2025-05-17 12:38:19	76.95	55dB	4.6	358%	Day
3566	2025-05-17 12:41:14	75.33	55dB	4.1	309%	Day
3567	2025-05-17 12:42:35	71.24	55dB	3.1	208%	Day
3568	2025-05-17 12:43:58	70.49	55dB	2.9	193%	Day
3569	2025-05-17 12:45:34	72.55	55dB	3.4	238%	Day
3570	2025-05-17 12:47:05	71.59	55dB	3.2	216%	Day
3571	2025-05-17 12:50:10	70.21	55dB	2.9	187%	Day
3572	2025-05-17 12:55:55	88.34	55dB	10.1	908%	Day
3573	2025-05-17 12:57:56	83.24	55dB	7.1	608%	Day
3574	2025-05-17 12:59:47	66.94	55dB	2.3	129%	Day
3575	2025-05-17 13:07:00	71.56	55dB	3.2	215%	Day
3576	2025-05-17 13:10:47	74.02	55dB	3.7	274%	Day
3577	2025-05-17 13:13:33	76.73	55dB	4.5	351%	Day
3578	2025-05-17 13:15:44	100.30	55dB	23.1	2210%	Day
3579	2025-05-17 13:17:20	72.39	55dB	3.3	234%	Day
3580	2025-05-17 13:19:24	72.62	55dB	3.4	239%	Day
3581	2025-05-17 13:21:47	69.04	55dB	2.6	165%	Day
3582	2025-05-17 13:23:20	69.11	55dB	2.7	166%	Day
3583	2025-05-17 13:25:05	70.79	55dB	3.0	199%	Day
3584	2025-05-17 13:27:00	74.90	55dB	4.0	297%	Day
3585	2025-05-17 13:28:56	71.75	55dB	3.2	219%	Day
3586	2025-05-17 13:30:30	72.66	55dB	3.4	240%	Day
3587	2025-05-17 13:32:42	81.74	55dB	6.4	538%	Day
3588	2025-05-17 13:34:26	72.17	55dB	3.3	229%	Day
3589	2025-05-17 13:35:53	71.02	55dB	3.0	204%	Day
3590	2025-05-17 13:37:18	76.68	55dB	4.5	349%	Day
3591	2025-05-17 13:39:12	77.35	55dB	4.7	371%	Day
3592	2025-05-17 13:40:38	71.87	55dB	3.2	222%	Day
3593	2025-05-17 13:42:08	74.99	55dB	4.0	300%	Day
3594	2025-05-17 13:43:52	67.12	55dB	2.3	132%	Day
3595	2025-05-17 13:46:03	73.25	55dB	3.5	254%	Day
3596	2025-05-17 13:48:10	71.24	55dB	3.1	208%	Day
3597	2025-05-17 13:49:51	70.95	55dB	3.0	202%	Day
3598	2025-05-17 13:51:26	70.71	55dB	3.0	197%	Day
3599	2025-05-17 13:53:34	72.07	55dB	3.3	226%	Day
3600	2025-05-17 13:56:06	75.98	55dB	4.3	328%	Day
3601	2025-05-17 13:57:45	72.50	55dB	3.4	236%	Day
3602	2025-05-17 14:00:37	80.61	55dB	5.9	490%	Day

3603	2025-05-17 14:02:26	N/A	55dB	N/A	N/A	Day
3604	2025-05-17 14:04:03	71.48	55dB	3.1	213%	Day
3605	2025-05-17 14:06:18	70.36	55dB	2.9	190%	Day
3606	2025-05-17 14:08:02	76.48	55dB	4.4	343%	Day
3607	2025-05-17 14:10:16	78.51	55dB	5.1	410%	Day
3608	2025-05-17 14:12:55	74.75	55dB	3.9	293%	Day
3609	2025-05-17 14:16:03	68.25	55dB	2.5	151%	Day
3610	2025-05-17 14:18:14	88.08	55dB	9.9	890%	Day
3611	2025-05-17 14:19:40	83.47	55dB	7.2	620%	Day
3612	2025-05-17 14:21:07	N/A	55dB	N/A	N/A	Day
3613	2025-05-17 14:22:32	79.46	55dB	5.4	445%	Day
3614	2025-05-17 14:23:57	72.43	55dB	3.3	235%	Day
3615	2025-05-17 14:27:27	84.17	55dB	7.6	655%	Day
3616	2025-05-17 14:28:57	76.13	55dB	4.3	333%	Day
3617	2025-05-17 14:31:03	69.43	55dB	2.7	172%	Day
3618	2025-05-17 14:34:55	80.84	55dB	6.0	500%	Day
3619	2025-05-17 14:41:23	75.59	55dB	4.2	317%	Day
3620	2025-05-17 14:44:13	75.43	55dB	4.1	312%	Day
3621	2025-05-17 14:46:13	81.26	55dB	6.2	517%	Day
3622	2025-05-17 14:48:37	70.78	55dB	3.0	199%	Day
3623	2025-05-17 14:49:51	73.41	55dB	3.6	258%	Day
3624	2025-05-17 14:51:32	72.07	55dB	3.3	226%	Day
3625	2025-05-17 14:52:53	N/A	55dB	N/A	N/A	Day
3626	2025-05-17 14:54:26	N/A	55dB	N/A	N/A	Day
3627	2025-05-17 14:55:55	71.32	55dB	3.1	210%	Day
3628	2025-05-17 14:57:14	78.38	55dB	5.1	406%	Day
3629	2025-05-17 14:58:33	72.79	55dB	3.4	243%	Day
3630	2025-05-17 15:00:00	71.09	55dB	3.1	205%	Day
3631	2025-05-17 15:01:17	82.02	55dB	6.5	551%	Day
3632	2025-05-17 15:03:02	79.98	55dB	5.6	465%	Day
3633	2025-05-17 15:06:23	N/A	55dB	N/A	N/A	Day
3634	2025-05-17 15:11:16	72.56	55dB	3.4	238%	Day
3635	2025-05-17 15:13:51	82.31	55dB	6.6	564%	Day
3636	2025-05-17 15:15:14	73.21	55dB	3.5	253%	Day
3637	2025-05-17 15:16:17	70.81	55dB	3.0	199%	Day
3638	2025-05-17 15:18:26	76.93	55dB	4.6	357%	Day
3639	2025-05-17 15:21:02	68.09	55dB	2.5	148%	Day
3640	2025-05-17 15:22:45	72.79	55dB	3.4	243%	Day
3641	2025-05-17 15:25:35	71.01	55dB	3.0	203%	Day
3642	2025-05-17 15:27:25	68.26	55dB	2.5	151%	Day
3643	2025-05-17 15:28:44	70.27	55dB	2.9	188%	Day
3644	2025-05-17 15:30:03	72.30	55dB	3.3	232%	Day
3645	2025-05-17 15:31:41	75.41	55dB	4.1	312%	Day
3646	2025-05-17 15:32:48	77.52	55dB	4.8	376%	Day

3647	2025-05-17 15:34:18	74.66	55dB	3.9	291%	Day
3648	2025-05-17 15:36:30	75.33	55dB	4.1	309%	Day
3649	2025-05-17 15:38:48	69.77	55dB	2.8	178%	Day
3650	2025-05-17 15:40:24	74.65	55dB	3.9	290%	Day
3651	2025-05-17 15:42:03	74.32	55dB	3.8	282%	Day
3652	2025-05-17 15:43:55	82.42	55dB	6.7	569%	Day
3653	2025-05-17 15:45:09	70.29	55dB	2.9	189%	Day
3654	2025-05-17 15:47:13	82.33	55dB	6.6	565%	Day
3655	2025-05-17 15:48:49	73.35	55dB	3.6	257%	Day
3656	2025-05-17 15:50:40	74.83	55dB	4.0	295%	Day
3657	2025-05-17 15:53:11	76.15	55dB	4.3	333%	Day
3658	2025-05-17 15:54:16	70.69	55dB	3.0	197%	Day
3659	2025-05-17 15:55:39	72.15	55dB	3.3	228%	Day
3660	2025-05-17 16:01:11	79.55	55dB	5.5	448%	Day
3661	2025-05-17 16:03:02	73.66	55dB	3.6	265%	Day
3662	2025-05-17 16:04:51	72.30	55dB	3.3	232%	Day
3663	2025-05-17 16:07:18	79.20	55dB	5.4	435%	Day
3664	2025-05-17 16:13:23	70.20	55dB	2.9	187%	Day
3665	2025-05-17 16:15:18	79.95	55dB	5.6	464%	Day
3666	2025-05-17 16:17:48	79.18	55dB	5.3	434%	Day
3667	2025-05-17 16:19:45	70.41	55dB	2.9	191%	Day
3668	2025-05-17 16:21:08	70.00	55dB	2.8	183%	Day
3669	2025-05-17 16:22:33	N/A	55dB	N/A	N/A	Day
3670	2025-05-17 16:25:04	69.91	55dB	2.8	181%	Day
3671	2025-05-17 16:28:23	72.18	55dB	3.3	229%	Day
3672	2025-05-17 16:36:23	67.53	55dB	2.4	138%	Day
3673	2025-05-17 16:38:20	75.64	55dB	4.2	318%	Day
3674	2025-05-17 16:40:46	72.54	55dB	3.4	237%	Day
3675	2025-05-17 16:42:16	77.64	55dB	4.8	380%	Day
3676	2025-05-17 16:43:32	73.05	55dB	3.5	249%	Day
3677	2025-05-17 16:45:37	75.74	55dB	4.2	321%	Day
3678	2025-05-17 16:47:11	73.29	55dB	3.6	255%	Day
3679	2025-05-17 16:48:51	73.92	55dB	3.7	271%	Day
3680	2025-05-17 16:50:32	N/A	55dB	N/A	N/A	Day
3681	2025-05-17 16:52:04	N/A	55dB	N/A	N/A	Day
3682	2025-05-17 16:54:54	71.01	55dB	3.0	203%	Day
3683	2025-05-17 16:56:38	69.49	55dB	2.7	173%	Day
3684	2025-05-17 16:58:04	76.46	55dB	4.4	343%	Day
3685	2025-05-17 16:59:23	N/A	55dB	N/A	N/A	Day
3686	2025-05-17 17:00:48	84.80	55dB	7.9	689%	Day
3687	2025-05-17 17:01:57	80.45	55dB	5.8	484%	Day
3688	2025-05-17 17:03:20	83.20	55dB	7.1	606%	Day
3689	2025-05-17 17:04:52	69.00	55dB	2.6	164%	Day
3690	2025-05-17 17:07:40	N/A	55dB	N/A	N/A	Day

3691	2025-05-17 17:08:58	82.12	55dB	6.6	555%	Day
3692	2025-05-17 17:11:26	69.38	55dB	2.7	171%	Day
3693	2025-05-17 17:12:55	70.85	55dB	3.0	200%	Day
3694	2025-05-17 17:14:37	70.39	55dB	2.9	191%	Day
3695	2025-05-17 17:15:56	75.48	55dB	4.1	314%	Day
3696	2025-05-17 17:17:10	73.55	55dB	3.6	262%	Day
3697	2025-05-17 17:18:41	69.44	55dB	2.7	172%	Day
3698	2025-05-17 17:21:53	72.25	55dB	3.3	231%	Day
3699	2025-05-17 17:23:29	80.13	55dB	5.7	471%	Day
3700	2025-05-17 17:25:01	69.47	55dB	2.7	173%	Day
3701	2025-05-17 17:26:13	69.15	55dB	2.7	167%	Day
3702	2025-05-17 17:27:36	84.57	55dB	7.8	677%	Day
3703	2025-05-17 17:30:28	87.27	55dB	9.4	836%	Day
3704	2025-05-17 17:32:01	82.61	55dB	6.8	578%	Day
3705	2025-05-17 17:33:34	76.45	55dB	4.4	342%	Day
3706	2025-05-17 17:34:56	72.11	55dB	3.3	227%	Day
3707	2025-05-17 17:36:19	69.66	55dB	2.8	176%	Day
3708	2025-05-17 17:37:43	80.79	55dB	6.0	498%	Day
3709	2025-05-17 17:39:50	81.61	55dB	6.3	532%	Day
3710	2025-05-17 17:41:07	79.40	55dB	5.4	443%	Day
3711	2025-05-17 17:43:43	71.65	55dB	3.2	217%	Day
3712	2025-05-17 17:45:18	79.69	55dB	5.5	454%	Day
3713	2025-05-17 17:46:39	68.07	55dB	2.5	147%	Day
3714	2025-05-17 17:47:42	72.15	55dB	3.3	228%	Day
3715	2025-05-17 17:50:08	N/A	55dB	N/A	N/A	Day
3716	2025-05-17 17:51:49	72.28	55dB	3.3	231%	Day
3717	2025-05-17 17:54:30	80.45	55dB	5.8	484%	Day
3718	2025-05-17 17:55:47	76.97	55dB	4.6	359%	Day
3719	2025-05-17 17:57:58	N/A	55dB	N/A	N/A	Day
3720	2025-05-17 17:59:12	73.99	55dB	3.7	273%	Day
3721	2025-05-17 18:00:42	75.29	55dB	4.1	308%	Day
3722	2025-05-17 18:02:53	80.60	55dB	5.9	490%	Day
3723	2025-05-17 18:04:11	79.59	55dB	5.5	450%	Day
3724	2025-05-17 18:05:35	76.68	55dB	4.5	349%	Day
3725	2025-05-17 18:09:42	76.53	55dB	4.4	345%	Day
3726	2025-05-17 18:12:46	76.38	55dB	4.4	340%	Day
3727	2025-05-17 18:14:17	N/A	55dB	N/A	N/A	Day
3728	2025-05-17 18:18:17	71.32	55dB	3.1	210%	Day
3729	2025-05-17 18:19:56	70.32	55dB	2.9	189%	Day
3730	2025-05-17 18:21:26	68.53	55dB	2.6	155%	Day
3731	2025-05-17 18:23:20	82.85	55dB	6.9	589%	Day
3732	2025-05-17 18:24:46	70.73	55dB	3.0	198%	Day
3733	2025-05-17 18:26:57	70.97	55dB	3.0	203%	Day
3734	2025-05-17 18:28:37	71.36	55dB	3.1	211%	Day

3735	2025-05-17 18:29:50	71.54	55dB	3.1	215%	Day
3736	2025-05-17 18:31:38	72.40	55dB	3.3	234%	Day
3737	2025-05-17 18:33:44	73.76	55dB	3.7	267%	Day
3738	2025-05-17 18:35:17	69.92	55dB	2.8	181%	Day
3739	2025-05-17 18:36:49	76.73	55dB	4.5	351%	Day
3740	2025-05-17 18:38:09	76.80	55dB	4.5	353%	Day
3741	2025-05-17 18:39:26	71.22	55dB	3.1	208%	Day
3742	2025-05-17 18:40:42	78.59	55dB	5.1	413%	Day
3743	2025-05-17 18:43:41	70.21	55dB	2.9	187%	Day
3744	2025-05-17 18:45:05	71.99	55dB	3.2	225%	Day
3745	2025-05-17 18:46:45	69.24	55dB	2.7	168%	Day
3746	2025-05-17 18:48:18	75.97	55dB	4.3	328%	Day
3747	2025-05-17 18:50:10	78.29	55dB	5.0	402%	Day
3748	2025-05-17 18:52:04	68.61	55dB	2.6	157%	Day
3749	2025-05-17 18:54:16	75.91	55dB	4.3	326%	Day
3750	2025-05-17 18:55:43	70.74	55dB	3.0	198%	Day
3751	2025-05-17 18:57:05	78.98	55dB	5.3	427%	Day
3752	2025-05-17 18:58:26	74.96	55dB	4.0	299%	Day
3753	2025-05-17 19:00:05	77.62	55dB	4.8	380%	Day
3754	2025-05-17 19:02:36	74.65	55dB	3.9	290%	Day
3755	2025-05-17 19:04:00	69.49	55dB	2.7	173%	Day
3756	2025-05-17 19:05:22	79.58	55dB	5.5	449%	Day
3757	2025-05-17 19:06:38	70.07	55dB	2.8	184%	Day
3758	2025-05-17 19:08:01	74.84	55dB	4.0	296%	Day
3759	2025-05-17 19:09:14	80.37	55dB	5.8	480%	Day
3760	2025-05-17 19:10:32	77.38	55dB	4.7	372%	Day
3761	2025-05-17 19:11:58	83.22	55dB	7.1	607%	Day
3762	2025-05-17 19:13:31	75.13	55dB	4.0	304%	Day
3763	2025-05-17 19:15:22	81.78	55dB	6.4	540%	Day
3764	2025-05-17 19:16:49	82.48	55dB	6.7	572%	Day
3765	2025-05-17 19:18:49	69.27	55dB	2.7	169%	Day
3766	2025-05-17 19:20:54	69.55	55dB	2.7	174%	Day
3767	2025-05-17 19:22:51	79.70	55dB	5.5	454%	Day
3768	2025-05-17 19:24:11	75.55	55dB	4.2	316%	Day
3769	2025-05-17 19:26:37	76.95	55dB	4.6	358%	Day
3770	2025-05-17 19:28:27	69.18	55dB	2.7	167%	Day
3771	2025-05-17 19:29:45	69.77	55dB	2.8	178%	Day
3772	2025-05-17 19:31:09	70.79	55dB	3.0	199%	Day
3773	2025-05-17 19:32:46	76.77	55dB	4.5	352%	Day
3774	2025-05-17 19:35:50	69.57	55dB	2.7	175%	Day
3775	2025-05-17 19:37:43	79.60	55dB	5.5	450%	Day
3776	2025-05-17 19:40:37	78.22	55dB	5.0	400%	Day
3777	2025-05-17 19:43:30	72.60	55dB	3.4	239%	Day
3778	2025-05-17 19:45:36	70.85	55dB	3.0	200%	Day

3779	2025-05-17 19:46:52	70.05	55dB	2.8	184%	Day
3780	2025-05-17 19:52:57	69.92	55dB	2.8	181%	Day
3781	2025-05-17 19:55:28	74.90	55dB	4.0	297%	Day
3782	2025-05-17 19:57:58	70.42	55dB	2.9	191%	Day
3783	2025-05-17 19:59:21	77.55	55dB	4.8	377%	Day
3784	2025-05-17 20:01:08	73.58	55dB	3.6	263%	Day
3785	2025-05-17 20:03:06	73.28	55dB	3.6	255%	Day
3786	2025-05-17 20:05:53	N/A	55dB	N/A	N/A	Day
3787	2025-05-17 20:07:35	N/A	55dB	N/A	N/A	Day
3788	2025-05-17 20:10:16	68.52	55dB	2.6	155%	Day
3789	2025-05-17 20:14:02	72.58	55dB	3.4	238%	Day
3790	2025-05-17 20:15:51	74.03	55dB	3.7	274%	Day
3791	2025-05-17 20:17:31	74.07	55dB	3.8	275%	Day
3792	2025-05-17 20:21:45	70.08	55dB	2.8	184%	Day
3793	2025-05-17 20:23:35	71.60	55dB	3.2	216%	Day
3794	2025-05-17 20:26:32	76.16	55dB	4.3	333%	Day
3795	2025-05-17 20:29:09	69.73	55dB	2.8	178%	Day
3796	2025-05-17 20:33:03	N/A	55dB	N/A	N/A	Day
3797	2025-05-17 20:35:20	69.50	55dB	2.7	173%	Day
3798	2025-05-17 20:39:31	70.88	55dB	3.0	201%	Day
3799	2025-05-17 20:41:23	73.73	55dB	3.7	266%	Day
3800	2025-05-17 20:43:38	72.66	55dB	3.4	240%	Day
3801	2025-05-17 20:46:52	72.34	55dB	3.3	233%	Day
3802	2025-05-17 20:49:14	73.65	55dB	3.6	264%	Day
3803	2025-05-17 20:51:58	74.02	55dB	3.7	274%	Day
3804	2025-05-17 20:53:47	81.36	55dB	6.2	522%	Day
3805	2025-05-17 20:55:20	74.13	55dB	3.8	277%	Day
3806	2025-05-17 20:56:43	68.36	55dB	2.5	152%	Day
3807	2025-05-17 20:57:49	70.28	55dB	2.9	188%	Day
3808	2025-05-17 21:00:45	72.31	55dB	3.3	232%	Day
3809	2025-05-17 21:02:03	76.92	55dB	4.6	357%	Day
3810	2025-05-17 21:03:24	76.68	55dB	4.5	349%	Day
3811	2025-05-17 21:04:50	71.52	55dB	3.1	214%	Day
3812	2025-05-17 21:06:32	72.71	55dB	3.4	241%	Day
3813	2025-05-17 21:08:51	80.19	55dB	5.7	473%	Day
3814	2025-05-17 21:10:30	75.90	55dB	4.3	326%	Day
3815	2025-05-17 21:12:32	N/A	55dB	N/A	N/A	Day
3816	2025-05-17 21:14:11	74.45	55dB	3.9	285%	Day
3817	2025-05-17 21:16:26	70.48	55dB	2.9	192%	Day
3818	2025-05-17 21:18:08	79.42	55dB	5.4	443%	Day
3819	2025-05-17 21:26:01	69.63	55dB	2.8	176%	Day
3820	2025-05-17 21:28:34	69.81	55dB	2.8	179%	Day
3821	2025-05-17 21:30:08	69.41	55dB	2.7	172%	Day
3822	2025-05-17 21:32:39	N/A	55dB	N/A	N/A	Day

3823	2025-05-17 21:36:26	71.47	55dB	3.1	213%	Day
3824	2025-05-17 21:40:56	70.47	55dB	2.9	192%	Day
3825	2025-05-17 21:45:09	88.64	55dB	10.3	930%	Day
3826	2025-05-17 21:47:21	70.10	55dB	2.8	185%	Day
3827	2025-05-17 21:50:12	77.59	55dB	4.8	379%	Day
3828	2025-05-17 21:52:33	70.22	55dB	2.9	187%	Day
3829	2025-05-17 21:55:27	95.82	55dB	16.9	1594%	Day
3830	2025-05-17 21:59:57	72.09	55dB	3.3	227%	Day
3831	2025-05-17 22:02:27	N/A	55dB	N/A	N/A	Day
3832	2025-05-17 22:05:37	N/A	55dB	N/A	N/A	Day
3833	2025-05-17 22:09:08	69.81	55dB	2.8	179%	Day
3834	2025-05-17 22:11:58	72.05	55dB	3.3	226%	Day
3835	2025-05-17 22:13:56	82.81	55dB	6.9	587%	Day
3836	2025-05-17 22:15:42	74.38	55dB	3.8	283%	Day
3837	2025-05-17 22:21:15	71.60	55dB	3.2	216%	Day
3838	2025-05-17 22:25:21	68.38	55dB	2.5	153%	Day
3839	2025-05-17 22:27:19	75.87	55dB	4.2	325%	Day
3840	2025-05-17 22:31:19	71.15	55dB	3.1	206%	Day
3841	2025-05-17 22:33:17	102.27	55dB	26.5	2548%	Day
3842	2025-05-17 22:36:31	76.02	55dB	4.3	329%	Day
3843	2025-05-17 22:37:58	N/A	55dB	N/A	N/A	Day
3844	2025-05-17 22:39:35	N/A	55dB	N/A	N/A	Day
3845	2025-05-17 22:41:16	71.35	55dB	3.1	211%	Day
3846	2025-05-17 22:42:43	71.12	55dB	3.1	206%	Day
3847	2025-05-17 22:44:21	70.87	55dB	3.0	200%	Day
3848	2025-05-17 22:45:45	69.43	55dB	2.7	172%	Day
3849	2025-05-17 22:47:20	73.27	55dB	3.5	255%	Day
3850	2025-05-17 22:48:40	71.33	55dB	3.1	210%	Day
3851	2025-05-17 22:50:21	N/A	55dB	N/A	N/A	Day
3852	2025-05-17 22:52:20	74.60	55dB	3.9	289%	Day
3853	2025-05-17 22:55:00	N/A	55dB	N/A	N/A	Day
3854	2025-05-17 23:01:22	69.08	45dB	5.3	431%	Night
3855	2025-05-17 23:02:41	71.75	45dB	6.4	539%	Night
3856	2025-05-17 23:04:26	70.30	45dB	5.8	478%	Night
3857	2025-05-17 23:07:02	70.69	45dB	5.9	493%	Night
3858	2025-05-17 23:12:12	78.78	45dB	10.4	940%	Night
3859	2025-05-17 23:13:54	69.03	45dB	5.3	429%	Night
3860	2025-05-17 23:18:14	78.20	45dB	10.0	899%	Night
3861	2025-05-17 23:24:27	N/A	45dB	N/A	N/A	Night
3862	2025-05-17 23:29:35	74.23	45dB	7.6	658%	Night
3863	2025-05-17 23:33:40	N/A	45dB	N/A	N/A	Night
3864	2025-05-17 23:35:17	71.70	45dB	6.4	536%	Night
3865	2025-05-17 23:37:20	N/A	45dB	N/A	N/A	Night
3866	2025-05-17 23:39:19	75.16	45dB	8.1	709%	Night

3867	2025-05-17 23:40:58	68.30	45dB	5.0	403%	Night
3868	2025-05-17 23:43:04	68.61	45dB	5.1	414%	Night
3869	2025-05-17 23:48:05	78.32	45dB	10.1	907%	Night
3870	2025-05-17 23:50:49	68.39	45dB	5.1	406%	Night
3871	2025-05-17 23:54:35	69.65	45dB	5.5	452%	Night
3872	2025-05-17 23:57:16	N/A	45dB	N/A	N/A	Night
3873	2025-05-18 00:05:15	70.84	45dB	6.0	500%	Night
3874	2025-05-18 00:07:07	66.87	45dB	4.6	355%	Night
3875	2025-05-18 00:08:44	71.62	45dB	6.3	533%	Night
3876	2025-05-18 00:10:18	69.18	45dB	5.3	434%	Night
3877	2025-05-18 00:14:05	70.32	45dB	5.8	478%	Night
3878	2025-05-18 00:18:41	69.75	45dB	5.6	456%	Night
3879	2025-05-18 00:20:15	72.26	45dB	6.6	562%	Night
3880	2025-05-18 06:29:16	74.19	45dB	7.6	656%	Night
3881	2025-05-18 06:30:34	N/A	45dB	N/A	N/A	Night
3882	2025-05-18 06:32:58	N/A	45dB	N/A	N/A	Night
3883	2025-05-18 06:34:22	N/A	45dB	N/A	N/A	Night
3884	2025-05-18 06:35:43	70.50	45dB	5.9	486%	Night
3885	2025-05-18 06:37:07	68.81	45dB	5.2	421%	Night
3886	2025-05-18 06:38:14	69.03	45dB	5.3	429%	Night
3887	2025-05-18 06:40:04	72.35	45dB	6.7	566%	Night
3888	2025-05-18 06:41:26	73.07	45dB	7.0	600%	Night
3889	2025-05-18 06:43:32	70.48	45dB	5.8	485%	Night
3890	2025-05-18 06:46:05	70.45	45dB	5.8	484%	Night
3891	2025-05-18 06:49:25	N/A	45dB	N/A	N/A	Night
3892	2025-05-18 06:50:54	80.47	45dB	11.7	1069%	Night
3893	2025-05-18 06:52:28	69.56	45dB	5.5	449%	Night
3894	2025-05-18 06:53:42	67.45	45dB	4.7	374%	Night
3895	2025-05-18 06:57:30	69.67	45dB	5.5	453%	Night
3896	2025-05-18 06:58:55	66.27	45dB	4.4	337%	Night
3897	2025-05-18 07:00:54	71.78	55dB	3.2	220%	Day
3898	2025-05-18 07:02:33	73.04	55dB	3.5	249%	Day
3899	2025-05-18 07:04:54	69.22	55dB	2.7	168%	Day
3900	2025-05-18 07:06:03	N/A	55dB	N/A	N/A	Day
3901	2025-05-18 07:07:52	73.44	55dB	3.6	259%	Day
3902	2025-05-18 07:09:12	69.44	55dB	2.7	172%	Day
3903	2025-05-18 07:11:04	69.93	55dB	2.8	181%	Day
3904	2025-05-18 07:12:25	71.34	55dB	3.1	210%	Day
3905	2025-05-18 07:14:41	68.56	55dB	2.6	156%	Day
3906	2025-05-18 07:18:22	68.81	55dB	2.6	160%	Day
3907	2025-05-18 07:22:13	69.44	55dB	2.7	172%	Day
3908	2025-05-18 07:25:02	71.83	55dB	3.2	221%	Day
3909	2025-05-18 07:26:45	71.56	55dB	3.2	215%	Day
3910	2025-05-18 07:30:47	74.09	55dB	3.8	276%	Day

3911	2025-05-18 07:32:55	72.04	55dB	3.3	226%	Day
3912	2025-05-18 07:41:53	67.14	55dB	2.3	132%	Day
3913	2025-05-18 07:48:20	71.73	55dB	3.2	219%	Day
3914	2025-05-18 07:51:07	N/A	55dB	N/A	N/A	Day
3915	2025-05-18 07:52:56	72.26	55dB	3.3	231%	Day
3916	2025-05-18 07:54:50	N/A	55dB	N/A	N/A	Day
3917	2025-05-18 07:59:26	71.15	55dB	3.1	206%	Day
3918	2025-05-18 08:04:05	71.33	55dB	3.1	210%	Day
3919	2025-05-18 08:09:49	70.21	55dB	2.9	187%	Day
3920	2025-05-18 08:13:43	69.49	55dB	2.7	173%	Day
3921	2025-05-18 08:15:15	N/A	55dB	N/A	N/A	Day
3922	2025-05-18 08:18:45	74.89	55dB	4.0	297%	Day
3923	2025-05-18 08:20:51	71.29	55dB	3.1	209%	Day
3924	2025-05-18 08:24:12	72.01	55dB	3.3	225%	Day
3925	2025-05-18 08:28:57	73.55	55dB	3.6	262%	Day
3926	2025-05-18 08:35:13	N/A	55dB	N/A	N/A	Day
3927	2025-05-18 08:42:56	67.07	55dB	2.3	131%	Day
3928	2025-05-18 08:53:15	69.03	55dB	2.6	164%	Day
3929	2025-05-18 09:02:03	67.50	55dB	2.4	138%	Day
3930	2025-05-18 09:07:12	N/A	55dB	N/A	N/A	Day
3931	2025-05-18 09:11:15	78.47	55dB	5.1	409%	Day
3932	2025-05-18 09:13:48	73.32	55dB	3.6	256%	Day
3933	2025-05-18 09:16:23	75.40	55dB	4.1	311%	Day
3934	2025-05-18 09:17:57	69.82	55dB	2.8	179%	Day
3935	2025-05-18 09:20:16	72.90	55dB	3.5	246%	Day
3936	2025-05-18 09:35:14	70.55	55dB	2.9	194%	Day
3937	2025-05-18 09:39:22	N/A	55dB	N/A	N/A	Day
3938	2025-05-18 09:41:32	71.72	55dB	3.2	219%	Day
3939	2025-05-18 09:43:32	N/A	55dB	N/A	N/A	Day
3940	2025-05-18 09:45:22	N/A	55dB	N/A	N/A	Day
3941	2025-05-18 09:47:41	72.23	55dB	3.3	230%	Day
3942	2025-05-18 09:55:36	68.01	55dB	2.5	146%	Day
3943	2025-05-18 09:57:11	69.63	55dB	2.8	176%	Day
3944	2025-05-18 09:59:31	N/A	55dB	N/A	N/A	Day
3945	2025-05-18 10:01:06	N/A	55dB	N/A	N/A	Day
3946	2025-05-18 10:02:52	69.86	55dB	2.8	180%	Day
3947	2025-05-18 10:04:22	70.07	55dB	2.8	184%	Day
3948	2025-05-18 10:05:53	N/A	55dB	N/A	N/A	Day
3949	2025-05-18 10:14:39	N/A	55dB	N/A	N/A	Day
3950	2025-05-18 10:17:06	71.57	55dB	3.2	215%	Day
3951	2025-05-18 10:20:45	69.43	55dB	2.7	172%	Day
3952	2025-05-18 10:22:13	N/A	55dB	N/A	N/A	Day
3953	2025-05-18 10:23:43	70.24	55dB	2.9	188%	Day
3954	2025-05-18 10:25:07	68.50	55dB	2.5	155%	Day

3955	2025-05-18 10:26:47	67.32	55dB	2.3	135%	Day
3956	2025-05-18 10:28:38	N/A	55dB	N/A	N/A	Day
3957	2025-05-18 10:31:08	68.17	55dB	2.5	149%	Day
3958	2025-05-18 10:34:04	71.43	55dB	3.1	212%	Day
3959	2025-05-18 10:35:31	69.69	55dB	2.8	177%	Day
3960	2025-05-18 10:36:46	70.80	55dB	3.0	199%	Day
3961	2025-05-18 10:37:54	73.38	55dB	3.6	258%	Day
3962	2025-05-18 10:39:45	N/A	55dB	N/A	N/A	Day
3963	2025-05-18 10:41:31	69.18	55dB	2.7	167%	Day
3964	2025-05-18 10:43:17	69.94	55dB	2.8	182%	Day
3965	2025-05-18 10:46:26	75.26	55dB	4.1	307%	Day
3966	2025-05-18 10:51:15	68.84	55dB	2.6	161%	Day
3967	2025-05-18 10:56:03	67.18	55dB	2.3	133%	Day
3968	2025-05-18 11:02:53	N/A	55dB	N/A	N/A	Day
3969	2025-05-18 11:05:46	71.61	55dB	3.2	216%	Day
3970	2025-05-18 11:10:40	77.74	55dB	4.8	384%	Day
3971	2025-05-18 11:11:57	70.75	55dB	3.0	198%	Day
3972	2025-05-18 11:13:00	N/A	55dB	N/A	N/A	Day
3973	2025-05-18 11:14:34	72.59	55dB	3.4	238%	Day
3974	2025-05-18 11:18:01	N/A	55dB	N/A	N/A	Day
3975	2025-05-18 11:19:47	71.57	55dB	3.2	215%	Day
3976	2025-05-18 11:22:31	73.69	55dB	3.7	265%	Day
3977	2025-05-18 11:24:52	67.53	55dB	2.4	138%	Day
3978	2025-05-18 11:26:15	69.33	55dB	2.7	170%	Day
3979	2025-05-18 11:28:41	72.95	55dB	3.5	247%	Day
3980	2025-05-18 11:30:35	68.39	55dB	2.5	153%	Day
3981	2025-05-18 11:32:02	70.09	55dB	2.8	185%	Day
3982	2025-05-18 11:35:25	68.91	55dB	2.6	162%	Day
3983	2025-05-18 11:41:13	N/A	55dB	N/A	N/A	Day
3984	2025-05-18 11:43:49	67.62	55dB	2.4	140%	Day
3985	2025-05-18 11:46:44	68.95	55dB	2.6	163%	Day
3986	2025-05-18 11:48:30	70.03	55dB	2.8	183%	Day
3987	2025-05-18 11:49:55	68.95	55dB	2.6	163%	Day
3988	2025-05-18 11:53:21	69.50	55dB	2.7	173%	Day
3989	2025-05-18 11:56:09	73.51	55dB	3.6	261%	Day
3990	2025-05-18 11:59:34	72.29	55dB	3.3	231%	Day
3991	2025-05-18 12:01:30	70.12	55dB	2.9	185%	Day
3992	2025-05-18 12:02:42	78.47	55dB	5.1	409%	Day
3993	2025-05-18 12:04:06	69.82	55dB	2.8	179%	Day
3994	2025-05-18 12:05:32	73.93	55dB	3.7	271%	Day
3995	2025-05-18 12:06:40	70.55	55dB	2.9	194%	Day
3996	2025-05-18 12:08:17	72.00	55dB	3.2	225%	Day
3997	2025-05-18 12:10:00	69.68	55dB	2.8	177%	Day
3998	2025-05-18 12:14:44	72.15	55dB	3.3	228%	Day

3999	2025-05-18 12:16:46	82.05	55dB	6.5	552%	Day
4000	2025-05-18 12:18:52	68.50	55dB	2.5	155%	Day
4001	2025-05-18 12:20:10	73.74	55dB	3.7	267%	Day
4002	2025-05-18 12:21:30	71.43	55dB	3.1	212%	Day
4003	2025-05-18 12:22:36	70.10	55dB	2.8	185%	Day
4004	2025-05-18 12:24:10	70.14	55dB	2.9	186%	Day
4005	2025-05-18 12:25:43	72.80	55dB	3.4	243%	Day
4006	2025-05-18 12:27:19	72.17	55dB	3.3	229%	Day
4007	2025-05-18 12:29:40	68.31	55dB	2.5	152%	Day
4008	2025-05-18 12:31:23	68.10	55dB	2.5	148%	Day
4009	2025-05-18 12:34:43	69.67	55dB	2.8	176%	Day
4010	2025-05-18 12:39:53	70.99	55dB	3.0	203%	Day
4011	2025-05-18 12:41:22	73.29	55dB	3.6	255%	Day
4012	2025-05-18 12:43:04	68.40	55dB	2.5	153%	Day
4013	2025-05-18 12:48:07	75.63	55dB	4.2	318%	Day
4014	2025-05-18 12:50:31	70.55	55dB	2.9	194%	Day
4015	2025-05-18 12:52:50	69.48	55dB	2.7	173%	Day
4016	2025-05-18 13:01:21	69.50	55dB	2.7	173%	Day
4017	2025-05-18 13:03:09	69.34	55dB	2.7	170%	Day
4018	2025-05-18 13:04:57	79.82	55dB	5.6	459%	Day
4019	2025-05-18 13:06:49	N/A	55dB	N/A	N/A	Day
4020	2025-05-18 13:08:10	70.86	55dB	3.0	200%	Day
4021	2025-05-18 13:13:47	74.12	55dB	3.8	276%	Day
4022	2025-05-18 13:16:09	69.23	55dB	2.7	168%	Day
4023	2025-05-18 13:19:24	68.55	55dB	2.6	156%	Day
4024	2025-05-18 13:21:16	71.17	55dB	3.1	207%	Day
4025	2025-05-18 13:22:36	73.02	55dB	3.5	249%	Day
4026	2025-05-18 13:24:27	N/A	55dB	N/A	N/A	Day
4027	2025-05-18 14:52:09	67.28	55dB	2.3	134%	Day
4028	2025-05-18 15:15:58	N/A	55dB	N/A	N/A	Day
4029	2025-05-19 06:31:17	77.83	45dB	9.7	873%	Night
4030	2025-05-19 06:33:39	69.24	45dB	5.4	437%	Night
4031	2025-05-19 06:36:12	77.42	45dB	9.5	846%	Night
4032	2025-05-19 06:37:02	N/A	45dB	N/A	N/A	Night
4033	2025-05-19 06:37:54	79.92	45dB	11.3	1025%	Night
4034	2025-05-19 06:38:45	78.47	45dB	10.2	918%	Night
4035	2025-05-19 06:40:30	N/A	45dB	N/A	N/A	Night
4036	2025-05-19 06:41:24	75.22	45dB	8.1	712%	Night
4037	2025-05-19 06:41:58	68.67	45dB	5.2	416%	Night
4038	2025-05-19 06:43:55	68.74	45dB	5.2	418%	Night
4039	2025-05-19 06:44:59	75.66	45dB	8.4	737%	Night
4040	2025-05-19 06:46:24	72.03	45dB	6.5	551%	Night
4041	2025-05-19 06:47:17	N/A	45dB	N/A	N/A	Night
4042	2025-05-19 06:51:44	68.69	45dB	5.2	417%	Night

4043	2025-05-19 07:03:44	73.81	55dB	3.7	268%	Day
4044	2025-05-19 07:04:53	73.80	55dB	3.7	268%	Day
4045	2025-05-19 07:06:05	N/A	55dB	N/A	N/A	Day
4046	2025-05-19 07:07:47	68.40	55dB	2.5	153%	Day
4047	2025-05-19 07:11:10	76.96	55dB	4.6	358%	Day
4048	2025-05-19 07:12:21	69.04	55dB	2.6	165%	Day
4049	2025-05-19 07:15:16	74.52	55dB	3.9	287%	Day
4050	2025-05-19 07:16:28	N/A	55dB	N/A	N/A	Day
4051	2025-05-19 07:17:50	N/A	55dB	N/A	N/A	Day
4052	2025-05-19 07:19:06	73.58	55dB	3.6	263%	Day
4053	2025-05-19 07:20:06	79.70	55dB	5.5	454%	Day
4054	2025-05-19 07:20:54	N/A	55dB	N/A	N/A	Day
4055	2025-05-19 07:22:04	79.36	55dB	5.4	441%	Day
4056	2025-05-19 07:22:49	73.24	55dB	3.5	254%	Day
4057	2025-05-19 07:24:02	73.61	55dB	3.6	263%	Day
4058	2025-05-19 07:24:47	66.73	55dB	2.3	125%	Day
4059	2025-05-19 07:26:44	72.37	55dB	3.3	233%	Day
4060	2025-05-19 07:28:07	72.47	55dB	3.4	236%	Day
4061	2025-05-19 07:33:52	N/A	55dB	N/A	N/A	Day
4062	2025-05-19 07:34:52	N/A	55dB	N/A	N/A	Day
4063	2025-05-19 07:36:10	72.85	55dB	3.4	245%	Day
4064	2025-05-19 07:38:05	74.68	55dB	3.9	291%	Day
4065	2025-05-19 07:38:54	N/A	55dB	N/A	N/A	Day
4066	2025-05-19 07:44:06	N/A	55dB	N/A	N/A	Day
4067	2025-05-19 07:47:01	73.98	55dB	3.7	273%	Day
4068	2025-05-19 07:48:23	76.04	55dB	4.3	330%	Day
4069	2025-05-19 07:50:35	N/A	55dB	N/A	N/A	Day
4070	2025-05-19 07:52:18	N/A	55dB	N/A	N/A	Day
4071	2025-05-19 07:56:50	71.10	55dB	3.1	205%	Day
4072	2025-05-19 07:58:02	N/A	55dB	N/A	N/A	Day
4073	2025-05-19 07:59:09	69.22	55dB	2.7	168%	Day
4074	2025-05-19 08:02:13	N/A	55dB	N/A	N/A	Day
4075	2025-05-19 08:03:31	N/A	55dB	N/A	N/A	Day
4076	2025-05-19 08:04:30	71.91	55dB	3.2	223%	Day
4077	2025-05-19 08:06:31	N/A	55dB	N/A	N/A	Day
4078	2025-05-19 08:10:24	N/A	55dB	N/A	N/A	Day
4079	2025-05-19 08:11:18	72.68	55dB	3.4	241%	Day
4080	2025-05-19 08:12:33	71.51	55dB	3.1	214%	Day
4081	2025-05-19 08:14:12	N/A	55dB	N/A	N/A	Day
4082	2025-05-19 08:17:13	76.75	55dB	4.5	352%	Day
4083	2025-05-19 08:18:01	72.69	55dB	3.4	241%	Day
4084	2025-05-19 08:19:07	79.20	55dB	5.4	435%	Day
4085	2025-05-19 08:19:52	73.69	55dB	3.7	265%	Day
4086	2025-05-19 08:20:52	77.50	55dB	4.8	376%	Day

4087	2025-05-19 08:21:37	73.22	55dB	3.5	254%	Day
4088	2025-05-19 08:22:53	68.26	55dB	2.5	151%	Day
4089	2025-05-19 08:25:18	N/A	55dB	N/A	N/A	Day
4090	2025-05-19 08:28:26	N/A	55dB	N/A	N/A	Day
4091	2025-05-19 08:29:48	69.55	55dB	2.7	174%	Day
4092	2025-05-19 08:30:55	74.14	55dB	3.8	277%	Day
4093	2025-05-19 08:36:31	N/A	55dB	N/A	N/A	Day
4094	2025-05-19 08:37:41	73.41	55dB	3.6	258%	Day
4095	2025-05-19 08:40:28	N/A	55dB	N/A	N/A	Day
4096	2025-05-19 08:41:21	N/A	55dB	N/A	N/A	Day
4097	2025-05-19 08:42:51	69.81	55dB	2.8	179%	Day
4098	2025-05-19 08:45:56	66.64	55dB	2.2	124%	Day
4099	2025-05-19 08:48:58	68.80	55dB	2.6	160%	Day
4100	2025-05-19 08:54:13	71.17	55dB	3.1	207%	Day
4101	2025-05-19 08:56:26	69.46	55dB	2.7	172%	Day
4102	2025-05-19 08:59:26	75.51	55dB	4.1	314%	Day
4103	2025-05-19 09:00:54	N/A	55dB	N/A	N/A	Day
4104	2025-05-19 09:02:15	69.29	55dB	2.7	169%	Day
4105	2025-05-19 09:03:26	76.45	55dB	4.4	342%	Day
4106	2025-05-19 09:04:45	69.58	55dB	2.7	175%	Day
4107	2025-05-19 09:06:00	73.80	55dB	3.7	268%	Day
4108	2025-05-19 09:11:42	71.22	55dB	3.1	208%	Day
4109	2025-05-19 09:14:05	N/A	55dB	N/A	N/A	Day
4110	2025-05-19 09:16:11	77.25	55dB	4.7	368%	Day
4111	2025-05-19 09:20:15	76.50	55dB	4.4	344%	Day
4112	2025-05-19 09:21:23	67.89	55dB	2.4	144%	Day
4113	2025-05-19 09:22:40	73.63	55dB	3.6	264%	Day
4114	2025-05-19 09:24:20	N/A	55dB	N/A	N/A	Day
4115	2025-05-19 09:25:26	67.68	55dB	2.4	141%	Day
4116	2025-05-19 09:54:47	N/A	55dB	N/A	N/A	Day
4117	2025-05-19 14:05:04	70.25	55dB	2.9	188%	Day
4118	2025-05-19 15:18:58	N/A	55dB	N/A	N/A	Day
4119	2025-05-19 16:32:16	72.43	55dB	3.3	235%	Day
4120	2025-05-19 16:34:44	78.17	55dB	5.0	398%	Day
4121	2025-05-19 16:40:18	74.91	55dB	4.0	298%	Day
4122	2025-05-19 16:41:19	75.23	55dB	4.1	306%	Day
4123	2025-05-19 16:42:13	65.92	55dB	2.1	113%	Day
4124	2025-05-19 16:44:53	66.80	55dB	2.3	127%	Day
4125	2025-05-19 16:45:50	70.89	55dB	3.0	201%	Day
4126	2025-05-19 16:47:04	73.08	55dB	3.5	250%	Day
4127	2025-05-19 16:49:54	N/A	55dB	N/A	N/A	Day
4128	2025-05-19 16:54:08	72.56	55dB	3.4	238%	Day
4129	2025-05-19 16:55:47	79.59	55dB	5.5	450%	Day
4130	2025-05-19 17:00:40	N/A	55dB	N/A	N/A	Day

4131	2025-05-19 17:02:37	N/A	55dB	N/A	N/A	Day
4132	2025-05-19 17:05:22	77.40	55dB	4.7	372%	Day
4133	2025-05-19 17:09:49	71.64	55dB	3.2	217%	Day
4134	2025-05-19 17:17:11	78.55	55dB	5.1	412%	Day
4135	2025-05-19 17:21:30	70.44	55dB	2.9	192%	Day
4136	2025-05-19 17:23:40	N/A	55dB	N/A	N/A	Day
4137	2025-05-19 17:25:38	70.73	55dB	3.0	198%	Day
4138	2025-05-19 17:28:21	N/A	55dB	N/A	N/A	Day
4139	2025-05-19 17:30:22	73.23	55dB	3.5	254%	Day
4140	2025-05-19 17:33:01	73.26	55dB	3.5	255%	Day
4141	2025-05-19 17:42:00	N/A	55dB	N/A	N/A	Day
4142	2025-05-19 17:44:10	N/A	55dB	N/A	N/A	Day
4143	2025-05-19 17:46:27	72.40	55dB	3.3	234%	Day
4144	2025-05-19 17:57:27	N/A	55dB	N/A	N/A	Day
4145	2025-05-19 17:59:45	77.29	55dB	4.7	369%	Day
4146	2025-05-19 18:02:02	71.35	55dB	3.1	211%	Day
4147	2025-05-19 18:02:59	N/A	55dB	N/A	N/A	Day
4148	2025-05-19 18:04:00	71.97	55dB	3.2	224%	Day
4149	2025-05-19 18:06:36	N/A	55dB	N/A	N/A	Day
4150	2025-05-19 18:11:35	68.39	55dB	2.5	153%	Day
4151	2025-05-19 18:14:31	N/A	55dB	N/A	N/A	Day
4152	2025-05-19 18:16:48	71.37	55dB	3.1	211%	Day
4153	2025-05-19 18:18:49	72.33	55dB	3.3	232%	Day
4154	2025-05-19 18:20:11	75.95	55dB	4.3	327%	Day
4155	2025-05-19 18:22:43	84.74	55dB	7.9	686%	Day
4156	2025-05-19 18:25:48	69.74	55dB	2.8	178%	Day
4157	2025-05-19 18:28:23	76.18	55dB	4.3	334%	Day
4158	2025-05-19 18:29:33	73.72	55dB	3.7	266%	Day
4159	2025-05-19 18:30:32	N/A	55dB	N/A	N/A	Day
4160	2025-05-19 18:32:30	71.83	55dB	3.2	221%	Day
4161	2025-05-19 18:46:20	N/A	55dB	N/A	N/A	Day
4162	2025-05-19 19:34:40	N/A	55dB	N/A	N/A	Day
4163	2025-05-19 19:44:51	70.04	55dB	2.8	184%	Day
4164	2025-05-19 19:57:33	N/A	55dB	N/A	N/A	Day
4165	2025-05-19 21:04:26	67.80	55dB	2.4	143%	Day
4166	2025-05-19 21:57:04	89.26	55dB	10.7	975%	Day
4167	2025-05-19 22:38:25	N/A	55dB	N/A	N/A	Day
4168	2025-05-19 22:55:52	N/A	55dB	N/A	N/A	Day
4169	2025-05-19 23:19:39	74.80	45dB	7.9	689%	Night
4170	2025-05-20 06:31:47	73.74	45dB	7.3	633%	Night
4171	2025-05-20 06:32:39	76.62	45dB	9.0	795%	Night
4172	2025-05-20 06:33:14	73.13	45dB	7.0	603%	Night
4173	2025-05-20 06:33:58	67.85	45dB	4.9	387%	Night
4174	2025-05-20 06:34:43	67.72	45dB	4.8	383%	Night

4175	2025-05-20 06:35:30	75.56	45dB	8.3	732%	Night
4176	2025-05-20 06:36:13	73.18	45dB	7.1	605%	Night
4177	2025-05-20 06:36:53	67.47	45dB	4.7	375%	Night
4178	2025-05-20 06:37:48	72.41	45dB	6.7	569%	Night
4179	2025-05-20 06:38:55	70.88	45dB	6.0	501%	Night
4180	2025-05-20 06:42:16	N/A	45dB	N/A	N/A	Night
4181	2025-05-20 06:43:31	72.61	45dB	6.8	578%	Night
4182	2025-05-20 06:45:05	N/A	45dB	N/A	N/A	Night
4183	2025-05-20 06:49:49	N/A	45dB	N/A	N/A	Night
4184	2025-05-20 06:50:54	73.31	45dB	7.1	612%	Night
4185	2025-05-20 06:51:32	71.15	45dB	6.1	513%	Night
4186	2025-05-20 06:52:32	N/A	45dB	N/A	N/A	Night
4187	2025-05-20 06:53:09	N/A	45dB	N/A	N/A	Night
4188	2025-05-20 06:54:15	73.42	45dB	7.2	617%	Night
4189	2025-05-20 06:54:58	67.51	45dB	4.8	376%	Night
4190	2025-05-20 06:57:58	68.22	45dB	5.0	400%	Night
4191	2025-05-20 06:59:01	68.17	45dB	5.0	398%	Night
4192	2025-05-20 06:59:57	72.18	45dB	6.6	558%	Night
4193	2025-05-20 06:59:59	68.79	45dB	5.2	420%	Night
4194	2025-05-20 07:02:58	72.20	55dB	3.3	229%	Day
4195	2025-05-20 07:04:05	66.12	55dB	2.2	116%	Day
4196	2025-05-20 07:05:02	72.71	55dB	3.4	241%	Day
4197	2025-05-20 07:08:33	N/A	55dB	N/A	N/A	Day
4198	2025-05-20 07:10:17	70.09	55dB	2.8	185%	Day
4199	2025-05-20 07:11:17	70.16	55dB	2.9	186%	Day
4200	2025-05-20 07:13:37	73.73	55dB	3.7	266%	Day
4201	2025-05-20 07:14:58	69.30	55dB	2.7	169%	Day
4202	2025-05-20 07:16:02	70.12	55dB	2.9	185%	Day
4203	2025-05-20 07:17:45	68.30	55dB	2.5	151%	Day
4204	2025-05-20 07:19:54	71.58	55dB	3.2	216%	Day
4205	2025-05-20 07:21:02	72.22	55dB	3.3	230%	Day
4206	2025-05-20 07:22:54	69.05	55dB	2.6	165%	Day
4207	2025-05-20 07:23:44	68.98	55dB	2.6	164%	Day
4208	2025-05-20 07:26:21	N/A	55dB	N/A	N/A	Day
4209	2025-05-20 07:27:32	73.20	55dB	3.5	253%	Day
4210	2025-05-20 07:28:35	N/A	55dB	N/A	N/A	Day
4211	2025-05-20 07:29:30	75.66	55dB	4.2	319%	Day
4212	2025-05-20 07:30:36	77.23	55dB	4.7	367%	Day
4213	2025-05-20 07:31:17	N/A	55dB	N/A	N/A	Day
4214	2025-05-20 07:32:05	69.57	55dB	2.7	175%	Day
4215	2025-05-20 07:32:36	73.78	55dB	3.7	268%	Day
4216	2025-05-20 07:37:18	69.22	55dB	2.7	168%	Day
4217	2025-05-20 07:38:36	75.57	55dB	4.2	316%	Day
4218	2025-05-20 07:39:42	N/A	55dB	N/A	N/A	Day

4219	2025-05-20 07:40:33	76.49	55dB	4.4	344%	Day
4220	2025-05-20 07:45:55	N/A	55dB	N/A	N/A	Day
4221	2025-05-20 07:48:28	N/A	55dB	N/A	N/A	Day
4222	2025-05-20 07:52:38	70.01	55dB	2.8	183%	Day
4223	2025-05-20 07:55:38	72.37	55dB	3.3	233%	Day
4224	2025-05-20 08:00:25	68.52	55dB	2.6	155%	Day
4225	2025-05-20 08:01:33	69.51	55dB	2.7	173%	Day
4226	2025-05-20 08:03:34	75.96	55dB	4.3	328%	Day
4227	2025-05-20 08:04:22	N/A	55dB	N/A	N/A	Day
4228	2025-05-20 08:07:56	95.86	55dB	17.0	1598%	Day
4229	2025-05-20 08:10:11	68.13	55dB	2.5	148%	Day
4230	2025-05-20 08:11:03	70.87	55dB	3.0	200%	Day
4231	2025-05-20 08:11:43	68.26	55dB	2.5	151%	Day
4232	2025-05-20 08:13:20	N/A	55dB	N/A	N/A	Day
4233	2025-05-20 08:13:52	N/A	55dB	N/A	N/A	Day
4234	2025-05-20 08:16:45	69.65	55dB	2.8	176%	Day
4235	2025-05-20 08:19:18	85.32	55dB	8.2	718%	Day
4236	2025-05-20 08:20:19	71.29	55dB	3.1	209%	Day
4237	2025-05-20 08:21:04	N/A	55dB	N/A	N/A	Day
4238	2025-05-20 08:22:06	75.64	55dB	4.2	318%	Day
4239	2025-05-20 08:22:49	75.33	55dB	4.1	309%	Day
4240	2025-05-20 08:23:32	81.96	55dB	6.5	548%	Day
4241	2025-05-20 08:24:21	N/A	55dB	N/A	N/A	Day
4242	2025-05-20 08:28:55	84.06	55dB	7.5	650%	Day
4243	2025-05-20 08:29:54	N/A	55dB	N/A	N/A	Day
4244	2025-05-20 08:30:56	67.80	55dB	2.4	143%	Day
4245	2025-05-20 08:31:48	78.27	55dB	5.0	402%	Day
4246	2025-05-20 08:32:26	74.38	55dB	3.8	283%	Day
4247	2025-05-20 08:33:24	74.44	55dB	3.8	285%	Day
4248	2025-05-20 08:34:45	70.34	55dB	2.9	190%	Day
4249	2025-05-20 08:36:00	74.53	55dB	3.9	287%	Day
4250	2025-05-20 08:38:07	70.10	55dB	2.8	185%	Day
4251	2025-05-20 08:39:13	71.74	55dB	3.2	219%	Day
4252	2025-05-20 08:40:13	N/A	55dB	N/A	N/A	Day
4253	2025-05-20 08:41:33	74.90	55dB	4.0	297%	Day
4254	2025-05-20 08:42:16	67.05	55dB	2.3	131%	Day
4255	2025-05-20 08:43:35	71.72	55dB	3.2	219%	Day
4256	2025-05-20 08:44:47	69.00	55dB	2.6	164%	Day
4257	2025-05-20 08:45:43	80.23	55dB	5.7	475%	Day
4258	2025-05-20 08:46:56	68.81	55dB	2.6	160%	Day
4259	2025-05-20 08:48:16	69.32	55dB	2.7	170%	Day
4260	2025-05-20 08:49:28	69.57	55dB	2.7	175%	Day
4261	2025-05-20 08:50:31	77.13	55dB	4.6	364%	Day
4262	2025-05-20 08:51:56	81.54	55dB	6.3	529%	Day

4263	2025-05-20 08:53:08	N/A	55dB	N/A	N/A	Day
4264	2025-05-20 08:54:27	69.90	55dB	2.8	181%	Day
4265	2025-05-20 08:57:08	68.15	55dB	2.5	149%	Day
4266	2025-05-20 08:58:00	74.30	55dB	3.8	281%	Day
4267	2025-05-20 08:59:12	70.21	55dB	2.9	187%	Day
4268	2025-05-20 09:00:16	71.71	55dB	3.2	218%	Day
4269	2025-05-20 09:01:35	72.89	55dB	3.5	246%	Day
4270	2025-05-20 09:02:55	75.57	55dB	4.2	316%	Day
4271	2025-05-20 09:04:09	74.07	55dB	3.8	275%	Day
4272	2025-05-20 09:06:45	73.79	55dB	3.7	268%	Day
4273	2025-05-20 09:07:33	71.81	55dB	3.2	221%	Day
4274	2025-05-20 09:08:58	73.61	55dB	3.6	263%	Day
4275	2025-05-20 09:10:01	N/A	55dB	N/A	N/A	Day
4276	2025-05-20 09:11:21	N/A	55dB	N/A	N/A	Day
4277	2025-05-20 09:12:34	67.94	55dB	2.5	145%	Day
4278	2025-05-20 09:13:48	74.20	55dB	3.8	278%	Day
4279	2025-05-20 09:15:55	N/A	55dB	N/A	N/A	Day
4280	2025-05-20 09:17:05	75.23	55dB	4.1	306%	Day
4281	2025-05-20 09:18:17	74.72	55dB	3.9	292%	Day
4282	2025-05-20 09:19:32	68.24	55dB	2.5	150%	Day
4283	2025-05-20 09:20:39	74.10	55dB	3.8	276%	Day
4284	2025-05-20 09:21:58	76.55	55dB	4.5	345%	Day
4285	2025-05-20 09:23:09	N/A	55dB	N/A	N/A	Day
4286	2025-05-20 09:24:33	N/A	55dB	N/A	N/A	Day
4287	2025-05-20 09:26:34	74.38	55dB	3.8	283%	Day
4288	2025-05-20 09:28:17	71.76	55dB	3.2	220%	Day
4289	2025-05-20 09:29:47	69.56	55dB	2.7	174%	Day
4290	2025-05-20 09:31:08	76.40	55dB	4.4	341%	Day
4291	2025-05-20 09:32:26	70.27	55dB	2.9	188%	Day
4292	2025-05-20 09:33:50	N/A	55dB	N/A	N/A	Day
4293	2025-05-20 09:35:43	76.23	55dB	4.4	336%	Day
4294	2025-05-20 09:38:10	82.51	55dB	6.7	573%	Day
4295	2025-05-20 09:41:05	68.61	55dB	2.6	157%	Day
4296	2025-05-20 09:44:25	72.85	55dB	3.4	245%	Day
4297	2025-05-20 09:46:00	74.54	55dB	3.9	287%	Day
4298	2025-05-20 09:48:23	75.17	55dB	4.0	305%	Day
4299	2025-05-20 09:49:55	N/A	55dB	N/A	N/A	Day
4300	2025-05-20 09:51:48	67.58	55dB	2.4	139%	Day
4301	2025-05-20 09:53:13	N/A	55dB	N/A	N/A	Day
4302	2025-05-20 09:55:56	80.43	55dB	5.8	483%	Day
4303	2025-05-20 09:58:34	78.56	55dB	5.1	412%	Day
4304	2025-05-20 10:01:38	67.77	55dB	2.4	142%	Day
4305	2025-05-20 10:03:06	86.78	55dB	9.1	805%	Day
4306	2025-05-20 10:04:28	87.14	55dB	9.3	828%	Day

4307	2025-05-20 10:06:03	73.47	55dB	3.6	260%	Day
4308	2025-05-20 10:08:26	N/A	55dB	N/A	N/A	Day
4309	2025-05-20 10:09:22	67.91	55dB	2.4	145%	Day
4310	2025-05-20 10:10:24	65.99	55dB	2.1	114%	Day
4311	2025-05-20 10:13:25	N/A	55dB	N/A	N/A	Day
4312	2025-05-20 10:14:38	70.27	55dB	2.9	188%	Day
4313	2025-05-20 10:15:26	70.43	55dB	2.9	191%	Day
4314	2025-05-20 10:16:00	67.82	55dB	2.4	143%	Day
4315	2025-05-20 10:17:03	72.28	55dB	3.3	231%	Day
4316	2025-05-20 10:17:41	70.41	55dB	2.9	191%	Day
4317	2025-05-20 10:18:40	75.49	55dB	4.1	314%	Day
4318	2025-05-20 10:20:02	74.47	55dB	3.9	286%	Day
4319	2025-05-20 10:26:14	71.37	55dB	3.1	211%	Day
4320	2025-05-20 12:59:54	N/A	55dB	N/A	N/A	Day
4321	2025-05-20 13:33:43	N/A	55dB	N/A	N/A	Day
4322	2025-05-20 16:04:10	68.93	55dB	2.6	163%	Day
4323	2025-05-20 16:27:07	71.14	55dB	3.1	206%	Day
4324	2025-05-20 17:16:42	69.17	55dB	2.7	167%	Day
4325	2025-05-20 18:20:08	N/A	55dB	N/A	N/A	Day
4326	2025-05-20 18:29:40	N/A	55dB	N/A	N/A	Day
4327	2025-05-20 18:51:11	N/A	55dB	N/A	N/A	Day
4328	2025-05-20 21:18:57	N/A	55dB	N/A	N/A	Day
4329	2025-05-20 21:19:02	N/A	55dB	N/A	N/A	Day
4330	2025-05-20 21:52:35	N/A	55dB	N/A	N/A	Day
4331	2025-05-21 07:40:18	N/A	55dB	N/A	N/A	Day
4332	2025-05-21 07:49:14	N/A	55dB	N/A	N/A	Day
4333	2025-05-21 08:41:32	70.59	55dB	2.9	195%	Day
4334	2025-05-21 09:12:45	N/A	55dB	N/A	N/A	Day
4335	2025-05-21 10:59:28	76.89	55dB	4.6	356%	Day
4336	2025-05-21 11:00:53	N/A	55dB	N/A	N/A	Day
4337	2025-05-21 12:29:25	N/A	55dB	N/A	N/A	Day
4338	2025-05-21 12:43:13	N/A	55dB	N/A	N/A	Day
4339	2025-05-21 14:09:30	N/A	55dB	N/A	N/A	Day
4340	2025-05-21 14:31:41	N/A	55dB	N/A	N/A	Day
4341	2025-05-21 17:09:43	75.27	55dB	4.1	308%	Day
4342	2025-05-21 17:11:49	74.79	55dB	3.9	294%	Day
4343	2025-05-21 18:17:19	76.06	55dB	4.3	330%	Day
4344	2025-05-21 18:53:01	N/A	55dB	N/A	N/A	Day
4345	2025-05-21 19:22:52	N/A	55dB	N/A	N/A	Day
4346	2025-05-21 19:28:03	N/A	55dB	N/A	N/A	Day
4347	2025-05-21 19:41:34	78.38	55dB	5.1	406%	Day
4348	2025-05-21 19:56:10	N/A	55dB	N/A	N/A	Day
4349	2025-05-21 23:49:28	72.59	45dB	6.8	577%	Night
4350	2025-05-22 14:31:32	N/A	55dB	N/A	N/A	Day

4351	2025-05-22 15:30:15	N/A	55dB	N/A	N/A	Day
4352	2025-05-22 15:32:39	69.53	55dB	2.7	174%	Day
4353	2025-05-22 15:38:02	69.85	55dB	2.8	180%	Day
4354	2025-05-22 15:40:31	66.13	55dB	2.2	116%	Day
4355	2025-05-22 15:42:04	N/A	55dB	N/A	N/A	Day
4356	2025-05-22 15:43:41	69.84	55dB	2.8	180%	Day
4357	2025-05-22 15:44:54	69.56	55dB	2.7	174%	Day
4358	2025-05-22 15:45:49	N/A	55dB	N/A	N/A	Day
4359	2025-05-22 15:49:46	69.36	55dB	2.7	171%	Day
4360	2025-05-22 15:58:26	67.45	55dB	2.4	137%	Day
4361	2025-05-22 16:01:33	73.65	55dB	3.6	264%	Day
4362	2025-05-22 16:03:53	76.00	55dB	4.3	329%	Day
4363	2025-05-22 16:06:41	71.39	55dB	3.1	211%	Day
4364	2025-05-22 16:09:10	N/A	55dB	N/A	N/A	Day
4365	2025-05-22 16:12:01	N/A	55dB	N/A	N/A	Day
4366	2025-05-22 16:14:47	N/A	55dB	N/A	N/A	Day
4367	2025-05-22 16:17:26	72.79	55dB	3.4	243%	Day
4368	2025-05-22 16:20:32	71.12	55dB	3.1	206%	Day
4369	2025-05-22 16:23:25	N/A	55dB	N/A	N/A	Day
4370	2025-05-22 16:24:35	69.85	55dB	2.8	180%	Day
4371	2025-05-22 16:27:43	69.89	55dB	2.8	181%	Day
4372	2025-05-22 16:31:01	N/A	55dB	N/A	N/A	Day
4373	2025-05-22 16:32:18	67.96	55dB	2.5	146%	Day
4374	2025-05-22 16:34:14	73.66	55dB	3.6	265%	Day
4375	2025-05-22 16:37:36	68.98	55dB	2.6	164%	Day
4376	2025-05-22 16:40:45	67.34	55dB	2.4	135%	Day
4377	2025-05-22 16:42:02	75.71	55dB	4.2	320%	Day
4378	2025-05-22 16:45:14	75.94	55dB	4.3	327%	Day
4379	2025-05-22 16:51:56	72.46	55dB	3.4	235%	Day
4380	2025-05-22 16:54:48	73.53	55dB	3.6	261%	Day
4381	2025-05-22 16:57:12	72.37	55dB	3.3	233%	Day
4382	2025-05-22 17:00:12	79.40	55dB	5.4	443%	Day
4383	2025-05-22 17:01:26	79.51	55dB	5.5	447%	Day
4384	2025-05-22 17:03:53	77.30	55dB	4.7	369%	Day
4385	2025-05-22 17:05:56	N/A	55dB	N/A	N/A	Day
4386	2025-05-22 17:08:54	75.53	55dB	4.1	315%	Day
4387	2025-05-22 17:16:40	N/A	55dB	N/A	N/A	Day
4388	2025-05-22 17:19:23	N/A	55dB	N/A	N/A	Day
4389	2025-05-22 17:22:21	75.93	55dB	4.3	327%	Day
4390	2025-05-22 17:24:44	69.73	55dB	2.8	178%	Day
4391	2025-05-22 17:27:20	75.31	55dB	4.1	309%	Day
4392	2025-05-22 17:32:57	79.31	55dB	5.4	439%	Day
4393	2025-05-22 17:37:38	78.27	55dB	5.0	402%	Day
4394	2025-05-22 17:45:13	77.17	55dB	4.6	365%	Day

4395	2025-05-22 17:47:38	74.73	55dB	3.9	293%	Day
4396	2025-05-22 17:52:57	72.77	55dB	3.4	243%	Day
4397	2025-05-22 17:55:17	70.72	55dB	3.0	197%	Day
4398	2025-05-22 17:57:47	74.26	55dB	3.8	280%	Day
4399	2025-05-22 18:00:24	69.61	55dB	2.8	175%	Day
4400	2025-05-22 18:11:26	68.94	55dB	2.6	163%	Day
4401	2025-05-22 18:13:56	73.70	55dB	3.7	266%	Day
4402	2025-05-22 18:24:50	N/A	55dB	N/A	N/A	Day
4403	2025-05-22 18:30:16	68.42	55dB	2.5	154%	Day
4404	2025-05-22 18:31:08	66.96	55dB	2.3	129%	Day
4405	2025-05-22 18:33:52	75.78	55dB	4.2	322%	Day
4406	2025-05-22 18:34:32	71.55	55dB	3.1	215%	Day
4407	2025-05-22 18:35:54	77.47	55dB	4.7	375%	Day
4408	2025-05-22 18:38:08	68.12	55dB	2.5	148%	Day
4409	2025-05-22 18:39:18	68.92	55dB	2.6	162%	Day
4410	2025-05-22 18:41:55	69.22	55dB	2.7	168%	Day
4411	2025-05-22 18:44:44	68.36	55dB	2.5	152%	Day
4412	2025-05-22 18:47:32	69.57	55dB	2.7	175%	Day
4413	2025-05-22 18:50:15	66.70	55dB	2.3	125%	Day
4414	2025-05-22 18:52:32	75.04	55dB	4.0	301%	Day
4415	2025-05-22 18:53:34	78.34	55dB	5.0	404%	Day
4416	2025-05-22 18:54:45	76.57	55dB	4.5	346%	Day
4417	2025-05-22 18:55:45	73.13	55dB	3.5	251%	Day
4418	2025-05-22 18:56:31	66.97	55dB	2.3	129%	Day
4419	2025-05-22 18:57:40	71.25	55dB	3.1	208%	Day
4420	2025-05-22 18:59:29	70.36	55dB	2.9	190%	Day
4421	2025-05-22 19:00:26	74.13	55dB	3.8	277%	Day
4422	2025-05-22 19:03:03	76.33	55dB	4.4	339%	Day
4423	2025-05-22 19:05:52	69.36	55dB	2.7	171%	Day
4424	2025-05-22 19:08:19	69.31	55dB	2.7	170%	Day
4425	2025-05-22 19:10:52	81.56	55dB	6.3	530%	Day
4426	2025-05-22 19:13:51	75.68	55dB	4.2	319%	Day
4427	2025-05-22 19:16:36	69.84	55dB	2.8	180%	Day
4428	2025-05-22 19:17:53	77.96	55dB	4.9	391%	Day
4429	2025-05-22 19:19:07	75.10	55dB	4.0	303%	Day
4430	2025-05-22 19:22:06	68.95	55dB	2.6	163%	Day
4431	2025-05-22 19:26:54	69.76	55dB	2.8	178%	Day
4432	2025-05-22 19:34:54	72.39	55dB	3.3	234%	Day
4433	2025-05-22 19:37:14	71.99	55dB	3.2	225%	Day
4434	2025-05-22 19:45:04	70.17	55dB	2.9	186%	Day
4435	2025-05-22 19:46:08	84.42	55dB	7.7	668%	Day
4436	2025-05-22 19:49:53	67.45	55dB	2.4	137%	Day
4437	2025-05-22 19:50:46	69.15	55dB	2.7	167%	Day
4438	2025-05-22 19:53:33	68.76	55dB	2.6	160%	Day

4439	2025-05-22 19:55:32	77.38	55dB	4.7	372%	Day
4440	2025-05-22 19:59:20	68.11	55dB	2.5	148%	Day
4441	2025-05-22 20:01:39	69.14	55dB	2.7	166%	Day
4442	2025-05-22 20:04:30	73.59	55dB	3.6	263%	Day
4443	2025-05-22 20:06:55	80.39	55dB	5.8	481%	Day
4444	2025-05-22 20:08:55	69.54	55dB	2.7	174%	Day
4445	2025-05-22 20:11:39	69.95	55dB	2.8	182%	Day
4446	2025-05-22 20:14:25	75.18	55dB	4.1	305%	Day
4447	2025-05-22 20:17:19	N/A	55dB	N/A	N/A	Day
4448	2025-05-22 20:20:13	68.23	55dB	2.5	150%	Day
4449	2025-05-22 20:23:35	66.21	55dB	2.2	117%	Day
4450	2025-05-22 20:34:19	67.42	55dB	2.4	137%	Day
4451	2025-05-22 20:40:04	69.60	55dB	2.8	175%	Day
4452	2025-05-22 20:45:12	75.16	55dB	4.0	304%	Day
4453	2025-05-22 20:46:20	70.46	55dB	2.9	192%	Day
4454	2025-05-22 20:50:06	73.00	55dB	3.5	248%	Day
4455	2025-05-22 20:51:09	N/A	55dB	N/A	N/A	Day
4456	2025-05-22 21:01:40	72.72	55dB	3.4	242%	Day
4457	2025-05-22 21:02:48	72.25	55dB	3.3	231%	Day
4458	2025-05-22 21:04:08	N/A	55dB	N/A	N/A	Day
4459	2025-05-22 21:09:17	73.07	55dB	3.5	250%	Day
4460	2025-05-22 21:13:37	67.51	55dB	2.4	138%	Day
4461	2025-05-22 21:16:17	73.70	55dB	3.7	266%	Day
4462	2025-05-22 21:20:22	74.14	55dB	3.8	277%	Day
4463	2025-05-22 22:30:44	71.06	55dB	3.0	204%	Day
4464	2025-05-23 01:42:22	61.81	45dB	3.2	221%	Night
4465	2025-05-23 04:14:07	79.51	45dB	10.9	994%	Night
4466	2025-05-23 05:11:22	73.68	45dB	7.3	630%	Night
4467	2025-05-23 05:30:03	78.95	45dB	10.5	952%	Night
4468	2025-05-23 05:36:01	73.06	45dB	7.0	599%	Night
4469	2025-05-23 05:38:20	77.93	45dB	9.8	880%	Night
4470	2025-05-23 05:39:56	80.37	45dB	11.6	1061%	Night
4471	2025-05-23 05:41:37	69.68	45dB	5.5	453%	Night
4472	2025-05-23 05:43:38	76.39	45dB	8.8	781%	Night
4473	2025-05-23 05:46:52	70.74	45dB	6.0	495%	Night
4474	2025-05-23 05:48:37	71.75	45dB	6.4	539%	Night
4475	2025-05-23 05:54:55	70.18	45dB	5.7	473%	Night
4476	2025-05-23 05:56:22	71.14	45dB	6.1	512%	Night
4477	2025-05-23 05:58:05	74.23	45dB	7.6	658%	Night
4478	2025-05-23 05:59:52	82.02	45dB	13.0	1201%	Night
4479	2025-05-23 06:02:30	77.00	45dB	9.2	819%	Night
4480	2025-05-23 06:04:11	70.33	45dB	5.8	479%	Night
4481	2025-05-23 06:28:44	70.07	45dB	5.7	468%	Night
4482	2025-05-23 06:30:18	70.48	45dB	5.8	485%	Night

4483	2025-05-23 06:31:40	70.38	45dB	5.8	481%	Night
4484	2025-05-23 06:32:56	76.62	45dB	9.0	795%	Night
4485	2025-05-23 06:34:51	78.06	45dB	9.9	889%	Night
4486	2025-05-23 06:36:21	80.29	45dB	11.5	1054%	Night
4487	2025-05-23 06:37:40	72.36	45dB	6.7	566%	Night
4488	2025-05-23 06:38:53	75.36	45dB	8.2	720%	Night
4489	2025-05-23 06:40:21	72.82	45dB	6.9	588%	Night
4490	2025-05-23 06:41:49	75.15	45dB	8.1	708%	Night
4491	2025-05-23 06:43:26	75.93	45dB	8.5	753%	Night
4492	2025-05-23 06:45:37	70.36	45dB	5.8	480%	Night
4493	2025-05-23 06:46:57	73.96	45dB	7.4	644%	Night
4494	2025-05-23 06:49:19	69.87	45dB	5.6	461%	Night
4495	2025-05-23 06:52:35	72.39	45dB	6.7	568%	Night
4496	2025-05-23 06:53:51	70.44	45dB	5.8	483%	Night
4497	2025-05-23 06:55:20	69.40	45dB	5.4	443%	Night
4498	2025-05-23 06:56:52	75.09	45dB	8.1	705%	Night
4499	2025-05-23 06:58:30	74.75	45dB	7.9	686%	Night
4500	2025-05-23 06:59:53	82.05	45dB	13.0	1204%	Night
4501	2025-05-23 07:01:35	78.55	55dB	5.1	412%	Day
4502	2025-05-23 07:08:15	71.39	55dB	3.1	211%	Day
4503	2025-05-23 07:12:12	71.40	55dB	3.1	212%	Day
4504	2025-05-23 07:16:00	72.18	55dB	3.3	229%	Day
4505	2025-05-23 07:20:00	70.29	55dB	2.9	189%	Day
4506	2025-05-23 07:21:21	69.73	55dB	2.8	178%	Day
4507	2025-05-23 07:23:01	69.86	55dB	2.8	180%	Day
4508	2025-05-23 07:24:34	73.11	55dB	3.5	251%	Day
4509	2025-05-23 07:28:15	72.60	55dB	3.4	239%	Day
4510	2025-05-23 07:29:43	75.39	55dB	4.1	311%	Day
4511	2025-05-23 07:31:15	71.31	55dB	3.1	210%	Day
4512	2025-05-23 07:34:42	69.98	55dB	2.8	182%	Day
4513	2025-05-23 07:40:11	70.36	55dB	2.9	190%	Day
4514	2025-05-23 07:43:11	71.25	55dB	3.1	208%	Day
4515	2025-05-23 07:44:31	71.50	55dB	3.1	214%	Day
4516	2025-05-23 07:45:47	69.50	55dB	2.7	173%	Day
4517	2025-05-23 07:47:25	72.89	55dB	3.5	246%	Day
4518	2025-05-23 07:48:57	71.78	55dB	3.2	220%	Day
4519	2025-05-23 07:51:09	67.97	55dB	2.5	146%	Day
4520	2025-05-23 07:54:48	71.33	55dB	3.1	210%	Day
4521	2025-05-23 07:57:47	73.37	55dB	3.6	257%	Day
4522	2025-05-23 08:06:09	70.75	55dB	3.0	198%	Day
4523	2025-05-23 08:09:51	72.43	55dB	3.3	235%	Day
4524	2025-05-23 08:23:19	N/A	55dB	N/A	N/A	Day
4525	2025-05-23 08:26:34	76.07	55dB	4.3	331%	Day
4526	2025-05-23 08:30:04	70.57	55dB	2.9	194%	Day

4527	2025-05-23 08:31:22	73.53	55dB	3.6	261%	Day
4528	2025-05-23 08:35:08	70.73	55dB	3.0	198%	Day
4529	2025-05-23 08:38:16	71.10	55dB	3.1	205%	Day
4530	2025-05-23 08:41:16	68.97	55dB	2.6	163%	Day
4531	2025-05-23 08:43:11	68.71	55dB	2.6	159%	Day
4532	2025-05-23 08:44:49	72.43	55dB	3.3	235%	Day
4533	2025-05-23 08:46:44	72.27	55dB	3.3	231%	Day
4534	2025-05-23 08:50:52	N/A	55dB	N/A	N/A	Day
4535	2025-05-23 08:55:42	78.45	55dB	5.1	408%	Day
4536	2025-05-23 08:57:39	69.23	55dB	2.7	168%	Day
4537	2025-05-23 08:59:02	69.81	55dB	2.8	179%	Day
4538	2025-05-23 09:07:35	69.70	55dB	2.8	177%	Day
4539	2025-05-23 09:12:31	75.06	55dB	4.0	302%	Day
4540	2025-05-23 09:20:57	68.31	55dB	2.5	152%	Day
4541	2025-05-23 09:25:04	69.47	55dB	2.7	173%	Day
4542	2025-05-23 09:30:59	N/A	55dB	N/A	N/A	Day
4543	2025-05-23 09:34:01	69.43	55dB	2.7	172%	Day
4544	2025-05-23 09:35:52	79.66	55dB	5.5	453%	Day
4545	2025-05-23 09:38:10	71.88	55dB	3.2	222%	Day
4546	2025-05-23 09:40:13	70.76	55dB	3.0	198%	Day
4547	2025-05-23 09:43:33	N/A	55dB	N/A	N/A	Day
4548	2025-05-23 09:53:46	66.70	55dB	2.3	125%	Day
4549	2025-05-23 10:04:43	69.44	55dB	2.7	172%	Day
4550	2025-05-23 10:06:27	66.94	55dB	2.3	129%	Day
4551	2025-05-23 10:08:53	70.31	55dB	2.9	189%	Day
4552	2025-05-23 10:10:35	67.80	55dB	2.4	143%	Day
4553	2025-05-23 10:15:38	69.94	55dB	2.8	182%	Day
4554	2025-05-23 10:17:17	70.92	55dB	3.0	201%	Day
4555	2025-05-23 10:21:30	68.43	55dB	2.5	154%	Day
4556	2025-05-23 10:33:00	73.90	55dB	3.7	271%	Day
4557	2025-05-23 10:35:20	75.23	55dB	4.1	306%	Day
4558	2025-05-23 10:39:02	69.92	55dB	2.8	181%	Day
4559	2025-05-23 10:40:52	74.31	55dB	3.8	281%	Day
4560	2025-05-23 10:42:22	78.92	55dB	5.2	425%	Day
4561	2025-05-23 10:43:52	71.50	55dB	3.1	214%	Day
4562	2025-05-23 10:45:10	N/A	55dB	N/A	N/A	Day
4563	2025-05-23 10:46:38	70.14	55dB	2.9	186%	Day
4564	2025-05-23 10:47:53	N/A	55dB	N/A	N/A	Day
4565	2025-05-23 10:49:44	66.33	55dB	2.2	119%	Day
4566	2025-05-23 10:51:52	66.67	55dB	2.2	125%	Day
4567	2025-05-23 10:53:34	68.63	55dB	2.6	157%	Day
4568	2025-05-23 10:54:48	N/A	55dB	N/A	N/A	Day
4569	2025-05-23 10:56:20	72.80	55dB	3.4	243%	Day
4570	2025-05-23 10:57:46	72.54	55dB	3.4	237%	Day

4571	2025-05-23 11:00:02	66.54	55dB	2.2	123%	Day
4572	2025-05-23 11:01:37	69.76	55dB	2.8	178%	Day
4573	2025-05-23 11:03:56	73.41	55dB	3.6	258%	Day
4574	2025-05-23 11:05:55	69.97	55dB	2.8	182%	Day
4575	2025-05-23 11:08:03	70.24	55dB	2.9	188%	Day
4576	2025-05-23 11:09:45	68.44	55dB	2.5	154%	Day
4577	2025-05-23 11:11:32	71.42	55dB	3.1	212%	Day
4578	2025-05-23 11:13:07	80.08	55dB	5.7	469%	Day
4579	2025-05-23 11:16:09	68.46	55dB	2.5	154%	Day
4580	2025-05-23 11:19:38	70.09	55dB	2.8	185%	Day
4581	2025-05-23 11:21:33	68.40	55dB	2.5	153%	Day
4582	2025-05-23 11:23:11	69.30	55dB	2.7	169%	Day
4583	2025-05-23 11:24:43	69.12	55dB	2.7	166%	Day
4584	2025-05-23 11:26:12	75.65	55dB	4.2	318%	Day
4585	2025-05-23 11:28:48	67.76	55dB	2.4	142%	Day
4586	2025-05-23 11:30:33	N/A	55dB	N/A	N/A	Day
4587	2025-05-23 11:32:26	70.95	55dB	3.0	202%	Day
4588	2025-05-23 11:35:58	69.96	55dB	2.8	182%	Day
4589	2025-05-23 11:37:38	71.74	55dB	3.2	219%	Day
4590	2025-05-23 11:39:10	68.61	55dB	2.6	157%	Day
4591	2025-05-23 11:41:13	72.44	55dB	3.3	235%	Day
4592	2025-05-23 11:43:03	70.84	55dB	3.0	200%	Day
4593	2025-05-23 11:44:30	69.75	55dB	2.8	178%	Day
4594	2025-05-23 11:46:15	74.55	55dB	3.9	288%	Day
4595	2025-05-23 11:50:23	69.67	55dB	2.8	176%	Day
4596	2025-05-23 11:54:13	N/A	55dB	N/A	N/A	Day
4597	2025-05-23 11:57:35	70.35	55dB	2.9	190%	Day
4598	2025-05-23 11:59:18	67.70	55dB	2.4	141%	Day
4599	2025-05-23 12:01:58	68.60	55dB	2.6	157%	Day
4600	2025-05-23 12:03:37	71.13	55dB	3.1	206%	Day
4601	2025-05-23 12:05:04	N/A	55dB	N/A	N/A	Day
4602	2025-05-23 12:06:34	76.16	55dB	4.3	333%	Day
4603	2025-05-23 12:07:52	73.63	55dB	3.6	264%	Day
4604	2025-05-23 12:09:20	N/A	55dB	N/A	N/A	Day
4605	2025-05-23 12:12:50	70.52	55dB	2.9	193%	Day
4606	2025-05-23 12:14:10	N/A	55dB	N/A	N/A	Day
4607	2025-05-23 12:15:37	N/A	55dB	N/A	N/A	Day
4608	2025-05-23 12:17:08	73.58	55dB	3.6	263%	Day
4609	2025-05-23 12:19:44	72.71	55dB	3.4	241%	Day
4610	2025-05-23 12:21:54	70.99	55dB	3.0	203%	Day
4611	2025-05-23 12:23:19	72.57	55dB	3.4	238%	Day
4612	2025-05-23 12:24:51	70.69	55dB	3.0	197%	Day
4613	2025-05-23 12:26:24	73.44	55dB	3.6	259%	Day
4614	2025-05-23 12:28:32	70.28	55dB	2.9	188%	Day

4615	2025-05-23 12:30:00	76.53	55dB	4.4	345%	Day
4616	2025-05-23 12:31:35	76.42	55dB	4.4	341%	Day
4617	2025-05-23 12:33:00	72.26	55dB	3.3	231%	Day
4618	2025-05-23 12:37:02	76.56	55dB	4.5	346%	Day
4619	2025-05-23 12:38:33	76.80	55dB	4.5	353%	Day
4620	2025-05-23 12:40:07	73.84	55dB	3.7	269%	Day
4621	2025-05-23 12:41:38	71.26	55dB	3.1	209%	Day
4622	2025-05-23 12:43:10	93.52	55dB	14.4	1344%	Day
4623	2025-05-23 12:46:49	74.91	55dB	4.0	298%	Day
4624	2025-05-23 12:48:38	73.96	55dB	3.7	272%	Day
4625	2025-05-23 12:52:04	N/A	55dB	N/A	N/A	Day
4626	2025-05-23 12:53:34	72.59	55dB	3.4	238%	Day
4627	2025-05-23 12:55:19	70.26	55dB	2.9	188%	Day
4628	2025-05-23 12:56:45	73.09	55dB	3.5	250%	Day
4629	2025-05-23 12:58:16	68.27	55dB	2.5	151%	Day
4630	2025-05-23 12:59:58	71.57	55dB	3.2	215%	Day
4631	2025-05-23 13:03:18	66.27	55dB	2.2	118%	Day
4632	2025-05-23 13:05:07	72.09	55dB	3.3	227%	Day
4633	2025-05-23 13:07:48	72.22	55dB	3.3	230%	Day
4634	2025-05-23 13:09:12	68.23	55dB	2.5	150%	Day
4635	2025-05-23 13:10:43	70.85	55dB	3.0	200%	Day
4636	2025-05-23 13:12:05	70.43	55dB	2.9	191%	Day
4637	2025-05-23 13:13:42	70.96	55dB	3.0	202%	Day
4638	2025-05-23 13:15:30	N/A	55dB	N/A	N/A	Day
4639	2025-05-23 13:17:23	74.78	55dB	3.9	294%	Day
4640	2025-05-23 13:19:40	72.81	55dB	3.4	244%	Day
4641	2025-05-23 13:32:15	72.23	55dB	3.3	230%	Day
4642	2025-05-23 13:34:03	70.50	55dB	2.9	193%	Day
4643	2025-05-23 13:35:38	72.76	55dB	3.4	242%	Day
4644	2025-05-23 13:37:32	73.90	55dB	3.7	271%	Day
4645	2025-05-23 13:40:41	80.83	55dB	6.0	499%	Day
4646	2025-05-23 13:44:22	N/A	55dB	N/A	N/A	Day
4647	2025-05-23 13:48:02	73.70	55dB	3.7	266%	Day
4648	2025-05-23 13:53:23	74.00	55dB	3.7	273%	Day
4649	2025-05-23 13:54:53	N/A	55dB	N/A	N/A	Day
4650	2025-05-23 13:56:22	69.62	55dB	2.8	175%	Day
4651	2025-05-23 13:59:52	73.33	55dB	3.6	256%	Day
4652	2025-05-23 14:01:12	67.64	55dB	2.4	140%	Day
4653	2025-05-23 14:03:45	74.17	55dB	3.8	278%	Day
4654	2025-05-23 14:05:45	73.26	55dB	3.5	255%	Day
4655	2025-05-23 14:14:09	69.66	55dB	2.8	176%	Day
4656	2025-05-23 14:16:37	N/A	55dB	N/A	N/A	Day
4657	2025-05-23 14:19:42	71.22	55dB	3.1	208%	Day
4658	2025-05-23 14:21:45	68.02	55dB	2.5	147%	Day

4659	2025-05-23 14:23:21	71.69	55dB	3.2	218%	Day
4660	2025-05-23 14:24:39	N/A	55dB	N/A	N/A	Day
4661	2025-05-23 14:26:56	68.33	55dB	2.5	152%	Day
4662	2025-05-23 14:29:52	72.17	55dB	3.3	229%	Day
4663	2025-05-23 14:32:10	75.74	55dB	4.2	321%	Day
4664	2025-05-23 14:34:16	68.52	55dB	2.6	155%	Day
4665	2025-05-23 14:36:58	77.39	55dB	4.7	372%	Day
4666	2025-05-23 14:41:22	74.53	55dB	3.9	287%	Day
4667	2025-05-23 14:44:44	73.47	55dB	3.6	260%	Day
4668	2025-05-23 14:47:43	71.20	55dB	3.1	207%	Day
4669	2025-05-23 14:50:25	71.31	55dB	3.1	210%	Day
4670	2025-05-23 14:52:43	74.82	55dB	4.0	295%	Day
4671	2025-05-23 14:56:47	72.59	55dB	3.4	238%	Day
4672	2025-05-23 15:00:03	74.55	55dB	3.9	288%	Day
4673	2025-05-23 15:02:54	70.86	55dB	3.0	200%	Day
4674	2025-05-23 15:07:02	74.17	55dB	3.8	278%	Day
4675	2025-05-23 15:09:49	73.17	55dB	3.5	252%	Day
4676	2025-05-23 15:12:34	71.83	55dB	3.2	221%	Day
4677	2025-05-23 15:17:54	73.31	55dB	3.6	256%	Day
4678	2025-05-23 15:20:39	76.62	55dB	4.5	348%	Day
4679	2025-05-23 15:23:26	73.82	55dB	3.7	269%	Day
4680	2025-05-23 15:25:50	71.17	55dB	3.1	207%	Day
4681	2025-05-23 15:28:50	74.57	55dB	3.9	288%	Day
4682	2025-05-23 15:31:28	71.78	55dB	3.2	220%	Day
4683	2025-05-23 15:33:54	76.21	55dB	4.3	335%	Day
4684	2025-05-23 15:36:34	77.40	55dB	4.7	372%	Day
4685	2025-05-23 15:39:04	73.17	55dB	3.5	252%	Day
4686	2025-05-23 15:41:39	73.46	55dB	3.6	260%	Day
4687	2025-05-23 15:44:10	76.71	55dB	4.5	350%	Day
4688	2025-05-23 15:47:10	70.84	55dB	3.0	200%	Day
4689	2025-05-23 15:50:15	75.95	55dB	4.3	327%	Day
4690	2025-05-23 15:57:15	73.82	55dB	3.7	269%	Day
4691	2025-05-23 16:01:05	71.19	55dB	3.1	207%	Day
4692	2025-05-23 16:03:52	73.53	55dB	3.6	261%	Day
4693	2025-05-23 16:06:31	73.43	55dB	3.6	259%	Day
4694	2025-05-23 16:09:08	75.11	55dB	4.0	303%	Day
4695	2025-05-23 16:17:36	72.29	55dB	3.3	231%	Day
4696	2025-05-23 16:28:31	73.84	55dB	3.7	269%	Day
4697	2025-05-23 16:37:58	77.86	55dB	4.9	388%	Day
4698	2025-05-23 16:41:38	73.33	55dB	3.6	256%	Day
4699	2025-05-23 16:44:17	79.80	55dB	5.6	458%	Day
4700	2025-05-23 16:47:46	72.74	55dB	3.4	242%	Day
4701	2025-05-23 16:50:20	72.84	55dB	3.4	244%	Day
4702	2025-05-23 16:53:01	N/A	55dB	N/A	N/A	Day

4703	2025-05-23 16:55:37	74.15	55dB	3.8	277%	Day
4704	2025-05-23 16:58:15	72.52	55dB	3.4	237%	Day
4705	2025-05-23 17:00:58	77.49	55dB	4.8	375%	Day
4706	2025-05-23 17:03:45	76.52	55dB	4.4	344%	Day
4707	2025-05-23 17:06:42	72.13	55dB	3.3	228%	Day
4708	2025-05-23 17:12:11	73.59	55dB	3.6	263%	Day
4709	2025-05-23 17:14:22	76.04	55dB	4.3	330%	Day
4710	2025-05-23 17:16:34	72.98	55dB	3.5	248%	Day
4711	2025-05-23 17:19:23	74.36	55dB	3.8	283%	Day
4712	2025-05-23 17:21:43	73.48	55dB	3.6	260%	Day
4713	2025-05-23 17:24:05	72.80	55dB	3.4	243%	Day
4714	2025-05-23 17:26:26	71.45	55dB	3.1	213%	Day
4715	2025-05-23 17:29:01	73.50	55dB	3.6	261%	Day
4716	2025-05-23 17:32:11	73.90	55dB	3.7	271%	Day
4717	2025-05-23 17:33:32	74.43	55dB	3.8	285%	Day
4718	2025-05-23 17:36:45	75.27	55dB	4.1	308%	Day
4719	2025-05-23 17:41:19	83.50	55dB	7.2	621%	Day
4720	2025-05-23 17:43:55	75.59	55dB	4.2	317%	Day
4721	2025-05-23 17:46:33	73.30	55dB	3.6	256%	Day
4722	2025-05-23 17:49:10	72.92	55dB	3.5	246%	Day
4723	2025-05-23 17:51:48	77.53	55dB	4.8	377%	Day
4724	2025-05-23 17:54:20	74.85	55dB	4.0	296%	Day
4725	2025-05-23 17:56:44	N/A	55dB	N/A	N/A	Day
4726	2025-05-23 17:59:17	73.80	55dB	3.7	268%	Day
4727	2025-05-23 18:01:34	74.34	55dB	3.8	282%	Day
4728	2025-05-23 18:03:49	75.45	55dB	4.1	313%	Day
4729	2025-05-23 18:05:58	74.63	55dB	3.9	290%	Day
4730	2025-05-23 18:08:14	74.08	55dB	3.8	275%	Day
4731	2025-05-23 18:11:15	72.98	55dB	3.5	248%	Day
4732	2025-05-23 18:13:19	72.14	55dB	3.3	228%	Day
4733	2025-05-23 18:17:56	75.53	55dB	4.1	315%	Day
4734	2025-05-23 18:21:46	73.27	55dB	3.5	255%	Day
4735	2025-05-23 18:24:00	76.51	55dB	4.4	344%	Day
4736	2025-05-23 18:27:02	67.97	55dB	2.5	146%	Day
4737	2025-05-23 18:29:21	72.28	55dB	3.3	231%	Day
4738	2025-05-23 18:31:27	67.60	55dB	2.4	139%	Day
4739	2025-05-23 18:33:47	N/A	55dB	N/A	N/A	Day
4740	2025-05-23 18:36:01	N/A	55dB	N/A	N/A	Day
4741	2025-05-23 18:37:49	69.06	55dB	2.7	165%	Day
4742	2025-05-23 18:40:16	69.13	55dB	2.7	166%	Day
4743	2025-05-23 18:42:34	70.61	55dB	3.0	195%	Day
4744	2025-05-23 18:49:22	74.21	55dB	3.8	279%	Day
4745	2025-05-23 18:51:32	71.80	55dB	3.2	220%	Day
4746	2025-05-23 18:54:35	67.62	55dB	2.4	140%	Day

4747	2025-05-23 18:56:53	91.72	55dB	12.7	1175%	Day
4748	2025-05-23 18:58:49	69.74	55dB	2.8	178%	Day
4749	2025-05-23 19:01:12	71.27	55dB	3.1	209%	Day
4750	2025-05-23 19:03:26	67.96	55dB	2.5	146%	Day
4751	2025-05-23 19:06:02	68.49	55dB	2.5	155%	Day
4752	2025-05-23 19:08:38	68.72	55dB	2.6	159%	Day
4753	2025-05-23 19:11:07	69.59	55dB	2.7	175%	Day
4754	2025-05-23 19:13:27	71.12	55dB	3.1	206%	Day
4755	2025-05-23 19:15:49	67.91	55dB	2.4	145%	Day
4756	2025-05-23 19:17:06	69.89	55dB	2.8	181%	Day
4757	2025-05-23 19:19:38	70.31	55dB	2.9	189%	Day
4758	2025-05-23 19:22:06	74.55	55dB	3.9	288%	Day
4759	2025-05-23 19:23:20	79.77	55dB	5.6	457%	Day
4760	2025-05-23 19:25:30	71.08	55dB	3.0	205%	Day
4761	2025-05-23 19:27:43	85.25	55dB	8.1	714%	Day
4762	2025-05-23 19:29:56	71.42	55dB	3.1	212%	Day
4763	2025-05-23 19:32:38	71.95	55dB	3.2	224%	Day
4764	2025-05-23 19:35:32	N/A	55dB	N/A	N/A	Day
4765	2025-05-23 19:38:13	66.96	55dB	2.3	129%	Day
4766	2025-05-23 19:41:10	N/A	55dB	N/A	N/A	Day
4767	2025-05-23 19:43:28	69.30	55dB	2.7	169%	Day
4768	2025-05-23 19:46:00	66.80	55dB	2.3	127%	Day
4769	2025-05-23 19:51:17	72.09	55dB	3.3	227%	Day
4770	2025-05-23 19:57:08	74.31	55dB	3.8	281%	Day
4771	2025-05-23 19:59:16	83.60	55dB	7.3	626%	Day
4772	2025-05-23 20:01:39	76.41	55dB	4.4	341%	Day
4773	2025-05-23 20:10:36	71.18	55dB	3.1	207%	Day
4774	2025-05-23 20:16:56	71.42	55dB	3.1	212%	Day
4775	2025-05-23 20:19:05	69.77	55dB	2.8	178%	Day
4776	2025-05-23 20:21:30	N/A	55dB	N/A	N/A	Day
4777	2025-05-23 20:24:25	69.51	55dB	2.7	173%	Day
4778	2025-05-23 20:30:26	69.25	55dB	2.7	169%	Day
4779	2025-05-23 20:34:55	68.75	55dB	2.6	159%	Day
4780	2025-05-23 20:37:21	71.12	55dB	3.1	206%	Day
4781	2025-05-23 20:43:00	N/A	55dB	N/A	N/A	Day
4782	2025-05-23 20:45:38	71.68	55dB	3.2	218%	Day
4783	2025-05-23 20:48:26	77.80	55dB	4.9	386%	Day
4784	2025-05-23 20:50:50	69.86	55dB	2.8	180%	Day
4785	2025-05-23 20:52:50	70.57	55dB	2.9	194%	Day
4786	2025-05-23 20:55:39	69.61	55dB	2.8	175%	Day
4787	2025-05-23 20:57:30	87.35	55dB	9.4	842%	Day
4788	2025-05-23 20:59:10	72.56	55dB	3.4	238%	Day
4789	2025-05-23 21:00:41	67.43	55dB	2.4	137%	Day
4790	2025-05-23 21:04:15	72.34	55dB	3.3	233%	Day

4791	2025-05-23 21:05:31	N/A	55dB	N/A	N/A	Day
4792	2025-05-23 21:06:58	69.14	55dB	2.7	166%	Day
4793	2025-05-23 21:08:42	72.62	55dB	3.4	239%	Day
4794	2025-05-23 21:10:03	69.71	55dB	2.8	177%	Day
4795	2025-05-23 21:12:12	69.18	55dB	2.7	167%	Day
4796	2025-05-23 22:03:17	70.69	55dB	3.0	197%	Day
4797	2025-05-23 22:04:51	71.78	55dB	3.2	220%	Day
4798	2025-05-23 22:06:31	70.10	55dB	2.8	185%	Day
4799	2025-05-23 22:11:04	71.40	55dB	3.1	212%	Day
4800	2025-05-23 22:13:10	75.40	55dB	4.1	311%	Day
4801	2025-05-23 22:14:49	69.23	55dB	2.7	168%	Day
4802	2025-05-23 22:16:03	69.77	55dB	2.8	178%	Day
4803	2025-05-23 22:17:36	68.03	55dB	2.5	147%	Day
4804	2025-05-23 22:18:52	69.37	55dB	2.7	171%	Day
4805	2025-05-23 22:20:27	68.91	55dB	2.6	162%	Day
4806	2025-05-23 22:25:12	N/A	55dB	N/A	N/A	Day
4807	2025-05-23 22:27:27	69.03	55dB	2.6	164%	Day
4808	2025-05-23 22:29:16	70.40	55dB	2.9	191%	Day
4809	2025-05-23 22:31:50	67.93	55dB	2.5	145%	Day
4810	2025-05-23 22:33:21	69.02	55dB	2.6	164%	Day
4811	2025-05-23 22:38:16	71.05	55dB	3.0	204%	Day
4812	2025-05-23 22:40:02	70.83	55dB	3.0	200%	Day
4813	2025-05-23 22:41:35	93.77	55dB	14.7	1369%	Day
4814	2025-05-23 22:43:02	69.51	55dB	2.7	173%	Day
4815	2025-05-23 22:45:18	72.45	55dB	3.4	235%	Day
4816	2025-05-23 22:47:24	N/A	55dB	N/A	N/A	Day
4817	2025-05-23 22:49:31	70.08	55dB	2.8	184%	Day
4818	2025-05-23 22:51:27	N/A	55dB	N/A	N/A	Day
4819	2025-05-23 22:53:25	N/A	55dB	N/A	N/A	Day
4820	2025-05-23 22:55:30	N/A	55dB	N/A	N/A	Day
4821	2025-05-23 22:57:17	71.91	55dB	3.2	223%	Day
4822	2025-05-23 23:03:32	69.78	45dB	5.6	457%	Night
4823	2025-05-23 23:05:13	68.83	45dB	5.2	422%	Night
4824	2025-05-23 23:21:09	69.56	45dB	5.5	449%	Night
4825	2025-05-23 23:23:08	67.24	45dB	4.7	367%	Night
4826	2025-05-23 23:24:51	68.53	45dB	5.1	411%	Night
4827	2025-05-23 23:27:57	69.93	45dB	5.6	463%	Night
4828	2025-05-23 23:30:08	69.47	45dB	5.5	445%	Night
4829	2025-05-23 23:33:25	72.29	45dB	6.6	563%	Night
4830	2025-05-23 23:39:42	N/A	45dB	N/A	N/A	Night
4831	2025-05-23 23:41:36	69.34	45dB	5.4	440%	Night
4832	2025-05-23 23:43:33	69.97	45dB	5.6	465%	Night
4833	2025-05-23 23:45:35	69.60	45dB	5.5	450%	Night
4834	2025-05-23 23:48:11	71.53	45dB	6.3	529%	Night

4835	2025-05-23 23:49:52	69.35	45dB	5.4	441%	Night
4836	2025-05-23 23:51:53	71.51	45dB	6.3	528%	Night
4837	2025-05-23 23:54:05	N/A	45dB	N/A	N/A	Night
4838	2025-05-23 23:59:37	68.94	45dB	5.3	426%	Night
4839	2025-05-24 00:03:33	74.66	45dB	7.8	681%	Night
4840	2025-05-24 00:07:02	71.11	45dB	6.1	511%	Night
4841	2025-05-24 00:15:46	71.30	45dB	6.2	519%	Night
4842	2025-05-24 00:18:43	76.08	45dB	8.6	762%	Night
4843	2025-05-24 00:21:21	70.37	45dB	5.8	480%	Night
4844	2025-05-24 00:24:42	70.46	45dB	5.8	484%	Night
4845	2025-05-24 00:26:58	76.11	45dB	8.6	764%	Night
4846	2025-05-24 00:28:55	69.97	45dB	5.6	465%	Night
4847	2025-05-24 00:32:16	73.50	45dB	7.2	621%	Night
4848	2025-05-24 00:38:02	69.23	45dB	5.4	436%	Night
4849	2025-05-24 00:44:12	70.50	45dB	5.9	486%	Night
4850	2025-05-24 00:47:15	79.19	45dB	10.7	970%	Night
4851	2025-05-24 00:55:14	69.59	45dB	5.5	450%	Night
4852	2025-05-24 00:58:31	70.36	45dB	5.8	480%	Night
4853	2025-05-24 06:29:35	69.92	45dB	5.6	463%	Night
4854	2025-05-24 06:31:08	69.40	45dB	5.4	443%	Night
4855	2025-05-24 06:33:00	71.93	45dB	6.5	547%	Night
4856	2025-05-24 06:34:54	72.18	45dB	6.6	558%	Night
4857	2025-05-24 06:36:45	68.47	45dB	5.1	409%	Night
4858	2025-05-24 06:38:35	70.70	45dB	5.9	494%	Night
4859	2025-05-24 06:40:08	71.56	45dB	6.3	530%	Night
4860	2025-05-24 06:41:57	70.37	45dB	5.8	480%	Night
4861	2025-05-24 06:43:43	66.88	45dB	4.6	356%	Night
4862	2025-05-24 06:45:27	68.35	45dB	5.0	405%	Night
4863	2025-05-24 06:47:32	69.59	45dB	5.5	450%	Night
4864	2025-05-24 06:49:49	74.75	45dB	7.9	686%	Night
4865	2025-05-24 06:51:55	69.74	45dB	5.6	456%	Night
4866	2025-05-24 06:53:39	74.52	45dB	7.7	674%	Night
4867	2025-05-24 06:55:35	67.10	45dB	4.6	363%	Night
4868	2025-05-24 06:57:13	68.30	45dB	5.0	403%	Night
4869	2025-05-24 06:58:49	73.97	45dB	7.4	645%	Night
4870	2025-05-24 07:00:46	69.56	55dB	2.7	174%	Day
4871	2025-05-24 07:02:38	N/A	55dB	N/A	N/A	Day
4872	2025-05-24 07:04:19	67.41	55dB	2.4	136%	Day
4873	2025-05-24 07:06:23	71.21	55dB	3.1	208%	Day
4874	2025-05-24 07:08:19	70.22	55dB	2.9	187%	Day
4875	2025-05-24 07:10:01	68.68	55dB	2.6	158%	Day
4876	2025-05-24 07:11:44	70.68	55dB	3.0	196%	Day
4877	2025-05-24 07:14:16	72.29	55dB	3.3	231%	Day
4878	2025-05-24 07:17:22	69.53	55dB	2.7	174%	Day

4879	2025-05-24 07:19:22	71.20	55dB	3.1	207%	Day
4880	2025-05-24 07:21:02	68.49	55dB	2.5	155%	Day
4881	2025-05-24 07:22:49	69.89	55dB	2.8	181%	Day
4882	2025-05-24 07:25:05	69.68	55dB	2.8	177%	Day
4883	2025-05-24 07:26:51	69.91	55dB	2.8	181%	Day
4884	2025-05-24 07:28:43	70.13	55dB	2.9	185%	Day
4885	2025-05-24 07:31:13	N/A	55dB	N/A	N/A	Day
4886	2025-05-24 07:32:56	70.07	55dB	2.8	184%	Day
4887	2025-05-24 07:35:16	66.71	55dB	2.3	125%	Day
4888	2025-05-24 07:37:06	69.60	55dB	2.8	175%	Day
4889	2025-05-24 07:38:57	70.63	55dB	3.0	195%	Day
4890	2025-05-24 07:42:09	76.11	55dB	4.3	332%	Day
4891	2025-05-24 07:46:30	N/A	55dB	N/A	N/A	Day
4892	2025-05-24 07:53:15	N/A	55dB	N/A	N/A	Day
4893	2025-05-24 07:55:27	70.41	55dB	2.9	191%	Day
4894	2025-05-24 07:57:14	72.17	55dB	3.3	229%	Day
4895	2025-05-24 07:59:11	N/A	55dB	N/A	N/A	Day
4896	2025-05-24 08:00:51	68.59	55dB	2.6	157%	Day
4897	2025-05-24 08:02:53	69.73	55dB	2.8	178%	Day
4898	2025-05-24 08:08:06	69.22	55dB	2.7	168%	Day
4899	2025-05-24 08:10:50	71.69	55dB	3.2	218%	Day
4900	2025-05-24 08:14:18	71.32	55dB	3.1	210%	Day
4901	2025-05-24 08:16:04	69.99	55dB	2.8	183%	Day
4902	2025-05-24 08:26:38	71.31	55dB	3.1	210%	Day
4903	2025-05-24 08:33:01	71.38	55dB	3.1	211%	Day
4904	2025-05-24 08:34:33	73.80	55dB	3.7	268%	Day
4905	2025-05-24 08:36:37	68.57	55dB	2.6	156%	Day
4906	2025-05-24 08:39:03	69.04	55dB	2.6	165%	Day
4907	2025-05-24 08:41:46	71.81	55dB	3.2	221%	Day
4908	2025-05-24 08:43:27	69.31	55dB	2.7	170%	Day
4909	2025-05-24 08:46:45	N/A	55dB	N/A	N/A	Day
4910	2025-05-24 08:52:02	70.96	55dB	3.0	202%	Day
4911	2025-05-24 09:01:13	N/A	55dB	N/A	N/A	Day
4912	2025-05-24 09:13:49	78.32	55dB	5.0	404%	Day
4913	2025-05-24 09:20:41	69.75	55dB	2.8	178%	Day
4914	2025-05-24 09:22:07	72.32	55dB	3.3	232%	Day
4915	2025-05-24 09:28:02	N/A	55dB	N/A	N/A	Day
4916	2025-05-24 09:32:53	76.09	55dB	4.3	331%	Day
4917	2025-05-24 09:38:03	72.51	55dB	3.4	237%	Day
4918	2025-05-24 09:41:53	70.60	55dB	2.9	195%	Day
4919	2025-05-24 09:50:40	72.85	55dB	3.4	245%	Day
4920	2025-05-24 09:54:16	68.37	55dB	2.5	153%	Day
4921	2025-05-24 09:55:58	69.49	55dB	2.7	173%	Day
4922	2025-05-24 09:58:37	67.00	55dB	2.3	130%	Day

4923	2025-05-24 10:00:04	77.77	55dB	4.8	385%	Day
4924	2025-05-24 10:02:27	71.65	55dB	3.2	217%	Day
4925	2025-05-24 10:04:28	75.87	55dB	4.2	325%	Day
4926	2025-05-24 10:06:36	75.77	55dB	4.2	322%	Day
4927	2025-05-24 10:09:40	73.89	55dB	3.7	270%	Day
4928	2025-05-24 10:12:02	69.91	55dB	2.8	181%	Day
4929	2025-05-24 10:18:00	67.23	55dB	2.3	133%	Day
4930	2025-05-24 10:20:37	67.52	55dB	2.4	138%	Day
4931	2025-05-24 10:23:53	N/A	55dB	N/A	N/A	Day
4932	2025-05-24 10:26:11	70.36	55dB	2.9	190%	Day
4933	2025-05-24 10:30:18	69.75	55dB	2.8	178%	Day
4934	2025-05-24 10:31:50	78.51	55dB	5.1	410%	Day
4935	2025-05-24 10:33:33	74.98	55dB	4.0	299%	Day
4936	2025-05-24 10:35:43	N/A	55dB	N/A	N/A	Day
4937	2025-05-24 10:38:49	70.79	55dB	3.0	199%	Day
4938	2025-05-24 10:40:45	70.46	55dB	2.9	192%	Day
4939	2025-05-24 10:42:40	70.71	55dB	3.0	197%	Day
4940	2025-05-24 10:44:14	70.92	55dB	3.0	201%	Day
4941	2025-05-24 10:47:12	69.68	55dB	2.8	177%	Day
4942	2025-05-24 10:49:28	71.14	55dB	3.1	206%	Day
4943	2025-05-24 10:51:20	69.86	55dB	2.8	180%	Day
4944	2025-05-24 10:53:05	N/A	55dB	N/A	N/A	Day
4945	2025-05-24 10:54:49	N/A	55dB	N/A	N/A	Day
4946	2025-05-24 10:56:32	67.39	55dB	2.4	136%	Day
4947	2025-05-24 10:58:00	74.79	55dB	3.9	294%	Day
4948	2025-05-24 11:00:10	72.06	55dB	3.3	226%	Day
4949	2025-05-24 11:03:32	66.98	55dB	2.3	129%	Day
4950	2025-05-24 11:05:34	69.89	55dB	2.8	181%	Day
4951	2025-05-24 11:08:07	68.09	55dB	2.5	148%	Day
4952	2025-05-24 11:09:53	N/A	55dB	N/A	N/A	Day
4953	2025-05-24 11:12:30	N/A	55dB	N/A	N/A	Day
4954	2025-05-24 11:16:21	71.60	55dB	3.2	216%	Day
4955	2025-05-24 11:18:20	69.00	55dB	2.6	164%	Day
4956	2025-05-24 11:20:13	68.02	55dB	2.5	147%	Day
4957	2025-05-24 11:22:03	72.62	55dB	3.4	239%	Day
4958	2025-05-24 11:24:00	72.92	55dB	3.5	246%	Day
4959	2025-05-24 11:25:31	N/A	55dB	N/A	N/A	Day
4960	2025-05-24 11:29:31	N/A	55dB	N/A	N/A	Day
4961	2025-05-24 11:32:22	N/A	55dB	N/A	N/A	Day
4962	2025-05-24 11:34:42	69.77	55dB	2.8	178%	Day
4963	2025-05-24 11:36:37	69.70	55dB	2.8	177%	Day
4964	2025-05-24 11:39:07	71.51	55dB	3.1	214%	Day
4965	2025-05-24 11:41:36	76.37	55dB	4.4	340%	Day
4966	2025-05-24 11:43:38	N/A	55dB	N/A	N/A	Day

4967	2025-05-24 11:47:51	N/A	55dB	N/A	N/A	Day
4968	2025-05-24 11:49:27	68.17	55dB	2.5	149%	Day
4969	2025-05-24 11:50:53	69.41	55dB	2.7	172%	Day
4970	2025-05-24 13:50:30	73.10	55dB	3.5	251%	Day
4971	2025-05-24 13:52:25	N/A	55dB	N/A	N/A	Day
4972	2025-05-24 13:53:47	76.05	55dB	4.3	330%	Day
4973	2025-05-24 13:57:44	N/A	55dB	N/A	N/A	Day
4974	2025-05-24 14:01:57	70.54	55dB	2.9	194%	Day
4975	2025-05-24 14:03:37	N/A	55dB	N/A	N/A	Day
4976	2025-05-24 14:05:04	70.51	55dB	2.9	193%	Day
4977	2025-05-24 14:06:33	74.60	55dB	3.9	289%	Day
4978	2025-05-24 14:10:53	68.73	55dB	2.6	159%	Day
4979	2025-05-24 14:12:36	79.24	55dB	5.4	437%	Day
4980	2025-05-24 14:14:33	N/A	55dB	N/A	N/A	Day
4981	2025-05-24 14:18:42	72.00	55dB	3.2	225%	Day
4982	2025-05-24 14:20:35	73.76	55dB	3.7	267%	Day
4983	2025-05-24 14:26:15	74.95	55dB	4.0	299%	Day
4984	2025-05-24 14:30:31	74.29	55dB	3.8	281%	Day
4985	2025-05-24 14:32:23	77.70	55dB	4.8	382%	Day
4986	2025-05-24 14:33:47	71.67	55dB	3.2	218%	Day
4987	2025-05-24 14:36:15	71.53	55dB	3.1	214%	Day
4988	2025-05-24 14:37:47	71.06	55dB	3.0	204%	Day
4989	2025-05-24 14:39:17	74.31	55dB	3.8	281%	Day
4990	2025-05-24 14:40:51	71.09	55dB	3.1	205%	Day
4991	2025-05-24 14:42:27	79.56	55dB	5.5	449%	Day
4992	2025-05-24 14:43:56	68.83	55dB	2.6	161%	Day
4993	2025-05-24 14:45:31	71.89	55dB	3.2	222%	Day
4994	2025-05-24 14:46:53	71.33	55dB	3.1	210%	Day
4995	2025-05-24 14:48:29	N/A	55dB	N/A	N/A	Day
4996	2025-05-24 14:49:43	67.96	55dB	2.5	146%	Day
4997	2025-05-24 14:51:38	75.27	55dB	4.1	308%	Day
4998	2025-05-24 14:52:56	68.58	55dB	2.6	156%	Day
4999	2025-05-24 14:54:27	N/A	55dB	N/A	N/A	Day
5000	2025-05-24 14:55:37	70.37	55dB	2.9	190%	Day
5001	2025-05-24 14:57:00	71.53	55dB	3.1	214%	Day
5002	2025-05-24 14:58:32	70.17	55dB	2.9	186%	Day
5003	2025-05-24 15:00:41	71.70	55dB	3.2	218%	Day
5004	2025-05-24 15:03:30	N/A	55dB	N/A	N/A	Day
5005	2025-05-24 15:06:51	67.49	55dB	2.4	138%	Day
5006	2025-05-24 15:08:24	69.72	55dB	2.8	177%	Day
5007	2025-05-24 15:10:06	N/A	55dB	N/A	N/A	Day
5008	2025-05-24 15:12:14	68.74	55dB	2.6	159%	Day
5009	2025-05-24 15:13:44	72.08	55dB	3.3	227%	Day
5010	2025-05-24 15:15:12	N/A	55dB	N/A	N/A	Day

5011	2025-05-24 15:17:55	69.31	55dB	2.7	170%	Day
5012	2025-05-24 15:19:32	73.37	55dB	3.6	257%	Day
5013	2025-05-24 15:22:31	77.64	55dB	4.8	380%	Day
5014	2025-05-24 15:27:06	73.15	55dB	3.5	252%	Day
5015	2025-05-24 15:29:26	71.39	55dB	3.1	211%	Day
5016	2025-05-24 15:31:02	71.81	55dB	3.2	221%	Day
5017	2025-05-24 15:34:10	N/A	55dB	N/A	N/A	Day
5018	2025-05-24 15:36:34	68.54	55dB	2.6	156%	Day
5019	2025-05-24 15:42:52	72.66	55dB	3.4	240%	Day
5020	2025-05-24 15:44:15	78.02	55dB	4.9	393%	Day
5021	2025-05-24 15:45:38	71.27	55dB	3.1	209%	Day
5022	2025-05-24 15:46:48	70.83	55dB	3.0	200%	Day
5023	2025-05-24 15:48:21	72.28	55dB	3.3	231%	Day
5024	2025-05-24 15:50:08	71.73	55dB	3.2	219%	Day
5025	2025-05-24 15:52:17	72.09	55dB	3.3	227%	Day
5026	2025-05-24 15:57:46	70.97	55dB	3.0	203%	Day
5027	2025-05-24 15:59:05	68.16	55dB	2.5	149%	Day
5028	2025-05-24 16:00:33	74.82	55dB	4.0	295%	Day
5029	2025-05-24 16:02:19	69.98	55dB	2.8	182%	Day
5030	2025-05-24 16:04:32	75.25	55dB	4.1	307%	Day
5031	2025-05-24 16:07:03	78.37	55dB	5.1	405%	Day
5032	2025-05-24 16:08:57	70.83	55dB	3.0	200%	Day
5033	2025-05-24 16:11:19	N/A	55dB	N/A	N/A	Day
5034	2025-05-24 16:13:25	75.44	55dB	4.1	312%	Day
5035	2025-05-24 16:15:25	73.08	55dB	3.5	250%	Day
5036	2025-05-24 16:17:39	N/A	55dB	N/A	N/A	Day
5037	2025-05-24 16:19:57	75.62	55dB	4.2	318%	Day
5038	2025-05-24 16:21:11	73.43	55dB	3.6	259%	Day
5039	2025-05-24 16:23:24	70.11	55dB	2.9	185%	Day
5040	2025-05-24 16:25:34	70.18	55dB	2.9	186%	Day
5041	2025-05-24 16:32:21	72.25	55dB	3.3	231%	Day
5042	2025-05-24 16:34:40	N/A	55dB	N/A	N/A	Day
5043	2025-05-24 16:36:26	70.88	55dB	3.0	201%	Day
5044	2025-05-24 16:38:08	68.34	55dB	2.5	152%	Day
5045	2025-05-24 16:39:40	70.54	55dB	2.9	194%	Day
5046	2025-05-24 16:41:09	70.48	55dB	2.9	192%	Day
5047	2025-05-24 16:42:38	70.20	55dB	2.9	187%	Day
5048	2025-05-24 16:44:32	68.07	55dB	2.5	147%	Day
5049	2025-05-24 16:47:06	75.99	55dB	4.3	328%	Day
5050	2025-05-24 16:48:30	N/A	55dB	N/A	N/A	Day
5051	2025-05-24 16:50:06	70.65	55dB	3.0	196%	Day
5052	2025-05-24 16:51:40	71.41	55dB	3.1	212%	Day
5053	2025-05-24 16:53:13	76.16	55dB	4.3	333%	Day
5054	2025-05-24 16:54:33	74.97	55dB	4.0	299%	Day

5055	2025-05-24 16:56:41	66.08	55dB	2.2	116%	Day
5056	2025-05-24 16:58:02	69.40	55dB	2.7	171%	Day
5057	2025-05-24 16:59:20	77.66	55dB	4.8	381%	Day
5058	2025-05-24 17:00:47	N/A	55dB	N/A	N/A	Day
5059	2025-05-24 17:02:06	76.80	55dB	4.5	353%	Day
5060	2025-05-24 17:03:30	71.65	55dB	3.2	217%	Day
5061	2025-05-24 17:05:05	69.90	55dB	2.8	181%	Day
5062	2025-05-24 17:06:21	N/A	55dB	N/A	N/A	Day
5063	2025-05-24 17:07:35	71.37	55dB	3.1	211%	Day
5064	2025-05-24 17:08:55	72.09	55dB	3.3	227%	Day
5065	2025-05-24 17:10:46	74.48	55dB	3.9	286%	Day
5066	2025-05-24 17:12:25	72.12	55dB	3.3	228%	Day
5067	2025-05-24 17:14:40	73.59	55dB	3.6	263%	Day
5068	2025-05-24 17:16:02	68.76	55dB	2.6	160%	Day
5069	2025-05-24 17:18:01	71.36	55dB	3.1	211%	Day
5070	2025-05-24 17:19:30	80.10	55dB	5.7	470%	Day
5071	2025-05-24 17:20:52	69.76	55dB	2.8	178%	Day
5072	2025-05-24 17:24:04	74.02	55dB	3.7	274%	Day
5073	2025-05-24 17:28:19	N/A	55dB	N/A	N/A	Day
5074	2025-05-24 17:29:38	68.88	55dB	2.6	162%	Day
5075	2025-05-24 17:30:49	70.91	55dB	3.0	201%	Day
5076	2025-05-24 17:32:06	73.15	55dB	3.5	252%	Day
5077	2025-05-24 17:34:55	76.86	55dB	4.6	355%	Day
5078	2025-05-24 17:36:56	69.77	55dB	2.8	178%	Day
5079	2025-05-24 17:38:12	74.26	55dB	3.8	280%	Day
5080	2025-05-24 17:45:46	76.76	55dB	4.5	352%	Day
5081	2025-05-24 17:47:06	77.44	55dB	4.7	374%	Day
5082	2025-05-24 17:48:25	71.43	55dB	3.1	212%	Day
5083	2025-05-24 17:50:22	72.10	55dB	3.3	227%	Day
5084	2025-05-24 17:51:36	70.72	55dB	3.0	197%	Day
5085	2025-05-24 17:53:32	71.10	55dB	3.1	205%	Day
5086	2025-05-24 17:54:58	68.36	55dB	2.5	152%	Day
5087	2025-05-24 17:58:16	69.14	55dB	2.7	166%	Day
5088	2025-05-24 18:00:03	N/A	55dB	N/A	N/A	Day
5089	2025-05-24 18:45:34	76.14	55dB	4.3	333%	Day
5090	2025-05-24 19:31:47	74.48	55dB	3.9	286%	Day
5091	2025-05-24 19:34:09	74.37	55dB	3.8	283%	Day
5092	2025-05-24 19:36:33	74.07	55dB	3.8	275%	Day
5093	2025-05-24 19:38:37	74.67	55dB	3.9	291%	Day
5094	2025-05-24 19:41:00	72.42	55dB	3.3	234%	Day
5095	2025-05-24 19:45:26	73.72	55dB	3.7	266%	Day
5096	2025-05-24 19:48:22	73.65	55dB	3.6	264%	Day
5097	2025-05-24 19:51:33	73.48	55dB	3.6	260%	Day
5098	2025-05-24 19:54:28	71.30	55dB	3.1	210%	Day

5099	2025-05-24 19:57:10	76.71	55dB	4.5	350%	Day
5100	2025-05-24 20:05:22	N/A	55dB	N/A	N/A	Day
5101	2025-05-24 20:09:03	70.88	55dB	3.0	201%	Day
5102	2025-05-24 20:10:51	74.84	55dB	4.0	296%	Day
5103	2025-05-24 20:13:17	71.33	55dB	3.1	210%	Day
5104	2025-05-24 20:16:50	71.43	55dB	3.1	212%	Day
5105	2025-05-24 20:19:04	74.82	55dB	4.0	295%	Day
5106	2025-05-24 20:23:56	71.62	55dB	3.2	216%	Day
5107	2025-05-24 21:56:27	74.31	55dB	3.8	281%	Day
5108	2025-05-24 22:00:57	74.07	55dB	3.8	275%	Day
5109	2025-05-24 22:02:32	71.78	55dB	3.2	220%	Day
5110	2025-05-24 22:05:27	71.96	55dB	3.2	224%	Day
5111	2025-05-24 22:11:05	74.07	55dB	3.8	275%	Day
5112	2025-05-24 22:14:31	N/A	55dB	N/A	N/A	Day
5113	2025-05-24 22:17:32	73.18	55dB	3.5	253%	Day
5114	2025-05-24 22:18:52	71.89	55dB	3.2	222%	Day
5115	2025-05-24 22:23:58	72.13	55dB	3.3	228%	Day
5116	2025-05-24 22:27:20	79.69	55dB	5.5	454%	Day
5117	2025-05-24 22:34:15	73.07	55dB	3.5	250%	Day
5118	2025-05-24 22:36:38	69.48	55dB	2.7	173%	Day
5119	2025-05-24 22:37:53	72.22	55dB	3.3	230%	Day
5120	2025-05-24 22:39:26	74.13	55dB	3.8	277%	Day
5121	2025-05-24 22:40:46	74.32	55dB	3.8	282%	Day
5122	2025-05-24 22:42:36	74.34	55dB	3.8	282%	Day
5123	2025-05-24 22:45:44	76.85	55dB	4.5	355%	Day
5124	2025-05-24 22:48:07	71.81	55dB	3.2	221%	Day
5125	2025-05-24 22:50:09	72.50	55dB	3.4	236%	Day
5126	2025-05-24 22:54:42	73.16	55dB	3.5	252%	Day
5127	2025-05-24 22:56:45	84.71	55dB	7.8	684%	Day
5128	2025-05-24 22:58:10	72.91	55dB	3.5	246%	Day
5129	2025-05-24 22:59:33	73.06	55dB	3.5	250%	Day
5130	2025-05-24 23:11:02	74.81	45dB	7.9	690%	Night
5131	2025-05-24 23:13:03	73.11	45dB	7.0	602%	Night
5132	2025-05-24 23:20:16	72.74	45dB	6.8	584%	Night
5133	2025-05-24 23:29:01	72.13	45dB	6.6	556%	Night
5134	2025-05-24 23:31:13	73.10	45dB	7.0	601%	Night
5135	2025-05-24 23:32:50	71.71	45dB	6.4	537%	Night
5136	2025-05-24 23:36:10	72.12	45dB	6.6	555%	Night
5137	2025-05-24 23:45:19	73.04	45dB	7.0	598%	Night
5138	2025-05-24 23:47:21	72.82	45dB	6.9	588%	Night
5139	2025-05-24 23:49:23	71.77	45dB	6.4	540%	Night
5140	2025-05-24 23:51:03	72.28	45dB	6.6	563%	Night
5141	2025-05-24 23:56:21	73.30	45dB	7.1	611%	Night
5142	2025-05-25 00:00:18	N/A	45dB	N/A	N/A	Night

5143	2025-05-25 00:04:27	71.73	45dB	6.4	538%	Night
5144	2025-05-25 00:06:36	73.83	45dB	7.4	638%	Night
5145	2025-05-25 00:08:00	72.99	45dB	7.0	596%	Night
5146	2025-05-25 00:09:46	73.63	45dB	7.3	628%	Night
5147	2025-05-25 00:11:13	72.33	45dB	6.6	565%	Night
5148	2025-05-25 00:12:37	73.86	45dB	7.4	639%	Night
5149	2025-05-25 00:14:07	72.60	45dB	6.8	577%	Night
5150	2025-05-25 00:15:52	75.14	45dB	8.1	708%	Night
5151	2025-05-25 00:18:11	72.41	45dB	6.7	569%	Night
5152	2025-05-25 00:19:52	71.92	45dB	6.5	546%	Night
5153	2025-05-25 06:29:56	69.02	45dB	5.3	429%	Night
5154	2025-05-25 06:31:21	68.97	45dB	5.3	427%	Night
5155	2025-05-25 06:32:42	69.11	45dB	5.3	432%	Night
5156	2025-05-25 06:34:22	67.55	45dB	4.8	377%	Night
5157	2025-05-25 06:35:49	70.15	45dB	5.7	472%	Night
5158	2025-05-25 06:37:05	75.95	45dB	8.5	754%	Night
5159	2025-05-25 06:38:20	69.49	45dB	5.5	446%	Night
5160	2025-05-25 06:39:57	68.98	45dB	5.3	427%	Night
5161	2025-05-25 06:41:18	70.26	45dB	5.8	476%	Night
5162	2025-05-25 06:43:15	N/A	45dB	N/A	N/A	Night
5163	2025-05-25 06:44:50	74.28	45dB	7.6	661%	Night
5164	2025-05-25 06:47:02	69.41	45dB	5.4	443%	Night
5165	2025-05-25 06:48:26	69.23	45dB	5.4	436%	Night
5166	2025-05-25 06:49:58	69.89	45dB	5.6	461%	Night
5167	2025-05-25 06:52:00	69.57	45dB	5.5	449%	Night
5168	2025-05-25 06:54:14	68.94	45dB	5.3	426%	Night
5169	2025-05-25 06:56:26	69.62	45dB	5.5	451%	Night
5170	2025-05-25 06:58:02	66.78	45dB	4.5	353%	Night
5171	2025-05-25 06:59:15	69.06	45dB	5.3	430%	Night
5172	2025-05-25 07:00:45	67.73	55dB	2.4	142%	Day
5173	2025-05-25 07:02:02	69.59	55dB	2.7	175%	Day
5174	2025-05-25 07:03:33	68.34	55dB	2.5	152%	Day
5175	2025-05-25 07:05:18	77.10	55dB	4.6	363%	Day
5176	2025-05-25 07:12:05	68.43	55dB	2.5	154%	Day
5177	2025-05-25 07:13:43	68.90	55dB	2.6	162%	Day
5178	2025-05-25 07:18:11	74.47	55dB	3.9	286%	Day
5179	2025-05-25 07:21:40	68.37	55dB	2.5	153%	Day
5180	2025-05-25 07:23:11	N/A	55dB	N/A	N/A	Day
5181	2025-05-25 07:25:24	70.41	55dB	2.9	191%	Day
5182	2025-05-25 07:28:31	67.78	55dB	2.4	143%	Day
5183	2025-05-25 07:39:28	71.49	55dB	3.1	214%	Day
5184	2025-05-25 07:41:48	70.92	55dB	3.0	201%	Day
5185	2025-05-25 07:44:11	N/A	55dB	N/A	N/A	Day
5186	2025-05-25 07:50:24	73.92	55dB	3.7	271%	Day

5187	2025-05-25 07:52:00	67.86	55dB	2.4	144%	Day
5188	2025-05-25 07:53:38	70.99	55dB	3.0	203%	Day
5189	2025-05-25 07:56:13	77.00	55dB	4.6	359%	Day
5190	2025-05-25 07:58:28	N/A	55dB	N/A	N/A	Day
5191	2025-05-25 08:04:17	73.34	55dB	3.6	257%	Day
5192	2025-05-25 08:20:35	69.85	55dB	2.8	180%	Day
5193	2025-05-25 08:22:16	70.51	55dB	2.9	193%	Day
5194	2025-05-25 08:24:02	N/A	55dB	N/A	N/A	Day
5195	2025-05-25 08:27:43	74.88	55dB	4.0	297%	Day
5196	2025-05-25 08:29:37	71.76	55dB	3.2	220%	Day
5197	2025-05-25 08:32:07	N/A	55dB	N/A	N/A	Day
5198	2025-05-25 08:34:02	77.39	55dB	4.7	372%	Day
5199	2025-05-25 08:37:45	72.36	55dB	3.3	233%	Day
5200	2025-05-25 08:47:10	72.14	55dB	3.3	228%	Day
5201	2025-05-25 08:52:20	67.96	55dB	2.5	146%	Day
5202	2025-05-25 08:54:38	N/A	55dB	N/A	N/A	Day
5203	2025-05-25 09:02:42	N/A	55dB	N/A	N/A	Day
5204	2025-05-25 09:06:12	73.46	55dB	3.6	260%	Day
5205	2025-05-25 09:13:34	72.05	55dB	3.3	226%	Day
5206	2025-05-25 09:19:58	71.04	55dB	3.0	204%	Day
5207	2025-05-25 09:27:10	71.86	55dB	3.2	222%	Day
5208	2025-05-25 09:29:01	N/A	55dB	N/A	N/A	Day
5209	2025-05-25 09:34:27	N/A	55dB	N/A	N/A	Day
5210	2025-05-25 09:37:57	73.84	55dB	3.7	269%	Day
5211	2025-05-25 09:41:19	70.85	55dB	3.0	200%	Day
5212	2025-05-25 09:43:56	N/A	55dB	N/A	N/A	Day
5213	2025-05-25 09:45:34	75.85	55dB	4.2	324%	Day
5214	2025-05-25 09:47:31	N/A	55dB	N/A	N/A	Day
5215	2025-05-25 09:49:51	N/A	55dB	N/A	N/A	Day
5216	2025-05-25 09:52:10	N/A	55dB	N/A	N/A	Day
5217	2025-05-25 09:56:42	69.22	55dB	2.7	168%	Day
5218	2025-05-25 10:01:25	N/A	55dB	N/A	N/A	Day
5219	2025-05-25 10:04:53	69.40	55dB	2.7	171%	Day
5220	2025-05-25 10:09:12	70.24	55dB	2.9	188%	Day
5221	2025-05-25 10:13:22	N/A	55dB	N/A	N/A	Day
5222	2025-05-25 10:15:36	N/A	55dB	N/A	N/A	Day
5223	2025-05-25 10:17:16	70.79	55dB	3.0	199%	Day
5224	2025-05-25 10:18:52	70.37	55dB	2.9	190%	Day
5225	2025-05-25 10:20:36	68.61	55dB	2.6	157%	Day
5226	2025-05-25 10:22:19	69.31	55dB	2.7	170%	Day
5227	2025-05-25 10:23:46	N/A	55dB	N/A	N/A	Day
5228	2025-05-25 10:25:26	70.97	55dB	3.0	203%	Day
5229	2025-05-25 10:27:54	68.85	55dB	2.6	161%	Day
5230	2025-05-25 10:29:18	74.09	55dB	3.8	276%	Day

5231	2025-05-25 10:36:15	68.92	55dB	2.6	162%	Day
5232	2025-05-25 10:38:10	69.01	55dB	2.6	164%	Day
5233	2025-05-25 10:39:50	70.49	55dB	2.9	193%	Day
5234	2025-05-25 10:42:35	72.23	55dB	3.3	230%	Day
5235	2025-05-25 10:44:08	72.99	55dB	3.5	248%	Day
5236	2025-05-25 10:45:53	75.41	55dB	4.1	312%	Day
5237	2025-05-25 10:48:08	70.80	55dB	3.0	199%	Day
5238	2025-05-25 10:50:22	N/A	55dB	N/A	N/A	Day
5239	2025-05-25 10:52:45	70.56	55dB	2.9	194%	Day
5240	2025-05-25 10:56:02	N/A	55dB	N/A	N/A	Day
5241	2025-05-25 10:59:47	70.81	55dB	3.0	199%	Day
5242	2025-05-25 11:01:30	N/A	55dB	N/A	N/A	Day
5243	2025-05-25 11:02:55	N/A	55dB	N/A	N/A	Day
5244	2025-05-25 11:07:48	N/A	55dB	N/A	N/A	Day
5245	2025-05-25 11:12:45	70.53	55dB	2.9	193%	Day
5246	2025-05-25 11:14:36	N/A	55dB	N/A	N/A	Day
5247	2025-05-25 11:18:39	70.33	55dB	2.9	189%	Day
5248	2025-05-25 11:22:44	N/A	55dB	N/A	N/A	Day
5249	2025-05-25 11:28:07	67.86	55dB	2.4	144%	Day
5250	2025-05-25 11:30:16	69.69	55dB	2.8	177%	Day
5251	2025-05-25 11:31:56	68.28	55dB	2.5	151%	Day
5252	2025-05-25 11:33:04	N/A	55dB	N/A	N/A	Day
5253	2025-05-25 11:34:54	74.61	55dB	3.9	289%	Day
5254	2025-05-25 11:36:48	N/A	55dB	N/A	N/A	Day
5255	2025-05-25 11:38:02	71.44	55dB	3.1	213%	Day
5256	2025-05-25 11:39:54	70.04	55dB	2.8	184%	Day
5257	2025-05-25 11:42:40	N/A	55dB	N/A	N/A	Day
5258	2025-05-25 11:44:25	71.20	55dB	3.1	207%	Day
5259	2025-05-25 11:46:04	67.83	55dB	2.4	143%	Day
5260	2025-05-25 11:47:37	70.46	55dB	2.9	192%	Day
5261	2025-05-25 11:49:12	N/A	55dB	N/A	N/A	Day
5262	2025-05-25 11:50:34	70.13	55dB	2.9	185%	Day
5263	2025-05-25 11:52:55	70.44	55dB	2.9	192%	Day
5264	2025-05-25 11:56:38	70.53	55dB	2.9	193%	Day
5265	2025-05-25 12:01:16	69.49	55dB	2.7	173%	Day
5266	2025-05-25 12:02:40	72.40	55dB	3.3	234%	Day
5267	2025-05-25 12:03:57	73.90	55dB	3.7	271%	Day
5268	2025-05-25 12:06:37	N/A	55dB	N/A	N/A	Day
5269	2025-05-25 12:08:04	70.66	55dB	3.0	196%	Day
5270	2025-05-25 12:09:41	68.61	55dB	2.6	157%	Day
5271	2025-05-25 12:10:47	68.59	55dB	2.6	157%	Day
5272	2025-05-25 12:12:34	69.51	55dB	2.7	173%	Day
5273	2025-05-25 12:15:03	67.78	55dB	2.4	143%	Day
5274	2025-05-25 12:16:37	N/A	55dB	N/A	N/A	Day

5275	2025-05-25 12:18:23	67.57	55dB	2.4	139%	Day
5276	2025-05-25 12:20:13	72.16	55dB	3.3	229%	Day
5277	2025-05-25 12:22:51	75.56	55dB	4.2	316%	Day
5278	2025-05-25 12:24:08	69.22	55dB	2.7	168%	Day
5279	2025-05-25 12:25:47	73.44	55dB	3.6	259%	Day
5280	2025-05-25 12:28:00	76.63	55dB	4.5	348%	Day
5281	2025-05-25 12:29:19	71.58	55dB	3.2	216%	Day
5282	2025-05-25 12:30:58	65.92	55dB	2.1	113%	Day
5283	2025-05-25 12:32:22	75.61	55dB	4.2	317%	Day
5284	2025-05-25 12:34:01	75.30	55dB	4.1	308%	Day
5285	2025-05-25 12:36:03	70.32	55dB	2.9	189%	Day
5286	2025-05-25 12:37:23	71.90	55dB	3.2	223%	Day
5287	2025-05-25 12:38:55	73.07	55dB	3.5	250%	Day
5288	2025-05-25 12:43:14	68.34	55dB	2.5	152%	Day
5289	2025-05-25 12:50:25	72.96	55dB	3.5	247%	Day
5290	2025-05-25 12:53:17	72.02	55dB	3.3	225%	Day
5291	2025-05-25 12:55:08	74.51	55dB	3.9	287%	Day
5292	2025-05-25 12:57:01	71.61	55dB	3.2	216%	Day
5293	2025-05-25 12:58:33	86.03	55dB	8.6	759%	Day
5294	2025-05-25 13:00:20	70.47	55dB	2.9	192%	Day
5295	2025-05-25 13:02:51	72.67	55dB	3.4	240%	Day
5296	2025-05-25 13:04:32	68.19	55dB	2.5	149%	Day
5297	2025-05-25 13:10:15	75.77	55dB	4.2	322%	Day
5298	2025-05-25 13:12:14	70.60	55dB	2.9	195%	Day
5299	2025-05-25 13:14:33	71.27	55dB	3.1	209%	Day
5300	2025-05-25 13:17:22	N/A	55dB	N/A	N/A	Day
5301	2025-05-25 13:19:04	72.78	55dB	3.4	243%	Day
5302	2025-05-25 13:20:50	81.98	55dB	6.5	549%	Day
5303	2025-05-25 13:22:55	70.89	55dB	3.0	201%	Day
5304	2025-05-25 13:24:33	69.43	55dB	2.7	172%	Day
5305	2025-05-25 13:26:57	67.38	55dB	2.4	136%	Day
5306	2025-05-25 13:33:25	72.72	55dB	3.4	242%	Day
5307	2025-05-25 13:35:20	70.38	55dB	2.9	190%	Day
5308	2025-05-25 13:36:41	67.11	55dB	2.3	131%	Day
5309	2025-05-25 13:38:22	71.33	55dB	3.1	210%	Day
5310	2025-05-25 13:40:25	70.40	55dB	2.9	191%	Day
5311	2025-05-25 13:43:08	71.54	55dB	3.1	215%	Day
5312	2025-05-25 13:46:05	N/A	55dB	N/A	N/A	Day
5313	2025-05-25 14:31:13	72.43	55dB	3.3	235%	Day
5314	2025-05-25 15:39:10	74.12	55dB	3.8	276%	Day
5315	2025-05-25 15:58:56	70.09	55dB	2.8	185%	Day
5316	2025-05-25 16:00:37	75.72	55dB	4.2	320%	Day
5317	2025-05-25 16:02:39	73.95	55dB	3.7	272%	Day
5318	2025-05-25 16:04:56	70.08	55dB	2.8	184%	Day

5319	2025-05-25 16:06:20	71.14	55dB	3.1	206%	Day
5320	2025-05-25 16:09:49	73.54	55dB	3.6	262%	Day
5321	2025-05-25 16:11:49	71.13	55dB	3.1	206%	Day
5322	2025-05-25 16:13:31	72.53	55dB	3.4	237%	Day
5323	2025-05-25 16:14:50	71.92	55dB	3.2	223%	Day
5324	2025-05-25 16:16:07	69.84	55dB	2.8	180%	Day
5325	2025-05-25 16:17:30	75.00	55dB	4.0	300%	Day
5326	2025-05-25 16:19:50	69.09	55dB	2.7	166%	Day
5327	2025-05-25 16:23:30	68.61	55dB	2.6	157%	Day
5328	2025-05-25 16:25:36	73.03	55dB	3.5	249%	Day
5329	2025-05-25 16:27:46	71.65	55dB	3.2	217%	Day
5330	2025-05-25 16:30:42	69.70	55dB	2.8	177%	Day
5331	2025-05-25 16:31:53	70.19	55dB	2.9	187%	Day
5332	2025-05-25 16:33:19	71.87	55dB	3.2	222%	Day
5333	2025-05-25 16:36:01	69.25	55dB	2.7	169%	Day
5334	2025-05-25 16:37:49	69.26	55dB	2.7	169%	Day
5335	2025-05-25 16:39:11	70.98	55dB	3.0	203%	Day
5336	2025-05-25 16:40:33	70.75	55dB	3.0	198%	Day
5337	2025-05-25 16:44:01	N/A	55dB	N/A	N/A	Day
5338	2025-05-25 16:45:32	68.42	55dB	2.5	154%	Day
5339	2025-05-25 16:47:17	69.49	55dB	2.7	173%	Day
5340	2025-05-25 16:49:34	71.20	55dB	3.1	207%	Day
5341	2025-05-25 16:52:03	74.34	55dB	3.8	282%	Day
5342	2025-05-25 16:54:33	72.36	55dB	3.3	233%	Day
5343	2025-05-25 16:56:10	N/A	55dB	N/A	N/A	Day
5344	2025-05-25 17:10:14	71.20	55dB	3.1	207%	Day
5345	2025-05-25 17:11:31	70.69	55dB	3.0	197%	Day
5346	2025-05-25 17:14:52	74.58	55dB	3.9	289%	Day
5347	2025-05-25 17:16:23	71.18	55dB	3.1	207%	Day
5348	2025-05-25 17:20:34	73.21	55dB	3.5	253%	Day
5349	2025-05-25 17:23:21	72.01	55dB	3.3	225%	Day
5350	2025-05-25 17:25:29	70.68	55dB	3.0	196%	Day
5351	2025-05-25 17:26:35	N/A	55dB	N/A	N/A	Day
5352	2025-05-25 17:30:43	74.25	55dB	3.8	280%	Day
5353	2025-05-25 17:34:19	75.07	55dB	4.0	302%	Day
5354	2025-05-25 17:37:54	N/A	55dB	N/A	N/A	Day
5355	2025-05-25 17:40:28	73.23	55dB	3.5	254%	Day
5356	2025-05-25 17:41:37	79.28	55dB	5.4	438%	Day
5357	2025-05-25 17:45:22	68.32	55dB	2.5	152%	Day
5358	2025-05-25 18:04:21	70.23	55dB	2.9	187%	Day
5359	2025-05-25 18:07:52	N/A	55dB	N/A	N/A	Day
5360	2025-05-25 18:09:57	70.78	55dB	3.0	199%	Day
5361	2025-05-25 18:11:22	78.38	55dB	5.1	406%	Day
5362	2025-05-25 18:13:47	76.73	55dB	4.5	351%	Day

5363	2025-05-25 18:15:54	N/A	55dB	N/A	N/A	Day
5364	2025-05-25 18:18:28	77.88	55dB	4.9	388%	Day
5365	2025-05-25 18:20:48	72.15	55dB	3.3	228%	Day
5366	2025-05-25 18:25:12	73.47	55dB	3.6	260%	Day
5367	2025-05-25 18:28:00	71.30	55dB	3.1	210%	Day
5368	2025-05-25 18:30:26	72.31	55dB	3.3	232%	Day
5369	2025-05-25 18:33:24	74.05	55dB	3.7	275%	Day
5370	2025-05-25 18:34:38	N/A	55dB	N/A	N/A	Day
5371	2025-05-25 18:35:50	73.68	55dB	3.7	265%	Day
5372	2025-05-25 18:37:23	80.88	55dB	6.0	501%	Day
5373	2025-05-25 18:41:14	76.05	55dB	4.3	330%	Day
5374	2025-05-25 18:43:11	68.41	55dB	2.5	153%	Day
5375	2025-05-25 18:44:19	68.58	55dB	2.6	156%	Day
5376	2025-05-25 18:49:03	71.19	55dB	3.1	207%	Day
5377	2025-05-25 18:51:22	N/A	55dB	N/A	N/A	Day
5378	2025-05-25 18:52:22	N/A	55dB	N/A	N/A	Day
5379	2025-05-25 18:55:01	74.82	55dB	4.0	295%	Day
5380	2025-05-25 18:56:42	71.65	55dB	3.2	217%	Day
5381	2025-05-25 18:59:45	75.70	55dB	4.2	320%	Day
5382	2025-05-25 19:01:56	66.81	55dB	2.3	127%	Day
5383	2025-05-25 19:03:06	73.16	55dB	3.5	252%	Day
5384	2025-05-25 19:28:57	80.15	55dB	5.7	472%	Day
5385	2025-05-25 19:44:06	68.34	55dB	2.5	152%	Day
5386	2025-05-25 21:57:46	N/A	55dB	N/A	N/A	Day
5387	2025-05-26 06:31:27	74.86	45dB	7.9	692%	Night
5388	2025-05-26 06:32:26	74.29	45dB	7.6	662%	Night
5389	2025-05-26 06:33:06	72.00	45dB	6.5	550%	Night
5390	2025-05-26 06:34:02	71.96	45dB	6.5	548%	Night
5391	2025-05-26 06:34:41	73.62	45dB	7.3	627%	Night
5392	2025-05-26 06:35:25	77.07	45dB	9.2	823%	Night
5393	2025-05-26 06:36:16	72.69	45dB	6.8	582%	Night
5394	2025-05-26 06:38:47	74.95	45dB	8.0	697%	Night
5395	2025-05-26 06:39:45	74.61	45dB	7.8	679%	Night
5396	2025-05-26 06:40:40	79.17	45dB	10.7	968%	Night
5397	2025-05-26 06:41:41	N/A	45dB	N/A	N/A	Night
5398	2025-05-26 06:43:30	71.55	45dB	6.3	530%	Night
5399	2025-05-26 06:46:09	70.25	45dB	5.8	476%	Night
5400	2025-05-26 06:47:00	74.60	45dB	7.8	678%	Night
5401	2025-05-26 06:47:56	77.43	45dB	9.5	847%	Night
5402	2025-05-26 06:48:47	75.11	45dB	8.1	706%	Night
5403	2025-05-26 06:49:36	75.66	45dB	8.4	737%	Night
5404	2025-05-26 06:51:47	72.97	45dB	6.9	595%	Night
5405	2025-05-26 06:52:54	69.84	45dB	5.6	459%	Night
5406	2025-05-26 06:54:02	72.04	45dB	6.5	552%	Night

5407	2025-05-26 06:55:53	68.46	45dB	5.1	408%	Night
5408	2025-05-26 07:04:18	73.01	55dB	3.5	248%	Day
5409	2025-05-26 07:07:27	67.77	55dB	2.4	142%	Day
5410	2025-05-26 07:08:37	76.42	55dB	4.4	341%	Day
5411	2025-05-26 07:09:24	75.96	55dB	4.3	328%	Day
5412	2025-05-26 07:10:40	72.99	55dB	3.5	248%	Day
5413	2025-05-26 07:11:27	76.03	55dB	4.3	330%	Day
5414	2025-05-26 07:13:30	79.42	55dB	5.4	443%	Day
5415	2025-05-26 07:14:17	78.67	55dB	5.2	416%	Day
5416	2025-05-26 07:15:09	N/A	55dB	N/A	N/A	Day
5417	2025-05-26 07:17:00	68.20	55dB	2.5	150%	Day
5418	2025-05-26 07:19:03	68.36	55dB	2.5	152%	Day
5419	2025-05-26 07:22:15	72.62	55dB	3.4	239%	Day
5420	2025-05-26 07:25:09	72.93	55dB	3.5	247%	Day
5421	2025-05-26 07:26:15	68.27	55dB	2.5	151%	Day
5422	2025-05-26 07:28:00	69.55	55dB	2.7	174%	Day
5423	2025-05-26 07:31:26	69.09	55dB	2.7	166%	Day
5424	2025-05-26 07:32:34	67.50	55dB	2.4	138%	Day
5425	2025-05-26 07:35:36	69.03	55dB	2.6	164%	Day
5426	2025-05-26 07:36:36	74.36	55dB	3.8	283%	Day
5427	2025-05-26 07:39:08	70.05	55dB	2.8	184%	Day
5428	2025-05-26 07:41:00	N/A	55dB	N/A	N/A	Day
5429	2025-05-26 07:42:18	70.30	55dB	2.9	189%	Day
5430	2025-05-26 07:43:49	69.78	55dB	2.8	179%	Day
5431	2025-05-26 07:47:25	69.31	55dB	2.7	170%	Day
5432	2025-05-26 07:49:02	69.00	55dB	2.6	164%	Day
5433	2025-05-26 07:50:36	78.49	55dB	5.1	409%	Day
5434	2025-05-26 07:52:54	76.29	55dB	4.4	337%	Day
5435	2025-05-26 07:53:44	72.31	55dB	3.3	232%	Day
5436	2025-05-26 07:55:01	N/A	55dB	N/A	N/A	Day
5437	2025-05-26 08:02:03	73.16	55dB	3.5	252%	Day
5438	2025-05-26 08:03:12	71.67	55dB	3.2	218%	Day
5439	2025-05-26 08:04:31	76.53	55dB	4.4	345%	Day
5440	2025-05-26 08:07:33	N/A	55dB	N/A	N/A	Day
5441	2025-05-26 08:10:03	73.90	55dB	3.7	271%	Day
5442	2025-05-26 08:12:01	74.12	55dB	3.8	276%	Day
5443	2025-05-26 08:12:56	69.83	55dB	2.8	180%	Day
5444	2025-05-26 08:15:13	71.74	55dB	3.2	219%	Day
5445	2025-05-26 08:15:52	72.56	55dB	3.4	238%	Day
5446	2025-05-26 08:16:38	70.24	55dB	2.9	188%	Day
5447	2025-05-26 08:17:45	73.26	55dB	3.5	255%	Day
5448	2025-05-26 08:18:23	70.25	55dB	2.9	188%	Day
5449	2025-05-26 08:20:49	74.04	55dB	3.7	274%	Day
5450	2025-05-26 08:22:49	84.40	55dB	7.7	667%	Day

5451	2025-05-26 08:24:11	76.99	55dB	4.6	359%	Day
5452	2025-05-26 08:24:58	71.40	55dB	3.1	212%	Day
5453	2025-05-26 08:25:57	67.64	55dB	2.4	140%	Day
5454	2025-05-26 08:27:12	68.31	55dB	2.5	152%	Day
5455	2025-05-26 08:29:17	72.23	55dB	3.3	230%	Day
5456	2025-05-26 08:30:30	70.75	55dB	3.0	198%	Day
5457	2025-05-26 08:31:52	72.82	55dB	3.4	244%	Day
5458	2025-05-26 08:34:18	74.63	55dB	3.9	290%	Day
5459	2025-05-26 08:35:23	76.36	55dB	4.4	340%	Day
5460	2025-05-26 08:38:34	N/A	55dB	N/A	N/A	Day
5461	2025-05-26 08:41:06	72.97	55dB	3.5	247%	Day
5462	2025-05-26 08:47:33	76.62	55dB	4.5	348%	Day
5463	2025-05-26 08:51:37	N/A	55dB	N/A	N/A	Day
5464	2025-05-26 08:52:44	68.87	55dB	2.6	162%	Day
5465	2025-05-26 08:58:27	74.46	55dB	3.9	285%	Day
5466	2025-05-26 09:00:40	N/A	55dB	N/A	N/A	Day
5467	2025-05-26 09:01:45	70.84	55dB	3.0	200%	Day
5468	2025-05-26 09:02:54	74.29	55dB	3.8	281%	Day
5469	2025-05-26 09:03:54	66.82	55dB	2.3	127%	Day
5470	2025-05-26 09:07:18	69.59	55dB	2.7	175%	Day
5471	2025-05-26 09:08:09	73.79	55dB	3.7	268%	Day
5472	2025-05-26 09:09:17	74.95	55dB	4.0	299%	Day
5473	2025-05-26 09:13:16	70.44	55dB	2.9	192%	Day
5474	2025-05-26 09:14:30	N/A	55dB	N/A	N/A	Day
5475	2025-05-26 09:17:31	68.54	55dB	2.6	156%	Day
5476	2025-05-26 09:18:48	67.42	55dB	2.4	137%	Day
5477	2025-05-26 09:22:17	79.59	55dB	5.5	450%	Day
5478	2025-05-26 09:24:46	73.57	55dB	3.6	262%	Day
5479	2025-05-26 09:25:44	70.91	55dB	3.0	201%	Day
5480	2025-05-26 11:53:53	69.96	55dB	2.8	182%	Day
5481	2025-05-26 11:56:11	80.00	55dB	5.7	466%	Day
5482	2025-05-26 11:58:31	73.97	55dB	3.7	272%	Day
5483	2025-05-26 12:01:19	69.81	55dB	2.8	179%	Day
5484	2025-05-26 12:03:09	69.59	55dB	2.7	175%	Day
5485	2025-05-26 12:04:32	N/A	55dB	N/A	N/A	Day
5486	2025-05-26 12:06:34	67.90	55dB	2.4	145%	Day
5487	2025-05-26 12:07:55	70.01	55dB	2.8	183%	Day
5488	2025-05-26 12:09:05	80.71	55dB	5.9	494%	Day
5489	2025-05-26 12:11:28	70.77	55dB	3.0	198%	Day
5490	2025-05-26 12:13:01	69.52	55dB	2.7	174%	Day
5491	2025-05-26 12:15:12	71.35	55dB	3.1	211%	Day
5492	2025-05-26 12:16:15	70.01	55dB	2.8	183%	Day
5493	2025-05-26 12:18:32	N/A	55dB	N/A	N/A	Day
5494	2025-05-26 12:19:56	69.87	55dB	2.8	180%	Day

5495	2025-05-26 12:21:39	N/A	55dB	N/A	N/A	Day
5496	2025-05-26 12:24:36	73.56	55dB	3.6	262%	Day
5497	2025-05-26 12:25:42	77.04	55dB	4.6	361%	Day
5498	2025-05-26 12:29:18	71.70	55dB	3.2	218%	Day
5499	2025-05-26 12:31:25	80.32	55dB	5.8	478%	Day
5500	2025-05-26 12:32:43	71.89	55dB	3.2	222%	Day
5501	2025-05-26 12:33:57	70.02	55dB	2.8	183%	Day
5502	2025-05-26 12:35:06	82.57	55dB	6.8	576%	Day
5503	2025-05-26 12:36:56	83.07	55dB	7.0	600%	Day
5504	2025-05-26 12:53:31	71.60	55dB	3.2	216%	Day
5505	2025-05-26 12:54:51	73.59	55dB	3.6	263%	Day
5506	2025-05-26 12:56:05	69.13	55dB	2.7	166%	Day
5507	2025-05-26 12:57:42	70.57	55dB	2.9	194%	Day
5508	2025-05-26 12:59:31	72.81	55dB	3.4	244%	Day
5509	2025-05-26 13:02:54	N/A	55dB	N/A	N/A	Day
5510	2025-05-26 13:05:01	71.75	55dB	3.2	219%	Day
5511	2025-05-26 13:07:05	71.25	55dB	3.1	208%	Day
5512	2025-05-26 13:12:21	69.59	55dB	2.7	175%	Day
5513	2025-05-26 13:13:44	72.70	55dB	3.4	241%	Day
5514	2025-05-26 13:14:52	70.84	55dB	3.0	200%	Day
5515	2025-05-26 13:16:31	75.99	55dB	4.3	328%	Day
5516	2025-05-26 13:19:32	N/A	55dB	N/A	N/A	Day
5517	2025-05-26 13:21:20	N/A	55dB	N/A	N/A	Day
5518	2025-05-26 13:23:25	71.02	55dB	3.0	204%	Day
5519	2025-05-26 13:25:02	71.06	55dB	3.0	204%	Day
5520	2025-05-26 13:26:12	N/A	55dB	N/A	N/A	Day
5521	2025-05-26 13:28:16	73.47	55dB	3.6	260%	Day
5522	2025-05-26 13:32:56	71.96	55dB	3.2	224%	Day
5523	2025-05-26 13:34:18	72.46	55dB	3.4	235%	Day
5524	2025-05-26 13:35:39	70.39	55dB	2.9	191%	Day
5525	2025-05-26 13:36:51	N/A	55dB	N/A	N/A	Day
5526	2025-05-26 13:38:03	74.13	55dB	3.8	277%	Day
5527	2025-05-26 13:40:05	N/A	55dB	N/A	N/A	Day
5528	2025-05-26 13:41:14	72.96	55dB	3.5	247%	Day
5529	2025-05-26 13:45:14	71.07	55dB	3.0	205%	Day
5530	2025-05-26 13:47:39	73.44	55dB	3.6	259%	Day
5531	2025-05-26 13:50:40	N/A	55dB	N/A	N/A	Day
5532	2025-05-26 13:52:11	N/A	55dB	N/A	N/A	Day
5533	2025-05-26 13:55:27	71.59	55dB	3.2	216%	Day
5534	2025-05-26 14:01:01	N/A	55dB	N/A	N/A	Day
5535	2025-05-26 14:02:57	71.12	55dB	3.1	206%	Day
5536	2025-05-26 14:08:13	N/A	55dB	N/A	N/A	Day
5537	2025-05-26 14:09:58	70.59	55dB	2.9	195%	Day
5538	2025-05-26 14:11:21	N/A	55dB	N/A	N/A	Day

5539	2025-05-26 14:13:51	78.63	55dB	5.1	414%	Day
5540	2025-05-26 14:15:55	N/A	55dB	N/A	N/A	Day
5541	2025-05-26 14:17:51	68.40	55dB	2.5	153%	Day
5542	2025-05-26 14:20:28	77.13	55dB	4.6	364%	Day
5543	2025-05-26 14:22:39	N/A	55dB	N/A	N/A	Day
5544	2025-05-26 14:24:32	N/A	55dB	N/A	N/A	Day
5545	2025-05-26 14:25:59	69.14	55dB	2.7	166%	Day
5546	2025-05-26 14:27:25	72.27	55dB	3.3	231%	Day
5547	2025-05-26 14:30:04	N/A	55dB	N/A	N/A	Day
5548	2025-05-26 14:31:24	73.05	55dB	3.5	249%	Day
5549	2025-05-26 14:33:47	73.20	55dB	3.5	253%	Day
5550	2025-05-26 14:35:31	N/A	55dB	N/A	N/A	Day
5551	2025-05-26 14:36:49	66.22	55dB	2.2	118%	Day
5552	2025-05-26 14:38:30	67.56	55dB	2.4	139%	Day
5553	2025-05-26 14:39:43	75.19	55dB	4.1	305%	Day
5554	2025-05-26 14:41:02	72.35	55dB	3.3	233%	Day
5555	2025-05-26 14:42:22	71.83	55dB	3.2	221%	Day
5556	2025-05-26 14:43:41	N/A	55dB	N/A	N/A	Day
5557	2025-05-26 14:44:50	N/A	55dB	N/A	N/A	Day
5558	2025-05-26 14:46:04	69.16	55dB	2.7	167%	Day
5559	2025-05-26 14:47:10	N/A	55dB	N/A	N/A	Day
5560	2025-05-26 14:48:14	71.45	55dB	3.1	213%	Day
5561	2025-05-26 14:49:45	71.54	55dB	3.1	215%	Day
5562	2025-05-26 14:51:01	71.91	55dB	3.2	223%	Day
5563	2025-05-26 14:53:11	N/A	55dB	N/A	N/A	Day
5564	2025-05-26 14:55:00	72.37	55dB	3.3	233%	Day
5565	2025-05-26 14:56:19	70.55	55dB	2.9	194%	Day
5566	2025-05-26 14:57:33	69.73	55dB	2.8	178%	Day
5567	2025-05-26 15:03:18	69.61	55dB	2.8	175%	Day
5568	2025-05-26 15:04:52	72.39	55dB	3.3	234%	Day
5569	2025-05-26 15:08:30	71.38	55dB	3.1	211%	Day
5570	2025-05-26 15:10:01	71.15	55dB	3.1	206%	Day
5571	2025-05-26 15:11:54	N/A	55dB	N/A	N/A	Day
5572	2025-05-26 15:14:19	79.50	55dB	5.5	446%	Day
5573	2025-05-26 15:17:02	69.34	55dB	2.7	170%	Day
5574	2025-05-26 15:20:18	76.33	55dB	4.4	339%	Day
5575	2025-05-26 15:22:32	69.44	55dB	2.7	172%	Day
5576	2025-05-26 15:24:00	71.62	55dB	3.2	216%	Day
5577	2025-05-26 15:26:54	69.25	55dB	2.7	169%	Day
5578	2025-05-26 15:29:20	70.70	55dB	3.0	197%	Day
5579	2025-05-26 15:31:08	70.26	55dB	2.9	188%	Day
5580	2025-05-26 15:33:09	70.03	55dB	2.8	183%	Day
5581	2025-05-26 15:34:33	69.21	55dB	2.7	168%	Day
5582	2025-05-26 15:36:04	68.87	55dB	2.6	162%	Day

5583	2025-05-26 15:38:03	N/A	55dB	N/A	N/A	Day
5584	2025-05-26 15:39:38	71.89	55dB	3.2	222%	Day
5585	2025-05-26 15:42:37	68.89	55dB	2.6	162%	Day
5586	2025-05-26 15:44:00	72.27	55dB	3.3	231%	Day
5587	2025-05-26 15:45:31	68.99	55dB	2.6	164%	Day
5588	2025-05-26 15:47:17	67.08	55dB	2.3	131%	Day
5589	2025-05-26 15:54:07	N/A	55dB	N/A	N/A	Day
5590	2025-05-26 15:56:01	70.84	55dB	3.0	200%	Day
5591	2025-05-26 15:58:18	70.87	55dB	3.0	200%	Day
5592	2025-05-26 15:59:51	71.34	55dB	3.1	210%	Day
5593	2025-05-26 16:01:48	72.95	55dB	3.5	247%	Day
5594	2025-05-26 16:05:14	N/A	55dB	N/A	N/A	Day
5595	2025-05-26 16:06:57	72.83	55dB	3.4	244%	Day
5596	2025-05-26 16:09:51	72.53	55dB	3.4	237%	Day
5597	2025-05-26 16:12:56	76.28	55dB	4.4	337%	Day
5598	2025-05-26 16:15:14	69.10	55dB	2.7	166%	Day
5599	2025-05-26 16:16:51	70.06	55dB	2.8	184%	Day
5600	2025-05-26 16:18:06	N/A	55dB	N/A	N/A	Day
5601	2025-05-26 16:19:22	74.27	55dB	3.8	280%	Day
5602	2025-05-26 16:24:14	75.23	55dB	4.1	306%	Day
5603	2025-05-26 16:26:07	73.35	55dB	3.6	257%	Day
5604	2025-05-26 16:28:45	74.17	55dB	3.8	278%	Day
5605	2025-05-26 16:29:50	N/A	55dB	N/A	N/A	Day
5606	2025-05-26 16:31:02	74.07	55dB	3.8	275%	Day
5607	2025-05-26 16:32:17	82.51	55dB	6.7	573%	Day
5608	2025-05-26 16:33:31	74.09	55dB	3.8	276%	Day
5609	2025-05-26 16:34:49	77.72	55dB	4.8	383%	Day
5610	2025-05-26 16:36:40	70.70	55dB	3.0	197%	Day
5611	2025-05-26 16:37:57	74.72	55dB	3.9	292%	Day
5612	2025-05-26 16:39:21	72.91	55dB	3.5	246%	Day
5613	2025-05-26 16:40:20	70.96	55dB	3.0	202%	Day
5614	2025-05-26 16:41:40	74.30	55dB	3.8	281%	Day
5615	2025-05-26 16:44:05	71.64	55dB	3.2	217%	Day
5616	2025-05-26 16:50:07	70.76	55dB	3.0	198%	Day
5617	2025-05-26 16:52:14	N/A	55dB	N/A	N/A	Day
5618	2025-05-26 16:54:27	71.99	55dB	3.2	225%	Day
5619	2025-05-26 16:58:26	72.78	55dB	3.4	243%	Day
5620	2025-05-26 17:01:38	74.62	55dB	3.9	290%	Day
5621	2025-05-26 17:05:10	71.46	55dB	3.1	213%	Day
5622	2025-05-26 17:07:26	72.49	55dB	3.4	236%	Day
5623	2025-05-26 17:09:41	71.11	55dB	3.1	205%	Day
5624	2025-05-26 17:11:43	73.02	55dB	3.5	249%	Day
5625	2025-05-26 17:13:54	71.37	55dB	3.1	211%	Day
5626	2025-05-26 17:18:07	71.48	55dB	3.1	213%	Day

5627	2025-05-26 17:21:11	72.96	55dB	3.5	247%	Day
5628	2025-05-26 17:23:05	74.68	55dB	3.9	291%	Day
5629	2025-05-26 17:25:30	74.52	55dB	3.9	287%	Day
5630	2025-05-26 17:27:39	69.82	55dB	2.8	179%	Day
5631	2025-05-26 17:29:51	78.99	55dB	5.3	427%	Day
5632	2025-05-26 17:34:51	74.21	55dB	3.8	279%	Day
5633	2025-05-26 17:36:46	72.45	55dB	3.4	235%	Day
5634	2025-05-26 17:39:44	72.31	55dB	3.3	232%	Day
5635	2025-05-26 17:43:31	74.32	55dB	3.8	282%	Day
5636	2025-05-26 17:47:56	74.74	55dB	3.9	293%	Day
5637	2025-05-26 17:52:58	72.75	55dB	3.4	242%	Day
5638	2025-05-26 17:55:20	73.56	55dB	3.6	262%	Day
5639	2025-05-26 17:57:59	75.81	55dB	4.2	323%	Day
5640	2025-05-26 18:01:11	70.58	55dB	2.9	194%	Day
5641	2025-05-26 18:07:15	77.74	55dB	4.8	384%	Day
5642	2025-05-26 18:09:27	72.16	55dB	3.3	229%	Day
5643	2025-05-26 18:11:26	72.43	55dB	3.3	235%	Day
5644	2025-05-26 18:13:23	85.50	55dB	8.3	728%	Day
5645	2025-05-26 18:15:27	69.57	55dB	2.7	175%	Day
5646	2025-05-26 18:17:27	72.73	55dB	3.4	242%	Day
5647	2025-05-26 18:19:26	77.37	55dB	4.7	371%	Day
5648	2025-05-26 18:21:15	74.40	55dB	3.8	284%	Day
5649	2025-05-26 18:23:17	71.49	55dB	3.1	214%	Day
5650	2025-05-26 18:25:57	69.61	55dB	2.8	175%	Day
5651	2025-05-26 18:29:09	N/A	55dB	N/A	N/A	Day
5652	2025-05-26 18:31:45	70.24	55dB	2.9	188%	Day
5653	2025-05-26 18:33:48	73.24	55dB	3.5	254%	Day
5654	2025-05-26 18:36:07	79.90	55dB	5.6	462%	Day
5655	2025-05-26 18:39:09	68.87	55dB	2.6	162%	Day
5656	2025-05-26 18:40:43	72.89	55dB	3.5	246%	Day
5657	2025-05-26 18:42:01	70.28	55dB	2.9	188%	Day
5658	2025-05-26 18:46:52	N/A	55dB	N/A	N/A	Day
5659	2025-05-26 18:48:22	70.09	55dB	2.8	185%	Day
5660	2025-05-26 18:49:39	68.42	55dB	2.5	154%	Day
5661	2025-05-26 18:51:36	N/A	55dB	N/A	N/A	Day
5662	2025-05-26 18:52:55	71.74	55dB	3.2	219%	Day
5663	2025-05-26 18:53:58	72.13	55dB	3.3	228%	Day
5664	2025-05-26 18:55:17	71.12	55dB	3.1	206%	Day
5665	2025-05-26 18:56:26	70.05	55dB	2.8	184%	Day
5666	2025-05-26 18:57:43	69.98	55dB	2.8	182%	Day
5667	2025-05-26 18:58:55	72.20	55dB	3.3	229%	Day
5668	2025-05-26 19:00:12	72.80	55dB	3.4	243%	Day
5669	2025-05-26 19:02:32	N/A	55dB	N/A	N/A	Day
5670	2025-05-26 19:03:36	N/A	55dB	N/A	N/A	Day

5671	2025-05-26 19:05:21	69.54	55dB	2.7	174%	Day
5672	2025-05-26 19:07:10	70.99	55dB	3.0	203%	Day
5673	2025-05-26 19:08:57	70.32	55dB	2.9	189%	Day
5674	2025-05-26 19:10:08	69.56	55dB	2.7	174%	Day
5675	2025-05-26 19:11:13	68.29	55dB	2.5	151%	Day
5676	2025-05-26 19:12:26	N/A	55dB	N/A	N/A	Day
5677	2025-05-26 19:13:40	N/A	55dB	N/A	N/A	Day
5678	2025-05-26 19:14:53	68.34	55dB	2.5	152%	Day
5679	2025-05-26 19:16:13	69.34	55dB	2.7	170%	Day
5680	2025-05-26 19:17:26	69.32	55dB	2.7	170%	Day
5681	2025-05-26 19:20:00	72.99	55dB	3.5	248%	Day
5682	2025-05-26 19:22:17	75.91	55dB	4.3	326%	Day
5683	2025-05-26 19:25:51	72.68	55dB	3.4	241%	Day
5684	2025-05-26 19:27:53	71.19	55dB	3.1	207%	Day
5685	2025-05-26 19:29:02	68.02	55dB	2.5	147%	Day
5686	2025-05-26 19:30:10	69.44	55dB	2.7	172%	Day
5687	2025-05-26 19:31:26	70.42	55dB	2.9	191%	Day
5688	2025-05-26 19:32:33	70.05	55dB	2.8	184%	Day
5689	2025-05-26 19:33:52	70.97	55dB	3.0	203%	Day
5690	2025-05-26 19:35:00	69.79	55dB	2.8	179%	Day
5691	2025-05-26 19:36:13	73.06	55dB	3.5	250%	Day
5692	2025-05-26 19:37:45	71.08	55dB	3.0	205%	Day
5693	2025-05-26 19:38:53	68.38	55dB	2.5	153%	Day
5694	2025-05-26 19:40:02	82.23	55dB	6.6	560%	Day
5695	2025-05-26 19:41:14	66.98	55dB	2.3	129%	Day
5696	2025-05-26 19:42:30	70.52	55dB	2.9	193%	Day
5697	2025-05-26 19:44:14	70.38	55dB	2.9	190%	Day
5698	2025-05-26 19:46:09	69.61	55dB	2.8	175%	Day
5699	2025-05-26 19:49:15	72.52	55dB	3.4	237%	Day
5700	2025-05-26 19:50:32	68.12	55dB	2.5	148%	Day
5701	2025-05-26 19:51:44	67.60	55dB	2.4	139%	Day
5702	2025-05-26 19:54:56	N/A	55dB	N/A	N/A	Day
5703	2025-05-26 19:58:45	66.90	55dB	2.3	128%	Day
5704	2025-05-26 20:00:46	72.38	55dB	3.3	234%	Day
5705	2025-05-26 20:02:47	70.89	55dB	3.0	201%	Day
5706	2025-05-26 20:03:57	68.62	55dB	2.6	157%	Day
5707	2025-05-26 20:07:00	69.26	55dB	2.7	169%	Day
5708	2025-05-26 20:09:33	67.14	55dB	2.3	132%	Day
5709	2025-05-26 20:11:13	N/A	55dB	N/A	N/A	Day
5710	2025-05-26 20:13:19	72.44	55dB	3.3	235%	Day
5711	2025-05-26 20:15:23	69.35	55dB	2.7	170%	Day
5712	2025-05-26 20:16:40	68.88	55dB	2.6	162%	Day
5713	2025-05-26 20:18:33	N/A	55dB	N/A	N/A	Day
5714	2025-05-26 20:20:05	73.03	55dB	3.5	249%	Day

5715	2025-05-26 20:25:48	N/A	55dB	N/A	N/A	Day
5716	2025-05-26 20:27:01	67.93	55dB	2.5	145%	Day
5717	2025-05-26 20:28:45	70.06	55dB	2.8	184%	Day
5718	2025-05-26 20:30:42	68.50	55dB	2.5	155%	Day
5719	2025-05-26 20:32:20	69.97	55dB	2.8	182%	Day
5720	2025-05-26 20:33:57	68.89	55dB	2.6	162%	Day
5721	2025-05-26 20:35:50	69.14	55dB	2.7	166%	Day
5722	2025-05-26 20:38:34	73.70	55dB	3.7	266%	Day
5723	2025-05-26 20:40:26	N/A	55dB	N/A	N/A	Day
5724	2025-05-26 20:43:48	77.57	55dB	4.8	378%	Day
5725	2025-05-26 20:48:07	N/A	55dB	N/A	N/A	Day
5726	2025-05-26 20:53:36	73.62	55dB	3.6	264%	Day
5727	2025-05-26 20:55:58	N/A	55dB	N/A	N/A	Day
5728	2025-05-26 20:57:41	65.92	55dB	2.1	113%	Day
5729	2025-05-26 20:59:46	71.45	55dB	3.1	213%	Day
5730	2025-05-26 21:01:47	69.53	55dB	2.7	174%	Day
5731	2025-05-26 21:03:31	N/A	55dB	N/A	N/A	Day
5732	2025-05-26 21:05:13	N/A	55dB	N/A	N/A	Day
5733	2025-05-26 21:08:49	68.10	55dB	2.5	148%	Day
5734	2025-05-26 21:10:26	69.78	55dB	2.8	179%	Day
5735	2025-05-26 21:12:02	69.69	55dB	2.8	177%	Day
5736	2025-05-26 21:13:48	72.10	55dB	3.3	227%	Day
5737	2025-05-26 21:16:30	70.12	55dB	2.9	185%	Day
5738	2025-05-26 21:18:04	N/A	55dB	N/A	N/A	Day
5739	2025-05-26 21:19:42	72.70	55dB	3.4	241%	Day
5740	2025-05-26 21:22:32	74.24	55dB	3.8	279%	Day
5741	2025-05-26 21:24:49	N/A	55dB	N/A	N/A	Day
5742	2025-05-26 21:27:09	69.98	55dB	2.8	182%	Day
5743	2025-05-26 21:32:21	71.71	55dB	3.2	218%	Day
5744	2025-05-26 21:38:54	70.01	55dB	2.8	183%	Day
5745	2025-05-26 21:41:05	69.95	55dB	2.8	182%	Day
5746	2025-05-26 21:43:05	67.25	55dB	2.3	134%	Day
5747	2025-05-26 21:44:49	71.39	55dB	3.1	211%	Day
5748	2025-05-26 21:46:23	80.74	55dB	6.0	495%	Day
5749	2025-05-26 21:47:45	71.64	55dB	3.2	217%	Day
5750	2025-05-26 21:49:09	N/A	55dB	N/A	N/A	Day
5751	2025-05-26 21:50:54	68.65	55dB	2.6	158%	Day
5752	2025-05-26 21:56:10	N/A	55dB	N/A	N/A	Day
5753	2025-05-26 22:00:07	66.59	55dB	2.2	123%	Day
5754	2025-05-26 22:07:45	67.50	55dB	2.4	138%	Day
5755	2025-05-26 22:09:28	N/A	55dB	N/A	N/A	Day
5756	2025-05-26 22:10:51	69.98	55dB	2.8	182%	Day
5757	2025-05-26 22:12:33	75.16	55dB	4.0	304%	Day
5758	2025-05-26 22:15:32	67.80	55dB	2.4	143%	Day

5759	2025-05-26 22:17:47	68.65	55dB	2.6	158%	Day
5760	2025-05-26 22:23:04	68.31	55dB	2.5	152%	Day
5761	2025-05-26 22:25:37	N/A	55dB	N/A	N/A	Day
5762	2025-05-26 22:27:13	71.52	55dB	3.1	214%	Day
5763	2025-05-26 22:28:40	67.87	55dB	2.4	144%	Day
5764	2025-05-26 22:31:00	72.21	55dB	3.3	230%	Day
5765	2025-05-26 22:34:05	68.87	55dB	2.6	162%	Day
5766	2025-05-26 22:35:33	N/A	55dB	N/A	N/A	Day
5767	2025-05-26 22:43:37	68.25	55dB	2.5	151%	Day
5768	2025-05-26 22:45:16	68.55	55dB	2.6	156%	Day
5769	2025-05-26 22:46:46	N/A	55dB	N/A	N/A	Day
5770	2025-05-26 22:48:38	68.96	55dB	2.6	163%	Day
5771	2025-05-26 22:50:27	72.00	55dB	3.2	225%	Day
5772	2025-05-26 22:52:28	69.19	55dB	2.7	167%	Day
5773	2025-05-26 22:55:11	N/A	55dB	N/A	N/A	Day
5774	2025-05-26 22:57:09	67.38	55dB	2.4	136%	Day
5775	2025-05-26 23:01:26	69.69	45dB	5.5	454%	Night
5776	2025-05-26 23:04:08	66.22	45dB	4.4	335%	Night
5777	2025-05-26 23:05:26	68.83	45dB	5.2	422%	Night
5778	2025-05-26 23:07:01	68.29	45dB	5.0	402%	Night
5779	2025-05-26 23:08:49	71.45	45dB	6.3	525%	Night
5780	2025-05-26 23:18:36	N/A	45dB	N/A	N/A	Night
5781	2025-05-26 23:20:47	70.02	45dB	5.7	466%	Night
5782	2025-05-26 23:31:01	N/A	45dB	N/A	N/A	Night
5783	2025-05-26 23:34:41	70.20	45dB	5.7	474%	Night
5784	2025-05-26 23:37:34	68.89	45dB	5.2	424%	Night
5785	2025-05-26 23:39:09	N/A	45dB	N/A	N/A	Night
5786	2025-05-26 23:41:15	69.75	45dB	5.6	456%	Night
5787	2025-05-26 23:42:38	66.00	45dB	4.3	329%	Night
5788	2025-05-26 23:45:40	69.29	45dB	5.4	439%	Night
5789	2025-05-26 23:47:07	N/A	45dB	N/A	N/A	Night
5790	2025-05-26 23:48:26	N/A	45dB	N/A	N/A	Night
5791	2025-05-26 23:54:34	69.39	45dB	5.4	442%	Night
5792	2025-05-26 23:57:24	70.58	45dB	5.9	489%	Night
5793	2025-05-26 23:58:46	70.60	45dB	5.9	490%	Night
5794	2025-05-27 00:00:19	N/A	45dB	N/A	N/A	Night
5795	2025-05-27 00:10:31	72.43	45dB	6.7	569%	Night
5796	2025-05-27 00:13:42	75.99	45dB	8.6	757%	Night
5797	2025-05-27 00:15:27	69.61	45dB	5.5	451%	Night
5798	2025-05-27 00:19:28	68.96	45dB	5.3	426%	Night
5799	2025-05-27 00:24:19	72.43	45dB	6.7	569%	Night
5800	2025-05-27 00:26:15	75.51	45dB	8.3	729%	Night
5801	2025-05-27 00:30:10	72.85	45dB	6.9	589%	Night
5802	2025-05-27 00:32:04	69.17	45dB	5.3	434%	Night

5803	2025-05-27 00:34:11	70.84	45dB	6.0	500%	Night
5804	2025-05-27 00:44:18	68.34	45dB	5.0	404%	Night
5805	2025-05-27 00:49:01	66.35	45dB	4.4	339%	Night
5806	2025-05-27 00:50:52	71.23	45dB	6.2	516%	Night
5807	2025-05-27 00:58:06	69.97	45dB	5.6	465%	Night
5808	2025-05-27 01:09:52	70.15	45dB	5.7	472%	Night
5809	2025-05-27 06:31:35	69.00	45dB	5.3	428%	Night
5810	2025-05-27 06:32:40	69.07	45dB	5.3	430%	Night
5811	2025-05-27 06:34:51	73.75	45dB	7.3	634%	Night
5812	2025-05-27 06:35:40	73.19	45dB	7.1	606%	Night
5813	2025-05-27 06:36:34	N/A	45dB	N/A	N/A	Night
5814	2025-05-27 06:37:35	73.96	45dB	7.4	644%	Night
5815	2025-05-27 06:38:25	73.20	45dB	7.1	606%	Night
5816	2025-05-27 06:39:12	75.26	45dB	8.1	715%	Night
5817	2025-05-27 06:39:54	71.10	45dB	6.1	511%	Night
5818	2025-05-27 06:40:38	68.43	45dB	5.1	407%	Night
5819	2025-05-27 06:41:38	73.90	45dB	7.4	641%	Night
5820	2025-05-27 06:43:19	68.95	45dB	5.3	426%	Night
5821	2025-05-27 06:46:24	69.22	45dB	5.4	436%	Night
5822	2025-05-27 06:47:25	75.66	45dB	8.4	737%	Night
5823	2025-05-27 06:48:26	74.26	45dB	7.6	660%	Night
5824	2025-05-27 06:49:26	69.65	45dB	5.5	452%	Night
5825	2025-05-27 06:50:19	68.37	45dB	5.1	405%	Night
5826	2025-05-27 06:53:05	N/A	45dB	N/A	N/A	Night
5827	2025-05-27 06:53:57	70.20	45dB	5.7	474%	Night
5828	2025-05-27 06:54:47	74.50	45dB	7.7	673%	Night
5829	2025-05-27 06:55:36	74.07	45dB	7.5	650%	Night
5830	2025-05-27 06:58:26	68.79	45dB	5.2	420%	Night
5831	2025-05-27 06:59:03	N/A	45dB	N/A	N/A	Night
5832	2025-05-27 07:00:11	77.44	55dB	4.7	374%	Day
5833	2025-05-27 07:01:12	75.05	55dB	4.0	301%	Day
5834	2025-05-27 07:02:00	67.01	55dB	2.3	130%	Day
5835	2025-05-27 07:06:08	68.23	55dB	2.5	150%	Day
5836	2025-05-27 07:08:24	74.62	55dB	3.9	290%	Day
5837	2025-05-27 07:11:32	N/A	55dB	N/A	N/A	Day
5838	2025-05-27 07:14:17	73.51	55dB	3.6	261%	Day
5839	2025-05-27 07:16:00	70.41	55dB	2.9	191%	Day
5840	2025-05-27 07:22:04	69.92	55dB	2.8	181%	Day
5841	2025-05-27 07:23:00	67.42	55dB	2.4	137%	Day
5842	2025-05-27 07:23:56	70.05	55dB	2.8	184%	Day
5843	2025-05-27 07:24:47	76.40	55dB	4.4	341%	Day
5844	2025-05-27 07:25:52	75.18	55dB	4.1	305%	Day
5845	2025-05-27 07:27:04	76.08	55dB	4.3	331%	Day
5846	2025-05-27 07:27:50	70.88	55dB	3.0	201%	Day

5847	2025-05-27 07:28:33	72.74	55dB	3.4	242%	Day
5848	2025-05-27 07:30:30	81.87	55dB	6.4	544%	Day
5849	2025-05-27 07:31:32	76.23	55dB	4.4	336%	Day
5850	2025-05-27 07:36:53	69.83	55dB	2.8	180%	Day
5851	2025-05-27 07:38:13	75.69	55dB	4.2	320%	Day
5852	2025-05-27 07:41:04	70.57	55dB	2.9	194%	Day
5853	2025-05-27 07:42:25	71.48	55dB	3.1	213%	Day
5854	2025-05-27 07:46:05	70.54	55dB	2.9	194%	Day
5855	2025-05-27 07:49:02	75.32	55dB	4.1	309%	Day
5856	2025-05-27 07:52:55	75.61	55dB	4.2	317%	Day
5857	2025-05-27 07:54:35	75.04	55dB	4.0	301%	Day
5858	2025-05-27 07:56:39	73.98	55dB	3.7	273%	Day
5859	2025-05-27 07:57:50	72.82	55dB	3.4	244%	Day
5860	2025-05-27 08:01:07	77.34	55dB	4.7	370%	Day
5861	2025-05-27 08:04:37	N/A	55dB	N/A	N/A	Day
5862	2025-05-27 08:06:49	N/A	55dB	N/A	N/A	Day
5863	2025-05-27 08:10:15	73.96	55dB	3.7	272%	Day
5864	2025-05-27 08:12:56	68.34	55dB	2.5	152%	Day
5865	2025-05-27 08:14:02	N/A	55dB	N/A	N/A	Day
5866	2025-05-27 08:16:53	70.14	55dB	2.9	186%	Day
5867	2025-05-27 08:18:01	76.52	55dB	4.4	344%	Day
5868	2025-05-27 08:18:46	76.52	55dB	4.4	344%	Day
5869	2025-05-27 08:19:56	68.89	55dB	2.6	162%	Day
5870	2025-05-27 08:23:07	68.63	55dB	2.6	157%	Day
5871	2025-05-27 08:24:47	74.82	55dB	4.0	295%	Day
5872	2025-05-27 08:25:35	N/A	55dB	N/A	N/A	Day
5873	2025-05-27 08:29:16	77.19	55dB	4.7	366%	Day
5874	2025-05-27 08:32:33	68.31	55dB	2.5	152%	Day
5875	2025-05-27 08:33:27	72.95	55dB	3.5	247%	Day
5876	2025-05-27 08:34:26	72.47	55dB	3.4	236%	Day
5877	2025-05-27 08:35:15	67.93	55dB	2.5	145%	Day
5878	2025-05-27 08:36:15	N/A	55dB	N/A	N/A	Day
5879	2025-05-27 08:37:12	N/A	55dB	N/A	N/A	Day
5880	2025-05-27 08:38:07	N/A	55dB	N/A	N/A	Day
5881	2025-05-27 08:39:22	N/A	55dB	N/A	N/A	Day
5882	2025-05-27 08:40:18	67.50	55dB	2.4	138%	Day
5883	2025-05-27 08:41:38	68.91	55dB	2.6	162%	Day
5884	2025-05-27 08:44:53	N/A	55dB	N/A	N/A	Day
5885	2025-05-27 08:47:27	N/A	55dB	N/A	N/A	Day
5886	2025-05-27 08:48:23	96.56	55dB	17.8	1683%	Day
5887	2025-05-27 08:51:42	68.88	55dB	2.6	162%	Day
5888	2025-05-27 08:52:54	67.94	55dB	2.5	145%	Day
5889	2025-05-27 08:54:02	67.75	55dB	2.4	142%	Day
5890	2025-05-27 08:55:46	N/A	55dB	N/A	N/A	Day

5891	2025-05-27 08:56:46	70.65	55dB	3.0	196%	Day
5892	2025-05-27 09:05:13	N/A	55dB	N/A	N/A	Day
5893	2025-05-27 09:09:09	N/A	55dB	N/A	N/A	Day
5894	2025-05-27 09:10:30	78.54	55dB	5.1	411%	Day
5895	2025-05-27 09:11:54	N/A	55dB	N/A	N/A	Day
5896	2025-05-27 09:14:36	66.60	55dB	2.2	123%	Day
5897	2025-05-27 09:16:04	74.33	55dB	3.8	282%	Day
5898	2025-05-27 09:20:37	76.65	55dB	4.5	348%	Day
5899	2025-05-27 09:23:34	72.43	55dB	3.3	235%	Day
5900	2025-05-27 09:28:54	71.50	55dB	3.1	214%	Day
5901	2025-05-27 09:30:21	N/A	55dB	N/A	N/A	Day
5902	2025-05-27 09:32:51	N/A	55dB	N/A	N/A	Day
5903	2025-05-27 09:34:00	N/A	55dB	N/A	N/A	Day
5904	2025-05-27 09:37:52	N/A	55dB	N/A	N/A	Day
5905	2025-05-27 12:41:16	N/A	55dB	N/A	N/A	Day
5906	2025-05-27 14:57:00	N/A	55dB	N/A	N/A	Day
5907	2025-05-27 14:59:20	70.35	55dB	2.9	190%	Day
5908	2025-05-27 15:01:15	74.13	55dB	3.8	277%	Day
5909	2025-05-27 15:04:59	N/A	55dB	N/A	N/A	Day
5910	2025-05-27 15:12:38	N/A	55dB	N/A	N/A	Day
5911	2025-05-27 15:14:01	N/A	55dB	N/A	N/A	Day
5912	2025-05-27 15:16:49	N/A	55dB	N/A	N/A	Day
5913	2025-05-27 15:17:50	N/A	55dB	N/A	N/A	Day
5914	2025-05-27 15:18:46	N/A	55dB	N/A	N/A	Day
5915	2025-05-27 15:21:12	N/A	55dB	N/A	N/A	Day
5916	2025-05-27 15:22:39	N/A	55dB	N/A	N/A	Day
5917	2025-05-27 15:26:31	N/A	55dB	N/A	N/A	Day
5918	2025-05-27 15:27:25	N/A	55dB	N/A	N/A	Day
5919	2025-05-27 15:40:33	N/A	55dB	N/A	N/A	Day
5920	2025-05-27 16:00:15	69.15	55dB	2.7	167%	Day
5921	2025-05-27 16:04:51	75.41	55dB	4.1	312%	Day
5922	2025-05-27 16:08:27	76.37	55dB	4.4	340%	Day
5923	2025-05-27 16:11:28	N/A	55dB	N/A	N/A	Day
5924	2025-05-27 16:13:32	73.53	55dB	3.6	261%	Day
5925	2025-05-27 16:15:37	76.62	55dB	4.5	348%	Day
5926	2025-05-27 16:17:57	74.17	55dB	3.8	278%	Day
5927	2025-05-27 16:19:49	73.58	55dB	3.6	263%	Day
5928	2025-05-27 16:21:49	N/A	55dB	N/A	N/A	Day
5929	2025-05-27 16:24:09	N/A	55dB	N/A	N/A	Day
5930	2025-05-27 16:26:32	N/A	55dB	N/A	N/A	Day
5931	2025-05-27 16:29:25	75.37	55dB	4.1	310%	Day
5932	2025-05-27 16:34:06	N/A	55dB	N/A	N/A	Day
5933	2025-05-27 16:37:33	N/A	55dB	N/A	N/A	Day
5934	2025-05-27 16:44:26	69.38	55dB	2.7	171%	Day

5935	2025-05-27 16:47:03	68.75	55dB	2.6	159%	Day
5936	2025-05-27 16:49:25	N/A	55dB	N/A	N/A	Day
5937	2025-05-27 16:51:35	75.13	55dB	4.0	304%	Day
5938	2025-05-27 16:53:15	N/A	55dB	N/A	N/A	Day
5939	2025-05-27 16:55:30	N/A	55dB	N/A	N/A	Day
5940	2025-05-27 16:57:38	N/A	55dB	N/A	N/A	Day
5941	2025-05-27 17:00:46	77.07	55dB	4.6	362%	Day
5942	2025-05-27 17:04:58	66.77	55dB	2.3	126%	Day
5943	2025-05-27 17:10:19	N/A	55dB	N/A	N/A	Day
5944	2025-05-27 17:18:39	N/A	55dB	N/A	N/A	Day
5945	2025-05-27 17:19:35	68.15	55dB	2.5	149%	Day
5946	2025-05-27 17:22:02	N/A	55dB	N/A	N/A	Day
5947	2025-05-27 17:31:32	76.14	55dB	4.3	333%	Day
5948	2025-05-27 17:40:57	N/A	55dB	N/A	N/A	Day
5949	2025-05-27 17:42:52	N/A	55dB	N/A	N/A	Day
5950	2025-05-27 17:43:43	76.98	55dB	4.6	359%	Day
5951	2025-05-27 17:44:34	N/A	55dB	N/A	N/A	Day
5952	2025-05-27 17:45:27	N/A	55dB	N/A	N/A	Day
5953	2025-05-27 17:48:28	73.14	55dB	3.5	252%	Day
5954	2025-05-27 17:49:15	N/A	55dB	N/A	N/A	Day
5955	2025-05-27 17:53:04	N/A	55dB	N/A	N/A	Day
5956	2025-05-27 17:54:38	70.86	55dB	3.0	200%	Day
5957	2025-05-27 17:55:30	N/A	55dB	N/A	N/A	Day
5958	2025-05-27 17:57:19	68.91	55dB	2.6	162%	Day
5959	2025-05-27 17:58:24	N/A	55dB	N/A	N/A	Day
5960	2025-05-27 18:00:30	N/A	55dB	N/A	N/A	Day
5961	2025-05-27 18:01:18	N/A	55dB	N/A	N/A	Day
5962	2025-05-27 18:02:09	N/A	55dB	N/A	N/A	Day
5963	2025-05-27 18:08:03	N/A	55dB	N/A	N/A	Day
5964	2025-05-27 18:11:13	N/A	55dB	N/A	N/A	Day
5965	2025-05-27 18:13:31	N/A	55dB	N/A	N/A	Day
5966	2025-05-27 18:16:24	74.65	55dB	3.9	290%	Day
5967	2025-05-27 18:27:47	73.16	55dB	3.5	252%	Day
5968	2025-05-27 18:29:18	70.37	55dB	2.9	190%	Day
5969	2025-05-27 18:31:30	N/A	55dB	N/A	N/A	Day
5970	2025-05-27 18:32:13	71.33	55dB	3.1	210%	Day
5971	2025-05-27 18:35:00	67.21	55dB	2.3	133%	Day
5972	2025-05-27 18:38:00	70.81	55dB	3.0	199%	Day
5973	2025-05-27 18:39:02	N/A	55dB	N/A	N/A	Day
5974	2025-05-27 18:41:06	68.72	55dB	2.6	159%	Day
5975	2025-05-27 18:42:19	74.00	55dB	3.7	273%	Day
5976	2025-05-27 18:44:15	N/A	55dB	N/A	N/A	Day
5977	2025-05-27 18:45:09	69.92	55dB	2.8	181%	Day
5978	2025-05-27 18:46:09	67.32	55dB	2.3	135%	Day

5979	2025-05-27 18:47:20	70.52	55dB	2.9	193%	Day
5980	2025-05-27 18:49:17	N/A	55dB	N/A	N/A	Day
5981	2025-05-27 18:50:24	71.16	55dB	3.1	207%	Day
5982	2025-05-27 18:51:41	73.86	55dB	3.7	270%	Day
5983	2025-05-27 18:52:38	82.53	55dB	6.7	574%	Day
5984	2025-05-27 19:56:32	N/A	55dB	N/A	N/A	Day
5985	2025-05-27 21:21:14	N/A	55dB	N/A	N/A	Day
5986	2025-05-27 21:51:14	N/A	55dB	N/A	N/A	Day
5987	2025-05-28 06:31:33	70.00	45dB	5.7	466%	Night
5988	2025-05-28 06:32:43	66.82	45dB	4.5	354%	Night
5989	2025-05-28 06:33:40	75.94	45dB	8.5	754%	Night
5990	2025-05-28 06:34:40	75.54	45dB	8.3	731%	Night
5991	2025-05-28 06:37:31	70.81	45dB	6.0	498%	Night
5992	2025-05-28 06:38:19	73.11	45dB	7.0	602%	Night
5993	2025-05-28 06:39:14	73.26	45dB	7.1	609%	Night
5994	2025-05-28 06:40:20	74.23	45dB	7.6	658%	Night
5995	2025-05-28 06:41:03	N/A	45dB	N/A	N/A	Night
5996	2025-05-28 06:42:49	67.04	45dB	4.6	361%	Night
5997	2025-05-28 06:43:45	75.53	45dB	8.3	730%	Night
5998	2025-05-28 06:44:19	70.00	45dB	5.7	466%	Night
5999	2025-05-28 06:45:17	N/A	45dB	N/A	N/A	Night
6000	2025-05-28 06:46:10	N/A	45dB	N/A	N/A	Night
6001	2025-05-28 06:47:19	69.44	45dB	5.4	444%	Night
6002	2025-05-28 06:49:45	N/A	45dB	N/A	N/A	Night
6003	2025-05-28 06:50:53	75.14	45dB	8.1	708%	Night
6004	2025-05-28 06:51:55	80.53	45dB	11.7	1074%	Night
6005	2025-05-28 06:52:46	68.94	45dB	5.3	426%	Night
6006	2025-05-28 06:53:26	69.97	45dB	5.6	465%	Night
6007	2025-05-28 06:54:11	69.35	45dB	5.4	441%	Night
6008	2025-05-28 06:55:18	71.13	45dB	6.1	512%	Night
6009	2025-05-28 06:56:25	72.64	45dB	6.8	579%	Night
6010	2025-05-28 07:07:54	69.91	55dB	2.8	181%	Day
6011	2025-05-28 07:10:47	74.21	55dB	3.8	279%	Day
6012	2025-05-28 07:12:01	75.29	55dB	4.1	308%	Day
6013	2025-05-28 07:12:55	69.32	55dB	2.7	170%	Day
6014	2025-05-28 07:14:03	N/A	55dB	N/A	N/A	Day
6015	2025-05-28 07:15:19	69.37	55dB	2.7	171%	Day
6016	2025-05-28 07:15:56	N/A	55dB	N/A	N/A	Day
6017	2025-05-28 07:16:46	N/A	55dB	N/A	N/A	Day
6018	2025-05-28 07:18:16	68.35	55dB	2.5	152%	Day
6019	2025-05-28 07:19:09	67.80	55dB	2.4	143%	Day
6020	2025-05-28 07:20:01	N/A	55dB	N/A	N/A	Day
6021	2025-05-28 07:20:56	71.02	55dB	3.0	204%	Day
6022	2025-05-28 07:22:27	72.88	55dB	3.5	245%	Day

6023	2025-05-28 07:24:08	71.97	55dB	3.2	224%	Day
6024	2025-05-28 07:25:16	67.96	55dB	2.5	146%	Day
6025	2025-05-28 07:26:16	70.14	55dB	2.9	186%	Day
6026	2025-05-28 07:27:18	73.94	55dB	3.7	272%	Day
6027	2025-05-28 07:28:13	69.52	55dB	2.7	174%	Day
6028	2025-05-28 07:29:15	71.04	55dB	3.0	204%	Day
6029	2025-05-28 07:32:53	N/A	55dB	N/A	N/A	Day
6030	2025-05-28 07:33:45	73.43	55dB	3.6	259%	Day
6031	2025-05-28 07:37:53	70.51	55dB	2.9	193%	Day
6032	2025-05-28 07:38:57	75.28	55dB	4.1	308%	Day
6033	2025-05-28 07:42:30	69.27	55dB	2.7	169%	Day
6034	2025-05-28 07:44:13	72.32	55dB	3.3	232%	Day
6035	2025-05-28 07:48:13	72.31	55dB	3.3	232%	Day
6036	2025-05-28 07:51:57	77.22	55dB	4.7	367%	Day
6037	2025-05-28 07:54:56	75.73	55dB	4.2	321%	Day
6038	2025-05-28 07:57:11	76.27	55dB	4.4	337%	Day
6039	2025-05-28 07:58:37	69.90	55dB	2.8	181%	Day
6040	2025-05-28 08:02:39	N/A	55dB	N/A	N/A	Day
6041	2025-05-28 08:04:16	N/A	55dB	N/A	N/A	Day
6042	2025-05-28 08:07:01	N/A	55dB	N/A	N/A	Day
6043	2025-05-28 08:08:05	72.97	55dB	3.5	247%	Day
6044	2025-05-28 08:09:07	67.47	55dB	2.4	137%	Day
6045	2025-05-28 08:10:19	76.02	55dB	4.3	329%	Day
6046	2025-05-28 08:11:42	68.91	55dB	2.6	162%	Day
6047	2025-05-28 08:12:45	70.28	55dB	2.9	188%	Day
6048	2025-05-28 08:13:57	N/A	55dB	N/A	N/A	Day
6049	2025-05-28 08:15:12	N/A	55dB	N/A	N/A	Day
6050	2025-05-28 08:17:50	N/A	55dB	N/A	N/A	Day
6051	2025-05-28 08:19:00	75.09	55dB	4.0	303%	Day
6052	2025-05-28 08:20:12	N/A	55dB	N/A	N/A	Day
6053	2025-05-28 08:21:22	75.98	55dB	4.3	328%	Day
6054	2025-05-28 08:24:55	67.01	55dB	2.3	130%	Day
6055	2025-05-28 08:26:02	68.08	55dB	2.5	148%	Day
6056	2025-05-28 08:27:14	N/A	55dB	N/A	N/A	Day
6057	2025-05-28 08:29:05	73.47	55dB	3.6	260%	Day
6058	2025-05-28 08:38:36	70.64	55dB	3.0	196%	Day
6059	2025-05-28 08:39:45	N/A	55dB	N/A	N/A	Day
6060	2025-05-28 08:41:00	72.40	55dB	3.3	234%	Day
6061	2025-05-28 08:43:52	73.99	55dB	3.7	273%	Day
6062	2025-05-28 08:44:58	72.69	55dB	3.4	241%	Day
6063	2025-05-28 08:53:22	67.73	55dB	2.4	142%	Day
6064	2025-05-28 08:57:48	84.14	55dB	7.5	654%	Day
6065	2025-05-28 08:59:06	68.53	55dB	2.6	155%	Day
6066	2025-05-28 09:00:15	73.77	55dB	3.7	267%	Day

6067	2025-05-28 09:01:21	N/A	55dB	N/A	N/A	Day
6068	2025-05-28 09:04:14	75.26	55dB	4.1	307%	Day
6069	2025-05-28 09:08:00	78.62	55dB	5.1	414%	Day
6070	2025-05-28 09:09:14	66.35	55dB	2.2	120%	Day
6071	2025-05-28 09:10:25	69.93	55dB	2.8	181%	Day
6072	2025-05-28 09:12:20	75.05	55dB	4.0	301%	Day
6073	2025-05-28 09:13:30	N/A	55dB	N/A	N/A	Day
6074	2025-05-28 09:15:16	68.02	55dB	2.5	147%	Day
6075	2025-05-28 09:16:32	72.41	55dB	3.3	234%	Day
6076	2025-05-28 09:17:40	68.04	55dB	2.5	147%	Day
6077	2025-05-28 09:20:31	78.93	55dB	5.3	425%	Day
6078	2025-05-28 09:23:48	N/A	55dB	N/A	N/A	Day
6079	2025-05-28 09:25:00	73.25	55dB	3.5	254%	Day
6080	2025-05-28 09:32:49	N/A	55dB	N/A	N/A	Day
6081	2025-05-28 09:34:50	N/A	55dB	N/A	N/A	Day
6082	2025-05-28 09:37:16	N/A	55dB	N/A	N/A	Day
6083	2025-05-28 09:41:58	N/A	55dB	N/A	N/A	Day
6084	2025-05-28 09:43:21	69.40	55dB	2.7	171%	Day
6085	2025-05-28 09:48:06	73.26	55dB	3.5	255%	Day
6086	2025-05-28 09:49:09	70.78	55dB	3.0	199%	Day
6087	2025-05-28 09:52:57	67.80	55dB	2.4	143%	Day
6088	2025-05-28 09:56:20	72.36	55dB	3.3	233%	Day
6089	2025-05-28 09:57:48	70.00	55dB	2.8	183%	Day
6090	2025-05-28 09:59:26	85.12	55dB	8.1	707%	Day
6091	2025-05-28 10:00:42	76.13	55dB	4.3	333%	Day
6092	2025-05-28 10:01:50	69.18	55dB	2.7	167%	Day
6093	2025-05-28 10:03:02	N/A	55dB	N/A	N/A	Day
6094	2025-05-28 10:04:17	72.18	55dB	3.3	229%	Day
6095	2025-05-28 10:05:03	74.95	55dB	4.0	299%	Day
6096	2025-05-28 10:06:18	N/A	55dB	N/A	N/A	Day
6097	2025-05-28 10:08:49	N/A	55dB	N/A	N/A	Day
6098	2025-05-28 10:09:50	72.88	55dB	3.5	245%	Day
6099	2025-05-28 10:10:58	71.40	55dB	3.1	212%	Day
6100	2025-05-28 10:13:08	N/A	55dB	N/A	N/A	Day
6101	2025-05-28 10:18:56	71.68	55dB	3.2	218%	Day
6102	2025-05-28 10:20:16	71.83	55dB	3.2	221%	Day
6103	2025-05-28 10:21:46	N/A	55dB	N/A	N/A	Day
6104	2025-05-28 10:24:08	66.80	55dB	2.3	127%	Day
6105	2025-05-28 10:28:05	68.92	55dB	2.6	162%	Day
6106	2025-05-28 10:29:08	76.95	55dB	4.6	358%	Day
6107	2025-05-28 10:32:31	69.15	55dB	2.7	167%	Day
6108	2025-05-28 10:35:32	N/A	55dB	N/A	N/A	Day
6109	2025-05-28 10:39:56	72.53	55dB	3.4	237%	Day
6110	2025-05-28 10:43:26	76.34	55dB	4.4	339%	Day

6111	2025-05-28 10:47:23	71.93	55dB	3.2	223%	Day
6112	2025-05-28 10:50:17	68.11	55dB	2.5	148%	Day
6113	2025-05-28 10:51:28	73.79	55dB	3.7	268%	Day
6114	2025-05-28 10:53:49	N/A	55dB	N/A	N/A	Day
6115	2025-05-28 10:56:23	69.84	55dB	2.8	180%	Day
6116	2025-05-28 10:57:44	70.81	55dB	3.0	199%	Day
6117	2025-05-28 10:59:12	72.59	55dB	3.4	238%	Day
6118	2025-05-28 11:01:33	N/A	55dB	N/A	N/A	Day
6119	2025-05-28 11:06:41	71.21	55dB	3.1	208%	Day
6120	2025-05-28 11:08:34	71.77	55dB	3.2	220%	Day
6121	2025-05-28 11:09:47	78.10	55dB	5.0	396%	Day
6122	2025-05-28 11:14:08	71.23	55dB	3.1	208%	Day
6123	2025-05-28 11:15:58	N/A	55dB	N/A	N/A	Day
6124	2025-05-28 11:17:44	N/A	55dB	N/A	N/A	Day
6125	2025-05-28 11:19:01	N/A	55dB	N/A	N/A	Day
6126	2025-05-28 11:22:05	70.44	55dB	2.9	192%	Day
6127	2025-05-28 11:25:03	N/A	55dB	N/A	N/A	Day
6128	2025-05-28 11:27:57	74.86	55dB	4.0	296%	Day
6129	2025-05-28 11:29:00	73.05	55dB	3.5	249%	Day
6130	2025-05-28 11:30:05	N/A	55dB	N/A	N/A	Day
6131	2025-05-28 11:33:21	N/A	55dB	N/A	N/A	Day
6132	2025-05-28 11:34:43	66.31	55dB	2.2	119%	Day
6133	2025-05-28 11:38:41	70.32	55dB	2.9	189%	Day
6134	2025-05-28 11:39:50	76.82	55dB	4.5	354%	Day
6135	2025-05-28 11:42:15	N/A	55dB	N/A	N/A	Day
6136	2025-05-28 11:48:40	75.55	55dB	4.2	316%	Day
6137	2025-05-28 11:50:19	N/A	55dB	N/A	N/A	Day
6138	2025-05-28 11:54:53	68.94	55dB	2.6	163%	Day
6139	2025-05-28 11:57:31	71.01	55dB	3.0	203%	Day
6140	2025-05-28 11:58:33	N/A	55dB	N/A	N/A	Day
6141	2025-05-28 11:59:35	70.35	55dB	2.9	190%	Day
6142	2025-05-28 12:02:12	79.87	55dB	5.6	461%	Day
6143	2025-05-28 12:04:12	73.02	55dB	3.5	249%	Day
6144	2025-05-28 12:05:25	82.74	55dB	6.8	584%	Day
6145	2025-05-28 12:07:26	81.82	55dB	6.4	542%	Day
6146	2025-05-28 12:10:03	73.33	55dB	3.6	256%	Day
6147	2025-05-28 12:11:32	74.97	55dB	4.0	299%	Day
6148	2025-05-28 12:12:38	74.14	55dB	3.8	277%	Day
6149	2025-05-28 12:14:01	N/A	55dB	N/A	N/A	Day
6150	2025-05-28 12:15:19	71.18	55dB	3.1	207%	Day
6151	2025-05-28 12:17:25	N/A	55dB	N/A	N/A	Day
6152	2025-05-28 12:29:33	75.77	55dB	4.2	322%	Day
6153	2025-05-28 12:31:00	N/A	55dB	N/A	N/A	Day
6154	2025-05-28 12:36:58	73.16	55dB	3.5	252%	Day

6155	2025-05-28 12:38:24	69.75	55dB	2.8	178%	Day
6156	2025-05-28 12:39:35	73.64	55dB	3.6	264%	Day
6157	2025-05-28 12:41:17	N/A	55dB	N/A	N/A	Day
6158	2025-05-28 12:42:15	66.88	55dB	2.3	128%	Day
6159	2025-05-28 12:44:01	66.37	55dB	2.2	120%	Day
6160	2025-05-28 12:50:41	76.13	55dB	4.3	333%	Day
6161	2025-05-28 12:52:27	67.96	55dB	2.5	146%	Day
6162	2025-05-28 12:53:50	70.67	55dB	3.0	196%	Day
6163	2025-05-28 13:02:32	73.82	55dB	3.7	269%	Day
6164	2025-05-28 13:06:55	69.38	55dB	2.7	171%	Day
6165	2025-05-28 13:08:57	72.55	55dB	3.4	238%	Day
6166	2025-05-28 13:10:07	N/A	55dB	N/A	N/A	Day
6167	2025-05-28 13:11:36	73.24	55dB	3.5	254%	Day
6168	2025-05-28 13:13:31	71.00	55dB	3.0	203%	Day
6169	2025-05-28 13:14:45	84.40	55dB	7.7	667%	Day
6170	2025-05-28 13:17:45	66.97	55dB	2.3	129%	Day
6171	2025-05-28 13:19:12	74.09	55dB	3.8	276%	Day
6172	2025-05-28 13:23:42	76.65	55dB	4.5	348%	Day
6173	2025-05-28 13:25:02	71.09	55dB	3.1	205%	Day
6174	2025-05-28 13:31:10	75.70	55dB	4.2	320%	Day
6175	2025-05-28 13:32:45	66.39	55dB	2.2	120%	Day
6176	2025-05-28 13:36:54	71.13	55dB	3.1	206%	Day
6177	2025-05-28 13:39:46	71.15	55dB	3.1	206%	Day
6178	2025-05-28 13:44:22	73.68	55dB	3.7	265%	Day
6179	2025-05-28 13:47:01	72.30	55dB	3.3	232%	Day
6180	2025-05-28 13:48:41	70.14	55dB	2.9	186%	Day
6181	2025-05-28 14:25:17	70.57	55dB	2.9	194%	Day
6182	2025-05-28 15:01:27	68.15	55dB	2.5	149%	Day
6183	2025-05-28 16:23:04	70.74	55dB	3.0	198%	Day
6184	2025-05-28 16:28:26	74.00	55dB	3.7	273%	Day
6185	2025-05-28 16:32:32	68.83	55dB	2.6	161%	Day
6186	2025-05-28 16:39:30	71.72	55dB	3.2	219%	Day
6187	2025-05-28 16:42:15	76.94	55dB	4.6	358%	Day
6188	2025-05-28 16:44:54	N/A	55dB	N/A	N/A	Day
6189	2025-05-28 16:46:22	75.08	55dB	4.0	302%	Day
6190	2025-05-28 16:47:56	73.12	55dB	3.5	251%	Day
6191	2025-05-28 16:50:08	77.90	55dB	4.9	389%	Day
6192	2025-05-28 16:52:22	71.85	55dB	3.2	222%	Day
6193	2025-05-28 16:55:01	81.93	55dB	6.5	547%	Day
6194	2025-05-28 17:04:13	N/A	55dB	N/A	N/A	Day
6195	2025-05-28 17:06:36	71.37	55dB	3.1	211%	Day
6196	2025-05-28 17:11:01	73.23	55dB	3.5	254%	Day
6197	2025-05-28 17:13:48	N/A	55dB	N/A	N/A	Day
6198	2025-05-28 17:16:14	67.73	55dB	2.4	142%	Day

6199	2025-05-28 17:23:12	78.20	55dB	5.0	399%	Day
6200	2025-05-28 17:28:39	68.71	55dB	2.6	159%	Day
6201	2025-05-28 17:35:54	68.53	55dB	2.6	155%	Day
6202	2025-05-28 17:37:05	74.15	55dB	3.8	277%	Day
6203	2025-05-28 17:40:36	78.77	55dB	5.2	419%	Day
6204	2025-05-28 17:43:12	N/A	55dB	N/A	N/A	Day
6205	2025-05-28 17:44:14	N/A	55dB	N/A	N/A	Day
6206	2025-05-28 17:48:52	N/A	55dB	N/A	N/A	Day
6207	2025-05-28 17:51:07	68.92	55dB	2.6	162%	Day
6208	2025-05-28 17:53:48	72.42	55dB	3.3	234%	Day
6209	2025-05-28 17:54:56	69.68	55dB	2.8	177%	Day
6210	2025-05-28 17:59:37	N/A	55dB	N/A	N/A	Day
6211	2025-05-28 18:04:36	72.70	55dB	3.4	241%	Day
6212	2025-05-28 18:06:52	67.18	55dB	2.3	133%	Day
6213	2025-05-28 18:11:18	66.83	55dB	2.3	127%	Day
6214	2025-05-28 18:13:41	67.52	55dB	2.4	138%	Day
6215	2025-05-28 18:15:56	N/A	55dB	N/A	N/A	Day
6216	2025-05-28 18:18:04	68.45	55dB	2.5	154%	Day
6217	2025-05-28 18:20:24	N/A	55dB	N/A	N/A	Day
6218	2025-05-28 18:23:11	N/A	55dB	N/A	N/A	Day
6219	2025-05-28 18:28:45	N/A	55dB	N/A	N/A	Day
6220	2025-05-28 18:31:01	N/A	55dB	N/A	N/A	Day
6221	2025-05-28 18:33:32	68.03	55dB	2.5	147%	Day
6222	2025-05-28 18:35:53	67.71	55dB	2.4	141%	Day
6223	2025-05-28 18:36:54	75.40	55dB	4.1	311%	Day
6224	2025-05-28 18:39:11	N/A	55dB	N/A	N/A	Day
6225	2025-05-28 18:41:38	N/A	55dB	N/A	N/A	Day
6226	2025-05-28 18:43:07	69.28	55dB	2.7	169%	Day
6227	2025-05-28 18:44:58	71.33	55dB	3.1	210%	Day
6228	2025-05-28 18:46:03	78.88	55dB	5.2	423%	Day
6229	2025-05-28 18:50:18	75.58	55dB	4.2	316%	Day
6230	2025-05-28 18:51:16	66.61	55dB	2.2	124%	Day
6231	2025-05-28 18:52:21	66.05	55dB	2.2	115%	Day
6232	2025-05-28 18:53:32	68.30	55dB	2.5	151%	Day
6233	2025-05-28 23:51:35	74.22	45dB	7.6	658%	Night
6234	2025-05-28 23:54:26	80.06	45dB	11.4	1036%	Night
6235	2025-05-28 23:58:40	77.71	45dB	9.7	865%	Night
6236	2025-05-29 00:01:06	N/A	45dB	N/A	N/A	Night
6237	2025-05-29 00:11:32	70.80	45dB	6.0	498%	Night
6238	2025-05-29 00:19:15	76.61	45dB	8.9	794%	Night
6239	2025-05-29 00:23:14	68.98	45dB	5.3	427%	Night
6240	2025-05-29 00:27:50	N/A	45dB	N/A	N/A	Night
6241	2025-05-29 00:35:37	64.00	45dB	3.7	273%	Night
6242	2025-05-29 00:48:32	N/A	45dB	N/A	N/A	Night

6243	2025-05-29 00:50:45	64.48	45dB	3.9	286%	Night
6244	2025-05-29 01:16:03	N/A	45dB	N/A	N/A	Night
6245	2025-05-29 01:21:40	72.60	45dB	6.8	577%	Night
6246	2025-05-29 01:36:03	65.12	45dB	4.0	303%	Night
6247	2025-05-29 01:39:23	76.09	45dB	8.6	763%	Night
6248	2025-05-29 02:07:40	63.66	45dB	3.6	265%	Night
6249	2025-05-29 03:46:42	N/A	45dB	N/A	N/A	Night
6250	2025-05-29 04:37:56	N/A	45dB	N/A	N/A	Night
6251	2025-05-29 05:15:05	71.49	45dB	6.3	527%	Night
6252	2025-05-29 05:39:01	76.34	45dB	8.8	778%	Night
6253	2025-05-29 06:31:46	N/A	45dB	N/A	N/A	Night
6254	2025-05-29 06:32:53	70.56	45dB	5.9	488%	Night
6255	2025-05-29 06:34:00	N/A	45dB	N/A	N/A	Night
6256	2025-05-29 06:34:56	69.21	45dB	5.4	436%	Night
6257	2025-05-29 06:36:02	76.99	45dB	9.2	818%	Night
6258	2025-05-29 06:37:56	70.41	45dB	5.8	482%	Night
6259	2025-05-29 06:38:57	71.55	45dB	6.3	530%	Night
6260	2025-05-29 06:40:00	73.38	45dB	7.2	615%	Night
6261	2025-05-29 06:41:14	74.73	45dB	7.9	685%	Night
6262	2025-05-29 06:42:19	74.52	45dB	7.7	674%	Night
6263	2025-05-29 06:45:10	69.14	45dB	5.3	433%	Night
6264	2025-05-29 06:46:19	75.45	45dB	8.3	725%	Night
6265	2025-05-29 06:47:32	76.06	45dB	8.6	761%	Night
6266	2025-05-29 06:48:38	69.58	45dB	5.5	449%	Night
6267	2025-05-29 06:49:47	75.16	45dB	8.1	709%	Night
6268	2025-05-29 06:52:19	75.47	45dB	8.3	726%	Night
6269	2025-05-29 06:53:28	76.10	45dB	8.6	763%	Night
6270	2025-05-29 06:54:30	70.47	45dB	5.8	484%	Night
6271	2025-05-29 06:55:33	74.06	45dB	7.5	650%	Night
6272	2025-05-29 06:56:30	70.88	45dB	6.0	501%	Night
6273	2025-05-29 06:58:17	N/A	45dB	N/A	N/A	Night
6274	2025-05-29 06:59:19	67.60	45dB	4.8	379%	Night
6275	2025-05-29 07:00:17	70.51	55dB	2.9	193%	Day
6276	2025-05-29 07:01:14	75.01	55dB	4.0	300%	Day
6277	2025-05-29 07:02:17	76.31	55dB	4.4	338%	Day
6278	2025-05-29 07:03:26	76.00	55dB	4.3	329%	Day
6279	2025-05-29 07:13:17	69.78	55dB	2.8	179%	Day
6280	2025-05-29 07:14:11	69.29	55dB	2.7	169%	Day
6281	2025-05-29 07:15:28	71.05	55dB	3.0	204%	Day
6282	2025-05-29 07:16:30	N/A	55dB	N/A	N/A	Day
6283	2025-05-29 07:17:26	75.00	55dB	4.0	300%	Day
6284	2025-05-29 07:18:35	72.44	55dB	3.3	235%	Day
6285	2025-05-29 07:19:26	72.18	55dB	3.3	229%	Day
6286	2025-05-29 07:20:27	71.56	55dB	3.2	215%	Day

6287	2025-05-29 07:27:45	71.14	55dB	3.1	206%	Day
6288	2025-05-29 07:30:24	N/A	55dB	N/A	N/A	Day
6289	2025-05-29 07:31:51	71.92	55dB	3.2	223%	Day
6290	2025-05-29 07:33:36	68.33	55dB	2.5	152%	Day
6291	2025-05-29 07:35:16	71.70	55dB	3.2	218%	Day
6292	2025-05-29 07:37:13	70.11	55dB	2.9	185%	Day
6293	2025-05-29 07:39:07	71.17	55dB	3.1	207%	Day
6294	2025-05-29 07:40:31	N/A	55dB	N/A	N/A	Day
6295	2025-05-29 07:43:09	79.40	55dB	5.4	443%	Day
6296	2025-05-29 07:45:27	76.02	55dB	4.3	329%	Day
6297	2025-05-29 07:47:40	72.87	55dB	3.5	245%	Day
6298	2025-05-29 07:49:49	68.95	55dB	2.6	163%	Day
6299	2025-05-29 07:52:42	73.29	55dB	3.6	255%	Day
6300	2025-05-29 07:54:23	74.40	55dB	3.8	284%	Day
6301	2025-05-29 07:56:32	72.57	55dB	3.4	238%	Day
6302	2025-05-29 08:09:19	81.35	55dB	6.2	521%	Day
6303	2025-05-29 08:20:36	71.13	55dB	3.1	206%	Day
6304	2025-05-29 08:23:07	72.73	55dB	3.4	242%	Day
6305	2025-05-29 08:28:49	72.75	55dB	3.4	242%	Day
6306	2025-05-29 08:31:32	74.21	55dB	3.8	279%	Day
6307	2025-05-29 08:36:36	70.01	55dB	2.8	183%	Day
6308	2025-05-29 08:41:47	76.92	55dB	4.6	357%	Day
6309	2025-05-29 09:00:50	71.57	55dB	3.2	215%	Day
6310	2025-05-29 09:03:19	72.98	55dB	3.5	248%	Day
6311	2025-05-29 09:10:36	74.38	55dB	3.8	283%	Day
6312	2025-05-29 09:33:22	73.85	55dB	3.7	269%	Day
6313	2025-05-29 09:35:33	72.69	55dB	3.4	241%	Day
6314	2025-05-29 09:44:41	72.20	55dB	3.3	229%	Day
6315	2025-05-29 09:51:56	72.76	55dB	3.4	242%	Day
6316	2025-05-29 09:54:20	72.12	55dB	3.3	228%	Day
6317	2025-05-29 09:57:00	68.77	55dB	2.6	160%	Day
6318	2025-05-29 09:58:53	70.96	55dB	3.0	202%	Day
6319	2025-05-29 10:03:14	69.64	55dB	2.8	176%	Day
6320	2025-05-29 10:04:32	73.16	55dB	3.5	252%	Day
6321	2025-05-29 10:06:25	73.79	55dB	3.7	268%	Day
6322	2025-05-29 10:08:22	81.73	55dB	6.4	538%	Day
6323	2025-05-29 10:10:13	67.46	55dB	2.4	137%	Day
6324	2025-05-29 10:11:50	68.61	55dB	2.6	157%	Day
6325	2025-05-29 10:14:16	69.80	55dB	2.8	179%	Day
6326	2025-05-29 10:16:53	71.56	55dB	3.2	215%	Day
6327	2025-05-29 10:18:40	66.71	55dB	2.3	125%	Day
6328	2025-05-29 10:20:46	N/A	55dB	N/A	N/A	Day
6329	2025-05-29 10:24:00	70.58	55dB	2.9	194%	Day
6330	2025-05-29 10:27:56	67.50	55dB	2.4	138%	Day

6331	2025-05-29 10:30:57	69.98	55dB	2.8	182%	Day
6332	2025-05-29 10:32:47	68.94	55dB	2.6	163%	Day
6333	2025-05-29 10:34:21	70.01	55dB	2.8	183%	Day
6334	2025-05-29 10:35:54	68.21	55dB	2.5	150%	Day
6335	2025-05-29 10:38:29	70.03	55dB	2.8	183%	Day
6336	2025-05-29 10:40:26	71.71	55dB	3.2	218%	Day
6337	2025-05-29 10:44:36	69.92	55dB	2.8	181%	Day
6338	2025-05-29 10:45:49	78.50	55dB	5.1	410%	Day
6339	2025-05-29 10:47:52	N/A	55dB	N/A	N/A	Day
6340	2025-05-29 10:49:26	81.96	55dB	6.5	548%	Day
6341	2025-05-29 10:51:16	82.30	55dB	6.6	563%	Day
6342	2025-05-29 10:54:31	70.59	55dB	2.9	195%	Day
6343	2025-05-29 10:58:54	N/A	55dB	N/A	N/A	Day
6344	2025-05-29 11:03:07	78.72	55dB	5.2	418%	Day
6345	2025-05-29 11:05:02	N/A	55dB	N/A	N/A	Day
6346	2025-05-29 11:06:33	71.63	55dB	3.2	217%	Day
6347	2025-05-29 11:08:26	N/A	55dB	N/A	N/A	Day
6348	2025-05-29 11:12:19	68.76	55dB	2.6	160%	Day
6349	2025-05-29 11:15:23	N/A	55dB	N/A	N/A	Day
6350	2025-05-29 11:17:33	69.14	55dB	2.7	166%	Day
6351	2025-05-29 11:19:26	70.02	55dB	2.8	183%	Day
6352	2025-05-29 11:20:50	72.72	55dB	3.4	242%	Day
6353	2025-05-29 11:23:15	N/A	55dB	N/A	N/A	Day
6354	2025-05-29 11:25:02	70.22	55dB	2.9	187%	Day
6355	2025-05-29 11:30:49	69.46	55dB	2.7	172%	Day
6356	2025-05-29 11:32:20	70.19	55dB	2.9	187%	Day
6357	2025-05-29 11:35:49	N/A	55dB	N/A	N/A	Day
6358	2025-05-29 11:39:20	68.19	55dB	2.5	149%	Day
6359	2025-05-29 11:40:57	75.18	55dB	4.1	305%	Day
6360	2025-05-29 11:42:13	80.69	55dB	5.9	493%	Day
6361	2025-05-29 11:44:10	89.94	55dB	11.3	1027%	Day
6362	2025-05-29 11:46:21	69.35	55dB	2.7	170%	Day
6363	2025-05-29 11:47:43	69.46	55dB	2.7	172%	Day
6364	2025-05-29 11:48:56	68.81	55dB	2.6	160%	Day
6365	2025-05-29 11:50:26	71.90	55dB	3.2	223%	Day
6366	2025-05-29 11:51:33	68.86	55dB	2.6	161%	Day
6367	2025-05-29 11:52:54	67.57	55dB	2.4	139%	Day
6368	2025-05-29 11:54:15	71.81	55dB	3.2	221%	Day
6369	2025-05-29 11:55:49	72.56	55dB	3.4	238%	Day
6370	2025-05-29 11:57:21	N/A	55dB	N/A	N/A	Day
6371	2025-05-29 11:58:34	73.81	55dB	3.7	268%	Day
6372	2025-05-29 12:00:03	71.85	55dB	3.2	222%	Day
6373	2025-05-29 12:02:19	73.61	55dB	3.6	263%	Day
6374	2025-05-29 12:03:32	70.23	55dB	2.9	187%	Day

6375	2025-05-29 12:05:01	68.02	55dB	2.5	147%	Day
6376	2025-05-29 12:06:20	72.35	55dB	3.3	233%	Day
6377	2025-05-29 12:07:43	N/A	55dB	N/A	N/A	Day
6378	2025-05-29 12:09:16	69.82	55dB	2.8	179%	Day
6379	2025-05-29 12:10:45	69.36	55dB	2.7	171%	Day
6380	2025-05-29 12:12:47	69.63	55dB	2.8	176%	Day
6381	2025-05-29 12:15:52	71.89	55dB	3.2	222%	Day
6382	2025-05-29 12:17:48	70.98	55dB	3.0	203%	Day
6383	2025-05-29 12:19:51	67.59	55dB	2.4	139%	Day
6384	2025-05-29 12:22:26	70.29	55dB	2.9	189%	Day
6385	2025-05-29 12:25:51	67.65	55dB	2.4	140%	Day
6386	2025-05-29 12:27:55	76.40	55dB	4.4	341%	Day
6387	2025-05-29 12:35:02	72.90	55dB	3.5	246%	Day
6388	2025-05-29 12:37:10	71.19	55dB	3.1	207%	Day
6389	2025-05-29 12:38:47	73.10	55dB	3.5	251%	Day
6390	2025-05-29 12:41:34	78.68	55dB	5.2	416%	Day
6391	2025-05-29 12:43:19	73.92	55dB	3.7	271%	Day
6392	2025-05-29 12:45:27	71.58	55dB	3.2	216%	Day
6393	2025-05-29 12:46:53	78.88	55dB	5.2	423%	Day
6394	2025-05-29 12:48:09	67.14	55dB	2.3	132%	Day
6395	2025-05-29 12:49:56	N/A	55dB	N/A	N/A	Day
6396	2025-05-29 12:51:27	72.96	55dB	3.5	247%	Day
6397	2025-05-29 12:52:46	69.99	55dB	2.8	183%	Day
6398	2025-05-29 12:54:42	69.13	55dB	2.7	166%	Day
6399	2025-05-29 12:56:06	71.42	55dB	3.1	212%	Day
6400	2025-05-29 12:57:17	70.14	55dB	2.9	186%	Day
6401	2025-05-29 12:58:49	75.26	55dB	4.1	307%	Day
6402	2025-05-29 13:00:47	70.73	55dB	3.0	198%	Day
6403	2025-05-29 13:02:00	72.62	55dB	3.4	239%	Day
6404	2025-05-29 13:03:14	70.29	55dB	2.9	189%	Day
6405	2025-05-29 13:04:39	70.64	55dB	3.0	196%	Day
6406	2025-05-29 13:10:54	72.47	55dB	3.4	236%	Day
6407	2025-05-29 13:15:55	73.32	55dB	3.6	256%	Day
6408	2025-05-29 13:18:12	77.53	55dB	4.8	377%	Day
6409	2025-05-29 13:19:47	76.87	55dB	4.6	355%	Day
6410	2025-05-29 13:21:56	67.58	55dB	2.4	139%	Day
6411	2025-05-29 13:23:41	70.90	55dB	3.0	201%	Day
6412	2025-05-29 13:26:02	67.82	55dB	2.4	143%	Day
6413	2025-05-29 13:28:54	70.84	55dB	3.0	200%	Day
6414	2025-05-29 13:30:54	78.47	55dB	5.1	409%	Day
6415	2025-05-29 13:34:57	69.76	55dB	2.8	178%	Day
6416	2025-05-29 13:36:22	N/A	55dB	N/A	N/A	Day
6417	2025-05-29 13:37:47	69.80	55dB	2.8	179%	Day
6418	2025-05-29 13:39:10	69.70	55dB	2.8	177%	Day

6419	2025-05-29 13:41:01	70.39	55dB	2.9	191%	Day
6420	2025-05-29 13:43:54	67.57	55dB	2.4	139%	Day
6421	2025-05-29 13:45:43	N/A	55dB	N/A	N/A	Day
6422	2025-05-29 13:48:13	74.72	55dB	3.9	292%	Day
6423	2025-05-29 13:50:38	69.63	55dB	2.8	176%	Day
6424	2025-05-29 13:51:51	69.09	55dB	2.7	166%	Day
6425	2025-05-29 13:53:19	N/A	55dB	N/A	N/A	Day
6426	2025-05-29 13:54:42	70.57	55dB	2.9	194%	Day
6427	2025-05-29 13:56:05	69.49	55dB	2.7	173%	Day
6428	2025-05-29 13:57:54	72.14	55dB	3.3	228%	Day
6429	2025-05-29 14:00:10	69.28	55dB	2.7	169%	Day
6430	2025-05-29 14:01:38	69.75	55dB	2.8	178%	Day
6431	2025-05-29 14:05:43	73.92	55dB	3.7	271%	Day
6432	2025-05-29 14:09:35	72.45	55dB	3.4	235%	Day
6433	2025-05-29 14:12:38	82.25	55dB	6.6	561%	Day
6434	2025-05-29 14:14:51	68.80	55dB	2.6	160%	Day
6435	2025-05-29 14:16:14	68.88	55dB	2.6	162%	Day
6436	2025-05-29 14:18:38	70.21	55dB	2.9	187%	Day
6437	2025-05-29 14:21:44	72.84	55dB	3.4	244%	Day
6438	2025-05-29 14:22:57	72.69	55dB	3.4	241%	Day
6439	2025-05-29 14:24:23	70.31	55dB	2.9	189%	Day
6440	2025-05-29 14:25:39	74.78	55dB	3.9	294%	Day
6441	2025-05-29 14:36:36	75.34	55dB	4.1	310%	Day
6442	2025-05-29 14:38:51	73.57	55dB	3.6	262%	Day
6443	2025-05-29 14:43:52	73.12	55dB	3.5	251%	Day
6444	2025-05-29 14:46:05	74.57	55dB	3.9	288%	Day
6445	2025-05-29 14:48:32	75.30	55dB	4.1	308%	Day
6446	2025-05-29 14:51:25	71.36	55dB	3.1	211%	Day
6447	2025-05-29 14:54:00	74.10	55dB	3.8	276%	Day
6448	2025-05-29 14:56:11	71.55	55dB	3.1	215%	Day
6449	2025-05-29 14:59:01	70.90	55dB	3.0	201%	Day
6450	2025-05-29 15:03:13	72.84	55dB	3.4	244%	Day
6451	2025-05-29 15:05:35	73.41	55dB	3.6	258%	Day
6452	2025-05-29 15:08:38	75.02	55dB	4.0	301%	Day
6453	2025-05-29 15:12:20	72.07	55dB	3.3	226%	Day
6454	2025-05-29 15:15:02	74.73	55dB	3.9	293%	Day
6455	2025-05-29 15:17:48	74.41	55dB	3.8	284%	Day
6456	2025-05-29 15:20:20	72.88	55dB	3.5	245%	Day
6457	2025-05-29 15:22:26	73.16	55dB	3.5	252%	Day
6458	2025-05-29 15:28:58	73.33	55dB	3.6	256%	Day
6459	2025-05-29 15:31:45	74.86	55dB	4.0	296%	Day
6460	2025-05-29 15:33:23	77.93	55dB	4.9	390%	Day
6461	2025-05-29 15:35:32	73.92	55dB	3.7	271%	Day
6462	2025-05-29 15:38:51	73.58	55dB	3.6	263%	Day

6463	2025-05-29 15:43:21	76.77	55dB	4.5	352%	Day
6464	2025-05-29 15:48:19	74.11	55dB	3.8	276%	Day
6465	2025-05-29 15:56:09	74.06	55dB	3.7	275%	Day
6466	2025-05-29 16:03:09	74.92	55dB	4.0	298%	Day
6467	2025-05-29 16:05:22	70.61	55dB	3.0	195%	Day
6468	2025-05-29 16:07:30	74.77	55dB	3.9	294%	Day
6469	2025-05-29 16:09:32	72.47	55dB	3.4	236%	Day
6470	2025-05-29 16:11:40	71.38	55dB	3.1	211%	Day
6471	2025-05-29 16:14:03	N/A	55dB	N/A	N/A	Day
6472	2025-05-29 16:20:15	74.11	55dB	3.8	276%	Day
6473	2025-05-29 16:23:35	73.10	55dB	3.5	251%	Day
6474	2025-05-29 16:25:45	75.08	55dB	4.0	302%	Day
6475	2025-05-29 16:30:00	74.64	55dB	3.9	290%	Day
6476	2025-05-29 16:36:15	72.29	55dB	3.3	231%	Day
6477	2025-05-29 16:42:12	73.30	55dB	3.6	256%	Day
6478	2025-05-29 16:44:20	73.55	55dB	3.6	262%	Day
6479	2025-05-29 16:46:36	68.79	55dB	2.6	160%	Day
6480	2025-05-29 16:48:54	71.02	55dB	3.0	204%	Day
6481	2025-05-29 16:51:02	72.07	55dB	3.3	226%	Day
6482	2025-05-29 16:53:20	78.98	55dB	5.3	427%	Day
6483	2025-05-29 16:55:49	73.31	55dB	3.6	256%	Day
6484	2025-05-29 16:58:28	72.78	55dB	3.4	243%	Day
6485	2025-05-29 17:00:49	74.17	55dB	3.8	278%	Day
6486	2025-05-29 17:03:20	74.03	55dB	3.7	274%	Day
6487	2025-05-29 17:05:53	76.67	55dB	4.5	349%	Day
6488	2025-05-29 17:08:55	N/A	55dB	N/A	N/A	Day
6489	2025-05-29 17:11:24	72.74	55dB	3.4	242%	Day
6490	2025-05-29 17:13:45	71.00	55dB	3.0	203%	Day
6491	2025-05-29 17:16:01	71.30	55dB	3.1	210%	Day
6492	2025-05-29 17:18:27	71.26	55dB	3.1	209%	Day
6493	2025-05-29 17:20:42	72.31	55dB	3.3	232%	Day
6494	2025-05-29 17:22:56	71.62	55dB	3.2	216%	Day
6495	2025-05-29 17:25:10	71.83	55dB	3.2	221%	Day
6496	2025-05-29 17:27:26	70.21	55dB	2.9	187%	Day
6497	2025-05-29 17:29:41	66.29	55dB	2.2	119%	Day
6498	2025-05-29 17:30:53	71.64	55dB	3.2	217%	Day
6499	2025-05-29 17:32:45	70.03	55dB	2.8	183%	Day
6500	2025-05-29 17:34:02	72.09	55dB	3.3	227%	Day
6501	2025-05-29 17:37:38	71.11	55dB	3.1	205%	Day
6502	2025-05-29 17:39:54	68.38	55dB	2.5	153%	Day
6503	2025-05-29 17:41:10	72.59	55dB	3.4	238%	Day
6504	2025-05-29 17:42:27	70.26	55dB	2.9	188%	Day
6505	2025-05-29 17:43:47	82.81	55dB	6.9	587%	Day
6506	2025-05-29 17:45:54	71.18	55dB	3.1	207%	Day

6507	2025-05-29 17:47:01	70.27	55dB	2.9	188%	Day
6508	2025-05-29 17:48:21	69.73	55dB	2.8	178%	Day
6509	2025-05-29 17:49:26	69.17	55dB	2.7	167%	Day
6510	2025-05-29 17:50:44	69.01	55dB	2.6	164%	Day
6511	2025-05-29 17:52:00	69.59	55dB	2.7	175%	Day
6512	2025-05-29 17:54:42	67.96	55dB	2.5	146%	Day
6513	2025-05-29 17:56:03	N/A	55dB	N/A	N/A	Day
6514	2025-05-29 17:57:25	N/A	55dB	N/A	N/A	Day
6515	2025-05-29 17:58:38	68.02	55dB	2.5	147%	Day
6516	2025-05-29 18:00:15	N/A	55dB	N/A	N/A	Day
6517	2025-05-29 18:02:07	N/A	55dB	N/A	N/A	Day
6518	2025-05-29 18:03:37	68.59	55dB	2.6	157%	Day
6519	2025-05-29 18:04:54	68.47	55dB	2.5	154%	Day
6520	2025-05-29 18:06:40	71.16	55dB	3.1	207%	Day
6521	2025-05-29 18:08:10	70.32	55dB	2.9	189%	Day
6522	2025-05-29 18:09:34	67.49	55dB	2.4	138%	Day
6523	2025-05-29 18:11:07	78.00	55dB	4.9	392%	Day
6524	2025-05-29 18:12:38	74.91	55dB	4.0	298%	Day
6525	2025-05-29 18:15:50	74.22	55dB	3.8	279%	Day
6526	2025-05-29 18:17:26	76.41	55dB	4.4	341%	Day
6527	2025-05-29 18:19:02	71.93	55dB	3.2	223%	Day
6528	2025-05-29 18:20:22	67.40	55dB	2.4	136%	Day
6529	2025-05-29 18:22:06	74.73	55dB	3.9	293%	Day
6530	2025-05-29 18:24:45	77.98	55dB	4.9	392%	Day
6531	2025-05-29 18:27:07	72.54	55dB	3.4	237%	Day
6532	2025-05-29 18:30:27	73.74	55dB	3.7	267%	Day
6533	2025-05-29 18:32:49	73.74	55dB	3.7	267%	Day
6534	2025-05-29 18:38:32	75.93	55dB	4.3	327%	Day
6535	2025-05-29 18:41:26	71.57	55dB	3.2	215%	Day
6536	2025-05-29 18:43:43	73.64	55dB	3.6	264%	Day
6537	2025-05-29 18:46:13	71.59	55dB	3.2	216%	Day
6538	2025-05-29 18:48:43	80.34	55dB	5.8	479%	Day
6539	2025-05-29 18:50:56	72.37	55dB	3.3	233%	Day
6540	2025-05-29 18:53:33	73.68	55dB	3.7	265%	Day
6541	2025-05-29 18:56:35	74.92	55dB	4.0	298%	Day
6542	2025-05-29 19:00:18	77.37	55dB	4.7	371%	Day
6543	2025-05-29 19:02:50	76.76	55dB	4.5	352%	Day
6544	2025-05-29 19:05:14	73.94	55dB	3.7	272%	Day
6545	2025-05-29 19:08:09	77.24	55dB	4.7	367%	Day
6546	2025-05-29 19:10:35	73.13	55dB	3.5	251%	Day
6547	2025-05-29 19:12:55	72.59	55dB	3.4	238%	Day
6548	2025-05-29 19:18:41	74.90	55dB	4.0	297%	Day
6549	2025-05-29 19:21:52	68.65	55dB	2.6	158%	Day
6550	2025-05-29 19:24:02	73.16	55dB	3.5	252%	Day

6551	2025-05-29 19:26:20	73.51	55dB	3.6	261%	Day
6552	2025-05-29 19:28:33	74.59	55dB	3.9	289%	Day
6553	2025-05-29 19:34:52	73.92	55dB	3.7	271%	Day
6554	2025-05-29 19:37:39	75.20	55dB	4.1	306%	Day
6555	2025-05-29 19:40:19	74.78	55dB	3.9	294%	Day
6556	2025-05-29 19:42:54	69.22	55dB	2.7	168%	Day
6557	2025-05-29 19:45:23	74.54	55dB	3.9	287%	Day
6558	2025-05-29 19:50:39	74.07	55dB	3.8	275%	Day
6559	2025-05-29 19:53:45	73.25	55dB	3.5	254%	Day
6560	2025-05-29 19:55:16	70.03	55dB	2.8	183%	Day
6561	2025-05-29 19:59:02	74.12	55dB	3.8	276%	Day
6562	2025-05-29 20:02:33	72.38	55dB	3.3	234%	Day
6563	2025-05-29 20:05:24	68.52	55dB	2.6	155%	Day
6564	2025-05-29 20:06:45	68.52	55dB	2.6	155%	Day
6565	2025-05-29 20:09:10	70.82	55dB	3.0	199%	Day
6566	2025-05-29 20:12:02	N/A	55dB	N/A	N/A	Day
6567	2025-05-29 20:13:28	68.48	55dB	2.5	155%	Day
6568	2025-05-29 20:15:02	72.54	55dB	3.4	237%	Day
6569	2025-05-29 20:16:31	N/A	55dB	N/A	N/A	Day
6570	2025-05-29 20:21:30	69.80	55dB	2.8	179%	Day
6571	2025-05-29 20:23:06	72.10	55dB	3.3	227%	Day
6572	2025-05-29 20:25:27	75.03	55dB	4.0	301%	Day
6573	2025-05-29 20:27:23	69.37	55dB	2.7	171%	Day
6574	2025-05-29 20:28:38	68.26	55dB	2.5	151%	Day
6575	2025-05-29 20:30:26	75.28	55dB	4.1	308%	Day
6576	2025-05-29 20:32:10	71.57	55dB	3.2	215%	Day
6577	2025-05-29 20:33:55	69.48	55dB	2.7	173%	Day
6578	2025-05-29 20:36:32	68.96	55dB	2.6	163%	Day
6579	2025-05-29 20:37:49	68.28	55dB	2.5	151%	Day
6580	2025-05-29 20:43:03	70.37	55dB	2.9	190%	Day
6581	2025-05-29 20:44:20	71.38	55dB	3.1	211%	Day
6582	2025-05-29 20:48:14	78.20	55dB	5.0	399%	Day
6583	2025-05-29 20:50:49	68.31	55dB	2.5	152%	Day
6584	2025-05-29 21:01:40	67.35	55dB	2.4	135%	Day
6585	2025-05-29 21:03:48	73.08	55dB	3.5	250%	Day
6586	2025-05-29 21:07:15	67.51	55dB	2.4	138%	Day
6587	2025-05-29 21:10:40	67.85	55dB	2.4	144%	Day
6588	2025-05-29 21:12:46	70.58	55dB	2.9	194%	Day
6589	2025-05-29 21:14:31	68.48	55dB	2.5	155%	Day
6590	2025-05-29 21:16:02	73.59	55dB	3.6	263%	Day
6591	2025-05-29 21:18:12	70.15	55dB	2.9	186%	Day
6592	2025-05-29 21:19:23	69.61	55dB	2.8	175%	Day
6593	2025-05-29 21:21:26	69.00	55dB	2.6	164%	Day
6594	2025-05-29 21:23:30	75.00	55dB	4.0	300%	Day

6595	2025-05-29 21:25:36	75.39	55dB	4.1	311%	Day
6596	2025-05-29 21:26:43	69.49	55dB	2.7	173%	Day
6597	2025-05-29 21:27:55	70.61	55dB	3.0	195%	Day
6598	2025-05-29 21:30:39	70.15	55dB	2.9	186%	Day
6599	2025-05-29 21:33:43	67.51	55dB	2.4	138%	Day
6600	2025-05-29 21:35:06	79.38	55dB	5.4	442%	Day
6601	2025-05-29 21:36:25	79.38	55dB	5.4	442%	Day
6602	2025-05-29 21:37:51	70.35	55dB	2.9	190%	Day
6603	2025-05-29 21:39:11	N/A	55dB	N/A	N/A	Day
6604	2025-05-29 21:40:26	71.73	55dB	3.2	219%	Day
6605	2025-05-29 21:42:48	N/A	55dB	N/A	N/A	Day
6606	2025-05-29 21:44:17	67.48	55dB	2.4	138%	Day
6607	2025-05-29 21:45:56	71.64	55dB	3.2	217%	Day
6608	2025-05-29 21:49:19	67.10	55dB	2.3	131%	Day
6609	2025-05-29 21:55:19	N/A	55dB	N/A	N/A	Day
6610	2025-05-29 21:57:52	69.98	55dB	2.8	182%	Day
6611	2025-05-29 22:03:32	68.51	55dB	2.6	155%	Day
6612	2025-05-29 22:05:24	71.10	55dB	3.1	205%	Day
6613	2025-05-29 22:09:57	80.92	55dB	6.0	503%	Day
6614	2025-05-29 22:12:18	71.23	55dB	3.1	208%	Day
6615	2025-05-29 22:14:47	68.62	55dB	2.6	157%	Day
6616	2025-05-29 22:16:28	79.41	55dB	5.4	443%	Day
6617	2025-05-29 22:18:48	N/A	55dB	N/A	N/A	Day
6618	2025-05-29 22:21:32	70.64	55dB	3.0	196%	Day
6619	2025-05-29 22:30:39	68.48	55dB	2.5	155%	Day
6620	2025-05-29 22:32:48	67.77	55dB	2.4	142%	Day
6621	2025-05-29 22:34:49	N/A	55dB	N/A	N/A	Day
6622	2025-05-29 22:37:50	67.47	55dB	2.4	137%	Day
6623	2025-05-29 22:44:06	70.75	55dB	3.0	198%	Day
6624	2025-05-29 22:46:06	N/A	55dB	N/A	N/A	Day
6625	2025-05-29 22:49:30	N/A	55dB	N/A	N/A	Day
6626	2025-05-29 22:51:38	N/A	55dB	N/A	N/A	Day
6627	2025-05-29 22:55:11	71.06	55dB	3.0	204%	Day
6628	2025-05-29 22:56:43	N/A	55dB	N/A	N/A	Day
6629	2025-05-29 22:58:02	N/A	55dB	N/A	N/A	Day
6630	2025-05-29 22:59:25	71.39	55dB	3.1	211%	Day
6631	2025-05-29 23:01:48	67.98	45dB	4.9	392%	Night
6632	2025-05-29 23:05:09	70.20	45dB	5.7	474%	Night
6633	2025-05-29 23:07:09	71.41	45dB	6.2	524%	Night
6634	2025-05-29 23:09:06	71.83	45dB	6.4	542%	Night
6635	2025-05-29 23:10:53	68.95	45dB	5.3	426%	Night
6636	2025-05-29 23:12:24	71.94	45dB	6.5	547%	Night
6637	2025-05-29 23:17:01	68.22	45dB	5.0	400%	Night
6638	2025-05-29 23:18:32	69.88	45dB	5.6	461%	Night

6639	2025-05-29 23:20:30	68.70	45dB	5.2	417%	Night
6640	2025-05-29 23:31:43	N/A	45dB	N/A	N/A	Night
6641	2025-05-29 23:42:17	68.26	45dB	5.0	401%	Night
6642	2025-05-29 23:47:54	70.43	45dB	5.8	483%	Night
6643	2025-05-29 23:49:31	71.62	45dB	6.3	533%	Night
6644	2025-05-29 23:50:51	68.46	45dB	5.1	408%	Night
6645	2025-05-29 23:52:31	66.59	45dB	4.5	347%	Night
6646	2025-05-29 23:54:02	68.37	45dB	5.1	405%	Night
6647	2025-05-29 23:55:31	N/A	45dB	N/A	N/A	Night
6648	2025-05-30 00:01:44	69.61	45dB	5.5	451%	Night
6649	2025-05-30 00:04:05	68.70	45dB	5.2	417%	Night
6650	2025-05-30 00:11:23	71.44	45dB	6.3	525%	Night
6651	2025-05-30 00:13:27	71.86	45dB	6.4	544%	Night
6652	2025-05-30 00:17:19	69.15	45dB	5.3	433%	Night
6653	2025-05-30 00:18:31	69.86	45dB	5.6	460%	Night
6654	2025-05-30 00:19:55	69.27	45dB	5.4	438%	Night
6655	2025-05-30 00:21:33	68.78	45dB	5.2	420%	Night
6656	2025-05-30 00:28:20	68.21	45dB	5.0	400%	Night
6657	2025-05-30 00:29:45	70.98	45dB	6.1	505%	Night
6658	2025-05-30 00:31:28	68.97	45dB	5.3	427%	Night
6659	2025-05-30 00:33:22	70.11	45dB	5.7	470%	Night
6660	2025-05-30 00:35:17	68.01	45dB	4.9	393%	Night
6661	2025-05-30 00:46:09	72.51	45dB	6.7	573%	Night
6662	2025-05-30 00:50:43	71.48	45dB	6.3	527%	Night
6663	2025-05-30 00:52:22	70.54	45dB	5.9	487%	Night
6664	2025-05-30 00:57:20	68.02	45dB	4.9	393%	Night
6665	2025-05-30 01:15:13	69.43	45dB	5.4	444%	Night
6666	2025-05-30 01:17:23	70.88	45dB	6.0	501%	Night
6667	2025-05-30 01:22:25	66.63	45dB	4.5	348%	Night
6668	2025-05-30 01:29:56	69.69	45dB	5.5	454%	Night
6669	2025-05-30 01:43:42	68.61	45dB	5.1	414%	Night
6670	2025-05-30 02:15:31	69.65	45dB	5.5	452%	Night
6671	2025-05-30 04:10:31	72.99	45dB	7.0	596%	Night
6672	2025-05-30 05:09:46	76.84	45dB	9.1	809%	Night
6673	2025-05-30 05:12:38	76.14	45dB	8.7	766%	Night
6674	2025-05-30 05:25:51	77.14	45dB	9.3	828%	Night
6675	2025-05-30 05:28:57	67.33	45dB	4.7	370%	Night
6676	2025-05-30 05:30:53	76.33	45dB	8.8	777%	Night
6677	2025-05-30 05:32:33	79.74	45dB	11.1	1011%	Night
6678	2025-05-30 05:35:47	74.01	45dB	7.5	647%	Night
6679	2025-05-30 05:44:07	69.71	45dB	5.5	454%	Night
6680	2025-05-30 05:47:03	76.15	45dB	8.7	766%	Night
6681	2025-05-30 05:49:48	77.81	45dB	9.7	872%	Night
6682	2025-05-30 05:53:56	75.64	45dB	8.4	736%	Night

6683	2025-05-30 05:56:23	77.93	45dB	9.8	880%	Night
6684	2025-05-30 05:58:08	80.51	45dB	11.7	1072%	Night
6685	2025-05-30 06:00:41	75.94	45dB	8.5	754%	Night
6686	2025-05-30 06:05:20	67.69	45dB	4.8	382%	Night
6687	2025-05-30 06:09:38	69.81	45dB	5.6	458%	Night
6688	2025-05-30 06:30:14	69.25	45dB	5.4	437%	Night
6689	2025-05-30 06:33:43	68.93	45dB	5.3	425%	Night
6690	2025-05-30 06:36:10	73.38	45dB	7.2	615%	Night
6691	2025-05-30 06:37:53	70.39	45dB	5.8	481%	Night
6692	2025-05-30 06:38:51	69.77	45dB	5.6	457%	Night
6693	2025-05-30 06:40:11	72.21	45dB	6.6	559%	Night
6694	2025-05-30 06:41:47	71.79	45dB	6.4	540%	Night
6695	2025-05-30 06:43:20	69.42	45dB	5.4	443%	Night
6696	2025-05-30 06:44:28	N/A	45dB	N/A	N/A	Night
6697	2025-05-30 06:45:47	69.42	45dB	5.4	443%	Night
6698	2025-05-30 06:47:30	76.65	45dB	9.0	797%	Night
6699	2025-05-30 06:49:05	69.84	45dB	5.6	459%	Night
6700	2025-05-30 06:50:38	69.78	45dB	5.6	457%	Night
6701	2025-05-30 06:52:06	68.94	45dB	5.3	426%	Night
6702	2025-05-30 06:53:22	70.01	45dB	5.7	466%	Night
6703	2025-05-30 06:54:45	69.93	45dB	5.6	463%	Night
6704	2025-05-30 06:56:11	71.25	45dB	6.2	517%	Night
6705	2025-05-30 06:57:16	69.50	45dB	5.5	446%	Night
6706	2025-05-30 06:59:16	70.64	45dB	5.9	491%	Night
6707	2025-05-30 07:04:14	77.25	55dB	4.7	368%	Day
6708	2025-05-30 07:07:50	78.08	55dB	5.0	395%	Day
6709	2025-05-30 07:09:02	73.85	55dB	3.7	269%	Day
6710	2025-05-30 07:10:08	71.22	55dB	3.1	208%	Day
6711	2025-05-30 07:11:22	75.64	55dB	4.2	318%	Day
6712	2025-05-30 07:15:57	76.09	55dB	4.3	331%	Day
6713	2025-05-30 07:17:16	70.13	55dB	2.9	185%	Day
6714	2025-05-30 07:18:35	69.61	55dB	2.8	175%	Day
6715	2025-05-30 07:30:24	68.88	55dB	2.6	162%	Day
6716	2025-05-30 07:32:10	70.55	55dB	2.9	194%	Day
6717	2025-05-30 07:33:33	69.18	55dB	2.7	167%	Day
6718	2025-05-30 07:36:34	70.25	55dB	2.9	188%	Day
6719	2025-05-30 07:37:46	69.77	55dB	2.8	178%	Day
6720	2025-05-30 07:39:18	70.11	55dB	2.9	185%	Day
6721	2025-05-30 07:40:30	70.01	55dB	2.8	183%	Day
6722	2025-05-30 07:41:26	73.13	55dB	3.5	251%	Day
6723	2025-05-30 07:42:56	67.13	55dB	2.3	132%	Day
6724	2025-05-30 07:47:46	71.79	55dB	3.2	220%	Day
6725	2025-05-30 07:49:49	69.18	55dB	2.7	167%	Day
6726	2025-05-30 07:52:43	69.84	55dB	2.8	180%	Day

6727	2025-05-30 07:58:38	69.35	55dB	2.7	170%	Day
6728	2025-05-30 08:00:03	69.91	55dB	2.8	181%	Day
6729	2025-05-30 08:07:26	69.62	55dB	2.8	175%	Day
6730	2025-05-30 08:11:34	71.57	55dB	3.2	215%	Day
6731	2025-05-30 08:13:57	75.12	55dB	4.0	303%	Day
6732	2025-05-30 08:16:54	77.99	55dB	4.9	392%	Day
6733	2025-05-30 08:19:26	69.45	55dB	2.7	172%	Day
6734	2025-05-30 08:21:04	66.72	55dB	2.3	125%	Day
6735	2025-05-30 08:22:46	69.36	55dB	2.7	171%	Day
6736	2025-05-30 08:24:08	69.48	55dB	2.7	173%	Day
6737	2025-05-30 08:27:45	76.06	55dB	4.3	330%	Day
6738	2025-05-30 08:33:20	69.75	55dB	2.8	178%	Day
6739	2025-05-30 08:35:17	66.79	55dB	2.3	126%	Day
6740	2025-05-30 08:46:18	74.34	55dB	3.8	282%	Day
6741	2025-05-30 08:48:16	76.54	55dB	4.5	345%	Day
6742	2025-05-30 08:52:24	N/A	55dB	N/A	N/A	Day
6743	2025-05-30 08:54:35	72.98	55dB	3.5	248%	Day
6744	2025-05-30 08:57:15	72.10	55dB	3.3	227%	Day
6745	2025-05-30 09:21:44	75.89	55dB	4.3	325%	Day
6746	2025-05-30 09:26:27	N/A	55dB	N/A	N/A	Day
6747	2025-05-30 09:29:04	68.85	55dB	2.6	161%	Day
6748	2025-05-30 09:33:20	N/A	55dB	N/A	N/A	Day
6749	2025-05-30 09:34:57	N/A	55dB	N/A	N/A	Day
6750	2025-05-30 09:37:27	67.96	55dB	2.5	146%	Day
6751	2025-05-30 09:39:42	69.05	55dB	2.6	165%	Day
6752	2025-05-30 09:44:56	N/A	55dB	N/A	N/A	Day
6753	2025-05-30 09:46:04	69.82	55dB	2.8	179%	Day
6754	2025-05-30 09:47:50	69.45	55dB	2.7	172%	Day
6755	2025-05-30 09:50:00	N/A	55dB	N/A	N/A	Day
6756	2025-05-30 09:51:47	70.22	55dB	2.9	187%	Day
6757	2025-05-30 09:59:17	69.30	55dB	2.7	169%	Day
6758	2025-05-30 10:01:18	73.53	55dB	3.6	261%	Day
6759	2025-05-30 10:06:08	78.18	55dB	5.0	399%	Day
6760	2025-05-30 10:07:41	67.72	55dB	2.4	141%	Day
6761	2025-05-30 10:09:05	81.34	55dB	6.2	521%	Day
6762	2025-05-30 10:10:26	71.71	55dB	3.2	218%	Day
6763	2025-05-30 10:13:47	69.29	55dB	2.7	169%	Day
6764	2025-05-30 10:14:55	70.46	55dB	2.9	192%	Day
6765	2025-05-30 10:16:08	70.22	55dB	2.9	187%	Day
6766	2025-05-30 10:19:49	67.39	55dB	2.4	136%	Day
6767	2025-05-30 10:21:36	73.43	55dB	3.6	259%	Day
6768	2025-05-30 10:26:14	67.82	55dB	2.4	143%	Day
6769	2025-05-30 10:31:26	69.60	55dB	2.8	175%	Day
6770	2025-05-30 10:34:48	69.93	55dB	2.8	181%	Day

6771	2025-05-30 10:36:26	68.88	55dB	2.6	162%	Day
6772	2025-05-30 10:37:45	70.72	55dB	3.0	197%	Day
6773	2025-05-30 10:40:05	72.52	55dB	3.4	237%	Day
6774	2025-05-30 10:41:52	70.36	55dB	2.9	190%	Day
6775	2025-05-30 10:43:44	N/A	55dB	N/A	N/A	Day
6776	2025-05-30 10:48:34	70.14	55dB	2.9	186%	Day
6777	2025-05-30 10:54:51	67.41	55dB	2.4	136%	Day
6778	2025-05-30 10:56:34	70.80	55dB	3.0	199%	Day
6779	2025-05-30 10:58:15	72.21	55dB	3.3	230%	Day
6780	2025-05-30 10:59:34	67.57	55dB	2.4	139%	Day
6781	2025-05-30 11:01:05	68.74	55dB	2.6	159%	Day
6782	2025-05-30 11:02:28	N/A	55dB	N/A	N/A	Day
6783	2025-05-30 11:06:30	N/A	55dB	N/A	N/A	Day
6784	2025-05-30 11:08:41	68.18	55dB	2.5	149%	Day
6785	2025-05-30 11:10:46	66.39	55dB	2.2	120%	Day
6786	2025-05-30 11:13:16	66.92	55dB	2.3	128%	Day
6787	2025-05-30 11:15:49	68.40	55dB	2.5	153%	Day
6788	2025-05-30 11:17:57	67.54	55dB	2.4	139%	Day
6789	2025-05-30 11:20:25	70.83	55dB	3.0	200%	Day
6790	2025-05-30 11:23:30	67.00	55dB	2.3	130%	Day
6791	2025-05-30 11:25:07	68.11	55dB	2.5	148%	Day
6792	2025-05-30 11:27:52	73.44	55dB	3.6	259%	Day
6793	2025-05-30 11:29:43	N/A	55dB	N/A	N/A	Day
6794	2025-05-30 11:30:56	72.37	55dB	3.3	233%	Day
6795	2025-05-30 11:33:02	72.69	55dB	3.4	241%	Day
6796	2025-05-30 11:34:10	71.91	55dB	3.2	223%	Day
6797	2025-05-30 11:36:23	71.64	55dB	3.2	217%	Day
6798	2025-05-30 11:37:45	68.74	55dB	2.6	159%	Day
6799	2025-05-30 11:38:54	70.18	55dB	2.9	186%	Day
6800	2025-05-30 11:40:15	78.88	55dB	5.2	423%	Day
6801	2025-05-30 11:44:28	75.24	55dB	4.1	307%	Day
6802	2025-05-30 11:45:48	69.24	55dB	2.7	168%	Day
6803	2025-05-30 11:48:14	69.06	55dB	2.7	165%	Day
6804	2025-05-30 11:51:55	68.26	55dB	2.5	151%	Day
6805	2025-05-30 11:55:04	69.10	55dB	2.7	166%	Day
6806	2025-05-30 11:56:06	68.54	55dB	2.6	156%	Day
6807	2025-05-30 11:57:26	71.49	55dB	3.1	214%	Day
6808	2025-05-30 11:58:49	69.39	55dB	2.7	171%	Day
6809	2025-05-30 12:01:27	73.84	55dB	3.7	269%	Day
6810	2025-05-30 12:04:15	68.48	55dB	2.5	155%	Day
6811	2025-05-30 12:06:00	68.66	55dB	2.6	158%	Day
6812	2025-05-30 12:08:57	N/A	55dB	N/A	N/A	Day
6813	2025-05-30 12:10:23	72.76	55dB	3.4	242%	Day
6814	2025-05-30 12:11:32	N/A	55dB	N/A	N/A	Day

6815	2025-05-30 12:12:48	72.42	55dB	3.3	234%	Day
6816	2025-05-30 12:13:58	76.38	55dB	4.4	340%	Day
6817	2025-05-30 12:15:00	72.02	55dB	3.3	225%	Day
6818	2025-05-30 12:16:34	79.48	55dB	5.5	446%	Day
6819	2025-05-30 12:17:34	75.03	55dB	4.0	301%	Day
6820	2025-05-30 12:19:36	78.93	55dB	5.3	425%	Day
6821	2025-05-30 12:20:46	71.78	55dB	3.2	220%	Day
6822	2025-05-30 12:22:04	79.28	55dB	5.4	438%	Day
6823	2025-05-30 12:23:19	69.34	55dB	2.7	170%	Day
6824	2025-05-30 12:24:25	71.78	55dB	3.2	220%	Day
6825	2025-05-30 12:29:09	74.71	55dB	3.9	292%	Day
6826	2025-05-30 12:30:50	73.69	55dB	3.7	265%	Day
6827	2025-05-30 12:32:02	71.22	55dB	3.1	208%	Day
6828	2025-05-30 12:33:52	73.43	55dB	3.6	259%	Day
6829	2025-05-30 12:35:50	70.67	55dB	3.0	196%	Day
6830	2025-05-30 12:39:15	83.38	55dB	7.2	615%	Day
6831	2025-05-30 12:42:14	70.37	55dB	2.9	190%	Day
6832	2025-05-30 12:43:52	69.22	55dB	2.7	168%	Day
6833	2025-05-30 12:45:54	85.34	55dB	8.2	719%	Day
6834	2025-05-30 12:49:52	82.11	55dB	6.5	555%	Day
6835	2025-05-30 12:52:42	83.47	55dB	7.2	620%	Day
6836	2025-05-30 12:54:26	N/A	55dB	N/A	N/A	Day
6837	2025-05-30 12:56:53	77.25	55dB	4.7	368%	Day
6838	2025-05-30 12:58:49	76.31	55dB	4.4	338%	Day
6839	2025-05-30 13:01:51	71.02	55dB	3.0	204%	Day
6840	2025-05-30 13:03:12	83.19	55dB	7.1	606%	Day
6841	2025-05-30 13:04:37	90.42	55dB	11.6	1065%	Day
6842	2025-05-30 13:06:02	93.53	55dB	14.5	1345%	Day
6843	2025-05-30 13:07:21	68.87	55dB	2.6	162%	Day
6844	2025-05-30 13:10:06	70.85	55dB	3.0	200%	Day
6845	2025-05-30 13:14:17	92.19	55dB	13.2	1217%	Day
6846	2025-05-30 13:15:43	93.61	55dB	14.5	1353%	Day
6847	2025-05-30 13:19:01	N/A	55dB	N/A	N/A	Day
6848	2025-05-30 13:24:55	70.76	55dB	3.0	198%	Day
6849	2025-05-30 13:26:27	70.39	55dB	2.9	191%	Day
6850	2025-05-30 13:28:41	69.06	55dB	2.7	165%	Day
6851	2025-05-30 13:33:22	73.96	55dB	3.7	272%	Day
6852	2025-05-30 13:36:15	83.70	55dB	7.3	631%	Day
6853	2025-05-30 13:39:19	69.39	55dB	2.7	171%	Day
6854	2025-05-30 13:40:52	N/A	55dB	N/A	N/A	Day
6855	2025-05-30 13:43:22	67.84	55dB	2.4	144%	Day
6856	2025-05-30 13:45:23	72.02	55dB	3.3	225%	Day
6857	2025-05-30 13:46:58	68.65	55dB	2.6	158%	Day
6858	2025-05-30 13:49:12	73.06	55dB	3.5	250%	Day

6859	2025-05-30 13:55:34	69.63	55dB	2.8	176%	Day
6860	2025-05-30 14:04:48	72.23	55dB	3.3	230%	Day
6861	2025-05-30 14:06:02	77.96	55dB	4.9	391%	Day
6862	2025-05-30 14:07:53	73.74	55dB	3.7	267%	Day
6863	2025-05-30 14:11:28	69.68	55dB	2.8	177%	Day
6864	2025-05-30 14:13:10	N/A	55dB	N/A	N/A	Day
6865	2025-05-30 14:14:32	74.54	55dB	3.9	287%	Day
6866	2025-05-30 14:16:40	71.01	55dB	3.0	203%	Day
6867	2025-05-30 14:18:11	72.38	55dB	3.3	234%	Day
6868	2025-05-30 14:20:11	69.72	55dB	2.8	177%	Day
6869	2025-05-30 14:25:18	70.87	55dB	3.0	200%	Day
6870	2025-05-30 14:27:56	70.00	55dB	2.8	183%	Day
6871	2025-05-30 14:29:38	N/A	55dB	N/A	N/A	Day
6872	2025-05-30 14:34:38	N/A	55dB	N/A	N/A	Day
6873	2025-05-30 14:35:46	70.49	55dB	2.9	193%	Day
6874	2025-05-30 14:36:57	70.43	55dB	2.9	191%	Day
6875	2025-05-30 14:38:13	69.28	55dB	2.7	169%	Day
6876	2025-05-30 14:39:32	70.01	55dB	2.8	183%	Day
6877	2025-05-30 14:40:36	70.65	55dB	3.0	196%	Day
6878	2025-05-30 14:41:49	70.45	55dB	2.9	192%	Day
6879	2025-05-30 14:45:14	70.08	55dB	2.8	184%	Day
6880	2025-05-30 14:46:48	71.14	55dB	3.1	206%	Day
6881	2025-05-30 14:48:47	N/A	55dB	N/A	N/A	Day
6882	2025-05-30 14:51:09	70.47	55dB	2.9	192%	Day
6883	2025-05-30 14:52:51	73.46	55dB	3.6	260%	Day
6884	2025-05-30 14:55:12	N/A	55dB	N/A	N/A	Day
6885	2025-05-30 14:56:27	68.57	55dB	2.6	156%	Day
6886	2025-05-30 14:57:48	67.63	55dB	2.4	140%	Day
6887	2025-05-30 14:59:31	N/A	55dB	N/A	N/A	Day
6888	2025-05-30 15:01:04	N/A	55dB	N/A	N/A	Day
6889	2025-05-30 15:02:44	68.51	55dB	2.6	155%	Day
6890	2025-05-30 15:04:58	66.89	55dB	2.3	128%	Day
6891	2025-05-30 15:06:19	N/A	55dB	N/A	N/A	Day
6892	2025-05-30 15:07:37	67.99	55dB	2.5	146%	Day
6893	2025-05-30 15:08:50	68.04	55dB	2.5	147%	Day
6894	2025-05-30 15:10:09	69.77	55dB	2.8	178%	Day
6895	2025-05-30 15:11:29	69.27	55dB	2.7	169%	Day
6896	2025-05-30 15:12:37	68.07	55dB	2.5	147%	Day
6897	2025-05-30 15:13:55	71.07	55dB	3.0	205%	Day
6898	2025-05-30 15:15:11	71.06	55dB	3.0	204%	Day
6899	2025-05-30 15:16:24	76.43	55dB	4.4	342%	Day
6900	2025-05-30 15:18:25	N/A	55dB	N/A	N/A	Day
6901	2025-05-30 15:19:26	69.51	55dB	2.7	173%	Day
6902	2025-05-30 15:20:51	66.97	55dB	2.3	129%	Day

6903	2025-05-30 15:22:08	76.51	55dB	4.4	344%	Day
6904	2025-05-30 15:24:19	67.23	55dB	2.3	133%	Day
6905	2025-05-30 15:25:47	74.46	55dB	3.9	285%	Day
6906	2025-05-30 15:28:03	68.60	55dB	2.6	157%	Day
6907	2025-05-30 15:29:33	79.67	55dB	5.5	453%	Day
6908	2025-05-30 15:31:25	68.81	55dB	2.6	160%	Day
6909	2025-05-30 15:32:39	70.14	55dB	2.9	186%	Day
6910	2025-05-30 15:34:11	69.05	55dB	2.6	165%	Day
6911	2025-05-30 15:35:53	71.14	55dB	3.1	206%	Day
6912	2025-05-30 15:41:07	74.86	55dB	4.0	296%	Day
6913	2025-05-30 15:49:06	69.73	55dB	2.8	178%	Day
6914	2025-05-30 15:51:01	68.87	55dB	2.6	162%	Day
6915	2025-05-30 15:52:22	66.70	55dB	2.3	125%	Day
6916	2025-05-30 15:53:55	73.86	55dB	3.7	270%	Day
6917	2025-05-30 15:57:26	74.77	55dB	3.9	294%	Day
6918	2025-05-30 15:59:31	70.02	55dB	2.8	183%	Day
6919	2025-05-30 16:01:10	68.70	55dB	2.6	158%	Day
6920	2025-05-30 16:03:00	71.82	55dB	3.2	221%	Day
6921	2025-05-30 16:04:16	70.37	55dB	2.9	190%	Day
6922	2025-05-30 16:06:02	69.11	55dB	2.7	166%	Day
6923	2025-05-30 16:08:13	68.14	55dB	2.5	149%	Day
6924	2025-05-30 16:10:41	72.30	55dB	3.3	232%	Day
6925	2025-05-30 16:15:10	73.98	55dB	3.7	273%	Day
6926	2025-05-30 16:16:48	74.29	55dB	3.8	281%	Day
6927	2025-05-30 16:19:33	69.83	55dB	2.8	180%	Day
6928	2025-05-30 16:21:58	74.93	55dB	4.0	298%	Day
6929	2025-05-30 16:23:46	72.65	55dB	3.4	240%	Day
6930	2025-05-30 16:25:09	69.06	55dB	2.7	165%	Day
6931	2025-05-30 16:26:25	69.09	55dB	2.7	166%	Day
6932	2025-05-30 16:28:11	68.12	55dB	2.5	148%	Day
6933	2025-05-30 16:29:43	N/A	55dB	N/A	N/A	Day
6934	2025-05-30 16:30:49	73.85	55dB	3.7	269%	Day
6935	2025-05-30 16:32:36	68.92	55dB	2.6	162%	Day
6936	2025-05-30 16:33:56	73.37	55dB	3.6	257%	Day
6937	2025-05-30 16:35:27	N/A	55dB	N/A	N/A	Day
6938	2025-05-30 16:36:51	67.29	55dB	2.3	134%	Day
6939	2025-05-30 16:38:52	69.54	55dB	2.7	174%	Day
6940	2025-05-30 16:40:22	67.73	55dB	2.4	142%	Day
6941	2025-05-30 16:41:56	74.23	55dB	3.8	279%	Day
6942	2025-05-30 16:44:10	70.13	55dB	2.9	185%	Day
6943	2025-05-30 16:46:10	70.02	55dB	2.8	183%	Day
6944	2025-05-30 16:47:37	69.99	55dB	2.8	183%	Day
6945	2025-05-30 16:48:50	77.77	55dB	4.8	385%	Day
6946	2025-05-30 16:50:32	70.61	55dB	3.0	195%	Day

6947	2025-05-30 16:51:56	75.93	55dB	4.3	327%	Day
6948	2025-05-30 16:53:45	70.23	55dB	2.9	187%	Day
6949	2025-05-30 16:55:10	69.45	55dB	2.7	172%	Day
6950	2025-05-30 16:56:36	70.48	55dB	2.9	192%	Day
6951	2025-05-30 16:57:56	70.35	55dB	2.9	190%	Day
6952	2025-05-30 17:00:14	76.82	55dB	4.5	354%	Day
6953	2025-05-30 17:02:37	N/A	55dB	N/A	N/A	Day
6954	2025-05-30 17:03:46	67.33	55dB	2.4	135%	Day
6955	2025-05-30 17:06:04	73.12	55dB	3.5	251%	Day
6956	2025-05-30 17:07:45	69.98	55dB	2.8	182%	Day
6957	2025-05-30 17:09:09	69.75	55dB	2.8	178%	Day
6958	2025-05-30 17:10:25	77.06	55dB	4.6	361%	Day
6959	2025-05-30 17:11:46	N/A	55dB	N/A	N/A	Day
6960	2025-05-30 17:13:16	70.10	55dB	2.8	185%	Day
6961	2025-05-30 17:15:07	73.50	55dB	3.6	261%	Day
6962	2025-05-30 17:16:32	N/A	55dB	N/A	N/A	Day
6963	2025-05-30 17:18:05	73.43	55dB	3.6	259%	Day
6964	2025-05-30 17:20:33	N/A	55dB	N/A	N/A	Day
6965	2025-05-30 17:22:03	69.90	55dB	2.8	181%	Day
6966	2025-05-30 17:23:25	66.78	55dB	2.3	126%	Day
6967	2025-05-30 17:24:33	N/A	55dB	N/A	N/A	Day
6968	2025-05-30 17:25:47	N/A	55dB	N/A	N/A	Day
6969	2025-05-30 17:27:07	71.28	55dB	3.1	209%	Day
6970	2025-05-30 17:28:26	N/A	55dB	N/A	N/A	Day
6971	2025-05-30 17:30:21	73.38	55dB	3.6	258%	Day
6972	2025-05-30 17:33:10	N/A	55dB	N/A	N/A	Day
6973	2025-05-30 17:34:37	71.96	55dB	3.2	224%	Day
6974	2025-05-30 17:35:51	70.32	55dB	2.9	189%	Day
6975	2025-05-30 17:37:13	70.12	55dB	2.9	185%	Day
6976	2025-05-30 17:38:26	71.74	55dB	3.2	219%	Day
6977	2025-05-30 17:39:43	N/A	55dB	N/A	N/A	Day
6978	2025-05-30 17:41:08	73.87	55dB	3.7	270%	Day
6979	2025-05-30 17:43:24	71.89	55dB	3.2	222%	Day
6980	2025-05-30 17:46:11	70.71	55dB	3.0	197%	Day
6981	2025-05-30 17:47:33	68.98	55dB	2.6	164%	Day
6982	2025-05-30 17:48:55	73.39	55dB	3.6	258%	Day
6983	2025-05-30 17:50:56	N/A	55dB	N/A	N/A	Day
6984	2025-05-30 17:52:12	70.47	55dB	2.9	192%	Day
6985	2025-05-30 17:53:34	74.05	55dB	3.7	275%	Day
6986	2025-05-30 17:54:46	70.01	55dB	2.8	183%	Day
6987	2025-05-30 17:56:23	N/A	55dB	N/A	N/A	Day
6988	2025-05-30 17:57:34	70.56	55dB	2.9	194%	Day
6989	2025-05-30 17:59:06	69.04	55dB	2.6	165%	Day
6990	2025-05-30 18:00:34	78.48	55dB	5.1	409%	Day

6991	2025-05-30 18:02:15	68.48	55dB	2.5	155%	Day
6992	2025-05-30 18:04:45	71.33	55dB	3.1	210%	Day
6993	2025-05-30 18:07:28	67.64	55dB	2.4	140%	Day
6994	2025-05-30 18:09:02	N/A	55dB	N/A	N/A	Day
6995	2025-05-30 18:10:12	78.63	55dB	5.1	414%	Day
6996	2025-05-30 18:13:57	66.85	55dB	2.3	127%	Day
6997	2025-05-30 18:15:22	74.95	55dB	4.0	299%	Day
6998	2025-05-30 18:16:43	73.13	55dB	3.5	251%	Day
6999	2025-05-30 18:18:46	78.74	55dB	5.2	418%	Day
7000	2025-05-30 18:20:01	68.98	55dB	2.6	164%	Day
7001	2025-05-30 18:21:10	72.49	55dB	3.4	236%	Day
7002	2025-05-30 18:22:05	74.76	55dB	3.9	293%	Day
7003	2025-05-30 18:23:19	69.42	55dB	2.7	172%	Day
7004	2025-05-30 18:24:37	69.37	55dB	2.7	171%	Day
7005	2025-05-30 18:25:50	68.93	55dB	2.6	163%	Day
7006	2025-05-30 18:27:10	N/A	55dB	N/A	N/A	Day
7007	2025-05-30 18:28:24	67.66	55dB	2.4	140%	Day
7008	2025-05-30 18:29:33	70.99	55dB	3.0	203%	Day
7009	2025-05-30 18:31:23	68.45	55dB	2.5	154%	Day
7010	2025-05-30 18:34:48	N/A	55dB	N/A	N/A	Day
7011	2025-05-30 18:38:03	72.07	55dB	3.3	226%	Day
7012	2025-05-30 18:41:32	69.16	55dB	2.7	167%	Day
7013	2025-05-30 18:43:18	71.75	55dB	3.2	219%	Day
7014	2025-05-30 18:44:45	70.35	55dB	2.9	190%	Day
7015	2025-05-30 18:46:05	67.02	55dB	2.3	130%	Day
7016	2025-05-30 18:47:19	69.43	55dB	2.7	172%	Day
7017	2025-05-30 18:48:53	68.14	55dB	2.5	149%	Day
7018	2025-05-30 18:50:31	69.35	55dB	2.7	170%	Day
7019	2025-05-30 18:53:55	70.59	55dB	2.9	195%	Day
7020	2025-05-30 18:55:19	74.33	55dB	3.8	282%	Day
7021	2025-05-30 18:57:20	70.10	55dB	2.8	185%	Day
7022	2025-05-30 18:58:55	67.83	55dB	2.4	143%	Day
7023	2025-05-30 19:00:28	70.42	55dB	2.9	191%	Day
7024	2025-05-30 19:01:39	69.57	55dB	2.7	175%	Day
7025	2025-05-30 19:03:21	71.27	55dB	3.1	209%	Day
7026	2025-05-30 19:05:17	71.92	55dB	3.2	223%	Day
7027	2025-05-30 19:06:46	78.48	55dB	5.1	409%	Day
7028	2025-05-30 19:09:45	N/A	55dB	N/A	N/A	Day
7029	2025-05-30 19:13:32	69.18	55dB	2.7	167%	Day
7030	2025-05-30 19:14:58	67.41	55dB	2.4	136%	Day
7031	2025-05-30 19:16:13	69.25	55dB	2.7	169%	Day
7032	2025-05-30 19:17:33	73.65	55dB	3.6	264%	Day
7033	2025-05-30 19:20:28	69.14	55dB	2.7	166%	Day
7034	2025-05-30 19:21:44	77.25	55dB	4.7	368%	Day

7035	2025-05-30 19:25:32	68.41	55dB	2.5	153%	Day
7036	2025-05-30 19:27:28	N/A	55dB	N/A	N/A	Day
7037	2025-05-30 19:28:50	73.98	55dB	3.7	273%	Day
7038	2025-05-30 19:30:05	N/A	55dB	N/A	N/A	Day
7039	2025-05-30 19:31:20	68.93	55dB	2.6	163%	Day
7040	2025-05-30 19:33:12	73.79	55dB	3.7	268%	Day
7041	2025-05-30 19:35:25	70.90	55dB	3.0	201%	Day
7042	2025-05-30 19:36:56	72.85	55dB	3.4	245%	Day
7043	2025-05-30 19:38:53	69.67	55dB	2.8	176%	Day
7044	2025-05-30 19:40:10	73.33	55dB	3.6	256%	Day
7045	2025-05-30 19:41:26	73.61	55dB	3.6	263%	Day
7046	2025-05-30 19:43:18	N/A	55dB	N/A	N/A	Day
7047	2025-05-30 19:44:46	70.35	55dB	2.9	190%	Day
7048	2025-05-30 19:46:17	N/A	55dB	N/A	N/A	Day
7049	2025-05-30 19:47:31	N/A	55dB	N/A	N/A	Day
7050	2025-05-30 19:49:03	69.74	55dB	2.8	178%	Day
7051	2025-05-30 19:50:48	73.66	55dB	3.6	265%	Day
7052	2025-05-30 19:52:08	69.93	55dB	2.8	181%	Day
7053	2025-05-30 19:54:31	75.62	55dB	4.2	318%	Day
7054	2025-05-30 19:56:45	70.77	55dB	3.0	198%	Day
7055	2025-05-30 19:58:49	76.77	55dB	4.5	352%	Day
7056	2025-05-30 20:00:39	N/A	55dB	N/A	N/A	Day
7057	2025-05-30 20:01:51	67.48	55dB	2.4	138%	Day
7058	2025-05-30 20:03:07	70.39	55dB	2.9	191%	Day
7059	2025-05-30 20:05:10	72.82	55dB	3.4	244%	Day
7060	2025-05-30 20:08:58	72.44	55dB	3.3	235%	Day
7061	2025-05-30 20:11:03	72.81	55dB	3.4	244%	Day
7062	2025-05-30 20:13:04	69.63	55dB	2.8	176%	Day
7063	2025-05-30 20:14:28	70.11	55dB	2.9	185%	Day
7064	2025-05-30 20:16:18	75.00	55dB	4.0	300%	Day
7065	2025-05-30 20:18:27	N/A	55dB	N/A	N/A	Day
7066	2025-05-30 20:19:48	79.58	55dB	5.5	449%	Day
7067	2025-05-30 20:21:04	69.75	55dB	2.8	178%	Day
7068	2025-05-30 20:22:28	76.77	55dB	4.5	352%	Day
7069	2025-05-30 20:24:33	67.21	55dB	2.3	133%	Day
7070	2025-05-30 20:26:38	N/A	55dB	N/A	N/A	Day
7071	2025-05-30 20:28:09	68.59	55dB	2.6	157%	Day
7072	2025-05-30 20:29:17	N/A	55dB	N/A	N/A	Day
7073	2025-05-30 20:31:16	69.99	55dB	2.8	183%	Day
7074	2025-05-30 20:33:24	69.15	55dB	2.7	167%	Day
7075	2025-05-30 20:35:53	72.85	55dB	3.4	245%	Day
7076	2025-05-30 20:37:47	69.18	55dB	2.7	167%	Day
7077	2025-05-30 20:45:06	69.85	55dB	2.8	180%	Day
7078	2025-05-30 20:47:57	69.36	55dB	2.7	171%	Day

7079	2025-05-30 20:50:43	69.35	55dB	2.7	170%	Day
7080	2025-05-30 20:52:08	72.20	55dB	3.3	229%	Day
7081	2025-05-30 20:53:32	70.49	55dB	2.9	193%	Day
7082	2025-05-30 20:55:28	74.93	55dB	4.0	298%	Day
7083	2025-05-30 20:58:30	68.07	55dB	2.5	147%	Day
7084	2025-05-30 21:00:41	68.27	55dB	2.5	151%	Day
7085	2025-05-30 21:03:47	N/A	55dB	N/A	N/A	Day
7086	2025-05-30 21:09:17	71.22	55dB	3.1	208%	Day
7087	2025-05-30 21:10:39	70.22	55dB	2.9	187%	Day
7088	2025-05-30 21:12:26	N/A	55dB	N/A	N/A	Day
7089	2025-05-30 21:13:58	69.76	55dB	2.8	178%	Day
7090	2025-05-30 21:19:25	68.46	55dB	2.5	154%	Day
7091	2025-05-30 21:21:09	N/A	55dB	N/A	N/A	Day
7092	2025-05-30 21:24:36	79.40	55dB	5.4	443%	Day
7093	2025-05-30 21:25:57	67.94	55dB	2.5	145%	Day
7094	2025-05-30 21:27:19	72.54	55dB	3.4	237%	Day
7095	2025-05-30 21:28:49	N/A	55dB	N/A	N/A	Day
7096	2025-05-30 21:32:09	69.70	55dB	2.8	177%	Day
7097	2025-05-30 21:34:43	75.38	55dB	4.1	311%	Day
7098	2025-05-30 21:36:50	69.72	55dB	2.8	177%	Day
7099	2025-05-30 21:40:32	70.66	55dB	3.0	196%	Day
7100	2025-05-30 21:47:01	72.22	55dB	3.3	230%	Day
7101	2025-05-30 21:48:53	65.90	55dB	2.1	113%	Day
7102	2025-05-30 21:52:27	68.38	55dB	2.5	153%	Day
7103	2025-05-30 21:58:42	70.78	55dB	3.0	199%	Day
7104	2025-05-30 22:00:53	68.74	55dB	2.6	159%	Day
7105	2025-05-30 22:02:13	71.96	55dB	3.2	224%	Day
7106	2025-05-30 22:03:46	N/A	55dB	N/A	N/A	Day
7107	2025-05-30 22:05:02	68.15	55dB	2.5	149%	Day
7108	2025-05-30 22:06:39	75.10	55dB	4.0	303%	Day
7109	2025-05-30 22:07:50	79.90	55dB	5.6	462%	Day
7110	2025-05-30 22:09:38	N/A	55dB	N/A	N/A	Day
7111	2025-05-30 22:13:24	72.75	55dB	3.4	242%	Day
7112	2025-05-30 22:16:39	N/A	55dB	N/A	N/A	Day
7113	2025-05-30 22:18:13	74.05	55dB	3.7	275%	Day
7114	2025-05-30 22:20:51	N/A	55dB	N/A	N/A	Day
7115	2025-05-30 22:23:38	71.79	55dB	3.2	220%	Day
7116	2025-05-30 22:25:05	72.53	55dB	3.4	237%	Day
7117	2025-05-30 22:27:04	N/A	55dB	N/A	N/A	Day
7118	2025-05-30 22:28:31	70.65	55dB	3.0	196%	Day
7119	2025-05-30 22:29:54	79.15	55dB	5.3	433%	Day
7120	2025-05-30 22:34:36	72.41	55dB	3.3	234%	Day
7121	2025-05-30 22:39:28	73.25	55dB	3.5	254%	Day
7122	2025-05-30 22:40:50	70.98	55dB	3.0	203%	Day

7123	2025-05-30 22:41:54	69.79	55dB	2.8	179%	Day
7124	2025-05-30 22:43:03	67.88	55dB	2.4	144%	Day
7125	2025-05-30 22:44:17	69.99	55dB	2.8	183%	Day
7126	2025-05-30 22:46:21	71.02	55dB	3.0	204%	Day
7127	2025-05-30 22:47:43	71.81	55dB	3.2	221%	Day
7128	2025-05-30 22:49:04	70.09	55dB	2.8	185%	Day
7129	2025-05-30 22:52:07	68.34	55dB	2.5	152%	Day
7130	2025-05-30 22:53:32	70.87	55dB	3.0	200%	Day
7131	2025-05-30 23:06:15	N/A	45dB	N/A	N/A	Night
7132	2025-05-30 23:11:35	68.42	45dB	5.1	407%	Night
7133	2025-05-30 23:17:14	N/A	45dB	N/A	N/A	Night
7134	2025-05-30 23:19:11	71.56	45dB	6.3	530%	Night
7135	2025-05-30 23:20:50	78.29	45dB	10.0	905%	Night
7136	2025-05-30 23:25:07	72.84	45dB	6.9	589%	Night
7137	2025-05-30 23:29:46	71.13	45dB	6.1	512%	Night
7138	2025-05-30 23:32:26	N/A	45dB	N/A	N/A	Night
7139	2025-05-30 23:36:02	66.85	45dB	4.5	355%	Night
7140	2025-05-30 23:37:40	68.97	45dB	5.3	427%	Night
7141	2025-05-30 23:38:50	71.79	45dB	6.4	540%	Night
7142	2025-05-30 23:40:14	67.76	45dB	4.8	384%	Night
7143	2025-05-30 23:41:38	76.28	45dB	8.7	774%	Night
7144	2025-05-30 23:44:41	N/A	45dB	N/A	N/A	Night
7145	2025-05-30 23:46:08	69.03	45dB	5.3	429%	Night
7146	2025-05-30 23:47:51	69.58	45dB	5.5	449%	Night
7147	2025-05-30 23:49:12	70.85	45dB	6.0	500%	Night
7148	2025-05-30 23:50:35	69.75	45dB	5.6	456%	Night
7149	2025-05-30 23:58:01	70.32	45dB	5.8	478%	Night
7150	2025-05-31 00:03:33	70.84	45dB	6.0	500%	Night
7151	2025-05-31 00:10:22	67.65	45dB	4.8	381%	Night
7152	2025-05-31 00:12:08	68.93	45dB	5.3	425%	Night
7153	2025-05-31 00:13:31	72.22	45dB	6.6	560%	Night
7154	2025-05-31 00:20:16	65.16	45dB	4.0	304%	Night
7155	2025-05-31 00:23:32	69.85	45dB	5.6	460%	Night
7156	2025-05-31 00:25:04	69.19	45dB	5.3	435%	Night
7157	2025-05-31 00:30:48	70.80	45dB	6.0	498%	Night
7158	2025-05-31 00:32:26	69.79	45dB	5.6	458%	Night
7159	2025-05-31 00:34:52	69.79	45dB	5.6	458%	Night
7160	2025-05-31 00:36:41	70.21	45dB	5.7	474%	Night
7161	2025-05-31 00:38:11	68.80	45dB	5.2	421%	Night
7162	2025-05-31 00:39:40	69.30	45dB	5.4	439%	Night
7163	2025-05-31 00:41:03	69.31	45dB	5.4	439%	Night
7164	2025-05-31 00:46:02	74.71	45dB	7.8	684%	Night
7165	2025-05-31 00:47:58	68.58	45dB	5.1	413%	Night
7166	2025-05-31 00:49:16	70.16	45dB	5.7	472%	Night

7167	2025-05-31 00:53:07	77.67	45dB	9.6	863%	Night
7168	2025-05-31 00:55:54	76.28	45dB	8.7	774%	Night
7169	2025-05-31 00:57:12	70.35	45dB	5.8	480%	Night
7170	2025-05-31 01:00:23	69.49	45dB	5.5	446%	Night
7171	2025-05-31 01:55:26	70.33	45dB	5.8	479%	Night
7172	2025-05-31 01:57:49	79.61	45dB	11.0	1001%	Night
7173	2025-05-31 02:30:07	69.52	45dB	5.5	447%	Night
7174	2025-05-31 02:54:02	70.57	45dB	5.9	488%	Night
7175	2025-05-31 06:31:51	80.21	45dB	11.5	1048%	Night
7176	2025-05-31 06:35:14	75.67	45dB	8.4	738%	Night
7177	2025-05-31 06:35:14	75.67	45dB	8.4	738%	Night
7178	2025-05-31 06:36:18	68.65	45dB	5.2	415%	Night
7179	2025-05-31 06:37:22	N/A	45dB	N/A	N/A	Night
7180	2025-05-31 06:38:44	N/A	45dB	N/A	N/A	Night
7181	2025-05-31 06:39:39	N/A	45dB	N/A	N/A	Night
7182	2025-05-31 06:40:41	N/A	45dB	N/A	N/A	Night
7183	2025-05-31 06:41:57	74.40	45dB	7.7	667%	Night
7184	2025-05-31 06:44:25	69.40	45dB	5.4	443%	Night
7185	2025-05-31 06:46:10	N/A	45dB	N/A	N/A	Night
7186	2025-05-31 06:47:22	N/A	45dB	N/A	N/A	Night
7187	2025-05-31 06:48:26	73.33	45dB	7.1	613%	Night
7188	2025-05-31 06:49:37	65.83	45dB	4.2	324%	Night
7189	2025-05-31 06:50:38	66.43	45dB	4.4	342%	Night
7190	2025-05-31 06:52:03	N/A	45dB	N/A	N/A	Night
7191	2025-05-31 06:53:19	N/A	45dB	N/A	N/A	Night
7192	2025-05-31 06:54:25	74.34	45dB	7.6	664%	Night
7193	2025-05-31 06:55:39	N/A	45dB	N/A	N/A	Night
7194	2025-05-31 06:56:47	69.95	45dB	5.6	464%	Night
7195	2025-05-31 06:57:55	71.59	45dB	6.3	532%	Night
7196	2025-05-31 06:59:43	N/A	45dB	N/A	N/A	Night
7197	2025-05-31 07:04:09	N/A	55dB	N/A	N/A	Day
7198	2025-05-31 07:05:14	N/A	55dB	N/A	N/A	Day
7199	2025-05-31 07:09:14	N/A	55dB	N/A	N/A	Day
7200	2025-05-31 07:12:02	68.38	55dB	2.5	153%	Day
7201	2025-05-31 07:14:14	69.73	55dB	2.8	178%	Day
7202	2025-05-31 07:16:07	72.17	55dB	3.3	229%	Day
7203	2025-05-31 07:18:21	76.70	55dB	4.5	350%	Day
7204	2025-05-31 07:19:42	N/A	55dB	N/A	N/A	Day
7205	2025-05-31 07:21:21	N/A	55dB	N/A	N/A	Day
7206	2025-05-31 07:23:11	N/A	55dB	N/A	N/A	Day
7207	2025-05-31 07:24:35	73.32	55dB	3.6	256%	Day
7208	2025-05-31 07:26:03	N/A	55dB	N/A	N/A	Day
7209	2025-05-31 07:27:27	67.23	55dB	2.3	133%	Day
7210	2025-05-31 07:28:33	N/A	55dB	N/A	N/A	Day

7211	2025-05-31 07:29:35	N/A	55dB	N/A	N/A	Day
7212	2025-05-31 07:30:35	67.01	55dB	2.3	130%	Day
7213	2025-05-31 07:32:46	67.83	55dB	2.4	143%	Day
7214	2025-05-31 07:34:08	N/A	55dB	N/A	N/A	Day
7215	2025-05-31 07:35:34	N/A	55dB	N/A	N/A	Day
7216	2025-05-31 07:38:31	N/A	55dB	N/A	N/A	Day
7217	2025-05-31 07:39:38	N/A	55dB	N/A	N/A	Day
7218	2025-05-31 07:40:52	N/A	55dB	N/A	N/A	Day
7219	2025-05-31 07:42:04	73.95	55dB	3.7	272%	Day
7220	2025-05-31 07:44:25	N/A	55dB	N/A	N/A	Day
7221	2025-05-31 07:49:26	68.52	55dB	2.6	155%	Day
7222	2025-05-31 08:00:04	69.29	55dB	2.7	169%	Day
7223	2025-05-31 08:01:39	N/A	55dB	N/A	N/A	Day
7224	2025-05-31 08:04:21	N/A	55dB	N/A	N/A	Day
7225	2025-05-31 08:05:42	N/A	55dB	N/A	N/A	Day
7226	2025-05-31 08:06:56	66.06	55dB	2.2	115%	Day
7227	2025-05-31 08:08:19	N/A	55dB	N/A	N/A	Day
7228	2025-05-31 08:11:43	N/A	55dB	N/A	N/A	Day
7229	2025-05-31 08:13:03	66.04	55dB	2.1	115%	Day
7230	2025-05-31 08:14:09	N/A	55dB	N/A	N/A	Day
7231	2025-05-31 08:15:26	67.21	55dB	2.3	133%	Day
7232	2025-05-31 08:16:56	N/A	55dB	N/A	N/A	Day
7233	2025-05-31 08:18:44	71.42	55dB	3.1	212%	Day
7234	2025-05-31 08:20:38	69.37	55dB	2.7	171%	Day
7235	2025-05-31 08:22:00	73.91	55dB	3.7	271%	Day
7236	2025-05-31 08:23:21	66.53	55dB	2.2	122%	Day
7237	2025-05-31 08:24:52	N/A	55dB	N/A	N/A	Day
7238	2025-05-31 08:26:19	69.13	55dB	2.7	166%	Day
7239	2025-05-31 08:27:26	72.89	55dB	3.5	246%	Day
7240	2025-05-31 08:28:56	N/A	55dB	N/A	N/A	Day
7241	2025-05-31 08:30:08	N/A	55dB	N/A	N/A	Day
7242	2025-05-31 08:31:23	N/A	55dB	N/A	N/A	Day
7243	2025-05-31 08:32:45	N/A	55dB	N/A	N/A	Day
7244	2025-05-31 08:34:38	71.14	55dB	3.1	206%	Day
7245	2025-05-31 08:35:47	68.36	55dB	2.5	152%	Day
7246	2025-05-31 08:36:45	N/A	55dB	N/A	N/A	Day
7247	2025-05-31 08:38:22	N/A	55dB	N/A	N/A	Day
7248	2025-05-31 08:40:19	67.56	55dB	2.4	139%	Day
7249	2025-05-31 08:41:44	68.23	55dB	2.5	150%	Day
7250	2025-05-31 08:43:30	73.32	55dB	3.6	256%	Day
7251	2025-05-31 08:44:35	74.21	55dB	3.8	279%	Day
7252	2025-05-31 08:46:09	N/A	55dB	N/A	N/A	Day
7253	2025-05-31 08:47:22	68.91	55dB	2.6	162%	Day
7254	2025-05-31 08:48:44	68.60	55dB	2.6	157%	Day

7255	2025-05-31 08:49:46	N/A	55dB	N/A	N/A	Day
7256	2025-05-31 08:51:00	66.74	55dB	2.3	126%	Day
7257	2025-05-31 08:52:10	71.30	55dB	3.1	210%	Day
7258	2025-05-31 08:53:11	75.72	55dB	4.2	320%	Day
7259	2025-05-31 08:54:26	70.50	55dB	2.9	193%	Day
7260	2025-05-31 08:55:55	74.47	55dB	3.9	286%	Day
7261	2025-05-31 08:57:43	68.84	55dB	2.6	161%	Day
7262	2025-05-31 08:58:55	84.47	55dB	7.7	671%	Day
7263	2025-05-31 09:00:07	N/A	55dB	N/A	N/A	Day
7264	2025-05-31 09:01:16	N/A	55dB	N/A	N/A	Day
7265	2025-05-31 09:02:20	N/A	55dB	N/A	N/A	Day
7266	2025-05-31 09:03:37	73.13	55dB	3.5	251%	Day
7267	2025-05-31 09:05:14	N/A	55dB	N/A	N/A	Day
7268	2025-05-31 09:06:24	75.49	55dB	4.1	314%	Day
7269	2025-05-31 09:07:46	N/A	55dB	N/A	N/A	Day
7270	2025-05-31 09:12:08	77.12	55dB	4.6	363%	Day
7271	2025-05-31 09:13:18	67.80	55dB	2.4	143%	Day
7272	2025-05-31 09:14:27	N/A	55dB	N/A	N/A	Day
7273	2025-05-31 09:17:28	70.13	55dB	2.9	185%	Day
7274	2025-05-31 09:18:32	66.48	55dB	2.2	122%	Day
7275	2025-05-31 09:19:46	66.93	55dB	2.3	129%	Day
7276	2025-05-31 09:21:12	72.05	55dB	3.3	226%	Day
7277	2025-05-31 09:22:32	68.01	55dB	2.5	146%	Day
7278	2025-05-31 09:24:15	N/A	55dB	N/A	N/A	Day
7279	2025-05-31 09:25:44	75.71	55dB	4.2	320%	Day
7280	2025-05-31 09:26:59	N/A	55dB	N/A	N/A	Day
7281	2025-05-31 09:28:11	66.40	55dB	2.2	120%	Day
7282	2025-05-31 09:29:23	N/A	55dB	N/A	N/A	Day
7283	2025-05-31 09:30:38	N/A	55dB	N/A	N/A	Day
7284	2025-05-31 09:34:09	73.38	55dB	3.6	258%	Day
7285	2025-05-31 09:35:24	71.98	55dB	3.2	224%	Day
7286	2025-05-31 09:36:55	69.48	55dB	2.7	173%	Day
7287	2025-05-31 09:38:08	69.64	55dB	2.8	176%	Day
7288	2025-05-31 09:49:17	78.28	55dB	5.0	402%	Day
7289	2025-05-31 09:51:00	69.25	55dB	2.7	169%	Day
7290	2025-05-31 09:52:09	73.04	55dB	3.5	249%	Day
7291	2025-05-31 09:53:56	68.69	55dB	2.6	158%	Day
7292	2025-05-31 09:57:35	N/A	55dB	N/A	N/A	Day
7293	2025-05-31 10:00:11	69.05	55dB	2.6	165%	Day
7294	2025-05-31 10:01:39	82.00	55dB	6.5	550%	Day
7295	2025-05-31 10:02:50	82.00	55dB	6.5	550%	Day
7296	2025-05-31 10:04:18	80.04	55dB	5.7	467%	Day
7297	2025-05-31 10:05:38	81.79	55dB	6.4	540%	Day
7298	2025-05-31 10:07:08	80.68	55dB	5.9	493%	Day

7299	2025-05-31 10:08:34	79.87	55dB	5.6	461%	Day
7300	2025-05-31 10:09:38	82.99	55dB	7.0	596%	Day
7301	2025-05-31 10:10:53	82.99	55dB	7.0	596%	Day
7302	2025-05-31 10:12:06	72.11	55dB	3.3	227%	Day
7303	2025-05-31 10:13:32	72.84	55dB	3.4	244%	Day
7304	2025-05-31 10:15:08	83.37	55dB	7.1	615%	Day
7305	2025-05-31 10:16:05	69.32	55dB	2.7	170%	Day
7306	2025-05-31 10:17:25	75.32	55dB	4.1	309%	Day
7307	2025-05-31 10:18:51	N/A	55dB	N/A	N/A	Day
7308	2025-05-31 10:21:35	76.11	55dB	4.3	332%	Day
7309	2025-05-31 10:22:36	N/A	55dB	N/A	N/A	Day
7310	2025-05-31 10:23:42	68.07	55dB	2.5	147%	Day
7311	2025-05-31 10:24:52	70.41	55dB	2.9	191%	Day
7312	2025-05-31 10:26:16	N/A	55dB	N/A	N/A	Day
7313	2025-05-31 10:27:27	N/A	55dB	N/A	N/A	Day
7314	2025-05-31 10:29:38	72.41	55dB	3.3	234%	Day
7315	2025-05-31 10:33:05	72.83	55dB	3.4	244%	Day
7316	2025-05-31 10:34:15	80.27	55dB	5.8	476%	Day
7317	2025-05-31 10:35:18	N/A	55dB	N/A	N/A	Day
7318	2025-05-31 10:36:37	67.07	55dB	2.3	131%	Day
7319	2025-05-31 10:37:45	N/A	55dB	N/A	N/A	Day
7320	2025-05-31 10:38:52	N/A	55dB	N/A	N/A	Day
7321	2025-05-31 10:43:18	N/A	55dB	N/A	N/A	Day
7322	2025-05-31 10:46:02	70.66	55dB	3.0	196%	Day
7323	2025-05-31 10:47:52	82.13	55dB	6.6	556%	Day
7324	2025-05-31 10:56:09	N/A	55dB	N/A	N/A	Day
7325	2025-05-31 10:57:25	71.17	55dB	3.1	207%	Day
7326	2025-05-31 10:59:32	73.03	55dB	3.5	249%	Day
7327	2025-05-31 11:00:52	N/A	55dB	N/A	N/A	Day
7328	2025-05-31 11:02:01	70.33	55dB	2.9	189%	Day
7329	2025-05-31 11:06:51	71.40	55dB	3.1	212%	Day
7330	2025-05-31 11:09:26	N/A	55dB	N/A	N/A	Day
7331	2025-05-31 11:15:35	N/A	55dB	N/A	N/A	Day
7332	2025-05-31 11:17:24	68.56	55dB	2.6	156%	Day
7333	2025-05-31 11:18:21	67.24	55dB	2.3	134%	Day
7334	2025-05-31 11:27:44	72.82	55dB	3.4	244%	Day
7335	2025-05-31 11:32:33	73.83	55dB	3.7	269%	Day
7336	2025-05-31 11:33:46	73.92	55dB	3.7	271%	Day
7337	2025-05-31 11:38:40	77.76	55dB	4.8	384%	Day
7338	2025-05-31 11:42:40	74.43	55dB	3.8	285%	Day
7339	2025-05-31 11:43:56	69.37	55dB	2.7	171%	Day
7340	2025-05-31 11:52:09	70.93	55dB	3.0	202%	Day
7341	2025-05-31 11:53:35	N/A	55dB	N/A	N/A	Day
7342	2025-05-31 11:54:58	75.33	55dB	4.1	309%	Day

7343	2025-05-31 11:56:14	69.34	55dB	2.7	170%	Day
7344	2025-05-31 11:57:44	N/A	55dB	N/A	N/A	Day
7345	2025-05-31 11:58:48	N/A	55dB	N/A	N/A	Day
7346	2025-05-31 12:01:07	N/A	55dB	N/A	N/A	Day
7347	2025-05-31 12:02:28	N/A	55dB	N/A	N/A	Day
7348	2025-05-31 12:06:17	71.27	55dB	3.1	209%	Day
7349	2025-05-31 12:07:40	N/A	55dB	N/A	N/A	Day
7350	2025-05-31 12:44:50	77.31	55dB	4.7	369%	Day
7351	2025-05-31 12:49:32	N/A	55dB	N/A	N/A	Day
7352	2025-05-31 13:23:38	N/A	55dB	N/A	N/A	Day
7353	2025-05-31 13:40:31	N/A	55dB	N/A	N/A	Day
7354	2025-05-31 14:16:23	N/A	55dB	N/A	N/A	Day
7355	2025-05-31 14:19:02	69.85	55dB	2.8	180%	Day
7356	2025-05-31 16:34:02	N/A	55dB	N/A	N/A	Day
7357	2025-05-31 16:58:56	N/A	55dB	N/A	N/A	Day
7358	2025-05-31 20:05:47	70.93	55dB	3.0	202%	Day
7359	2025-05-31 20:10:07	67.01	55dB	2.3	130%	Day
7360	2025-05-31 20:20:05	N/A	55dB	N/A	N/A	Day
7361	2025-05-31 21:11:26	N/A	55dB	N/A	N/A	Day
7362	2025-05-31 21:12:43	N/A	55dB	N/A	N/A	Day
7363	2025-05-31 23:09:23	70.07	45dB	5.7	468%	Night
7364	2025-05-31 23:14:33	75.26	45dB	8.1	715%	Night
7365	2025-05-31 23:16:20	68.83	45dB	5.2	422%	Night
7366	2025-05-31 23:21:14	67.72	45dB	4.8	383%	Night
7367	2025-05-31 23:23:11	73.98	45dB	7.5	645%	Night
7368	2025-05-31 23:24:55	70.81	45dB	6.0	498%	Night
7369	2025-05-31 23:32:57	69.99	45dB	5.7	465%	Night
7370	2025-05-31 23:40:06	69.17	45dB	5.3	434%	Night
7371	2025-05-31 23:41:41	N/A	45dB	N/A	N/A	Night
7372	2025-05-31 23:43:27	68.75	45dB	5.2	419%	Night
7373	2025-05-31 23:50:33	68.48	45dB	5.1	409%	Night
7374	2025-05-31 23:52:46	68.68	45dB	5.2	416%	Night