Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

435	2025-02-26 23:20:18	?	45dB	?	?	Night
436	2025-02-26 23:22:51	68	45dB	4.6	359%	Night
437	2025-02-26 23:28:41	68	45dB	4.6	359%	Night
438	2025-02-26 23:30:35	67	45dB	4.6	359%	Night
439	2025-02-26 23:31:55	69	45dB	4.9	392%	Night
440	2025-02-26 23:33:14	?	45dB	?	?	Night
441	2025-02-26 23:34:37	?	45dB	?	?	Night
442	2025-02-26 23:36:08	69	45dB	5.3	428%	Night
443	2025-02-26 23:37:32	70	45dB	5.7	466%	Night
444	2025-02-26 23:38:54	68	45dB	4.6	359%	Night
445	2025-02-26 23:40:19	68	45dB	4.6	359%	Night
446	2025-02-26 23:41:27	69	45dB	4.9	392%	Night
447	2025-02-26 23:42:50	66	45dB	4.3	329%	Night
448	2025-02-26 23:44:19	68	45dB	4.9	392%	Night
449	2025-02-26 23:45:40	69	45dB	5.3	428%	Night
450	2025-02-26 23:47:51	70	45dB	5.3	428%	Night
451	2025-02-26 23:49:12	?	45dB	?	?	Night
452	2025-02-26 23:50:38	?	45dB	?	?	Night
453	2025-02-26 23:52:00	67	45dB	4.6	359%	Night
454	2025-02-26 23:53:27	69	45dB	5.3	428%	Night
455	2025-02-26 23:56:25	70	45dB	5.3	428%	Night
456	2025-02-27 00:02:17	67	45dB	4.6	359%	Night
457	2025-02-27 00:04:48	69	45dB	5.3	428%	Night
458	2025-02-27 06:38:46	71	45dB	6.1	506%	Night
459	2025-02-27 06:41:10	71	45dB	6.1	506%	Night
460	2025-02-27 06:44:09	75	45dB	8.0	700%	Night
461	2025-02-27 06:46:12	73	45dB	7.0	596%	Night
462	2025-02-27 06:47:28	74	45dB	7.0	596%	Night
463	2025-02-27 06:49:31	?	45dB	?	?	Night
464	2025-02-27 06:51:56	80	45dB	10.6	956%	Night
465	2025-02-27 06:55:22	?	45dB	?	?	Night
466	2025-02-27 06:58:38	75	45dB	7.5	646%	Night
467	2025-02-27 06:59:56	70	45dB	5.7	466%	Night
468	2025-02-27 07:01:04	?	55dB	?	?	Day
469	2025-02-27 07:02:15	68	55dB	2.3	130%	Day
470	2025-02-27 07:03:47	70	55dB	2.8	183%	Day
471	2025-02-27 07:05:01	75	55dB	4.0	300%	Day
472	2025-02-27 07:06:08	72	55dB	3.2	225%	Day
473	2025-02-27 07:08:38	?	55dB	?	?	Day
474	2025-02-27 07:10:45	74	55dB	3.7	273%	Day
475	2025-02-27 07:12:07	73	55dB	3.5	248%	Day
476	2025-02-27 07:13:42	72	55dB	3.2	225%	Day
477	2025-02-27 07:14:47	74	55dB	3.5	248%	Day
478	2025-02-27 07:15:56	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

479	2025-02-27 07:18:37	70	55dB	2.6	164%	Day
480	2025-02-27 07:23:26	72	55dB	3.0	203%	Day
481	2025-02-27 07:25:55	?	55dB	?	?	Day
482	2025-02-27 07:27:31	71	55dB	3.0	203%	Day
483	2025-02-27 07:29:16	?	55dB	?	?	Day
484	2025-02-27 07:31:37	73	55dB	3.2	225%	Day
485	2025-02-27 07:33:00	74	55dB	3.5	248%	Day
486	2025-02-27 07:34:04	68	55dB	2.3	130%	Day
487	2025-02-27 07:35:55	77	55dB	4.3	329%	Day
488	2025-02-27 07:43:18	73	55dB	3.2	225%	Day
489	2025-02-27 07:45:05	?	55dB	?	?	Day
490	2025-02-27 07:46:07	?	55dB	?	?	Day
491	2025-02-27 07:47:32	?	55dB	?	?	Day
492	2025-02-27 07:56:52	?	55dB	?	?	Day
493	2025-02-27 07:59:15	?	55dB	?	?	Day
494	2025-02-27 08:01:09	72	55dB	3.0	203%	Day
495	2025-02-27 08:02:55	?	55dB	?	?	Day
496	2025-02-27 08:03:57	?	55dB	?	?	Day
497	2025-02-27 08:05:39	71	55dB	3.0	203%	Day
498	2025-02-27 08:08:43	70	55dB	2.6	164%	Day
499	2025-02-27 08:10:57	73	55dB	3.5	248%	Day
500	2025-02-27 08:13:25	72	55dB	3.2	225%	Day
501	2025-02-27 08:16:19	?	55dB	?	?	Day
502	2025-02-27 08:18:10	75	55dB	3.7	273%	Day
503	2025-02-27 08:20:32	68	55dB	2.5	146%	Day
504	2025-02-27 08:24:43	69	55dB	2.6	164%	Day
505	2025-02-27 08:27:42	69	55dB	2.5	146%	Day
506	2025-02-27 08:31:02	75	55dB	3.7	273%	Day
507	2025-02-27 08:36:04	?	55dB	?	?	Day
508	2025-02-27 08:38:23	70	55dB	2.6	164%	Day
509	2025-02-27 08:39:33	70	55dB	2.8	183%	Day
510	2025-02-27 08:40:32	73	55dB	3.5	248%	Day
511	2025-02-27 08:41:37	75	55dB	3.7	273%	Day
512	2025-02-27 08:42:46	?	55dB	?	?	Day
513	2025-02-27 08:44:33	?	55dB	?	?	Day
514	2025-02-27 08:46:01	70	55dB	2.6	164%	Day
515	2025-02-27 08:48:26	72	55dB	3.0	203%	Day
516	2025-02-27 08:49:56	67	55dB	2.1	114%	Day
517	2025-02-27 08:51:12	71	55dB	3.0	203%	Day
518	2025-02-27 08:53:35	70	55dB	2.8	183%	Day
519	2025-02-27 08:55:05	?	55dB	?	?	Day
520	2025-02-27 08:57:05	71	55dB	3.0	203%	Day
521	2025-02-27 09:00:28	70	55dB	2.6	164%	Day
522	2025-02-27 09:02:23	73	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

523	2025-02-27 09:04:46	69	55dB	2.6	164%	Day
524	2025-02-27 09:06:16	?	55dB	?	?	Day
525	2025-02-27 09:10:07	?	55dB	?	?	Day
526	2025-02-27 09:13:14	?	55dB	?	?	Day
527	2025-02-27 09:16:47	68	55dB	2.3	130%	Day
528	2025-02-27 09:20:15	69	55dB	2.5	146%	Day
529	2025-02-27 09:21:49	?	55dB	?	?	Day
530	2025-02-27 09:27:17	70	55dB	2.8	183%	Day
531	2025-02-27 09:28:49	71	55dB	3.0	203%	Day
532	2025-02-27 09:32:16	?	55dB	?	?	Day
533	2025-02-27 09:34:09	69	55dB	2.5	146%	Day
534	2025-02-27 09:35:38	68	55dB	2.5	146%	Day
535	2025-02-27 09:36:51	?	55dB	?	?	Day
536	2025-02-27 09:38:38	77	55dB	4.3	329%	Day
537	2025-02-27 09:40:17	74	55dB	3.5	248%	Day
538	2025-02-27 09:41:28	?	55dB	?	?	Day
539	2025-02-27 09:43:11	67	55dB	2.1	114%	Day
540	2025-02-27 09:44:44	71	55dB	2.8	183%	Day
541	2025-02-27 09:48:40	68	55dB	2.3	130%	Day
542	2025-02-27 09:50:07	76	55dB	4.0	300%	Day
543	2025-02-27 09:51:56	74	55dB	3.5	248%	Day
544	2025-02-27 09:53:15	71	55dB	3.0	203%	Day
545	2025-02-27 09:54:39	68	55dB	2.3	130%	Day
546	2025-02-27 09:56:10	73	55dB	3.2	225%	Day
547	2025-02-27 10:01:25	68	55dB	2.3	130%	Day
548	2025-02-27 10:02:54	73	55dB	3.2	225%	Day
549	2025-02-27 10:04:40	69	55dB	2.5	146%	Day
550	2025-02-27 10:06:56	74	55dB	3.5	248%	Day
551	2025-02-27 10:09:34	68	55dB	2.3	130%	Day
552	2025-02-27 10:12:03	?	55dB	?	?	Day
553	2025-02-27 10:15:00	?	55dB	?	?	Day
554	2025-02-27 10:16:49	70	55dB	2.8	183%	Day
555	2025-02-27 10:18:57	?	55dB	?	?	Day
556	2025-02-27 10:20:21	72	55dB	3.2	225%	Day
557	2025-02-27 10:21:58	?	55dB	?	?	Day
558	2025-02-27 10:23:11	68	55dB	2.5	146%	Day
559	2025-02-27 10:24:48	81	55dB	5.7	466%	Day
560	2025-02-27 10:26:56	73	55dB	3.5	248%	Day
561	2025-02-27 10:33:09	73	55dB	3.5	248%	Day
562	2025-02-27 10:36:49	68	55dB	2.5	146%	Day
563	2025-02-27 10:38:53	68	55dB	2.3	130%	Day
564	2025-02-27 10:40:52	?	55dB	?	?	Day
565	2025-02-27 10:42:34	?	55dB	?	?	Day
566	2025-02-27 10:44:57	69	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

567	2025-02-27 10:46:47	74	55dB	3.5	248%	Day
568	2025-02-27 10:50:02	68	55dB	2.3	130%	Day
569	2025-02-27 10:51:46	74	55dB	3.5	248%	Day
570	2025-02-27 10:54:03	71	55dB	3.0	203%	Day
571	2025-02-27 10:56:00	68	55dB	2.5	146%	Day
572	2025-02-27 10:57:15	67	55dB	2.1	114%	Day
573	2025-02-27 10:59:02	76	55dB	4.3	329%	Day
574	2025-02-27 11:00:17	70	55dB	2.8	183%	Day
575	2025-02-27 11:02:13	?	55dB	?	?	Day
576	2025-02-27 11:03:24	74	55dB	3.5	248%	Day
577	2025-02-27 11:06:22	73	55dB	3.5	248%	Day
578	2025-02-27 11:08:18	66	55dB	2.1	114%	Day
579	2025-02-27 11:09:45	?	55dB	?	?	Day
580	2025-02-27 11:10:50	67	55dB	2.3	130%	Day
581	2025-02-27 11:11:44	?	55dB	?	?	Day
582	2025-02-27 11:12:51	?	55dB	?	?	Day
583	2025-02-27 11:13:54	81	55dB	6.1	506%	Day
584	2025-02-27 11:15:01	70	55dB	2.6	164%	Day
585	2025-02-27 11:16:06	72	55dB	3.0	203%	Day
586	2025-02-27 11:17:45	?	55dB	?	?	Day
587	2025-02-27 11:19:09	70	55dB	2.8	183%	Day
588	2025-02-27 11:20:20	73	55dB	3.5	248%	Day
589	2025-02-27 11:21:33	73	55dB	3.5	248%	Day
590	2025-02-27 11:22:35	67	55dB	2.3	130%	Day
591	2025-02-27 11:23:49	74	55dB	3.7	273%	Day
592	2025-02-27 12:05:15	70	55dB	2.8	183%	Day
593	2025-02-27 12:07:16	69	55dB	2.5	146%	Day
594	2025-02-27 12:09:27	70	55dB	2.6	164%	Day
595	2025-02-27 12:11:41	69	55dB	2.5	146%	Day
596	2025-02-27 12:13:16	?	55dB	?	?	Day
597	2025-02-27 12:14:59	?	55dB	?	?	Day
598	2025-02-27 13:06:41	?	55dB	?	?	Day
599	2025-02-27 13:08:49	?	55dB	?	?	Day
600	2025-02-27 13:10:41	68	55dB	2.3	130%	Day
601	2025-02-27 13:12:47	68	55dB	2.3	130%	Day
602	2025-02-27 13:15:50	?	55dB	?	?	Day
603	2025-02-27 13:17:40	?	55dB	?	?	Day
604	2025-02-27 13:19:48	?	55dB	?	?	Day
605	2025-02-27 13:23:04	69	55dB	2.6	164%	Day
606	2025-02-27 13:25:01	69	55dB	2.6	164%	Day
607	2025-02-27 13:27:05	76	55dB	4.0	300%	Day
608	2025-02-27 13:29:04	?	55dB	?	?	Day
609	2025-02-27 13:30:57	68	55dB	2.5	146%	Day
610	2025-02-27 13:32:40	69	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

611	2025-02-27 13:35:42	68	55dB	2.3	130%	Day
612	2025-02-27 13:38:58	69	55dB	2.6	164%	Day
613	2025-02-27 13:40:58	69	55dB	2.5	146%	Day
614	2025-02-27 13:42:54	67	55dB	2.1	114%	Day
615	2025-02-27 13:44:56	72	55dB	3.0	203%	Day
616	2025-02-27 13:47:00	68	55dB	2.3	130%	Day
617	2025-02-27 13:48:18	69	55dB	2.6	164%	Day
618	2025-02-27 13:50:02	71	55dB	2.8	183%	Day
619	2025-02-27 13:51:35	87	55dB	8.6	757%	Day
620	2025-02-27 13:53:58	70	55dB	2.6	164%	Day
621	2025-02-27 13:55:36	73	55dB	3.2	225%	Day
622	2025-02-27 14:01:47	72	55dB	3.2	225%	Day
623	2025-02-27 14:07:17	68	55dB	2.5	146%	Day
624	2025-02-27 14:09:14	70	55dB	2.6	164%	Day
625	2025-02-27 14:16:49	70	55dB	2.6	164%	Day
626	2025-02-27 14:18:40	67	55dB	2.3	130%	Day
627	2025-02-27 14:20:23	72	55dB	3.2	225%	Day
628	2025-02-27 14:22:28	69	55dB	2.6	164%	Day
629	2025-02-27 14:24:08	70	55dB	2.8	183%	Day
630	2025-02-27 14:26:08	68	55dB	2.3	130%	Day
631	2025-02-27 14:27:51	70	55dB	2.8	183%	Day
632	2025-02-27 14:33:37	71	55dB	2.8	183%	Day
633	2025-02-27 14:35:10	70	55dB	2.6	164%	Day
634	2025-02-27 14:36:31	70	55dB	2.6	164%	Day
635	2025-02-27 14:38:19	?	55dB	?	?	Day
636	2025-02-27 14:41:13	?	55dB	?	?	Day
637	2025-02-27 14:43:21	72	55dB	3.2	225%	Day
638	2025-02-27 14:45:31	71	55dB	2.8	183%	Day
639	2025-02-27 14:47:31	69	55dB	2.5	146%	Day
640	2025-02-27 14:50:23	69	55dB	2.5	146%	Day
641	2025-02-27 14:51:41	70	55dB	2.8	183%	Day
642	2025-02-27 14:53:11	71	55dB	2.8	183%	Day
643	2025-02-27 14:54:52	70	55dB	2.6	164%	Day
644	2025-02-27 14:57:05	?	55dB	?	?	Day
645	2025-02-27 14:59:16	72	55dB	3.0	203%	Day
646	2025-02-27 15:00:52	72	55dB	3.0	203%	Day
647	2025-02-27 15:03:12	73	55dB	3.5	248%	Day
648	2025-02-27 15:04:41	70	55dB	2.8	183%	Day
649	2025-02-27 15:06:18	?	55dB	?	?	Day
650	2025-02-27 15:08:47	?	55dB	?	?	Day
651	2025-02-27 15:10:13	74	55dB	3.7	273%	Day
652	2025-02-27 15:12:56	71	55dB	3.0	203%	Day
653	2025-02-27 15:17:23	72	55dB	3.2	225%	Day
654	2025-02-27 15:23:00	67	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

655	2025-02-27 15:24:36	69	55dB	2.6	164%	Day
656	2025-02-27 15:26:29	75	55dB	3.7	273%	Day
657	2025-02-27 15:29:01	73	55dB	3.5	248%	Day
658	2025-02-27 15:30:33	76	55dB	4.3	329%	Day
659	2025-02-27 15:32:14	78	55dB	4.9	392%	Day
660	2025-02-27 15:34:47	71	55dB	3.0	203%	Day
661	2025-02-27 15:36:06	?	55dB	?	?	Day
662	2025-02-27 15:37:32	79	55dB	4.9	392%	Day
663	2025-02-27 15:39:38	?	55dB	?	?	Day
664	2025-02-27 15:41:26	70	55dB	2.6	164%	Day
665	2025-02-27 15:50:08	?	55dB	?	?	Day
666	2025-02-27 15:51:43	73	55dB	3.5	248%	Day
667	2025-02-27 15:53:41	79	55dB	5.3	428%	Day
668	2025-02-27 15:56:25	71	55dB	2.8	183%	Day
669	2025-02-27 15:57:51	87	55dB	9.2	819%	Day
670	2025-02-27 16:01:32	?	55dB	?	?	Day
671	2025-02-27 16:03:12	74	55dB	3.7	273%	Day
672	2025-02-27 16:04:45	68	55dB	2.5	146%	Day
673	2025-02-27 16:06:32	74	55dB	3.7	273%	Day
674	2025-02-27 16:08:43	79	55dB	5.3	428%	Day
675	2025-02-27 16:10:17	76	55dB	4.0	300%	Day
676	2025-02-27 16:11:48	73	55dB	3.5	248%	Day
677	2025-02-27 16:14:08	69	55dB	2.5	146%	Day
678	2025-02-27 16:17:35	74	55dB	3.5	248%	Day
679	2025-02-27 16:19:05	70	55dB	2.6	164%	Day
680	2025-02-27 16:20:32	76	55dB	4.0	300%	Day
681	2025-02-27 16:21:55	66	55dB	2.1	114%	Day
682	2025-02-27 16:23:31	69	55dB	2.6	164%	Day
683	2025-02-27 16:24:57	75	55dB	3.7	273%	Day
684	2025-02-27 16:26:57	94	55dB	14.9	1393%	Day
685	2025-02-27 16:28:21	74	55dB	3.5	248%	Day
686	2025-02-27 16:30:47	75	55dB	3.7	273%	Day
687	2025-02-27 16:32:15	71	55dB	3.0	203%	Day
688	2025-02-27 16:34:00	79	55dB	5.3	428%	Day
689	2025-02-27 16:35:36	70	55dB	2.6	164%	Day
690	2025-02-27 16:37:18	79	55dB	5.3	428%	Day
691	2025-02-27 16:38:53	70	55dB	2.6	164%	Day
692	2025-02-27 16:40:35	72	55dB	3.0	203%	Day
693	2025-02-27 16:42:04	71	55dB	3.0	203%	Day
694	2025-02-27 16:44:06	68	55dB	2.3	130%	Day
695	2025-02-27 16:46:03	76	55dB	4.3	329%	Day
696	2025-02-27 16:48:16	70	55dB	2.6	164%	Day
697	2025-02-27 16:53:23	68	55dB	2.5	146%	Day
698	2025-02-27 16:55:28	74	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

699	2025-02-27 16:57:17	70	55dB	2.8	183%	Day
700	2025-02-27 16:58:50	75	55dB	3.7	273%	Day
701	2025-02-27 17:00:32	80	55dB	5.3	428%	Day
702	2025-02-27 17:05:11	78	55dB	4.6	359%	Day
703	2025-02-27 17:14:23	68	55dB	2.3	130%	Day
704	2025-02-27 17:16:28	73	55dB	3.2	225%	Day
705	2025-02-27 17:19:25	?	55dB	?	?	Day
706	2025-02-27 17:21:19	69	55dB	2.5	146%	Day
707	2025-02-27 17:22:47	68	55dB	2.5	146%	Day
708	2025-02-27 17:24:27	74	55dB	3.7	273%	Day
709	2025-02-27 17:26:09	70	55dB	2.8	183%	Day
710	2025-02-27 17:29:55	73	55dB	3.5	248%	Day
711	2025-02-27 17:34:13	69	55dB	2.6	164%	Day
712	2025-02-27 17:35:50	73	55dB	3.5	248%	Day
713	2025-02-27 17:40:55	69	55dB	2.5	146%	Day
714	2025-02-27 17:44:13	77	55dB	4.6	359%	Day
715	2025-02-27 17:46:36	?	55dB	?	?	Day
716	2025-02-27 17:49:55	67	55dB	2.3	130%	Day
717	2025-02-27 17:52:22	73	55dB	3.2	225%	Day
718	2025-02-27 17:57:25	71	55dB	2.8	183%	Day
719	2025-02-27 17:59:04	71	55dB	2.8	183%	Day
720	2025-02-27 18:00:34	70	55dB	2.8	183%	Day
721	2025-02-27 18:02:02	?	55dB	?	?	Day
722	2025-02-27 18:05:43	70	55dB	2.6	164%	Day
723	2025-02-27 18:07:38	72	55dB	3.2	225%	Day
724	2025-02-27 18:09:32	72	55dB	3.2	225%	Day
725	2025-02-27 18:12:58	68	55dB	2.5	146%	Day
726	2025-02-27 18:14:57	68	55dB	2.5	146%	Day
727	2025-02-27 18:18:43	73	55dB	3.5	248%	Day
728	2025-02-27 18:21:06	?	55dB	?	?	Day
729	2025-02-27 18:23:12	69	55dB	2.6	164%	Day
730	2025-02-27 18:25:00	70	55dB	2.8	183%	Day
731	2025-02-27 18:27:11	70	55dB	2.6	164%	Day
732	2025-02-27 18:29:02	?	55dB	?	?	Day
733	2025-02-27 18:30:38	70	55dB	2.8	183%	Day
734	2025-02-27 18:32:13	70	55dB	2.8	183%	Day
735	2025-02-27 18:33:42	73	55dB	3.2	225%	Day
736	2025-02-27 18:35:13	73	55dB	3.2	225%	Day
737	2025-02-27 18:36:45	73	55dB	3.5	248%	Day
738	2025-02-27 18:38:56	?	55dB	?	?	Day
739	2025-02-27 18:40:27	?	55dB	?	?	Day
740	2025-02-27 18:41:55	68	55dB	2.3	130%	Day
741	2025-02-27 18:43:47	?	55dB	?	?	Day
742	2025-02-27 18:45:27	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

743	2025-02-27 18:46:53	69	55dB	2.5	146%	Day
744	2025-02-27 18:48:26	73	55dB	3.5	248%	Day
745	2025-02-27 18:50:01	73	55dB	3.2	225%	Day
746	2025-02-27 18:51:50	71	55dB	2.8	183%	Day
747	2025-02-27 18:53:18	69	55dB	2.6	164%	Day
748	2025-02-27 18:54:44	?	55dB	?	?	Day
749	2025-02-27 18:56:15	74	55dB	3.7	273%	Day
750	2025-02-27 18:57:50	70	55dB	2.6	164%	Day
751	2025-02-27 18:59:08	?	55dB	?	?	Day
752	2025-02-27 19:00:36	71	45dB	6.1	506%	Night
753	2025-02-27 19:02:07	74	45dB	7.0	596%	Night
754	2025-02-27 19:04:06	71	45dB	6.1	506%	Night
755	2025-02-27 19:06:06	69	45dB	4.9	392%	Night
756	2025-02-27 19:07:46	68	45dB	4.9	392%	Night
757	2025-02-27 19:09:11	70	45dB	5.3	428%	Night
758	2025-02-27 19:11:02	68	45dB	4.6	359%	Night
759	2025-02-27 19:13:35	74	45dB	7.0	596%	Night
760	2025-02-27 19:15:21	74	45dB	7.5	646%	Night
761	2025-02-27 19:17:26	?	45dB	?	?	Night
762	2025-02-27 19:19:15	70	45dB	5.3	428%	Night
763	2025-02-27 19:20:38	?	45dB	?	?	Night
764	2025-02-27 19:22:15	67	45dB	4.6	359%	Night
765	2025-02-27 19:23:45	68	45dB	4.9	392%	Night
766	2025-02-27 19:25:11	69	45dB	5.3	428%	Night
767	2025-02-27 19:26:25	?	45dB	?	?	Night
768	2025-02-27 19:28:02	69	45dB	4.9	392%	Night
769	2025-02-27 19:29:24	70	45dB	5.3	428%	Night
770	2025-02-27 19:30:58	69	45dB	5.3	428%	Night
771	2025-02-27 19:32:28	68	45dB	4.9	392%	Night
772	2025-02-27 19:34:09	69	45dB	5.3	428%	Night
773	2025-02-27 19:36:21	?	45dB	?	?	Night
774	2025-02-27 19:37:50	69	45dB	5.3	428%	Night
775	2025-02-27 19:39:18	69	45dB	5.3	428%	Night
776	2025-02-27 19:40:52	74	45dB	7.0	596%	Night
777	2025-02-27 19:43:30	74	45dB	7.0	596%	Night
778	2025-02-27 19:45:05	69	45dB	4.9	392%	Night
779	2025-02-27 19:46:41	70	45dB	5.3	428%	Night
780	2025-02-27 19:48:35	71	45dB	5.7	466%	Night
781	2025-02-27 19:50:14	73	45dB	6.5	550%	Night
782	2025-02-27 19:51:56	73	45dB	6.5	550%	Night
783	2025-02-27 19:54:13	70	45dB	5.3	428%	Night
784	2025-02-27 19:55:54	71	45dB	5.7	466%	Night
785	2025-02-27 19:57:21	?	45dB	?	?	Night
786	2025-02-27 19:58:56	70	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

787	2025-02-27 20:00:40	69	45dB	5.3	428%	Night
788	2025-02-27 20:01:56	68	45dB	4.6	359%	Night
789	2025-02-27 20:03:34	68	45dB	4.6	359%	Night
790	2025-02-27 20:05:03	70	45dB	5.7	466%	Night
791	2025-02-27 20:07:08	71	45dB	5.7	466%	Night
792	2025-02-27 20:08:41	68	45dB	4.6	359%	Night
793	2025-02-27 20:10:10	69	45dB	4.9	392%	Night
794	2025-02-27 20:11:44	66	45dB	4.3	329%	Night
795	2025-02-27 20:13:25	70	45dB	5.7	466%	Night
796	2025-02-27 20:15:04	70	45dB	5.7	466%	Night
797	2025-02-27 20:18:45	69	45dB	5.3	428%	Night
798	2025-02-27 20:22:06	69	45dB	4.9	392%	Night
799	2025-02-27 20:24:31	?	45dB	?	?	Night
800	2025-02-27 20:26:30	71	45dB	5.7	466%	Night
801	2025-02-27 20:31:06	70	45dB	5.7	466%	Night
802	2025-02-27 20:33:47	72	45dB	6.1	506%	Night
803	2025-02-27 20:36:07	73	45dB	7.0	596%	Night
804	2025-02-27 20:37:49	70	45dB	5.7	466%	Night
805	2025-02-27 20:39:10	74	45dB	7.5	646%	Night
806	2025-02-27 20:41:39	72	45dB	6.1	506%	Night
807	2025-02-27 20:44:07	68	45dB	4.9	392%	Night
808	2025-02-27 20:47:04	72	45dB	6.5	550%	Night
809	2025-02-27 20:48:53	74	45dB	7.5	646%	Night
810	2025-02-27 20:50:11	72	45dB	6.1	506%	Night
811	2025-02-27 20:51:51	?	45dB	?	?	Night
812	2025-02-27 20:54:39	?	45dB	?	?	Night
813	2025-02-27 20:55:56	74	45dB	7.5	646%	Night
814	2025-02-27 20:57:12	71	45dB	5.7	466%	Night
815	2025-02-27 20:58:40	67	45dB	4.6	359%	Night
816	2025-02-27 21:00:02	?	45dB	?	?	Night
817	2025-02-27 21:01:24	?	45dB	?	?	Night
818	2025-02-27 21:02:53	72	45dB	6.5	550%	Night
819	2025-02-27 21:05:14	71	45dB	6.1	506%	Night
820	2025-02-27 21:06:40	70	45dB	5.3	428%	Night
821	2025-02-27 21:08:08	75	45dB	7.5	646%	Night
822	2025-02-27 21:09:40	70	45dB	5.7	466%	Night
823	2025-02-27 21:10:50	?	45dB	?	?	Night
824	2025-02-27 21:12:37	69	45dB	4.9	392%	Night
825	2025-02-27 21:14:56	70	45dB	5.7	466%	Night
826	2025-02-27 21:18:16	70	45dB	5.7	466%	Night
827	2025-02-27 21:20:21	68	45dB	4.9	392%	Night
828	2025-02-27 21:22:13	70	45dB	5.7	466%	Night
829	2025-02-27 21:25:56	?	45dB	?	?	Night
830	2025-02-27 21:27:56	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

831	2025-02-27 21:29:49	66	45dB	4.3	329%	Night
832	2025-02-27 21:31:40	?	45dB	?	?	Night
833	2025-02-27 21:33:48	71	45dB	6.1	506%	Night
834	2025-02-27 21:36:28	71	45dB	5.7	466%	Night
835	2025-02-27 21:38:04	69	45dB	5.3	428%	Night
836	2025-02-27 21:39:55	?	45dB	?	?	Night
837	2025-02-27 21:43:33	?	45dB	?	?	Night
838	2025-02-27 21:45:27	?	45dB	?	?	Night
839	2025-02-27 21:47:24	?	45dB	?	?	Night
840	2025-02-27 21:49:08	70	45dB	5.7	466%	Night
841	2025-02-27 21:50:40	69	45dB	5.3	428%	Night
842	2025-02-27 21:52:01	69	45dB	5.3	428%	Night
843	2025-02-27 21:53:26	75	45dB	8.0	700%	Night
844	2025-02-27 21:55:04	?	45dB	?	?	Night
845	2025-02-27 21:56:45	75	45dB	7.5	646%	Night
846	2025-02-27 22:00:44	?	45dB	?	?	Night
847	2025-02-27 22:02:34	?	45dB	?	?	Night
848	2025-02-27 22:04:56	?	45dB	?	?	Night
849	2025-02-27 22:06:22	?	45dB	?	?	Night
850	2025-02-27 22:08:01	69	45dB	5.3	428%	Night
851	2025-02-27 22:09:43	71	45dB	5.7	466%	Night
852	2025-02-27 22:10:57	78	45dB	9.2	819%	Night
853	2025-02-27 22:12:25	?	45dB	?	?	Night
854	2025-02-27 22:14:14	69	45dB	5.3	428%	Night
855	2025-02-27 22:15:46	71	45dB	5.7	466%	Night
856	2025-02-27 22:21:11	?	45dB	?	?	Night
857	2025-02-27 22:22:24	?	45dB	?	?	Night
858	2025-02-27 22:25:33	?	45dB	?	?	Night
859	2025-02-27 22:26:48	72	45dB	6.1	506%	Night
860	2025-02-27 22:28:17	?	45dB	?	?	Night
861	2025-02-27 22:29:46	?	45dB	?	?	Night
862	2025-02-27 22:31:02	67	45dB	4.3	329%	Night
863	2025-02-27 22:32:19	?	45dB	?	?	Night
864	2025-02-27 22:35:04	?	45dB	?	?	Night
865	2025-02-27 22:36:28	70	45dB	5.3	428%	Night
866	2025-02-27 22:38:22	74	45dB	7.5	646%	Night
867	2025-02-27 22:41:33	72	45dB	6.1	506%	Night
868	2025-02-27 22:42:56	?	45dB	?	?	Night
869	2025-02-27 22:44:45	?	45dB	?	?	Night
870	2025-02-27 22:46:38	76	45dB	8.0	700%	Night
871	2025-02-27 22:48:37	70	45dB	5.7	466%	Night
872	2025-02-27 22:50:12	70	45dB	5.7	466%	Night
873	2025-02-27 22:51:55	71	45dB	6.1	506%	Night
874	2025-02-27 22:53:32	81	45dB	12.1	1113%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

875	2025-02-27 22:55:32	68	45dB	4.9	392%	Night
876	2025-02-27 22:58:05	70	45dB	5.7	466%	Night
877	2025-02-27 23:00:33	75	45dB	7.5	646%	Night
878	2025-02-27 23:02:26	?	45dB	?	?	Night
879	2025-02-27 23:05:30	70	45dB	5.3	428%	Night
880	2025-02-27 23:10:45	?	45dB	?	?	Night
881	2025-02-27 23:12:23	76	45dB	8.0	700%	Night
882	2025-02-27 23:14:16	71	45dB	5.7	466%	Night
883	2025-02-27 23:16:40	77	45dB	8.6	757%	Night
884	2025-02-27 23:18:30	74	45dB	7.5	646%	Night
885	2025-02-27 23:20:38	77	45dB	8.6	757%	Night
886	2025-02-27 23:22:18	72	45dB	6.5	550%	Night
887	2025-02-27 23:24:02	70	45dB	5.7	466%	Night
888	2025-02-27 23:30:10	69	45dB	4.9	392%	Night
889	2025-02-27 23:33:19	?	45dB	?	?	Night
890	2025-02-27 23:39:37	77	45dB	9.2	819%	Night
891	2025-02-27 23:41:58	68	45dB	4.9	392%	Night
892	2025-02-27 23:43:48	68	45dB	4.9	392%	Night
893	2025-02-27 23:45:27	72	45dB	6.5	550%	Night
894	2025-02-27 23:47:20	71	45dB	5.7	466%	Night
895	2025-02-27 23:49:07	71	45dB	6.1	506%	Night
896	2025-02-27 23:50:58	69	45dB	4.9	392%	Night
897	2025-02-27 23:52:27	72	45dB	6.1	506%	Night
898	2025-02-27 23:53:51	75	45dB	8.0	700%	Night
899	2025-02-27 23:55:09	74	45dB	7.0	596%	Night
900	2025-02-27 23:56:42	71	45dB	6.1	506%	Night
901	2025-02-27 23:59:11	74	45dB	7.5	646%	Night
902	2025-02-28 00:00:23	73	45dB	6.5	550%	Night
903	2025-02-28 00:01:56	72	45dB	6.1	506%	Night
904	2025-02-28 00:03:20	73	45dB	6.5	550%	Night
905	2025-02-28 00:04:47	74	45dB	7.5	646%	Night
906	2025-02-28 00:06:16	72	45dB	6.1	506%	Night
907	2025-02-28 00:07:49	?	45dB	?	?	Night
908	2025-02-28 00:09:16	74	45dB	7.5	646%	Night
909	2025-02-28 00:11:22	84	45dB	14.9	1393%	Night
910	2025-02-28 09:59:10	?	55dB	?	?	Day
911	2025-02-28 10:03:01	?	55dB	?	?	Day
912	2025-02-28 10:12:34	68	55dB	2.5	146%	Day
913	2025-02-28 10:16:05	68	55dB	2.3	130%	Day
914	2025-02-28 10:19:45	?	55dB	?	?	Day
915	2025-02-28 10:23:46	70	55dB	2.8	183%	Day
916	2025-02-28 10:25:00	69	55dB	2.6	164%	Day
917	2025-02-28 10:26:17	70	55dB	2.6	164%	Day
918	2025-02-28 10:28:06	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

919	2025-02-28 10:29:37	?	55dB	?	?	Day
920	2025-02-28 10:31:54	70	55dB	2.8	183%	Day
921	2025-02-28 10:33:49	74	55dB	3.5	248%	Day
922	2025-02-28 10:37:26	76	55dB	4.0	300%	Day
923	2025-02-28 10:43:37	72	55dB	3.0	203%	Day
924	2025-02-28 10:45:33	?	55dB	?	?	Day
925	2025-02-28 10:50:53	68	55dB	2.5	146%	Day
926	2025-02-28 10:53:08	70	55dB	2.6	164%	Day
927	2025-02-28 10:54:33	72	55dB	3.0	203%	Day
928	2025-02-28 10:56:02	69	55dB	2.5	146%	Day
929	2025-02-28 10:57:58	70	55dB	2.6	164%	Day
930	2025-02-28 10:59:25	?	55dB	?	?	Day
931	2025-02-28 11:04:28	68	55dB	2.5	146%	Day
932	2025-02-28 11:06:12	?	55dB	?	?	Day
933	2025-02-28 11:09:19	?	55dB	?	?	Day
934	2025-02-28 11:16:23	?	55dB	?	?	Day
935	2025-02-28 11:17:58	?	55dB	?	?	Day
936	2025-02-28 11:20:07	70	55dB	2.6	164%	Day
937	2025-02-28 11:21:39	67	55dB	2.1	114%	Day
938	2025-02-28 11:24:48	71	55dB	3.0	203%	Day
939	2025-02-28 11:26:46	?	55dB	?	?	Day
940	2025-02-28 11:28:18	68	55dB	2.3	130%	Day
941	2025-02-28 11:30:28	70	55dB	2.6	164%	Day
942	2025-02-28 11:31:44	?	55dB	?	?	Day
943	2025-02-28 11:33:10	72	55dB	3.2	225%	Day
944	2025-02-28 11:34:24	?	55dB	?	?	Day
945	2025-02-28 11:36:02	68	55dB	2.3	130%	Day
946	2025-02-28 11:43:58	73	55dB	3.5	248%	Day
947	2025-02-28 11:46:35	72	55dB	3.2	225%	Day
948	2025-02-28 11:48:02	71	55dB	2.8	183%	Day
949	2025-02-28 11:49:57	?	55dB	?	?	Day
950	2025-02-28 11:53:02	76	55dB	4.0	300%	Day
951	2025-02-28 11:57:11	69	55dB	2.6	164%	Day
952	2025-02-28 11:58:34	?	55dB	?	?	Day
953	2025-02-28 11:59:56	?	55dB	?	?	Day
954	2025-02-28 12:01:17	70	55dB	2.8	183%	Day
955	2025-02-28 12:06:12	72	55dB	3.0	203%	Day
956	2025-02-28 12:13:10	75	55dB	4.0	300%	Day
957	2025-02-28 12:15:45	69	55dB	2.5	146%	Day
958	2025-02-28 12:17:53	73	55dB	3.2	225%	Day
959	2025-02-28 12:19:33	75	55dB	4.0	300%	Day
960	2025-02-28 12:21:18	?	55dB	?	?	Day
961	2025-02-28 12:23:19	70	55dB	2.6	164%	Day
962	2025-02-28 12:25:12	72	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

963	2025-02-28 12:27:00	?	55dB	?	?	Day
964	2025-02-28 12:35:05	68	55dB	2.3	130%	Day
965	2025-02-28 12:36:38	73	55dB	3.2	225%	Day
966	2025-02-28 12:39:16	?	55dB	?	?	Day
967	2025-02-28 12:42:05	71	55dB	3.0	203%	Day
968	2025-02-28 12:43:41	70	55dB	2.8	183%	Day
969	2025-02-28 12:45:06	75	55dB	4.0	300%	Day
970	2025-02-28 12:47:07	?	55dB	?	?	Day
971	2025-02-28 12:48:40	71	55dB	2.8	183%	Day
972	2025-02-28 12:50:20	?	55dB	?	?	Day
973	2025-02-28 12:54:13	?	55dB	?	?	Day
974	2025-02-28 12:56:55	69	55dB	2.6	164%	Day
975	2025-02-28 12:58:35	75	55dB	4.0	300%	Day
976	2025-02-28 13:02:39	68	55dB	2.5	146%	Day
977	2025-02-28 13:04:56	67	55dB	2.3	130%	Day
978	2025-02-28 13:06:44	?	55dB	?	?	Day
979	2025-02-28 13:09:20	69	55dB	2.5	146%	Day
980	2025-02-28 13:11:25	72	55dB	3.0	203%	Day
981	2025-02-28 13:13:47	70	55dB	2.8	183%	Day
982	2025-02-28 13:15:48	70	55dB	2.6	164%	Day
983	2025-02-28 13:18:11	?	55dB	?	?	Day
984	2025-02-28 13:19:35	69	55dB	2.5	146%	Day
985	2025-02-28 13:21:08	69	55dB	2.5	146%	Day
986	2025-02-28 13:23:02	68	55dB	2.5	146%	Day
987	2025-02-28 13:25:07	68	55dB	2.5	146%	Day
988	2025-02-28 13:26:56	70	55dB	2.6	164%	Day
989	2025-02-28 13:29:53	?	55dB	?	?	Day
990	2025-02-28 13:31:28	?	55dB	?	?	Day
991	2025-02-28 13:33:15	?	55dB	?	?	Day
992	2025-02-28 13:34:45	71	55dB	2.8	183%	Day
993	2025-02-28 13:39:23	69	55dB	2.6	164%	Day
994	2025-02-28 13:41:13	80	55dB	5.7	466%	Day
995	2025-02-28 13:43:50	65	55dB	2.0	100%	Day
996	2025-02-28 13:45:14	70	55dB	2.8	183%	Day
997	2025-02-28 13:48:50	71	55dB	3.0	203%	Day
998	2025-02-28 13:50:30	?	55dB	?	?	Day
999	2025-02-28 13:51:53	71	55dB	3.0	203%	Day
1000	2025-02-28 13:53:36	?	55dB	?	?	Day
1001	2025-02-28 13:55:09	72	55dB	3.2	225%	Day
1002	2025-02-28 13:57:32	?	55dB	?	?	Day
1003	2025-02-28 13:59:07	73	55dB	3.5	248%	Day
1004	2025-02-28 14:01:46	?	55dB	?	?	Day
1005	2025-02-28 14:03:31	70	55dB	2.6	164%	Day
1006	2025-02-28 14:05:05	68	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1007	2025-02-28 14:08:50	73	55dB	3.5	248%	Day
1008	2025-02-28 14:15:40	80	55dB	5.7	466%	Day
1009	2025-02-28 14:22:46	72	55dB	3.0	203%	Day
1010	2025-02-28 14:25:21	72	55dB	3.2	225%	Day
1011	2025-02-28 14:26:36	71	55dB	2.8	183%	Day
1012	2025-02-28 14:27:47	70	55dB	2.8	183%	Day
1013	2025-02-28 14:30:05	75	55dB	3.7	273%	Day
1014	2025-02-28 14:31:49	72	55dB	3.2	225%	Day
1015	2025-02-28 14:33:24	76	55dB	4.0	300%	Day
1016	2025-02-28 14:35:07	72	55dB	3.0	203%	Day
1017	2025-02-28 14:37:50	?	55dB	?	?	Day
1018	2025-02-28 14:39:19	73	55dB	3.5	248%	Day
1019	2025-02-28 14:40:48	71	55dB	3.0	203%	Day
1020	2025-02-28 14:42:20	71	55dB	3.0	203%	Day
1021	2025-02-28 14:43:49	67	55dB	2.1	114%	Day
1022	2025-02-28 14:45:42	?	55dB	?	?	Day
1023	2025-02-28 14:47:26	69	55dB	2.5	146%	Day
1024	2025-02-28 14:49:12	76	55dB	4.3	329%	Day
1025	2025-02-28 14:50:48	74	55dB	3.7	273%	Day
1026	2025-02-28 14:53:42	69	55dB	2.6	164%	Day
1027	2025-02-28 14:55:23	72	55dB	3.2	225%	Day
1028	2025-02-28 14:57:00	?	55dB	?	?	Day
1029	2025-02-28 14:58:45	76	55dB	4.3	329%	Day
1030	2025-02-28 15:01:12	72	55dB	3.0	203%	Day
1031	2025-02-28 15:03:09	71	55dB	2.8	183%	Day
1032	2025-02-28 15:04:52	70	55dB	2.8	183%	Day
1033	2025-02-28 15:06:11	78	55dB	4.9	392%	Day
1034	2025-02-28 15:07:51	74	55dB	3.7	273%	Day
1035	2025-02-28 15:09:25	72	55dB	3.0	203%	Day
1036	2025-02-28 15:11:38	73	55dB	3.2	225%	Day
1037	2025-02-28 15:16:36	71	55dB	2.8	183%	Day
1038	2025-02-28 15:19:06	?	55dB	?	?	Day
1039	2025-02-28 15:20:54	74	55dB	3.5	248%	Day
1040	2025-02-28 15:22:40	67	55dB	2.3	130%	Day
1041	2025-02-28 15:24:50	69	55dB	2.5	146%	Day
1042	2025-02-28 15:26:32	?	55dB	?	?	Day
1043	2025-02-28 15:28:14	69	55dB	2.6	164%	Day
1044	2025-02-28 15:29:40	?	55dB	?	?	Day
1045	2025-02-28 15:31:14	71	55dB	3.0	203%	Day
1046	2025-02-28 15:32:52	72	55dB	3.0	203%	Day
1047	2025-02-28 15:34:24	?	55dB	?	?	Day
1048	2025-02-28 15:37:41	?	55dB	?	?	Day
1049	2025-02-28 15:38:58	?	55dB	?	?	Day
1050	2025-02-28 15:40:23	71	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1051	2025-02-28 15:42:02	69	55dB	2.5	146%	Day
1052	2025-02-28 15:43:38	69	55dB	2.6	164%	Day
1053	2025-02-28 15:45:03	70	55dB	2.8	183%	Day
1054	2025-02-28 15:46:26	73	55dB	3.5	248%	Day
1055	2025-02-28 15:47:54	69	55dB	2.6	164%	Day
1056	2025-02-28 15:49:19	74	55dB	3.7	273%	Day
1057	2025-02-28 15:50:51	?	55dB	?	?	Day
1058	2025-02-28 15:54:45	91	55dB	11.3	1031%	Day
1059	2025-02-28 15:57:20	71	55dB	3.0	203%	Day
1060	2025-02-28 15:59:05	72	55dB	3.0	203%	Day
1061	2025-02-28 16:00:40	?	55dB	?	?	Day
1062	2025-02-28 16:03:11	78	55dB	4.9	392%	Day
1063	2025-02-28 16:04:47	85	55dB	7.5	646%	Day
1064	2025-02-28 16:07:55	?	55dB	?	?	Day
1065	2025-02-28 16:09:47	73	55dB	3.2	225%	Day
1066	2025-02-28 16:11:48	71	55dB	2.8	183%	Day
1067	2025-02-28 16:14:06	75	55dB	4.0	300%	Day
1068	2025-02-28 16:16:15	76	55dB	4.0	300%	Day
1069	2025-02-28 16:18:04	75	55dB	4.0	300%	Day
1070	2025-02-28 16:20:18	73	55dB	3.2	225%	Day
1071	2025-02-28 16:21:35	75	55dB	4.0	300%	Day
1072	2025-02-28 16:22:54	?	55dB	?	?	Day
1073	2025-02-28 16:24:21	71	55dB	2.8	183%	Day
1074	2025-02-28 16:31:27	72	55dB	3.0	203%	Day
1075	2025-02-28 16:36:18	?	55dB	?	?	Day
1076	2025-02-28 16:41:39	71	55dB	2.8	183%	Day
1077	2025-02-28 16:44:44	70	55dB	2.8	183%	Day
1078	2025-02-28 16:47:41	71	55dB	3.0	203%	Day
1079	2025-02-28 16:49:23	74	55dB	3.5	248%	Day
1080	2025-02-28 16:51:14	72	55dB	3.2	225%	Day
1081	2025-02-28 16:52:22	72	55dB	3.0	203%	Day
1082	2025-02-28 16:55:33	71	55dB	2.8	183%	Day
1083	2025-02-28 16:57:02	74	55dB	3.7	273%	Day
1084	2025-02-28 16:59:15	72	55dB	3.2	225%	Day
1085	2025-02-28 17:00:36	78	55dB	4.6	359%	Day
1086	2025-02-28 17:02:17	74	55dB	3.7	273%	Day
1087	2025-02-28 17:04:33	70	55dB	2.6	164%	Day
1088	2025-02-28 17:06:26	75	55dB	3.7	273%	Day
1089	2025-02-28 17:11:15	84	55dB	7.5	646%	Day
1090	2025-02-28 17:14:33	?	55dB	?	?	Day
1091	2025-02-28 17:16:31	74	55dB	3.5	248%	Day
1092	2025-02-28 17:17:55	69	55dB	2.6	164%	Day
1093	2025-02-28 17:19:21	74	55dB	3.7	273%	Day
1094	2025-02-28 17:21:21	74	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1095	2025-02-28 17:23:18	71	55dB	3.0	203%	Day
1096	2025-02-28 17:24:52	68	55dB	2.3	130%	Day
1097	2025-02-28 17:26:32	67	55dB	2.3	130%	Day
1098	2025-02-28 17:28:06	?	55dB	?	?	Day
1099	2025-02-28 17:34:14	?	55dB	?	?	Day
1100	2025-02-28 17:38:51	69	55dB	2.6	164%	Day
1101	2025-02-28 17:40:43	74	55dB	3.5	248%	Day
1102	2025-02-28 17:42:33	74	55dB	3.5	248%	Day
1103	2025-02-28 17:45:06	75	55dB	4.0	300%	Day
1104	2025-02-28 17:46:41	69	55dB	2.5	146%	Day
1105	2025-02-28 17:48:05	?	55dB	?	?	Day
1106	2025-02-28 17:49:28	73	55dB	3.5	248%	Day
1107	2025-02-28 17:51:06	70	55dB	2.6	164%	Day
1108	2025-02-28 17:52:43	?	55dB	?	?	Day
1109	2025-02-28 17:54:22	67	55dB	2.3	130%	Day
1110	2025-02-28 17:56:10	?	55dB	?	?	Day
1111	2025-02-28 17:57:39	?	55dB	?	?	Day
1112	2025-02-28 17:59:31	67	55dB	2.3	130%	Day
1113	2025-02-28 18:01:12	71	55dB	3.0	203%	Day
1114	2025-02-28 18:03:22	67	55dB	2.3	130%	Day
1115	2025-02-28 18:04:42	?	55dB	?	?	Day
1116	2025-02-28 18:05:58	?	55dB	?	?	Day
1117	2025-02-28 18:07:28	69	55dB	2.6	164%	Day
1118	2025-02-28 18:15:33	69	55dB	2.6	164%	Day
1119	2025-02-28 18:19:25	67	55dB	2.3	130%	Day
1120	2025-02-28 18:23:45	74	55dB	3.7	273%	Day
1121	2025-02-28 18:26:18	69	55dB	2.6	164%	Day
1122	2025-02-28 18:28:19	71	55dB	3.0	203%	Day
1123	2025-02-28 18:29:58	73	55dB	3.2	225%	Day
1124	2025-02-28 18:31:46	?	55dB	?	?	Day
1125	2025-02-28 18:33:32	74	55dB	3.7	273%	Day
1126	2025-02-28 18:35:22	69	55dB	2.5	146%	Day
1127	2025-02-28 18:37:11	68	55dB	2.5	146%	Day
1128	2025-02-28 18:38:30	?	55dB	?	?	Day
1129	2025-02-28 18:39:55	72	55dB	3.0	203%	Day
1130	2025-02-28 18:42:28	68	55dB	2.5	146%	Day
1131	2025-02-28 18:43:58	?	55dB	?	?	Day
1132	2025-02-28 18:45:34	69	55dB	2.6	164%	Day
1133	2025-02-28 18:48:22	70	55dB	2.8	183%	Day
1134	2025-02-28 18:50:38	72	55dB	3.2	225%	Day
1135	2025-02-28 18:52:39	?	55dB	?	?	Day
1136	2025-02-28 18:54:44	67	55dB	2.1	114%	Day
1137	2025-02-28 18:56:07	71	55dB	3.0	203%	Day
1138	2025-02-28 18:57:26	79	55dB	5.3	428%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1139	2025-02-28 18:58:48	70	55dB	2.6	164%	Day
1140	2025-02-28 19:00:19	?	45dB	?	?	Night
1141	2025-02-28 19:01:53	69	45dB	4.9	392%	Night
1142	2025-02-28 19:03:19	69	45dB	5.3	428%	Night
1143	2025-02-28 19:05:37	76	45dB	8.6	757%	Night
1144	2025-02-28 19:07:30	?	45dB	?	?	Night
1145	2025-02-28 19:08:51	73	45dB	7.0	596%	Night
1146	2025-02-28 19:11:11	72	45dB	6.5	550%	Night
1147	2025-02-28 19:12:38	?	45dB	?	?	Night
1148	2025-02-28 19:14:24	70	45dB	5.7	466%	Night
1149	2025-02-28 19:16:58	?	45dB	?	?	Night
1150	2025-02-28 19:21:28	68	45dB	4.6	359%	Night
1151	2025-02-28 19:23:32	?	45dB	?	?	Night
1152	2025-02-28 19:25:52	71	45dB	6.1	506%	Night
1153	2025-02-28 19:28:31	67	45dB	4.3	329%	Night
1154	2025-02-28 19:30:11	71	45dB	6.1	506%	Night
1155	2025-02-28 19:31:38	68	45dB	4.9	392%	Night
1156	2025-02-28 19:33:25	70	45dB	5.7	466%	Night
1157	2025-02-28 19:35:19	?	45dB	?	?	Night
1158	2025-02-28 19:36:45	71	45dB	6.1	506%	Night
1159	2025-02-28 19:39:00	70	45dB	5.3	428%	Night
1160	2025-02-28 19:41:01	71	45dB	6.1	506%	Night
1161	2025-02-28 19:42:35	70	45dB	5.7	466%	Night
1162	2025-02-28 19:44:51	78	45dB	9.8	885%	Night
1163	2025-02-28 19:46:30	?	45dB	?	?	Night
1164	2025-02-28 19:47:52	?	45dB	?	?	Night
1165	2025-02-28 19:49:27	70	45dB	5.7	466%	Night
1166	2025-02-28 19:51:03	72	45dB	6.5	550%	Night
1167	2025-02-28 19:54:56	68	45dB	4.9	392%	Night
1168	2025-02-28 19:56:49	71	45dB	5.7	466%	Night
1169	2025-02-28 19:58:45	70	45dB	5.7	466%	Night
1170	2025-02-28 20:00:23	?	45dB	?	?	Night
1171	2025-02-28 20:01:48	71	45dB	6.1	506%	Night
1172	2025-02-28 20:03:24	90	45dB	21.1	2011%	Night
1173	2025-02-28 20:04:42	69	45dB	5.3	428%	Night
1174	2025-02-28 20:06:19	71	45dB	6.1	506%	Night
1175	2025-02-28 20:08:19	?	45dB	?	?	Night
1176	2025-02-28 20:10:10	70	45dB	5.3	428%	Night
1177	2025-02-28 20:11:35	71	45dB	6.1	506%	Night
1178	2025-02-28 20:13:15	68	45dB	4.9	392%	Night
1179	2025-02-28 20:13:27	67	45dB	4.3	329%	Night
1180	2025-02-28 20:16:58	70	45dB	5.3	428%	Night
1181	2025-02-28 20:18:38	70	45dB	5.7	466%	Night
1182	2025-02-28 20:20:42	70	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1183	2025-02-28 20:22:24	68	45dB	4.9	392%	Night
1184	2025-02-28 20:23:37	71	45dB	5.7	466%	Night
1185	2025-02-28 20:26:14	71	45dB	5.7	466%	Night
1186	2025-02-28 20:27:38	69	45dB	4.9	392%	Night
1187	2025-02-28 20:29:04	?	45dB	?	?	Night
1188	2025-02-28 20:30:35	?	45dB	?	?	Night
1189	2025-02-28 20:32:01	?	45dB	?	?	Night
1190	2025-02-28 20:33:24	75	45dB	8.0	700%	Night
1191	2025-02-28 20:34:41	?	45dB	?	?	Night
1192	2025-02-28 20:36:10	80	45dB	10.6	956%	Night
1193	2025-02-28 20:37:33	71	45dB	5.7	466%	Night
1194	2025-02-28 20:39:08	71	45dB	5.7	466%	Night
1195	2025-02-28 20:42:34	?	45dB	?	?	Night
1196	2025-02-28 20:44:03	?	45dB	?	?	Night
1197	2025-02-28 20:45:28	70	45dB	5.7	466%	Night
1198	2025-02-28 20:48:15	70	45dB	5.7	466%	Night
1199	2025-02-28 20:50:15	68	45dB	4.9	392%	Night
1200	2025-02-28 20:51:45	72	45dB	6.1	506%	Night
1201	2025-02-28 20:54:05	70	45dB	5.3	428%	Night
1202	2025-02-28 20:56:18	70	45dB	5.7	466%	Night
1203	2025-02-28 20:57:54	70	45dB	5.7	466%	Night
1204	2025-02-28 21:00:08	70	45dB	5.7	466%	Night
1205	2025-02-28 21:01:41	67	45dB	4.6	359%	Night
1206	2025-02-28 21:03:02	?	45dB	?	?	Night
1207	2025-02-28 21:04:34	70	45dB	5.3	428%	Night
1208	2025-02-28 21:05:54	70	45dB	5.7	466%	Night
1209	2025-02-28 21:07:19	72	45dB	6.5	550%	Night
1210	2025-02-28 21:08:41	70	45dB	5.3	428%	Night
1211	2025-02-28 21:10:18	?	45dB	?	?	Night
1212	2025-02-28 21:11:53	70	45dB	5.3	428%	Night
1213	2025-02-28 21:13:18	68	45dB	4.9	392%	Night
1214	2025-02-28 21:14:35	68	45dB	4.9	392%	Night
1215	2025-02-28 21:15:55	75	45dB	7.5	646%	Night
1216	2025-02-28 21:17:14	70	45dB	5.7	466%	Night
1217	2025-02-28 21:18:41	70	45dB	5.3	428%	Night
1218	2025-02-28 21:20:13	69	45dB	5.3	428%	Night
1219	2025-02-28 21:21:41	69	45dB	4.9	392%	Night
1220	2025-02-28 21:31:02	?	45dB	?	?	Night
1221	2025-02-28 21:32:47	?	45dB	?	?	Night
1222	2025-02-28 21:34:36	67	45dB	4.6	359%	Night
1223	2025-02-28 21:36:18	75	45dB	8.0	700%	Night
1224	2025-02-28 21:37:48	69	45dB	5.3	428%	Night
1225	2025-02-28 21:39:23	68	45dB	4.6	359%	Night
1226	2025-02-28 21:40:49	67	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1227	2025-02-28 21:42:06	70	45dB	5.7	466%	Night
1228	2025-02-28 21:43:49	?	45dB	?	?	Night
1229	2025-02-28 21:45:13	67	45dB	4.6	359%	Night
1230	2025-02-28 21:48:01	73	45dB	6.5	550%	Night
1231	2025-02-28 21:49:44	71	45dB	6.1	506%	Night
1232	2025-02-28 21:51:50	?	45dB	?	?	Night
1233	2025-02-28 21:53:54	70	45dB	5.7	466%	Night
1234	2025-02-28 21:55:38	71	45dB	5.7	466%	Night
1235	2025-02-28 21:57:10	67	45dB	4.3	329%	Night
1236	2025-02-28 21:58:35	?	45dB	?	?	Night
1237	2025-02-28 22:00:08	?	45dB	?	?	Night
1238	2025-02-28 22:01:39	69	45dB	5.3	428%	Night
1239	2025-02-28 22:03:30	70	45dB	5.7	466%	Night
1240	2025-02-28 22:05:33	70	45dB	5.3	428%	Night
1241	2025-02-28 22:07:30	68	45dB	4.6	359%	Night
1242	2025-02-28 22:11:03	?	45dB	?	?	Night
1243	2025-02-28 22:14:12	?	45dB	?	?	Night
1244	2025-02-28 22:15:50	69	45dB	4.9	392%	Night
1245	2025-02-28 22:17:36	?	45dB	?	?	Night
1246	2025-02-28 22:19:09	?	45dB	?	?	Night
1247	2025-02-28 22:21:22	71	45dB	5.7	466%	Night
1248	2025-02-28 22:27:27	?	45dB	?	?	Night
1249	2025-02-28 22:30:16	?	45dB	?	?	Night
1250	2025-02-28 22:32:28	70	45dB	5.7	466%	Night
1251	2025-02-28 22:35:40	68	45dB	4.6	359%	Night
1252	2025-02-28 22:44:13	?	45dB	?	?	Night
1253	2025-02-28 22:48:20	70	45dB	5.7	466%	Night
1254	2025-02-28 22:58:19	68	45dB	4.9	392%	Night
1255	2025-02-28 23:03:15	70	45dB	5.7	466%	Night
1256	2025-02-28 23:05:41	70	45dB	5.7	466%	Night
1257	2025-02-28 23:11:37	?	45dB	?	?	Night
1258	2025-02-28 23:14:15	70	45dB	5.7	466%	Night
1259	2025-02-28 23:16:25	70	45dB	5.7	466%	Night
1260	2025-02-28 23:21:20	71	45dB	6.1	506%	Night
1261	2025-02-28 23:22:54	69	45dB	4.9	392%	Night
1262	2025-02-28 23:26:38	?	45dB	?	?	Night
1263	2025-02-28 23:28:11	71	45dB	6.1	506%	Night
1264	2025-02-28 23:29:39	72	45dB	6.5	550%	Night
1265	2025-02-28 23:31:13	?	45dB	?	?	Night
1266	2025-02-28 23:32:35	73	45dB	7.0	596%	Night
1267	2025-02-28 23:34:13	71	45dB	5.7	466%	Night
1268	2025-02-28 23:36:13	?	45dB	?	?	Night
1269	2025-02-28 23:38:01	?	45dB	?	?	Night
1270	2025-02-28 23:40:22	70	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1271	2025-02-28 23:42:43	?	45dB	?	?	Night
1272	2025-02-28 23:44:51	69	45dB	4.9	392%	Night
1273	2025-02-28 23:46:43	69	45dB	5.3	428%	Night
1274	2025-02-28 23:48:12	74	45dB	7.0	596%	Night
1275	2025-02-28 23:50:35	70	45dB	5.3	428%	Night
1276	2025-02-28 23:52:44	71	45dB	5.7	466%	Night
1277	2025-02-28 23:54:19	?	45dB	?	?	Night
1278	2025-02-28 23:56:20	?	45dB	?	?	Night
1279	2025-03-01 00:01:30	66	45dB	4.0	300%	Night
1280	2025-03-01 00:03:00	73	45dB	6.5	550%	Night
1281	2025-03-01 00:04:16	82	45dB	13.0	1200%	Night
1282	2025-03-01 00:06:00	72	45dB	6.1	506%	Night
1283	2025-03-01 00:08:07	71	45dB	5.7	466%	Night
1284	2025-03-01 00:10:02	77	45dB	8.6	757%	Night
1285	2025-03-01 00:11:22	72	45dB	6.1	506%	Night
1286	2025-03-01 00:13:07	68	45dB	4.9	392%	Night
1287	2025-03-01 00:14:37	68	45dB	4.9	392%	Night
1288	2025-03-01 00:18:53	68	45dB	4.9	392%	Night
1289	2025-03-01 00:20:42	76	45dB	8.0	700%	Night
1290	2025-03-01 00:22:11	72	45dB	6.1	506%	Night
1291	2025-03-01 00:23:50	69	45dB	5.3	428%	Night
1292	2025-03-01 00:25:26	70	45dB	5.7	466%	Night
1293	2025-03-01 00:27:18	70	45dB	5.3	428%	Night
1294	2025-03-01 20:20:53	?	45dB	?	?	Night
1295	2025-03-01 20:23:10	?	45dB	?	?	Night
1296	2025-03-01 20:25:36	?	45dB	?	?	Night
1297	2025-03-01 20:27:14	73	45dB	6.5	550%	Night
1298	2025-03-01 20:28:57	?	45dB	?	?	Night
1299	2025-03-01 20:31:02	?	45dB	?	?	Night
1300	2025-03-01 20:32:14	67	45dB	4.3	329%	Night
1301	2025-03-01 20:33:40	?	45dB	?	?	Night
1302	2025-03-01 20:36:03	?	45dB	?	?	Night
1303	2025-03-01 20:37:30	?	45dB	?	?	Night
1304	2025-03-01 20:39:00	?	45dB	?	?	Night
1305	2025-03-01 20:40:47	?	45dB	?	?	Night
1306	2025-03-01 20:42:19	?	45dB	?	?	Night
1307	2025-03-01 20:43:51	?	45dB	?	?	Night
1308	2025-03-01 20:46:36	?	45dB	?	?	Night
1309	2025-03-01 20:48:11	69	45dB	4.9	392%	Night
1310	2025-03-01 20:50:22	?	45dB	?	?	Night
1311	2025-03-01 20:51:41	?	45dB	?	?	Night
1312	2025-03-01 20:53:11	?	45dB	?	?	Night
1313	2025-03-01 20:54:45	?	45dB	?	?	Night
1314	2025-03-01 20:56:47	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1315	2025-03-01 20:59:02	?	45dB	?	?	Night
1316	2025-03-01 21:00:10	?	45dB	?	?	Night
1317	2025-03-01 21:01:32	?	45dB	?	?	Night
1318	2025-03-01 21:02:36	?	45dB	?	?	Night
1319	2025-03-01 21:03:52	?	45dB	?	?	Night
1320	2025-03-01 21:10:19	?	45dB	?	?	Night
1321	2025-03-01 21:12:28	?	45dB	?	?	Night
1322	2025-03-01 21:13:47	?	45dB	?	?	Night
1323	2025-03-01 21:15:56	?	45dB	?	?	Night
1324	2025-03-01 21:18:03	?	45dB	?	?	Night
1325	2025-03-01 21:20:25	?	45dB	?	?	Night
1326	2025-03-01 21:26:39	72	45dB	6.1	506%	Night
1327	2025-03-01 21:28:01	?	45dB	?	?	Night
1328	2025-03-01 21:29:20	74	45dB	7.5	646%	Night
1329	2025-03-01 21:30:51	?	45dB	?	?	Night
1330	2025-03-01 21:32:15	67	45dB	4.6	359%	Night
1331	2025-03-01 21:33:47	?	45dB	?	?	Night
1332	2025-03-01 21:35:30	70	45dB	5.7	466%	Night
1333	2025-03-01 21:37:13	85	45dB	16.0	1500%	Night
1334	2025-03-01 21:39:26	?	45dB	?	?	Night
1335	2025-03-01 21:46:25	?	45dB	?	?	Night
1336	2025-03-01 21:48:00	75	45dB	7.5	646%	Night
1337	2025-03-01 21:49:21	77	45dB	8.6	757%	Night
1338	2025-03-01 21:50:31	?	45dB	?	?	Night
1339	2025-03-01 21:51:51	?	45dB	?	?	Night
1340	2025-03-01 21:53:06	?	45dB	?	?	Night
1341	2025-03-01 21:54:53	?	45dB	?	?	Night
1342	2025-03-01 21:56:31	?	45dB	?	?	Night
1343	2025-03-01 22:00:32	?	45dB	?	?	Night
1344	2025-03-01 22:01:52	80	45dB	10.6	956%	Night
1345	2025-03-01 22:03:30	77	45dB	8.6	757%	Night
1346	2025-03-01 22:05:56	69	45dB	5.3	428%	Night
1347	2025-03-01 22:07:12	73	45dB	6.5	550%	Night
1348	2025-03-01 22:08:32	?	45dB	?	?	Night
1349	2025-03-01 22:09:50	?	45dB	?	?	Night
1350	2025-03-01 22:11:16	72	45dB	6.1	506%	Night
1351	2025-03-01 22:12:36	?	45dB	?	?	Night
1352	2025-03-01 22:13:42	?	45dB	?	?	Night
1353	2025-03-01 22:15:10	76	45dB	8.6	757%	Night
1354	2025-03-01 22:16:45	?	45dB	?	?	Night
1355	2025-03-01 22:18:32	69	45dB	4.9	392%	Night
1356	2025-03-01 22:20:58	?	45dB	?	?	Night
1357	2025-03-01 22:22:43	?	45dB	?	?	Night
1358	2025-03-01 22:24:14	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1359	2025-03-01 22:25:25	?	45dB	?	?	Night
1360	2025-03-01 22:26:56	?	45dB	?	?	Night
1361	2025-03-01 22:29:00	?	45dB	?	?	Night
1362	2025-03-01 22:30:26	?	45dB	?	?	Night
1363	2025-03-01 22:31:56	?	45dB	?	?	Night
1364	2025-03-01 22:34:56	?	45dB	?	?	Night
1365	2025-03-01 22:37:02	?	45dB	?	?	Night
1366	2025-03-01 22:40:24	?	45dB	?	?	Night
1367	2025-03-01 22:42:03	66	45dB	4.0	300%	Night
1368	2025-03-01 22:48:24	?	45dB	?	?	Night
1369	2025-03-01 22:50:09	69	45dB	4.9	392%	Night
1370	2025-03-01 22:57:35	?	45dB	?	?	Night
1371	2025-03-01 23:07:37	?	45dB	?	?	Night
1372	2025-03-01 23:19:18	?	45dB	?	?	Night
1373	2025-03-01 23:32:02	?	45dB	?	?	Night
1374	2025-03-01 23:34:12	?	45dB	?	?	Night
1375	2025-03-01 23:37:04	68	45dB	4.9	392%	Night
1376	2025-03-01 23:39:25	?	45dB	?	?	Night
1377	2025-03-01 23:40:53	?	45dB	?	?	Night
1378	2025-03-01 23:42:48	?	45dB	?	?	Night
1379	2025-03-01 23:46:56	?	45dB	?	?	Night
1380	2025-03-01 23:49:33	?	45dB	?	?	Night
1381	2025-03-01 23:54:06	?	45dB	?	?	Night
1382	2025-03-01 23:55:38	?	45dB	?	?	Night
1383	2025-03-01 23:56:55	?	45dB	?	?	Night
1384	2025-03-01 23:58:22	?	45dB	?	?	Night
1385	2025-03-02 00:07:18	65	45dB	4.0	300%	Night
1386	2025-03-02 00:09:26	72	45dB	6.5	550%	Night
1387	2025-03-02 00:11:41	68	45dB	4.6	359%	Night
1388	2025-03-02 00:13:06	68	45dB	4.9	392%	Night
1389	2025-03-02 00:14:33	67	45dB	4.6	359%	Night
1390	2025-03-02 00:16:38	68	45dB	4.6	359%	Night
1391	2025-03-02 00:19:32	71	45dB	5.7	466%	Night
1392	2025-03-02 00:22:32	69	45dB	4.9	392%	Night
1393	2025-03-02 00:24:46	69	45dB	4.9	392%	Night
1394	2025-03-02 06:31:32	?	45dB	?	?	Night
1395	2025-03-02 06:32:39	70	45dB	5.3	428%	Night
1396	2025-03-02 06:33:46	?	45dB	?	?	Night
1397	2025-03-02 06:34:49	?	45dB	?	?	Night
1398	2025-03-02 06:36:10	68	45dB	4.9	392%	Night
1399	2025-03-02 06:38:10	?	45dB	?	?	Night
1400	2025-03-02 06:38:55	68	45dB	4.9	392%	Night
1401	2025-03-02 06:40:04	71	45dB	5.7	466%	Night
1402	2025-03-02 06:40:58	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1403	2025-03-02 06:41:53	?	45dB	?	?	Night
1404	2025-03-02 06:42:34	70	45dB	5.7	466%	Night
1405	2025-03-02 06:43:41	?	45dB	?	?	Night
1406	2025-03-02 06:44:57	69	45dB	5.3	428%	Night
1407	2025-03-02 06:46:04	68	45dB	4.6	359%	Night
1408	2025-03-02 06:48:46	70	45dB	5.3	428%	Night
1409	2025-03-02 06:50:52	?	45dB	?	?	Night
1410	2025-03-02 06:52:01	70	45dB	5.3	428%	Night
1411	2025-03-02 06:54:00	?	45dB	?	?	Night
1412	2025-03-02 06:54:56	70	45dB	5.3	428%	Night
1413	2025-03-02 06:56:23	67	45dB	4.6	359%	Night
1414	2025-03-02 06:57:19	?	45dB	?	?	Night
1415	2025-03-02 06:58:25	68	45dB	4.6	359%	Night
1416	2025-03-02 07:00:16	69	55dB	2.5	146%	Day
1417	2025-03-02 07:02:48	?	55dB	?	?	Day
1418	2025-03-02 07:07:08	?	55dB	?	?	Day
1419	2025-03-02 07:14:23	?	55dB	?	?	Day
1420	2025-03-02 07:18:18	?	55dB	?	?	Day
1421	2025-03-02 07:19:28	?	55dB	?	?	Day
1422	2025-03-02 07:20:56	?	55dB	?	?	Day
1423	2025-03-02 07:23:56	?	55dB	?	?	Day
1424	2025-03-02 07:26:02	?	55dB	?	?	Day
1425	2025-03-02 07:27:00	?	55dB	?	?	Day
1426	2025-03-02 07:28:02	?	55dB	?	?	Day
1427	2025-03-02 07:28:57	?	55dB	?	?	Day
1428	2025-03-02 07:30:08	?	55dB	?	?	Day
1429	2025-03-02 07:31:05	69	55dB	2.5	146%	Day
1430	2025-03-02 07:35:02	71	55dB	2.8	183%	Day
1431	2025-03-02 07:39:27	71	55dB	2.8	183%	Day
1432	2025-03-02 07:42:48	70	55dB	2.6	164%	Day
1433	2025-03-02 07:44:19	?	55dB	?	?	Day
1434	2025-03-02 07:47:34	?	55dB	?	?	Day
1435	2025-03-02 07:49:33	70	55dB	2.6	164%	Day
1436	2025-03-02 07:51:26	?	55dB	?	?	Day
1437	2025-03-02 07:52:27	?	55dB	?	?	Day
1438	2025-03-02 07:53:39	?	55dB	?	?	Day
1439	2025-03-02 07:57:36	?	55dB	?	?	Day
1440	2025-03-02 07:59:26	69	55dB	2.5	146%	Day
1441	2025-03-02 08:01:39	?	55dB	?	?	Day
1442	2025-03-02 08:02:32	73	55dB	3.5	248%	Day
1443	2025-03-02 08:10:26	?	55dB	?	?	Day
1444	2025-03-02 08:14:39	?	55dB	?	?	Day
1445	2025-03-02 08:16:03	?	55dB	?	?	Day
1446	2025-03-02 08:17:44	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1447	2025-03-02 08:19:16	?	55dB	?	?	Day
1448	2025-03-02 08:20:56	?	55dB	?	?	Day
1449	2025-03-02 08:22:32	?	55dB	?	?	Day
1450	2025-03-02 08:27:26	68	55dB	2.5	146%	Day
1451	2025-03-02 08:32:02	70	55dB	2.6	164%	Day
1452	2025-03-02 08:34:27	?	55dB	?	?	Day
1453	2025-03-02 08:36:16	?	55dB	?	?	Day
1454	2025-03-02 08:41:24	?	55dB	?	?	Day
1455	2025-03-02 08:45:56	67	55dB	2.1	114%	Day
1456	2025-03-02 08:47:44	68	55dB	2.5	146%	Day
1457	2025-03-02 08:50:07	68	55dB	2.5	146%	Day
1458	2025-03-02 08:55:40	?	55dB	?	?	Day
1459	2025-03-02 08:58:46	71	55dB	2.8	183%	Day
1460	2025-03-02 09:09:08	?	55dB	?	?	Day
1461	2025-03-02 09:18:27	?	55dB	?	?	Day
1462	2025-03-02 09:20:18	?	55dB	?	?	Day
1463	2025-03-02 09:21:55	68	55dB	2.3	130%	Day
1464	2025-03-02 09:24:07	?	55dB	?	?	Day
1465	2025-03-02 09:27:06	?	55dB	?	?	Day
1466	2025-03-02 09:28:50	?	55dB	?	?	Day
1467	2025-03-02 09:30:46	68	55dB	2.5	146%	Day
1468	2025-03-02 09:33:19	?	55dB	?	?	Day
1469	2025-03-02 09:41:05	66	55dB	2.1	114%	Day
1470	2025-03-02 09:57:50	?	55dB	?	?	Day
1471	2025-03-02 10:01:28	?	55dB	?	?	Day
1472	2025-03-02 10:15:16	?	55dB	?	?	Day
1473	2025-03-02 10:17:33	?	55dB	?	?	Day
1474	2025-03-02 10:21:26	?	55dB	?	?	Day
1475	2025-03-02 10:24:06	?	55dB	?	?	Day
1476	2025-03-02 10:25:58	?	55dB	?	?	Day
1477	2025-03-02 10:28:11	?	55dB	?	?	Day
1478	2025-03-02 10:31:20	71	55dB	2.8	183%	Day
1479	2025-03-02 10:33:17	?	55dB	?	?	Day
1480	2025-03-02 10:34:37	?	55dB	?	?	Day
1481	2025-03-02 10:36:01	?	55dB	?	?	Day
1482	2025-03-02 10:38:10	?	55dB	?	?	Day
1483	2025-03-02 10:39:49	67	55dB	2.3	130%	Day
1484	2025-03-02 10:41:25	68	55dB	2.5	146%	Day
1485	2025-03-02 10:42:43	66	55dB	2.1	114%	Day
1486	2025-03-02 10:45:24	?	55dB	?	?	Day
1487	2025-03-02 10:47:36	?	55dB	?	?	Day
1488	2025-03-02 10:49:11	?	55dB	?	?	Day
1489	2025-03-02 10:52:12	69	55dB	2.5	146%	Day
1490	2025-03-02 10:57:55	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1491	2025-03-02 10:59:46	69	55dB	2.5	146%	Day
1492	2025-03-02 11:01:22	?	55dB	?	?	Day
1493	2025-03-02 11:03:40	?	55dB	?	?	Day
1494	2025-03-02 11:05:02	?	55dB	?	?	Day
1495	2025-03-02 11:07:46	?	55dB	?	?	Day
1496	2025-03-02 11:10:06	?	55dB	?	?	Day
1497	2025-03-02 11:13:36	?	55dB	?	?	Day
1498	2025-03-02 11:15:07	?	55dB	?	?	Day
1499	2025-03-02 11:16:54	?	55dB	?	?	Day
1500	2025-03-02 11:18:36	70	55dB	2.6	164%	Day
1501	2025-03-02 11:20:13	66	55dB	2.1	114%	Day
1502	2025-03-02 11:22:35	?	55dB	?	?	Day
1503	2025-03-02 11:25:39	?	55dB	?	?	Day
1504	2025-03-02 11:26:56	?	55dB	?	?	Day
1505	2025-03-02 11:28:30	?	55dB	?	?	Day
1506	2025-03-02 11:29:41	?	55dB	?	?	Day
1507	2025-03-02 11:30:51	?	55dB	?	?	Day
1508	2025-03-02 11:37:27	?	55dB	?	?	Day
1509	2025-03-02 11:41:19	70	55dB	2.8	183%	Day
1510	2025-03-02 11:43:31	68	55dB	2.3	130%	Day
1511	2025-03-02 11:45:52	?	55dB	?	?	Day
1512	2025-03-02 11:47:21	?	55dB	?	?	Day
1513	2025-03-02 11:49:12	?	55dB	?	?	Day
1514	2025-03-02 11:51:19	72	55dB	3.0	203%	Day
1515	2025-03-02 11:53:09	?	55dB	?	?	Day
1516	2025-03-02 11:55:10	?	55dB	?	?	Day
1517	2025-03-02 11:56:57	?	55dB	?	?	Day
1518	2025-03-02 11:58:52	?	55dB	?	?	Day
1519	2025-03-02 12:02:10	68	55dB	2.3	130%	Day
1520	2025-03-02 12:03:38	?	55dB	?	?	Day
1521	2025-03-02 12:05:46	?	55dB	?	?	Day
1522	2025-03-02 12:07:14	67	55dB	2.3	130%	Day
1523	2025-03-02 12:09:20	?	55dB	?	?	Day
1524	2025-03-02 12:11:46	?	55dB	?	?	Day
1525	2025-03-02 12:13:51	74	55dB	3.5	248%	Day
1526	2025-03-02 12:23:35	71	55dB	3.0	203%	Day
1527	2025-03-02 12:25:13	?	55dB	?	?	Day
1528	2025-03-02 12:30:10	66	55dB	2.1	114%	Day
1529	2025-03-02 12:33:43	?	55dB	?	?	Day
1530	2025-03-02 12:35:12	?	55dB	?	?	Day
1531	2025-03-02 12:37:25	69	55dB	2.5	146%	Day
1532	2025-03-02 12:40:02	?	55dB	?	?	Day
1533	2025-03-02 12:41:42	69	55dB	2.5	146%	Day
1534	2025-03-02 12:43:54	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1535	2025-03-02 12:45:24	?	55dB	?	?	Day
1536	2025-03-02 12:46:39	?	55dB	?	?	Day
1537	2025-03-02 12:49:12	68	55dB	2.3	130%	Day
1538	2025-03-02 12:52:14	68	55dB	2.3	130%	Day
1539	2025-03-02 12:54:47	67	55dB	2.3	130%	Day
1540	2025-03-02 12:58:12	69	55dB	2.6	164%	Day
1541	2025-03-02 12:59:27	?	55dB	?	?	Day
1542	2025-03-02 13:00:53	?	55dB	?	?	Day
1543	2025-03-02 13:04:17	67	55dB	2.1	114%	Day
1544	2025-03-02 13:13:22	?	55dB	?	?	Day
1545	2025-03-02 13:16:53	70	55dB	2.6	164%	Day
1546	2025-03-02 13:18:20	?	55dB	?	?	Day
1547	2025-03-02 13:19:30	68	55dB	2.3	130%	Day
1548	2025-03-02 13:20:52	?	55dB	?	?	Day
1549	2025-03-02 13:22:19	69	55dB	2.5	146%	Day
1550	2025-03-02 13:23:44	?	55dB	?	?	Day
1551	2025-03-02 13:26:18	?	55dB	?	?	Day
1552	2025-03-02 13:28:07	77	55dB	4.3	329%	Day
1553	2025-03-02 13:30:25	?	55dB	?	?	Day
1554	2025-03-02 13:32:42	69	55dB	2.5	146%	Day
1555	2025-03-02 13:44:21	?	55dB	?	?	Day
1556	2025-03-02 13:46:32	?	55dB	?	?	Day
1557	2025-03-02 13:48:45	?	55dB	?	?	Day
1558	2025-03-02 13:50:06	?	55dB	?	?	Day
1559	2025-03-02 13:52:00	?	55dB	?	?	Day
1560	2025-03-02 13:55:40	?	55dB	?	?	Day
1561	2025-03-02 13:59:57	?	55dB	?	?	Day
1562	2025-03-02 14:01:46	?	55dB	?	?	Day
1563	2025-03-02 14:03:24	69	55dB	2.6	164%	Day
1564	2025-03-02 14:08:10	77	55dB	4.3	329%	Day
1565	2025-03-02 14:12:18	68	55dB	2.3	130%	Day
1566	2025-03-02 14:14:19	72	55dB	3.2	225%	Day
1567	2025-03-02 14:18:16	?	55dB	?	?	Day
1568	2025-03-02 14:19:32	69	55dB	2.5	146%	Day
1569	2025-03-02 14:20:54	68	55dB	2.3	130%	Day
1570	2025-03-02 14:22:20	?	55dB	?	?	Day
1571	2025-03-02 14:23:28	69	55dB	2.6	164%	Day
1572	2025-03-02 14:25:07	69	55dB	2.5	146%	Day
1573	2025-03-02 14:27:38	?	55dB	?	?	Day
1574	2025-03-02 14:30:26	?	55dB	?	?	Day
1575	2025-03-02 14:32:50	77	55dB	4.3	329%	Day
1576	2025-03-02 14:34:23	?	55dB	?	?	Day
1577	2025-03-02 14:36:08	74	55dB	3.7	273%	Day
1578	2025-03-02 14:37:28	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1579	2025-03-02 14:38:56	71	55dB	3.0	203%	Day
1580	2025-03-02 14:40:44	?	55dB	?	?	Day
1581	2025-03-02 14:42:15	74	55dB	3.5	248%	Day
1582	2025-03-02 14:43:54	70	55dB	2.6	164%	Day
1583	2025-03-02 14:46:04	?	55dB	?	?	Day
1584	2025-03-02 14:48:01	?	55dB	?	?	Day
1585	2025-03-02 14:49:43	68	55dB	2.3	130%	Day
1586	2025-03-02 14:51:47	?	55dB	?	?	Day
1587	2025-03-02 14:53:55	68	55dB	2.5	146%	Day
1588	2025-03-02 14:58:00	?	55dB	?	?	Day
1589	2025-03-02 14:59:38	?	55dB	?	?	Day
1590	2025-03-02 15:01:12	?	55dB	?	?	Day
1591	2025-03-02 15:02:42	?	55dB	?	?	Day
1592	2025-03-02 15:04:11	?	55dB	?	?	Day
1593	2025-03-02 15:05:40	74	55dB	3.5	248%	Day
1594	2025-03-02 15:07:52	72	55dB	3.2	225%	Day
1595	2025-03-02 15:09:40	72	55dB	3.2	225%	Day
1596	2025-03-02 15:12:31	?	55dB	?	?	Day
1597	2025-03-02 15:14:34	?	55dB	?	?	Day
1598	2025-03-02 15:16:14	67	55dB	2.3	130%	Day
1599	2025-03-02 15:17:43	70	55dB	2.8	183%	Day
1600	2025-03-02 15:19:08	68	55dB	2.3	130%	Day
1601	2025-03-02 15:20:31	?	55dB	?	?	Day
1602	2025-03-02 15:22:04	?	55dB	?	?	Day
1603	2025-03-02 15:23:39	70	55dB	2.8	183%	Day
1604	2025-03-02 15:26:02	76	55dB	4.0	300%	Day
1605	2025-03-02 15:27:44	?	55dB	?	?	Day
1606	2025-03-02 15:29:19	72	55dB	3.2	225%	Day
1607	2025-03-02 15:30:43	?	55dB	?	?	Day
1608	2025-03-02 15:32:07	67	55dB	2.1	114%	Day
1609	2025-03-02 15:33:34	69	55dB	2.6	164%	Day
1610	2025-03-02 15:35:56	?	55dB	?	?	Day
1611	2025-03-02 15:37:22	?	55dB	?	?	Day
1612	2025-03-02 15:38:47	?	55dB	?	?	Day
1613	2025-03-02 15:40:54	67	55dB	2.3	130%	Day
1614	2025-03-02 15:42:43	71	55dB	2.8	183%	Day
1615	2025-03-02 15:44:13	68	55dB	2.5	146%	Day
1616	2025-03-02 15:45:47	?	55dB	?	?	Day
1617	2025-03-02 15:47:37	?	55dB	?	?	Day
1618	2025-03-02 15:52:44	?	55dB	?	?	Day
1619	2025-03-02 15:54:07	?	55dB	?	?	Day
1620	2025-03-02 15:55:48	?	55dB	?	?	Day
1621	2025-03-02 16:00:05	69	55dB	2.6	164%	Day
1622	2025-03-02 16:02:24	71	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1623	2025-03-02 16:04:32	?	55dB	?	?	Day
1624	2025-03-02 16:06:06	77	55dB	4.3	329%	Day
1625	2025-03-02 16:07:34	78	55dB	4.6	359%	Day
1626	2025-03-02 16:09:01	?	55dB	?	?	Day
1627	2025-03-02 16:11:06	?	55dB	?	?	Day
1628	2025-03-02 16:15:46	?	55dB	?	?	Day
1629	2025-03-02 16:18:55	?	55dB	?	?	Day
1630	2025-03-02 16:20:31	72	55dB	3.0	203%	Day
1631	2025-03-02 16:22:32	?	55dB	?	?	Day
1632	2025-03-02 16:24:12	?	55dB	?	?	Day
1633	2025-03-02 16:26:03	?	55dB	?	?	Day
1634	2025-03-02 16:27:59	?	55dB	?	?	Day
1635	2025-03-02 16:31:01	?	55dB	?	?	Day
1636	2025-03-02 16:34:50	?	55dB	?	?	Day
1637	2025-03-02 16:36:58	68	55dB	2.5	146%	Day
1638	2025-03-02 16:38:35	?	55dB	?	?	Day
1639	2025-03-02 16:39:52	?	55dB	?	?	Day
1640	2025-03-02 16:43:56	76	55dB	4.3	329%	Day
1641	2025-03-02 16:47:10	70	55dB	2.8	183%	Day
1642	2025-03-02 16:48:46	?	55dB	?	?	Day
1643	2025-03-02 16:50:17	?	55dB	?	?	Day
1644	2025-03-02 16:51:53	66	55dB	2.1	114%	Day
1645	2025-03-02 16:53:57	68	55dB	2.5	146%	Day
1646	2025-03-02 16:55:33	66	55dB	2.1	114%	Day
1647	2025-03-02 16:58:17	71	55dB	3.0	203%	Day
1648	2025-03-02 16:59:59	68	55dB	2.5	146%	Day
1649	2025-03-02 17:01:54	79	55dB	4.9	392%	Day
1650	2025-03-02 17:04:28	68	55dB	2.5	146%	Day
1651	2025-03-02 17:08:12	67	55dB	2.3	130%	Day
1652	2025-03-02 17:10:24	67	55dB	2.3	130%	Day
1653	2025-03-02 17:12:32	74	55dB	3.7	273%	Day
1654	2025-03-02 17:14:06	67	55dB	2.1	114%	Day
1655	2025-03-02 17:15:54	?	55dB	?	?	Day
1656	2025-03-02 17:17:38	?	55dB	?	?	Day
1657	2025-03-02 17:19:10	76	55dB	4.0	300%	Day
1658	2025-03-02 17:21:08	?	55dB	?	?	Day
1659	2025-03-02 17:22:46	?	55dB	?	?	Day
1660	2025-03-02 17:24:17	67	55dB	2.1	114%	Day
1661	2025-03-02 17:25:41	?	55dB	?	?	Day
1662	2025-03-02 17:27:41	?	55dB	?	?	Day
1663	2025-03-02 17:29:48	66	55dB	2.1	114%	Day
1664	2025-03-02 17:31:14	?	55dB	?	?	Day
1665	2025-03-02 17:37:26	?	55dB	?	?	Day
1666	2025-03-02 17:39:02	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1667	2025-03-02 17:40:27	?	55dB	?	?	Day
1668	2025-03-02 17:41:50	?	55dB	?	?	Day
1669	2025-03-02 17:43:21	75	55dB	3.7	273%	Day
1670	2025-03-02 17:44:44	?	55dB	?	?	Day
1671	2025-03-02 17:46:22	?	55dB	?	?	Day
1672	2025-03-02 17:53:24	?	55dB	?	?	Day
1673	2025-03-02 17:54:56	?	55dB	?	?	Day
1674	2025-03-02 17:57:25	78	55dB	4.6	359%	Day
1675	2025-03-02 17:59:32	71	55dB	2.8	183%	Day
1676	2025-03-02 18:01:08	72	55dB	3.2	225%	Day
1677	2025-03-02 18:03:06	67	55dB	2.1	114%	Day
1678	2025-03-02 18:04:23	69	55dB	2.6	164%	Day
1679	2025-03-02 18:05:47	?	55dB	?	?	Day
1680	2025-03-02 18:07:08	?	55dB	?	?	Day
1681	2025-03-02 18:08:32	?	55dB	?	?	Day
1682	2025-03-02 18:10:46	?	55dB	?	?	Day
1683	2025-03-02 18:12:54	?	55dB	?	?	Day
1684	2025-03-02 18:15:03	?	55dB	?	?	Day
1685	2025-03-02 18:18:41	?	55dB	?	?	Day
1686	2025-03-02 18:20:12	?	55dB	?	?	Day
1687	2025-03-02 18:21:40	74	55dB	3.5	248%	Day
1688	2025-03-02 18:24:16	66	55dB	2.0	100%	Day
1689	2025-03-02 18:26:28	69	55dB	2.5	146%	Day
1690	2025-03-02 18:28:31	73	55dB	3.2	225%	Day
1691	2025-03-02 18:30:10	70	55dB	2.6	164%	Day
1692	2025-03-02 18:32:23	?	55dB	?	?	Day
1693	2025-03-02 18:33:50	?	55dB	?	?	Day
1694	2025-03-02 18:37:05	?	55dB	?	?	Day
1695	2025-03-02 18:38:32	?	55dB	?	?	Day
1696	2025-03-02 18:40:11	68	55dB	2.5	146%	Day
1697	2025-03-02 18:41:45	77	55dB	4.6	359%	Day
1698	2025-03-02 18:43:01	71	55dB	2.8	183%	Day
1699	2025-03-02 18:44:33	83	55dB	6.5	550%	Day
1700	2025-03-02 18:46:22	?	55dB	?	?	Day
1701	2025-03-02 18:47:40	?	55dB	?	?	Day
1702	2025-03-02 18:49:03	68	55dB	2.5	146%	Day
1703	2025-03-02 18:50:42	67	55dB	2.1	114%	Day
1704	2025-03-02 18:53:38	?	55dB	?	?	Day
1705	2025-03-02 18:55:05	?	55dB	?	?	Day
1706	2025-03-02 18:56:25	68	55dB	2.3	130%	Day
1707	2025-03-02 18:57:45	?	55dB	?	?	Day
1708	2025-03-02 18:59:05	?	55dB	?	?	Day
1709	2025-03-02 19:00:23	?	45dB	?	?	Night
1710	2025-03-02 19:01:50	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1711	2025-03-02 19:03:27	67	45dB	4.6	359%	Night
1712	2025-03-02 19:05:14	?	45dB	?	?	Night
1713	2025-03-02 19:06:51	?	45dB	?	?	Night
1714	2025-03-02 19:08:16	?	45dB	?	?	Night
1715	2025-03-02 19:09:48	?	45dB	?	?	Night
1716	2025-03-02 19:14:22	?	45dB	?	?	Night
1717	2025-03-02 19:15:48	?	45dB	?	?	Night
1718	2025-03-02 19:17:20	?	45dB	?	?	Night
1719	2025-03-02 19:18:39	70	45dB	5.3	428%	Night
1720	2025-03-02 19:21:59	69	45dB	4.9	392%	Night
1721	2025-03-02 19:26:18	?	45dB	?	?	Night
1722	2025-03-02 19:27:56	67	45dB	4.3	329%	Night
1723	2025-03-02 19:29:23	?	45dB	?	?	Night
1724	2025-03-02 19:32:01	?	45dB	?	?	Night
1725	2025-03-02 19:33:50	69	45dB	5.3	428%	Night
1726	2025-03-02 19:36:12	?	45dB	?	?	Night
1727	2025-03-02 19:37:25	?	45dB	?	?	Night
1728	2025-03-02 19:38:39	?	45dB	?	?	Night
1729	2025-03-02 19:40:16	?	45dB	?	?	Night
1730	2025-03-02 19:41:38	?	45dB	?	?	Night
1731	2025-03-02 19:43:10	?	45dB	?	?	Night
1732	2025-03-02 19:44:33	70	45dB	5.3	428%	Night
1733	2025-03-02 19:46:44	?	45dB	?	?	Night
1734	2025-03-02 19:48:10	?	45dB	?	?	Night
1735	2025-03-02 19:50:22	?	45dB	?	?	Night
1736	2025-03-02 19:51:53	?	45dB	?	?	Night
1737	2025-03-02 19:53:16	68	45dB	4.6	359%	Night
1738	2025-03-02 19:54:48	?	45dB	?	?	Night
1739	2025-03-02 19:56:39	78	45dB	9.2	819%	Night
1740	2025-03-02 19:57:53	66	45dB	4.3	329%	Night
1741	2025-03-02 19:59:15	?	45dB	?	?	Night
1742	2025-03-02 20:00:40	69	45dB	5.3	428%	Night
1743	2025-03-02 20:02:14	?	45dB	?	?	Night
1744	2025-03-02 20:04:22	?	45dB	?	?	Night
1745	2025-03-02 20:06:45	?	45dB	?	?	Night
1746	2025-03-02 20:08:15	?	45dB	?	?	Night
1747	2025-03-02 20:11:14	?	45dB	?	?	Night
1748	2025-03-02 20:13:06	68	45dB	4.6	359%	Night
1749	2025-03-02 20:14:49	68	45dB	4.9	392%	Night
1750	2025-03-02 20:16:11	68	45dB	4.6	359%	Night
1751	2025-03-02 20:18:05	?	45dB	?	?	Night
1752	2025-03-02 20:19:13	?	45dB	?	?	Night
1753	2025-03-02 20:21:52	?	45dB	?	?	Night
1754	2025-03-02 20:23:39	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1755	2025-03-02 20:25:07	71	45dB	5.7	466%	Night
1756	2025-03-02 20:26:28	?	45dB	?	?	Night
1757	2025-03-02 20:28:02	71	45dB	5.7	466%	Night
1758	2025-03-02 20:31:47	70	45dB	5.3	428%	Night
1759	2025-03-02 20:34:50	?	45dB	?	?	Night
1760	2025-03-02 20:38:40	75	45dB	8.0	700%	Night
1761	2025-03-02 20:40:30	?	45dB	?	?	Night
1762	2025-03-02 20:42:04	?	45dB	?	?	Night
1763	2025-03-02 20:43:26	?	45dB	?	?	Night
1764	2025-03-02 20:45:28	66	45dB	4.0	300%	Night
1765	2025-03-02 20:47:10	?	45dB	?	?	Night
1766	2025-03-02 20:48:43	?	45dB	?	?	Night
1767	2025-03-02 20:50:05	?	45dB	?	?	Night
1768	2025-03-02 20:51:38	?	45dB	?	?	Night
1769	2025-03-02 20:52:57	75	45dB	7.5	646%	Night
1770	2025-03-02 20:54:26	67	45dB	4.3	329%	Night
1771	2025-03-02 20:56:27	71	45dB	5.7	466%	Night
1772	2025-03-02 20:58:43	67	45dB	4.6	359%	Night
1773	2025-03-02 21:00:01	69	45dB	5.3	428%	Night
1774	2025-03-02 21:01:18	?	45dB	?	?	Night
1775	2025-03-02 21:02:53	?	45dB	?	?	Night
1776	2025-03-02 21:04:30	?	45dB	?	?	Night
1777	2025-03-02 21:07:21	71	45dB	6.1	506%	Night
1778	2025-03-02 21:09:17	72	45dB	6.5	550%	Night
1779	2025-03-02 21:11:20	70	45dB	5.3	428%	Night
1780	2025-03-02 21:12:47	?	45dB	?	?	Night
1781	2025-03-02 21:14:25	69	45dB	5.3	428%	Night
1782	2025-03-02 21:15:46	?	45dB	?	?	Night
1783	2025-03-02 21:17:15	?	45dB	?	?	Night
1784	2025-03-02 21:18:39	?	45dB	?	?	Night
1785	2025-03-02 21:19:54	?	45dB	?	?	Night
1786	2025-03-02 21:23:12	74	45dB	7.0	596%	Night
1787	2025-03-02 21:26:02	?	45dB	?	?	Night
1788	2025-03-02 21:27:16	?	45dB	?	?	Night
1789	2025-03-02 21:28:51	67	45dB	4.3	329%	Night
1790	2025-03-02 21:30:16	?	45dB	?	?	Night
1791	2025-03-02 21:32:38	?	45dB	?	?	Night
1792	2025-03-02 21:35:04	?	45dB	?	?	Night
1793	2025-03-02 21:37:03	70	45dB	5.7	466%	Night
1794	2025-03-02 21:39:20	?	45dB	?	?	Night
1795	2025-03-02 21:40:38	69	45dB	4.9	392%	Night
1796	2025-03-02 21:41:56	?	45dB	?	?	Night
1797	2025-03-02 21:43:15	?	45dB	?	?	Night
1798	2025-03-02 21:44:38	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1799	2025-03-02 21:46:03	?	45dB	?	?	Night
1800	2025-03-02 21:47:31	?	45dB	?	?	Night
1801	2025-03-02 21:49:19	69	45dB	5.3	428%	Night
1802	2025-03-02 21:51:18	?	45dB	?	?	Night
1803	2025-03-02 21:52:50	?	45dB	?	?	Night
1804	2025-03-02 21:54:18	?	45dB	?	?	Night
1805	2025-03-02 21:55:48	?	45dB	?	?	Night
1806	2025-03-02 21:58:15	?	45dB	?	?	Night
1807	2025-03-02 22:01:02	72	45dB	6.5	550%	Night
1808	2025-03-02 22:02:54	?	45dB	?	?	Night
1809	2025-03-02 22:04:38	66	45dB	4.3	329%	Night
1810	2025-03-02 22:06:15	72	45dB	6.5	550%	Night
1811	2025-03-02 22:08:16	?	45dB	?	?	Night
1812	2025-03-02 22:13:20	72	45dB	6.5	550%	Night
1813	2025-03-02 22:15:07	?	45dB	?	?	Night
1814	2025-03-02 22:20:01	?	45dB	?	?	Night
1815	2025-03-02 22:23:18	?	45dB	?	?	Night
1816	2025-03-02 22:26:34	?	45dB	?	?	Night
1817	2025-03-02 22:28:23	69	45dB	4.9	392%	Night
1818	2025-03-02 22:30:20	?	45dB	?	?	Night
1819	2025-03-02 22:31:49	?	45dB	?	?	Night
1820	2025-03-02 22:32:58	67	45dB	4.3	329%	Night
1821	2025-03-02 22:34:27	?	45dB	?	?	Night
1822	2025-03-02 22:35:51	70	45dB	5.7	466%	Night
1823	2025-03-02 22:38:13	?	45dB	?	?	Night
1824	2025-03-02 22:39:31	?	45dB	?	?	Night
1825	2025-03-02 22:40:56	?	45dB	?	?	Night
1826	2025-03-02 22:42:09	71	45dB	5.7	466%	Night
1827	2025-03-02 22:43:40	?	45dB	?	?	Night
1828	2025-03-02 22:45:01	?	45dB	?	?	Night
1829	2025-03-02 22:47:01	73	45dB	7.0	596%	Night
1830	2025-03-02 22:48:32	67	45dB	4.3	329%	Night
1831	2025-03-02 22:50:12	?	45dB	?	?	Night
1832	2025-03-02 22:53:35	69	45dB	4.9	392%	Night
1833	2025-03-02 22:56:03	68	45dB	4.9	392%	Night
1834	2025-03-02 22:59:41	?	45dB	?	?	Night
1835	2025-03-02 23:01:17	?	45dB	?	?	Night
1836	2025-03-02 23:02:51	?	45dB	?	?	Night
1837	2025-03-02 23:04:56	?	45dB	?	?	Night
1838	2025-03-02 23:13:49	72	45dB	6.1	506%	Night
1839	2025-03-02 23:17:02	68	45dB	4.9	392%	Night
1840	2025-03-02 23:24:01	?	45dB	?	?	Night
1841	2025-03-02 23:25:37	?	45dB	?	?	Night
1842	2025-03-02 23:28:21	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1843	2025-03-02 23:35:28	?	45dB	?	?	Night
1844	2025-03-02 23:39:48	69	45dB	5.3	428%	Night
1845	2025-03-02 23:51:11	67	45dB	4.3	329%	Night
1846	2025-03-02 23:54:35	?	45dB	?	?	Night
1847	2025-03-02 23:55:53	?	45dB	?	?	Night
1848	2025-03-02 23:57:30	70	45dB	5.7	466%	Night
1849	2025-03-02 23:59:39	?	45dB	?	?	Night
1850	2025-03-03 00:01:02	77	45dB	9.2	819%	Night
1851	2025-03-03 00:02:21	67	45dB	4.6	359%	Night
1852	2025-03-03 00:03:47	67	45dB	4.3	329%	Night
1853	2025-03-03 00:06:51	67	45dB	4.3	329%	Night
1854	2025-03-03 00:08:24	69	45dB	4.9	392%	Night
1855	2025-03-03 00:10:18	67	45dB	4.6	359%	Night
1856	2025-03-03 00:12:04	67	45dB	4.3	329%	Night
1857	2025-03-03 00:13:41	67	45dB	4.6	359%	Night
1858	2025-03-03 00:20:04	67	45dB	4.6	359%	Night
1859	2025-03-03 00:22:22	72	45dB	6.1	506%	Night
1860	2025-03-03 00:23:50	67	45dB	4.3	329%	Night
1861	2025-03-03 00:25:16	67	45dB	4.6	359%	Night
1862	2025-03-03 00:27:16	67	45dB	4.3	329%	Night
1863	2025-03-03 00:28:36	74	45dB	7.0	596%	Night
1864	2025-03-03 00:30:37	67	45dB	4.3	329%	Night
1865	2025-03-03 00:32:10	67	45dB	4.6	359%	Night
1866	2025-03-03 00:33:38	72	45dB	6.5	550%	Night
1867	2025-03-03 00:37:16	76	45dB	8.0	700%	Night
1868	2025-03-03 00:39:39	68	45dB	4.6	359%	Night
1869	2025-03-03 00:42:53	69	45dB	5.3	428%	Night
1870	2025-03-03 00:46:34	67	45dB	4.6	359%	Night
1871	2025-03-03 00:48:10	68	45dB	4.6	359%	Night
1872	2025-03-03 00:59:53	72	45dB	6.5	550%	Night
1873	2025-03-03 01:06:04	67	45dB	4.3	329%	Night
1874	2025-03-03 01:17:52	67	45dB	4.3	329%	Night
1875	2025-03-03 01:20:12	68	45dB	4.6	359%	Night
1876	2025-03-03 01:23:32	66	45dB	4.0	300%	Night
1877	2025-03-03 01:25:36	71	45dB	6.1	506%	Night
1878	2025-03-03 01:33:20	68	45dB	4.9	392%	Night
1879	2025-03-03 01:41:24	66	45dB	4.3	329%	Night
1880	2025-03-03 01:49:07	72	45dB	6.5	550%	Night
1881	2025-03-03 01:51:30	67	45dB	4.3	329%	Night
1882	2025-03-03 01:59:38	65	45dB	4.0	300%	Night
1883	2025-03-03 02:06:26	69	45dB	4.9	392%	Night
1884	2025-03-03 02:09:24	67	45dB	4.6	359%	Night
1885	2025-03-03 02:14:32	67	45dB	4.6	359%	Night
1886	2025-03-03 02:23:11	69	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1887	2025-03-03 02:53:36	65	45dB	4.0	300%	Night
1888	2025-03-03 03:03:55	69	45dB	5.3	428%	Night
1889	2025-03-03 03:11:31	68	45dB	4.6	359%	Night
1890	2025-03-03 03:48:11	67	45dB	4.6	359%	Night
1891	2025-03-03 04:37:46	70	45dB	5.3	428%	Night
1892	2025-03-03 05:03:16	69	45dB	4.9	392%	Night
1893	2025-03-03 05:22:50	66	45dB	4.3	329%	Night
1894	2025-03-03 05:31:53	70	45dB	5.3	428%	Night
1895	2025-03-03 05:34:45	67	45dB	4.3	329%	Night
1896	2025-03-03 05:42:01	70	45dB	5.7	466%	Night
1897	2025-03-03 05:55:03	69	45dB	5.3	428%	Night
1898	2025-03-03 05:57:02	69	45dB	5.3	428%	Night
1899	2025-03-03 05:59:16	68	45dB	4.6	359%	Night
1900	2025-03-03 06:03:34	?	45dB	?	?	Night
1901	2025-03-03 06:09:01	68	45dB	4.9	392%	Night
1902	2025-03-03 06:10:41	?	45dB	?	?	Night
1903	2025-03-03 06:21:21	?	45dB	?	?	Night
1904	2025-03-03 06:28:51	?	45dB	?	?	Night
1905	2025-03-03 06:30:21	?	45dB	?	?	Night
1906	2025-03-03 06:32:04	68	45dB	4.6	359%	Night
1907	2025-03-03 06:33:22	68	45dB	4.9	392%	Night
1908	2025-03-03 06:34:48	?	45dB	?	?	Night
1909	2025-03-03 06:36:12	69	45dB	5.3	428%	Night
1910	2025-03-03 06:37:49	?	45dB	?	?	Night
1911	2025-03-03 06:39:21	?	45dB	?	?	Night
1912	2025-03-03 06:41:07	70	45dB	5.7	466%	Night
1913	2025-03-03 06:42:44	70	45dB	5.3	428%	Night
1914	2025-03-03 06:43:56	71	45dB	5.7	466%	Night
1915	2025-03-03 06:45:30	74	45dB	7.0	596%	Night
1916	2025-03-03 06:47:05	70	45dB	5.7	466%	Night
1917	2025-03-03 06:48:54	68	45dB	4.9	392%	Night
1918	2025-03-03 06:50:15	66	45dB	4.3	329%	Night
1919	2025-03-03 06:51:24	?	45dB	?	?	Night
1920	2025-03-03 06:52:52	?	45dB	?	?	Night
1921	2025-03-03 06:54:14	?	45dB	?	?	Night
1922	2025-03-03 06:56:01	70	45dB	5.3	428%	Night
1923	2025-03-03 06:58:29	?	45dB	?	?	Night
1924	2025-03-03 07:00:09	?	55dB	?	?	Day
1925	2025-03-03 07:02:01	70	55dB	2.6	164%	Day
1926	2025-03-03 07:03:32	72	55dB	3.0	203%	Day
1927	2025-03-03 07:05:35	?	55dB	?	?	Day
1928	2025-03-03 07:06:56	?	55dB	?	?	Day
1929	2025-03-03 07:11:13	66	55dB	2.0	100%	Day
1930	2025-03-03 07:21:08	71	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1931	2025-03-03 07:23:09	69	55dB	2.6	164%	Day
1932	2025-03-03 07:24:50	70	55dB	2.8	183%	Day
1933	2025-03-03 07:26:51	?	55dB	?	?	Day
1934	2025-03-03 07:28:56	68	55dB	2.3	130%	Day
1935	2025-03-03 07:31:02	71	55dB	2.8	183%	Day
1936	2025-03-03 07:33:08	72	55dB	3.2	225%	Day
1937	2025-03-03 07:35:13	69	55dB	2.6	164%	Day
1938	2025-03-03 07:36:43	69	55dB	2.6	164%	Day
1939	2025-03-03 07:45:32	72	55dB	3.0	203%	Day
1940	2025-03-03 07:47:14	71	55dB	2.8	183%	Day
1941	2025-03-03 07:55:19	70	55dB	2.6	164%	Day
1942	2025-03-03 08:01:38	?	55dB	?	?	Day
1943	2025-03-03 08:04:01	69	55dB	2.5	146%	Day
1944	2025-03-03 08:11:01	72	55dB	3.0	203%	Day
1945	2025-03-03 08:19:49	71	55dB	3.0	203%	Day
1946	2025-03-03 08:23:42	69	55dB	2.5	146%	Day
1947	2025-03-03 08:28:16	77	55dB	4.6	359%	Day
1948	2025-03-03 08:30:44	69	55dB	2.5	146%	Day
1949	2025-03-03 08:39:53	69	55dB	2.6	164%	Day
1950	2025-03-03 08:48:12	?	55dB	?	?	Day
1951	2025-03-03 08:54:41	69	55dB	2.5	146%	Day
1952	2025-03-03 08:57:00	68	55dB	2.3	130%	Day
1953	2025-03-03 08:58:42	?	55dB	?	?	Day
1954	2025-03-03 09:03:22	69	55dB	2.6	164%	Day
1955	2025-03-03 09:18:57	68	55dB	2.5	146%	Day
1956	2025-03-03 09:26:42	68	55dB	2.3	130%	Day
1957	2025-03-03 09:29:01	68	55dB	2.3	130%	Day
1958	2025-03-03 09:30:40	76	55dB	4.3	329%	Day
1959	2025-03-03 09:32:04	?	55dB	?	?	Day
1960	2025-03-03 09:34:02	69	55dB	2.6	164%	Day
1961	2025-03-03 09:36:57	?	55dB	?	?	Day
1962	2025-03-03 09:38:41	71	55dB	3.0	203%	Day
1963	2025-03-03 09:40:11	?	55dB	?	?	Day
1964	2025-03-03 09:42:45	?	55dB	?	?	Day
1965	2025-03-03 09:46:22	71	55dB	2.8	183%	Day
1966	2025-03-03 09:49:50	?	55dB	?	?	Day
1967	2025-03-03 10:04:32	71	55dB	2.8	183%	Day
1968	2025-03-03 10:11:11	?	55dB	?	?	Day
1969	2025-03-03 10:13:36	70	55dB	2.6	164%	Day
1970	2025-03-03 10:20:12	?	55dB	?	?	Day
1971	2025-03-03 10:21:41	69	55dB	2.5	146%	Day
1972	2025-03-03 10:23:05	?	55dB	?	?	Day
1973	2025-03-03 10:31:33	?	55dB	?	?	Day
1974	2025-03-03 10:35:47	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1975	2025-03-03 10:37:58	?	55dB	?	?	Day
1976	2025-03-03 10:39:21	?	55dB	?	?	Day
1977	2025-03-03 10:42:13	68	55dB	2.3	130%	Day
1978	2025-03-03 10:44:03	69	55dB	2.5	146%	Day
1979	2025-03-03 10:46:53	69	55dB	2.5	146%	Day
1980	2025-03-03 10:54:03	?	55dB	?	?	Day
1981	2025-03-03 10:58:44	70	55dB	2.8	183%	Day
1982	2025-03-03 11:02:31	?	55dB	?	?	Day
1983	2025-03-03 11:08:33	?	55dB	?	?	Day
1984	2025-03-03 11:10:08	72	55dB	3.0	203%	Day
1985	2025-03-03 11:12:13	74	55dB	3.5	248%	Day
1986	2025-03-03 11:13:38	?	55dB	?	?	Day
1987	2025-03-03 11:15:06	?	55dB	?	?	Day
1988	2025-03-03 11:17:14	?	55dB	?	?	Day
1989	2025-03-03 11:18:39	67	55dB	2.3	130%	Day
1990	2025-03-03 11:20:08	?	55dB	?	?	Day
1991	2025-03-03 11:21:46	69	55dB	2.6	164%	Day
1992	2025-03-03 11:24:20	?	55dB	?	?	Day
1993	2025-03-03 11:26:53	?	55dB	?	?	Day
1994	2025-03-03 11:28:28	?	55dB	?	?	Day
1995	2025-03-03 11:29:50	73	55dB	3.2	225%	Day
1996	2025-03-03 11:31:31	68	55dB	2.5	146%	Day
1997	2025-03-03 11:32:48	?	55dB	?	?	Day
1998	2025-03-03 11:36:32	?	55dB	?	?	Day
1999	2025-03-03 11:37:44	?	55dB	?	?	Day
2000	2025-03-03 11:39:06	?	55dB	?	?	Day
2001	2025-03-03 11:40:32	?	55dB	?	?	Day
2002	2025-03-03 11:42:06	67	55dB	2.3	130%	Day
2003	2025-03-03 11:44:44	?	55dB	?	?	Day
2004	2025-03-03 11:46:34	?	55dB	?	?	Day
2005	2025-03-03 11:53:37	68	55dB	2.3	130%	Day
2006	2025-03-03 11:56:07	?	55dB	?	?	Day
2007	2025-03-03 11:57:32	68	55dB	2.5	146%	Day
2008	2025-03-03 12:00:26	?	55dB	?	?	Day
2009	2025-03-03 12:02:17	69	55dB	2.6	164%	Day
2010	2025-03-03 12:03:33	?	55dB	?	?	Day
2011	2025-03-03 12:05:12	?	55dB	?	?	Day
2012	2025-03-03 12:08:02	?	55dB	?	?	Day
2013	2025-03-03 12:09:27	67	55dB	2.3	130%	Day
2014	2025-03-03 12:11:13	69	55dB	2.6	164%	Day
2015	2025-03-03 12:13:10	67	55dB	2.1	114%	Day
2016	2025-03-03 12:15:05	75	55dB	3.7	273%	Day
2017	2025-03-03 12:17:07	69	55dB	2.5	146%	Day
2018	2025-03-03 12:22:39	67	55dB	2.1	114%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2019	2025-03-03 12:24:22	76	55dB	4.0	300%	Day
2020	2025-03-03 12:29:19	69	55dB	2.6	164%	Day
2021	2025-03-03 12:33:28	69	55dB	2.5	146%	Day
2022	2025-03-03 12:35:51	68	55dB	2.3	130%	Day
2023	2025-03-03 12:38:48	73	55dB	3.2	225%	Day
2024	2025-03-03 12:41:56	69	55dB	2.5	146%	Day
2025	2025-03-03 12:45:16	67	55dB	2.1	114%	Day
2026	2025-03-03 12:50:52	?	55dB	?	?	Day
2027	2025-03-03 12:52:21	66	55dB	2.0	100%	Day
2028	2025-03-03 12:54:02	?	55dB	?	?	Day
2029	2025-03-03 12:55:42	68	55dB	2.5	146%	Day
2030	2025-03-03 13:00:38	?	55dB	?	?	Day
2031	2025-03-03 13:05:24	?	55dB	?	?	Day
2032	2025-03-03 13:07:00	?	55dB	?	?	Day
2033	2025-03-03 13:09:56	?	55dB	?	?	Day
2034	2025-03-03 13:11:26	68	55dB	2.5	146%	Day
2035	2025-03-03 13:12:54	71	55dB	2.8	183%	Day
2036	2025-03-03 13:14:43	?	55dB	?	?	Day
2037	2025-03-03 13:16:06	?	55dB	?	?	Day
2038	2025-03-03 13:17:53	?	55dB	?	?	Day
2039	2025-03-03 13:19:14	68	55dB	2.5	146%	Day
2040	2025-03-03 13:22:09	72	55dB	3.0	203%	Day
2041	2025-03-03 13:24:50	67	55dB	2.1	114%	Day
2042	2025-03-03 13:29:20	68	55dB	2.3	130%	Day
2043	2025-03-03 13:30:55	?	55dB	?	?	Day
2044	2025-03-03 13:33:08	68	55dB	2.5	146%	Day
2045	2025-03-03 13:35:18	73	55dB	3.2	225%	Day
2046	2025-03-03 13:37:23	68	55dB	2.5	146%	Day
2047	2025-03-03 13:39:16	71	55dB	3.0	203%	Day
2048	2025-03-03 13:41:19	70	55dB	2.8	183%	Day
2049	2025-03-03 13:42:32	71	55dB	3.0	203%	Day
2050	2025-03-03 13:43:52	?	55dB	?	?	Day
2051	2025-03-03 13:46:32	?	55dB	?	?	Day
2052	2025-03-03 13:48:06	71	55dB	2.8	183%	Day
2053	2025-03-03 13:55:19	?	55dB	?	?	Day
2054	2025-03-03 13:58:00	71	55dB	3.0	203%	Day
2055	2025-03-03 13:59:56	?	55dB	?	?	Day
2056	2025-03-03 14:01:38	73	55dB	3.2	225%	Day
2057	2025-03-03 14:03:35	69	55dB	2.6	164%	Day
2058	2025-03-03 14:07:04	70	55dB	2.6	164%	Day
2059	2025-03-03 14:09:46	67	55dB	2.1	114%	Day
2060	2025-03-03 14:14:37	72	55dB	3.2	225%	Day
2061	2025-03-03 14:23:44	?	55dB	?	?	Day
2062	2025-03-03 14:26:32	70	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2063	2025-03-03 14:28:17	?	55dB	?	?	Day
2064	2025-03-03 14:29:31	?	55dB	?	?	Day
2065	2025-03-03 14:32:13	73	55dB	3.2	225%	Day
2066	2025-03-03 14:34:21	70	55dB	2.6	164%	Day
2067	2025-03-03 14:37:13	68	55dB	2.5	146%	Day
2068	2025-03-03 14:38:30	?	55dB	?	?	Day
2069	2025-03-03 14:39:51	67	55dB	2.3	130%	Day
2070	2025-03-03 14:41:10	?	55dB	?	?	Day
2071	2025-03-03 14:42:37	68	55dB	2.3	130%	Day
2072	2025-03-03 14:48:18	?	55dB	?	?	Day
2073	2025-03-03 14:50:47	69	55dB	2.6	164%	Day
2074	2025-03-03 14:52:17	67	55dB	2.1	114%	Day
2075	2025-03-03 14:53:56	71	55dB	2.8	183%	Day
2076	2025-03-03 14:55:47	69	55dB	2.6	164%	Day
2077	2025-03-03 14:58:12	75	55dB	4.0	300%	Day
2078	2025-03-03 14:59:44	75	55dB	4.0	300%	Day
2079	2025-03-03 15:01:57	71	55dB	3.0	203%	Day
2080	2025-03-03 15:03:32	70	55dB	2.8	183%	Day
2081	2025-03-03 15:05:37	71	55dB	3.0	203%	Day
2082	2025-03-03 15:08:01	?	55dB	?	?	Day
2083	2025-03-03 15:10:39	75	55dB	4.0	300%	Day
2084	2025-03-03 15:12:22	69	55dB	2.5	146%	Day
2085	2025-03-03 15:14:05	72	55dB	3.2	225%	Day
2086	2025-03-03 15:19:16	?	55dB	?	?	Day
2087	2025-03-03 15:24:14	73	55dB	3.5	248%	Day
2088	2025-03-03 15:26:19	?	55dB	?	?	Day
2089	2025-03-03 15:29:08	?	55dB	?	?	Day
2090	2025-03-03 15:30:32	?	55dB	?	?	Day
2091	2025-03-03 15:33:26	73	55dB	3.2	225%	Day
2092	2025-03-03 15:35:39	68	55dB	2.3	130%	Day
2093	2025-03-03 15:37:18	?	55dB	?	?	Day
2094	2025-03-03 15:38:45	?	55dB	?	?	Day
2095	2025-03-03 15:40:08	68	55dB	2.5	146%	Day
2096	2025-03-03 15:41:23	?	55dB	?	?	Day
2097	2025-03-03 15:42:46	?	55dB	?	?	Day
2098	2025-03-03 15:44:10	?	55dB	?	?	Day
2099	2025-03-03 15:46:39	?	55dB	?	?	Day
2100	2025-03-03 15:48:11	76	55dB	4.3	329%	Day
2101	2025-03-03 15:49:28	65	55dB	2.0	100%	Day
2102	2025-03-03 15:52:56	?	55dB	?	?	Day
2103	2025-03-03 15:54:26	75	55dB	3.7	273%	Day
2104	2025-03-03 15:56:34	?	55dB	?	?	Day
2105	2025-03-03 16:03:05	69	55dB	2.6	164%	Day
2106	2025-03-03 16:05:49	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2107	2025-03-03 16:07:35	69	55dB	2.5	146%	Day
2108	2025-03-03 16:09:08	?	55dB	?	?	Day
2109	2025-03-03 16:11:23	71	55dB	3.0	203%	Day
2110	2025-03-03 16:13:43	72	55dB	3.2	225%	Day
2111	2025-03-03 16:18:35	68	55dB	2.5	146%	Day
2112	2025-03-03 16:20:23	69	55dB	2.6	164%	Day
2113	2025-03-03 16:21:54	78	55dB	4.6	359%	Day
2114	2025-03-03 16:23:22	?	55dB	?	?	Day
2115	2025-03-03 16:25:40	71	55dB	2.8	183%	Day
2116	2025-03-03 16:27:10	?	55dB	?	?	Day
2117	2025-03-03 16:28:27	80	55dB	5.3	428%	Day
2118	2025-03-03 16:30:37	?	55dB	?	?	Day
2119	2025-03-03 16:32:01	68	55dB	2.3	130%	Day
2120	2025-03-03 16:37:49	72	55dB	3.2	225%	Day
2121	2025-03-03 16:41:21	76	55dB	4.0	300%	Day
2122	2025-03-03 16:43:15	?	55dB	?	?	Day
2123	2025-03-03 16:44:34	77	55dB	4.6	359%	Day
2124	2025-03-03 16:46:06	69	55dB	2.5	146%	Day
2125	2025-03-03 16:47:58	?	55dB	?	?	Day
2126	2025-03-03 16:51:54	?	55dB	?	?	Day
2127	2025-03-03 16:53:47	72	55dB	3.0	203%	Day
2128	2025-03-03 16:57:03	72	55dB	3.0	203%	Day
2129	2025-03-03 16:58:58	71	55dB	2.8	183%	Day
2130	2025-03-03 17:01:02	?	55dB	?	?	Day
2131	2025-03-03 17:05:34	71	55dB	3.0	203%	Day
2132	2025-03-03 17:07:11	?	55dB	?	?	Day
2133	2025-03-03 17:08:33	?	55dB	?	?	Day
2134	2025-03-03 17:10:20	?	55dB	?	?	Day
2135	2025-03-03 17:11:48	?	55dB	?	?	Day
2136	2025-03-03 17:13:57	?	55dB	?	?	Day
2137	2025-03-03 17:15:34	?	55dB	?	?	Day
2138	2025-03-03 17:17:16	82	55dB	6.1	506%	Day
2139	2025-03-03 17:20:14	?	55dB	?	?	Day
2140	2025-03-03 17:21:46	69	55dB	2.6	164%	Day
2141	2025-03-03 17:23:39	77	55dB	4.3	329%	Day
2142	2025-03-03 17:24:51	?	55dB	?	?	Day
2143	2025-03-03 17:29:26	70	55dB	2.6	164%	Day
2144	2025-03-03 17:32:00	73	55dB	3.2	225%	Day
2145	2025-03-03 17:34:20	?	55dB	?	?	Day
2146	2025-03-03 17:36:49	71	55dB	3.0	203%	Day
2147	2025-03-03 17:39:19	73	55dB	3.2	225%	Day
2148	2025-03-03 17:41:30	71	55dB	2.8	183%	Day
2149	2025-03-03 17:43:43	71	55dB	3.0	203%	Day
2150	2025-03-03 17:46:00	73	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2151	2025-03-03 17:48:30	70	55dB	2.6	164%	Day
2152	2025-03-03 17:53:27	76	55dB	4.3	329%	Day
2153	2025-03-03 17:55:46	67	55dB	2.1	114%	Day
2154	2025-03-03 17:58:36	71	55dB	2.8	183%	Day
2155	2025-03-03 18:01:09	69	55dB	2.6	164%	Day
2156	2025-03-03 18:11:56	70	55dB	2.8	183%	Day
2157	2025-03-03 18:17:25	69	55dB	2.6	164%	Day
2158	2025-03-03 18:19:56	72	55dB	3.0	203%	Day
2159	2025-03-03 18:22:18	68	55dB	2.3	130%	Day
2160	2025-03-03 18:25:06	71	55dB	2.8	183%	Day
2161	2025-03-03 18:27:13	70	55dB	2.8	183%	Day
2162	2025-03-03 18:29:46	72	55dB	3.2	225%	Day
2163	2025-03-03 18:31:52	74	55dB	3.7	273%	Day
2164	2025-03-03 18:34:11	?	55dB	?	?	Day
2165	2025-03-03 18:36:05	71	55dB	2.8	183%	Day
2166	2025-03-03 18:38:41	71	55dB	3.0	203%	Day
2167	2025-03-03 18:41:44	72	55dB	3.2	225%	Day
2168	2025-03-03 18:44:09	73	55dB	3.2	225%	Day
2169	2025-03-03 18:46:09	?	55dB	?	?	Day
2170	2025-03-03 18:48:39	73	55dB	3.2	225%	Day
2171	2025-03-03 18:53:43	70	55dB	2.8	183%	Day
2172	2025-03-03 18:56:27	71	55dB	3.0	203%	Day
2173	2025-03-03 18:59:08	?	55dB	?	?	Day
2174	2025-03-03 19:01:18	70	45dB	5.7	466%	Night
2175	2025-03-03 19:06:12	71	45dB	6.1	506%	Night
2176	2025-03-03 19:08:26	72	45dB	6.1	506%	Night
2177	2025-03-03 19:15:54	70	45dB	5.3	428%	Night
2178	2025-03-03 19:17:57	72	45dB	6.5	550%	Night
2179	2025-03-03 19:20:13	72	45dB	6.5	550%	Night
2180	2025-03-03 19:22:20	76	45dB	8.0	700%	Night
2181	2025-03-03 19:24:36	77	45dB	8.6	757%	Night
2182	2025-03-03 19:26:58	71	45dB	6.1	506%	Night
2183	2025-03-03 19:29:19	74	45dB	7.5	646%	Night
2184	2025-03-03 19:31:53	71	45dB	5.7	466%	Night
2185	2025-03-03 19:34:03	72	45dB	6.1	506%	Night
2186	2025-03-03 19:36:08	70	45dB	5.7	466%	Night
2187	2025-03-03 19:38:01	70	45dB	5.3	428%	Night
2188	2025-03-03 19:39:50	71	45dB	5.7	466%	Night
2189	2025-03-03 19:41:43	69	45dB	4.9	392%	Night
2190	2025-03-03 19:43:14	78	45dB	9.2	819%	Night
2191	2025-03-03 19:45:36	?	45dB	?	?	Night
2192	2025-03-03 19:47:11	?	45dB	?	?	Night
2193	2025-03-03 19:48:46	73	45dB	6.5	550%	Night
2194	2025-03-03 19:50:22	67	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2195	2025-03-03 19:52:07	70	45dB	5.3	428%	Night
2196	2025-03-03 19:54:47	68	45dB	4.6	359%	Night
2197	2025-03-03 19:56:54	?	45dB	?	?	Night
2198	2025-03-03 19:58:15	?	45dB	?	?	Night
2199	2025-03-03 20:00:58	?	45dB	?	?	Night
2200	2025-03-03 20:02:34	?	45dB	?	?	Night
2201	2025-03-03 20:05:38	?	45dB	?	?	Night
2202	2025-03-03 20:07:11	?	45dB	?	?	Night
2203	2025-03-03 20:08:20	72	45dB	6.1	506%	Night
2204	2025-03-03 20:10:22	?	45dB	?	?	Night
2205	2025-03-03 20:11:46	?	45dB	?	?	Night
2206	2025-03-03 20:13:03	?	45dB	?	?	Night
2207	2025-03-03 20:14:24	?	45dB	?	?	Night
2208	2025-03-03 20:18:09	73	45dB	6.5	550%	Night
2209	2025-03-03 20:20:24	69	45dB	4.9	392%	Night
2210	2025-03-03 20:25:42	68	45dB	4.6	359%	Night
2211	2025-03-03 20:27:30	?	45dB	?	?	Night
2212	2025-03-03 20:29:17	?	45dB	?	?	Night
2213	2025-03-03 20:31:02	?	45dB	?	?	Night
2214	2025-03-03 20:36:13	70	45dB	5.7	466%	Night
2215	2025-03-03 20:39:25	?	45dB	?	?	Night
2216	2025-03-03 20:42:06	?	45dB	?	?	Night
2217	2025-03-03 20:43:30	?	45dB	?	?	Night
2218	2025-03-03 20:44:49	69	45dB	5.3	428%	Night
2219	2025-03-03 20:46:03	68	45dB	4.9	392%	Night
2220	2025-03-03 20:51:23	71	45dB	5.7	466%	Night
2221	2025-03-03 20:53:26	?	45dB	?	?	Night
2222	2025-03-03 20:55:01	?	45dB	?	?	Night
2223	2025-03-03 20:56:18	?	45dB	?	?	Night
2224	2025-03-03 20:57:36	67	45dB	4.6	359%	Night
2225	2025-03-03 20:59:02	?	45dB	?	?	Night
2226	2025-03-03 21:00:21	67	45dB	4.6	359%	Night
2227	2025-03-03 21:01:47	?	45dB	?	?	Night
2228	2025-03-03 21:03:19	?	45dB	?	?	Night
2229	2025-03-03 21:04:36	?	45dB	?	?	Night
2230	2025-03-03 21:06:41	?	45dB	?	?	Night
2231	2025-03-03 21:08:50	?	45dB	?	?	Night
2232	2025-03-03 21:09:56	?	45dB	?	?	Night
2233	2025-03-03 21:11:15	?	45dB	?	?	Night
2234	2025-03-03 21:12:40	?	45dB	?	?	Night
2235	2025-03-03 21:13:56	71	45dB	5.7	466%	Night
2236	2025-03-03 21:15:38	73	45dB	7.0	596%	Night
2237	2025-03-03 21:17:32	?	45dB	?	?	Night
2238	2025-03-03 21:19:12	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2239	2025-03-03 21:21:00	?	45dB	?	?	Night
2240	2025-03-03 21:22:37	75	45dB	8.0	700%	Night
2241	2025-03-03 21:23:56	?	45dB	?	?	Night
2242	2025-03-03 21:26:56	68	45dB	4.6	359%	Night
2243	2025-03-03 21:29:46	?	45dB	?	?	Night
2244	2025-03-03 21:34:20	66	45dB	4.3	329%	Night
2245	2025-03-03 21:36:10	69	45dB	4.9	392%	Night
2246	2025-03-03 21:37:42	?	45dB	?	?	Night
2247	2025-03-03 21:40:01	66	45dB	4.3	329%	Night
2248	2025-03-03 21:41:30	67	45dB	4.3	329%	Night
2249	2025-03-03 21:45:11	?	45dB	?	?	Night
2250	2025-03-03 21:50:06	?	45dB	?	?	Night
2251	2025-03-03 21:53:20	66	45dB	4.3	329%	Night
2252	2025-03-03 21:55:42	?	45dB	?	?	Night
2253	2025-03-03 22:00:28	?	45dB	?	?	Night
2254	2025-03-03 22:07:39	?	45dB	?	?	Night
2255	2025-03-03 22:12:32	?	45dB	?	?	Night
2256	2025-03-03 22:14:24	?	45dB	?	?	Night
2257	2025-03-03 22:15:31	77	45dB	8.6	757%	Night
2258	2025-03-03 22:17:11	?	45dB	?	?	Night
2259	2025-03-03 22:18:38	69	45dB	4.9	392%	Night
2260	2025-03-03 22:20:02	?	45dB	?	?	Night
2261	2025-03-03 22:21:56	?	45dB	?	?	Night
2262	2025-03-03 22:23:25	?	45dB	?	?	Night
2263	2025-03-03 22:25:24	?	45dB	?	?	Night
2264	2025-03-03 22:29:41	?	45dB	?	?	Night
2265	2025-03-03 22:39:44	?	45dB	?	?	Night
2266	2025-03-03 22:42:22	?	45dB	?	?	Night
2267	2025-03-03 22:47:56	?	45dB	?	?	Night
2268	2025-03-03 22:50:02	?	45dB	?	?	Night
2269	2025-03-03 22:51:45	?	45dB	?	?	Night
2270	2025-03-03 22:53:38	?	45dB	?	?	Night
2271	2025-03-03 22:59:51	?	45dB	?	?	Night
2272	2025-03-03 23:04:47	?	45dB	?	?	Night
2273	2025-03-03 23:08:37	?	45dB	?	?	Night
2274	2025-03-03 23:10:13	68	45dB	4.6	359%	Night
2275	2025-03-03 23:11:58	?	45dB	?	?	Night
2276	2025-03-03 23:15:34	67	45dB	4.6	359%	Night
2277	2025-03-03 23:20:05	?	45dB	?	?	Night
2278	2025-03-03 23:25:16	?	45dB	?	?	Night
2279	2025-03-03 23:32:27	69	45dB	4.9	392%	Night
2280	2025-03-03 23:34:37	?	45dB	?	?	Night
2281	2025-03-03 23:36:28	?	45dB	?	?	Night
2282	2025-03-03 23:37:58	69	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2283	2025-03-03 23:39:34	?	45dB	?	?	Night
2284	2025-03-03 23:41:15	71	45dB	5.7	466%	Night
2285	2025-03-03 23:43:23	?	45dB	?	?	Night
2286	2025-03-03 23:44:56	?	45dB	?	?	Night
2287	2025-03-03 23:46:26	?	45dB	?	?	Night
2288	2025-03-03 23:48:12	70	45dB	5.7	466%	Night
2289	2025-03-03 23:50:20	69	45dB	4.9	392%	Night
2290	2025-03-03 23:51:55	69	45dB	5.3	428%	Night
2291	2025-03-03 23:53:53	?	45dB	?	?	Night
2292	2025-03-03 23:57:25	70	45dB	5.7	466%	Night
2293	2025-03-03 23:59:48	?	45dB	?	?	Night
2294	2025-03-04 00:02:31	74	45dB	7.0	596%	Night
2295	2025-03-04 00:05:46	71	45dB	5.7	466%	Night
2296	2025-03-04 00:15:01	69	45dB	5.3	428%	Night
2297	2025-03-04 00:27:40	72	45dB	6.1	506%	Night
2298	2025-03-04 00:29:31	74	45dB	7.0	596%	Night
2299	2025-03-04 00:32:33	74	45dB	7.0	596%	Night
2300	2025-03-04 00:36:43	73	45dB	6.5	550%	Night
2301	2025-03-04 00:41:56	71	45dB	5.7	466%	Night
2302	2025-03-04 00:47:12	70	45dB	5.3	428%	Night
2303	2025-03-04 00:56:53	72	45dB	6.1	506%	Night
2304	2025-03-04 00:59:33	71	45dB	6.1	506%	Night
2305	2025-03-04 01:05:31	68	45dB	4.9	392%	Night
2306	2025-03-04 01:12:10	70	45dB	5.3	428%	Night
2307	2025-03-04 01:27:54	71	45dB	5.7	466%	Night
2308	2025-03-04 01:33:05	72	45dB	6.1	506%	Night
2309	2025-03-04 01:42:28	74	45dB	7.0	596%	Night
2310	2025-03-04 01:46:05	73	45dB	6.5	550%	Night
2311	2025-03-04 01:54:10	69	45dB	5.3	428%	Night
2312	2025-03-04 01:56:39	73	45dB	6.5	550%	Night
2313	2025-03-04 02:01:40	75	45dB	7.5	646%	Night
2314	2025-03-04 02:11:14	73	45dB	6.5	550%	Night
2315	2025-03-04 02:17:54	74	45dB	7.0	596%	Night
2316	2025-03-04 02:46:11	71	45dB	6.1	506%	Night
2317	2025-03-04 02:58:48	73	45dB	6.5	550%	Night
2318	2025-03-04 03:12:02	72	45dB	6.5	550%	Night
2319	2025-03-04 03:19:17	71	45dB	6.1	506%	Night
2320	2025-03-04 05:24:56	70	45dB	5.7	466%	Night
2321	2025-03-04 05:27:39	70	45dB	5.7	466%	Night
2322	2025-03-04 05:29:44	67	45dB	4.6	359%	Night
2323	2025-03-04 05:32:06	69	45dB	4.9	392%	Night
2324	2025-03-04 05:47:52	66	45dB	4.3	329%	Night
2325	2025-03-04 05:50:26	68	45dB	4.6	359%	Night
2326	2025-03-04 05:54:18	68	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2327	2025-03-04 05:55:58	72	45dB	6.5	550%	Night
2328	2025-03-04 05:58:11	69	45dB	4.9	392%	Night
2329	2025-03-04 06:00:09	68	45dB	4.6	359%	Night
2330	2025-03-04 06:06:55	71	45dB	5.7	466%	Night
2331	2025-03-04 06:09:19	66	45dB	4.3	329%	Night
2332	2025-03-04 06:29:38	?	45dB	?	?	Night
2333	2025-03-04 06:31:10	67	45dB	4.3	329%	Night
2334	2025-03-04 06:33:04	69	45dB	4.9	392%	Night
2335	2025-03-04 06:34:39	67	45dB	4.6	359%	Night
2336	2025-03-04 06:35:48	?	45dB	?	?	Night
2337	2025-03-04 06:37:12	69	45dB	5.3	428%	Night
2338	2025-03-04 06:38:46	72	45dB	6.5	550%	Night
2339	2025-03-04 06:40:41	68	45dB	4.6	359%	Night
2340	2025-03-04 06:42:09	?	45dB	?	?	Night
2341	2025-03-04 06:43:12	?	45dB	?	?	Night
2342	2025-03-04 06:44:36	69	45dB	5.3	428%	Night
2343	2025-03-04 06:46:07	66	45dB	4.3	329%	Night
2344	2025-03-04 06:47:32	70	45dB	5.7	466%	Night
2345	2025-03-04 06:48:43	69	45dB	5.3	428%	Night
2346	2025-03-04 06:50:03	69	45dB	4.9	392%	Night
2347	2025-03-04 06:51:26	69	45dB	4.9	392%	Night
2348	2025-03-04 06:52:56	68	45dB	4.9	392%	Night
2349	2025-03-04 06:56:05	69	45dB	5.3	428%	Night
2350	2025-03-04 06:58:15	71	45dB	5.7	466%	Night
2351	2025-03-04 06:59:41	67	45dB	4.6	359%	Night
2352	2025-03-04 07:01:45	68	55dB	2.5	146%	Day
2353	2025-03-04 07:03:22	67	55dB	2.3	130%	Day
2354	2025-03-04 07:04:50	69	55dB	2.5	146%	Day
2355	2025-03-04 07:06:41	66	55dB	2.1	114%	Day
2356	2025-03-04 07:08:08	70	55dB	2.6	164%	Day
2357	2025-03-04 07:09:39	72	55dB	3.2	225%	Day
2358	2025-03-04 07:11:33	68	55dB	2.3	130%	Day
2359	2025-03-04 07:13:06	70	55dB	2.6	164%	Day
2360	2025-03-04 07:14:44	71	55dB	3.0	203%	Day
2361	2025-03-04 07:18:46	68	55dB	2.3	130%	Day
2362	2025-03-04 07:27:47	69	55dB	2.6	164%	Day
2363	2025-03-04 07:29:53	71	55dB	2.8	183%	Day
2364	2025-03-04 07:31:49	68	55dB	2.5	146%	Day
2365	2025-03-04 07:33:18	71	55dB	2.8	183%	Day
2366	2025-03-04 07:34:39	72	55dB	3.0	203%	Day
2367	2025-03-04 07:36:41	66	55dB	2.1	114%	Day
2368	2025-03-04 07:38:16	?	55dB	?	?	Day
2369	2025-03-04 07:39:47	?	55dB	?	?	Day
2370	2025-03-04 07:44:25	75	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2371	2025-03-04 07:46:26	72	55dB	3.2	225%	Day
2372	2025-03-04 07:48:56	66	55dB	2.1	114%	Day
2373	2025-03-04 07:52:48	?	55dB	?	?	Day
2374	2025-03-04 07:58:26	71	55dB	2.8	183%	Day
2375	2025-03-04 08:02:01	?	55dB	?	?	Day
2376	2025-03-04 08:04:25	?	55dB	?	?	Day
2377	2025-03-04 08:06:23	70	55dB	2.6	164%	Day
2378	2025-03-04 08:11:33	71	55dB	2.8	183%	Day
2379	2025-03-04 08:13:20	67	55dB	2.3	130%	Day
2380	2025-03-04 08:15:04	70	55dB	2.6	164%	Day
2381	2025-03-04 08:20:06	69	55dB	2.5	146%	Day
2382	2025-03-04 08:23:10	?	55dB	?	?	Day
2383	2025-03-04 08:26:20	69	55dB	2.5	146%	Day
2384	2025-03-04 08:35:23	?	55dB	?	?	Day
2385	2025-03-04 08:37:45	68	55dB	2.3	130%	Day
2386	2025-03-04 08:39:45	67	55dB	2.3	130%	Day
2387	2025-03-04 08:42:01	?	55dB	?	?	Day
2388	2025-03-04 08:44:09	69	55dB	2.6	164%	Day
2389	2025-03-04 08:46:09	68	55dB	2.5	146%	Day
2390	2025-03-04 08:49:40	?	55dB	?	?	Day
2391	2025-03-04 09:05:41	?	55dB	?	?	Day
2392	2025-03-04 09:08:43	68	55dB	2.5	146%	Day
2393	2025-03-04 09:14:16	?	55dB	?	?	Day
2394	2025-03-04 09:19:25	?	55dB	?	?	Day
2395	2025-03-04 09:21:21	67	55dB	2.3	130%	Day
2396	2025-03-04 09:27:56	?	55dB	?	?	Day
2397	2025-03-04 09:32:44	?	55dB	?	?	Day
2398	2025-03-04 09:40:43	71	55dB	3.0	203%	Day
2399	2025-03-04 09:43:35	68	55dB	2.5	146%	Day
2400	2025-03-04 09:46:01	?	55dB	?	?	Day
2401	2025-03-04 09:49:54	?	55dB	?	?	Day
2402	2025-03-04 09:58:05	67	55dB	2.3	130%	Day
2403	2025-03-04 10:00:14	?	55dB	?	?	Day
2404	2025-03-04 10:04:57	77	55dB	4.6	359%	Day
2405	2025-03-04 10:10:39	66	55dB	2.1	114%	Day
2406	2025-03-04 10:17:15	69	55dB	2.5	146%	Day
2407	2025-03-04 10:23:46	?	55dB	?	?	Day
2408	2025-03-04 10:27:49	69	55dB	2.6	164%	Day
2409	2025-03-04 10:31:11	69	55dB	2.6	164%	Day
2410	2025-03-04 10:33:47	70	55dB	2.6	164%	Day
2411	2025-03-04 10:36:58	68	55dB	2.3	130%	Day
2412	2025-03-04 10:41:48	67	55dB	2.1	114%	Day
2413	2025-03-04 10:43:39	68	55dB	2.3	130%	Day
2414	2025-03-04 10:45:03	71	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2415	2025-03-04 10:46:45	70	55dB	2.8	183%	Day
2416	2025-03-04 10:48:24	67	55dB	2.1	114%	Day
2417	2025-03-04 10:49:49	74	55dB	3.7	273%	Day
2418	2025-03-04 10:51:23	?	55dB	?	?	Day
2419	2025-03-04 10:54:40	70	55dB	2.8	183%	Day
2420	2025-03-04 10:57:01	71	55dB	3.0	203%	Day
2421	2025-03-04 11:03:46	68	55dB	2.5	146%	Day
2422	2025-03-04 11:06:27	67	55dB	2.1	114%	Day
2423	2025-03-04 11:08:48	69	55dB	2.5	146%	Day
2424	2025-03-04 11:10:16	?	55dB	?	?	Day
2425	2025-03-04 11:12:03	69	55dB	2.5	146%	Day
2426	2025-03-04 11:13:23	?	55dB	?	?	Day
2427	2025-03-04 11:14:54	67	55dB	2.3	130%	Day
2428	2025-03-04 11:16:48	68	55dB	2.5	146%	Day
2429	2025-03-04 11:18:30	72	55dB	3.0	203%	Day
2430	2025-03-04 11:20:17	?	55dB	?	?	Day
2431	2025-03-04 11:22:38	?	55dB	?	?	Day
2432	2025-03-04 11:24:21	?	55dB	?	?	Day
2433	2025-03-04 11:26:54	68	55dB	2.5	146%	Day
2434	2025-03-04 11:28:48	69	55dB	2.6	164%	Day
2435	2025-03-04 11:30:06	70	55dB	2.6	164%	Day
2436	2025-03-04 11:31:39	68	55dB	2.5	146%	Day
2437	2025-03-04 11:37:54	70	55dB	2.6	164%	Day
2438	2025-03-04 11:39:38	66	55dB	2.1	114%	Day
2439	2025-03-04 11:44:01	68	55dB	2.5	146%	Day
2440	2025-03-04 11:47:37	?	55dB	?	?	Day
2441	2025-03-04 11:50:25	70	55dB	2.6	164%	Day
2442	2025-03-04 11:52:15	74	55dB	3.5	248%	Day
2443	2025-03-04 11:56:00	?	55dB	?	?	Day
2444	2025-03-04 12:04:57	67	55dB	2.3	130%	Day
2445	2025-03-04 12:09:19	74	55dB	3.5	248%	Day
2446	2025-03-04 12:14:08	72	55dB	3.0	203%	Day
2447	2025-03-04 12:17:05	71	55dB	2.8	183%	Day
2448	2025-03-04 12:24:58	72	55dB	3.0	203%	Day
2449	2025-03-04 12:27:18	71	55dB	3.0	203%	Day
2450	2025-03-04 12:29:06	71	55dB	3.0	203%	Day
2451	2025-03-04 12:30:53	68	55dB	2.5	146%	Day
2452	2025-03-04 12:33:11	76	55dB	4.0	300%	Day
2453	2025-03-04 12:34:58	?	55dB	?	?	Day
2454	2025-03-04 12:36:37	67	55dB	2.3	130%	Day
2455	2025-03-04 12:38:21	66	55dB	2.1	114%	Day
2456	2025-03-04 12:39:53	67	55dB	2.3	130%	Day
2457	2025-03-04 12:41:17	68	55dB	2.3	130%	Day
2458	2025-03-04 12:42:40	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2459	2025-03-04 12:44:20	70	55dB	2.8	183%	Day
2460	2025-03-04 12:48:21	77	55dB	4.6	359%	Day
2461	2025-03-04 12:50:48	69	55dB	2.6	164%	Day
2462	2025-03-04 12:52:32	69	55dB	2.6	164%	Day
2463	2025-03-04 12:55:28	69	55dB	2.6	164%	Day
2464	2025-03-04 13:05:48	71	55dB	3.0	203%	Day
2465	2025-03-04 13:07:47	72	55dB	3.2	225%	Day
2466	2025-03-04 13:10:40	70	55dB	2.6	164%	Day
2467	2025-03-04 13:13:30	68	55dB	2.3	130%	Day
2468	2025-03-04 13:21:08	68	55dB	2.5	146%	Day
2469	2025-03-04 13:22:53	67	55dB	2.3	130%	Day
2470	2025-03-04 13:24:13	69	55dB	2.5	146%	Day
2471	2025-03-04 13:25:46	?	55dB	?	?	Day
2472	2025-03-04 13:27:18	70	55dB	2.8	183%	Day
2473	2025-03-04 13:28:54	71	55dB	2.8	183%	Day
2474	2025-03-04 13:31:08	69	55dB	2.5	146%	Day
2475	2025-03-04 13:32:47	73	55dB	3.2	225%	Day
2476	2025-03-04 13:34:41	?	55dB	?	?	Day
2477	2025-03-04 13:36:07	70	55dB	2.8	183%	Day
2478	2025-03-04 13:37:30	?	55dB	?	?	Day
2479	2025-03-04 13:39:18	69	55dB	2.6	164%	Day
2480	2025-03-04 13:46:00	67	55dB	2.3	130%	Day
2481	2025-03-04 13:50:02	69	55dB	2.5	146%	Day
2482	2025-03-04 13:52:48	71	55dB	3.0	203%	Day
2483	2025-03-04 13:58:14	68	55dB	2.3	130%	Day
2484	2025-03-04 14:00:32	?	55dB	?	?	Day
2485	2025-03-04 14:05:01	?	55dB	?	?	Day
2486	2025-03-04 14:08:43	68	55dB	2.3	130%	Day
2487	2025-03-04 14:10:55	69	55dB	2.5	146%	Day
2488	2025-03-04 14:13:31	70	55dB	2.8	183%	Day
2489	2025-03-04 14:15:33	70	55dB	2.8	183%	Day
2490	2025-03-04 14:17:49	71	55dB	2.8	183%	Day
2491	2025-03-04 14:19:55	75	55dB	3.7	273%	Day
2492	2025-03-04 14:22:07	68	55dB	2.5	146%	Day
2493	2025-03-04 14:23:31	?	55dB	?	?	Day
2494	2025-03-04 14:25:19	70	55dB	2.6	164%	Day
2495	2025-03-04 14:27:07	70	55dB	2.6	164%	Day
2496	2025-03-04 14:33:03	?	55dB	?	?	Day
2497	2025-03-04 14:38:52	69	55dB	2.6	164%	Day
2498	2025-03-04 14:41:36	72	55dB	3.2	225%	Day
2499	2025-03-04 14:43:32	70	55dB	2.8	183%	Day
2500	2025-03-04 14:45:46	69	55dB	2.5	146%	Day
2501	2025-03-04 14:47:47	?	55dB	?	?	Day
2502	2025-03-04 14:49:24	70	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2503	2025-03-04 14:51:10	67	55dB	2.3	130%	Day
2504	2025-03-04 14:52:25	72	55dB	3.0	203%	Day
2505	2025-03-04 14:54:11	68	55dB	2.3	130%	Day
2506	2025-03-04 14:56:30	?	55dB	?	?	Day
2507	2025-03-04 14:57:56	67	55dB	2.1	114%	Day
2508	2025-03-04 15:00:24	74	55dB	3.7	273%	Day
2509	2025-03-04 15:02:53	71	55dB	3.0	203%	Day
2510	2025-03-04 15:04:51	68	55dB	2.3	130%	Day
2511	2025-03-04 15:08:08	70	55dB	2.6	164%	Day
2512	2025-03-04 15:09:38	?	55dB	?	?	Day
2513	2025-03-04 15:13:22	?	55dB	?	?	Day
2514	2025-03-04 15:15:03	69	55dB	2.6	164%	Day
2515	2025-03-04 15:16:53	69	55dB	2.5	146%	Day
2516	2025-03-04 15:19:00	68	55dB	2.5	146%	Day
2517	2025-03-04 15:21:31	68	55dB	2.5	146%	Day
2518	2025-03-04 15:23:51	70	55dB	2.8	183%	Day
2519	2025-03-04 15:26:26	71	55dB	3.0	203%	Day
2520	2025-03-04 15:28:47	73	55dB	3.2	225%	Day
2521	2025-03-04 15:31:28	67	55dB	2.1	114%	Day
2522	2025-03-04 15:33:24	71	55dB	2.8	183%	Day
2523	2025-03-04 15:35:03	72	55dB	3.2	225%	Day
2524	2025-03-04 15:37:33	70	55dB	2.6	164%	Day
2525	2025-03-04 15:39:41	72	55dB	3.0	203%	Day
2526	2025-03-04 15:42:40	71	55dB	2.8	183%	Day
2527	2025-03-04 15:47:45	?	55dB	?	?	Day
2528	2025-03-04 15:49:34	?	55dB	?	?	Day
2529	2025-03-04 15:51:23	68	55dB	2.3	130%	Day
2530	2025-03-04 15:53:01	67	55dB	2.1	114%	Day
2531	2025-03-04 15:54:41	69	55dB	2.6	164%	Day
2532	2025-03-04 15:56:27	?	55dB	?	?	Day
2533	2025-03-04 15:58:14	69	55dB	2.5	146%	Day
2534	2025-03-04 15:59:48	68	55dB	2.3	130%	Day
2535	2025-03-04 16:02:03	70	55dB	2.6	164%	Day
2536	2025-03-04 16:03:35	67	55dB	2.3	130%	Day
2537	2025-03-04 16:05:44	72	55dB	3.0	203%	Day
2538	2025-03-04 16:07:30	72	55dB	3.0	203%	Day
2539	2025-03-04 16:09:40	?	55dB	?	?	Day
2540	2025-03-04 16:11:13	70	55dB	2.6	164%	Day
2541	2025-03-04 16:17:34	?	55dB	?	?	Day
2542	2025-03-04 16:21:36	68	55dB	2.3	130%	Day
2543	2025-03-04 16:25:16	70	55dB	2.8	183%	Day
2544	2025-03-04 16:27:02	67	55dB	2.3	130%	Day
2545	2025-03-04 16:28:11	77	55dB	4.3	329%	Day
2546	2025-03-04 16:30:28	69	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2547	2025-03-04 16:33:17	72	55dB	3.2	225%	Day
2548	2025-03-04 16:35:02	71	55dB	2.8	183%	Day
2549	2025-03-04 16:37:00	69	55dB	2.6	164%	Day
2550	2025-03-04 16:38:25	67	55dB	2.3	130%	Day
2551	2025-03-04 16:39:37	69	55dB	2.6	164%	Day
2552	2025-03-04 16:40:49	67	55dB	2.1	114%	Day
2553	2025-03-04 16:43:10	?	55dB	?	?	Day
2554	2025-03-04 16:44:56	?	55dB	?	?	Day
2555	2025-03-04 16:46:08	?	55dB	?	?	Day
2556	2025-03-04 16:47:28	69	55dB	2.5	146%	Day
2557	2025-03-04 16:48:43	70	55dB	2.6	164%	Day
2558	2025-03-04 16:53:16	67	55dB	2.1	114%	Day
2559	2025-03-04 16:54:42	70	55dB	2.6	164%	Day
2560	2025-03-04 16:58:31	73	55dB	3.5	248%	Day
2561	2025-03-04 17:01:51	72	55dB	3.2	225%	Day
2562	2025-03-04 17:04:28	74	55dB	3.7	273%	Day
2563	2025-03-04 17:07:00	70	55dB	2.8	183%	Day
2564	2025-03-04 17:09:08	69	55dB	2.5	146%	Day
2565	2025-03-04 17:11:24	69	55dB	2.5	146%	Day
2566	2025-03-04 17:13:40	76	55dB	4.3	329%	Day
2567	2025-03-04 17:20:32	69	55dB	2.5	146%	Day
2568	2025-03-04 17:22:40	74	55dB	3.7	273%	Day
2569	2025-03-04 17:25:09	70	55dB	2.6	164%	Day
2570	2025-03-04 17:28:34	73	55dB	3.2	225%	Day
2571	2025-03-04 17:30:48	71	55dB	3.0	203%	Day
2572	2025-03-04 17:33:44	74	55dB	3.7	273%	Day
2573	2025-03-04 17:36:18	?	55dB	?	?	Day
2574	2025-03-04 17:38:54	72	55dB	3.0	203%	Day
2575	2025-03-04 17:42:05	69	55dB	2.6	164%	Day
2576	2025-03-04 17:44:24	?	55dB	?	?	Day
2577	2025-03-04 17:58:57	?	55dB	?	?	Day
2578	2025-03-04 18:01:58	69	55dB	2.6	164%	Day
2579	2025-03-04 18:04:16	74	55dB	3.7	273%	Day
2580	2025-03-04 18:07:58	66	55dB	2.1	114%	Day
2581	2025-03-04 18:10:14	71	55dB	3.0	203%	Day
2582	2025-03-04 18:20:22	68	55dB	2.5	146%	Day
2583	2025-03-04 18:22:21	70	55dB	2.6	164%	Day
2584	2025-03-04 18:25:58	73	55dB	3.2	225%	Day
2585	2025-03-04 18:28:28	72	55dB	3.0	203%	Day
2586	2025-03-04 18:30:54	71	55dB	3.0	203%	Day
2587	2025-03-04 18:33:28	73	55dB	3.5	248%	Day
2588	2025-03-04 18:35:12	73	55dB	3.2	225%	Day
2589	2025-03-04 18:37:09	73	55dB	3.2	225%	Day
2590	2025-03-04 18:39:31	71	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2591	2025-03-04 18:41:52	68	55dB	2.5	146%	Day
2592	2025-03-04 18:43:54	73	55dB	3.5	248%	Day
2593	2025-03-04 18:46:17	71	55dB	3.0	203%	Day
2594	2025-03-04 18:48:30	72	55dB	3.2	225%	Day
2595	2025-03-04 18:53:56	75	55dB	4.0	300%	Day
2596	2025-03-04 18:56:08	75	55dB	4.0	300%	Day
2597	2025-03-04 18:58:27	74	55dB	3.5	248%	Day
2598	2025-03-04 19:06:12	?	45dB	?	?	Night
2599	2025-03-04 19:07:58	77	45dB	8.6	757%	Night
2600	2025-03-04 19:10:37	?	45dB	?	?	Night
2601	2025-03-04 19:12:14	?	45dB	?	?	Night
2602	2025-03-04 19:14:20	?	45dB	?	?	Night
2603	2025-03-04 19:16:23	76	45dB	8.6	757%	Night
2604	2025-03-04 19:18:35	72	45dB	6.5	550%	Night
2605	2025-03-04 19:21:22	75	45dB	8.0	700%	Night
2606	2025-03-04 19:28:42	67	45dB	4.6	359%	Night
2607	2025-03-04 19:31:52	?	45dB	?	?	Night
2608	2025-03-04 19:43:46	79	45dB	9.8	885%	Night
2609	2025-03-04 19:45:43	?	45dB	?	?	Night
2610	2025-03-04 19:46:46	75	45dB	7.5	646%	Night
2611	2025-03-04 19:47:56	70	45dB	5.7	466%	Night
2612	2025-03-04 19:54:36	69	45dB	5.3	428%	Night
2613	2025-03-05 06:31:36	?	45dB	?	?	Night
2614	2025-03-05 06:32:57	69	45dB	4.9	392%	Night
2615	2025-03-05 06:33:55	75	45dB	7.5	646%	Night
2616	2025-03-05 06:37:18	74	45dB	7.5	646%	Night
2617	2025-03-05 06:38:22	77	45dB	9.2	819%	Night
2618	2025-03-05 06:39:43	74	45dB	7.5	646%	Night
2619	2025-03-05 06:41:24	77	45dB	9.2	819%	Night
2620	2025-03-05 06:44:32	73	45dB	7.0	596%	Night
2621	2025-03-05 06:45:34	69	45dB	4.9	392%	Night
2622	2025-03-05 06:47:12	78	45dB	9.8	885%	Night
2623	2025-03-05 06:48:42	?	45dB	?	?	Night
2624	2025-03-05 06:49:56	72	45dB	6.1	506%	Night
2625	2025-03-05 06:50:53	69	45dB	5.3	428%	Night
2626	2025-03-05 06:52:11	71	45dB	5.7	466%	Night
2627	2025-03-05 06:53:15	78	45dB	9.2	819%	Night
2628	2025-03-05 06:56:27	77	45dB	8.6	757%	Night
2629	2025-03-05 06:58:27	76	45dB	8.0	700%	Night
2630	2025-03-05 06:59:42	78	45dB	9.2	819%	Night
2631	2025-03-05 07:00:41	77	55dB	4.6	359%	Day
2632	2025-03-05 07:02:12	72	55dB	3.2	225%	Day
2633	2025-03-05 07:03:28	72	55dB	3.2	225%	Day
2634	2025-03-05 07:04:42	73	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2635	2025-03-05 07:05:50	?	55dB	?	?	Day
2636	2025-03-05 07:07:04	71	55dB	3.0	203%	Day
2637	2025-03-05 07:11:20	76	55dB	4.3	329%	Day
2638	2025-03-05 07:12:53	76	55dB	4.3	329%	Day
2639	2025-03-05 07:14:09	78	55dB	4.6	359%	Day
2640	2025-03-05 07:18:26	73	55dB	3.5	248%	Day
2641	2025-03-05 07:20:14	73	55dB	3.2	225%	Day
2642	2025-03-05 07:21:14	71	55dB	2.8	183%	Day
2643	2025-03-05 07:22:23	75	55dB	4.0	300%	Day
2644	2025-03-05 07:24:22	?	55dB	?	?	Day
2645	2025-03-05 07:25:27	69	55dB	2.6	164%	Day
2646	2025-03-05 07:27:36	75	55dB	3.7	273%	Day
2647	2025-03-05 07:28:28	74	55dB	3.7	273%	Day
2648	2025-03-05 07:29:48	?	55dB	?	?	Day
2649	2025-03-05 07:31:30	72	55dB	3.2	225%	Day
2650	2025-03-05 07:32:58	74	55dB	3.5	248%	Day
2651	2025-03-05 07:34:27	70	55dB	2.8	183%	Day
2652	2025-03-05 07:36:19	?	55dB	?	?	Day
2653	2025-03-05 07:38:12	75	55dB	4.0	300%	Day
2654	2025-03-05 07:39:37	69	55dB	2.6	164%	Day
2655	2025-03-05 07:40:41	68	55dB	2.3	130%	Day
2656	2025-03-05 07:42:02	?	55dB	?	?	Day
2657	2025-03-05 07:43:17	?	55dB	?	?	Day
2658	2025-03-05 07:44:18	76	55dB	4.0	300%	Day
2659	2025-03-05 07:45:17	77	55dB	4.3	329%	Day
2660	2025-03-05 07:46:15	72	55dB	3.2	225%	Day
2661	2025-03-05 07:47:21	71	55dB	2.8	183%	Day
2662	2025-03-05 07:48:42	68	55dB	2.3	130%	Day
2663	2025-03-05 07:54:04	69	55dB	2.5	146%	Day
2664	2025-03-05 07:55:26	76	55dB	4.0	300%	Day
2665	2025-03-05 07:57:05	80	55dB	5.3	428%	Day
2666	2025-03-05 07:59:04	73	55dB	3.2	225%	Day
2667	2025-03-05 08:03:32	73	55dB	3.5	248%	Day
2668	2025-03-05 08:04:41	77	55dB	4.3	329%	Day
2669	2025-03-05 08:05:47	74	55dB	3.5	248%	Day
2670	2025-03-05 08:06:51	72	55dB	3.2	225%	Day
2671	2025-03-05 08:08:03	72	55dB	3.2	225%	Day
2672	2025-03-05 08:09:06	71	55dB	2.8	183%	Day
2673	2025-03-05 08:10:19	74	55dB	3.5	248%	Day
2674	2025-03-05 08:15:30	68	55dB	2.3	130%	Day
2675	2025-03-05 08:18:35	69	55dB	2.5	146%	Day
2676	2025-03-05 08:20:58	72	55dB	3.0	203%	Day
2677	2025-03-05 08:22:02	73	55dB	3.2	225%	Day
2678	2025-03-05 08:23:15	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2679	2025-03-05 08:26:05	?	55dB	?	?	Day
2680	2025-03-05 08:27:36	?	55dB	?	?	Day
2681	2025-03-05 08:29:45	71	55dB	2.8	183%	Day
2682	2025-03-05 08:35:52	72	55dB	3.0	203%	Day
2683	2025-03-05 08:37:52	73	55dB	3.2	225%	Day
2684	2025-03-05 08:39:13	71	55dB	3.0	203%	Day
2685	2025-03-05 08:40:58	71	55dB	3.0	203%	Day
2686	2025-03-05 08:42:38	75	55dB	4.0	300%	Day
2687	2025-03-05 08:45:06	?	55dB	?	?	Day
2688	2025-03-05 08:47:20	73	55dB	3.5	248%	Day
2689	2025-03-05 08:48:35	71	55dB	2.8	183%	Day
2690	2025-03-05 08:55:07	?	55dB	?	?	Day
2691	2025-03-05 09:01:16	68	55dB	2.5	146%	Day
2692	2025-03-05 09:03:52	73	55dB	3.5	248%	Day
2693	2025-03-05 09:13:17	76	55dB	4.0	300%	Day
2694	2025-03-05 09:19:37	?	55dB	?	?	Day
2695	2025-03-05 09:23:07	74	55dB	3.7	273%	Day
2696	2025-03-05 09:35:49	74	55dB	3.7	273%	Day
2697	2025-03-05 09:46:32	83	55dB	6.5	550%	Day
2698	2025-03-05 09:53:58	70	55dB	2.8	183%	Day
2699	2025-03-05 09:55:30	68	55dB	2.5	146%	Day
2700	2025-03-05 09:56:43	70	55dB	2.6	164%	Day
2701	2025-03-05 10:01:36	71	55dB	2.8	183%	Day
2702	2025-03-05 10:03:48	79	55dB	5.3	428%	Day
2703	2025-03-05 10:05:14	80	55dB	5.7	466%	Day
2704	2025-03-05 10:07:04	72	55dB	3.2	225%	Day
2705	2025-03-05 10:08:20	70	55dB	2.6	164%	Day
2706	2025-03-05 10:13:49	71	55dB	2.8	183%	Day
2707	2025-03-05 10:18:27	73	55dB	3.2	225%	Day
2708	2025-03-05 10:20:05	?	55dB	?	?	Day
2709	2025-03-05 10:22:50	?	55dB	?	?	Day
2710	2025-03-05 10:26:31	?	55dB	?	?	Day
2711	2025-03-05 10:30:18	?	55dB	?	?	Day
2712	2025-03-05 10:36:16	70	55dB	2.8	183%	Day
2713	2025-03-05 10:38:03	69	55dB	2.6	164%	Day
2714	2025-03-05 10:40:26	72	55dB	3.2	225%	Day
2715	2025-03-05 10:41:37	68	55dB	2.5	146%	Day
2716	2025-03-05 10:44:42	67	55dB	2.1	114%	Day
2717	2025-03-05 10:46:01	?	55dB	?	?	Day
2718	2025-03-05 10:47:17	72	55dB	3.2	225%	Day
2719	2025-03-05 10:48:30	71	55dB	2.8	183%	Day
2720	2025-03-05 10:49:40	69	55dB	2.5	146%	Day
2721	2025-03-05 10:50:27	73	55dB	3.2	225%	Day
2722	2025-03-05 10:51:48	73	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2723	2025-03-05 10:54:27	70	55dB	2.8	183%	Day
2724	2025-03-05 10:55:41	68	55dB	2.3	130%	Day
2725	2025-03-05 10:56:46	72	55dB	3.0	203%	Day
2726	2025-03-05 10:58:00	68	55dB	2.5	146%	Day
2727	2025-03-05 11:01:47	?	55dB	?	?	Day
2728	2025-03-05 11:03:08	70	55dB	2.6	164%	Day
2729	2025-03-05 11:07:03	68	55dB	2.5	146%	Day
2730	2025-03-05 11:08:26	68	55dB	2.3	130%	Day
2731	2025-03-05 11:09:46	77	55dB	4.3	329%	Day
2732	2025-03-05 11:13:12	?	55dB	?	?	Day
2733	2025-03-05 11:14:33	79	55dB	5.3	428%	Day
2734	2025-03-05 11:17:28	83	55dB	7.0	596%	Day
2735	2025-03-05 11:19:48	73	55dB	3.2	225%	Day
2736	2025-03-05 11:30:38	73	55dB	3.2	225%	Day
2737	2025-03-05 11:39:07	76	55dB	4.3	329%	Day
2738	2025-03-05 11:39:14	76	55dB	4.3	329%	Day
2739	2025-03-05 11:40:15	73	55dB	3.5	248%	Day
2740	2025-03-05 11:41:44	73	55dB	3.5	248%	Day
2741	2025-03-05 11:47:26	74	55dB	3.5	248%	Day
2742	2025-03-05 11:51:25	75	55dB	4.0	300%	Day
2743	2025-03-05 12:01:54	74	55dB	3.5	248%	Day
2744	2025-03-05 12:03:00	74	55dB	3.5	248%	Day
2745	2025-03-05 12:04:45	?	55dB	?	?	Day
2746	2025-03-05 12:10:52	77	55dB	4.3	329%	Day
2747	2025-03-05 12:17:21	75	55dB	4.0	300%	Day
2748	2025-03-05 12:21:05	78	55dB	4.6	359%	Day
2749	2025-03-05 12:22:57	77	55dB	4.3	329%	Day
2750	2025-03-05 12:28:07	77	55dB	4.6	359%	Day
2751	2025-03-05 12:34:38	76	55dB	4.0	300%	Day
2752	2025-03-05 12:35:30	78	55dB	4.9	392%	Day
2753	2025-03-05 12:36:39	70	55dB	2.8	183%	Day
2754	2025-03-05 12:37:57	73	55dB	3.5	248%	Day
2755	2025-03-05 12:40:01	74	55dB	3.5	248%	Day
2756	2025-03-05 12:44:09	75	55dB	3.7	273%	Day
2757	2025-03-05 12:45:24	68	55dB	2.5	146%	Day
2758	2025-03-05 12:46:21	86	55dB	8.6	757%	Day
2759	2025-03-05 12:47:27	79	55dB	4.9	392%	Day
2760	2025-03-05 12:51:40	?	55dB	?	?	Day
2761	2025-03-05 12:52:52	81	55dB	5.7	466%	Day
2762	2025-03-05 12:57:07	76	55dB	4.3	329%	Day
2763	2025-03-05 12:59:34	?	55dB	?	?	Day
2764	2025-03-05 13:00:40	76	55dB	4.0	300%	Day
2765	2025-03-05 13:01:41	76	55dB	4.3	329%	Day
2766	2025-03-05 13:03:13	72	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2767	2025-03-05 13:04:17	69	55dB	2.6	164%	Day
2768	2025-03-05 13:14:08	71	55dB	3.0	203%	Day
2769	2025-03-05 13:19:19	70	55dB	2.8	183%	Day
2770	2025-03-05 13:20:26	?	55dB	?	?	Day
2771	2025-03-05 13:22:08	69	55dB	2.6	164%	Day
2772	2025-03-05 13:24:47	?	55dB	?	?	Day
2773	2025-03-05 13:28:23	?	55dB	?	?	Day
2774	2025-03-05 13:29:26	81	55dB	6.1	506%	Day
2775	2025-03-05 16:41:17	73	55dB	3.5	248%	Day
2776	2025-03-05 16:43:15	73	55dB	3.2	225%	Day
2777	2025-03-05 16:45:59	72	55dB	3.0	203%	Day
2778	2025-03-05 16:49:26	71	55dB	2.8	183%	Day
2779	2025-03-05 16:51:18	74	55dB	3.5	248%	Day
2780	2025-03-05 16:54:16	67	55dB	2.3	130%	Day
2781	2025-03-05 16:55:53	72	55dB	3.2	225%	Day
2782	2025-03-05 16:59:28	67	55dB	2.3	130%	Day
2783	2025-03-05 17:03:39	67	55dB	2.3	130%	Day
2784	2025-03-05 17:05:02	72	55dB	3.2	225%	Day
2785	2025-03-05 17:06:24	70	55dB	2.8	183%	Day
2786	2025-03-05 17:10:13	74	55dB	3.5	248%	Day
2787	2025-03-05 17:14:21	68	55dB	2.3	130%	Day
2788	2025-03-05 17:15:57	67	55dB	2.1	114%	Day
2789	2025-03-05 17:17:24	71	55dB	2.8	183%	Day
2790	2025-03-05 17:20:50	70	55dB	2.8	183%	Day
2791	2025-03-05 17:22:13	?	55dB	?	?	Day
2792	2025-03-05 17:23:36	72	55dB	3.0	203%	Day
2793	2025-03-05 17:24:48	71	55dB	2.8	183%	Day
2794	2025-03-05 17:26:14	71	55dB	3.0	203%	Day
2795	2025-03-05 17:27:48	71	55dB	3.0	203%	Day
2796	2025-03-05 17:29:14	69	55dB	2.6	164%	Day
2797	2025-03-05 17:30:34	71	55dB	2.8	183%	Day
2798	2025-03-05 17:31:47	69	55dB	2.5	146%	Day
2799	2025-03-05 17:33:22	70	55dB	2.6	164%	Day
2800	2025-03-05 17:34:55	71	55dB	2.8	183%	Day
2801	2025-03-05 17:36:14	71	55dB	2.8	183%	Day
2802	2025-03-05 17:38:55	70	55dB	2.6	164%	Day
2803	2025-03-05 17:40:23	?	55dB	?	?	Day
2804	2025-03-05 17:45:04	71	55dB	2.8	183%	Day
2805	2025-03-05 17:46:31	70	55dB	2.6	164%	Day
2806	2025-03-05 18:46:33	?	55dB	?	?	Day
2807	2025-03-05 18:49:18	?	55dB	?	?	Day
2808	2025-03-05 18:50:36	69	55dB	2.6	164%	Day
2809	2025-03-05 18:52:34	71	55dB	3.0	203%	Day
2810	2025-03-05 18:54:04	68	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2811	2025-03-05 18:55:21	67	55dB	2.3	130%	Day
2812	2025-03-05 18:56:49	69	55dB	2.5	146%	Day
2813	2025-03-05 18:58:46	85	55dB	7.5	646%	Day
2814	2025-03-05 19:01:17	?	45dB	?	?	Night
2815	2025-03-05 19:02:40	74	45dB	7.0	596%	Night
2816	2025-03-05 19:06:08	82	45dB	13.0	1200%	Night
2817	2025-03-05 19:08:05	?	45dB	?	?	Night
2818	2025-03-05 19:10:33	?	45dB	?	?	Night
2819	2025-03-05 19:12:40	?	45dB	?	?	Night
2820	2025-03-05 19:14:30	70	45dB	5.7	466%	Night
2821	2025-03-05 19:16:47	74	45dB	7.5	646%	Night
2822	2025-03-05 19:18:56	76	45dB	8.0	700%	Night
2823	2025-03-05 19:25:16	?	45dB	?	?	Night
2824	2025-03-05 19:27:14	75	45dB	8.0	700%	Night
2825	2025-03-05 19:29:46	73	45dB	7.0	596%	Night
2826	2025-03-05 19:29:47	73	45dB	7.0	596%	Night
2827	2025-03-05 19:32:09	78	45dB	9.2	819%	Night
2828	2025-03-05 19:34:26	68	45dB	4.6	359%	Night
2829	2025-03-05 19:36:28	66	45dB	4.3	329%	Night
2830	2025-03-05 19:38:51	?	45dB	?	?	Night
2831	2025-03-05 19:42:47	68	45dB	4.9	392%	Night
2832	2025-03-05 19:46:02	?	45dB	?	?	Night
2833	2025-03-05 19:48:43	80	45dB	10.6	956%	Night
2834	2025-03-05 19:51:20	?	45dB	?	?	Night
2835	2025-03-05 19:53:30	76	45dB	8.0	700%	Night
2836	2025-03-05 19:55:51	73	45dB	6.5	550%	Night
2837	2025-03-05 19:58:50	68	45dB	4.6	359%	Night
2838	2025-03-05 20:01:25	82	45dB	12.1	1113%	Night
2839	2025-03-05 20:11:08	69	45dB	4.9	392%	Night
2840	2025-03-05 20:14:44	75	45dB	8.0	700%	Night
2841	2025-03-05 20:16:22	?	45dB	?	?	Night
2842	2025-03-05 20:18:42	?	45dB	?	?	Night
2843	2025-03-05 20:24:21	?	45dB	?	?	Night
2844	2025-03-05 20:26:53	?	45dB	?	?	Night
2845	2025-03-05 20:29:07	74	45dB	7.0	596%	Night
2846	2025-03-05 20:30:54	79	45dB	9.8	885%	Night
2847	2025-03-05 20:33:20	?	45dB	?	?	Night
2848	2025-03-05 20:37:17	?	45dB	?	?	Night
2849	2025-03-05 20:43:35	78	45dB	9.8	885%	Night
2850	2025-03-05 20:45:51	?	45dB	?	?	Night
2851	2025-03-05 20:56:50	81	45dB	11.3	1031%	Night
2852	2025-03-05 20:58:41	?	45dB	?	?	Night
2853	2025-03-05 21:01:08	?	45dB	?	?	Night
2854	2025-03-05 21:02:33	68	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2855	2025-03-05 21:04:08	75	45dB	8.0	700%	Night
2856	2025-03-05 21:05:36	68	45dB	4.6	359%	Night
2857	2025-03-05 21:07:11	80	45dB	11.3	1031%	Night
2858	2025-03-05 21:09:39	?	45dB	?	?	Night
2859	2025-03-05 21:11:07	68	45dB	4.9	392%	Night
2860	2025-03-05 21:21:36	70	45dB	5.3	428%	Night
2861	2025-03-05 21:23:12	73	45dB	7.0	596%	Night
2862	2025-03-05 21:24:34	73	45dB	7.0	596%	Night
2863	2025-03-05 21:26:28	69	45dB	4.9	392%	Night
2864	2025-03-05 21:33:06	77	45dB	9.2	819%	Night
2865	2025-03-05 21:38:24	76	45dB	8.6	757%	Night
2866	2025-03-05 21:43:07	78	45dB	9.8	885%	Night
2867	2025-03-05 21:51:52	82	45dB	12.1	1113%	Night
2868	2025-03-05 22:04:27	74	45dB	7.0	596%	Night
2869	2025-03-05 22:08:31	72	45dB	6.1	506%	Night
2870	2025-03-05 22:10:23	74	45dB	7.0	596%	Night
2871	2025-03-05 22:16:22	73	45dB	6.5	550%	Night
2872	2025-03-05 22:22:28	78	45dB	9.8	885%	Night
2873	2025-03-05 22:24:15	72	45dB	6.5	550%	Night
2874	2025-03-05 22:25:58	69	45dB	5.3	428%	Night
2875	2025-03-05 22:29:43	81	45dB	11.3	1031%	Night
2876	2025-03-05 22:35:31	?	45dB	?	?	Night
2877	2025-03-05 22:38:27	76	45dB	8.0	700%	Night
2878	2025-03-05 22:40:03	78	45dB	9.8	885%	Night
2879	2025-03-05 22:41:53	73	45dB	7.0	596%	Night
2880	2025-03-05 22:43:56	71	45dB	5.7	466%	Night
2881	2025-03-05 22:45:41	74	45dB	7.5	646%	Night
2882	2025-03-05 22:47:03	79	45dB	9.8	885%	Night
2883	2025-03-05 22:48:32	77	45dB	9.2	819%	Night
2884	2025-03-05 22:49:49	73	45dB	7.0	596%	Night
2885	2025-03-05 22:51:15	70	45dB	5.3	428%	Night
2886	2025-03-05 22:52:49	74	45dB	7.5	646%	Night
2887	2025-03-05 22:54:44	?	45dB	?	?	Night
2888	2025-03-05 22:56:33	71	45dB	6.1	506%	Night
2889	2025-03-05 22:58:01	?	45dB	?	?	Night
2890	2025-03-05 22:59:49	69	45dB	4.9	392%	Night
2891	2025-03-05 23:01:37	68	45dB	4.6	359%	Night
2892	2025-03-05 23:03:33	71	45dB	6.1	506%	Night
2893	2025-03-05 23:05:26	78	45dB	9.2	819%	Night
2894	2025-03-05 23:07:07	?	45dB	?	?	Night
2895	2025-03-05 23:08:57	70	45dB	5.7	466%	Night
2896	2025-03-05 23:10:41	67	45dB	4.6	359%	Night
2897	2025-03-05 23:11:51	78	45dB	9.8	885%	Night
2898	2025-03-05 23:13:27	72	45dB	6.5	550%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2899	2025-03-05 23:16:14	70	45dB	5.3	428%	Night
2900	2025-03-05 23:17:58	73	45dB	6.5	550%	Night
2901	2025-03-05 23:20:00	72	45dB	6.1	506%	Night
2902	2025-03-05 23:22:53	72	45dB	6.1	506%	Night
2903	2025-03-05 23:24:34	79	45dB	10.6	956%	Night
2904	2025-03-05 23:25:56	73	45dB	6.5	550%	Night
2905	2025-03-05 23:27:28	69	45dB	5.3	428%	Night
2906	2025-03-05 23:28:58	71	45dB	5.7	466%	Night
2907	2025-03-05 23:30:14	73	45dB	7.0	596%	Night
2908	2025-03-05 23:32:10	70	45dB	5.3	428%	Night
2909	2025-03-05 23:33:42	71	45dB	5.7	466%	Night
2910	2025-03-05 23:35:03	72	45dB	6.1	506%	Night
2911	2025-03-05 23:36:27	71	45dB	6.1	506%	Night
2912	2025-03-05 23:38:21	72	45dB	6.1	506%	Night
2913	2025-03-05 23:40:14	76	45dB	8.0	700%	Night
2914	2025-03-05 23:42:07	69	45dB	5.3	428%	Night
2915	2025-03-05 23:44:04	70	45dB	5.7	466%	Night
2916	2025-03-05 23:45:37	?	45dB	?	?	Night
2917	2025-03-05 23:47:08	71	45dB	5.7	466%	Night
2918	2025-03-05 23:48:32	72	45dB	6.1	506%	Night
2919	2025-03-05 23:49:53	?	45dB	?	?	Night
2920	2025-03-05 23:51:18	76	45dB	8.6	757%	Night
2921	2025-03-05 23:52:50	71	45dB	6.1	506%	Night
2922	2025-03-05 23:54:19	68	45dB	4.6	359%	Night
2923	2025-03-05 23:55:42	72	45dB	6.1	506%	Night
2924	2025-03-05 23:57:09	74	45dB	7.5	646%	Night
2925	2025-03-05 23:58:26	70	45dB	5.3	428%	Night
2926	2025-03-05 23:59:43	?	45dB	?	?	Night
2927	2025-03-06 00:02:23	77	45dB	8.6	757%	Night
2928	2025-03-06 00:03:58	?	45dB	?	?	Night
2929	2025-03-06 00:05:33	84	45dB	14.9	1393%	Night
2930	2025-03-06 00:08:18	79	45dB	9.8	885%	Night
2931	2025-03-06 00:09:53	72	45dB	6.5	550%	Night
2932	2025-03-06 00:12:02	71	45dB	5.7	466%	Night
2933	2025-03-06 00:13:31	70	45dB	5.7	466%	Night
2934	2025-03-06 00:16:01	75	45dB	8.0	700%	Night
2935	2025-03-06 00:17:29	67	45dB	4.6	359%	Night
2936	2025-03-06 00:18:48	75	45dB	8.0	700%	Night
2937	2025-03-06 00:20:17	69	45dB	4.9	392%	Night
2938	2025-03-06 00:21:40	68	45dB	4.9	392%	Night
2939	2025-03-06 00:23:27	71	45dB	6.1	506%	Night
2940	2025-03-06 00:28:15	68	45dB	4.9	392%	Night
2941	2025-03-06 00:33:43	75	45dB	8.0	700%	Night
2942	2025-03-06 00:35:21	77	45dB	9.2	819%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2943	2025-03-06 00:36:58	74	45dB	7.5	646%	Night
2944	2025-03-06 00:38:26	71	45dB	6.1	506%	Night
2945	2025-03-06 00:39:57	68	45dB	4.9	392%	Night
2946	2025-03-06 00:41:25	68	45dB	4.6	359%	Night
2947	2025-03-06 00:43:05	72	45dB	6.5	550%	Night
2948	2025-03-06 00:44:21	68	45dB	4.9	392%	Night
2949	2025-03-06 00:46:35	75	45dB	7.5	646%	Night
2950	2025-03-06 00:48:22	69	45dB	5.3	428%	Night
2951	2025-03-06 00:50:00	72	45dB	6.5	550%	Night
2952	2025-03-06 00:51:31	72	45dB	6.1	506%	Night
2953	2025-03-06 00:53:22	71	45dB	5.7	466%	Night
2954	2025-03-06 00:55:08	74	45dB	7.5	646%	Night
2955	2025-03-06 00:57:01	71	45dB	5.7	466%	Night
2956	2025-03-06 00:58:53	77	45dB	9.2	819%	Night
2957	2025-03-06 01:01:04	72	45dB	6.5	550%	Night
2958	2025-03-06 01:03:20	70	45dB	5.3	428%	Night
2959	2025-03-06 01:06:03	75	45dB	8.0	700%	Night
2960	2025-03-06 01:08:20	80	45dB	10.6	956%	Night
2961	2025-03-06 01:14:33	65	45dB	4.0	300%	Night
2962	2025-03-06 01:20:07	79	45dB	10.6	956%	Night
2963	2025-03-06 01:43:34	71	45dB	6.1	506%	Night
2964	2025-03-06 01:46:04	71	45dB	5.7	466%	Night
2965	2025-03-06 06:30:04	76	45dB	8.0	700%	Night
2966	2025-03-06 06:31:42	87	45dB	17.1	1615%	Night
2967	2025-03-06 06:33:05	?	45dB	?	?	Night
2968	2025-03-06 06:34:24	?	45dB	?	?	Night
2969	2025-03-06 06:35:57	79	45dB	9.8	885%	Night
2970	2025-03-06 06:37:12	83	45dB	13.0	1200%	Night
2971	2025-03-06 06:38:30	72	45dB	6.1	506%	Night
2972	2025-03-06 06:39:49	?	45dB	?	?	Night
2973	2025-03-06 06:41:42	85	45dB	14.9	1393%	Night
2974	2025-03-06 06:43:48	91	45dB	24.3	2325%	Night
2975	2025-03-06 06:48:53	82	45dB	13.0	1200%	Night
2976	2025-03-06 06:50:30	84	45dB	13.9	1293%	Night
2977	2025-03-06 06:52:31	85	45dB	16.0	1500%	Night
2978	2025-03-06 06:53:57	?	45dB	?	?	Night
2979	2025-03-06 06:55:25	69	45dB	5.3	428%	Night
2980	2025-03-06 06:56:42	71	45dB	5.7	466%	Night
2981	2025-03-06 06:57:55	82	45dB	12.1	1113%	Night
2982	2025-03-06 06:59:13	71	45dB	5.7	466%	Night
2983	2025-03-06 07:00:34	81	55dB	6.1	506%	Day
2984	2025-03-06 07:01:53	80	55dB	5.7	466%	Day
2985	2025-03-06 07:03:15	74	55dB	3.7	273%	Day
2986	2025-03-06 07:04:45	80	55dB	5.7	466%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2987	2025-03-06 07:06:43	81	55dB	5.7	466%	Day
2988	2025-03-06 07:09:43	84	55dB	7.5	646%	Day
2989	2025-03-06 07:11:34	?	55dB	?	?	Day
2990	2025-03-06 07:15:46	70	55dB	2.8	183%	Day
2991	2025-03-06 07:21:26	82	55dB	6.1	506%	Day
2992	2025-03-06 07:25:00	?	55dB	?	?	Day
2993	2025-03-06 07:33:03	82	55dB	6.1	506%	Day
2994	2025-03-06 07:35:18	?	55dB	?	?	Day
2995	2025-03-06 07:37:43	72	55dB	3.0	203%	Day
2996	2025-03-06 07:39:57	80	55dB	5.7	466%	Day
2997	2025-03-06 07:42:33	?	55dB	?	?	Day
2998	2025-03-06 07:44:44	74	55dB	3.7	273%	Day
2999	2025-03-06 07:48:10	72	55dB	3.0	203%	Day
3000	2025-03-06 07:49:56	76	55dB	4.0	300%	Day
3001	2025-03-06 07:52:33	81	55dB	6.1	506%	Day
3002	2025-03-06 07:55:00	69	55dB	2.6	164%	Day
3003	2025-03-06 07:57:48	73	55dB	3.5	248%	Day
3004	2025-03-06 08:00:39	73	55dB	3.2	225%	Day
3005	2025-03-06 08:08:44	82	55dB	6.5	550%	Day
3006	2025-03-06 08:10:35	74	55dB	3.7	273%	Day
3007	2025-03-06 08:13:18	70	55dB	2.8	183%	Day
3008	2025-03-06 08:20:12	72	55dB	3.2	225%	Day
3009	2025-03-06 08:22:23	75	55dB	3.7	273%	Day
3010	2025-03-06 08:25:54	?	55dB	?	?	Day
3011	2025-03-06 08:28:06	75	55dB	4.0	300%	Day
3012	2025-03-06 08:41:15	86	55dB	8.6	757%	Day
3013	2025-03-06 08:43:08	83	55dB	6.5	550%	Day
3014	2025-03-06 08:58:23	71	55dB	2.8	183%	Day
3015	2025-03-06 09:03:02	86	55dB	8.0	700%	Day
3016	2025-03-06 09:08:36	70	55dB	2.6	164%	Day
3017	2025-03-06 09:10:24	76	55dB	4.3	329%	Day
3018	2025-03-06 09:15:10	75	55dB	4.0	300%	Day
3019	2025-03-06 09:18:39	78	55dB	4.9	392%	Day
3020	2025-03-06 09:20:18	73	55dB	3.5	248%	Day
3021	2025-03-06 09:24:55	76	55dB	4.0	300%	Day
3022	2025-03-06 09:31:18	78	55dB	4.9	392%	Day
3023	2025-03-06 09:33:10	74	55dB	3.5	248%	Day
3024	2025-03-06 09:35:37	69	55dB	2.6	164%	Day
3025	2025-03-06 09:37:30	76	55dB	4.0	300%	Day
3026	2025-03-06 09:39:19	75	55dB	4.0	300%	Day
3027	2025-03-06 09:41:50	79	55dB	5.3	428%	Day
3028	2025-03-06 09:44:18	80	55dB	5.3	428%	Day
3029	2025-03-06 09:47:41	72	55dB	3.0	203%	Day
3030	2025-03-06 09:50:17	70	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3031	2025-03-06 09:55:10	82	55dB	6.1	506%	Day
3032	2025-03-06 10:08:03	?	55dB	?	?	Day
3033	2025-03-06 10:11:12	72	55dB	3.0	203%	Day
3034	2025-03-06 10:13:13	78	55dB	4.6	359%	Day
3035	2025-03-06 10:14:35	82	55dB	6.5	550%	Day
3036	2025-03-06 10:16:10	71	55dB	3.0	203%	Day
3037	2025-03-06 10:22:41	70	55dB	2.6	164%	Day
3038	2025-03-06 10:24:23	70	55dB	2.8	183%	Day
3039	2025-03-06 10:30:16	71	55dB	3.0	203%	Day
3040	2025-03-06 10:34:42	80	55dB	5.3	428%	Day
3041	2025-03-06 10:37:41	75	55dB	4.0	300%	Day
3042	2025-03-06 10:41:50	78	55dB	4.9	392%	Day
3043	2025-03-06 10:43:31	80	55dB	5.3	428%	Day
3044	2025-03-06 10:45:46	67	55dB	2.1	114%	Day
3045	2025-03-06 10:48:44	78	55dB	4.6	359%	Day
3046	2025-03-06 10:53:36	71	55dB	2.8	183%	Day
3047	2025-03-06 10:55:39	83	55dB	6.5	550%	Day
3048	2025-03-06 11:00:12	75	55dB	4.0	300%	Day
3049	2025-03-06 11:02:35	73	55dB	3.5	248%	Day
3050	2025-03-06 11:04:13	88	55dB	9.2	819%	Day
3051	2025-03-06 11:05:37	80	55dB	5.7	466%	Day
3052	2025-03-06 11:07:01	83	55dB	6.5	550%	Day
3053	2025-03-06 11:08:33	68	55dB	2.5	146%	Day
3054	2025-03-06 11:10:05	?	55dB	?	?	Day
3055	2025-03-06 11:11:31	77	55dB	4.6	359%	Day
3056	2025-03-06 11:14:14	69	55dB	2.6	164%	Day
3057	2025-03-06 11:16:07	80	55dB	5.3	428%	Day
3058	2025-03-06 11:18:39	75	55dB	3.7	273%	Day
3059	2025-03-06 11:20:15	81	55dB	5.7	466%	Day
3060	2025-03-06 11:21:43	85	55dB	8.0	700%	Day
3061	2025-03-06 11:23:02	67	55dB	2.3	130%	Day
3062	2025-03-06 11:24:28	86	55dB	8.0	700%	Day
3063	2025-03-06 11:25:43	?	55dB	?	?	Day
3064	2025-03-06 11:27:07	?	55dB	?	?	Day
3065	2025-03-06 11:31:26	83	55dB	6.5	550%	Day
3066	2025-03-06 11:32:41	70	55dB	2.8	183%	Day
3067	2025-03-06 11:34:45	?	55dB	?	?	Day
3068	2025-03-06 11:36:25	87	55dB	8.6	757%	Day
3069	2025-03-06 11:41:55	?	55dB	?	?	Day
3070	2025-03-06 11:43:21	?	55dB	?	?	Day
3071	2025-03-06 11:45:26	73	55dB	3.5	248%	Day
3072	2025-03-06 11:46:57	77	55dB	4.3	329%	Day
3073	2025-03-06 11:49:47	78	55dB	4.9	392%	Day
3074	2025-03-06 11:58:28	78	55dB	4.6	359%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3075	2025-03-06 12:04:16	80	55dB	5.7	466%	Day
3076	2025-03-06 12:06:26	75	55dB	3.7	273%	Day
3077	2025-03-06 12:08:28	82	55dB	6.1	506%	Day
3078	2025-03-06 12:12:25	69	55dB	2.5	146%	Day
3079	2025-03-06 12:14:40	83	55dB	6.5	550%	Day
3080	2025-03-06 12:17:51	82	55dB	6.5	550%	Day
3081	2025-03-06 12:26:06	83	55dB	7.0	596%	Day
3082	2025-03-06 12:27:33	75	55dB	4.0	300%	Day
3083	2025-03-06 12:28:53	73	55dB	3.5	248%	Day
3084	2025-03-06 12:30:17	73	55dB	3.5	248%	Day
3085	2025-03-06 12:31:50	74	55dB	3.5	248%	Day
3086	2025-03-06 12:35:32	?	55dB	?	?	Day
3087	2025-03-06 12:38:07	81	55dB	6.1	506%	Day
3088	2025-03-06 12:39:41	84	55dB	7.0	596%	Day
3089	2025-03-06 12:41:24	86	55dB	8.6	757%	Day
3090	2025-03-06 12:42:43	82	55dB	6.1	506%	Day
3091	2025-03-06 12:44:13	73	55dB	3.5	248%	Day
3092	2025-03-06 12:45:35	78	55dB	4.6	359%	Day
3093	2025-03-06 12:47:52	75	55dB	3.7	273%	Day
3094	2025-03-06 12:49:13	81	55dB	5.7	466%	Day
3095	2025-03-06 12:50:42	88	55dB	9.2	819%	Day
3096	2025-03-06 12:52:01	77	55dB	4.3	329%	Day
3097	2025-03-06 12:53:25	80	55dB	5.7	466%	Day
3098	2025-03-06 12:54:57	71	55dB	2.8	183%	Day
3099	2025-03-06 12:56:56	89	55dB	10.6	956%	Day
3100	2025-03-06 13:01:28	93	55dB	13.0	1200%	Day
3101	2025-03-06 13:10:14	77	55dB	4.3	329%	Day
3102	2025-03-06 13:15:19	79	55dB	5.3	428%	Day
3103	2025-03-06 13:18:23	75	55dB	3.7	273%	Day
3104	2025-03-06 13:19:36	86	55dB	8.0	700%	Day
3105	2025-03-06 13:21:14	74	55dB	3.5	248%	Day
3106	2025-03-06 13:23:05	72	55dB	3.2	225%	Day
3107	2025-03-06 13:24:32	73	55dB	3.2	225%	Day
3108	2025-03-06 13:25:45	73	55dB	3.5	248%	Day
3109	2025-03-06 13:27:15	82	55dB	6.1	506%	Day
3110	2025-03-06 13:29:33	85	55dB	7.5	646%	Day
3111	2025-03-06 13:30:57	83	55dB	7.0	596%	Day
3112	2025-03-06 13:32:57	87	55dB	9.2	819%	Day
3113	2025-03-06 13:34:33	74	55dB	3.5	248%	Day
3114	2025-03-06 13:36:42	78	55dB	4.9	392%	Day
3115	2025-03-06 13:48:33	88	55dB	9.8	885%	Day
3116	2025-03-06 13:50:13	74	55dB	3.7	273%	Day
3117	2025-03-06 13:52:04	87	55dB	9.2	819%	Day
3118	2025-03-06 13:54:12	76	55dB	4.3	329%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3119	2025-03-06 13:55:35	73	55dB	3.5	248%	Day
3120	2025-03-06 13:57:34	84	55dB	7.0	596%	Day
3121	2025-03-06 14:00:40	?	55dB	?	?	Day
3122	2025-03-06 14:02:07	74	55dB	3.7	273%	Day
3123	2025-03-06 14:03:33	89	55dB	10.6	956%	Day
3124	2025-03-06 14:05:56	89	55dB	10.6	956%	Day
3125	2025-03-06 14:07:32	83	55dB	6.5	550%	Day
3126	2025-03-06 14:09:40	80	55dB	5.3	428%	Day
3127	2025-03-06 14:11:37	73	55dB	3.2	225%	Day
3128	2025-03-06 14:13:05	74	55dB	3.7	273%	Day
3129	2025-03-06 14:15:24	76	55dB	4.3	329%	Day
3130	2025-03-06 14:17:30	87	55dB	8.6	757%	Day
3131	2025-03-06 14:18:44	74	55dB	3.7	273%	Day
3132	2025-03-06 14:20:11	88	55dB	9.8	885%	Day
3133	2025-03-06 14:21:33	74	55dB	3.7	273%	Day
3134	2025-03-06 14:23:01	86	55dB	8.0	700%	Day
3135	2025-03-06 14:24:20	87	55dB	9.2	819%	Day
3136	2025-03-06 14:27:07	89	55dB	10.6	956%	Day
3137	2025-03-06 14:29:16	80	55dB	5.3	428%	Day
3138	2025-03-06 14:31:16	84	55dB	7.5	646%	Day
3139	2025-03-06 14:32:50	87	55dB	9.2	819%	Day
3140	2025-03-06 14:34:17	85	55dB	7.5	646%	Day
3141	2025-03-06 14:35:54	85	55dB	7.5	646%	Day
3142	2025-03-06 14:37:27	73	55dB	3.2	225%	Day
3143	2025-03-06 14:39:02	78	55dB	4.6	359%	Day
3144	2025-03-06 14:42:14	82	55dB	6.1	506%	Day
3145	2025-03-06 14:43:32	75	55dB	4.0	300%	Day
3146	2025-03-06 14:45:02	81	55dB	5.7	466%	Day
3147	2025-03-06 14:46:38	76	55dB	4.3	329%	Day
3148	2025-03-06 14:48:52	79	55dB	4.9	392%	Day
3149	2025-03-06 14:50:16	82	55dB	6.1	506%	Day
3150	2025-03-06 14:51:40	75	55dB	4.0	300%	Day
3151	2025-03-06 14:53:08	77	55dB	4.3	329%	Day
3152	2025-03-06 14:54:27	75	55dB	4.0	300%	Day
3153	2025-03-06 14:55:56	81	55dB	6.1	506%	Day
3154	2025-03-06 14:57:42	79	55dB	4.9	392%	Day
3155	2025-03-06 14:59:24	75	55dB	4.0	300%	Day
3156	2025-03-06 15:06:02	84	55dB	7.5	646%	Day
3157	2025-03-06 15:07:40	87	55dB	9.2	819%	Day
3158	2025-03-06 15:09:20	89	55dB	10.6	956%	Day
3159	2025-03-06 22:49:21	75	45dB	7.5	646%	Night
3160	2025-03-06 22:50:41	72	45dB	6.5	550%	Night
3161	2025-03-06 22:52:31	69	45dB	4.9	392%	Night
3162	2025-03-06 22:54:41	75	45dB	7.5	646%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3163	2025-03-06 22:56:20	68	45dB	4.9	392%	Night
3164	2025-03-06 22:57:51	?	45dB	?	?	Night
3165	2025-03-06 22:59:17	69	45dB	5.3	428%	Night
3166	2025-03-06 23:00:48	?	45dB	?	?	Night
3167	2025-03-06 23:02:32	?	45dB	?	?	Night
3168	2025-03-06 23:04:52	73	45dB	7.0	596%	Night
3169	2025-03-06 23:09:38	?	45dB	?	?	Night
3170	2025-03-06 23:23:38	?	45dB	?	?	Night
3171	2025-03-06 23:28:26	71	45dB	5.7	466%	Night
3172	2025-03-06 23:31:18	68	45dB	4.6	359%	Night
3173	2025-03-06 23:33:53	70	45dB	5.3	428%	Night
3174	2025-03-06 23:37:22	?	45dB	?	?	Night
3175	2025-03-06 23:41:07	?	45dB	?	?	Night
3176	2025-03-06 23:43:28	72	45dB	6.1	506%	Night
3177	2025-03-06 23:46:12	?	45dB	?	?	Night
3178	2025-03-06 23:48:38	71	45dB	5.7	466%	Night
3179	2025-03-06 23:50:49	77	45dB	8.6	757%	Night
3180	2025-03-06 23:53:28	71	45dB	5.7	466%	Night
3181	2025-03-06 23:55:35	78	45dB	9.8	885%	Night
3182	2025-03-06 23:57:40	74	45dB	7.0	596%	Night
3183	2025-03-06 23:59:49	71	45dB	5.7	466%	Night
3184	2025-03-07 00:02:18	68	45dB	4.6	359%	Night
3185	2025-03-07 00:04:09	71	45dB	6.1	506%	Night
3186	2025-03-07 00:07:02	67	45dB	4.3	329%	Night
3187	2025-03-07 00:08:51	69	45dB	5.3	428%	Night
3188	2025-03-07 00:10:37	74	45dB	7.0	596%	Night
3189	2025-03-07 00:13:07	69	45dB	4.9	392%	Night
3190	2025-03-07 00:14:51	70	45dB	5.7	466%	Night
3191	2025-03-07 00:16:16	68	45dB	4.6	359%	Night
3192	2025-03-07 00:17:53	70	45dB	5.3	428%	Night
3193	2025-03-07 00:19:24	66	45dB	4.3	329%	Night
3194	2025-03-07 00:21:01	72	45dB	6.5	550%	Night
3195	2025-03-07 00:22:41	74	45dB	7.0	596%	Night
3196	2025-03-07 00:25:02	69	45dB	5.3	428%	Night
3197	2025-03-07 00:26:22	67	45dB	4.3	329%	Night
3198	2025-03-07 00:27:49	70	45dB	5.7	466%	Night
3199	2025-03-07 00:29:21	68	45dB	4.6	359%	Night
3200	2025-03-07 00:31:10	68	45dB	4.6	359%	Night
3201	2025-03-07 00:32:43	69	45dB	4.9	392%	Night
3202	2025-03-07 00:36:18	72	45dB	6.5	550%	Night
3203	2025-03-07 00:55:33	69	45dB	5.3	428%	Night
3204	2025-03-07 00:58:38	?	45dB	?	?	Night
3205	2025-03-07 01:10:57	67	45dB	4.6	359%	Night
3206	2025-03-07 01:13:39	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3207	2025-03-07 01:17:19	70	45dB	5.7	466%	Night
3208	2025-03-07 01:24:22	73	45dB	6.5	550%	Night
3209	2025-03-07 01:32:20	73	45dB	6.5	550%	Night
3210	2025-03-07 01:41:45	75	45dB	7.5	646%	Night
3211	2025-03-07 01:43:23	72	45dB	6.5	550%	Night
3212	2025-03-07 01:46:37	70	45dB	5.7	466%	Night
3213	2025-03-07 01:51:35	71	45dB	5.7	466%	Night
3214	2025-03-07 01:57:23	72	45dB	6.5	550%	Night
3215	2025-03-07 02:00:22	65	45dB	4.0	300%	Night
3216	2025-03-07 02:07:42	71	45dB	6.1	506%	Night
3217	2025-03-07 02:13:47	77	45dB	9.2	819%	Night
3218	2025-03-07 02:21:26	72	45dB	6.5	550%	Night
3219	2025-03-07 02:23:54	72	45dB	6.5	550%	Night
3220	2025-03-07 02:29:46	69	45dB	5.3	428%	Night
3221	2025-03-07 02:33:58	70	45dB	5.3	428%	Night
3222	2025-03-07 02:37:56	73	45dB	6.5	550%	Night
3223	2025-03-07 02:50:58	71	45dB	6.1	506%	Night
3224	2025-03-07 02:55:30	81	45dB	11.3	1031%	Night
3225	2025-03-07 03:04:03	71	45dB	6.1	506%	Night
3226	2025-03-07 03:06:18	72	45dB	6.5	550%	Night
3227	2025-03-07 03:08:14	69	45dB	5.3	428%	Night
3228	2025-03-07 03:39:10	79	45dB	10.6	956%	Night
3229	2025-03-07 03:56:42	66	45dB	4.3	329%	Night
3230	2025-03-07 04:11:32	73	45dB	7.0	596%	Night
3231	2025-03-07 05:13:52	68	45dB	4.6	359%	Night
3232	2025-03-07 05:25:12	74	45dB	7.0	596%	Night
3233	2025-03-07 05:28:50	76	45dB	8.0	700%	Night
3234	2025-03-07 05:33:52	70	45dB	5.7	466%	Night
3235	2025-03-07 05:36:08	74	45dB	7.0	596%	Night
3236	2025-03-07 05:38:33	70	45dB	5.3	428%	Night
3237	2025-03-07 05:40:17	74	45dB	7.0	596%	Night
3238	2025-03-07 05:42:53	71	45dB	6.1	506%	Night
3239	2025-03-07 05:48:34	73	45dB	7.0	596%	Night
3240	2025-03-07 05:59:53	78	45dB	9.8	885%	Night
3241	2025-03-07 06:03:45	72	45dB	6.1	506%	Night
3242	2025-03-07 06:29:16	?	45dB	?	?	Night
3243	2025-03-07 06:30:39	69	45dB	5.3	428%	Night
3244	2025-03-07 06:32:02	67	45dB	4.6	359%	Night
3245	2025-03-07 06:33:26	79	45dB	9.8	885%	Night
3246	2025-03-07 06:34:42	?	45dB	?	?	Night
3247	2025-03-07 06:36:44	73	45dB	7.0	596%	Night
3248	2025-03-07 06:38:08	?	45dB	?	?	Night
3249	2025-03-07 06:40:15	71	45dB	5.7	466%	Night
3250	2025-03-07 06:41:50	71	45dB	6.1	506%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3251	2025-03-07 06:43:36	76	45dB	8.6	757%	Night
3252	2025-03-07 06:44:49	81	45dB	12.1	1113%	Night
3253	2025-03-07 06:46:26	?	45dB	?	?	Night
3254	2025-03-07 06:47:59	68	45dB	4.9	392%	Night
3255	2025-03-07 06:49:26	71	45dB	5.7	466%	Night
3256	2025-03-07 06:50:45	72	45dB	6.1	506%	Night
3257	2025-03-07 06:52:08	71	45dB	6.1	506%	Night
3258	2025-03-07 06:53:25	67	45dB	4.6	359%	Night
3259	2025-03-07 06:55:25	72	45dB	6.5	550%	Night
3260	2025-03-07 06:58:01	73	45dB	6.5	550%	Night
3261	2025-03-07 07:00:46	78	55dB	4.9	392%	Day
3262	2025-03-07 07:07:37	71	55dB	3.0	203%	Day
3263	2025-03-07 07:13:50	70	55dB	2.8	183%	Day
3264	2025-03-07 07:15:58	72	55dB	3.0	203%	Day
3265	2025-03-07 07:17:23	?	55dB	?	?	Day
3266	2025-03-07 07:19:22	?	55dB	?	?	Day
3267	2025-03-07 07:30:31	72	55dB	3.0	203%	Day
3268	2025-03-07 07:33:22	69	55dB	2.6	164%	Day
3269	2025-03-07 07:35:03	76	55dB	4.3	329%	Day
3270	2025-03-07 07:41:24	80	55dB	5.3	428%	Day
3271	2025-03-07 07:53:02	77	55dB	4.6	359%	Day
3272	2025-03-07 07:55:57	77	55dB	4.6	359%	Day
3273	2025-03-07 08:00:56	76	55dB	4.3	329%	Day
3274	2025-03-07 08:03:22	75	55dB	3.7	273%	Day
3275	2025-03-07 08:05:07	85	55dB	7.5	646%	Day
3276	2025-03-07 08:09:15	85	55dB	8.0	700%	Day
3277	2025-03-07 08:13:37	85	55dB	7.5	646%	Day
3278	2025-03-07 08:19:20	?	55dB	?	?	Day
3279	2025-03-07 08:22:58	80	55dB	5.3	428%	Day
3280	2025-03-07 08:29:27	74	55dB	3.5	248%	Day
3281	2025-03-07 08:32:49	72	55dB	3.2	225%	Day
3282	2025-03-07 08:41:46	81	55dB	6.1	506%	Day
3283	2025-03-07 08:44:38	69	55dB	2.5	146%	Day
3284	2025-03-07 08:50:15	?	55dB	?	?	Day
3285	2025-03-07 09:03:31	82	55dB	6.1	506%	Day
3286	2025-03-07 09:11:12	?	55dB	?	?	Day
3287	2025-03-07 09:13:25	83	55dB	7.0	596%	Day
3288	2025-03-07 09:17:47	83	55dB	7.0	596%	Day
3289	2025-03-07 09:23:32	82	55dB	6.1	506%	Day
3290	2025-03-07 09:30:56	74	55dB	3.5	248%	Day
3291	2025-03-07 09:32:37	77	55dB	4.3	329%	Day
3292	2025-03-07 09:34:23	80	55dB	5.3	428%	Day
3293	2025-03-07 09:35:51	85	55dB	8.0	700%	Day
3294	2025-03-07 09:41:11	84	55dB	7.0	596%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3295	2025-03-07 10:08:42	77	55dB	4.3	329%	Day
3296	2025-03-07 10:47:10	75	55dB	3.7	273%	Day
3297	2025-03-07 11:19:23	75	55dB	3.7	273%	Day
3298	2025-03-07 11:21:02	85	55dB	8.0	700%	Day
3299	2025-03-07 11:22:25	73	55dB	3.2	225%	Day
3300	2025-03-07 11:24:39	86	55dB	8.6	757%	Day
3301	2025-03-07 11:26:22	83	55dB	7.0	596%	Day
3302	2025-03-07 11:27:49	80	55dB	5.7	466%	Day
3303	2025-03-07 11:29:10	86	55dB	8.6	757%	Day
3304	2025-03-07 11:30:31	69	55dB	2.5	146%	Day
3305	2025-03-07 11:32:34	76	55dB	4.3	329%	Day
3306	2025-03-07 11:34:03	76	55dB	4.0	300%	Day
3307	2025-03-07 11:35:15	83	55dB	6.5	550%	Day
3308	2025-03-07 11:36:46	?	55dB	?	?	Day
3309	2025-03-07 11:38:26	86	55dB	8.6	757%	Day
3310	2025-03-07 12:58:26	79	55dB	5.3	428%	Day
3311	2025-03-07 13:01:55	85	55dB	8.0	700%	Day
3312	2025-03-07 13:06:36	75	55dB	4.0	300%	Day
3313	2025-03-07 13:08:26	70	55dB	2.6	164%	Day
3314	2025-03-07 13:09:55	?	55dB	?	?	Day
3315	2025-03-07 13:11:03	77	55dB	4.3	329%	Day
3316	2025-03-07 13:12:54	80	55dB	5.3	428%	Day
3317	2025-03-07 13:22:36	73	55dB	3.2	225%	Day
3318	2025-03-07 13:24:03	?	55dB	?	?	Day
3319	2025-03-07 13:25:28	?	55dB	?	?	Day
3320	2025-03-07 13:27:58	81	55dB	6.1	506%	Day
3321	2025-03-07 13:29:31	67	55dB	2.3	130%	Day
3322	2025-03-07 13:31:01	71	55dB	2.8	183%	Day
3323	2025-03-07 13:32:37	72	55dB	3.2	225%	Day
3324	2025-03-07 13:34:08	85	55dB	8.0	700%	Day
3325	2025-03-07 13:35:58	77	55dB	4.6	359%	Day
3326	2025-03-07 13:37:24	74	55dB	3.7	273%	Day
3327	2025-03-07 13:38:50	76	55dB	4.0	300%	Day
3328	2025-03-07 13:40:12	68	55dB	2.3	130%	Day
3329	2025-03-07 13:42:25	77	55dB	4.3	329%	Day
3330	2025-03-07 13:44:06	81	55dB	5.7	466%	Day
3331	2025-03-07 13:46:47	72	55dB	3.0	203%	Day
3332	2025-03-07 13:49:32	89	55dB	9.8	885%	Day
3333	2025-03-07 13:51:32	70	55dB	2.8	183%	Day
3334	2025-03-07 13:54:47	82	55dB	6.5	550%	Day
3335	2025-03-07 14:00:01	74	55dB	3.7	273%	Day
3336	2025-03-07 14:01:29	75	55dB	4.0	300%	Day
3337	2025-03-07 14:03:18	88	55dB	9.2	819%	Day
3338	2025-03-07 14:04:37	74	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3339	2025-03-07 14:05:44	72	55dB	3.0	203%	Day
3340	2025-03-07 14:06:58	?	55dB	?	?	Day
3341	2025-03-07 14:09:06	?	55dB	?	?	Day
3342	2025-03-07 14:10:48	73	55dB	3.2	225%	Day
3343	2025-03-07 14:14:33	?	55dB	?	?	Day
3344	2025-03-07 14:15:46	78	55dB	4.9	392%	Day
3345	2025-03-07 14:18:06	?	55dB	?	?	Day
3346	2025-03-07 14:20:09	67	55dB	2.3	130%	Day
3347	2025-03-07 14:21:21	77	55dB	4.3	329%	Day
3348	2025-03-07 14:22:46	72	55dB	3.2	225%	Day
3349	2025-03-07 14:24:15	73	55dB	3.5	248%	Day
3350	2025-03-07 14:26:33	80	55dB	5.7	466%	Day
3351	2025-03-07 14:30:35	76	55dB	4.0	300%	Day
3352	2025-03-07 14:36:16	70	55dB	2.6	164%	Day
3353	2025-03-07 14:38:03	68	55dB	2.5	146%	Day
3354	2025-03-07 14:40:09	74	55dB	3.5	248%	Day
3355	2025-03-07 14:42:27	72	55dB	3.0	203%	Day
3356	2025-03-07 14:45:12	76	55dB	4.0	300%	Day
3357	2025-03-07 14:48:48	75	55dB	4.0	300%	Day
3358	2025-03-07 14:50:14	80	55dB	5.3	428%	Day
3359	2025-03-07 14:51:20	82	55dB	6.5	550%	Day
3360	2025-03-07 14:53:06	79	55dB	4.9	392%	Day
3361	2025-03-07 14:54:48	75	55dB	4.0	300%	Day
3362	2025-03-07 14:57:06	73	55dB	3.2	225%	Day
3363	2025-03-07 14:58:49	79	55dB	4.9	392%	Day
3364	2025-03-07 15:01:17	72	55dB	3.2	225%	Day
3365	2025-03-07 15:02:55	70	55dB	2.8	183%	Day
3366	2025-03-07 15:07:41	?	55dB	?	?	Day
3367	2025-03-07 15:09:12	72	55dB	3.0	203%	Day
3368	2025-03-07 15:10:38	82	55dB	6.1	506%	Day
3369	2025-03-07 15:12:40	81	55dB	5.7	466%	Day
3370	2025-03-07 15:14:03	70	55dB	2.6	164%	Day
3371	2025-03-07 15:15:27	72	55dB	3.2	225%	Day
3372	2025-03-07 15:17:32	76	55dB	4.3	329%	Day
3373	2025-03-07 15:18:59	?	55dB	?	?	Day
3374	2025-03-07 15:20:55	68	55dB	2.3	130%	Day
3375	2025-03-07 15:22:45	71	55dB	2.8	183%	Day
3376	2025-03-07 15:24:32	?	55dB	?	?	Day
3377	2025-03-07 15:26:07	74	55dB	3.7	273%	Day
3378	2025-03-07 15:27:33	80	55dB	5.3	428%	Day
3379	2025-03-07 15:29:08	69	55dB	2.5	146%	Day
3380	2025-03-07 15:30:26	67	55dB	2.1	114%	Day
3381	2025-03-07 15:32:02	?	55dB	?	?	Day
3382	2025-03-07 15:33:36	69	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3383	2025-03-07 15:35:09	80	55dB	5.3	428%	Day
3384	2025-03-07 15:37:42	73	55dB	3.5	248%	Day
3385	2025-03-07 15:39:07	69	55dB	2.6	164%	Day
3386	2025-03-07 15:43:56	75	55dB	3.7	273%	Day
3387	2025-03-07 15:46:14	73	55dB	3.5	248%	Day
3388	2025-03-07 15:47:30	71	55dB	3.0	203%	Day
3389	2025-03-07 15:48:49	69	55dB	2.5	146%	Day
3390	2025-03-07 15:50:13	68	55dB	2.5	146%	Day
3391	2025-03-07 15:52:07	?	55dB	?	?	Day
3392	2025-03-07 15:53:42	85	55dB	7.5	646%	Day
3393	2025-03-07 15:56:37	77	55dB	4.3	329%	Day
3394	2025-03-07 15:58:24	?	55dB	?	?	Day
3395	2025-03-07 16:00:07	73	55dB	3.2	225%	Day
3396	2025-03-07 16:02:41	?	55dB	?	?	Day
3397	2025-03-07 16:05:36	?	55dB	?	?	Day
3398	2025-03-07 16:08:05	?	55dB	?	?	Day
3399	2025-03-07 16:09:31	70	55dB	2.6	164%	Day
3400	2025-03-07 16:11:01	?	55dB	?	?	Day
3401	2025-03-07 16:12:22	73	55dB	3.5	248%	Day
3402	2025-03-07 16:14:29	79	55dB	5.3	428%	Day
3403	2025-03-07 16:15:41	73	55dB	3.5	248%	Day
3404	2025-03-07 16:17:15	73	55dB	3.5	248%	Day
3405	2025-03-07 16:19:00	78	55dB	4.9	392%	Day
3406	2025-03-07 16:21:32	74	55dB	3.7	273%	Day
3407	2025-03-07 16:22:48	81	55dB	6.1	506%	Day
3408	2025-03-07 16:25:43	?	55dB	?	?	Day
3409	2025-03-07 16:36:04	69	55dB	2.5	146%	Day
3410	2025-03-07 16:38:15	74	55dB	3.5	248%	Day
3411	2025-03-07 16:40:28	73	55dB	3.5	248%	Day
3412	2025-03-07 16:50:49	81	55dB	5.7	466%	Day
3413	2025-03-07 16:54:07	77	55dB	4.6	359%	Day
3414	2025-03-07 16:57:34	82	55dB	6.5	550%	Day
3415	2025-03-07 16:59:56	84	55dB	7.5	646%	Day
3416	2025-03-07 17:01:31	78	55dB	4.6	359%	Day
3417	2025-03-07 17:04:40	77	55dB	4.3	329%	Day
3418	2025-03-07 17:06:26	68	55dB	2.3	130%	Day
3419	2025-03-07 17:07:56	?	55dB	?	?	Day
3420	2025-03-07 17:09:41	?	55dB	?	?	Day
3421	2025-03-07 17:12:50	67	55dB	2.3	130%	Day
3422	2025-03-07 17:15:10	?	55dB	?	?	Day
3423	2025-03-07 17:16:47	?	55dB	?	?	Day
3424	2025-03-07 17:18:32	76	55dB	4.0	300%	Day
3425	2025-03-07 17:21:33	?	55dB	?	?	Day
3426	2025-03-07 17:23:16	77	55dB	4.3	329%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3427	2025-03-07 17:25:21	69	55dB	2.5	146%	Day
3428	2025-03-07 17:26:40	69	55dB	2.6	164%	Day
3429	2025-03-07 17:28:27	73	55dB	3.2	225%	Day
3430	2025-03-07 17:29:52	72	55dB	3.2	225%	Day
3431	2025-03-07 17:31:18	68	55dB	2.5	146%	Day
3432	2025-03-07 17:32:56	68	55dB	2.3	130%	Day
3433	2025-03-07 17:34:14	70	55dB	2.8	183%	Day
3434	2025-03-07 17:35:46	73	55dB	3.2	225%	Day
3435	2025-03-07 17:37:02	80	55dB	5.7	466%	Day
3436	2025-03-07 17:38:36	80	55dB	5.3	428%	Day
3437	2025-03-07 17:40:11	69	55dB	2.5	146%	Day
3438	2025-03-07 17:41:31	76	55dB	4.3	329%	Day
3439	2025-03-07 17:43:35	?	55dB	?	?	Day
3440	2025-03-07 17:45:27	72	55dB	3.2	225%	Day
3441	2025-03-07 17:49:16	68	55dB	2.3	130%	Day
3442	2025-03-07 17:51:37	?	55dB	?	?	Day
3443	2025-03-07 17:52:53	78	55dB	4.9	392%	Day
3444	2025-03-07 17:54:31	70	55dB	2.8	183%	Day
3445	2025-03-07 17:56:55	?	55dB	?	?	Day
3446	2025-03-07 17:58:27	72	55dB	3.0	203%	Day
3447	2025-03-07 17:59:51	73	55dB	3.5	248%	Day
3448	2025-03-07 18:06:45	70	55dB	2.8	183%	Day
3449	2025-03-07 18:08:28	69	55dB	2.5	146%	Day
3450	2025-03-07 18:09:49	69	55dB	2.5	146%	Day
3451	2025-03-07 18:11:10	?	55dB	?	?	Day
3452	2025-03-07 18:14:12	70	55dB	2.6	164%	Day
3453	2025-03-07 18:15:51	71	55dB	2.8	183%	Day
3454	2025-03-07 18:17:33	77	55dB	4.6	359%	Day
3455	2025-03-07 18:18:48	70	55dB	2.6	164%	Day
3456	2025-03-07 18:20:10	72	55dB	3.0	203%	Day
3457	2025-03-07 18:21:33	71	55dB	3.0	203%	Day
3458	2025-03-07 18:22:57	75	55dB	3.7	273%	Day
3459	2025-03-07 18:25:01	?	55dB	?	?	Day
3460	2025-03-07 18:27:15	70	55dB	2.6	164%	Day
3461	2025-03-07 18:29:38	70	55dB	2.8	183%	Day
3462	2025-03-07 18:32:04	75	55dB	3.7	273%	Day
3463	2025-03-07 18:34:33	71	55dB	3.0	203%	Day
3464	2025-03-07 18:37:14	71	55dB	2.8	183%	Day
3465	2025-03-07 18:40:00	72	55dB	3.2	225%	Day
3466	2025-03-07 18:43:03	69	55dB	2.6	164%	Day
3467	2025-03-07 18:49:47	78	55dB	4.6	359%	Day
3468	2025-03-07 18:52:32	69	55dB	2.6	164%	Day
3469	2025-03-07 18:55:23	?	55dB	?	?	Day
3470	2025-03-07 18:58:10	67	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3471	2025-03-07 19:01:41	?	45dB	?	?	Night
3472	2025-03-07 19:04:06	70	45dB	5.7	466%	Night
3473	2025-03-07 19:07:01	70	45dB	5.3	428%	Night
3474	2025-03-07 19:09:22	74	45dB	7.5	646%	Night
3475	2025-03-07 19:11:47	?	45dB	?	?	Night
3476	2025-03-07 19:14:11	71	45dB	5.7	466%	Night
3477	2025-03-07 19:16:22	74	45dB	7.0	596%	Night
3478	2025-03-07 19:18:37	72	45dB	6.1	506%	Night
3479	2025-03-07 19:20:58	69	45dB	4.9	392%	Night
3480	2025-03-07 19:23:10	71	45dB	6.1	506%	Night
3481	2025-03-07 19:25:31	69	45dB	4.9	392%	Night
3482	2025-03-07 19:28:00	?	45dB	?	?	Night
3483	2025-03-07 19:29:47	67	45dB	4.3	329%	Night
3484	2025-03-07 19:31:18	?	45dB	?	?	Night
3485	2025-03-07 19:33:40	69	45dB	4.9	392%	Night
3486	2025-03-07 19:35:42	72	45dB	6.1	506%	Night
3487	2025-03-07 19:38:42	69	45dB	4.9	392%	Night
3488	2025-03-07 19:40:09	?	45dB	?	?	Night
3489	2025-03-07 19:41:53	69	45dB	5.3	428%	Night
3490	2025-03-07 19:43:55	?	45dB	?	?	Night
3491	2025-03-07 19:45:35	67	45dB	4.6	359%	Night
3492	2025-03-07 19:47:18	?	45dB	?	?	Night
3493	2025-03-07 19:49:03	71	45dB	6.1	506%	Night
3494	2025-03-07 19:52:14	?	45dB	?	?	Night
3495	2025-03-07 19:54:23	?	45dB	?	?	Night
3496	2025-03-07 19:56:16	73	45dB	7.0	596%	Night
3497	2025-03-07 19:57:34	68	45dB	4.6	359%	Night
3498	2025-03-07 19:59:02	?	45dB	?	?	Night
3499	2025-03-07 20:00:33	?	45dB	?	?	Night
3500	2025-03-07 20:02:01	70	45dB	5.7	466%	Night
3501	2025-03-07 20:03:56	72	45dB	6.1	506%	Night
3502	2025-03-07 20:05:53	?	45dB	?	?	Night
3503	2025-03-07 20:07:40	?	45dB	?	?	Night
3504	2025-03-07 20:09:18	69	45dB	5.3	428%	Night
3505	2025-03-07 20:12:47	67	45dB	4.6	359%	Night
3506	2025-03-07 20:15:00	69	45dB	4.9	392%	Night
3507	2025-03-07 20:17:05	73	45dB	7.0	596%	Night
3508	2025-03-07 20:18:26	68	45dB	4.6	359%	Night
3509	2025-03-07 20:19:56	?	45dB	?	?	Night
3510	2025-03-07 20:21:30	66	45dB	4.0	300%	Night
3511	2025-03-07 20:24:48	73	45dB	7.0	596%	Night
3512	2025-03-07 20:26:32	69	45dB	4.9	392%	Night
3513	2025-03-07 20:28:01	69	45dB	5.3	428%	Night
3514	2025-03-07 20:29:27	70	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3515	2025-03-07 20:31:32	67	45dB	4.3	329%	Night
3516	2025-03-07 20:33:02	71	45dB	6.1	506%	Night
3517	2025-03-07 20:35:29	?	45dB	?	?	Night
3518	2025-03-07 20:36:52	70	45dB	5.3	428%	Night
3519	2025-03-07 20:38:39	70	45dB	5.3	428%	Night
3520	2025-03-07 20:40:11	71	45dB	6.1	506%	Night
3521	2025-03-07 20:42:07	74	45dB	7.0	596%	Night
3522	2025-03-07 20:44:00	77	45dB	9.2	819%	Night
3523	2025-03-07 20:45:28	69	45dB	4.9	392%	Night
3524	2025-03-07 20:46:51	69	45dB	4.9	392%	Night
3525	2025-03-07 20:48:21	?	45dB	?	?	Night
3526	2025-03-07 20:50:22	70	45dB	5.7	466%	Night
3527	2025-03-07 20:52:43	74	45dB	7.0	596%	Night
3528	2025-03-07 20:54:10	70	45dB	5.3	428%	Night
3529	2025-03-07 20:55:45	68	45dB	4.6	359%	Night
3530	2025-03-07 20:57:22	69	45dB	5.3	428%	Night
3531	2025-03-07 21:00:30	?	45dB	?	?	Night
3532	2025-03-07 21:01:54	69	45dB	5.3	428%	Night
3533	2025-03-07 21:03:19	67	45dB	4.6	359%	Night
3534	2025-03-07 21:04:39	70	45dB	5.7	466%	Night
3535	2025-03-07 21:06:24	67	45dB	4.3	329%	Night
3536	2025-03-07 21:08:51	71	45dB	6.1	506%	Night
3537	2025-03-07 21:10:35	74	45dB	7.5	646%	Night
3538	2025-03-07 21:12:47	?	45dB	?	?	Night
3539	2025-03-07 21:14:22	?	45dB	?	?	Night
3540	2025-03-07 21:15:45	71	45dB	6.1	506%	Night
3541	2025-03-07 21:17:34	?	45dB	?	?	Night
3542	2025-03-07 21:19:00	69	45dB	4.9	392%	Night
3543	2025-03-07 21:20:31	72	45dB	6.5	550%	Night
3544	2025-03-07 21:22:01	67	45dB	4.3	329%	Night
3545	2025-03-07 21:23:32	?	45dB	?	?	Night
3546	2025-03-07 21:25:05	83	45dB	13.9	1293%	Night
3547	2025-03-07 21:27:08	68	45dB	4.9	392%	Night
3548	2025-03-07 21:28:50	71	45dB	5.7	466%	Night
3549	2025-03-07 21:30:20	73	45dB	6.5	550%	Night
3550	2025-03-07 21:32:31	69	45dB	5.3	428%	Night
3551	2025-03-07 21:33:56	74	45dB	7.5	646%	Night
3552	2025-03-07 21:36:12	71	45dB	6.1	506%	Night
3553	2025-03-07 21:37:36	69	45dB	5.3	428%	Night
3554	2025-03-07 21:39:10	71	45dB	6.1	506%	Night
3555	2025-03-07 21:41:13	?	45dB	?	?	Night
3556	2025-03-07 21:42:39	69	45dB	4.9	392%	Night
3557	2025-03-07 21:44:02	?	45dB	?	?	Night
3558	2025-03-07 21:45:56	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3559	2025-03-07 21:51:37	69	45dB	4.9	392%	Night
3560	2025-03-07 21:58:22	?	45dB	?	?	Night
3561	2025-03-07 21:59:38	75	45dB	7.5	646%	Night
3562	2025-03-07 22:01:10	79	45dB	9.8	885%	Night
3563	2025-03-07 22:02:47	74	45dB	7.0	596%	Night
3564	2025-03-07 22:04:28	72	45dB	6.1	506%	Night
3565	2025-03-07 22:06:21	72	45dB	6.5	550%	Night
3566	2025-03-07 22:08:03	75	45dB	7.5	646%	Night
3567	2025-03-07 22:10:12	73	45dB	7.0	596%	Night
3568	2025-03-07 22:12:08	70	45dB	5.7	466%	Night
3569	2025-03-07 22:13:32	75	45dB	8.0	700%	Night
3570	2025-03-07 22:21:26	72	45dB	6.1	506%	Night
3571	2025-03-07 22:23:52	74	45dB	7.0	596%	Night
3572	2025-03-07 22:26:26	70	45dB	5.3	428%	Night
3573	2025-03-07 22:30:18	?	45dB	?	?	Night
3574	2025-03-07 22:32:14	?	45dB	?	?	Night
3575	2025-03-07 22:33:45	?	45dB	?	?	Night
3576	2025-03-07 22:35:11	67	45dB	4.6	359%	Night
3577	2025-03-07 22:37:10	?	45dB	?	?	Night
3578	2025-03-07 22:38:53	73	45dB	7.0	596%	Night
3579	2025-03-07 22:40:52	?	45dB	?	?	Night
3580	2025-03-07 22:43:09	75	45dB	8.0	700%	Night
3581	2025-03-07 22:44:58	?	45dB	?	?	Night
3582	2025-03-07 22:46:21	73	45dB	7.0	596%	Night
3583	2025-03-07 22:49:22	71	45dB	6.1	506%	Night
3584	2025-03-07 22:51:22	70	45dB	5.7	466%	Night
3585	2025-03-07 22:56:29	69	45dB	4.9	392%	Night
3586	2025-03-07 23:06:02	70	45dB	5.7	466%	Night
3587	2025-03-07 23:08:15	71	45dB	5.7	466%	Night
3588	2025-03-07 23:10:02	67	45dB	4.6	359%	Night
3589	2025-03-07 23:11:45	67	45dB	4.3	329%	Night
3590	2025-03-07 23:13:21	?	45dB	?	?	Night
3591	2025-03-07 23:14:48	68	45dB	4.9	392%	Night
3592	2025-03-07 23:16:45	70	45dB	5.7	466%	Night
3593	2025-03-07 23:18:26	74	45dB	7.5	646%	Night
3594	2025-03-07 23:20:13	70	45dB	5.3	428%	Night
3595	2025-03-07 23:25:06	?	45dB	?	?	Night
3596	2025-03-07 23:28:22	69	45dB	4.9	392%	Night
3597	2025-03-07 23:30:30	?	45dB	?	?	Night
3598	2025-03-07 23:32:18	70	45dB	5.3	428%	Night
3599	2025-03-07 23:33:36	70	45dB	5.7	466%	Night
3600	2025-03-07 23:35:01	71	45dB	6.1	506%	Night
3601	2025-03-07 23:36:42	?	45dB	?	?	Night
3602	2025-03-07 23:37:53	74	45dB	7.5	646%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3603	2025-03-07 23:39:19	71	45dB	6.1	506%	Night
3604	2025-03-07 23:40:47	?	45dB	?	?	Night
3605	2025-03-07 23:42:22	69	45dB	4.9	392%	Night
3606	2025-03-07 23:44:04	?	45dB	?	?	Night
3607	2025-03-07 23:45:33	?	45dB	?	?	Night
3608	2025-03-07 23:47:19	70	45dB	5.3	428%	Night
3609	2025-03-07 23:49:48	71	45dB	6.1	506%	Night
3610	2025-03-08 02:16:36	?	45dB	?	?	Night
3611	2025-03-08 05:15:07	?	45dB	?	?	Night
3612	2025-03-08 05:19:04	63	45dB	3.2	225%	Night
3613	2025-03-08 05:35:39	?	45dB	?	?	Night
3614	2025-03-08 06:32:02	74	45dB	7.0	596%	Night
3615	2025-03-08 06:33:03	69	45dB	4.9	392%	Night
3616	2025-03-08 06:34:38	68	45dB	4.9	392%	Night
3617	2025-03-08 06:36:02	67	45dB	4.3	329%	Night
3618	2025-03-08 06:37:23	69	45dB	5.3	428%	Night
3619	2025-03-08 06:38:40	72	45dB	6.5	550%	Night
3620	2025-03-08 06:40:00	73	45dB	7.0	596%	Night
3621	2025-03-08 06:41:44	68	45dB	4.9	392%	Night
3622	2025-03-08 06:42:56	?	45dB	?	?	Night
3623	2025-03-08 06:44:26	72	45dB	6.5	550%	Night
3624	2025-03-08 06:46:13	68	45dB	4.9	392%	Night
3625	2025-03-08 06:47:23	?	45dB	?	?	Night
3626	2025-03-08 06:48:42	70	45dB	5.7	466%	Night
3627	2025-03-08 06:50:38	70	45dB	5.7	466%	Night
3628	2025-03-08 06:52:09	?	45dB	?	?	Night
3629	2025-03-08 06:54:03	72	45dB	6.5	550%	Night
3630	2025-03-08 06:57:45	?	45dB	?	?	Night
3631	2025-03-08 06:58:58	?	45dB	?	?	Night
3632	2025-03-08 07:00:16	79	55dB	5.3	428%	Day
3633	2025-03-08 07:02:04	?	55dB	?	?	Day
3634	2025-03-08 07:03:17	82	55dB	6.5	550%	Day
3635	2025-03-08 07:05:15	76	55dB	4.3	329%	Day
3636	2025-03-08 07:06:37	71	55dB	3.0	203%	Day
3637	2025-03-08 07:08:27	71	55dB	3.0	203%	Day
3638	2025-03-08 07:09:46	68	55dB	2.5	146%	Day
3639	2025-03-08 07:11:02	77	55dB	4.3	329%	Day
3640	2025-03-08 07:12:30	?	55dB	?	?	Day
3641	2025-03-08 07:13:32	70	55dB	2.6	164%	Day
3642	2025-03-08 07:14:57	71	55dB	2.8	183%	Day
3643	2025-03-08 07:16:37	75	55dB	4.0	300%	Day
3644	2025-03-08 07:17:52	75	55dB	3.7	273%	Day
3645	2025-03-08 07:20:26	68	55dB	2.5	146%	Day
3646	2025-03-08 07:22:22	72	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3647	2025-03-08 07:24:13	69	55dB	2.6	164%	Day
3648	2025-03-08 07:34:52	?	55dB	?	?	Day
3649	2025-03-08 07:45:36	69	55dB	2.6	164%	Day
3650	2025-03-08 07:47:48	73	55dB	3.2	225%	Day
3651	2025-03-08 07:53:33	79	55dB	4.9	392%	Day
3652	2025-03-08 08:01:10	71	55dB	2.8	183%	Day
3653	2025-03-08 08:02:50	77	55dB	4.3	329%	Day
3654	2025-03-08 08:04:25	74	55dB	3.5	248%	Day
3655	2025-03-08 08:06:35	78	55dB	4.9	392%	Day
3656	2025-03-08 08:09:03	77	55dB	4.3	329%	Day
3657	2025-03-08 08:12:17	?	55dB	?	?	Day
3658	2025-03-08 08:19:34	75	55dB	3.7	273%	Day
3659	2025-03-08 08:21:27	72	55dB	3.0	203%	Day
3660	2025-03-08 08:23:00	74	55dB	3.5	248%	Day
3661	2025-03-08 08:27:11	?	55dB	?	?	Day
3662	2025-03-08 08:40:37	?	55dB	?	?	Day
3663	2025-03-08 08:49:45	71	55dB	2.8	183%	Day
3664	2025-03-08 08:55:50	71	55dB	3.0	203%	Day
3665	2025-03-08 09:06:17	69	55dB	2.6	164%	Day
3666	2025-03-08 09:23:34	71	55dB	2.8	183%	Day
3667	2025-03-08 09:27:40	69	55dB	2.6	164%	Day
3668	2025-03-08 09:35:51	?	55dB	?	?	Day
3669	2025-03-08 09:37:13	?	55dB	?	?	Day
3670	2025-03-08 09:38:27	67	55dB	2.3	130%	Day
3671	2025-03-08 09:40:43	?	55dB	?	?	Day
3672	2025-03-08 09:42:08	?	55dB	?	?	Day
3673	2025-03-08 09:43:34	69	55dB	2.5	146%	Day
3674	2025-03-08 09:44:52	72	55dB	3.2	225%	Day
3675	2025-03-08 09:46:36	75	55dB	3.7	273%	Day
3676	2025-03-08 09:56:21	68	55dB	2.5	146%	Day
3677	2025-03-08 10:01:33	?	55dB	?	?	Day
3678	2025-03-08 10:14:13	79	55dB	5.3	428%	Day
3679	2025-03-08 10:16:14	70	55dB	2.8	183%	Day
3680	2025-03-08 10:19:01	?	55dB	?	?	Day
3681	2025-03-08 10:23:06	69	55dB	2.5	146%	Day
3682	2025-03-08 10:26:21	69	55dB	2.5	146%	Day
3683	2025-03-08 10:31:02	?	55dB	?	?	Day
3684	2025-03-08 10:32:47	72	55dB	3.0	203%	Day
3685	2025-03-08 10:38:11	69	55dB	2.6	164%	Day
3686	2025-03-08 10:40:46	80	55dB	5.7	466%	Day
3687	2025-03-08 10:42:09	71	55dB	2.8	183%	Day
3688	2025-03-08 10:43:22	?	55dB	?	?	Day
3689	2025-03-08 10:44:41	?	55dB	?	?	Day
3690	2025-03-08 10:47:34	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3691	2025-03-08 10:49:01	80	55dB	5.3	428%	Day
3692	2025-03-08 10:50:16	?	55dB	?	?	Day
3693	2025-03-08 10:52:52	?	55dB	?	?	Day
3694	2025-03-08 10:54:49	?	55dB	?	?	Day
3695	2025-03-08 10:56:45	?	55dB	?	?	Day
3696	2025-03-08 10:57:55	70	55dB	2.6	164%	Day
3697	2025-03-08 10:59:17	80	55dB	5.7	466%	Day
3698	2025-03-08 11:00:41	75	55dB	3.7	273%	Day
3699	2025-03-08 11:02:22	?	55dB	?	?	Day
3700	2025-03-08 11:08:54	?	55dB	?	?	Day
3701	2025-03-08 11:16:02	?	55dB	?	?	Day
3702	2025-03-08 11:18:42	?	55dB	?	?	Day
3703	2025-03-08 11:20:14	71	55dB	2.8	183%	Day
3704	2025-03-08 11:21:34	68	55dB	2.5	146%	Day
3705	2025-03-08 11:22:56	68	55dB	2.5	146%	Day
3706	2025-03-08 11:24:21	?	55dB	?	?	Day
3707	2025-03-08 11:25:42	70	55dB	2.8	183%	Day
3708	2025-03-08 11:27:11	?	55dB	?	?	Day
3709	2025-03-08 11:33:33	?	55dB	?	?	Day
3710	2025-03-08 11:35:25	?	55dB	?	?	Day
3711	2025-03-08 11:36:48	?	55dB	?	?	Day
3712	2025-03-08 11:38:27	69	55dB	2.6	164%	Day
3713	2025-03-08 11:40:06	73	55dB	3.5	248%	Day
3714	2025-03-08 11:41:40	?	55dB	?	?	Day
3715	2025-03-08 11:42:58	67	55dB	2.3	130%	Day
3716	2025-03-08 11:44:18	68	55dB	2.3	130%	Day
3717	2025-03-08 11:46:43	69	55dB	2.5	146%	Day
3718	2025-03-08 11:48:24	68	55dB	2.3	130%	Day
3719	2025-03-08 11:51:38	69	55dB	2.5	146%	Day
3720	2025-03-08 11:53:44	?	55dB	?	?	Day
3721	2025-03-08 11:56:32	73	55dB	3.2	225%	Day
3722	2025-03-08 11:59:37	76	55dB	4.3	329%	Day
3723	2025-03-08 12:01:25	78	55dB	4.6	359%	Day
3724	2025-03-08 12:02:46	75	55dB	3.7	273%	Day
3725	2025-03-08 12:05:16	?	55dB	?	?	Day
3726	2025-03-08 12:06:47	70	55dB	2.6	164%	Day
3727	2025-03-08 12:08:01	74	55dB	3.7	273%	Day
3728	2025-03-08 12:09:43	77	55dB	4.3	329%	Day
3729	2025-03-08 12:12:00	66	55dB	2.1	114%	Day
3730	2025-03-08 12:13:43	?	55dB	?	?	Day
3731	2025-03-08 12:15:37	78	55dB	4.9	392%	Day
3732	2025-03-08 12:17:17	68	55dB	2.5	146%	Day
3733	2025-03-08 12:18:33	68	55dB	2.5	146%	Day
3734	2025-03-08 12:21:35	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3735	2025-03-08 12:23:49	68	55dB	2.3	130%	Day
3736	2025-03-08 12:26:58	71	55dB	2.8	183%	Day
3737	2025-03-08 12:29:16	?	55dB	?	?	Day
3738	2025-03-08 12:35:43	?	55dB	?	?	Day
3739	2025-03-08 12:37:53	70	55dB	2.8	183%	Day
3740	2025-03-08 12:43:12	?	55dB	?	?	Day
3741	2025-03-08 12:53:47	71	55dB	2.8	183%	Day
3742	2025-03-08 12:59:37	81	55dB	5.7	466%	Day
3743	2025-03-08 13:01:44	?	55dB	?	?	Day
3744	2025-03-08 13:03:37	?	55dB	?	?	Day
3745	2025-03-08 13:05:14	?	55dB	?	?	Day
3746	2025-03-08 13:06:39	80	55dB	5.3	428%	Day
3747	2025-03-08 13:07:50	?	55dB	?	?	Day
3748	2025-03-08 13:11:42	?	55dB	?	?	Day
3749	2025-03-08 13:13:40	74	55dB	3.7	273%	Day
3750	2025-03-08 13:21:28	80	55dB	5.7	466%	Day
3751	2025-03-08 13:25:35	69	55dB	2.5	146%	Day
3752	2025-03-08 13:27:03	81	55dB	5.7	466%	Day
3753	2025-03-08 13:28:41	?	55dB	?	?	Day
3754	2025-03-08 13:30:45	76	55dB	4.3	329%	Day
3755	2025-03-08 13:32:06	79	55dB	5.3	428%	Day
3756	2025-03-08 13:33:17	71	55dB	3.0	203%	Day
3757	2025-03-08 13:34:40	?	55dB	?	?	Day
3758	2025-03-08 13:40:16	82	55dB	6.5	550%	Day
3759	2025-03-08 13:41:50	79	55dB	5.3	428%	Day
3760	2025-03-08 13:48:49	69	55dB	2.5	146%	Day
3761	2025-03-08 13:50:39	72	55dB	3.2	225%	Day
3762	2025-03-08 13:53:14	81	55dB	6.1	506%	Day
3763	2025-03-08 13:54:56	?	55dB	?	?	Day
3764	2025-03-08 13:57:01	66	55dB	2.1	114%	Day
3765	2025-03-08 13:59:42	75	55dB	3.7	273%	Day
3766	2025-03-08 14:02:26	75	55dB	3.7	273%	Day
3767	2025-03-08 14:03:51	?	55dB	?	?	Day
3768	2025-03-08 14:07:41	80	55dB	5.7	466%	Day
3769	2025-03-08 14:08:53	?	55dB	?	?	Day
3770	2025-03-08 14:10:00	81	55dB	5.7	466%	Day
3771	2025-03-08 14:12:02	83	55dB	6.5	550%	Day
3772	2025-03-08 14:13:55	78	55dB	4.9	392%	Day
3773	2025-03-08 14:15:12	79	55dB	4.9	392%	Day
3774	2025-03-08 14:16:25	75	55dB	4.0	300%	Day
3775	2025-03-08 14:19:31	67	55dB	2.3	130%	Day
3776	2025-03-08 14:23:37	75	55dB	4.0	300%	Day
3777	2025-03-08 14:27:54	71	55dB	3.0	203%	Day
3778	2025-03-08 14:30:07	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3779	2025-03-08 14:31:50	70	55dB	2.8	183%	Day
3780	2025-03-08 14:33:39	81	55dB	5.7	466%	Day
3781	2025-03-08 14:35:15	84	55dB	7.0	596%	Day
3782	2025-03-08 14:37:17	69	55dB	2.5	146%	Day
3783	2025-03-08 14:40:59	71	55dB	2.8	183%	Day
3784	2025-03-08 14:42:38	81	55dB	6.1	506%	Day
3785	2025-03-08 14:48:42	81	55dB	6.1	506%	Day
3786	2025-03-08 14:50:39	86	55dB	8.0	700%	Day
3787	2025-03-08 14:52:48	76	55dB	4.3	329%	Day
3788	2025-03-08 14:54:21	70	55dB	2.8	183%	Day
3789	2025-03-08 14:55:41	?	55dB	?	?	Day
3790	2025-03-08 14:57:11	87	55dB	8.6	757%	Day
3791	2025-03-08 14:59:04	?	55dB	?	?	Day
3792	2025-03-08 15:01:14	?	55dB	?	?	Day
3793	2025-03-08 15:05:39	75	55dB	4.0	300%	Day
3794	2025-03-08 15:07:48	81	55dB	6.1	506%	Day
3795	2025-03-08 15:09:14	72	55dB	3.2	225%	Day
3796	2025-03-08 15:10:50	73	55dB	3.2	225%	Day
3797	2025-03-08 15:12:36	?	55dB	?	?	Day
3798	2025-03-08 15:13:52	?	55dB	?	?	Day
3799	2025-03-08 15:16:19	75	55dB	4.0	300%	Day
3800	2025-03-08 15:20:21	73	55dB	3.2	225%	Day
3801	2025-03-08 15:21:48	72	55dB	3.2	225%	Day
3802	2025-03-08 15:26:08	76	55dB	4.0	300%	Day
3803	2025-03-08 15:27:55	80	55dB	5.3	428%	Day
3804	2025-03-08 15:30:09	81	55dB	6.1	506%	Day
3805	2025-03-08 15:31:33	71	55dB	2.8	183%	Day
3806	2025-03-08 15:33:00	84	55dB	7.0	596%	Day
3807	2025-03-08 15:34:32	80	55dB	5.3	428%	Day
3808	2025-03-08 15:36:27	75	55dB	3.7	273%	Day
3809	2025-03-08 15:38:08	71	55dB	2.8	183%	Day
3810	2025-03-08 15:39:20	76	55dB	4.3	329%	Day
3811	2025-03-08 15:41:54	?	55dB	?	?	Day
3812	2025-03-08 15:45:01	80	55dB	5.3	428%	Day
3813	2025-03-08 15:47:44	70	55dB	2.8	183%	Day
3814	2025-03-08 15:51:44	69	55dB	2.6	164%	Day
3815	2025-03-08 15:53:15	82	55dB	6.1	506%	Day
3816	2025-03-08 15:54:49	78	55dB	4.6	359%	Day
3817	2025-03-08 15:56:55	68	55dB	2.5	146%	Day
3818	2025-03-08 16:00:23	?	55dB	?	?	Day
3819	2025-03-08 16:01:46	86	55dB	8.6	757%	Day
3820	2025-03-08 16:03:14	?	55dB	?	?	Day
3821	2025-03-08 16:05:04	80	55dB	5.7	466%	Day
3822	2025-03-08 16:07:58	85	55dB	8.0	700%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3823	2025-03-08 16:10:01	87	55dB	9.2	819%	Day
3824	2025-03-08 16:11:35	?	55dB	?	?	Day
3825	2025-03-08 16:16:48	83	55dB	7.0	596%	Day
3826	2025-03-08 16:19:46	74	55dB	3.5	248%	Day
3827	2025-03-08 16:21:08	71	55dB	2.8	183%	Day
3828	2025-03-08 16:22:28	80	55dB	5.7	466%	Day
3829	2025-03-08 16:23:50	75	55dB	3.7	273%	Day
3830	2025-03-08 16:25:11	78	55dB	4.9	392%	Day
3831	2025-03-08 16:27:49	?	55dB	?	?	Day
3832	2025-03-08 16:34:10	75	55dB	4.0	300%	Day
3833	2025-03-08 16:36:22	75	55dB	3.7	273%	Day
3834	2025-03-08 16:37:53	67	55dB	2.3	130%	Day
3835	2025-03-08 16:43:00	79	55dB	4.9	392%	Day
3836	2025-03-08 16:48:35	?	55dB	?	?	Day
3837	2025-03-08 16:51:01	78	55dB	4.9	392%	Day
3838	2025-03-08 16:52:25	70	55dB	2.8	183%	Day
3839	2025-03-08 16:53:56	?	55dB	?	?	Day
3840	2025-03-08 16:56:05	73	55dB	3.5	248%	Day
3841	2025-03-08 16:57:32	76	55dB	4.3	329%	Day
3842	2025-03-08 17:03:37	67	55dB	2.3	130%	Day
3843	2025-03-08 17:05:06	69	55dB	2.5	146%	Day
3844	2025-03-08 17:06:21	?	55dB	?	?	Day
3845	2025-03-08 17:07:43	?	55dB	?	?	Day
3846	2025-03-08 17:08:52	71	55dB	2.8	183%	Day
3847	2025-03-08 17:10:16	80	55dB	5.7	466%	Day
3848	2025-03-08 17:11:43	71	55dB	3.0	203%	Day
3849	2025-03-08 17:13:05	77	55dB	4.6	359%	Day
3850	2025-03-08 17:14:27	77	55dB	4.3	329%	Day
3851	2025-03-08 17:16:08	70	55dB	2.8	183%	Day
3852	2025-03-08 17:18:26	70	55dB	2.6	164%	Day
3853	2025-03-08 17:19:49	71	55dB	3.0	203%	Day
3854	2025-03-08 17:21:12	67	55dB	2.1	114%	Day
3855	2025-03-08 17:22:26	79	55dB	5.3	428%	Day
3856	2025-03-08 17:24:39	80	55dB	5.7	466%	Day
3857	2025-03-08 17:26:04	80	55dB	5.7	466%	Day
3858	2025-03-08 17:27:17	76	55dB	4.3	329%	Day
3859	2025-03-08 17:28:47	73	55dB	3.2	225%	Day
3860	2025-03-08 17:30:16	73	55dB	3.2	225%	Day
3861	2025-03-08 17:31:37	?	55dB	?	?	Day
3862	2025-03-08 17:32:58	69	55dB	2.6	164%	Day
3863	2025-03-08 17:34:13	73	55dB	3.5	248%	Day
3864	2025-03-08 17:36:05	83	55dB	7.0	596%	Day
3865	2025-03-08 17:37:38	68	55dB	2.5	146%	Day
3866	2025-03-08 17:38:56	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3867	2025-03-08 17:40:15	68	55dB	2.3	130%	Day
3868	2025-03-08 17:41:51	75	55dB	4.0	300%	Day
3869	2025-03-08 17:44:49	67	55dB	2.3	130%	Day
3870	2025-03-08 17:46:20	?	55dB	?	?	Day
3871	2025-03-08 17:47:54	?	55dB	?	?	Day
3872	2025-03-08 17:49:25	?	55dB	?	?	Day
3873	2025-03-08 17:55:22	72	55dB	3.0	203%	Day
3874	2025-03-08 17:58:47	68	55dB	2.5	146%	Day
3875	2025-03-08 18:03:43	76	55dB	4.0	300%	Day
3876	2025-03-08 18:12:42	73	55dB	3.5	248%	Day
3877	2025-03-08 18:16:56	69	55dB	2.5	146%	Day
3878	2025-03-08 18:24:21	74	55dB	3.7	273%	Day
3879	2025-03-08 18:26:32	68	55dB	2.3	130%	Day
3880	2025-03-08 18:27:49	73	55dB	3.2	225%	Day
3881	2025-03-08 18:29:03	71	55dB	3.0	203%	Day
3882	2025-03-08 18:30:25	69	55dB	2.5	146%	Day
3883	2025-03-08 18:31:43	75	55dB	3.7	273%	Day
3884	2025-03-08 18:34:12	70	55dB	2.8	183%	Day
3885	2025-03-08 18:35:40	68	55dB	2.5	146%	Day
3886	2025-03-08 18:36:56	73	55dB	3.2	225%	Day
3887	2025-03-08 18:38:04	?	55dB	?	?	Day
3888	2025-03-08 18:39:54	?	55dB	?	?	Day
3889	2025-03-08 18:44:19	68	55dB	2.3	130%	Day
3890	2025-03-08 18:45:40	74	55dB	3.7	273%	Day
3891	2025-03-08 18:46:58	70	55dB	2.8	183%	Day
3892	2025-03-08 18:48:26	68	55dB	2.5	146%	Day
3893	2025-03-08 18:49:52	67	55dB	2.1	114%	Day
3894	2025-03-08 18:52:10	71	55dB	2.8	183%	Day
3895	2025-03-08 18:54:10	?	55dB	?	?	Day
3896	2025-03-08 18:55:26	71	55dB	2.8	183%	Day
3897	2025-03-08 18:56:54	?	55dB	?	?	Day
3898	2025-03-08 18:59:10	71	55dB	2.8	183%	Day
3899	2025-03-08 19:01:04	74	45dB	7.0	596%	Night
3900	2025-03-08 19:03:58	67	45dB	4.3	329%	Night
3901	2025-03-08 19:06:05	69	45dB	4.9	392%	Night
3902	2025-03-08 19:07:50	77	45dB	9.2	819%	Night
3903	2025-03-08 19:09:27	69	45dB	4.9	392%	Night
3904	2025-03-08 19:13:03	70	45dB	5.3	428%	Night
3905	2025-03-08 19:14:49	74	45dB	7.0	596%	Night
3906	2025-03-08 19:16:51	70	45dB	5.3	428%	Night
3907	2025-03-08 19:18:19	73	45dB	7.0	596%	Night
3908	2025-03-08 19:20:51	72	45dB	6.1	506%	Night
3909	2025-03-08 19:22:17	71	45dB	5.7	466%	Night
3910	2025-03-08 19:23:57	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3911	2025-03-08 19:26:53	?	45dB	?	?	Night
3912	2025-03-08 19:28:41	73	45dB	6.5	550%	Night
3913	2025-03-08 19:30:38	74	45dB	7.0	596%	Night
3914	2025-03-08 19:32:29	68	45dB	4.6	359%	Night
3915	2025-03-08 19:33:52	?	45dB	?	?	Night
3916	2025-03-08 19:35:21	76	45dB	8.0	700%	Night
3917	2025-03-08 19:36:58	?	45dB	?	?	Night
3918	2025-03-08 19:38:25	79	45dB	9.8	885%	Night
3919	2025-03-08 19:39:47	74	45dB	7.5	646%	Night
3920	2025-03-08 19:41:22	69	45dB	4.9	392%	Night
3921	2025-03-08 19:42:49	71	45dB	5.7	466%	Night
3922	2025-03-08 19:44:16	69	45dB	5.3	428%	Night
3923	2025-03-08 19:45:55	?	45dB	?	?	Night
3924	2025-03-08 19:47:52	69	45dB	5.3	428%	Night
3925	2025-03-08 19:49:19	68	45dB	4.9	392%	Night
3926	2025-03-08 19:52:41	?	45dB	?	?	Night
3927	2025-03-08 19:54:47	75	45dB	8.0	700%	Night
3928	2025-03-08 19:56:47	71	45dB	6.1	506%	Night
3929	2025-03-08 19:59:15	68	45dB	4.6	359%	Night
3930	2025-03-08 20:01:25	71	45dB	6.1	506%	Night
3931	2025-03-08 20:03:14	?	45dB	?	?	Night
3932	2025-03-08 20:04:46	72	45dB	6.1	506%	Night
3933	2025-03-08 20:07:26	69	45dB	4.9	392%	Night
3934	2025-03-08 20:11:32	69	45dB	5.3	428%	Night
3935	2025-03-08 20:14:37	?	45dB	?	?	Night
3936	2025-03-08 20:19:28	70	45dB	5.7	466%	Night
3937	2025-03-08 20:21:19	67	45dB	4.6	359%	Night
3938	2025-03-08 20:23:01	?	45dB	?	?	Night
3939	2025-03-08 20:25:43	76	45dB	8.0	700%	Night
3940	2025-03-08 20:27:30	68	45dB	4.6	359%	Night
3941	2025-03-08 20:29:26	?	45dB	?	?	Night
3942	2025-03-08 20:30:53	70	45dB	5.3	428%	Night
3943	2025-03-08 20:33:18	69	45dB	5.3	428%	Night
3944	2025-03-08 20:35:12	?	45dB	?	?	Night
3945	2025-03-08 20:40:10	68	45dB	4.9	392%	Night
3946	2025-03-08 20:42:17	69	45dB	5.3	428%	Night
3947	2025-03-08 20:44:39	74	45dB	7.5	646%	Night
3948	2025-03-08 20:46:11	67	45dB	4.3	329%	Night
3949	2025-03-08 20:47:39	?	45dB	?	?	Night
3950	2025-03-08 20:49:06	66	45dB	4.3	329%	Night
3951	2025-03-08 20:50:56	73	45dB	7.0	596%	Night
3952	2025-03-08 20:53:31	82	45dB	13.0	1200%	Night
3953	2025-03-08 20:55:03	?	45dB	?	?	Night
3954	2025-03-08 20:56:35	76	45dB	8.6	757%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3955	2025-03-08 20:57:46	70	45dB	5.3	428%	Night
3956	2025-03-08 20:59:22	69	45dB	5.3	428%	Night
3957	2025-03-08 21:00:35	70	45dB	5.7	466%	Night
3958	2025-03-08 21:02:56	?	45dB	?	?	Night
3959	2025-03-08 21:04:24	74	45dB	7.0	596%	Night
3960	2025-03-08 21:06:16	70	45dB	5.7	466%	Night
3961	2025-03-08 21:07:28	67	45dB	4.3	329%	Night
3962	2025-03-08 21:09:17	70	45dB	5.3	428%	Night
3963	2025-03-08 21:11:04	?	45dB	?	?	Night
3964	2025-03-08 21:12:22	?	45dB	?	?	Night
3965	2025-03-08 21:13:41	69	45dB	5.3	428%	Night
3966	2025-03-08 21:15:06	70	45dB	5.3	428%	Night
3967	2025-03-08 21:16:33	?	45dB	?	?	Night
3968	2025-03-08 21:17:56	?	45dB	?	?	Night
3969	2025-03-08 21:21:00	68	45dB	4.9	392%	Night
3970	2025-03-08 21:22:32	?	45dB	?	?	Night
3971	2025-03-08 21:23:52	68	45dB	4.6	359%	Night
3972	2025-03-08 21:25:32	74	45dB	7.5	646%	Night
3973	2025-03-08 21:27:49	67	45dB	4.6	359%	Night
3974	2025-03-08 21:31:56	?	45dB	?	?	Night
3975	2025-03-08 21:34:08	?	45dB	?	?	Night
3976	2025-03-08 21:35:57	71	45dB	5.7	466%	Night
3977	2025-03-08 21:37:31	?	45dB	?	?	Night
3978	2025-03-08 21:38:53	73	45dB	6.5	550%	Night
3979	2025-03-08 21:40:37	?	45dB	?	?	Night
3980	2025-03-08 21:41:58	75	45dB	8.0	700%	Night
3981	2025-03-08 21:43:20	?	45dB	?	?	Night
3982	2025-03-08 21:44:49	70	45dB	5.3	428%	Night
3983	2025-03-08 21:46:15	?	45dB	?	?	Night
3984	2025-03-08 21:47:55	?	45dB	?	?	Night
3985	2025-03-08 21:49:50	?	45dB	?	?	Night
3986	2025-03-08 21:59:36	67	45dB	4.6	359%	Night
3987	2025-03-08 22:00:51	66	45dB	4.0	300%	Night
3988	2025-03-08 22:02:21	70	45dB	5.7	466%	Night
3989	2025-03-08 22:04:12	68	45dB	4.9	392%	Night
3990	2025-03-08 22:06:49	68	45dB	4.6	359%	Night
3991	2025-03-08 22:10:07	?	45dB	?	?	Night
3992	2025-03-08 22:15:50	?	45dB	?	?	Night
3993	2025-03-08 22:21:26	70	45dB	5.7	466%	Night
3994	2025-03-08 22:23:55	?	45dB	?	?	Night
3995	2025-03-08 22:28:19	?	45dB	?	?	Night
3996	2025-03-08 22:29:55	?	45dB	?	?	Night
3997	2025-03-08 22:32:31	?	45dB	?	?	Night
3998	2025-03-08 22:34:31	68	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

3999	2025-03-08 22:38:48	68	45dB	4.9	392%	Night
4000	2025-03-08 22:42:04	68	45dB	4.9	392%	Night
4001	2025-03-08 22:45:18	70	45dB	5.3	428%	Night
4002	2025-03-08 22:47:30	?	45dB	?	?	Night
4003	2025-03-08 22:49:25	68	45dB	4.9	392%	Night
4004	2025-03-08 22:54:38	67	45dB	4.3	329%	Night
4005	2025-03-08 22:56:45	?	45dB	?	?	Night
4006	2025-03-08 22:58:47	69	45dB	5.3	428%	Night
4007	2025-03-08 23:00:38	?	45dB	?	?	Night
4008	2025-03-08 23:03:12	72	45dB	6.5	550%	Night
4009	2025-03-08 23:07:20	?	45dB	?	?	Night
4010	2025-03-08 23:15:40	?	45dB	?	?	Night
4011	2025-03-08 23:22:26	72	45dB	6.1	506%	Night
4012	2025-03-08 23:25:31	71	45dB	6.1	506%	Night
4013	2025-03-08 23:28:18	70	45dB	5.3	428%	Night
4014	2025-03-08 23:31:17	?	45dB	?	?	Night
4015	2025-03-08 23:33:52	?	45dB	?	?	Night
4016	2025-03-08 23:37:04	66	45dB	4.3	329%	Night
4017	2025-03-08 23:39:25	69	45dB	4.9	392%	Night
4018	2025-03-08 23:41:46	?	45dB	?	?	Night
4019	2025-03-08 23:44:22	?	45dB	?	?	Night
4020	2025-03-08 23:46:32	71	45dB	6.1	506%	Night
4021	2025-03-08 23:49:01	?	45dB	?	?	Night
4022	2025-03-08 23:51:07	67	45dB	4.6	359%	Night
4023	2025-03-08 23:52:53	?	45dB	?	?	Night
4024	2025-03-08 23:55:16	70	45dB	5.7	466%	Night
4025	2025-03-08 23:58:12	?	45dB	?	?	Night
4026	2025-03-09 00:00:05	?	45dB	?	?	Night
4027	2025-03-09 06:28:57	68	45dB	4.6	359%	Night
4028	2025-03-09 06:30:28	?	45dB	?	?	Night
4029	2025-03-09 06:31:45	69	45dB	4.9	392%	Night
4030	2025-03-09 06:33:30	70	45dB	5.7	466%	Night
4031	2025-03-09 06:35:15	67	45dB	4.6	359%	Night
4032	2025-03-09 06:36:57	70	45dB	5.7	466%	Night
4033	2025-03-09 06:39:05	67	45dB	4.6	359%	Night
4034	2025-03-09 06:40:25	?	45dB	?	?	Night
4035	2025-03-09 06:41:53	68	45dB	4.6	359%	Night
4036	2025-03-09 06:45:03	68	45dB	4.9	392%	Night
4037	2025-03-09 06:46:22	66	45dB	4.3	329%	Night
4038	2025-03-09 06:47:45	68	45dB	4.9	392%	Night
4039	2025-03-09 06:49:11	69	45dB	4.9	392%	Night
4040	2025-03-09 06:51:01	67	45dB	4.6	359%	Night
4041	2025-03-09 06:52:46	68	45dB	4.6	359%	Night
4042	2025-03-09 06:55:48	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4043	2025-03-09 06:57:40	68	45dB	4.9	392%	Night
4044	2025-03-09 07:05:33	68	55dB	2.3	130%	Day
4045	2025-03-09 07:07:02	67	55dB	2.3	130%	Day
4046	2025-03-09 07:09:26	69	55dB	2.5	146%	Day
4047	2025-03-09 07:11:22	68	55dB	2.3	130%	Day
4048	2025-03-09 07:13:10	66	55dB	2.0	100%	Day
4049	2025-03-09 07:15:18	67	55dB	2.3	130%	Day
4050	2025-03-09 07:18:53	70	55dB	2.6	164%	Day
4051	2025-03-09 07:20:17	68	55dB	2.3	130%	Day
4052	2025-03-09 07:21:50	69	55dB	2.6	164%	Day
4053	2025-03-09 07:23:28	68	55dB	2.5	146%	Day
4054	2025-03-09 07:25:16	69	55dB	2.6	164%	Day
4055	2025-03-09 07:26:47	68	55dB	2.3	130%	Day
4056	2025-03-09 07:28:24	72	55dB	3.0	203%	Day
4057	2025-03-09 07:30:32	71	55dB	3.0	203%	Day
4058	2025-03-09 07:38:54	73	55dB	3.2	225%	Day
4059	2025-03-09 07:41:33	68	55dB	2.3	130%	Day
4060	2025-03-09 07:44:10	71	55dB	2.8	183%	Day
4061	2025-03-09 07:46:37	69	55dB	2.6	164%	Day
4062	2025-03-09 07:48:15	69	55dB	2.6	164%	Day
4063	2025-03-09 07:54:21	70	55dB	2.8	183%	Day
4064	2025-03-09 07:59:54	70	55dB	2.8	183%	Day
4065	2025-03-09 08:03:06	?	55dB	?	?	Day
4066	2025-03-09 08:04:42	69	55dB	2.5	146%	Day
4067	2025-03-09 08:07:25	71	55dB	3.0	203%	Day
4068	2025-03-09 08:09:08	68	55dB	2.5	146%	Day
4069	2025-03-09 08:10:33	?	55dB	?	?	Day
4070	2025-03-09 08:12:31	69	55dB	2.6	164%	Day
4071	2025-03-09 08:15:25	?	55dB	?	?	Day
4072	2025-03-09 08:18:16	69	55dB	2.6	164%	Day
4073	2025-03-09 08:21:05	71	55dB	3.0	203%	Day
4074	2025-03-09 08:23:31	69	55dB	2.6	164%	Day
4075	2025-03-09 08:25:31	69	55dB	2.6	164%	Day
4076	2025-03-09 08:27:10	67	55dB	2.1	114%	Day
4077	2025-03-09 08:30:53	?	55dB	?	?	Day
4078	2025-03-09 08:36:26	70	55dB	2.8	183%	Day
4079	2025-03-09 08:44:21	?	55dB	?	?	Day
4080	2025-03-09 08:56:21	?	55dB	?	?	Day
4081	2025-03-09 09:00:07	73	55dB	3.5	248%	Day
4082	2025-03-09 09:10:32	?	55dB	?	?	Day
4083	2025-03-09 09:12:41	70	55dB	2.8	183%	Day
4084	2025-03-09 09:14:21	?	55dB	?	?	Day
4085	2025-03-09 09:16:32	72	55dB	3.0	203%	Day
4086	2025-03-09 09:18:31	71	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4087	2025-03-09 09:21:34	70	55dB	2.8	183%	Day
4088	2025-03-09 09:24:25	70	55dB	2.8	183%	Day
4089	2025-03-09 09:31:01	?	55dB	?	?	Day
4090	2025-03-09 09:33:28	?	55dB	?	?	Day
4091	2025-03-09 09:35:30	73	55dB	3.5	248%	Day
4092	2025-03-09 09:37:53	74	55dB	3.5	248%	Day
4093	2025-03-09 09:40:54	?	55dB	?	?	Day
4094	2025-03-09 09:44:57	68	55dB	2.3	130%	Day
4095	2025-03-09 09:54:56	?	55dB	?	?	Day
4096	2025-03-09 09:57:52	68	55dB	2.3	130%	Day
4097	2025-03-09 09:59:55	73	55dB	3.5	248%	Day
4098	2025-03-09 10:03:31	71	55dB	3.0	203%	Day
4099	2025-03-09 10:14:38	?	55dB	?	?	Day
4100	2025-03-09 10:21:18	70	55dB	2.8	183%	Day
4101	2025-03-09 10:22:50	71	55dB	3.0	203%	Day
4102	2025-03-09 10:25:10	?	55dB	?	?	Day
4103	2025-03-09 10:27:56	70	55dB	2.8	183%	Day
4104	2025-03-09 10:31:02	68	55dB	2.3	130%	Day
4105	2025-03-09 10:32:49	70	55dB	2.6	164%	Day
4106	2025-03-09 10:34:19	?	55dB	?	?	Day
4107	2025-03-09 10:35:38	86	55dB	8.6	757%	Day
4108	2025-03-09 10:37:03	74	55dB	3.5	248%	Day
4109	2025-03-09 10:41:41	82	55dB	6.5	550%	Day
4110	2025-03-09 10:44:50	80	55dB	5.7	466%	Day
4111	2025-03-09 10:46:27	72	55dB	3.2	225%	Day
4112	2025-03-09 10:49:05	77	55dB	4.6	359%	Day
4113	2025-03-09 10:51:21	70	55dB	2.6	164%	Day
4114	2025-03-09 10:52:56	?	55dB	?	?	Day
4115	2025-03-09 10:57:10	71	55dB	2.8	183%	Day
4116	2025-03-09 10:59:31	69	55dB	2.5	146%	Day
4117	2025-03-09 11:00:59	72	55dB	3.2	225%	Day
4118	2025-03-09 11:02:17	68	55dB	2.3	130%	Day
4119	2025-03-09 11:03:26	68	55dB	2.5	146%	Day
4120	2025-03-09 11:04:39	80	55dB	5.3	428%	Day
4121	2025-03-09 11:07:35	69	55dB	2.6	164%	Day
4122	2025-03-09 11:08:49	?	55dB	?	?	Day
4123	2025-03-09 11:11:00	?	55dB	?	?	Day
4124	2025-03-09 11:12:21	75	55dB	4.0	300%	Day
4125	2025-03-09 11:13:47	?	55dB	?	?	Day
4126	2025-03-09 11:15:09	71	55dB	3.0	203%	Day
4127	2025-03-09 11:16:31	69	55dB	2.6	164%	Day
4128	2025-03-09 11:17:49	?	55dB	?	?	Day
4129	2025-03-09 11:19:01	?	55dB	?	?	Day
4130	2025-03-09 11:21:39	77	55dB	4.3	329%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4131	2025-03-09 11:22:53	81	55dB	5.7	466%	Day
4132	2025-03-09 11:24:26	?	55dB	?	?	Day
4133	2025-03-09 11:26:50	80	55dB	5.3	428%	Day
4134	2025-03-09 11:28:12	69	55dB	2.5	146%	Day
4135	2025-03-09 11:29:35	?	55dB	?	?	Day
4136	2025-03-09 11:31:22	69	55dB	2.5	146%	Day
4137	2025-03-09 11:32:38	69	55dB	2.5	146%	Day
4138	2025-03-09 11:34:02	74	55dB	3.7	273%	Day
4139	2025-03-09 11:35:31	75	55dB	3.7	273%	Day
4140	2025-03-09 11:37:07	?	55dB	?	?	Day
4141	2025-03-09 11:42:26	?	55dB	?	?	Day
4142	2025-03-09 11:46:57	?	55dB	?	?	Day
4143	2025-03-09 11:55:17	80	55dB	5.3	428%	Day
4144	2025-03-09 11:57:33	?	55dB	?	?	Day
4145	2025-03-09 12:00:09	82	55dB	6.1	506%	Day
4146	2025-03-09 12:01:42	71	55dB	2.8	183%	Day
4147	2025-03-09 12:03:29	75	55dB	3.7	273%	Day
4148	2025-03-09 12:08:08	82	55dB	6.1	506%	Day
4149	2025-03-09 12:14:54	?	55dB	?	?	Day
4150	2025-03-09 12:17:06	76	55dB	4.3	329%	Day
4151	2025-03-09 12:19:43	74	55dB	3.7	273%	Day
4152	2025-03-09 12:21:28	85	55dB	8.0	700%	Day
4153	2025-03-09 12:25:22	69	55dB	2.5	146%	Day
4154	2025-03-09 12:30:51	?	55dB	?	?	Day
4155	2025-03-09 12:32:23	?	55dB	?	?	Day
4156	2025-03-09 12:33:49	69	55dB	2.6	164%	Day
4157	2025-03-09 12:48:23	80	55dB	5.3	428%	Day
4158	2025-03-09 12:49:41	72	55dB	3.2	225%	Day
4159	2025-03-09 12:51:22	69	55dB	2.5	146%	Day
4160	2025-03-09 12:55:28	70	55dB	2.8	183%	Day
4161	2025-03-09 12:57:33	68	55dB	2.3	130%	Day
4162	2025-03-09 12:58:50	68	55dB	2.5	146%	Day
4163	2025-03-09 13:00:07	72	55dB	3.0	203%	Day
4164	2025-03-09 13:02:19	73	55dB	3.5	248%	Day
4165	2025-03-09 13:04:09	81	55dB	6.1	506%	Day
4166	2025-03-09 13:06:28	82	55dB	6.5	550%	Day
4167	2025-03-09 13:08:03	71	55dB	2.8	183%	Day
4168	2025-03-09 13:09:52	71	55dB	2.8	183%	Day
4169	2025-03-09 13:11:25	72	55dB	3.0	203%	Day
4170	2025-03-09 13:13:15	66	55dB	2.0	100%	Day
4171	2025-03-09 13:15:24	79	55dB	5.3	428%	Day
4172	2025-03-09 13:17:04	72	55dB	3.2	225%	Day
4173	2025-03-09 13:19:02	85	55dB	8.0	700%	Day
4174	2025-03-09 13:20:50	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4175	2025-03-09 13:22:05	67	55dB	2.3	130%	Day
4176	2025-03-09 13:23:33	?	55dB	?	?	Day
4177	2025-03-09 13:34:30	81	55dB	6.1	506%	Day
4178	2025-03-09 13:36:17	77	55dB	4.6	359%	Day
4179	2025-03-09 13:39:52	80	55dB	5.7	466%	Day
4180	2025-03-09 13:44:57	77	55dB	4.3	329%	Day
4181	2025-03-09 13:51:17	67	55dB	2.3	130%	Day
4182	2025-03-09 13:52:45	?	55dB	?	?	Day
4183	2025-03-09 14:04:55	76	55dB	4.3	329%	Day
4184	2025-03-09 14:06:20	?	55dB	?	?	Day
4185	2025-03-09 14:07:53	79	55dB	5.3	428%	Day
4186	2025-03-09 14:10:22	69	55dB	2.5	146%	Day
4187	2025-03-09 14:11:53	?	55dB	?	?	Day
4188	2025-03-09 14:13:16	80	55dB	5.3	428%	Day
4189	2025-03-09 14:16:14	71	55dB	2.8	183%	Day
4190	2025-03-09 14:19:12	80	55dB	5.3	428%	Day
4191	2025-03-09 14:20:52	74	55dB	3.5	248%	Day
4192	2025-03-09 14:25:34	72	55dB	3.2	225%	Day
4193	2025-03-09 14:27:07	?	55dB	?	?	Day
4194	2025-03-09 14:28:43	75	55dB	4.0	300%	Day
4195	2025-03-09 14:30:07	71	55dB	3.0	203%	Day
4196	2025-03-09 14:31:34	77	55dB	4.3	329%	Day
4197	2025-03-09 14:33:09	?	55dB	?	?	Day
4198	2025-03-09 14:34:47	74	55dB	3.7	273%	Day
4199	2025-03-09 14:36:09	81	55dB	5.7	466%	Day
4200	2025-03-09 14:37:23	82	55dB	6.1	506%	Day
4201	2025-03-09 14:39:58	81	55dB	5.7	466%	Day
4202	2025-03-09 14:42:47	81	55dB	5.7	466%	Day
4203	2025-03-09 14:44:50	68	55dB	2.5	146%	Day
4204	2025-03-09 14:49:24	73	55dB	3.2	225%	Day
4205	2025-03-09 14:50:47	83	55dB	6.5	550%	Day
4206	2025-03-09 14:52:09	78	55dB	4.6	359%	Day
4207	2025-03-09 14:53:27	73	55dB	3.2	225%	Day
4208	2025-03-09 14:54:53	66	55dB	2.0	100%	Day
4209	2025-03-09 14:56:41	71	55dB	2.8	183%	Day
4210	2025-03-09 14:58:40	?	55dB	?	?	Day
4211	2025-03-09 15:00:28	78	55dB	4.9	392%	Day
4212	2025-03-09 15:02:25	75	55dB	4.0	300%	Day
4213	2025-03-09 15:04:14	74	55dB	3.5	248%	Day
4214	2025-03-09 15:05:45	77	55dB	4.3	329%	Day
4215	2025-03-09 15:07:44	85	55dB	7.5	646%	Day
4216	2025-03-09 15:09:50	72	55dB	3.0	203%	Day
4217	2025-03-09 15:11:34	81	55dB	6.1	506%	Day
4218	2025-03-09 15:13:28	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4219	2025-03-09 15:14:48	78	55dB	4.9	392%	Day
4220	2025-03-09 15:16:24	72	55dB	3.2	225%	Day
4221	2025-03-09 15:17:56	75	55dB	3.7	273%	Day
4222	2025-03-09 15:20:00	?	55dB	?	?	Day
4223	2025-03-09 15:23:00	?	55dB	?	?	Day
4224	2025-03-09 15:24:43	83	55dB	7.0	596%	Day
4225	2025-03-09 15:27:44	74	55dB	3.7	273%	Day
4226	2025-03-09 15:29:25	82	55dB	6.5	550%	Day
4227	2025-03-09 15:31:39	?	55dB	?	?	Day
4228	2025-03-09 15:32:52	81	55dB	6.1	506%	Day
4229	2025-03-09 15:34:07	?	55dB	?	?	Day
4230	2025-03-09 15:36:31	?	55dB	?	?	Day
4231	2025-03-09 15:39:37	71	55dB	2.8	183%	Day
4232	2025-03-09 15:43:28	?	55dB	?	?	Day
4233	2025-03-09 15:44:47	77	55dB	4.3	329%	Day
4234	2025-03-09 15:46:07	83	55dB	6.5	550%	Day
4235	2025-03-09 15:47:26	?	55dB	?	?	Day
4236	2025-03-09 15:48:42	79	55dB	5.3	428%	Day
4237	2025-03-09 15:50:10	81	55dB	5.7	466%	Day
4238	2025-03-09 15:51:40	?	55dB	?	?	Day
4239	2025-03-09 15:54:18	69	55dB	2.6	164%	Day
4240	2025-03-09 15:59:13	74	55dB	3.5	248%	Day
4241	2025-03-09 16:01:07	71	55dB	2.8	183%	Day
4242	2025-03-09 16:02:59	70	55dB	2.6	164%	Day
4243	2025-03-09 16:04:21	68	55dB	2.5	146%	Day
4244	2025-03-09 16:05:30	?	55dB	?	?	Day
4245	2025-03-09 16:07:10	71	55dB	3.0	203%	Day
4246	2025-03-09 16:08:36	78	55dB	4.9	392%	Day
4247	2025-03-09 16:10:39	70	55dB	2.6	164%	Day
4248	2025-03-09 16:12:26	70	55dB	2.8	183%	Day
4249	2025-03-09 16:14:11	71	55dB	2.8	183%	Day
4250	2025-03-09 16:15:48	74	55dB	3.7	273%	Day
4251	2025-03-09 16:18:30	70	55dB	2.6	164%	Day
4252	2025-03-09 16:20:07	69	55dB	2.6	164%	Day
4253	2025-03-09 16:22:19	?	55dB	?	?	Day
4254	2025-03-09 16:23:47	76	55dB	4.0	300%	Day
4255	2025-03-09 16:25:08	73	55dB	3.5	248%	Day
4256	2025-03-09 16:25:38	73	55dB	3.2	225%	Day
4257	2025-03-09 16:28:05	66	55dB	2.1	114%	Day
4258	2025-03-09 16:31:19	69	55dB	2.5	146%	Day
4259	2025-03-09 16:32:56	70	55dB	2.8	183%	Day
4260	2025-03-09 16:35:07	80	55dB	5.3	428%	Day
4261	2025-03-09 16:37:02	?	55dB	?	?	Day
4262	2025-03-09 16:38:34	78	55dB	4.6	359%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4263	2025-03-09 16:39:55	75	55dB	3.7	273%	Day
4264	2025-03-09 16:41:16	81	55dB	5.7	466%	Day
4265	2025-03-09 16:42:57	74	55dB	3.7	273%	Day
4266	2025-03-09 16:45:26	81	55dB	5.7	466%	Day
4267	2025-03-09 16:46:51	73	55dB	3.2	225%	Day
4268	2025-03-09 16:50:03	76	55dB	4.3	329%	Day
4269	2025-03-09 16:53:38	78	55dB	4.6	359%	Day
4270	2025-03-09 16:55:45	67	55dB	2.3	130%	Day
4271	2025-03-09 16:57:17	?	55dB	?	?	Day
4272	2025-03-09 16:59:21	?	55dB	?	?	Day
4273	2025-03-09 17:01:54	76	55dB	4.0	300%	Day
4274	2025-03-09 17:03:49	84	55dB	7.5	646%	Day
4275	2025-03-09 17:08:48	71	55dB	2.8	183%	Day
4276	2025-03-09 17:11:17	?	55dB	?	?	Day
4277	2025-03-09 17:14:16	75	55dB	4.0	300%	Day
4278	2025-03-09 17:15:47	?	55dB	?	?	Day
4279	2025-03-09 17:17:20	81	55dB	6.1	506%	Day
4280	2025-03-09 17:18:53	73	55dB	3.5	248%	Day
4281	2025-03-09 17:21:07	?	55dB	?	?	Day
4282	2025-03-09 17:23:57	67	55dB	2.3	130%	Day
4283	2025-03-09 17:25:36	71	55dB	3.0	203%	Day
4284	2025-03-09 17:27:19	71	55dB	3.0	203%	Day
4285	2025-03-09 17:30:01	71	55dB	2.8	183%	Day
4286	2025-03-09 17:31:23	75	55dB	4.0	300%	Day
4287	2025-03-09 17:33:06	69	55dB	2.5	146%	Day
4288	2025-03-09 17:35:00	70	55dB	2.8	183%	Day
4289	2025-03-09 17:37:18	66	55dB	2.1	114%	Day
4290	2025-03-09 17:38:48	72	55dB	3.0	203%	Day
4291	2025-03-09 17:43:07	71	55dB	2.8	183%	Day
4292	2025-03-09 17:46:02	68	55dB	2.5	146%	Day
4293	2025-03-09 17:48:00	69	55dB	2.6	164%	Day
4294	2025-03-09 17:49:30	71	55dB	2.8	183%	Day
4295	2025-03-09 17:51:53	67	55dB	2.3	130%	Day
4296	2025-03-09 17:54:28	68	55dB	2.3	130%	Day
4297	2025-03-09 17:56:02	?	55dB	?	?	Day
4298	2025-03-09 17:57:35	69	55dB	2.5	146%	Day
4299	2025-03-09 18:01:08	69	55dB	2.6	164%	Day
4300	2025-03-09 18:03:26	?	55dB	?	?	Day
4301	2025-03-09 18:04:50	?	55dB	?	?	Day
4302	2025-03-09 18:06:28	69	55dB	2.6	164%	Day
4303	2025-03-09 18:07:58	?	55dB	?	?	Day
4304	2025-03-09 18:11:06	77	55dB	4.6	359%	Day
4305	2025-03-09 18:12:42	?	55dB	?	?	Day
4306	2025-03-09 18:14:10	67	55dB	2.1	114%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4307	2025-03-09 18:15:32	68	55dB	2.5	146%	Day
4308	2025-03-09 18:16:55	70	55dB	2.6	164%	Day
4309	2025-03-09 18:18:48	?	55dB	?	?	Day
4310	2025-03-09 18:20:16	?	55dB	?	?	Day
4311	2025-03-09 18:21:51	69	55dB	2.6	164%	Day
4312	2025-03-09 18:23:21	66	55dB	2.1	114%	Day
4313	2025-03-09 18:26:05	68	55dB	2.5	146%	Day
4314	2025-03-09 18:29:10	68	55dB	2.5	146%	Day
4315	2025-03-09 18:30:58	?	55dB	?	?	Day
4316	2025-03-09 18:36:56	73	55dB	3.2	225%	Day
4317	2025-03-09 18:38:52	71	55dB	3.0	203%	Day
4318	2025-03-09 18:40:19	70	55dB	2.6	164%	Day
4319	2025-03-09 18:41:43	68	55dB	2.3	130%	Day
4320	2025-03-09 18:43:35	79	55dB	5.3	428%	Day
4321	2025-03-09 18:45:38	68	55dB	2.3	130%	Day
4322	2025-03-09 18:47:09	67	55dB	2.3	130%	Day
4323	2025-03-09 18:48:45	68	55dB	2.3	130%	Day
4324	2025-03-09 18:50:12	66	55dB	2.1	114%	Day
4325	2025-03-09 18:56:16	70	55dB	2.6	164%	Day
4326	2025-03-09 18:57:44	71	55dB	2.8	183%	Day
4327	2025-03-09 18:59:33	70	55dB	2.8	183%	Day
4328	2025-03-09 19:01:17	71	45dB	6.1	506%	Night
4329	2025-03-09 19:03:45	74	45dB	7.0	596%	Night
4330	2025-03-09 19:06:56	74	45dB	7.5	646%	Night
4331	2025-03-09 19:09:16	69	45dB	5.3	428%	Night
4332	2025-03-09 19:11:03	71	45dB	5.7	466%	Night
4333	2025-03-09 19:12:47	71	45dB	6.1	506%	Night
4334	2025-03-09 19:14:17	71	45dB	6.1	506%	Night
4335	2025-03-09 19:17:13	?	45dB	?	?	Night
4336	2025-03-09 19:18:58	69	45dB	4.9	392%	Night
4337	2025-03-09 19:20:40	70	45dB	5.3	428%	Night
4338	2025-03-09 19:22:06	69	45dB	4.9	392%	Night
4339	2025-03-09 19:23:25	69	45dB	5.3	428%	Night
4340	2025-03-09 19:24:53	71	45dB	6.1	506%	Night
4341	2025-03-09 19:26:15	71	45dB	6.1	506%	Night
4342	2025-03-09 19:28:51	70	45dB	5.7	466%	Night
4343	2025-03-09 19:30:15	?	45dB	?	?	Night
4344	2025-03-09 19:31:49	?	45dB	?	?	Night
4345	2025-03-09 19:33:32	73	45dB	6.5	550%	Night
4346	2025-03-09 19:35:30	73	45dB	6.5	550%	Night
4347	2025-03-09 19:37:35	68	45dB	4.9	392%	Night
4348	2025-03-09 19:38:53	71	45dB	6.1	506%	Night
4349	2025-03-09 19:40:27	?	45dB	?	?	Night
4350	2025-03-09 19:41:43	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4351	2025-03-09 19:43:12	69	45dB	5.3	428%	Night
4352	2025-03-09 19:44:47	71	45dB	5.7	466%	Night
4353	2025-03-09 19:46:19	67	45dB	4.6	359%	Night
4354	2025-03-09 19:48:06	70	45dB	5.7	466%	Night
4355	2025-03-09 19:49:40	72	45dB	6.5	550%	Night
4356	2025-03-09 19:51:18	?	45dB	?	?	Night
4357	2025-03-09 19:52:51	75	45dB	8.0	700%	Night
4358	2025-03-09 19:54:56	68	45dB	4.9	392%	Night
4359	2025-03-09 19:56:36	71	45dB	6.1	506%	Night
4360	2025-03-09 19:58:10	71	45dB	5.7	466%	Night
4361	2025-03-09 20:00:04	72	45dB	6.1	506%	Night
4362	2025-03-09 20:01:40	71	45dB	6.1	506%	Night
4363	2025-03-09 20:04:07	?	45dB	?	?	Night
4364	2025-03-09 20:05:37	73	45dB	7.0	596%	Night
4365	2025-03-09 20:09:17	68	45dB	4.6	359%	Night
4366	2025-03-09 20:11:12	?	45dB	?	?	Night
4367	2025-03-09 20:12:43	70	45dB	5.7	466%	Night
4368	2025-03-09 20:16:37	71	45dB	6.1	506%	Night
4369	2025-03-09 20:18:19	72	45dB	6.1	506%	Night
4370	2025-03-09 20:20:09	70	45dB	5.7	466%	Night
4371	2025-03-09 20:21:38	68	45dB	4.6	359%	Night
4372	2025-03-09 20:23:30	72	45dB	6.5	550%	Night
4373	2025-03-09 20:26:02	70	45dB	5.3	428%	Night
4374	2025-03-09 20:27:30	?	45dB	?	?	Night
4375	2025-03-09 20:28:56	77	45dB	9.2	819%	Night
4376	2025-03-09 20:30:17	68	45dB	4.9	392%	Night
4377	2025-03-09 20:32:30	72	45dB	6.1	506%	Night
4378	2025-03-09 20:35:00	72	45dB	6.5	550%	Night
4379	2025-03-09 20:38:21	71	45dB	6.1	506%	Night
4380	2025-03-09 20:40:08	70	45dB	5.3	428%	Night
4381	2025-03-09 20:41:35	73	45dB	6.5	550%	Night
4382	2025-03-09 20:43:09	72	45dB	6.5	550%	Night
4383	2025-03-09 20:44:49	69	45dB	5.3	428%	Night
4384	2025-03-09 20:47:35	71	45dB	5.7	466%	Night
4385	2025-03-09 20:49:49	76	45dB	8.6	757%	Night
4386	2025-03-09 20:51:24	69	45dB	5.3	428%	Night
4387	2025-03-09 20:53:45	68	45dB	4.9	392%	Night
4388	2025-03-09 20:55:13	?	45dB	?	?	Night
4389	2025-03-09 20:56:42	?	45dB	?	?	Night
4390	2025-03-09 20:58:25	70	45dB	5.3	428%	Night
4391	2025-03-09 20:59:57	67	45dB	4.6	359%	Night
4392	2025-03-09 21:01:25	71	45dB	6.1	506%	Night
4393	2025-03-09 21:04:47	72	45dB	6.1	506%	Night
4394	2025-03-09 21:06:17	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4395	2025-03-09 21:08:00	71	45dB	6.1	506%	Night
4396	2025-03-09 21:09:32	72	45dB	6.1	506%	Night
4397	2025-03-09 21:11:02	77	45dB	8.6	757%	Night
4398	2025-03-09 21:13:00	74	45dB	7.0	596%	Night
4399	2025-03-09 21:14:34	68	45dB	4.9	392%	Night
4400	2025-03-09 21:16:01	70	45dB	5.7	466%	Night
4401	2025-03-09 21:17:35	76	45dB	8.0	700%	Night
4402	2025-03-09 21:18:54	72	45dB	6.5	550%	Night
4403	2025-03-09 21:20:19	70	45dB	5.3	428%	Night
4404	2025-03-09 21:22:13	?	45dB	?	?	Night
4405	2025-03-09 21:24:13	67	45dB	4.6	359%	Night
4406	2025-03-09 21:25:39	72	45dB	6.1	506%	Night
4407	2025-03-09 21:26:57	?	45dB	?	?	Night
4408	2025-03-09 21:28:11	82	45dB	12.1	1113%	Night
4409	2025-03-09 21:29:33	70	45dB	5.7	466%	Night
4410	2025-03-09 21:31:22	70	45dB	5.7	466%	Night
4411	2025-03-09 21:32:46	70	45dB	5.3	428%	Night
4412	2025-03-09 21:33:58	71	45dB	5.7	466%	Night
4413	2025-03-09 21:35:27	?	45dB	?	?	Night
4414	2025-03-09 21:36:45	70	45dB	5.3	428%	Night
4415	2025-03-09 21:38:13	71	45dB	6.1	506%	Night
4416	2025-03-09 21:39:32	70	45dB	5.3	428%	Night
4417	2025-03-09 21:41:02	70	45dB	5.7	466%	Night
4418	2025-03-09 21:42:25	74	45dB	7.5	646%	Night
4419	2025-03-09 21:43:56	69	45dB	4.9	392%	Night
4420	2025-03-09 21:45:22	?	45dB	?	?	Night
4421	2025-03-09 21:47:01	?	45dB	?	?	Night
4422	2025-03-09 21:48:54	70	45dB	5.7	466%	Night
4423	2025-03-09 21:50:25	69	45dB	5.3	428%	Night
4424	2025-03-09 21:52:22	70	45dB	5.7	466%	Night
4425	2025-03-09 21:53:57	69	45dB	4.9	392%	Night
4426	2025-03-09 21:55:32	69	45dB	5.3	428%	Night
4427	2025-03-09 21:57:21	68	45dB	4.6	359%	Night
4428	2025-03-09 21:58:53	71	45dB	6.1	506%	Night
4429	2025-03-09 22:00:32	?	45dB	?	?	Night
4430	2025-03-09 22:02:22	69	45dB	5.3	428%	Night
4431	2025-03-09 22:03:56	72	45dB	6.1	506%	Night
4432	2025-03-09 22:05:36	69	45dB	5.3	428%	Night
4433	2025-03-09 22:09:26	71	45dB	5.7	466%	Night
4434	2025-03-09 22:11:33	74	45dB	7.0	596%	Night
4435	2025-03-09 22:13:48	70	45dB	5.3	428%	Night
4436	2025-03-09 22:15:51	70	45dB	5.7	466%	Night
4437	2025-03-09 22:17:22	71	45dB	5.7	466%	Night
4438	2025-03-09 22:19:34	72	45dB	6.1	506%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4439	2025-03-09 22:20:52	?	45dB	?	?	Night
4440	2025-03-09 22:22:48	69	45dB	5.3	428%	Night
4441	2025-03-09 22:24:54	?	45dB	?	?	Night
4442	2025-03-09 22:26:11	68	45dB	4.9	392%	Night
4443	2025-03-09 22:27:45	76	45dB	8.0	700%	Night
4444	2025-03-09 22:29:41	73	45dB	7.0	596%	Night
4445	2025-03-09 22:32:00	72	45dB	6.5	550%	Night
4446	2025-03-09 22:33:48	?	45dB	?	?	Night
4447	2025-03-09 22:36:24	68	45dB	4.9	392%	Night
4448	2025-03-09 22:39:17	?	45dB	?	?	Night
4449	2025-03-09 22:42:44	?	45dB	?	?	Night
4450	2025-03-09 22:45:26	74	45dB	7.5	646%	Night
4451	2025-03-09 22:48:06	74	45dB	7.0	596%	Night
4452	2025-03-09 22:52:30	68	45dB	4.9	392%	Night
4453	2025-03-09 22:54:56	70	45dB	5.7	466%	Night
4454	2025-03-09 23:01:18	71	45dB	5.7	466%	Night
4455	2025-03-09 23:06:38	73	45dB	6.5	550%	Night
4456	2025-03-09 23:09:42	68	45dB	4.9	392%	Night
4457	2025-03-09 23:12:53	?	45dB	?	?	Night
4458	2025-03-09 23:16:11	75	45dB	8.0	700%	Night
4459	2025-03-09 23:18:08	67	45dB	4.3	329%	Night
4460	2025-03-09 23:21:44	?	45dB	?	?	Night
4461	2025-03-09 23:25:18	69	45dB	5.3	428%	Night
4462	2025-03-09 23:27:42	?	45dB	?	?	Night
4463	2025-03-09 23:29:56	71	45dB	6.1	506%	Night
4464	2025-03-09 23:33:07	72	45dB	6.1	506%	Night
4465	2025-03-09 23:35:54	71	45dB	5.7	466%	Night
4466	2025-03-09 23:38:58	75	45dB	7.5	646%	Night
4467	2025-03-09 23:41:58	74	45dB	7.5	646%	Night
4468	2025-03-09 23:44:46	69	45dB	5.3	428%	Night
4469	2025-03-09 23:46:56	71	45dB	5.7	466%	Night
4470	2025-03-09 23:49:03	70	45dB	5.3	428%	Night
4471	2025-03-09 23:51:03	?	45dB	?	?	Night
4472	2025-03-09 23:54:27	75	45dB	7.5	646%	Night
4473	2025-03-09 23:59:56	?	45dB	?	?	Night
4474	2025-03-10 00:03:38	71	45dB	5.7	466%	Night
4475	2025-03-10 00:06:24	71	45dB	6.1	506%	Night
4476	2025-03-10 00:09:05	75	45dB	8.0	700%	Night
4477	2025-03-10 00:10:50	72	45dB	6.1	506%	Night
4478	2025-03-10 00:12:13	74	45dB	7.0	596%	Night
4479	2025-03-10 00:14:52	73	45dB	6.5	550%	Night
4480	2025-03-10 00:17:31	62	45dB	3.2	225%	Night
4481	2025-03-10 00:20:04	73	45dB	7.0	596%	Night
4482	2025-03-10 00:21:45	79	45dB	10.6	956%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4483	2025-03-10 00:25:02	75	45dB	7.5	646%	Night
4484	2025-03-10 00:26:18	71	45dB	6.1	506%	Night
4485	2025-03-10 00:28:50	72	45dB	6.5	550%	Night
4486	2025-03-10 00:31:44	73	45dB	6.5	550%	Night
4487	2025-03-10 00:34:07	75	45dB	8.0	700%	Night
4488	2025-03-10 00:36:54	71	45dB	6.1	506%	Night
4489	2025-03-10 00:43:30	72	45dB	6.5	550%	Night
4490	2025-03-10 00:46:14	74	45dB	7.5	646%	Night
4491	2025-03-10 00:51:08	71	45dB	6.1	506%	Night
4492	2025-03-10 00:59:01	72	45dB	6.1	506%	Night
4493	2025-03-10 01:03:10	75	45dB	8.0	700%	Night
4494	2025-03-10 01:14:37	73	45dB	6.5	550%	Night
4495	2025-03-10 01:18:06	72	45dB	6.1	506%	Night
4496	2025-03-10 01:22:04	75	45dB	7.5	646%	Night
4497	2025-03-10 01:26:02	75	45dB	8.0	700%	Night
4498	2025-03-10 01:40:31	72	45dB	6.5	550%	Night
4499	2025-03-10 01:58:58	74	45dB	7.0	596%	Night
4500	2025-03-10 02:07:38	73	45dB	7.0	596%	Night
4501	2025-03-10 02:16:25	71	45dB	6.1	506%	Night
4502	2025-03-10 02:18:49	69	45dB	5.3	428%	Night
4503	2025-03-10 02:28:08	78	45dB	9.8	885%	Night
4504	2025-03-10 02:31:02	74	45dB	7.5	646%	Night
4505	2025-03-10 02:42:18	76	45dB	8.6	757%	Night
4506	2025-03-10 02:54:30	73	45dB	7.0	596%	Night
4507	2025-03-10 03:50:58	?	45dB	?	?	Night
4508	2025-03-10 05:09:25	71	45dB	5.7	466%	Night
4509	2025-03-10 05:33:36	71	45dB	5.7	466%	Night
4510	2025-03-10 05:36:01	72	45dB	6.5	550%	Night
4511	2025-03-10 05:38:32	70	45dB	5.7	466%	Night
4512	2025-03-10 05:44:48	69	45dB	4.9	392%	Night
4513	2025-03-10 05:48:51	75	45dB	7.5	646%	Night
4514	2025-03-10 05:50:46	82	45dB	12.1	1113%	Night
4515	2025-03-10 05:52:31	71	45dB	6.1	506%	Night
4516	2025-03-10 06:08:20	73	45dB	6.5	550%	Night
4517	2025-03-10 06:21:27	71	45dB	6.1	506%	Night
4518	2025-03-10 06:30:03	73	45dB	7.0	596%	Night
4519	2025-03-10 06:32:21	71	45dB	5.7	466%	Night
4520	2025-03-10 06:33:43	68	45dB	4.9	392%	Night
4521	2025-03-10 06:36:13	69	45dB	5.3	428%	Night
4522	2025-03-10 06:37:25	70	45dB	5.3	428%	Night
4523	2025-03-10 06:38:47	69	45dB	5.3	428%	Night
4524	2025-03-10 06:39:56	68	45dB	4.9	392%	Night
4525	2025-03-10 06:41:28	70	45dB	5.7	466%	Night
4526	2025-03-10 06:42:57	72	45dB	6.5	550%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4527	2025-03-10 06:45:01	71	45dB	6.1	506%	Night
4528	2025-03-10 06:46:56	72	45dB	6.5	550%	Night
4529	2025-03-10 06:48:26	70	45dB	5.7	466%	Night
4530	2025-03-10 06:49:56	69	45dB	4.9	392%	Night
4531	2025-03-10 06:51:52	68	45dB	4.9	392%	Night
4532	2025-03-10 06:54:41	68	45dB	4.6	359%	Night
4533	2025-03-10 06:56:58	70	45dB	5.3	428%	Night
4534	2025-03-10 07:02:46	68	55dB	2.3	130%	Day
4535	2025-03-10 07:04:45	70	55dB	2.6	164%	Day
4536	2025-03-10 07:06:18	?	55dB	?	?	Day
4537	2025-03-10 07:09:47	71	55dB	2.8	183%	Day
4538	2025-03-10 07:11:48	73	55dB	3.2	225%	Day
4539	2025-03-10 07:14:18	69	55dB	2.6	164%	Day
4540	2025-03-10 07:16:26	68	55dB	2.5	146%	Day
4541	2025-03-10 07:18:26	73	55dB	3.5	248%	Day
4542	2025-03-10 07:19:35	67	55dB	2.1	114%	Day
4543	2025-03-10 07:20:42	73	55dB	3.5	248%	Day
4544	2025-03-10 07:22:10	68	55dB	2.3	130%	Day
4545	2025-03-10 07:23:17	67	55dB	2.3	130%	Day
4546	2025-03-10 07:24:48	69	55dB	2.5	146%	Day
4547	2025-03-10 07:26:35	70	55dB	2.6	164%	Day
4548	2025-03-10 07:28:35	74	55dB	3.5	248%	Day
4549	2025-03-10 07:32:50	?	55dB	?	?	Day
4550	2025-03-10 07:37:15	74	55dB	3.7	273%	Day
4551	2025-03-10 07:49:57	68	55dB	2.5	146%	Day
4552	2025-03-10 07:52:39	73	55dB	3.2	225%	Day
4553	2025-03-10 07:55:26	71	55dB	3.0	203%	Day
4554	2025-03-10 07:58:11	75	55dB	3.7	273%	Day
4555	2025-03-10 08:00:55	73	55dB	3.2	225%	Day
4556	2025-03-10 08:02:41	71	55dB	2.8	183%	Day
4557	2025-03-10 08:04:31	70	55dB	2.6	164%	Day
4558	2025-03-10 08:06:39	72	55dB	3.2	225%	Day
4559	2025-03-10 08:09:23	75	55dB	4.0	300%	Day
4560	2025-03-10 08:17:59	68	55dB	2.5	146%	Day
4561	2025-03-10 08:23:50	72	55dB	3.2	225%	Day
4562	2025-03-10 08:29:58	71	55dB	3.0	203%	Day
4563	2025-03-10 08:32:14	68	55dB	2.5	146%	Day
4564	2025-03-10 08:34:16	71	55dB	2.8	183%	Day
4565	2025-03-10 08:37:06	73	55dB	3.5	248%	Day
4566	2025-03-10 09:10:00	71	55dB	3.0	203%	Day
4567	2025-03-10 09:17:13	?	55dB	?	?	Day
4568	2025-03-10 09:23:31	?	55dB	?	?	Day
4569	2025-03-10 09:32:42	68	55dB	2.3	130%	Day
4570	2025-03-10 09:34:49	74	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4571	2025-03-10 09:38:01	?	55dB	?	?	Day
4572	2025-03-10 09:41:09	69	55dB	2.5	146%	Day
4573	2025-03-10 09:49:27	70	55dB	2.8	183%	Day
4574	2025-03-10 09:56:19	70	55dB	2.8	183%	Day
4575	2025-03-10 10:08:15	72	55dB	3.2	225%	Day
4576	2025-03-10 10:18:20	72	55dB	3.0	203%	Day
4577	2025-03-10 10:20:46	68	55dB	2.5	146%	Day
4578	2025-03-10 10:22:21	69	55dB	2.5	146%	Day
4579	2025-03-10 10:23:56	69	55dB	2.5	146%	Day
4580	2025-03-10 10:25:23	?	55dB	?	?	Day
4581	2025-03-10 10:27:06	77	55dB	4.6	359%	Day
4582	2025-03-10 10:28:32	?	55dB	?	?	Day
4583	2025-03-10 10:31:51	?	55dB	?	?	Day
4584	2025-03-10 10:36:50	68	55dB	2.3	130%	Day
4585	2025-03-10 10:39:10	67	55dB	2.3	130%	Day
4586	2025-03-10 10:42:02	69	55dB	2.5	146%	Day
4587	2025-03-10 10:44:57	70	55dB	2.6	164%	Day
4588	2025-03-10 10:46:44	69	55dB	2.6	164%	Day
4589	2025-03-10 10:55:44	71	55dB	2.8	183%	Day
4590	2025-03-10 10:57:36	69	55dB	2.5	146%	Day
4591	2025-03-10 10:59:15	72	55dB	3.0	203%	Day
4592	2025-03-10 11:00:44	?	55dB	?	?	Day
4593	2025-03-10 11:02:19	70	55dB	2.6	164%	Day
4594	2025-03-10 11:04:19	?	55dB	?	?	Day
4595	2025-03-10 11:11:49	67	55dB	2.1	114%	Day
4596	2025-03-10 11:14:19	71	55dB	3.0	203%	Day
4597	2025-03-10 11:16:20	70	55dB	2.6	164%	Day
4598	2025-03-10 11:17:40	67	55dB	2.1	114%	Day
4599	2025-03-10 11:19:17	66	55dB	2.0	100%	Day
4600	2025-03-10 11:20:33	69	55dB	2.6	164%	Day
4601	2025-03-10 11:22:57	?	55dB	?	?	Day
4602	2025-03-10 11:24:55	71	55dB	3.0	203%	Day
4603	2025-03-10 11:26:17	71	55dB	2.8	183%	Day
4604	2025-03-10 11:27:34	71	55dB	2.8	183%	Day
4605	2025-03-10 11:29:17	?	55dB	?	?	Day
4606	2025-03-10 11:30:28	69	55dB	2.5	146%	Day
4607	2025-03-10 11:32:13	?	55dB	?	?	Day
4608	2025-03-10 11:35:00	?	55dB	?	?	Day
4609	2025-03-10 11:36:45	72	55dB	3.0	203%	Day
4610	2025-03-10 11:41:15	71	55dB	2.8	183%	Day
4611	2025-03-10 11:49:38	69	55dB	2.6	164%	Day
4612	2025-03-10 11:55:43	71	55dB	2.8	183%	Day
4613	2025-03-10 11:58:07	79	55dB	4.9	392%	Day
4614	2025-03-10 12:04:04	68	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4615	2025-03-10 12:05:44	68	55dB	2.5	146%	Day
4616	2025-03-10 12:07:20	?	55dB	?	?	Day
4617	2025-03-10 12:09:04	71	55dB	3.0	203%	Day
4618	2025-03-10 12:10:19	68	55dB	2.3	130%	Day
4619	2025-03-10 12:11:41	68	55dB	2.3	130%	Day
4620	2025-03-10 12:13:16	71	55dB	2.8	183%	Day
4621	2025-03-10 12:14:43	69	55dB	2.5	146%	Day
4622	2025-03-10 12:16:05	78	55dB	4.6	359%	Day
4623	2025-03-10 12:17:25	70	55dB	2.8	183%	Day
4624	2025-03-10 12:21:27	69	55dB	2.5	146%	Day
4625	2025-03-10 12:32:14	72	55dB	3.0	203%	Day
4626	2025-03-10 12:33:46	69	55dB	2.5	146%	Day
4627	2025-03-10 12:35:46	69	55dB	2.6	164%	Day
4628	2025-03-10 12:37:15	69	55dB	2.5	146%	Day
4629	2025-03-10 12:38:50	71	55dB	2.8	183%	Day
4630	2025-03-10 12:40:27	74	55dB	3.7	273%	Day
4631	2025-03-10 12:46:23	72	55dB	3.0	203%	Day
4632	2025-03-10 12:47:52	69	55dB	2.5	146%	Day
4633	2025-03-10 12:52:50	69	55dB	2.5	146%	Day
4634	2025-03-10 12:57:54	68	55dB	2.3	130%	Day
4635	2025-03-10 12:59:35	69	55dB	2.5	146%	Day
4636	2025-03-10 13:01:35	?	55dB	?	?	Day
4637	2025-03-10 13:03:18	73	55dB	3.2	225%	Day
4638	2025-03-10 13:04:41	67	55dB	2.3	130%	Day
4639	2025-03-10 13:05:56	70	55dB	2.6	164%	Day
4640	2025-03-10 13:10:06	71	55dB	2.8	183%	Day
4641	2025-03-10 13:11:42	68	55dB	2.5	146%	Day
4642	2025-03-10 13:13:27	70	55dB	2.6	164%	Day
4643	2025-03-10 13:14:40	?	55dB	?	?	Day
4644	2025-03-10 13:15:52	72	55dB	3.2	225%	Day
4645	2025-03-10 13:17:42	?	55dB	?	?	Day
4646	2025-03-10 13:19:33	70	55dB	2.6	164%	Day
4647	2025-03-10 13:23:20	71	55dB	2.8	183%	Day
4648	2025-03-10 13:24:40	69	55dB	2.5	146%	Day
4649	2025-03-10 13:29:37	71	55dB	2.8	183%	Day
4650	2025-03-10 13:31:34	70	55dB	2.8	183%	Day
4651	2025-03-10 13:32:55	70	55dB	2.6	164%	Day
4652	2025-03-10 13:34:14	67	55dB	2.1	114%	Day
4653	2025-03-10 13:35:30	67	55dB	2.3	130%	Day
4654	2025-03-10 13:40:00	70	55dB	2.8	183%	Day
4655	2025-03-10 13:43:19	71	55dB	2.8	183%	Day
4656	2025-03-10 13:45:32	70	55dB	2.8	183%	Day
4657	2025-03-10 13:57:08	69	55dB	2.6	164%	Day
4658	2025-03-10 14:01:19	74	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4659	2025-03-10 14:03:10	79	55dB	4.9	392%	Day
4660	2025-03-10 14:04:46	72	55dB	3.2	225%	Day
4661	2025-03-10 14:10:27	73	55dB	3.5	248%	Day
4662	2025-03-10 14:13:06	72	55dB	3.0	203%	Day
4663	2025-03-10 14:15:20	?	55dB	?	?	Day
4664	2025-03-10 14:20:33	70	55dB	2.6	164%	Day
4665	2025-03-10 14:22:19	70	55dB	2.6	164%	Day
4666	2025-03-10 14:24:42	72	55dB	3.2	225%	Day
4667	2025-03-10 14:29:54	69	55dB	2.6	164%	Day
4668	2025-03-10 14:31:55	72	55dB	3.0	203%	Day
4669	2025-03-10 14:33:34	69	55dB	2.6	164%	Day
4670	2025-03-10 14:35:10	67	55dB	2.3	130%	Day
4671	2025-03-10 14:36:50	69	55dB	2.6	164%	Day
4672	2025-03-10 14:38:20	74	55dB	3.5	248%	Day
4673	2025-03-10 14:40:34	69	55dB	2.5	146%	Day
4674	2025-03-10 14:41:55	71	55dB	3.0	203%	Day
4675	2025-03-10 14:43:19	69	55dB	2.5	146%	Day
4676	2025-03-10 14:44:46	75	55dB	4.0	300%	Day
4677	2025-03-10 14:46:08	73	55dB	3.5	248%	Day
4678	2025-03-10 14:48:49	68	55dB	2.3	130%	Day
4679	2025-03-10 14:50:07	68	55dB	2.5	146%	Day
4680	2025-03-10 14:54:20	?	55dB	?	?	Day
4681	2025-03-10 14:56:54	73	55dB	3.5	248%	Day
4682	2025-03-10 14:59:04	70	55dB	2.6	164%	Day
4683	2025-03-10 15:00:39	71	55dB	3.0	203%	Day
4684	2025-03-10 15:06:02	72	55dB	3.2	225%	Day
4685	2025-03-10 15:08:07	70	55dB	2.8	183%	Day
4686	2025-03-10 15:09:38	70	55dB	2.6	164%	Day
4687	2025-03-10 15:23:43	67	55dB	2.3	130%	Day
4688	2025-03-10 15:25:25	70	55dB	2.6	164%	Day
4689	2025-03-10 15:27:26	?	55dB	?	?	Day
4690	2025-03-10 15:31:45	71	55dB	3.0	203%	Day
4691	2025-03-10 15:33:18	72	55dB	3.0	203%	Day
4692	2025-03-10 15:35:04	?	55dB	?	?	Day
4693	2025-03-10 15:36:30	70	55dB	2.8	183%	Day
4694	2025-03-10 15:38:02	69	55dB	2.5	146%	Day
4695	2025-03-10 15:39:28	71	55dB	3.0	203%	Day
4696	2025-03-10 15:40:57	67	55dB	2.1	114%	Day
4697	2025-03-10 15:42:14	69	55dB	2.6	164%	Day
4698	2025-03-10 15:43:56	72	55dB	3.2	225%	Day
4699	2025-03-10 15:45:20	78	55dB	4.9	392%	Day
4700	2025-03-10 15:47:38	?	55dB	?	?	Day
4701	2025-03-10 15:48:50	70	55dB	2.8	183%	Day
4702	2025-03-10 15:50:06	72	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4703	2025-03-10 15:51:30	?	55dB	?	?	Day
4704	2025-03-10 15:52:54	73	55dB	3.5	248%	Day
4705	2025-03-10 15:55:02	?	55dB	?	?	Day
4706	2025-03-10 15:56:18	69	55dB	2.5	146%	Day
4707	2025-03-10 15:57:38	70	55dB	2.8	183%	Day
4708	2025-03-10 15:58:50	69	55dB	2.5	146%	Day
4709	2025-03-10 16:00:35	69	55dB	2.5	146%	Day
4710	2025-03-10 16:02:11	72	55dB	3.2	225%	Day
4711	2025-03-10 16:04:28	72	55dB	3.0	203%	Day
4712	2025-03-10 16:06:20	70	55dB	2.8	183%	Day
4713	2025-03-10 16:07:43	71	55dB	2.8	183%	Day
4714	2025-03-10 16:09:03	82	55dB	6.1	506%	Day
4715	2025-03-10 16:11:26	72	55dB	3.2	225%	Day
4716	2025-03-10 16:13:14	74	55dB	3.5	248%	Day
4717	2025-03-10 16:15:06	71	55dB	3.0	203%	Day
4718	2025-03-10 16:17:02	?	55dB	?	?	Day
4719	2025-03-10 16:18:30	?	55dB	?	?	Day
4720	2025-03-10 16:20:40	71	55dB	2.8	183%	Day
4721	2025-03-10 16:24:46	77	55dB	4.6	359%	Day
4722	2025-03-10 16:34:48	73	55dB	3.5	248%	Day
4723	2025-03-10 16:37:36	71	55dB	3.0	203%	Day
4724	2025-03-10 16:40:32	73	55dB	3.5	248%	Day
4725	2025-03-10 16:42:36	72	55dB	3.2	225%	Day
4726	2025-03-10 16:45:18	79	55dB	4.9	392%	Day
4727	2025-03-10 16:47:36	75	55dB	3.7	273%	Day
4728	2025-03-10 16:49:49	77	55dB	4.6	359%	Day
4729	2025-03-10 16:52:39	71	55dB	2.8	183%	Day
4730	2025-03-10 16:54:49	69	55dB	2.6	164%	Day
4731	2025-03-10 16:57:21	71	55dB	2.8	183%	Day
4732	2025-03-10 17:00:13	71	55dB	2.8	183%	Day
4733	2025-03-10 17:04:10	75	55dB	4.0	300%	Day
4734	2025-03-10 17:06:16	66	55dB	2.1	114%	Day
4735	2025-03-10 17:09:32	77	55dB	4.6	359%	Day
4736	2025-03-10 17:11:48	77	55dB	4.6	359%	Day
4737	2025-03-10 17:20:27	70	55dB	2.8	183%	Day
4738	2025-03-10 17:22:37	72	55dB	3.2	225%	Day
4739	2025-03-10 17:24:43	72	55dB	3.0	203%	Day
4740	2025-03-10 17:26:54	71	55dB	3.0	203%	Day
4741	2025-03-10 17:29:25	72	55dB	3.0	203%	Day
4742	2025-03-10 17:31:40	72	55dB	3.0	203%	Day
4743	2025-03-10 17:33:41	72	55dB	3.2	225%	Day
4744	2025-03-10 17:48:34	74	55dB	3.5	248%	Day
4745	2025-03-10 17:52:56	70	55dB	2.8	183%	Day
4746	2025-03-10 17:55:15	68	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4747	2025-03-10 17:57:37	72	55dB	3.2	225%	Day
4748	2025-03-10 17:59:38	71	55dB	3.0	203%	Day
4749	2025-03-10 18:01:45	76	55dB	4.0	300%	Day
4750	2025-03-10 18:03:52	71	55dB	3.0	203%	Day
4751	2025-03-10 18:05:56	71	55dB	3.0	203%	Day
4752	2025-03-10 18:08:10	73	55dB	3.2	225%	Day
4753	2025-03-10 18:10:19	75	55dB	3.7	273%	Day
4754	2025-03-10 18:12:30	74	55dB	3.5	248%	Day
4755	2025-03-10 18:22:52	73	55dB	3.5	248%	Day
4756	2025-03-10 18:25:00	74	55dB	3.5	248%	Day
4757	2025-03-10 18:27:12	70	55dB	2.8	183%	Day
4758	2025-03-10 18:29:47	71	55dB	2.8	183%	Day
4759	2025-03-10 18:32:07	70	55dB	2.8	183%	Day
4760	2025-03-10 18:34:16	74	55dB	3.5	248%	Day
4761	2025-03-10 18:36:32	72	55dB	3.2	225%	Day
4762	2025-03-10 18:40:55	71	55dB	3.0	203%	Day
4763	2025-03-10 18:43:04	73	55dB	3.5	248%	Day
4764	2025-03-10 18:46:00	73	55dB	3.2	225%	Day
4765	2025-03-10 18:48:32	74	55dB	3.5	248%	Day
4766	2025-03-10 18:55:34	74	55dB	3.5	248%	Day
4767	2025-03-10 18:59:25	73	55dB	3.2	225%	Day
4768	2025-03-10 19:02:25	78	45dB	9.2	819%	Night
4769	2025-03-10 19:11:55	72	45dB	6.1	506%	Night
4770	2025-03-10 19:19:11	77	45dB	9.2	819%	Night
4771	2025-03-10 19:21:27	74	45dB	7.0	596%	Night
4772	2025-03-10 19:23:39	73	45dB	6.5	550%	Night
4773	2025-03-10 19:25:56	73	45dB	7.0	596%	Night
4774	2025-03-10 19:29:15	77	45dB	9.2	819%	Night
4775	2025-03-10 19:31:58	75	45dB	8.0	700%	Night
4776	2025-03-10 19:36:47	70	45dB	5.7	466%	Night
4777	2025-03-10 19:42:14	70	45dB	5.7	466%	Night
4778	2025-03-10 19:44:22	73	45dB	6.5	550%	Night
4779	2025-03-10 19:46:24	72	45dB	6.5	550%	Night
4780	2025-03-10 19:49:53	?	45dB	?	?	Night
4781	2025-03-10 19:52:15	73	45dB	7.0	596%	Night
4782	2025-03-10 19:54:51	72	45dB	6.5	550%	Night
4783	2025-03-10 19:57:25	75	45dB	7.5	646%	Night
4784	2025-03-10 19:59:43	71	45dB	6.1	506%	Night
4785	2025-03-10 20:02:22	74	45dB	7.5	646%	Night
4786	2025-03-10 20:04:35	72	45dB	6.5	550%	Night
4787	2025-03-10 20:09:17	79	45dB	10.6	956%	Night
4788	2025-03-10 20:11:28	78	45dB	9.2	819%	Night
4789	2025-03-10 20:13:55	74	45dB	7.0	596%	Night
4790	2025-03-10 20:16:31	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4791	2025-03-10 20:19:45	73	45dB	6.5	550%	Night
4792	2025-03-10 20:23:38	73	45dB	7.0	596%	Night
4793	2025-03-10 20:32:15	72	45dB	6.1	506%	Night
4794	2025-03-10 20:34:33	72	45dB	6.5	550%	Night
4795	2025-03-10 20:36:50	77	45dB	9.2	819%	Night
4796	2025-03-10 20:39:33	73	45dB	6.5	550%	Night
4797	2025-03-10 20:45:05	77	45dB	8.6	757%	Night
4798	2025-03-10 20:47:23	75	45dB	7.5	646%	Night
4799	2025-03-10 20:49:41	77	45dB	8.6	757%	Night
4800	2025-03-10 20:51:36	74	45dB	7.5	646%	Night
4801	2025-03-10 20:53:11	69	45dB	5.3	428%	Night
4802	2025-03-10 20:55:10	69	45dB	4.9	392%	Night
4803	2025-03-10 20:57:09	73	45dB	6.5	550%	Night
4804	2025-03-10 20:58:43	70	45dB	5.3	428%	Night
4805	2025-03-10 21:00:11	73	45dB	6.5	550%	Night
4806	2025-03-10 21:02:23	71	45dB	5.7	466%	Night
4807	2025-03-10 21:03:41	70	45dB	5.7	466%	Night
4808	2025-03-10 21:05:37	70	45dB	5.7	466%	Night
4809	2025-03-10 21:09:20	81	45dB	11.3	1031%	Night
4810	2025-03-10 21:11:37	69	45dB	5.3	428%	Night
4811	2025-03-10 21:14:05	68	45dB	4.9	392%	Night
4812	2025-03-10 21:16:22	72	45dB	6.5	550%	Night
4813	2025-03-10 21:17:54	72	45dB	6.5	550%	Night
4814	2025-03-10 21:20:05	68	45dB	4.9	392%	Night
4815	2025-03-10 21:21:22	?	45dB	?	?	Night
4816	2025-03-10 21:22:52	?	45dB	?	?	Night
4817	2025-03-10 21:24:16	69	45dB	4.9	392%	Night
4818	2025-03-10 21:28:34	71	45dB	5.7	466%	Night
4819	2025-03-10 21:31:34	75	45dB	8.0	700%	Night
4820	2025-03-10 21:34:13	73	45dB	6.5	550%	Night
4821	2025-03-10 21:36:22	70	45dB	5.3	428%	Night
4822	2025-03-10 21:37:37	?	45dB	?	?	Night
4823	2025-03-10 21:38:56	?	45dB	?	?	Night
4824	2025-03-10 21:40:15	67	45dB	4.6	359%	Night
4825	2025-03-10 21:41:46	73	45dB	6.5	550%	Night
4826	2025-03-10 21:45:53	72	45dB	6.5	550%	Night
4827	2025-03-10 21:47:26	73	45dB	6.5	550%	Night
4828	2025-03-10 21:53:15	71	45dB	5.7	466%	Night
4829	2025-03-10 21:56:01	70	45dB	5.3	428%	Night
4830	2025-03-10 21:57:43	69	45dB	5.3	428%	Night
4831	2025-03-10 21:59:36	68	45dB	4.6	359%	Night
4832	2025-03-10 22:01:24	71	45dB	5.7	466%	Night
4833	2025-03-10 22:03:14	68	45dB	4.6	359%	Night
4834	2025-03-10 22:04:48	72	45dB	6.1	506%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4835	2025-03-10 22:07:22	72	45dB	6.5	550%	Night
4836	2025-03-10 22:09:07	73	45dB	7.0	596%	Night
4837	2025-03-10 22:11:21	72	45dB	6.5	550%	Night
4838	2025-03-10 22:13:15	68	45dB	4.6	359%	Night
4839	2025-03-10 22:14:58	67	45dB	4.6	359%	Night
4840	2025-03-10 22:17:03	70	45dB	5.3	428%	Night
4841	2025-03-10 22:19:00	72	45dB	6.1	506%	Night
4842	2025-03-10 22:21:45	71	45dB	5.7	466%	Night
4843	2025-03-10 22:23:40	?	45dB	?	?	Night
4844	2025-03-10 22:25:40	?	45dB	?	?	Night
4845	2025-03-10 22:27:16	?	45dB	?	?	Night
4846	2025-03-10 22:28:32	69	45dB	4.9	392%	Night
4847	2025-03-10 22:30:12	69	45dB	4.9	392%	Night
4848	2025-03-10 22:32:39	76	45dB	8.6	757%	Night
4849	2025-03-10 22:35:02	67	45dB	4.6	359%	Night
4850	2025-03-10 22:36:32	?	45dB	?	?	Night
4851	2025-03-10 22:38:12	70	45dB	5.7	466%	Night
4852	2025-03-10 22:40:32	68	45dB	4.9	392%	Night
4853	2025-03-10 22:56:01	?	45dB	?	?	Night
4854	2025-03-10 23:01:09	69	45dB	5.3	428%	Night
4855	2025-03-10 23:03:11	71	45dB	6.1	506%	Night
4856	2025-03-10 23:05:12	?	45dB	?	?	Night
4857	2025-03-10 23:07:05	?	45dB	?	?	Night
4858	2025-03-10 23:08:36	71	45dB	6.1	506%	Night
4859	2025-03-10 23:10:30	68	45dB	4.9	392%	Night
4860	2025-03-10 23:14:16	67	45dB	4.3	329%	Night
4861	2025-03-10 23:19:44	68	45dB	4.6	359%	Night
4862	2025-03-10 23:24:40	69	45dB	4.9	392%	Night
4863	2025-03-10 23:26:50	68	45dB	4.9	392%	Night
4864	2025-03-10 23:29:52	69	45dB	5.3	428%	Night
4865	2025-03-10 23:35:37	68	45dB	4.6	359%	Night
4866	2025-03-10 23:37:18	72	45dB	6.5	550%	Night
4867	2025-03-10 23:40:00	72	45dB	6.1	506%	Night
4868	2025-03-10 23:41:54	69	45dB	4.9	392%	Night
4869	2025-03-10 23:43:26	?	45dB	?	?	Night
4870	2025-03-10 23:45:04	71	45dB	5.7	466%	Night
4871	2025-03-10 23:46:25	67	45dB	4.3	329%	Night
4872	2025-03-10 23:47:58	71	45dB	6.1	506%	Night
4873	2025-03-10 23:53:39	72	45dB	6.1	506%	Night
4874	2025-03-10 23:56:11	71	45dB	6.1	506%	Night
4875	2025-03-11 00:01:33	76	45dB	8.0	700%	Night
4876	2025-03-11 00:05:20	71	45dB	6.1	506%	Night
4877	2025-03-11 00:08:34	71	45dB	5.7	466%	Night
4878	2025-03-11 00:11:18	68	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4879	2025-03-11 00:15:37	74	45dB	7.5	646%	Night
4880	2025-03-11 00:22:09	73	45dB	6.5	550%	Night
4881	2025-03-11 00:26:54	76	45dB	8.0	700%	Night
4882	2025-03-11 00:34:28	72	45dB	6.5	550%	Night
4883	2025-03-11 00:38:42	70	45dB	5.7	466%	Night
4884	2025-03-11 00:44:03	73	45dB	6.5	550%	Night
4885	2025-03-11 00:46:42	71	45dB	6.1	506%	Night
4886	2025-03-11 00:49:30	72	45dB	6.1	506%	Night
4887	2025-03-11 00:53:30	74	45dB	7.5	646%	Night
4888	2025-03-11 00:55:46	74	45dB	7.0	596%	Night
4889	2025-03-11 00:58:10	76	45dB	8.0	700%	Night
4890	2025-03-11 01:01:35	?	45dB	?	?	Night
4891	2025-03-11 01:05:35	73	45dB	6.5	550%	Night
4892	2025-03-11 01:20:08	73	45dB	6.5	550%	Night
4893	2025-03-11 01:31:56	70	45dB	5.3	428%	Night
4894	2025-03-11 01:35:24	70	45dB	5.7	466%	Night
4895	2025-03-11 01:47:43	72	45dB	6.5	550%	Night
4896	2025-03-11 02:02:57	73	45dB	7.0	596%	Night
4897	2025-03-11 02:05:45	73	45dB	7.0	596%	Night
4898	2025-03-11 02:07:57	76	45dB	8.0	700%	Night
4899	2025-03-11 02:27:34	73	45dB	6.5	550%	Night
4900	2025-03-11 02:45:30	70	45dB	5.7	466%	Night
4901	2025-03-11 03:05:28	71	45dB	6.1	506%	Night
4902	2025-03-11 03:23:25	70	45dB	5.7	466%	Night
4903	2025-03-11 04:17:33	78	45dB	9.8	885%	Night
4904	2025-03-11 04:51:16	76	45dB	8.6	757%	Night
4905	2025-03-11 05:01:41	64	45dB	3.7	273%	Night
4906	2025-03-11 05:15:13	74	45dB	7.5	646%	Night
4907	2025-03-11 05:22:30	74	45dB	7.0	596%	Night
4908	2025-03-11 05:25:32	73	45dB	7.0	596%	Night
4909	2025-03-11 05:31:03	70	45dB	5.7	466%	Night
4910	2025-03-11 05:33:37	72	45dB	6.5	550%	Night
4911	2025-03-11 05:37:45	71	45dB	6.1	506%	Night
4912	2025-03-11 05:42:48	69	45dB	4.9	392%	Night
4913	2025-03-11 05:48:07	77	45dB	8.6	757%	Night
4914	2025-03-11 05:53:07	72	45dB	6.5	550%	Night
4915	2025-03-11 05:55:28	72	45dB	6.5	550%	Night
4916	2025-03-11 06:01:22	77	45dB	9.2	819%	Night
4917	2025-03-11 06:04:02	78	45dB	9.2	819%	Night
4918	2025-03-11 06:08:35	74	45dB	7.0	596%	Night
4919	2025-03-11 06:11:36	71	45dB	5.7	466%	Night
4920	2025-03-11 06:13:56	73	45dB	7.0	596%	Night
4921	2025-03-11 06:30:41	70	45dB	5.3	428%	Night
4922	2025-03-11 06:32:15	75	45dB	8.0	700%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4923	2025-03-11 06:33:33	75	45dB	8.0	700%	Night
4924	2025-03-11 06:35:38	71	45dB	5.7	466%	Night
4925	2025-03-11 06:36:55	71	45dB	5.7	466%	Night
4926	2025-03-11 06:38:20	69	45dB	5.3	428%	Night
4927	2025-03-11 06:39:47	?	45dB	?	?	Night
4928	2025-03-11 06:41:19	70	45dB	5.3	428%	Night
4929	2025-03-11 06:43:25	69	45dB	4.9	392%	Night
4930	2025-03-11 06:44:43	70	45dB	5.7	466%	Night
4931	2025-03-11 06:46:02	69	45dB	4.9	392%	Night
4932	2025-03-11 06:47:18	71	45dB	6.1	506%	Night
4933	2025-03-11 06:48:42	71	45dB	6.1	506%	Night
4934	2025-03-11 06:49:56	72	45dB	6.5	550%	Night
4935	2025-03-11 06:51:35	72	45dB	6.5	550%	Night
4936	2025-03-11 06:52:58	?	45dB	?	?	Night
4937	2025-03-11 06:54:23	81	45dB	11.3	1031%	Night
4938	2025-03-11 06:55:58	?	45dB	?	?	Night
4939	2025-03-11 06:57:38	69	45dB	4.9	392%	Night
4940	2025-03-11 06:59:26	?	45dB	?	?	Night
4941	2025-03-11 07:01:25	70	55dB	2.8	183%	Day
4942	2025-03-11 07:04:53	70	55dB	2.6	164%	Day
4943	2025-03-11 07:08:03	68	55dB	2.5	146%	Day
4944	2025-03-11 07:11:34	67	55dB	2.3	130%	Day
4945	2025-03-11 07:14:25	69	55dB	2.6	164%	Day
4946	2025-03-11 07:23:27	70	55dB	2.8	183%	Day
4947	2025-03-11 07:26:27	?	55dB	?	?	Day
4948	2025-03-11 07:38:45	?	55dB	?	?	Day
4949	2025-03-11 07:40:44	71	55dB	3.0	203%	Day
4950	2025-03-11 07:43:07	?	55dB	?	?	Day
4951	2025-03-11 07:49:11	?	55dB	?	?	Day
4952	2025-03-11 07:55:41	68	55dB	2.3	130%	Day
4953	2025-03-11 07:57:44	76	55dB	4.0	300%	Day
4954	2025-03-11 07:59:46	72	55dB	3.0	203%	Day
4955	2025-03-11 08:04:10	70	55dB	2.8	183%	Day
4956	2025-03-11 08:08:08	69	55dB	2.6	164%	Day
4957	2025-03-11 08:10:10	?	55dB	?	?	Day
4958	2025-03-11 08:11:45	69	55dB	2.6	164%	Day
4959	2025-03-11 08:14:47	71	55dB	2.8	183%	Day
4960	2025-03-11 08:16:28	69	55dB	2.6	164%	Day
4961	2025-03-11 08:26:34	?	55dB	?	?	Day
4962	2025-03-11 08:28:14	75	55dB	3.7	273%	Day
4963	2025-03-11 08:29:58	69	55dB	2.6	164%	Day
4964	2025-03-11 08:31:32	?	55dB	?	?	Day
4965	2025-03-11 08:36:49	?	55dB	?	?	Day
4966	2025-03-11 08:48:25	70	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

4967	2025-03-11 08:54:08	76	55dB	4.3	329%	Day
4968	2025-03-11 08:57:21	70	55dB	2.8	183%	Day
4969	2025-03-11 09:10:44	73	55dB	3.2	225%	Day
4970	2025-03-11 09:14:02	70	55dB	2.8	183%	Day
4971	2025-03-11 09:24:34	74	55dB	3.7	273%	Day
4972	2025-03-11 09:27:34	71	55dB	2.8	183%	Day
4973	2025-03-11 09:32:01	72	55dB	3.0	203%	Day
4974	2025-03-11 09:34:41	70	55dB	2.6	164%	Day
4975	2025-03-11 09:36:57	72	55dB	3.0	203%	Day
4976	2025-03-11 09:39:20	77	55dB	4.3	329%	Day
4977	2025-03-11 09:46:25	72	55dB	3.2	225%	Day
4978	2025-03-11 09:51:51	71	55dB	2.8	183%	Day
4979	2025-03-11 09:57:48	75	55dB	3.7	273%	Day
4980	2025-03-11 10:03:48	73	55dB	3.2	225%	Day
4981	2025-03-11 10:10:56	71	55dB	3.0	203%	Day
4982	2025-03-11 10:19:21	72	55dB	3.2	225%	Day
4983	2025-03-11 10:22:12	74	55dB	3.7	273%	Day
4984	2025-03-11 10:27:18	73	55dB	3.2	225%	Day
4985	2025-03-11 10:32:32	?	55dB	?	?	Day
4986	2025-03-11 10:34:33	?	55dB	?	?	Day
4987	2025-03-11 10:36:34	70	55dB	2.6	164%	Day
4988	2025-03-11 10:38:03	72	55dB	3.0	203%	Day
4989	2025-03-11 10:39:48	78	55dB	4.6	359%	Day
4990	2025-03-11 10:43:43	?	55dB	?	?	Day
4991	2025-03-11 10:47:13	70	55dB	2.8	183%	Day
4992	2025-03-11 10:48:53	69	55dB	2.6	164%	Day
4993	2025-03-11 10:50:44	69	55dB	2.5	146%	Day
4994	2025-03-11 10:52:28	70	55dB	2.6	164%	Day
4995	2025-03-11 10:53:57	72	55dB	3.0	203%	Day
4996	2025-03-11 10:55:20	70	55dB	2.8	183%	Day
4997	2025-03-11 10:57:09	70	55dB	2.6	164%	Day
4998	2025-03-11 10:59:12	72	55dB	3.0	203%	Day
4999	2025-03-11 11:00:30	72	55dB	3.2	225%	Day
5000	2025-03-11 11:05:11	76	55dB	4.3	329%	Day
5001	2025-03-11 11:06:51	69	55dB	2.6	164%	Day
5002	2025-03-11 11:08:21	68	55dB	2.5	146%	Day
5003	2025-03-11 11:09:49	70	55dB	2.6	164%	Day
5004	2025-03-11 11:11:05	81	55dB	5.7	466%	Day
5005	2025-03-11 11:14:38	70	55dB	2.8	183%	Day
5006	2025-03-11 11:16:14	71	55dB	3.0	203%	Day
5007	2025-03-11 11:17:36	?	55dB	?	?	Day
5008	2025-03-11 11:18:52	?	55dB	?	?	Day
5009	2025-03-11 11:20:02	89	55dB	9.8	885%	Day
5010	2025-03-11 11:21:44	68	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5011	2025-03-11 11:23:04	81	55dB	6.1	506%	Day
5012	2025-03-11 11:24:22	67	55dB	2.3	130%	Day
5013	2025-03-11 11:25:32	74	55dB	3.7	273%	Day
5014	2025-03-11 11:27:00	68	55dB	2.5	146%	Day
5015	2025-03-11 11:28:32	74	55dB	3.7	273%	Day
5016	2025-03-11 11:29:42	?	55dB	?	?	Day
5017	2025-03-11 11:31:07	82	55dB	6.1	506%	Day
5018	2025-03-11 11:32:23	76	55dB	4.0	300%	Day
5019	2025-03-11 11:33:44	69	55dB	2.5	146%	Day
5020	2025-03-11 11:35:12	70	55dB	2.6	164%	Day
5021	2025-03-11 11:36:48	71	55dB	3.0	203%	Day
5022	2025-03-11 11:41:55	69	55dB	2.5	146%	Day
5023	2025-03-11 11:48:10	71	55dB	2.8	183%	Day
5024	2025-03-11 11:53:47	?	55dB	?	?	Day
5025	2025-03-11 11:59:20	77	55dB	4.3	329%	Day
5026	2025-03-11 12:01:09	70	55dB	2.8	183%	Day
5027	2025-03-11 12:03:16	76	55dB	4.0	300%	Day
5028	2025-03-11 12:04:45	68	55dB	2.3	130%	Day
5029	2025-03-11 12:06:20	71	55dB	2.8	183%	Day
5030	2025-03-11 12:08:23	?	55dB	?	?	Day
5031	2025-03-11 12:12:17	70	55dB	2.8	183%	Day
5032	2025-03-11 12:14:06	70	55dB	2.6	164%	Day
5033	2025-03-11 12:18:05	71	55dB	3.0	203%	Day
5034	2025-03-11 12:27:46	67	55dB	2.1	114%	Day
5035	2025-03-11 12:29:35	75	55dB	4.0	300%	Day
5036	2025-03-11 12:31:55	?	55dB	?	?	Day
5037	2025-03-11 12:33:57	72	55dB	3.2	225%	Day
5038	2025-03-11 12:35:39	73	55dB	3.2	225%	Day
5039	2025-03-11 12:38:07	70	55dB	2.8	183%	Day
5040	2025-03-11 12:41:26	83	55dB	6.5	550%	Day
5041	2025-03-11 12:43:27	74	55dB	3.7	273%	Day
5042	2025-03-11 12:45:32	?	55dB	?	?	Day
5043	2025-03-11 12:47:14	73	55dB	3.2	225%	Day
5044	2025-03-11 12:54:21	70	55dB	2.6	164%	Day
5045	2025-03-11 12:59:04	71	55dB	3.0	203%	Day
5046	2025-03-11 13:03:14	?	55dB	?	?	Day
5047	2025-03-11 13:05:31	78	55dB	4.9	392%	Day
5048	2025-03-11 13:08:42	72	55dB	3.0	203%	Day
5049	2025-03-11 13:10:14	79	55dB	4.9	392%	Day
5050	2025-03-11 13:11:48	77	55dB	4.3	329%	Day
5051	2025-03-11 13:19:26	81	55dB	5.7	466%	Day
5052	2025-03-11 13:21:39	?	55dB	?	?	Day
5053	2025-03-11 13:22:57	86	55dB	8.6	757%	Day
5054	2025-03-11 13:25:06	67	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5055	2025-03-11 13:28:56	78	55dB	4.6	359%	Day
5056	2025-03-11 13:31:09	?	55dB	?	?	Day
5057	2025-03-11 13:33:10	69	55dB	2.5	146%	Day
5058	2025-03-11 13:35:15	86	55dB	8.0	700%	Day
5059	2025-03-11 13:37:17	70	55dB	2.8	183%	Day
5060	2025-03-11 13:40:11	?	55dB	?	?	Day
5061	2025-03-11 13:41:26	69	55dB	2.6	164%	Day
5062	2025-03-11 13:42:49	79	55dB	5.3	428%	Day
5063	2025-03-11 13:46:30	86	55dB	8.0	700%	Day
5064	2025-03-11 13:49:10	72	55dB	3.0	203%	Day
5065	2025-03-11 13:54:11	?	55dB	?	?	Day
5066	2025-03-11 13:58:39	69	55dB	2.5	146%	Day
5067	2025-03-11 14:01:15	70	55dB	2.6	164%	Day
5068	2025-03-11 14:04:46	78	55dB	4.6	359%	Day
5069	2025-03-11 14:06:12	78	55dB	4.9	392%	Day
5070	2025-03-11 14:08:35	78	55dB	4.6	359%	Day
5071	2025-03-11 14:11:31	79	55dB	5.3	428%	Day
5072	2025-03-11 14:13:07	84	55dB	7.5	646%	Day
5073	2025-03-11 14:16:20	81	55dB	5.7	466%	Day
5074	2025-03-11 14:18:53	84	55dB	7.5	646%	Day
5075	2025-03-11 14:20:50	?	55dB	?	?	Day
5076	2025-03-11 14:22:16	70	55dB	2.8	183%	Day
5077	2025-03-11 14:23:56	70	55dB	2.6	164%	Day
5078	2025-03-11 14:25:28	69	55dB	2.6	164%	Day
5079	2025-03-11 14:29:26	84	55dB	7.5	646%	Day
5080	2025-03-11 14:30:53	75	55dB	3.7	273%	Day
5081	2025-03-11 14:38:22	86	55dB	8.6	757%	Day
5082	2025-03-11 14:40:53	70	55dB	2.8	183%	Day
5083	2025-03-11 14:48:52	75	55dB	3.7	273%	Day
5084	2025-03-11 14:53:46	88	55dB	9.2	819%	Day
5085	2025-03-11 14:55:23	?	55dB	?	?	Day
5086	2025-03-11 14:56:47	?	55dB	?	?	Day
5087	2025-03-11 14:58:28	72	55dB	3.2	225%	Day
5088	2025-03-11 15:00:20	72	55dB	3.0	203%	Day
5089	2025-03-11 15:02:35	74	55dB	3.7	273%	Day
5090	2025-03-11 15:04:28	71	55dB	2.8	183%	Day
5091	2025-03-11 15:08:36	72	55dB	3.2	225%	Day
5092	2025-03-11 15:11:46	78	55dB	4.9	392%	Day
5093	2025-03-11 15:16:03	70	55dB	2.8	183%	Day
5094	2025-03-11 15:17:37	?	55dB	?	?	Day
5095	2025-03-11 15:18:53	?	55dB	?	?	Day
5096	2025-03-11 15:20:08	80	55dB	5.3	428%	Day
5097	2025-03-11 15:21:27	83	55dB	7.0	596%	Day
5098	2025-03-11 15:22:39	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5099	2025-03-11 15:24:03	68	55dB	2.5	146%	Day
5100	2025-03-11 15:26:09	?	55dB	?	?	Day
5101	2025-03-11 15:28:33	?	55dB	?	?	Day
5102	2025-03-11 15:30:56	85	55dB	8.0	700%	Day
5103	2025-03-11 15:32:39	70	55dB	2.8	183%	Day
5104	2025-03-11 15:34:42	70	55dB	2.6	164%	Day
5105	2025-03-11 15:36:34	75	55dB	3.7	273%	Day
5106	2025-03-11 15:37:44	?	55dB	?	?	Day
5107	2025-03-11 15:39:03	?	55dB	?	?	Day
5108	2025-03-11 15:40:30	78	55dB	4.9	392%	Day
5109	2025-03-11 15:42:07	77	55dB	4.3	329%	Day
5110	2025-03-11 15:44:44	82	55dB	6.5	550%	Day
5111	2025-03-11 15:46:02	77	55dB	4.3	329%	Day
5112	2025-03-11 15:47:32	73	55dB	3.5	248%	Day
5113	2025-03-11 15:48:42	80	55dB	5.3	428%	Day
5114	2025-03-11 15:49:57	68	55dB	2.3	130%	Day
5115	2025-03-11 15:51:25	77	55dB	4.3	329%	Day
5116	2025-03-11 15:54:54	?	55dB	?	?	Day
5117	2025-03-11 15:56:06	70	55dB	2.6	164%	Day
5118	2025-03-11 15:57:16	?	55dB	?	?	Day
5119	2025-03-11 15:59:00	?	55dB	?	?	Day
5120	2025-03-11 16:01:43	?	55dB	?	?	Day
5121	2025-03-11 16:03:58	75	55dB	4.0	300%	Day
5122	2025-03-11 16:05:36	71	55dB	2.8	183%	Day
5123	2025-03-11 16:06:50	83	55dB	6.5	550%	Day
5124	2025-03-11 16:08:47	69	55dB	2.6	164%	Day
5125	2025-03-11 16:10:02	79	55dB	4.9	392%	Day
5126	2025-03-11 16:11:28	70	55dB	2.6	164%	Day
5127	2025-03-11 16:12:48	?	55dB	?	?	Day
5128	2025-03-11 16:14:14	86	55dB	8.6	757%	Day
5129	2025-03-11 16:15:23	77	55dB	4.6	359%	Day
5130	2025-03-11 16:17:25	67	55dB	2.3	130%	Day
5131	2025-03-11 16:18:57	?	55dB	?	?	Day
5132	2025-03-11 16:20:38	73	55dB	3.2	225%	Day
5133	2025-03-11 16:22:02	76	55dB	4.0	300%	Day
5134	2025-03-11 16:23:45	82	55dB	6.1	506%	Day
5135	2025-03-11 16:25:42	79	55dB	4.9	392%	Day
5136	2025-03-11 16:26:58	79	55dB	4.9	392%	Day
5137	2025-03-11 16:30:20	72	55dB	3.2	225%	Day
5138	2025-03-11 16:33:23	?	55dB	?	?	Day
5139	2025-03-11 16:36:14	?	55dB	?	?	Day
5140	2025-03-11 16:38:24	70	55dB	2.6	164%	Day
5141	2025-03-11 16:39:58	?	55dB	?	?	Day
5142	2025-03-11 16:42:15	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5143	2025-03-11 16:43:25	83	55dB	6.5	550%	Day
5144	2025-03-11 16:47:20	74	55dB	3.5	248%	Day
5145	2025-03-11 16:49:33	73	55dB	3.5	248%	Day
5146	2025-03-11 16:52:18	?	55dB	?	?	Day
5147	2025-03-11 16:53:54	68	55dB	2.5	146%	Day
5148	2025-03-11 16:55:30	?	55dB	?	?	Day
5149	2025-03-11 16:57:03	73	55dB	3.5	248%	Day
5150	2025-03-11 17:00:00	82	55dB	6.1	506%	Day
5151	2025-03-11 17:09:16	?	55dB	?	?	Day
5152	2025-03-11 17:11:12	?	55dB	?	?	Day
5153	2025-03-11 17:13:31	71	55dB	3.0	203%	Day
5154	2025-03-11 17:16:28	?	55dB	?	?	Day
5155	2025-03-11 17:19:18	?	55dB	?	?	Day
5156	2025-03-11 17:20:31	71	55dB	2.8	183%	Day
5157	2025-03-11 17:21:43	76	55dB	4.3	329%	Day
5158	2025-03-11 17:24:02	72	55dB	3.2	225%	Day
5159	2025-03-11 17:25:14	67	55dB	2.1	114%	Day
5160	2025-03-11 17:26:27	82	55dB	6.1	506%	Day
5161	2025-03-11 17:28:08	70	55dB	2.8	183%	Day
5162	2025-03-11 17:32:19	75	55dB	3.7	273%	Day
5163	2025-03-11 17:34:15	72	55dB	3.0	203%	Day
5164	2025-03-11 17:36:47	79	55dB	4.9	392%	Day
5165	2025-03-11 17:39:10	?	55dB	?	?	Day
5166	2025-03-11 17:40:32	71	55dB	2.8	183%	Day
5167	2025-03-11 17:41:41	67	55dB	2.1	114%	Day
5168	2025-03-11 17:42:42	73	55dB	3.5	248%	Day
5169	2025-03-11 17:44:11	74	55dB	3.5	248%	Day
5170	2025-03-11 17:46:42	?	55dB	?	?	Day
5171	2025-03-11 17:48:39	?	55dB	?	?	Day
5172	2025-03-11 17:50:10	71	55dB	3.0	203%	Day
5173	2025-03-11 17:53:02	80	55dB	5.7	466%	Day
5174	2025-03-11 17:54:58	?	55dB	?	?	Day
5175	2025-03-11 17:56:51	72	55dB	3.0	203%	Day
5176	2025-03-11 17:59:32	77	55dB	4.6	359%	Day
5177	2025-03-11 18:00:56	72	55dB	3.0	203%	Day
5178	2025-03-11 18:02:35	70	55dB	2.8	183%	Day
5179	2025-03-11 18:04:40	70	55dB	2.8	183%	Day
5180	2025-03-11 18:06:31	67	55dB	2.3	130%	Day
5181	2025-03-11 18:09:20	67	55dB	2.1	114%	Day
5182	2025-03-11 18:10:39	73	55dB	3.5	248%	Day
5183	2025-03-11 18:14:06	74	55dB	3.7	273%	Day
5184	2025-03-11 18:20:24	73	55dB	3.2	225%	Day
5185	2025-03-11 18:22:17	80	55dB	5.3	428%	Day
5186	2025-03-11 18:23:30	70	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5187	2025-03-11 18:25:02	76	55dB	4.0	300%	Day
5188	2025-03-11 18:26:39	74	55dB	3.7	273%	Day
5189	2025-03-11 18:29:33	72	55dB	3.0	203%	Day
5190	2025-03-11 18:31:46	78	55dB	4.9	392%	Day
5191	2025-03-11 18:33:50	73	55dB	3.5	248%	Day
5192	2025-03-11 18:35:56	74	55dB	3.5	248%	Day
5193	2025-03-11 18:38:01	70	55dB	2.8	183%	Day
5194	2025-03-11 18:39:22	73	55dB	3.5	248%	Day
5195	2025-03-11 18:41:25	74	55dB	3.5	248%	Day
5196	2025-03-11 18:43:44	74	55dB	3.5	248%	Day
5197	2025-03-11 18:45:57	75	55dB	4.0	300%	Day
5198	2025-03-11 18:47:58	74	55dB	3.5	248%	Day
5199	2025-03-11 18:49:56	68	55dB	2.5	146%	Day
5200	2025-03-11 18:52:01	73	55dB	3.2	225%	Day
5201	2025-03-11 18:54:40	73	55dB	3.5	248%	Day
5202	2025-03-11 18:57:10	76	55dB	4.3	329%	Day
5203	2025-03-11 18:59:33	73	55dB	3.5	248%	Day
5204	2025-03-11 19:01:55	72	45dB	6.5	550%	Night
5205	2025-03-11 19:10:44	74	45dB	7.0	596%	Night
5206	2025-03-11 19:12:35	72	45dB	6.1	506%	Night
5207	2025-03-11 19:14:31	76	45dB	8.6	757%	Night
5208	2025-03-11 19:16:44	72	45dB	6.1	506%	Night
5209	2025-03-11 19:20:34	72	45dB	6.5	550%	Night
5210	2025-03-11 19:24:16	69	45dB	4.9	392%	Night
5211	2025-03-11 19:27:20	74	45dB	7.0	596%	Night
5212	2025-03-11 19:29:38	75	45dB	7.5	646%	Night
5213	2025-03-11 19:32:09	73	45dB	6.5	550%	Night
5214	2025-03-11 19:37:17	73	45dB	6.5	550%	Night
5215	2025-03-11 19:42:12	72	45dB	6.1	506%	Night
5216	2025-03-11 19:44:21	73	45dB	6.5	550%	Night
5217	2025-03-11 19:47:10	72	45dB	6.1	506%	Night
5218	2025-03-11 19:49:35	74	45dB	7.5	646%	Night
5219	2025-03-11 19:52:20	77	45dB	8.6	757%	Night
5220	2025-03-11 19:54:04	72	45dB	6.1	506%	Night
5221	2025-03-11 19:58:26	74	45dB	7.0	596%	Night
5222	2025-03-11 20:03:23	70	45dB	5.3	428%	Night
5223	2025-03-11 20:05:30	74	45dB	7.0	596%	Night
5224	2025-03-11 20:07:28	70	45dB	5.7	466%	Night
5225	2025-03-11 20:09:51	71	45dB	5.7	466%	Night
5226	2025-03-11 20:14:12	74	45dB	7.5	646%	Night
5227	2025-03-11 20:19:47	72	45dB	6.1	506%	Night
5228	2025-03-11 20:23:38	74	45dB	7.0	596%	Night
5229	2025-03-11 20:25:32	77	45dB	8.6	757%	Night
5230	2025-03-11 20:26:46	70	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5231	2025-03-11 20:28:36	71	45dB	5.7	466%	Night
5232	2025-03-11 20:30:48	68	45dB	4.9	392%	Night
5233	2025-03-11 20:32:17	68	45dB	4.6	359%	Night
5234	2025-03-11 20:36:16	71	45dB	5.7	466%	Night
5235	2025-03-11 20:37:42	71	45dB	5.7	466%	Night
5236	2025-03-11 20:39:04	69	45dB	5.3	428%	Night
5237	2025-03-11 20:40:12	70	45dB	5.3	428%	Night
5238	2025-03-11 20:44:19	71	45dB	5.7	466%	Night
5239	2025-03-11 20:46:32	74	45dB	7.5	646%	Night
5240	2025-03-11 20:48:06	69	45dB	4.9	392%	Night
5241	2025-03-11 20:49:57	69	45dB	5.3	428%	Night
5242	2025-03-11 20:51:41	?	45dB	?	?	Night
5243	2025-03-11 20:52:58	71	45dB	6.1	506%	Night
5244	2025-03-11 20:54:10	78	45dB	9.2	819%	Night
5245	2025-03-11 20:55:09	68	45dB	4.6	359%	Night
5246	2025-03-11 20:56:16	69	45dB	5.3	428%	Night
5247	2025-03-11 20:57:21	71	45dB	5.7	466%	Night
5248	2025-03-11 20:58:56	?	45dB	?	?	Night
5249	2025-03-11 21:00:14	67	45dB	4.6	359%	Night
5250	2025-03-11 21:01:44	66	45dB	4.0	300%	Night
5251	2025-03-11 21:03:24	70	45dB	5.3	428%	Night
5252	2025-03-12 01:19:06	63	45dB	3.5	248%	Night
5253	2025-03-12 06:31:33	72	45dB	6.5	550%	Night
5254	2025-03-12 06:32:48	?	45dB	?	?	Night
5255	2025-03-12 06:33:52	68	45dB	4.9	392%	Night
5256	2025-03-12 06:35:14	66	45dB	4.0	300%	Night
5257	2025-03-12 06:36:05	71	45dB	5.7	466%	Night
5258	2025-03-12 06:37:03	?	45dB	?	?	Night
5259	2025-03-12 06:38:20	75	45dB	8.0	700%	Night
5260	2025-03-12 06:39:32	76	45dB	8.0	700%	Night
5261	2025-03-12 06:41:00	?	45dB	?	?	Night
5262	2025-03-12 06:43:52	?	45dB	?	?	Night
5263	2025-03-12 06:45:45	66	45dB	4.3	329%	Night
5264	2025-03-12 06:47:05	69	45dB	4.9	392%	Night
5265	2025-03-12 06:48:03	71	45dB	5.7	466%	Night
5266	2025-03-12 06:49:08	68	45dB	4.9	392%	Night
5267	2025-03-12 06:52:31	74	45dB	7.0	596%	Night
5268	2025-03-12 06:53:34	67	45dB	4.3	329%	Night
5269	2025-03-12 06:54:38	73	45dB	6.5	550%	Night
5270	2025-03-12 06:56:33	68	45dB	4.6	359%	Night
5271	2025-03-12 06:57:35	69	45dB	5.3	428%	Night
5272	2025-03-12 06:58:38	69	45dB	5.3	428%	Night
5273	2025-03-12 07:00:36	70	55dB	2.6	164%	Day
5274	2025-03-12 07:01:56	75	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5275	2025-03-12 07:03:08	73	55dB	3.2	225%	Day
5276	2025-03-12 07:04:20	?	55dB	?	?	Day
5277	2025-03-12 07:05:30	69	55dB	2.6	164%	Day
5278	2025-03-12 07:06:21	69	55dB	2.5	146%	Day
5279	2025-03-12 07:07:23	68	55dB	2.5	146%	Day
5280	2025-03-12 07:08:25	69	55dB	2.5	146%	Day
5281	2025-03-12 07:09:47	69	55dB	2.6	164%	Day
5282	2025-03-12 07:10:57	74	55dB	3.5	248%	Day
5283	2025-03-12 07:12:12	?	55dB	?	?	Day
5284	2025-03-12 07:13:33	68	55dB	2.3	130%	Day
5285	2025-03-12 07:14:37	?	55dB	?	?	Day
5286	2025-03-12 07:19:07	72	55dB	3.2	225%	Day
5287	2025-03-12 07:22:33	68	55dB	2.5	146%	Day
5288	2025-03-12 07:26:26	?	55dB	?	?	Day
5289	2025-03-12 07:27:54	?	55dB	?	?	Day
5290	2025-03-12 07:29:35	69	55dB	2.5	146%	Day
5291	2025-03-12 07:32:27	74	55dB	3.5	248%	Day
5292	2025-03-12 07:33:46	75	55dB	4.0	300%	Day
5293	2025-03-12 07:36:26	71	55dB	2.8	183%	Day
5294	2025-03-12 07:37:25	76	55dB	4.3	329%	Day
5295	2025-03-12 07:38:14	68	55dB	2.5	146%	Day
5296	2025-03-12 07:39:15	75	55dB	4.0	300%	Day
5297	2025-03-12 07:41:35	68	55dB	2.5	146%	Day
5298	2025-03-12 07:42:27	68	55dB	2.3	130%	Day
5299	2025-03-12 07:44:54	74	55dB	3.7	273%	Day
5300	2025-03-12 07:46:05	72	55dB	3.2	225%	Day
5301	2025-03-12 07:48:04	74	55dB	3.7	273%	Day
5302	2025-03-12 07:48:49	75	55dB	3.7	273%	Day
5303	2025-03-12 07:50:14	?	55dB	?	?	Day
5304	2025-03-12 07:51:04	?	55dB	?	?	Day
5305	2025-03-12 07:52:23	75	55dB	4.0	300%	Day
5306	2025-03-12 07:53:30	67	55dB	2.3	130%	Day
5307	2025-03-12 07:55:14	71	55dB	3.0	203%	Day
5308	2025-03-12 07:56:33	68	55dB	2.3	130%	Day
5309	2025-03-12 08:01:15	75	55dB	4.0	300%	Day
5310	2025-03-12 08:09:15	68	55dB	2.5	146%	Day
5311	2025-03-12 08:12:26	?	55dB	?	?	Day
5312	2025-03-12 08:14:02	?	55dB	?	?	Day
5313	2025-03-12 08:15:15	72	55dB	3.0	203%	Day
5314	2025-03-12 08:16:23	69	55dB	2.5	146%	Day
5315	2025-03-12 08:17:30	68	55dB	2.3	130%	Day
5316	2025-03-12 08:19:04	67	55dB	2.3	130%	Day
5317	2025-03-12 08:20:31	?	55dB	?	?	Day
5318	2025-03-12 08:22:56	72	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5319	2025-03-12 08:24:02	?	55dB	?	?	Day
5320	2025-03-12 08:27:40	72	55dB	3.0	203%	Day
5321	2025-03-12 08:33:04	76	55dB	4.0	300%	Day
5322	2025-03-12 08:35:48	69	55dB	2.6	164%	Day
5323	2025-03-12 08:38:58	69	55dB	2.5	146%	Day
5324	2025-03-12 08:41:12	73	55dB	3.2	225%	Day
5325	2025-03-12 08:44:02	?	55dB	?	?	Day
5326	2025-03-12 08:45:17	?	55dB	?	?	Day
5327	2025-03-12 08:48:55	74	55dB	3.7	273%	Day
5328	2025-03-12 08:50:24	?	55dB	?	?	Day
5329	2025-03-12 08:51:19	69	55dB	2.5	146%	Day
5330	2025-03-12 08:53:28	68	55dB	2.5	146%	Day
5331	2025-03-12 08:54:27	71	55dB	2.8	183%	Day
5332	2025-03-12 08:55:38	69	55dB	2.6	164%	Day
5333	2025-03-12 08:56:48	69	55dB	2.6	164%	Day
5334	2025-03-12 08:58:02	72	55dB	3.0	203%	Day
5335	2025-03-12 09:01:02	76	55dB	4.0	300%	Day
5336	2025-03-12 09:02:07	74	55dB	3.7	273%	Day
5337	2025-03-12 09:04:21	73	55dB	3.2	225%	Day
5338	2025-03-12 09:05:32	70	55dB	2.6	164%	Day
5339	2025-03-12 09:07:02	?	55dB	?	?	Day
5340	2025-03-12 09:08:20	?	55dB	?	?	Day
5341	2025-03-12 09:09:31	72	55dB	3.2	225%	Day
5342	2025-03-12 09:10:45	72	55dB	3.2	225%	Day
5343	2025-03-12 09:14:01	75	55dB	3.7	273%	Day
5344	2025-03-12 09:15:08	84	55dB	7.0	596%	Day
5345	2025-03-12 09:16:11	72	55dB	3.2	225%	Day
5346	2025-03-12 09:19:44	?	55dB	?	?	Day
5347	2025-03-12 09:21:02	70	55dB	2.6	164%	Day
5348	2025-03-12 09:22:15	71	55dB	3.0	203%	Day
5349	2025-03-12 09:24:46	?	55dB	?	?	Day
5350	2025-03-12 09:27:04	75	55dB	3.7	273%	Day
5351	2025-03-12 09:28:18	68	55dB	2.5	146%	Day
5352	2025-03-12 09:31:45	75	55dB	4.0	300%	Day
5353	2025-03-12 09:35:30	78	55dB	4.9	392%	Day
5354	2025-03-12 09:36:30	70	55dB	2.8	183%	Day
5355	2025-03-12 09:37:51	69	55dB	2.5	146%	Day
5356	2025-03-12 09:39:04	74	55dB	3.7	273%	Day
5357	2025-03-12 09:43:39	?	55dB	?	?	Day
5358	2025-03-12 09:45:48	73	55dB	3.2	225%	Day
5359	2025-03-12 09:46:56	69	55dB	2.6	164%	Day
5360	2025-03-12 09:48:00	70	55dB	2.8	183%	Day
5361	2025-03-12 09:49:14	69	55dB	2.5	146%	Day
5362	2025-03-12 09:50:34	73	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5363	2025-03-12 09:56:45	68	55dB	2.5	146%	Day
5364	2025-03-12 10:00:04	69	55dB	2.6	164%	Day
5365	2025-03-12 10:01:31	76	55dB	4.3	329%	Day
5366	2025-03-12 14:05:21	80	55dB	5.7	466%	Day
5367	2025-03-12 18:32:15	72	55dB	3.0	203%	Day
5368	2025-03-12 18:33:58	77	55dB	4.3	329%	Day
5369	2025-03-12 18:36:41	?	55dB	?	?	Day
5370	2025-03-12 18:41:47	68	55dB	2.5	146%	Day
5371	2025-03-12 18:44:09	?	55dB	?	?	Day
5372	2025-03-12 18:47:14	70	55dB	2.8	183%	Day
5373	2025-03-12 18:49:50	?	55dB	?	?	Day
5374	2025-03-12 18:52:00	73	55dB	3.2	225%	Day
5375	2025-03-12 18:54:38	?	55dB	?	?	Day
5376	2025-03-12 18:56:47	67	55dB	2.1	114%	Day
5377	2025-03-12 19:00:40	74	45dB	7.0	596%	Night
5378	2025-03-12 19:04:35	?	45dB	?	?	Night
5379	2025-03-12 19:09:02	?	45dB	?	?	Night
5380	2025-03-12 19:11:47	72	45dB	6.1	506%	Night
5381	2025-03-12 19:14:44	?	45dB	?	?	Night
5382	2025-03-12 19:25:39	67	45dB	4.6	359%	Night
5383	2025-03-12 19:28:00	74	45dB	7.5	646%	Night
5384	2025-03-12 19:42:43	74	45dB	7.5	646%	Night
5385	2025-03-12 19:43:57	75	45dB	8.0	700%	Night
5386	2025-03-12 19:49:34	?	45dB	?	?	Night
5387	2025-03-12 19:52:04	70	45dB	5.7	466%	Night
5388	2025-03-12 19:54:30	71	45dB	5.7	466%	Night
5389	2025-03-12 19:56:23	74	45dB	7.0	596%	Night
5390	2025-03-12 20:01:14	?	45dB	?	?	Night
5391	2025-03-12 20:04:04	67	45dB	4.6	359%	Night
5392	2025-03-12 20:06:44	?	45dB	?	?	Night
5393	2025-03-12 20:16:04	69	45dB	5.3	428%	Night
5394	2025-03-12 20:17:01	?	45dB	?	?	Night
5395	2025-03-12 20:17:56	69	45dB	4.9	392%	Night
5396	2025-03-12 20:19:08	70	45dB	5.7	466%	Night
5397	2025-03-12 20:20:58	72	45dB	6.5	550%	Night
5398	2025-03-12 21:20:42	?	45dB	?	?	Night
5399	2025-03-13 05:50:38	63	45dB	3.5	248%	Night
5400	2025-03-13 06:31:33	?	45dB	?	?	Night
5401	2025-03-13 06:32:26	67	45dB	4.6	359%	Night
5402	2025-03-13 06:33:26	72	45dB	6.5	550%	Night
5403	2025-03-13 06:34:10	72	45dB	6.1	506%	Night
5404	2025-03-13 06:34:57	74	45dB	7.5	646%	Night
5405	2025-03-13 06:35:58	71	45dB	6.1	506%	Night
5406	2025-03-13 06:37:38	67	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5407	2025-03-13 06:38:27	75	45dB	8.0	700%	Night
5408	2025-03-13 06:39:01	72	45dB	6.5	550%	Night
5409	2025-03-13 06:40:08	76	45dB	8.0	700%	Night
5410	2025-03-13 06:40:43	75	45dB	8.0	700%	Night
5411	2025-03-13 06:42:39	?	45dB	?	?	Night
5412	2025-03-13 06:43:30	75	45dB	8.0	700%	Night
5413	2025-03-13 06:44:20	74	45dB	7.5	646%	Night
5414	2025-03-13 06:45:22	76	45dB	8.6	757%	Night
5415	2025-03-13 06:46:08	?	45dB	?	?	Night
5416	2025-03-13 06:46:58	78	45dB	9.2	819%	Night
5417	2025-03-13 06:49:54	?	45dB	?	?	Night
5418	2025-03-13 06:51:12	74	45dB	7.5	646%	Night
5419	2025-03-13 06:51:54	76	45dB	8.0	700%	Night
5420	2025-03-13 06:52:40	74	45dB	7.5	646%	Night
5421	2025-03-13 06:55:27	73	45dB	7.0	596%	Night
5422	2025-03-13 06:57:02	?	45dB	?	?	Night
5423	2025-03-13 06:59:04	67	45dB	4.6	359%	Night
5424	2025-03-13 07:00:02	75	55dB	4.0	300%	Day
5425	2025-03-13 07:00:57	?	55dB	?	?	Day
5426	2025-03-13 07:02:03	74	55dB	3.7	273%	Day
5427	2025-03-13 07:02:28	68	55dB	2.5	146%	Day
5428	2025-03-13 07:03:44	72	55dB	3.2	225%	Day
5429	2025-03-13 07:10:06	74	55dB	3.7	273%	Day
5430	2025-03-13 07:12:36	?	55dB	?	?	Day
5431	2025-03-13 07:15:07	?	55dB	?	?	Day
5432	2025-03-13 07:16:41	74	55dB	3.7	273%	Day
5433	2025-03-13 07:18:53	72	55dB	3.2	225%	Day
5434	2025-03-13 07:19:44	78	55dB	4.9	392%	Day
5435	2025-03-13 07:22:31	?	55dB	?	?	Day
5436	2025-03-13 07:23:31	73	55dB	3.5	248%	Day
5437	2025-03-13 07:24:20	?	55dB	?	?	Day
5438	2025-03-13 07:25:07	?	55dB	?	?	Day
5439	2025-03-13 07:26:17	?	55dB	?	?	Day
5440	2025-03-13 07:28:11	71	55dB	2.8	183%	Day
5441	2025-03-13 07:29:10	?	55dB	?	?	Day
5442	2025-03-13 07:31:18	69	55dB	2.6	164%	Day
5443	2025-03-13 07:32:45	?	55dB	?	?	Day
5444	2025-03-13 07:34:48	68	55dB	2.3	130%	Day
5445	2025-03-13 07:37:30	69	55dB	2.5	146%	Day
5446	2025-03-13 07:38:27	?	55dB	?	?	Day
5447	2025-03-13 07:39:30	69	55dB	2.6	164%	Day
5448	2025-03-13 07:40:34	?	55dB	?	?	Day
5449	2025-03-13 07:42:06	68	55dB	2.5	146%	Day
5450	2025-03-13 07:43:07	74	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5451	2025-03-13 07:44:09	81	55dB	5.7	466%	Day
5452	2025-03-13 07:45:32	68	55dB	2.5	146%	Day
5453	2025-03-13 07:46:26	70	55dB	2.6	164%	Day
5454	2025-03-13 07:47:32	69	55dB	2.6	164%	Day
5455	2025-03-13 07:50:34	?	55dB	?	?	Day
5456	2025-03-13 07:51:44	75	55dB	3.7	273%	Day
5457	2025-03-13 07:55:37	?	55dB	?	?	Day
5458	2025-03-13 07:56:26	74	55dB	3.5	248%	Day
5459	2025-03-13 07:57:10	?	55dB	?	?	Day
5460	2025-03-13 07:58:05	73	55dB	3.2	225%	Day
5461	2025-03-13 07:59:03	?	55dB	?	?	Day
5462	2025-03-13 08:02:54	71	55dB	2.8	183%	Day
5463	2025-03-13 08:04:27	?	55dB	?	?	Day
5464	2025-03-13 08:05:36	68	55dB	2.5	146%	Day
5465	2025-03-13 08:06:58	71	55dB	2.8	183%	Day
5466	2025-03-13 08:08:05	68	55dB	2.5	146%	Day
5467	2025-03-13 08:09:06	69	55dB	2.5	146%	Day
5468	2025-03-13 08:09:48	74	55dB	3.7	273%	Day
5469	2025-03-13 08:10:41	67	55dB	2.3	130%	Day
5470	2025-03-13 08:12:04	78	55dB	4.9	392%	Day
5471	2025-03-13 08:12:44	71	55dB	3.0	203%	Day
5472	2025-03-13 08:15:04	68	55dB	2.5	146%	Day
5473	2025-03-13 08:16:10	72	55dB	3.0	203%	Day
5474	2025-03-13 08:18:55	68	55dB	2.3	130%	Day
5475	2025-03-13 08:19:40	74	55dB	3.7	273%	Day
5476	2025-03-13 08:20:30	73	55dB	3.5	248%	Day
5477	2025-03-13 08:21:28	73	55dB	3.5	248%	Day
5478	2025-03-13 08:22:18	72	55dB	3.2	225%	Day
5479	2025-03-13 08:25:15	68	55dB	2.5	146%	Day
5480	2025-03-13 08:26:50	?	55dB	?	?	Day
5481	2025-03-13 08:27:50	71	55dB	3.0	203%	Day
5482	2025-03-13 08:30:07	?	55dB	?	?	Day
5483	2025-03-13 08:31:26	?	55dB	?	?	Day
5484	2025-03-13 08:34:03	?	55dB	?	?	Day
5485	2025-03-13 08:35:06	76	55dB	4.3	329%	Day
5486	2025-03-13 08:35:56	75	55dB	4.0	300%	Day
5487	2025-03-13 08:36:40	75	55dB	4.0	300%	Day
5488	2025-03-13 08:37:56	73	55dB	3.5	248%	Day
5489	2025-03-13 08:39:04	73	55dB	3.5	248%	Day
5490	2025-03-13 08:40:09	73	55dB	3.2	225%	Day
5491	2025-03-13 08:41:04	76	55dB	4.0	300%	Day
5492	2025-03-13 08:41:58	?	55dB	?	?	Day
5493	2025-03-13 08:43:12	72	55dB	3.2	225%	Day
5494	2025-03-13 08:43:51	76	55dB	4.3	329%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5495	2025-03-13 08:46:27	75	55dB	4.0	300%	Day
5496	2025-03-13 08:47:13	77	55dB	4.3	329%	Day
5497	2025-03-13 08:49:20	76	55dB	4.0	300%	Day
5498	2025-03-13 08:50:18	?	55dB	?	?	Day
5499	2025-03-13 08:52:08	70	55dB	2.6	164%	Day
5500	2025-03-13 08:54:45	75	55dB	4.0	300%	Day
5501	2025-03-13 08:56:02	?	55dB	?	?	Day
5502	2025-03-13 08:57:14	69	55dB	2.5	146%	Day
5503	2025-03-13 08:58:51	70	55dB	2.6	164%	Day
5504	2025-03-13 09:00:32	72	55dB	3.2	225%	Day
5505	2025-03-13 09:01:52	?	55dB	?	?	Day
5506	2025-03-13 09:03:30	69	55dB	2.6	164%	Day
5507	2025-03-13 09:05:21	?	55dB	?	?	Day
5508	2025-03-13 09:08:26	?	55dB	?	?	Day
5509	2025-03-13 09:10:08	71	55dB	3.0	203%	Day
5510	2025-03-13 09:11:27	?	55dB	?	?	Day
5511	2025-03-13 09:13:44	?	55dB	?	?	Day
5512	2025-03-13 09:16:00	70	55dB	2.8	183%	Day
5513	2025-03-13 09:16:28	?	55dB	?	?	Day
5514	2025-03-13 09:17:32	69	55dB	2.6	164%	Day
5515	2025-03-13 09:18:26	70	55dB	2.6	164%	Day
5516	2025-03-13 09:19:30	72	55dB	3.0	203%	Day
5517	2025-03-13 09:22:52	71	55dB	3.0	203%	Day
5518	2025-03-13 09:25:01	70	55dB	2.8	183%	Day
5519	2025-03-13 09:30:16	?	55dB	?	?	Day
5520	2025-03-13 09:31:32	74	55dB	3.7	273%	Day
5521	2025-03-13 09:33:23	73	55dB	3.2	225%	Day
5522	2025-03-13 09:34:01	71	55dB	3.0	203%	Day
5523	2025-03-13 09:35:02	74	55dB	3.5	248%	Day
5524	2025-03-13 09:36:04	72	55dB	3.2	225%	Day
5525	2025-03-13 09:37:04	?	55dB	?	?	Day
5526	2025-03-13 09:38:24	71	55dB	2.8	183%	Day
5527	2025-03-13 09:39:08	?	55dB	?	?	Day
5528	2025-03-13 09:43:04	67	55dB	2.3	130%	Day
5529	2025-03-13 09:44:04	70	55dB	2.8	183%	Day
5530	2025-03-13 09:45:26	69	55dB	2.6	164%	Day
5531	2025-03-13 09:47:11	72	55dB	3.2	225%	Day
5532	2025-03-13 09:48:02	69	55dB	2.6	164%	Day
5533	2025-03-13 09:48:49	73	55dB	3.5	248%	Day
5534	2025-03-13 09:49:39	76	55dB	4.0	300%	Day
5535	2025-03-13 09:50:27	77	55dB	4.6	359%	Day
5536	2025-03-13 09:51:10	77	55dB	4.3	329%	Day
5537	2025-03-13 09:52:02	?	55dB	?	?	Day
5538	2025-03-13 09:53:02	70	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5539	2025-03-13 09:54:19	74	55dB	3.7	273%	Day
5540	2025-03-13 09:55:14	70	55dB	2.6	164%	Day
5541	2025-03-13 09:55:58	72	55dB	3.2	225%	Day
5542	2025-03-13 09:57:12	?	55dB	?	?	Day
5543	2025-03-13 09:58:27	75	55dB	3.7	273%	Day
5544	2025-03-13 10:00:30	75	55dB	4.0	300%	Day
5545	2025-03-13 10:01:12	75	55dB	3.7	273%	Day
5546	2025-03-13 10:02:07	70	55dB	2.8	183%	Day
5547	2025-03-13 10:03:12	70	55dB	2.6	164%	Day
5548	2025-03-13 10:04:20	70	55dB	2.8	183%	Day
5549	2025-03-13 10:05:21	?	55dB	?	?	Day
5550	2025-03-13 10:07:41	72	55dB	3.2	225%	Day
5551	2025-03-13 10:08:32	71	55dB	3.0	203%	Day
5552	2025-03-13 10:09:21	74	55dB	3.7	273%	Day
5553	2025-03-13 10:10:25	73	55dB	3.2	225%	Day
5554	2025-03-13 10:11:10	?	55dB	?	?	Day
5555	2025-03-13 10:12:18	70	55dB	2.8	183%	Day
5556	2025-03-13 10:13:23	73	55dB	3.2	225%	Day
5557	2025-03-13 10:14:06	69	55dB	2.6	164%	Day
5558	2025-03-13 10:16:30	75	55dB	4.0	300%	Day
5559	2025-03-13 10:17:47	70	55dB	2.6	164%	Day
5560	2025-03-13 10:18:55	78	55dB	4.6	359%	Day
5561	2025-03-13 10:19:39	?	55dB	?	?	Day
5562	2025-03-13 10:20:33	74	55dB	3.7	273%	Day
5563	2025-03-13 10:24:24	75	55dB	4.0	300%	Day
5564	2025-03-13 10:28:23	?	55dB	?	?	Day
5565	2025-03-13 10:30:17	77	55dB	4.6	359%	Day
5566	2025-03-13 10:30:18	77	55dB	4.6	359%	Day
5567	2025-03-13 10:32:17	67	55dB	2.3	130%	Day
5568	2025-03-13 10:34:55	72	55dB	3.0	203%	Day
5569	2025-03-13 10:40:08	?	55dB	?	?	Day
5570	2025-03-13 10:44:18	68	55dB	2.5	146%	Day
5571	2025-03-13 10:45:27	?	55dB	?	?	Day
5572	2025-03-13 10:46:34	?	55dB	?	?	Day
5573	2025-03-13 10:47:56	69	55dB	2.6	164%	Day
5574	2025-03-13 10:49:04	72	55dB	3.0	203%	Day
5575	2025-03-13 10:49:48	?	55dB	?	?	Day
5576	2025-03-13 10:52:33	75	55dB	4.0	300%	Day
5577	2025-03-13 10:54:25	?	55dB	?	?	Day
5578	2025-03-13 10:55:37	?	55dB	?	?	Day
5579	2025-03-13 10:56:49	?	55dB	?	?	Day
5580	2025-03-13 11:00:16	?	55dB	?	?	Day
5581	2025-03-13 11:01:15	?	55dB	?	?	Day
5582	2025-03-13 11:02:50	69	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5583	2025-03-13 11:04:14	66	55dB	2.1	114%	Day
5584	2025-03-13 11:06:11	?	55dB	?	?	Day
5585	2025-03-13 11:08:47	67	55dB	2.1	114%	Day
5586	2025-03-13 11:10:22	88	55dB	9.8	885%	Day
5587	2025-03-13 11:14:26	74	55dB	3.5	248%	Day
5588	2025-03-13 11:15:49	?	55dB	?	?	Day
5589	2025-03-13 11:18:40	?	55dB	?	?	Day
5590	2025-03-13 11:20:31	?	55dB	?	?	Day
5591	2025-03-13 11:25:04	?	55dB	?	?	Day
5592	2025-03-13 11:38:32	?	55dB	?	?	Day
5593	2025-03-13 11:43:03	?	55dB	?	?	Day
5594	2025-03-13 11:44:28	?	55dB	?	?	Day
5595	2025-03-13 11:54:53	78	55dB	4.6	359%	Day
5596	2025-03-13 11:58:04	72	55dB	3.0	203%	Day
5597	2025-03-13 12:00:49	68	55dB	2.5	146%	Day
5598	2025-03-13 12:02:06	75	55dB	3.7	273%	Day
5599	2025-03-13 12:05:16	74	55dB	3.5	248%	Day
5600	2025-03-13 12:07:14	67	55dB	2.3	130%	Day
5601	2025-03-13 12:15:47	?	55dB	?	?	Day
5602	2025-03-13 12:20:15	75	55dB	4.0	300%	Day
5603	2025-03-13 15:29:02	?	55dB	?	?	Day
5604	2025-03-13 16:55:24	67	55dB	2.1	114%	Day
5605	2025-03-13 16:57:25	?	55dB	?	?	Day
5606	2025-03-13 16:58:57	69	55dB	2.6	164%	Day
5607	2025-03-13 17:00:26	69	55dB	2.6	164%	Day
5608	2025-03-13 17:02:03	74	55dB	3.5	248%	Day
5609	2025-03-13 17:04:31	71	55dB	3.0	203%	Day
5610	2025-03-13 17:06:01	73	55dB	3.2	225%	Day
5611	2025-03-13 17:08:18	?	55dB	?	?	Day
5612	2025-03-13 17:09:43	70	55dB	2.8	183%	Day
5613	2025-03-13 17:11:54	68	55dB	2.5	146%	Day
5614	2025-03-13 17:13:17	68	55dB	2.3	130%	Day
5615	2025-03-13 17:15:12	67	55dB	2.3	130%	Day
5616	2025-03-13 17:16:26	?	55dB	?	?	Day
5617	2025-03-13 17:17:39	70	55dB	2.6	164%	Day
5618	2025-03-13 17:18:58	74	55dB	3.5	248%	Day
5619	2025-03-13 17:21:09	?	55dB	?	?	Day
5620	2025-03-13 17:22:23	?	55dB	?	?	Day
5621	2025-03-13 17:23:34	69	55dB	2.5	146%	Day
5622	2025-03-13 17:24:51	67	55dB	2.3	130%	Day
5623	2025-03-13 17:26:04	68	55dB	2.5	146%	Day
5624	2025-03-13 17:27:24	?	55dB	?	?	Day
5625	2025-03-13 17:28:56	71	55dB	2.8	183%	Day
5626	2025-03-13 17:30:42	74	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5627	2025-03-13 17:32:32	75	55dB	3.7	273%	Day
5628	2025-03-13 17:34:42	70	55dB	2.6	164%	Day
5629	2025-03-13 17:35:50	70	55dB	2.6	164%	Day
5630	2025-03-13 17:37:07	?	55dB	?	?	Day
5631	2025-03-13 17:38:18	?	55dB	?	?	Day
5632	2025-03-13 17:39:37	68	55dB	2.3	130%	Day
5633	2025-03-13 17:40:48	69	55dB	2.5	146%	Day
5634	2025-03-13 17:42:11	70	55dB	2.8	183%	Day
5635	2025-03-13 17:44:31	68	55dB	2.3	130%	Day
5636	2025-03-13 17:46:23	?	55dB	?	?	Day
5637	2025-03-13 17:50:49	72	55dB	3.2	225%	Day
5638	2025-03-13 17:53:11	69	55dB	2.5	146%	Day
5639	2025-03-13 17:54:19	68	55dB	2.3	130%	Day
5640	2025-03-13 17:55:59	70	55dB	2.6	164%	Day
5641	2025-03-13 17:57:17	71	55dB	2.8	183%	Day
5642	2025-03-13 18:00:08	?	55dB	?	?	Day
5643	2025-03-13 18:02:01	69	55dB	2.5	146%	Day
5644	2025-03-13 18:04:34	69	55dB	2.6	164%	Day
5645	2025-03-13 18:06:20	68	55dB	2.5	146%	Day
5646	2025-03-13 18:11:35	69	55dB	2.5	146%	Day
5647	2025-03-13 18:13:39	70	55dB	2.8	183%	Day
5648	2025-03-13 18:15:56	68	55dB	2.3	130%	Day
5649	2025-03-13 18:17:09	69	55dB	2.5	146%	Day
5650	2025-03-13 18:18:23	68	55dB	2.3	130%	Day
5651	2025-03-13 18:19:22	68	55dB	2.5	146%	Day
5652	2025-03-13 18:20:36	69	55dB	2.5	146%	Day
5653	2025-03-13 18:21:49	70	55dB	2.8	183%	Day
5654	2025-03-13 18:23:05	75	55dB	3.7	273%	Day
5655	2025-03-13 18:25:21	?	55dB	?	?	Day
5656	2025-03-13 18:27:04	70	55dB	2.8	183%	Day
5657	2025-03-13 18:28:46	68	55dB	2.3	130%	Day
5658	2025-03-13 18:29:58	69	55dB	2.5	146%	Day
5659	2025-03-13 18:31:20	?	55dB	?	?	Day
5660	2025-03-13 18:32:39	73	55dB	3.2	225%	Day
5661	2025-03-13 18:34:05	?	55dB	?	?	Day
5662	2025-03-13 18:35:40	73	55dB	3.2	225%	Day
5663	2025-03-13 18:37:41	68	55dB	2.3	130%	Day
5664	2025-03-13 18:38:48	69	55dB	2.5	146%	Day
5665	2025-03-13 18:40:03	70	55dB	2.6	164%	Day
5666	2025-03-13 18:41:13	66	55dB	2.1	114%	Day
5667	2025-03-13 18:46:16	68	55dB	2.3	130%	Day
5668	2025-03-13 18:48:14	71	55dB	3.0	203%	Day
5669	2025-03-13 18:50:04	68	55dB	2.3	130%	Day
5670	2025-03-13 18:51:20	69	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5671	2025-03-13 18:52:33	68	55dB	2.3	130%	Day
5672	2025-03-13 18:53:48	68	55dB	2.5	146%	Day
5673	2025-03-13 18:55:02	68	55dB	2.3	130%	Day
5674	2025-03-13 18:56:08	?	55dB	?	?	Day
5675	2025-03-13 18:59:07	70	55dB	2.8	183%	Day
5676	2025-03-13 19:00:21	69	45dB	5.3	428%	Night
5677	2025-03-13 19:01:55	73	45dB	6.5	550%	Night
5678	2025-03-13 19:04:10	69	45dB	5.3	428%	Night
5679	2025-03-13 19:05:58	69	45dB	5.3	428%	Night
5680	2025-03-13 19:08:13	68	45dB	4.6	359%	Night
5681	2025-03-13 19:10:43	73	45dB	6.5	550%	Night
5682	2025-03-13 19:13:14	70	45dB	5.3	428%	Night
5683	2025-03-13 19:14:34	69	45dB	4.9	392%	Night
5684	2025-03-13 19:15:47	71	45dB	5.7	466%	Night
5685	2025-03-13 19:17:01	69	45dB	4.9	392%	Night
5686	2025-03-13 19:18:17	67	45dB	4.3	329%	Night
5687	2025-03-13 19:19:33	69	45dB	4.9	392%	Night
5688	2025-03-13 19:20:39	69	45dB	4.9	392%	Night
5689	2025-03-13 19:22:57	70	45dB	5.3	428%	Night
5690	2025-03-13 19:24:57	69	45dB	4.9	392%	Night
5691	2025-03-13 19:27:07	73	45dB	6.5	550%	Night
5692	2025-03-13 19:29:03	?	45dB	?	?	Night
5693	2025-03-13 19:33:05	67	45dB	4.3	329%	Night
5694	2025-03-13 19:34:19	82	45dB	12.1	1113%	Night
5695	2025-03-13 19:35:46	69	45dB	5.3	428%	Night
5696	2025-03-13 19:37:05	70	45dB	5.7	466%	Night
5697	2025-03-13 19:38:19	69	45dB	5.3	428%	Night
5698	2025-03-13 19:39:49	70	45dB	5.7	466%	Night
5699	2025-03-13 19:41:45	68	45dB	4.6	359%	Night
5700	2025-03-13 19:43:17	69	45dB	4.9	392%	Night
5701	2025-03-13 19:44:40	68	45dB	4.9	392%	Night
5702	2025-03-13 19:46:57	?	45dB	?	?	Night
5703	2025-03-13 19:49:26	70	45dB	5.3	428%	Night
5704	2025-03-13 19:52:06	69	45dB	4.9	392%	Night
5705	2025-03-13 19:53:41	73	45dB	6.5	550%	Night
5706	2025-03-13 19:56:06	68	45dB	4.9	392%	Night
5707	2025-03-13 19:57:33	68	45dB	4.9	392%	Night
5708	2025-03-13 19:58:55	69	45dB	4.9	392%	Night
5709	2025-03-13 20:00:32	69	45dB	4.9	392%	Night
5710	2025-03-13 20:01:44	69	45dB	4.9	392%	Night
5711	2025-03-13 20:03:21	69	45dB	4.9	392%	Night
5712	2025-03-13 20:05:47	69	45dB	4.9	392%	Night
5713	2025-03-13 20:08:31	68	45dB	4.9	392%	Night
5714	2025-03-13 20:09:42	70	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5715	2025-03-13 20:12:53	71	45dB	6.1	506%	Night
5716	2025-03-13 20:15:35	68	45dB	4.6	359%	Night
5717	2025-03-13 20:17:02	68	45dB	4.6	359%	Night
5718	2025-03-13 20:18:56	69	45dB	4.9	392%	Night
5719	2025-03-13 20:23:37	72	45dB	6.5	550%	Night
5720	2025-03-13 20:27:13	69	45dB	5.3	428%	Night
5721	2025-03-13 20:33:03	68	45dB	4.9	392%	Night
5722	2025-03-13 20:34:46	68	45dB	4.6	359%	Night
5723	2025-03-13 20:36:17	69	45dB	5.3	428%	Night
5724	2025-03-13 20:38:24	68	45dB	4.6	359%	Night
5725	2025-03-13 20:40:28	68	45dB	4.9	392%	Night
5726	2025-03-13 20:43:10	67	45dB	4.6	359%	Night
5727	2025-03-13 20:44:49	74	45dB	7.0	596%	Night
5728	2025-03-13 20:46:36	?	45dB	?	?	Night
5729	2025-03-13 20:48:04	68	45dB	4.6	359%	Night
5730	2025-03-13 20:50:33	77	45dB	8.6	757%	Night
5731	2025-03-13 20:51:44	68	45dB	4.9	392%	Night
5732	2025-03-13 20:53:06	69	45dB	5.3	428%	Night
5733	2025-03-13 20:54:28	69	45dB	5.3	428%	Night
5734	2025-03-13 20:55:44	?	45dB	?	?	Night
5735	2025-03-13 20:56:58	68	45dB	4.9	392%	Night
5736	2025-03-13 20:58:03	70	45dB	5.3	428%	Night
5737	2025-03-13 21:00:02	71	45dB	6.1	506%	Night
5738	2025-03-13 21:01:24	69	45dB	5.3	428%	Night
5739	2025-03-13 21:02:33	68	45dB	4.9	392%	Night
5740	2025-03-13 21:03:48	67	45dB	4.6	359%	Night
5741	2025-03-13 21:05:05	69	45dB	4.9	392%	Night
5742	2025-03-13 21:06:16	69	45dB	4.9	392%	Night
5743	2025-03-13 21:07:34	69	45dB	4.9	392%	Night
5744	2025-03-13 21:08:54	70	45dB	5.3	428%	Night
5745	2025-03-13 21:11:06	68	45dB	4.6	359%	Night
5746	2025-03-13 21:12:19	68	45dB	4.6	359%	Night
5747	2025-03-13 21:14:15	?	45dB	?	?	Night
5748	2025-03-13 21:15:41	70	45dB	5.3	428%	Night
5749	2025-03-13 21:17:35	69	45dB	4.9	392%	Night
5750	2025-03-13 21:18:52	69	45dB	4.9	392%	Night
5751	2025-03-13 21:20:24	72	45dB	6.5	550%	Night
5752	2025-03-13 21:23:50	69	45dB	4.9	392%	Night
5753	2025-03-13 21:26:00	68	45dB	4.9	392%	Night
5754	2025-03-13 21:27:37	70	45dB	5.3	428%	Night
5755	2025-03-13 21:32:46	68	45dB	4.6	359%	Night
5756	2025-03-13 21:34:49	68	45dB	4.6	359%	Night
5757	2025-03-13 21:36:56	68	45dB	4.6	359%	Night
5758	2025-03-13 21:38:10	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5759	2025-03-13 21:40:11	70	45dB	5.3	428%	Night
5760	2025-03-13 21:41:34	68	45dB	4.6	359%	Night
5761	2025-03-13 21:43:21	66	45dB	4.3	329%	Night
5762	2025-03-13 21:47:36	73	45dB	7.0	596%	Night
5763	2025-03-13 21:48:56	68	45dB	4.9	392%	Night
5764	2025-03-13 21:50:18	69	45dB	5.3	428%	Night
5765	2025-03-13 21:51:46	70	45dB	5.7	466%	Night
5766	2025-03-13 21:53:20	?	45dB	?	?	Night
5767	2025-03-13 21:54:45	67	45dB	4.3	329%	Night
5768	2025-03-13 21:57:53	72	45dB	6.5	550%	Night
5769	2025-03-13 21:59:58	69	45dB	5.3	428%	Night
5770	2025-03-13 22:01:25	68	45dB	4.9	392%	Night
5771	2025-03-13 22:02:41	68	45dB	4.9	392%	Night
5772	2025-03-13 22:04:23	68	45dB	4.6	359%	Night
5773	2025-03-13 22:07:49	73	45dB	6.5	550%	Night
5774	2025-03-13 22:10:19	70	45dB	5.3	428%	Night
5775	2025-03-13 22:12:10	67	45dB	4.6	359%	Night
5776	2025-03-13 22:14:28	66	45dB	4.0	300%	Night
5777	2025-03-13 22:17:23	67	45dB	4.6	359%	Night
5778	2025-03-13 22:19:04	?	45dB	?	?	Night
5779	2025-03-13 22:20:35	68	45dB	4.6	359%	Night
5780	2025-03-13 22:22:23	66	45dB	4.3	329%	Night
5781	2025-03-13 22:24:53	?	45dB	?	?	Night
5782	2025-03-13 22:27:56	?	45dB	?	?	Night
5783	2025-03-13 22:30:49	69	45dB	5.3	428%	Night
5784	2025-03-13 22:32:41	73	45dB	6.5	550%	Night
5785	2025-03-13 22:34:14	68	45dB	4.9	392%	Night
5786	2025-03-13 22:35:43	?	45dB	?	?	Night
5787	2025-03-13 22:37:07	69	45dB	5.3	428%	Night
5788	2025-03-13 22:38:46	?	45dB	?	?	Night
5789	2025-03-13 22:45:30	68	45dB	4.6	359%	Night
5790	2025-03-13 22:47:04	67	45dB	4.6	359%	Night
5791	2025-03-13 22:50:11	67	45dB	4.3	329%	Night
5792	2025-03-13 22:55:01	70	45dB	5.3	428%	Night
5793	2025-03-13 22:57:52	?	45dB	?	?	Night
5794	2025-03-13 23:01:38	69	45dB	5.3	428%	Night
5795	2025-03-13 23:13:02	?	45dB	?	?	Night
5796	2025-03-13 23:15:37	69	45dB	5.3	428%	Night
5797	2025-03-13 23:22:01	68	45dB	4.9	392%	Night
5798	2025-03-13 23:24:31	69	45dB	5.3	428%	Night
5799	2025-03-13 23:26:11	68	45dB	4.9	392%	Night
5800	2025-03-13 23:28:19	71	45dB	5.7	466%	Night
5801	2025-03-13 23:38:55	69	45dB	5.3	428%	Night
5802	2025-03-13 23:40:26	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5803	2025-03-13 23:42:21	69	45dB	5.3	428%	Night
5804	2025-03-13 23:49:35	66	45dB	4.0	300%	Night
5805	2025-03-13 23:53:35	66	45dB	4.3	329%	Night
5806	2025-03-13 23:57:47	69	45dB	4.9	392%	Night
5807	2025-03-13 23:59:56	?	45dB	?	?	Night
5808	2025-03-14 00:02:14	69	45dB	5.3	428%	Night
5809	2025-03-14 00:04:26	72	45dB	6.1	506%	Night
5810	2025-03-14 00:05:42	68	45dB	4.6	359%	Night
5811	2025-03-14 00:07:00	68	45dB	4.9	392%	Night
5812	2025-03-14 00:08:51	69	45dB	4.9	392%	Night
5813	2025-03-14 00:10:23	79	45dB	9.8	885%	Night
5814	2025-03-14 00:12:15	71	45dB	5.7	466%	Night
5815	2025-03-14 00:15:07	70	45dB	5.7	466%	Night
5816	2025-03-14 00:17:32	68	45dB	4.9	392%	Night
5817	2025-03-14 00:22:16	75	45dB	7.5	646%	Night
5818	2025-03-14 15:05:20	?	55dB	?	?	Day
5819	2025-03-14 15:51:13	70	55dB	2.8	183%	Day
5820	2025-03-14 15:52:54	?	55dB	?	?	Day
5821	2025-03-14 15:54:32	75	55dB	3.7	273%	Day
5822	2025-03-14 15:56:49	72	55dB	3.0	203%	Day
5823	2025-03-14 15:57:58	71	55dB	2.8	183%	Day
5824	2025-03-14 16:00:08	?	55dB	?	?	Day
5825	2025-03-14 16:01:21	75	55dB	3.7	273%	Day
5826	2025-03-14 16:02:25	76	55dB	4.0	300%	Day
5827	2025-03-14 16:03:41	72	55dB	3.2	225%	Day
5828	2025-03-14 16:08:56	70	55dB	2.6	164%	Day
5829	2025-03-14 16:10:43	73	55dB	3.2	225%	Day
5830	2025-03-14 16:13:58	67	55dB	2.3	130%	Day
5831	2025-03-14 16:17:22	70	55dB	2.8	183%	Day
5832	2025-03-14 16:18:32	73	55dB	3.5	248%	Day
5833	2025-03-14 16:19:45	72	55dB	3.2	225%	Day
5834	2025-03-14 16:21:11	71	55dB	3.0	203%	Day
5835	2025-03-14 16:23:11	71	55dB	2.8	183%	Day
5836	2025-03-14 16:25:17	71	55dB	2.8	183%	Day
5837	2025-03-14 16:27:38	71	55dB	2.8	183%	Day
5838	2025-03-14 16:29:28	73	55dB	3.2	225%	Day
5839	2025-03-14 16:31:16	71	55dB	2.8	183%	Day
5840	2025-03-14 16:33:34	?	55dB	?	?	Day
5841	2025-03-14 16:34:58	71	55dB	3.0	203%	Day
5842	2025-03-14 16:36:07	69	55dB	2.5	146%	Day
5843	2025-03-14 16:38:25	71	55dB	2.8	183%	Day
5844	2025-03-14 16:39:32	68	55dB	2.3	130%	Day
5845	2025-03-14 16:40:47	71	55dB	2.8	183%	Day
5846	2025-03-14 16:41:58	75	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5847	2025-03-14 16:44:02	71	55dB	2.8	183%	Day
5848	2025-03-14 16:45:54	71	55dB	3.0	203%	Day
5849	2025-03-14 16:47:13	?	55dB	?	?	Day
5850	2025-03-14 16:49:25	72	55dB	3.2	225%	Day
5851	2025-03-14 16:50:53	?	55dB	?	?	Day
5852	2025-03-14 16:52:02	79	55dB	5.3	428%	Day
5853	2025-03-14 16:56:50	72	55dB	3.2	225%	Day
5854	2025-03-14 16:58:58	68	55dB	2.5	146%	Day
5855	2025-03-14 17:00:17	70	55dB	2.8	183%	Day
5856	2025-03-14 17:07:13	70	55dB	2.8	183%	Day
5857	2025-03-14 17:08:31	77	55dB	4.3	329%	Day
5858	2025-03-14 17:10:56	73	55dB	3.5	248%	Day
5859	2025-03-14 17:16:56	76	55dB	4.0	300%	Day
5860	2025-03-14 17:18:03	71	55dB	2.8	183%	Day
5861	2025-03-14 17:19:19	76	55dB	4.3	329%	Day
5862	2025-03-14 17:21:01	72	55dB	3.2	225%	Day
5863	2025-03-14 17:22:55	70	55dB	2.6	164%	Day
5864	2025-03-15 06:28:47	72	45dB	6.1	506%	Night
5865	2025-03-15 06:30:23	69	45dB	5.3	428%	Night
5866	2025-03-15 06:32:04	70	45dB	5.3	428%	Night
5867	2025-03-15 06:33:45	74	45dB	7.5	646%	Night
5868	2025-03-15 06:35:06	70	45dB	5.7	466%	Night
5869	2025-03-15 06:37:31	71	45dB	6.1	506%	Night
5870	2025-03-15 06:39:57	?	45dB	?	?	Night
5871	2025-03-15 06:41:41	74	45dB	7.5	646%	Night
5872	2025-03-15 06:43:09	71	45dB	6.1	506%	Night
5873	2025-03-15 06:44:28	75	45dB	7.5	646%	Night
5874	2025-03-15 06:46:07	77	45dB	9.2	819%	Night
5875	2025-03-15 06:48:09	76	45dB	8.0	700%	Night
5876	2025-03-15 06:49:40	73	45dB	7.0	596%	Night
5877	2025-03-15 06:50:57	69	45dB	5.3	428%	Night
5878	2025-03-15 06:53:03	70	45dB	5.3	428%	Night
5879	2025-03-15 06:55:12	70	45dB	5.3	428%	Night
5880	2025-03-15 06:56:41	72	45dB	6.1	506%	Night
5881	2025-03-15 06:57:50	73	45dB	6.5	550%	Night
5882	2025-03-15 07:00:15	?	55dB	?	?	Day
5883	2025-03-15 07:02:03	?	55dB	?	?	Day
5884	2025-03-15 07:05:42	70	55dB	2.8	183%	Day
5885	2025-03-15 07:09:16	69	55dB	2.6	164%	Day
5886	2025-03-15 07:11:13	71	55dB	2.8	183%	Day
5887	2025-03-15 07:13:21	72	55dB	3.0	203%	Day
5888	2025-03-15 07:16:23	76	55dB	4.3	329%	Day
5889	2025-03-15 07:18:22	70	55dB	2.8	183%	Day
5890	2025-03-15 07:20:43	72	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5891	2025-03-15 07:24:12	74	55dB	3.5	248%	Day
5892	2025-03-15 07:35:26	83	55dB	6.5	550%	Day
5893	2025-03-15 07:38:32	70	55dB	2.8	183%	Day
5894	2025-03-15 07:45:47	72	55dB	3.2	225%	Day
5895	2025-03-15 07:55:54	?	55dB	?	?	Day
5896	2025-03-15 07:57:40	70	55dB	2.6	164%	Day
5897	2025-03-15 08:00:14	74	55dB	3.5	248%	Day
5898	2025-03-15 08:02:04	75	55dB	4.0	300%	Day
5899	2025-03-15 08:04:13	69	55dB	2.5	146%	Day
5900	2025-03-15 08:06:28	71	55dB	2.8	183%	Day
5901	2025-03-15 08:11:18	72	55dB	3.2	225%	Day
5902	2025-03-15 08:13:02	81	55dB	5.7	466%	Day
5903	2025-03-15 08:21:35	73	55dB	3.5	248%	Day
5904	2025-03-15 08:24:26	73	55dB	3.5	248%	Day
5905	2025-03-15 08:26:38	69	55dB	2.5	146%	Day
5906	2025-03-15 08:29:58	?	55dB	?	?	Day
5907	2025-03-15 08:36:08	72	55dB	3.2	225%	Day
5908	2025-03-15 08:44:26	73	55dB	3.2	225%	Day
5909	2025-03-15 08:51:16	70	55dB	2.6	164%	Day
5910	2025-03-15 08:53:32	73	55dB	3.5	248%	Day
5911	2025-03-15 09:04:07	75	55dB	4.0	300%	Day
5912	2025-03-15 09:10:32	73	55dB	3.5	248%	Day
5913	2025-03-15 09:13:05	72	55dB	3.0	203%	Day
5914	2025-03-15 09:21:47	70	55dB	2.6	164%	Day
5915	2025-03-15 09:26:35	72	55dB	3.0	203%	Day
5916	2025-03-15 09:30:11	71	55dB	3.0	203%	Day
5917	2025-03-15 09:36:26	?	55dB	?	?	Day
5918	2025-03-15 09:40:43	69	55dB	2.6	164%	Day
5919	2025-03-15 09:43:09	?	55dB	?	?	Day
5920	2025-03-15 09:45:20	71	55dB	2.8	183%	Day
5921	2025-03-15 09:48:10	74	55dB	3.7	273%	Day
5922	2025-03-15 09:50:35	74	55dB	3.7	273%	Day
5923	2025-03-15 09:53:41	72	55dB	3.2	225%	Day
5924	2025-03-15 09:55:01	69	55dB	2.6	164%	Day
5925	2025-03-15 09:57:03	69	55dB	2.6	164%	Day
5926	2025-03-15 10:00:55	71	55dB	3.0	203%	Day
5927	2025-03-15 10:08:38	77	55dB	4.6	359%	Day
5928	2025-03-15 10:13:04	68	55dB	2.5	146%	Day
5929	2025-03-15 10:18:10	71	55dB	3.0	203%	Day
5930	2025-03-15 10:38:33	75	55dB	3.7	273%	Day
5931	2025-03-15 10:44:36	70	55dB	2.8	183%	Day
5932	2025-03-15 10:46:19	71	55dB	2.8	183%	Day
5933	2025-03-15 10:49:07	73	55dB	3.2	225%	Day
5934	2025-03-15 10:51:02	73	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5935	2025-03-15 10:52:37	70	55dB	2.8	183%	Day
5936	2025-03-15 10:54:38	70	55dB	2.8	183%	Day
5937	2025-03-15 10:56:45	74	55dB	3.5	248%	Day
5938	2025-03-15 11:01:12	69	55dB	2.5	146%	Day
5939	2025-03-15 11:04:06	69	55dB	2.5	146%	Day
5940	2025-03-15 11:05:56	73	55dB	3.2	225%	Day
5941	2025-03-15 11:07:45	73	55dB	3.5	248%	Day
5942	2025-03-15 11:09:50	93	55dB	13.0	1200%	Day
5943	2025-03-15 11:11:55	72	55dB	3.2	225%	Day
5944	2025-03-15 11:14:07	73	55dB	3.5	248%	Day
5945	2025-03-15 11:15:58	73	55dB	3.2	225%	Day
5946	2025-03-15 11:17:43	76	55dB	4.3	329%	Day
5947	2025-03-15 11:19:41	71	55dB	2.8	183%	Day
5948	2025-03-15 11:21:43	71	55dB	2.8	183%	Day
5949	2025-03-15 11:23:52	69	55dB	2.6	164%	Day
5950	2025-03-15 11:25:55	70	55dB	2.6	164%	Day
5951	2025-03-15 11:28:10	73	55dB	3.2	225%	Day
5952	2025-03-15 11:30:02	73	55dB	3.5	248%	Day
5953	2025-03-15 11:31:37	68	55dB	2.5	146%	Day
5954	2025-03-15 11:33:32	72	55dB	3.0	203%	Day
5955	2025-03-15 11:35:35	71	55dB	3.0	203%	Day
5956	2025-03-15 11:37:35	71	55dB	2.8	183%	Day
5957	2025-03-15 11:40:02	75	55dB	3.7	273%	Day
5958	2025-03-15 11:42:02	72	55dB	3.0	203%	Day
5959	2025-03-15 11:44:35	70	55dB	2.8	183%	Day
5960	2025-03-15 11:46:33	70	55dB	2.8	183%	Day
5961	2025-03-15 11:48:21	74	55dB	3.7	273%	Day
5962	2025-03-15 11:49:58	72	55dB	3.0	203%	Day
5963	2025-03-15 11:52:02	69	55dB	2.6	164%	Day
5964	2025-03-15 11:54:45	73	55dB	3.2	225%	Day
5965	2025-03-15 11:58:05	?	55dB	?	?	Day
5966	2025-03-15 12:02:05	70	55dB	2.8	183%	Day
5967	2025-03-15 12:04:56	70	55dB	2.6	164%	Day
5968	2025-03-15 12:07:15	70	55dB	2.8	183%	Day
5969	2025-03-15 12:10:53	75	55dB	3.7	273%	Day
5970	2025-03-15 12:13:19	69	55dB	2.5	146%	Day
5971	2025-03-15 12:15:16	71	55dB	3.0	203%	Day
5972	2025-03-15 12:17:20	72	55dB	3.2	225%	Day
5973	2025-03-15 12:19:07	74	55dB	3.5	248%	Day
5974	2025-03-15 12:24:02	76	55dB	4.0	300%	Day
5975	2025-03-15 12:29:04	72	55dB	3.0	203%	Day
5976	2025-03-15 12:31:20	76	55dB	4.0	300%	Day
5977	2025-03-15 12:33:57	71	55dB	2.8	183%	Day
5978	2025-03-15 12:40:26	71	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

5979	2025-03-15 12:43:20	75	55dB	4.0	300%	Day
5980	2025-03-15 12:45:53	74	55dB	3.5	248%	Day
5981	2025-03-15 12:47:41	?	55dB	?	?	Day
5982	2025-03-15 12:54:30	74	55dB	3.7	273%	Day
5983	2025-03-15 12:58:13	72	55dB	3.0	203%	Day
5984	2025-03-15 13:10:58	74	55dB	3.5	248%	Day
5985	2025-03-15 13:13:10	74	55dB	3.5	248%	Day
5986	2025-03-15 13:15:51	75	55dB	4.0	300%	Day
5987	2025-03-15 13:22:34	76	55dB	4.3	329%	Day
5988	2025-03-15 13:25:00	71	55dB	2.8	183%	Day
5989	2025-03-15 13:26:27	74	55dB	3.7	273%	Day
5990	2025-03-15 13:28:03	?	55dB	?	?	Day
5991	2025-03-15 13:29:48	74	55dB	3.5	248%	Day
5992	2025-03-15 13:32:34	71	55dB	2.8	183%	Day
5993	2025-03-15 13:34:13	72	55dB	3.2	225%	Day
5994	2025-03-15 13:35:53	74	55dB	3.5	248%	Day
5995	2025-03-15 13:37:37	?	55dB	?	?	Day
5996	2025-03-15 13:39:12	?	55dB	?	?	Day
5997	2025-03-15 13:41:08	73	55dB	3.2	225%	Day
5998	2025-03-15 13:42:56	68	55dB	2.3	130%	Day
5999	2025-03-15 13:44:46	?	55dB	?	?	Day
6000	2025-03-15 13:47:45	68	55dB	2.5	146%	Day
6001	2025-03-15 13:50:19	74	55dB	3.7	273%	Day
6002	2025-03-15 13:53:37	72	55dB	3.2	225%	Day
6003	2025-03-15 13:59:08	76	55dB	4.3	329%	Day
6004	2025-03-15 14:00:28	76	55dB	4.0	300%	Day
6005	2025-03-15 14:05:14	72	55dB	3.2	225%	Day
6006	2025-03-15 14:09:04	71	55dB	3.0	203%	Day
6007	2025-03-15 14:11:19	73	55dB	3.5	248%	Day
6008	2025-03-15 14:12:41	73	55dB	3.5	248%	Day
6009	2025-03-15 14:14:13	74	55dB	3.7	273%	Day
6010	2025-03-15 14:15:35	75	55dB	3.7	273%	Day
6011	2025-03-15 14:18:26	70	55dB	2.6	164%	Day
6012	2025-03-15 14:20:32	73	55dB	3.5	248%	Day
6013	2025-03-15 14:22:38	76	55dB	4.0	300%	Day
6014	2025-03-15 14:24:39	69	55dB	2.6	164%	Day
6015	2025-03-15 14:26:01	71	55dB	3.0	203%	Day
6016	2025-03-15 14:27:25	72	55dB	3.2	225%	Day
6017	2025-03-15 14:29:50	70	55dB	2.6	164%	Day
6018	2025-03-15 14:31:25	89	55dB	10.6	956%	Day
6019	2025-03-15 14:32:45	73	55dB	3.5	248%	Day
6020	2025-03-15 14:34:15	72	55dB	3.0	203%	Day
6021	2025-03-15 14:35:46	?	55dB	?	?	Day
6022	2025-03-15 14:37:11	73	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6023	2025-03-15 14:38:41	74	55dB	3.7	273%	Day
6024	2025-03-15 14:40:23	73	55dB	3.2	225%	Day
6025	2025-03-15 14:43:55	70	55dB	2.8	183%	Day
6026	2025-03-15 14:45:58	73	55dB	3.5	248%	Day
6027	2025-03-15 14:47:33	75	55dB	4.0	300%	Day
6028	2025-03-15 14:49:43	70	55dB	2.8	183%	Day
6029	2025-03-15 14:51:08	72	55dB	3.2	225%	Day
6030	2025-03-15 14:52:45	72	55dB	3.0	203%	Day
6031	2025-03-15 14:54:37	72	55dB	3.0	203%	Day
6032	2025-03-15 14:56:10	72	55dB	3.0	203%	Day
6033	2025-03-15 14:57:47	76	55dB	4.3	329%	Day
6034	2025-03-15 15:02:25	75	55dB	4.0	300%	Day
6035	2025-03-15 15:04:32	73	55dB	3.5	248%	Day
6036	2025-03-15 15:06:02	72	55dB	3.2	225%	Day
6037	2025-03-15 15:07:40	72	55dB	3.2	225%	Day
6038	2025-03-15 15:09:51	72	55dB	3.2	225%	Day
6039	2025-03-15 15:11:21	73	55dB	3.5	248%	Day
6040	2025-03-15 15:12:49	77	55dB	4.6	359%	Day
6041	2025-03-15 15:15:53	75	55dB	4.0	300%	Day
6042	2025-03-15 15:18:38	?	55dB	?	?	Day
6043	2025-03-15 15:21:08	74	55dB	3.7	273%	Day
6044	2025-03-15 15:23:52	69	55dB	2.6	164%	Day
6045	2025-03-15 15:26:24	?	55dB	?	?	Day
6046	2025-03-15 15:32:35	70	55dB	2.8	183%	Day
6047	2025-03-15 15:34:45	72	55dB	3.0	203%	Day
6048	2025-03-15 15:38:58	71	55dB	2.8	183%	Day
6049	2025-03-15 15:41:14	75	55dB	3.7	273%	Day
6050	2025-03-15 15:42:54	74	55dB	3.5	248%	Day
6051	2025-03-15 15:45:25	?	55dB	?	?	Day
6052	2025-03-15 15:47:15	75	55dB	3.7	273%	Day
6053	2025-03-15 15:48:34	70	55dB	2.8	183%	Day
6054	2025-03-15 15:50:02	71	55dB	2.8	183%	Day
6055	2025-03-15 15:51:19	78	55dB	4.6	359%	Day
6056	2025-03-15 15:52:58	74	55dB	3.5	248%	Day
6057	2025-03-15 15:54:34	72	55dB	3.2	225%	Day
6058	2025-03-15 15:56:00	?	55dB	?	?	Day
6059	2025-03-15 15:57:24	67	55dB	2.3	130%	Day
6060	2025-03-15 15:58:41	?	55dB	?	?	Day
6061	2025-03-15 16:02:21	74	55dB	3.5	248%	Day
6062	2025-03-15 16:04:01	74	55dB	3.7	273%	Day
6063	2025-03-15 16:06:19	73	55dB	3.5	248%	Day
6064	2025-03-15 16:08:20	68	55dB	2.3	130%	Day
6065	2025-03-15 16:10:20	?	55dB	?	?	Day
6066	2025-03-15 16:11:52	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6067	2025-03-15 16:13:26	72	55dB	3.0	203%	Day
6068	2025-03-15 16:14:52	70	55dB	2.6	164%	Day
6069	2025-03-15 16:18:22	74	55dB	3.7	273%	Day
6070	2025-03-15 16:21:03	66	55dB	2.1	114%	Day
6071	2025-03-15 16:26:45	75	55dB	4.0	300%	Day
6072	2025-03-15 16:28:08	?	55dB	?	?	Day
6073	2025-03-15 16:29:42	?	55dB	?	?	Day
6074	2025-03-15 16:31:01	73	55dB	3.2	225%	Day
6075	2025-03-15 16:32:18	?	55dB	?	?	Day
6076	2025-03-15 16:33:39	74	55dB	3.7	273%	Day
6077	2025-03-15 16:35:42	69	55dB	2.6	164%	Day
6078	2025-03-15 16:38:22	74	55dB	3.5	248%	Day
6079	2025-03-15 16:40:10	72	55dB	3.2	225%	Day
6080	2025-03-15 16:42:32	77	55dB	4.3	329%	Day
6081	2025-03-15 16:45:18	74	55dB	3.7	273%	Day
6082	2025-03-15 16:47:13	74	55dB	3.7	273%	Day
6083	2025-03-15 16:48:42	72	55dB	3.0	203%	Day
6084	2025-03-15 16:50:11	70	55dB	2.6	164%	Day
6085	2025-03-15 16:52:09	75	55dB	3.7	273%	Day
6086	2025-03-15 16:54:14	72	55dB	3.0	203%	Day
6087	2025-03-15 16:55:38	?	55dB	?	?	Day
6088	2025-03-15 16:57:42	80	55dB	5.3	428%	Day
6089	2025-03-15 16:59:10	?	55dB	?	?	Day
6090	2025-03-15 17:00:48	74	55dB	3.7	273%	Day
6091	2025-03-15 17:02:25	76	55dB	4.0	300%	Day
6092	2025-03-15 17:04:48	69	55dB	2.6	164%	Day
6093	2025-03-15 17:06:21	70	55dB	2.8	183%	Day
6094	2025-03-15 17:07:40	76	55dB	4.0	300%	Day
6095	2025-03-15 17:10:09	?	55dB	?	?	Day
6096	2025-03-15 17:13:07	77	55dB	4.3	329%	Day
6097	2025-03-15 17:16:06	68	55dB	2.5	146%	Day
6098	2025-03-15 17:17:49	71	55dB	2.8	183%	Day
6099	2025-03-15 17:19:18	70	55dB	2.8	183%	Day
6100	2025-03-15 17:23:27	71	55dB	2.8	183%	Day
6101	2025-03-15 17:27:55	69	55dB	2.6	164%	Day
6102	2025-03-15 17:31:57	79	55dB	4.9	392%	Day
6103	2025-03-15 17:34:17	74	55dB	3.7	273%	Day
6104	2025-03-15 17:36:27	71	55dB	3.0	203%	Day
6105	2025-03-15 17:38:36	71	55dB	3.0	203%	Day
6106	2025-03-15 17:40:18	71	55dB	3.0	203%	Day
6107	2025-03-15 17:43:03	74	55dB	3.7	273%	Day
6108	2025-03-15 17:46:02	70	55dB	2.8	183%	Day
6109	2025-03-15 17:48:06	74	55dB	3.5	248%	Day
6110	2025-03-15 17:52:05	76	55dB	4.3	329%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6111	2025-03-15 17:54:22	71	55dB	2.8	183%	Day
6112	2025-03-15 17:57:25	72	55dB	3.0	203%	Day
6113	2025-03-15 17:59:47	77	55dB	4.3	329%	Day
6114	2025-03-15 18:06:13	74	55dB	3.7	273%	Day
6115	2025-03-15 18:08:31	76	55dB	4.3	329%	Day
6116	2025-03-15 18:10:26	75	55dB	4.0	300%	Day
6117	2025-03-15 18:12:22	72	55dB	3.0	203%	Day
6118	2025-03-15 18:17:41	71	55dB	2.8	183%	Day
6119	2025-03-15 18:20:31	79	55dB	5.3	428%	Day
6120	2025-03-15 18:22:02	69	55dB	2.6	164%	Day
6121	2025-03-15 18:23:36	73	55dB	3.2	225%	Day
6122	2025-03-15 18:25:44	72	55dB	3.0	203%	Day
6123	2025-03-15 18:27:36	74	55dB	3.5	248%	Day
6124	2025-03-15 18:29:22	75	55dB	3.7	273%	Day
6125	2025-03-15 18:30:56	?	55dB	?	?	Day
6126	2025-03-15 18:32:21	?	55dB	?	?	Day
6127	2025-03-15 18:34:12	77	55dB	4.3	329%	Day
6128	2025-03-15 18:36:26	68	55dB	2.5	146%	Day
6129	2025-03-15 18:38:39	71	55dB	3.0	203%	Day
6130	2025-03-15 18:40:56	71	55dB	2.8	183%	Day
6131	2025-03-15 18:44:34	68	55dB	2.3	130%	Day
6132	2025-03-15 18:48:24	68	55dB	2.3	130%	Day
6133	2025-03-15 18:52:12	74	55dB	3.7	273%	Day
6134	2025-03-15 18:54:51	?	55dB	?	?	Day
6135	2025-03-15 18:57:06	?	55dB	?	?	Day
6136	2025-03-15 18:58:50	71	55dB	3.0	203%	Day
6137	2025-03-15 19:00:12	80	45dB	10.6	956%	Night
6138	2025-03-15 19:01:51	74	45dB	7.0	596%	Night
6139	2025-03-15 19:03:49	69	45dB	4.9	392%	Night
6140	2025-03-15 19:05:02	69	45dB	5.3	428%	Night
6141	2025-03-15 19:06:30	70	45dB	5.7	466%	Night
6142	2025-03-15 19:07:48	69	45dB	5.3	428%	Night
6143	2025-03-15 19:09:47	75	45dB	8.0	700%	Night
6144	2025-03-15 19:11:30	66	45dB	4.0	300%	Night
6145	2025-03-15 19:12:56	?	45dB	?	?	Night
6146	2025-03-15 19:14:45	74	45dB	7.5	646%	Night
6147	2025-03-15 19:16:07	72	45dB	6.5	550%	Night
6148	2025-03-15 19:18:49	?	45dB	?	?	Night
6149	2025-03-15 19:21:54	69	45dB	5.3	428%	Night
6150	2025-03-15 19:23:50	?	45dB	?	?	Night
6151	2025-03-15 19:25:38	71	45dB	5.7	466%	Night
6152	2025-03-15 19:27:09	75	45dB	8.0	700%	Night
6153	2025-03-15 19:28:39	71	45dB	6.1	506%	Night
6154	2025-03-15 19:30:03	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6155	2025-03-15 19:31:25	68	45dB	4.9	392%	Night
6156	2025-03-15 19:32:51	71	45dB	6.1	506%	Night
6157	2025-03-15 19:34:32	76	45dB	8.0	700%	Night
6158	2025-03-15 19:36:14	71	45dB	6.1	506%	Night
6159	2025-03-15 19:37:37	75	45dB	7.5	646%	Night
6160	2025-03-15 19:39:28	69	45dB	4.9	392%	Night
6161	2025-03-15 19:41:02	79	45dB	9.8	885%	Night
6162	2025-03-15 19:42:48	69	45dB	4.9	392%	Night
6163	2025-03-15 19:44:52	?	45dB	?	?	Night
6164	2025-03-15 19:46:27	71	45dB	6.1	506%	Night
6165	2025-03-15 19:47:50	71	45dB	6.1	506%	Night
6166	2025-03-15 19:49:13	73	45dB	7.0	596%	Night
6167	2025-03-15 19:51:13	73	45dB	7.0	596%	Night
6168	2025-03-15 19:52:56	72	45dB	6.1	506%	Night
6169	2025-03-15 19:54:47	72	45dB	6.5	550%	Night
6170	2025-03-15 19:56:23	68	45dB	4.9	392%	Night
6171	2025-03-15 19:58:21	?	45dB	?	?	Night
6172	2025-03-15 19:59:53	70	45dB	5.7	466%	Night
6173	2025-03-15 20:01:38	69	45dB	5.3	428%	Night
6174	2025-03-15 20:03:09	72	45dB	6.1	506%	Night
6175	2025-03-15 20:04:33	70	45dB	5.7	466%	Night
6176	2025-03-15 20:06:11	68	45dB	4.6	359%	Night
6177	2025-03-15 20:07:43	78	45dB	9.2	819%	Night
6178	2025-03-15 20:09:31	69	45dB	4.9	392%	Night
6179	2025-03-15 20:10:56	72	45dB	6.1	506%	Night
6180	2025-03-15 20:13:51	78	45dB	9.8	885%	Night
6181	2025-03-15 20:15:28	72	45dB	6.5	550%	Night
6182	2025-03-15 20:16:56	73	45dB	6.5	550%	Night
6183	2025-03-15 20:18:19	70	45dB	5.7	466%	Night
6184	2025-03-15 20:19:42	71	45dB	5.7	466%	Night
6185	2025-03-15 20:21:37	71	45dB	6.1	506%	Night
6186	2025-03-15 20:25:53	?	45dB	?	?	Night
6187	2025-03-15 20:28:46	?	45dB	?	?	Night
6188	2025-03-15 20:32:02	70	45dB	5.7	466%	Night
6189	2025-03-15 20:37:44	72	45dB	6.1	506%	Night
6190	2025-03-15 20:40:44	69	45dB	5.3	428%	Night
6191	2025-03-15 20:42:12	71	45dB	6.1	506%	Night
6192	2025-03-15 20:44:26	71	45dB	6.1	506%	Night
6193	2025-03-15 20:46:28	71	45dB	5.7	466%	Night
6194	2025-03-15 20:51:56	71	45dB	5.7	466%	Night
6195	2025-03-15 20:56:13	?	45dB	?	?	Night
6196	2025-03-15 20:58:07	70	45dB	5.3	428%	Night
6197	2025-03-15 20:59:53	69	45dB	5.3	428%	Night
6198	2025-03-15 21:01:56	70	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6199	2025-03-15 21:04:48	71	45dB	6.1	506%	Night
6200	2025-03-15 21:09:02	70	45dB	5.3	428%	Night
6201	2025-03-15 21:11:01	76	45dB	8.0	700%	Night
6202	2025-03-15 21:12:50	72	45dB	6.1	506%	Night
6203	2025-03-15 21:14:12	71	45dB	5.7	466%	Night
6204	2025-03-15 21:15:50	72	45dB	6.5	550%	Night
6205	2025-03-15 21:18:05	68	45dB	4.9	392%	Night
6206	2025-03-15 21:19:34	73	45dB	6.5	550%	Night
6207	2025-03-15 21:20:39	71	45dB	6.1	506%	Night
6208	2025-03-15 21:22:20	73	45dB	6.5	550%	Night
6209	2025-03-15 21:23:40	70	45dB	5.7	466%	Night
6210	2025-03-15 21:25:00	73	45dB	7.0	596%	Night
6211	2025-03-15 21:26:31	72	45dB	6.1	506%	Night
6212	2025-03-15 21:27:56	?	45dB	?	?	Night
6213	2025-03-15 21:29:16	68	45dB	4.9	392%	Night
6214	2025-03-15 21:30:33	73	45dB	6.5	550%	Night
6215	2025-03-15 21:32:00	74	45dB	7.0	596%	Night
6216	2025-03-15 21:33:33	71	45dB	6.1	506%	Night
6217	2025-03-15 21:34:49	80	45dB	11.3	1031%	Night
6218	2025-03-15 21:36:15	76	45dB	8.0	700%	Night
6219	2025-03-15 21:37:57	73	45dB	6.5	550%	Night
6220	2025-03-15 21:41:43	73	45dB	7.0	596%	Night
6221	2025-03-15 21:43:14	75	45dB	8.0	700%	Night
6222	2025-03-15 21:45:50	?	45dB	?	?	Night
6223	2025-03-15 21:47:13	68	45dB	4.9	392%	Night
6224	2025-03-15 21:48:43	73	45dB	7.0	596%	Night
6225	2025-03-15 21:50:05	74	45dB	7.0	596%	Night
6226	2025-03-15 21:51:38	?	45dB	?	?	Night
6227	2025-03-15 21:53:22	?	45dB	?	?	Night
6228	2025-03-15 21:54:39	72	45dB	6.5	550%	Night
6229	2025-03-15 21:56:39	74	45dB	7.0	596%	Night
6230	2025-03-15 21:59:00	75	45dB	8.0	700%	Night
6231	2025-03-15 22:01:25	68	45dB	4.6	359%	Night
6232	2025-03-15 22:03:39	70	45dB	5.3	428%	Night
6233	2025-03-15 22:06:25	70	45dB	5.3	428%	Night
6234	2025-03-15 22:09:03	72	45dB	6.1	506%	Night
6235	2025-03-15 22:10:51	72	45dB	6.1	506%	Night
6236	2025-03-15 22:12:50	71	45dB	6.1	506%	Night
6237	2025-03-15 22:14:35	71	45dB	5.7	466%	Night
6238	2025-03-15 22:16:14	71	45dB	5.7	466%	Night
6239	2025-03-15 22:17:36	85	45dB	14.9	1393%	Night
6240	2025-03-15 22:19:16	71	45dB	5.7	466%	Night
6241	2025-03-15 22:21:06	69	45dB	5.3	428%	Night
6242	2025-03-15 22:22:58	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6243	2025-03-15 22:24:26	73	45dB	6.5	550%	Night
6244	2025-03-15 22:26:23	?	45dB	?	?	Night
6245	2025-03-15 22:27:42	69	45dB	5.3	428%	Night
6246	2025-03-15 22:32:21	72	45dB	6.5	550%	Night
6247	2025-03-15 22:35:50	69	45dB	5.3	428%	Night
6248	2025-03-15 22:42:11	?	45dB	?	?	Night
6249	2025-03-15 22:45:56	74	45dB	7.5	646%	Night
6250	2025-03-15 23:01:12	71	45dB	6.1	506%	Night
6251	2025-03-15 23:03:21	73	45dB	6.5	550%	Night
6252	2025-03-15 23:05:22	?	45dB	?	?	Night
6253	2025-03-15 23:07:00	70	45dB	5.7	466%	Night
6254	2025-03-15 23:10:24	74	45dB	7.0	596%	Night
6255	2025-03-15 23:14:12	75	45dB	8.0	700%	Night
6256	2025-03-15 23:17:02	69	45dB	5.3	428%	Night
6257	2025-03-15 23:19:24	73	45dB	7.0	596%	Night
6258	2025-03-15 23:27:24	72	45dB	6.5	550%	Night
6259	2025-03-15 23:33:02	68	45dB	4.9	392%	Night
6260	2025-03-15 23:35:33	70	45dB	5.3	428%	Night
6261	2025-03-15 23:37:08	69	45dB	4.9	392%	Night
6262	2025-03-15 23:39:27	71	45dB	5.7	466%	Night
6263	2025-03-15 23:40:57	70	45dB	5.7	466%	Night
6264	2025-03-15 23:42:36	70	45dB	5.7	466%	Night
6265	2025-03-15 23:44:26	69	45dB	5.3	428%	Night
6266	2025-03-15 23:45:55	74	45dB	7.0	596%	Night
6267	2025-03-15 23:48:27	69	45dB	5.3	428%	Night
6268	2025-03-15 23:50:10	?	45dB	?	?	Night
6269	2025-03-15 23:51:39	?	45dB	?	?	Night
6270	2025-03-15 23:53:01	72	45dB	6.5	550%	Night
6271	2025-03-15 23:54:34	70	45dB	5.7	466%	Night
6272	2025-03-15 23:56:38	?	45dB	?	?	Night
6273	2025-03-15 23:58:57	72	45dB	6.5	550%	Night
6274	2025-03-16 00:03:23	72	45dB	6.5	550%	Night
6275	2025-03-16 00:05:30	69	45dB	5.3	428%	Night
6276	2025-03-16 00:07:37	70	45dB	5.7	466%	Night
6277	2025-03-16 00:09:12	70	45dB	5.7	466%	Night
6278	2025-03-16 00:11:24	71	45dB	6.1	506%	Night
6279	2025-03-16 00:14:56	71	45dB	5.7	466%	Night
6280	2025-03-16 00:17:25	73	45dB	6.5	550%	Night
6281	2025-03-16 06:28:36	73	45dB	7.0	596%	Night
6282	2025-03-16 06:30:14	71	45dB	5.7	466%	Night
6283	2025-03-16 06:31:56	71	45dB	6.1	506%	Night
6284	2025-03-16 06:33:15	71	45dB	5.7	466%	Night
6285	2025-03-16 06:34:45	74	45dB	7.5	646%	Night
6286	2025-03-16 06:36:40	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6287	2025-03-16 06:38:00	71	45dB	5.7	466%	Night
6288	2025-03-16 06:39:38	73	45dB	7.0	596%	Night
6289	2025-03-16 06:41:40	74	45dB	7.0	596%	Night
6290	2025-03-16 06:43:10	71	45dB	6.1	506%	Night
6291	2025-03-16 06:44:34	71	45dB	6.1	506%	Night
6292	2025-03-16 06:46:56	75	45dB	7.5	646%	Night
6293	2025-03-16 06:48:22	74	45dB	7.0	596%	Night
6294	2025-03-16 06:50:33	72	45dB	6.1	506%	Night
6295	2025-03-16 06:51:43	72	45dB	6.1	506%	Night
6296	2025-03-16 06:53:30	73	45dB	6.5	550%	Night
6297	2025-03-16 06:56:42	71	45dB	5.7	466%	Night
6298	2025-03-16 06:58:58	77	45dB	9.2	819%	Night
6299	2025-03-16 07:01:11	71	55dB	2.8	183%	Day
6300	2025-03-16 07:03:04	69	55dB	2.5	146%	Day
6301	2025-03-16 07:04:47	74	55dB	3.5	248%	Day
6302	2025-03-16 07:06:39	72	55dB	3.2	225%	Day
6303	2025-03-16 07:10:08	71	55dB	3.0	203%	Day
6304	2025-03-16 07:12:10	74	55dB	3.7	273%	Day
6305	2025-03-16 09:18:44	?	55dB	?	?	Day
6306	2025-03-16 11:43:03	?	55dB	?	?	Day
6307	2025-03-16 12:33:33	73	55dB	3.2	225%	Day
6308	2025-03-16 12:52:46	77	55dB	4.6	359%	Day
6309	2025-03-16 12:55:36	80	55dB	5.7	466%	Day
6310	2025-03-16 12:58:00	70	55dB	2.8	183%	Day
6311	2025-03-16 13:00:04	72	55dB	3.0	203%	Day
6312	2025-03-16 13:02:01	74	55dB	3.5	248%	Day
6313	2025-03-16 13:03:30	74	55dB	3.5	248%	Day
6314	2025-03-16 13:05:41	79	55dB	4.9	392%	Day
6315	2025-03-16 13:07:38	72	55dB	3.0	203%	Day
6316	2025-03-16 13:09:24	71	55dB	3.0	203%	Day
6317	2025-03-16 13:11:40	82	55dB	6.5	550%	Day
6318	2025-03-16 13:13:16	71	55dB	3.0	203%	Day
6319	2025-03-16 13:15:08	73	55dB	3.2	225%	Day
6320	2025-03-16 13:16:45	77	55dB	4.3	329%	Day
6321	2025-03-16 13:18:54	75	55dB	4.0	300%	Day
6322	2025-03-16 13:20:45	72	55dB	3.2	225%	Day
6323	2025-03-16 13:22:26	75	55dB	4.0	300%	Day
6324	2025-03-16 13:24:20	78	55dB	4.6	359%	Day
6325	2025-03-16 13:26:43	74	55dB	3.7	273%	Day
6326	2025-03-16 13:28:35	78	55dB	4.9	392%	Day
6327	2025-03-16 13:31:47	71	55dB	2.8	183%	Day
6328	2025-03-16 13:34:54	79	55dB	5.3	428%	Day
6329	2025-03-16 13:40:02	76	55dB	4.0	300%	Day
6330	2025-03-16 13:42:01	74	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6331	2025-03-16 13:45:05	74	55dB	3.5	248%	Day
6332	2025-03-16 13:49:30	71	55dB	3.0	203%	Day
6333	2025-03-16 13:51:42	75	55dB	3.7	273%	Day
6334	2025-03-16 13:53:16	?	55dB	?	?	Day
6335	2025-03-16 13:55:23	72	55dB	3.2	225%	Day
6336	2025-03-16 13:57:41	77	55dB	4.6	359%	Day
6337	2025-03-16 14:06:46	73	55dB	3.2	225%	Day
6338	2025-03-16 14:10:26	73	55dB	3.5	248%	Day
6339	2025-03-16 14:15:10	72	55dB	3.0	203%	Day
6340	2025-03-16 14:18:31	72	55dB	3.0	203%	Day
6341	2025-03-16 14:20:16	80	55dB	5.7	466%	Day
6342	2025-03-16 14:22:05	77	55dB	4.3	329%	Day
6343	2025-03-16 14:24:30	68	55dB	2.5	146%	Day
6344	2025-03-16 14:26:36	70	55dB	2.6	164%	Day
6345	2025-03-16 14:29:18	74	55dB	3.7	273%	Day
6346	2025-03-16 14:31:30	72	55dB	3.0	203%	Day
6347	2025-03-16 14:33:16	69	55dB	2.6	164%	Day
6348	2025-03-16 14:35:10	74	55dB	3.5	248%	Day
6349	2025-03-16 14:37:12	75	55dB	4.0	300%	Day
6350	2025-03-16 14:38:49	75	55dB	3.7	273%	Day
6351	2025-03-16 14:41:06	74	55dB	3.7	273%	Day
6352	2025-03-16 14:43:54	73	55dB	3.5	248%	Day
6353	2025-03-16 14:46:44	75	55dB	4.0	300%	Day
6354	2025-03-16 14:48:22	73	55dB	3.2	225%	Day
6355	2025-03-16 14:50:25	76	55dB	4.3	329%	Day
6356	2025-03-16 14:51:45	75	55dB	3.7	273%	Day
6357	2025-03-16 14:53:11	71	55dB	2.8	183%	Day
6358	2025-03-16 14:54:41	77	55dB	4.3	329%	Day
6359	2025-03-16 14:56:53	71	55dB	2.8	183%	Day
6360	2025-03-16 14:58:30	68	55dB	2.3	130%	Day
6361	2025-03-16 14:59:54	73	55dB	3.5	248%	Day
6362	2025-03-16 15:01:13	73	55dB	3.5	248%	Day
6363	2025-03-16 15:03:00	72	55dB	3.0	203%	Day
6364	2025-03-16 15:04:26	75	55dB	3.7	273%	Day
6365	2025-03-16 15:06:15	72	55dB	3.0	203%	Day
6366	2025-03-16 15:09:34	75	55dB	3.7	273%	Day
6367	2025-03-16 15:11:41	74	55dB	3.7	273%	Day
6368	2025-03-16 15:13:15	76	55dB	4.0	300%	Day
6369	2025-03-16 15:16:23	74	55dB	3.7	273%	Day
6370	2025-03-16 15:18:52	69	55dB	2.6	164%	Day
6371	2025-03-16 15:20:27	78	55dB	4.9	392%	Day
6372	2025-03-16 15:23:03	73	55dB	3.5	248%	Day
6373	2025-03-16 15:24:34	79	55dB	5.3	428%	Day
6374	2025-03-16 15:26:34	74	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6375	2025-03-16 15:28:10	78	55dB	4.9	392%	Day
6376	2025-03-16 15:30:08	76	55dB	4.3	329%	Day
6377	2025-03-16 15:31:40	72	55dB	3.0	203%	Day
6378	2025-03-16 15:33:32	73	55dB	3.5	248%	Day
6379	2025-03-16 15:35:27	73	55dB	3.5	248%	Day
6380	2025-03-16 15:36:53	78	55dB	4.9	392%	Day
6381	2025-03-16 15:38:18	79	55dB	5.3	428%	Day
6382	2025-03-16 15:40:21	77	55dB	4.6	359%	Day
6383	2025-03-16 15:41:53	85	55dB	8.0	700%	Day
6384	2025-03-16 15:43:21	74	55dB	3.5	248%	Day
6385	2025-03-16 15:45:10	81	55dB	6.1	506%	Day
6386	2025-03-16 15:48:14	70	55dB	2.8	183%	Day
6387	2025-03-16 15:55:00	73	55dB	3.2	225%	Day
6388	2025-03-16 15:56:27	74	55dB	3.5	248%	Day
6389	2025-03-16 15:58:23	?	55dB	?	?	Day
6390	2025-03-16 15:59:56	74	55dB	3.5	248%	Day
6391	2025-03-16 16:02:00	74	55dB	3.5	248%	Day
6392	2025-03-16 16:05:04	?	55dB	?	?	Day
6393	2025-03-16 16:06:36	71	55dB	3.0	203%	Day
6394	2025-03-16 16:07:56	72	55dB	3.0	203%	Day
6395	2025-03-16 16:09:19	74	55dB	3.5	248%	Day
6396	2025-03-16 16:10:44	81	55dB	6.1	506%	Day
6397	2025-03-16 16:12:14	71	55dB	2.8	183%	Day
6398	2025-03-16 16:13:43	83	55dB	6.5	550%	Day
6399	2025-03-16 16:16:27	77	55dB	4.3	329%	Day
6400	2025-03-16 16:21:45	75	55dB	4.0	300%	Day
6401	2025-03-16 16:25:00	75	55dB	4.0	300%	Day
6402	2025-03-16 16:27:12	70	55dB	2.6	164%	Day
6403	2025-03-16 16:29:13	72	55dB	3.0	203%	Day
6404	2025-03-16 16:34:22	78	55dB	4.9	392%	Day
6405	2025-03-16 16:37:09	80	55dB	5.3	428%	Day
6406	2025-03-16 16:39:25	83	55dB	6.5	550%	Day
6407	2025-03-16 16:41:46	80	55dB	5.3	428%	Day
6408	2025-03-16 16:43:16	85	55dB	8.0	700%	Day
6409	2025-03-16 16:44:41	88	55dB	9.2	819%	Day
6410	2025-03-16 16:46:28	83	55dB	7.0	596%	Day
6411	2025-03-16 16:49:06	93	55dB	13.0	1200%	Day
6412	2025-03-16 16:50:38	77	55dB	4.3	329%	Day
6413	2025-03-16 16:53:38	87	55dB	8.6	757%	Day
6414	2025-03-16 16:56:02	81	55dB	6.1	506%	Day
6415	2025-03-16 17:01:28	80	55dB	5.7	466%	Day
6416	2025-03-16 17:03:13	89	55dB	9.8	885%	Day
6417	2025-03-16 17:05:28	85	55dB	8.0	700%	Day
6418	2025-03-16 17:07:54	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6419	2025-03-16 17:09:41	75	55dB	4.0	300%	Day
6420	2025-03-16 17:12:05	?	55dB	?	?	Day
6421	2025-03-16 17:15:21	87	55dB	9.2	819%	Day
6422	2025-03-16 17:17:33	90	55dB	11.3	1031%	Day
6423	2025-03-16 17:19:18	78	55dB	4.9	392%	Day
6424	2025-03-16 17:21:11	78	55dB	4.6	359%	Day
6425	2025-03-16 17:24:50	80	55dB	5.7	466%	Day
6426	2025-03-16 17:27:36	83	55dB	7.0	596%	Day
6427	2025-03-16 17:30:35	74	55dB	3.5	248%	Day
6428	2025-03-16 17:32:25	75	55dB	4.0	300%	Day
6429	2025-03-16 17:33:52	75	55dB	3.7	273%	Day
6430	2025-03-16 17:36:14	72	55dB	3.0	203%	Day
6431	2025-03-16 17:38:05	83	55dB	7.0	596%	Day
6432	2025-03-16 17:39:30	77	55dB	4.3	329%	Day
6433	2025-03-16 17:41:20	70	55dB	2.8	183%	Day
6434	2025-03-16 17:45:37	77	55dB	4.6	359%	Day
6435	2025-03-16 17:47:04	77	55dB	4.3	329%	Day
6436	2025-03-16 17:48:32	74	55dB	3.5	248%	Day
6437	2025-03-16 17:50:00	74	55dB	3.7	273%	Day
6438	2025-03-16 17:53:44	88	55dB	9.8	885%	Day
6439	2025-03-16 17:55:07	?	55dB	?	?	Day
6440	2025-03-16 17:56:35	74	55dB	3.7	273%	Day
6441	2025-03-16 17:59:19	78	55dB	4.6	359%	Day
6442	2025-03-16 18:00:51	73	55dB	3.5	248%	Day
6443	2025-03-16 18:02:08	73	55dB	3.2	225%	Day
6444	2025-03-16 18:05:32	70	55dB	2.8	183%	Day
6445	2025-03-16 18:07:32	83	55dB	7.0	596%	Day
6446	2025-03-16 18:09:14	73	55dB	3.5	248%	Day
6447	2025-03-16 18:10:51	72	55dB	3.2	225%	Day
6448	2025-03-16 18:12:45	88	55dB	9.8	885%	Day
6449	2025-03-16 18:18:38	82	55dB	6.1	506%	Day
6450	2025-03-16 18:21:02	?	55dB	?	?	Day
6451	2025-03-16 18:24:09	76	55dB	4.0	300%	Day
6452	2025-03-16 18:25:39	76	55dB	4.0	300%	Day
6453	2025-03-16 18:27:47	77	55dB	4.6	359%	Day
6454	2025-03-16 18:29:42	83	55dB	6.5	550%	Day
6455	2025-03-16 18:32:32	81	55dB	5.7	466%	Day
6456	2025-03-16 18:40:24	80	55dB	5.7	466%	Day
6457	2025-03-16 18:45:16	71	55dB	3.0	203%	Day
6458	2025-03-16 18:48:30	74	55dB	3.5	248%	Day
6459	2025-03-16 18:52:35	80	55dB	5.3	428%	Day
6460	2025-03-16 18:55:19	74	55dB	3.5	248%	Day
6461	2025-03-16 18:58:47	71	55dB	2.8	183%	Day
6462	2025-03-16 19:00:32	70	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6463	2025-03-16 19:01:37	79	45dB	10.6	956%	Night
6464	2025-03-16 19:03:04	71	45dB	5.7	466%	Night
6465	2025-03-16 19:04:32	71	45dB	6.1	506%	Night
6466	2025-03-16 19:05:55	73	45dB	7.0	596%	Night
6467	2025-03-16 19:07:12	72	45dB	6.1	506%	Night
6468	2025-03-16 19:08:51	72	45dB	6.1	506%	Night
6469	2025-03-16 19:11:41	69	45dB	5.3	428%	Night
6470	2025-03-16 19:13:05	74	45dB	7.0	596%	Night
6471	2025-03-16 19:15:19	71	45dB	5.7	466%	Night
6472	2025-03-16 19:16:33	73	45dB	7.0	596%	Night
6473	2025-03-16 19:18:21	73	45dB	7.0	596%	Night
6474	2025-03-16 19:19:33	73	45dB	7.0	596%	Night
6475	2025-03-16 19:21:35	71	45dB	6.1	506%	Night
6476	2025-03-16 19:22:57	76	45dB	8.6	757%	Night
6477	2025-03-16 19:24:19	73	45dB	6.5	550%	Night
6478	2025-03-16 19:25:40	72	45dB	6.5	550%	Night
6479	2025-03-16 19:27:08	71	45dB	6.1	506%	Night
6480	2025-03-16 19:28:39	74	45dB	7.0	596%	Night
6481	2025-03-16 19:29:48	70	45dB	5.7	466%	Night
6482	2025-03-16 19:31:24	73	45dB	7.0	596%	Night
6483	2025-03-16 19:32:47	69	45dB	4.9	392%	Night
6484	2025-03-16 19:33:58	76	45dB	8.6	757%	Night
6485	2025-03-16 19:35:32	81	45dB	11.3	1031%	Night
6486	2025-03-16 19:36:56	70	45dB	5.3	428%	Night
6487	2025-03-16 19:39:35	74	45dB	7.5	646%	Night
6488	2025-03-16 19:41:48	69	45dB	5.3	428%	Night
6489	2025-03-16 19:43:42	72	45dB	6.1	506%	Night
6490	2025-03-16 19:46:09	73	45dB	7.0	596%	Night
6491	2025-03-16 19:48:35	69	45dB	4.9	392%	Night
6492	2025-03-16 19:51:26	71	45dB	6.1	506%	Night
6493	2025-03-16 19:53:30	72	45dB	6.5	550%	Night
6494	2025-03-16 19:55:35	82	45dB	12.1	1113%	Night
6495	2025-03-16 19:58:31	79	45dB	9.8	885%	Night
6496	2025-03-16 20:00:05	73	45dB	6.5	550%	Night
6497	2025-03-16 20:01:27	72	45dB	6.1	506%	Night
6498	2025-03-16 20:03:13	69	45dB	4.9	392%	Night
6499	2025-03-16 20:06:46	73	45dB	7.0	596%	Night
6500	2025-03-16 20:08:03	72	45dB	6.5	550%	Night
6501	2025-03-16 20:09:35	?	45dB	?	?	Night
6502	2025-03-16 20:11:42	68	45dB	4.9	392%	Night
6503	2025-03-16 20:13:15	?	45dB	?	?	Night
6504	2025-03-16 20:15:16	68	45dB	4.6	359%	Night
6505	2025-03-16 20:17:01	76	45dB	8.0	700%	Night
6506	2025-03-16 20:19:02	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6507	2025-03-16 20:20:21	75	45dB	8.0	700%	Night
6508	2025-03-16 20:21:43	69	45dB	5.3	428%	Night
6509	2025-03-16 20:23:03	71	45dB	6.1	506%	Night
6510	2025-03-16 20:26:38	73	45dB	6.5	550%	Night
6511	2025-03-16 20:27:55	74	45dB	7.0	596%	Night
6512	2025-03-16 20:30:10	76	45dB	8.0	700%	Night
6513	2025-03-16 20:31:26	70	45dB	5.3	428%	Night
6514	2025-03-16 20:32:40	72	45dB	6.1	506%	Night
6515	2025-03-16 20:34:06	71	45dB	6.1	506%	Night
6516	2025-03-16 20:35:18	70	45dB	5.3	428%	Night
6517	2025-03-16 20:37:14	70	45dB	5.7	466%	Night
6518	2025-03-16 20:41:11	71	45dB	6.1	506%	Night
6519	2025-03-16 20:43:32	71	45dB	5.7	466%	Night
6520	2025-03-16 20:45:38	70	45dB	5.3	428%	Night
6521	2025-03-16 20:46:51	70	45dB	5.7	466%	Night
6522	2025-03-16 20:48:15	71	45dB	6.1	506%	Night
6523	2025-03-16 20:49:38	68	45dB	4.6	359%	Night
6524	2025-03-16 20:51:40	70	45dB	5.3	428%	Night
6525	2025-03-16 20:53:36	73	45dB	7.0	596%	Night
6526	2025-03-16 20:57:26	72	45dB	6.5	550%	Night
6527	2025-03-16 20:58:56	69	45dB	4.9	392%	Night
6528	2025-03-16 21:00:34	74	45dB	7.0	596%	Night
6529	2025-03-16 21:02:48	71	45dB	5.7	466%	Night
6530	2025-03-16 21:05:25	73	45dB	6.5	550%	Night
6531	2025-03-16 21:06:58	72	45dB	6.1	506%	Night
6532	2025-03-16 21:08:22	73	45dB	6.5	550%	Night
6533	2025-03-16 21:10:00	74	45dB	7.0	596%	Night
6534	2025-03-16 21:11:34	?	45dB	?	?	Night
6535	2025-03-16 21:12:43	70	45dB	5.3	428%	Night
6536	2025-03-16 21:14:00	81	45dB	12.1	1113%	Night
6537	2025-03-16 21:15:07	71	45dB	6.1	506%	Night
6538	2025-03-16 21:16:40	71	45dB	6.1	506%	Night
6539	2025-03-16 21:18:07	72	45dB	6.1	506%	Night
6540	2025-03-16 21:20:35	68	45dB	4.9	392%	Night
6541	2025-03-16 21:21:51	73	45dB	7.0	596%	Night
6542	2025-03-16 21:23:06	70	45dB	5.7	466%	Night
6543	2025-03-16 21:24:44	71	45dB	5.7	466%	Night
6544	2025-03-16 21:27:19	69	45dB	4.9	392%	Night
6545	2025-03-16 21:29:22	71	45dB	6.1	506%	Night
6546	2025-03-16 21:30:51	70	45dB	5.7	466%	Night
6547	2025-03-16 21:32:11	71	45dB	6.1	506%	Night
6548	2025-03-16 21:33:32	69	45dB	4.9	392%	Night
6549	2025-03-16 21:34:47	70	45dB	5.7	466%	Night
6550	2025-03-16 21:36:17	70	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6551	2025-03-16 21:37:57	74	45dB	7.0	596%	Night
6552	2025-03-16 21:39:18	72	45dB	6.1	506%	Night
6553	2025-03-16 21:40:51	70	45dB	5.3	428%	Night
6554	2025-03-16 21:42:15	70	45dB	5.7	466%	Night
6555	2025-03-16 21:43:38	71	45dB	5.7	466%	Night
6556	2025-03-16 21:46:26	70	45dB	5.3	428%	Night
6557	2025-03-16 21:48:10	78	45dB	9.8	885%	Night
6558	2025-03-16 21:49:38	72	45dB	6.5	550%	Night
6559	2025-03-16 21:52:15	73	45dB	7.0	596%	Night
6560	2025-03-16 21:53:49	75	45dB	8.0	700%	Night
6561	2025-03-16 21:55:21	72	45dB	6.1	506%	Night
6562	2025-03-16 21:56:57	73	45dB	6.5	550%	Night
6563	2025-03-16 21:58:24	70	45dB	5.3	428%	Night
6564	2025-03-16 22:00:41	71	45dB	6.1	506%	Night
6565	2025-03-16 22:06:13	75	45dB	8.0	700%	Night
6566	2025-03-16 22:08:46	76	45dB	8.0	700%	Night
6567	2025-03-16 22:11:05	73	45dB	7.0	596%	Night
6568	2025-03-16 22:14:10	70	45dB	5.7	466%	Night
6569	2025-03-16 22:16:01	71	45dB	5.7	466%	Night
6570	2025-03-16 22:22:25	79	45dB	9.8	885%	Night
6571	2025-03-16 22:24:42	71	45dB	5.7	466%	Night
6572	2025-03-16 22:27:02	77	45dB	9.2	819%	Night
6573	2025-03-16 22:29:10	71	45dB	5.7	466%	Night
6574	2025-03-16 22:32:48	68	45dB	4.9	392%	Night
6575	2025-03-16 22:35:06	70	45dB	5.3	428%	Night
6576	2025-03-16 22:37:28	69	45dB	5.3	428%	Night
6577	2025-03-16 22:39:21	71	45dB	6.1	506%	Night
6578	2025-03-16 22:42:24	73	45dB	6.5	550%	Night
6579	2025-03-16 22:45:21	73	45dB	6.5	550%	Night
6580	2025-03-16 22:50:13	76	45dB	8.6	757%	Night
6581	2025-03-16 22:53:02	71	45dB	6.1	506%	Night
6582	2025-03-16 22:54:26	68	45dB	4.9	392%	Night
6583	2025-03-16 22:56:21	70	45dB	5.3	428%	Night
6584	2025-03-16 22:58:53	74	45dB	7.0	596%	Night
6585	2025-03-16 23:01:37	?	45dB	?	?	Night
6586	2025-03-16 23:04:39	?	45dB	?	?	Night
6587	2025-03-16 23:06:20	?	45dB	?	?	Night
6588	2025-03-16 23:14:02	75	45dB	7.5	646%	Night
6589	2025-03-16 23:15:50	71	45dB	5.7	466%	Night
6590	2025-03-16 23:17:03	70	45dB	5.7	466%	Night
6591	2025-03-16 23:20:26	?	45dB	?	?	Night
6592	2025-03-16 23:23:04	?	45dB	?	?	Night
6593	2025-03-16 23:32:37	73	45dB	7.0	596%	Night
6594	2025-03-16 23:34:44	74	45dB	7.0	596%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6595	2025-03-16 23:37:34	74	45dB	7.0	596%	Night
6596	2025-03-16 23:38:50	78	45dB	9.2	819%	Night
6597	2025-03-16 23:40:10	70	45dB	5.3	428%	Night
6598	2025-03-16 23:41:53	75	45dB	8.0	700%	Night
6599	2025-03-16 23:43:52	70	45dB	5.7	466%	Night
6600	2025-03-16 23:45:35	68	45dB	4.9	392%	Night
6601	2025-03-16 23:47:33	79	45dB	9.8	885%	Night
6602	2025-03-16 23:48:57	67	45dB	4.6	359%	Night
6603	2025-03-16 23:50:35	73	45dB	7.0	596%	Night
6604	2025-03-16 23:53:07	71	45dB	5.7	466%	Night
6605	2025-03-16 23:55:08	72	45dB	6.5	550%	Night
6606	2025-03-16 23:56:38	70	45dB	5.7	466%	Night
6607	2025-03-17 00:00:44	75	45dB	8.0	700%	Night
6608	2025-03-17 00:06:41	75	45dB	8.0	700%	Night
6609	2025-03-17 00:09:21	85	45dB	14.9	1393%	Night
6610	2025-03-17 00:13:35	78	45dB	9.2	819%	Night
6611	2025-03-17 00:16:01	71	45dB	5.7	466%	Night
6612	2025-03-17 00:17:31	76	45dB	8.0	700%	Night
6613	2025-03-17 00:22:03	77	45dB	8.6	757%	Night
6614	2025-03-17 00:23:45	72	45dB	6.1	506%	Night
6615	2025-03-17 00:25:22	75	45dB	7.5	646%	Night
6616	2025-03-17 00:27:16	73	45dB	7.0	596%	Night
6617	2025-03-17 00:28:55	70	45dB	5.3	428%	Night
6618	2025-03-17 00:30:10	71	45dB	6.1	506%	Night
6619	2025-03-17 00:31:31	70	45dB	5.3	428%	Night
6620	2025-03-17 00:33:28	69	45dB	5.3	428%	Night
6621	2025-03-17 00:37:04	72	45dB	6.1	506%	Night
6622	2025-03-17 00:41:44	92	45dB	26.0	2499%	Night
6623	2025-03-17 00:43:24	71	45dB	5.7	466%	Night
6624	2025-03-17 00:46:00	71	45dB	5.7	466%	Night
6625	2025-03-17 00:47:43	63	45dB	3.2	225%	Night
6626	2025-03-17 00:50:15	80	45dB	11.3	1031%	Night
6627	2025-03-17 00:57:16	69	45dB	5.3	428%	Night
6628	2025-03-17 01:01:28	70	45dB	5.3	428%	Night
6629	2025-03-17 01:04:50	76	45dB	8.0	700%	Night
6630	2025-03-17 01:09:25	78	45dB	9.2	819%	Night
6631	2025-03-17 01:13:07	80	45dB	10.6	956%	Night
6632	2025-03-17 01:19:50	71	45dB	6.1	506%	Night
6633	2025-03-17 01:26:53	74	45dB	7.5	646%	Night
6634	2025-03-17 01:29:22	72	45dB	6.5	550%	Night
6635	2025-03-17 01:32:48	71	45dB	6.1	506%	Night
6636	2025-03-17 01:34:48	71	45dB	6.1	506%	Night
6637	2025-03-17 01:48:00	70	45dB	5.7	466%	Night
6638	2025-03-17 01:51:18	69	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6639	2025-03-17 02:00:26	75	45dB	8.0	700%	Night
6640	2025-03-17 02:02:51	74	45dB	7.0	596%	Night
6641	2025-03-17 02:04:35	70	45dB	5.7	466%	Night
6642	2025-03-17 02:14:24	69	45dB	4.9	392%	Night
6643	2025-03-17 02:20:08	76	45dB	8.0	700%	Night
6644	2025-03-17 02:25:39	74	45dB	7.0	596%	Night
6645	2025-03-17 02:31:13	75	45dB	8.0	700%	Night
6646	2025-03-17 02:34:50	75	45dB	8.0	700%	Night
6647	2025-03-17 02:39:36	81	45dB	11.3	1031%	Night
6648	2025-03-17 02:42:46	80	45dB	10.6	956%	Night
6649	2025-03-17 02:45:20	71	45dB	6.1	506%	Night
6650	2025-03-17 03:01:55	70	45dB	5.3	428%	Night
6651	2025-03-17 03:14:51	70	45dB	5.3	428%	Night
6652	2025-03-17 03:18:00	77	45dB	8.6	757%	Night
6653	2025-03-17 03:23:56	72	45dB	6.1	506%	Night
6654	2025-03-17 04:17:49	?	45dB	?	?	Night
6655	2025-03-17 05:12:34	76	45dB	8.0	700%	Night
6656	2025-03-17 05:42:21	74	45dB	7.5	646%	Night
6657	2025-03-17 05:44:22	75	45dB	8.0	700%	Night
6658	2025-03-17 05:46:30	78	45dB	9.2	819%	Night
6659	2025-03-17 05:49:04	75	45dB	8.0	700%	Night
6660	2025-03-17 05:51:35	69	45dB	5.3	428%	Night
6661	2025-03-17 06:31:26	?	45dB	?	?	Night
6662	2025-03-17 06:32:35	70	45dB	5.3	428%	Night
6663	2025-03-17 06:33:34	77	45dB	8.6	757%	Night
6664	2025-03-17 06:34:48	70	45dB	5.7	466%	Night
6665	2025-03-17 06:36:04	69	45dB	4.9	392%	Night
6666	2025-03-17 06:37:16	74	45dB	7.0	596%	Night
6667	2025-03-17 06:38:23	?	45dB	?	?	Night
6668	2025-03-17 06:39:33	72	45dB	6.1	506%	Night
6669	2025-03-17 06:40:52	69	45dB	4.9	392%	Night
6670	2025-03-17 06:42:03	77	45dB	9.2	819%	Night
6671	2025-03-17 06:43:10	79	45dB	10.6	956%	Night
6672	2025-03-17 06:45:40	?	45dB	?	?	Night
6673	2025-03-17 06:50:13	?	45dB	?	?	Night
6674	2025-03-17 06:51:12	68	45dB	4.6	359%	Night
6675	2025-03-17 06:52:32	68	45dB	4.9	392%	Night
6676	2025-03-17 06:53:45	74	45dB	7.5	646%	Night
6677	2025-03-17 06:54:57	73	45dB	7.0	596%	Night
6678	2025-03-17 06:56:00	?	45dB	?	?	Night
6679	2025-03-17 06:57:20	?	45dB	?	?	Night
6680	2025-03-17 06:58:43	67	45dB	4.3	329%	Night
6681	2025-03-17 07:00:24	?	55dB	?	?	Day
6682	2025-03-17 07:01:32	76	55dB	4.3	329%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6683	2025-03-17 07:02:48	72	55dB	3.0	203%	Day
6684	2025-03-17 07:04:02	79	55dB	5.3	428%	Day
6685	2025-03-17 07:05:50	?	55dB	?	?	Day
6686	2025-03-17 07:07:15	79	55dB	5.3	428%	Day
6687	2025-03-17 07:08:28	73	55dB	3.5	248%	Day
6688	2025-03-17 07:09:41	82	55dB	6.5	550%	Day
6689	2025-03-17 07:18:57	77	55dB	4.3	329%	Day
6690	2025-03-17 07:21:12	75	55dB	4.0	300%	Day
6691	2025-03-17 07:23:28	?	55dB	?	?	Day
6692	2025-03-17 07:26:35	?	55dB	?	?	Day
6693	2025-03-17 07:28:12	?	55dB	?	?	Day
6694	2025-03-17 07:29:24	?	55dB	?	?	Day
6695	2025-03-17 07:30:38	80	55dB	5.7	466%	Day
6696	2025-03-17 07:32:03	75	55dB	4.0	300%	Day
6697	2025-03-17 07:34:55	68	55dB	2.5	146%	Day
6698	2025-03-17 07:36:13	82	55dB	6.5	550%	Day
6699	2025-03-17 07:37:32	?	55dB	?	?	Day
6700	2025-03-17 07:38:41	83	55dB	7.0	596%	Day
6701	2025-03-17 07:39:56	?	55dB	?	?	Day
6702	2025-03-17 07:41:06	74	55dB	3.7	273%	Day
6703	2025-03-17 07:43:31	?	55dB	?	?	Day
6704	2025-03-17 07:44:43	78	55dB	4.9	392%	Day
6705	2025-03-17 07:45:58	?	55dB	?	?	Day
6706	2025-03-17 07:47:19	73	55dB	3.5	248%	Day
6707	2025-03-17 07:50:51	69	55dB	2.5	146%	Day
6708	2025-03-17 07:56:18	80	55dB	5.3	428%	Day
6709	2025-03-17 07:57:25	72	55dB	3.0	203%	Day
6710	2025-03-17 07:58:36	68	55dB	2.5	146%	Day
6711	2025-03-17 08:00:46	?	55dB	?	?	Day
6712	2025-03-17 08:02:56	72	55dB	3.0	203%	Day
6713	2025-03-17 08:04:14	?	55dB	?	?	Day
6714	2025-03-17 08:05:14	?	55dB	?	?	Day
6715	2025-03-17 08:06:25	70	55dB	2.8	183%	Day
6716	2025-03-17 08:07:33	75	55dB	3.7	273%	Day
6717	2025-03-17 08:09:20	82	55dB	6.1	506%	Day
6718	2025-03-17 08:10:20	70	55dB	2.6	164%	Day
6719	2025-03-17 08:13:17	?	55dB	?	?	Day
6720	2025-03-17 08:17:02	72	55dB	3.0	203%	Day
6721	2025-03-17 08:19:45	71	55dB	2.8	183%	Day
6722	2025-03-17 08:20:50	?	55dB	?	?	Day
6723	2025-03-17 08:22:22	73	55dB	3.2	225%	Day
6724	2025-03-17 08:25:35	66	55dB	2.1	114%	Day
6725	2025-03-17 08:29:58	?	55dB	?	?	Day
6726	2025-03-17 08:34:02	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6727	2025-03-17 08:35:13	71	55dB	2.8	183%	Day
6728	2025-03-17 08:36:32	76	55dB	4.0	300%	Day
6729	2025-03-17 08:37:26	70	55dB	2.8	183%	Day
6730	2025-03-17 08:38:20	74	55dB	3.7	273%	Day
6731	2025-03-17 08:39:44	78	55dB	4.6	359%	Day
6732	2025-03-17 08:40:55	69	55dB	2.5	146%	Day
6733	2025-03-17 08:44:15	72	55dB	3.0	203%	Day
6734	2025-03-17 08:46:13	78	55dB	4.9	392%	Day
6735	2025-03-17 08:47:06	83	55dB	6.5	550%	Day
6736	2025-03-17 08:48:11	70	55dB	2.8	183%	Day
6737	2025-03-17 08:51:01	78	55dB	4.9	392%	Day
6738	2025-03-17 08:52:02	73	55dB	3.5	248%	Day
6739	2025-03-17 08:53:10	68	55dB	2.3	130%	Day
6740	2025-03-17 08:54:12	69	55dB	2.5	146%	Day
6741	2025-03-17 08:55:21	71	55dB	3.0	203%	Day
6742	2025-03-17 08:56:27	68	55dB	2.5	146%	Day
6743	2025-03-17 08:57:26	?	55dB	?	?	Day
6744	2025-03-17 08:58:53	?	55dB	?	?	Day
6745	2025-03-17 09:00:44	72	55dB	3.0	203%	Day
6746	2025-03-17 09:03:06	72	55dB	3.2	225%	Day
6747	2025-03-17 09:04:50	?	55dB	?	?	Day
6748	2025-03-17 09:07:06	71	55dB	3.0	203%	Day
6749	2025-03-17 09:08:16	?	55dB	?	?	Day
6750	2025-03-17 09:10:04	72	55dB	3.0	203%	Day
6751	2025-03-17 09:11:58	70	55dB	2.6	164%	Day
6752	2025-03-17 09:12:59	71	55dB	3.0	203%	Day
6753	2025-03-17 09:14:50	70	55dB	2.6	164%	Day
6754	2025-03-17 09:20:03	?	55dB	?	?	Day
6755	2025-03-17 09:21:17	67	55dB	2.1	114%	Day
6756	2025-03-17 09:22:22	76	55dB	4.3	329%	Day
6757	2025-03-17 09:23:35	76	55dB	4.3	329%	Day
6758	2025-03-17 09:24:32	74	55dB	3.5	248%	Day
6759	2025-03-17 09:27:26	?	55dB	?	?	Day
6760	2025-03-17 09:28:26	66	55dB	2.1	114%	Day
6761	2025-03-17 09:29:35	66	55dB	2.0	100%	Day
6762	2025-03-17 09:30:44	78	55dB	4.6	359%	Day
6763	2025-03-17 09:32:02	72	55dB	3.2	225%	Day
6764	2025-03-17 09:34:56	73	55dB	3.5	248%	Day
6765	2025-03-17 09:40:42	76	55dB	4.3	329%	Day
6766	2025-03-17 09:42:03	?	55dB	?	?	Day
6767	2025-03-17 09:44:12	71	55dB	2.8	183%	Day
6768	2025-03-17 09:54:52	70	55dB	2.8	183%	Day
6769	2025-03-17 09:56:45	?	55dB	?	?	Day
6770	2025-03-17 09:58:19	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6771	2025-03-17 10:01:32	77	55dB	4.3	329%	Day
6772	2025-03-17 10:03:44	78	55dB	4.6	359%	Day
6773	2025-03-17 10:05:01	71	55dB	3.0	203%	Day
6774	2025-03-17 10:06:09	72	55dB	3.0	203%	Day
6775	2025-03-17 10:08:26	?	55dB	?	?	Day
6776	2025-03-17 10:11:17	72	55dB	3.2	225%	Day
6777	2025-03-17 10:12:26	69	55dB	2.6	164%	Day
6778	2025-03-17 10:14:24	?	55dB	?	?	Day
6779	2025-03-17 10:15:34	?	55dB	?	?	Day
6780	2025-03-17 11:09:58	?	55dB	?	?	Day
6781	2025-03-17 12:03:08	?	55dB	?	?	Day
6782	2025-03-17 12:51:22	?	55dB	?	?	Day
6783	2025-03-17 13:35:02	66	55dB	2.1	114%	Day
6784	2025-03-17 13:59:50	?	55dB	?	?	Day
6785	2025-03-17 14:50:17	?	55dB	?	?	Day
6786	2025-03-17 15:04:16	74	55dB	3.7	273%	Day
6787	2025-03-17 15:16:53	?	55dB	?	?	Day
6788	2025-03-17 15:58:10	?	55dB	?	?	Day
6789	2025-03-17 17:42:40	?	55dB	?	?	Day
6790	2025-03-17 19:54:28	?	45dB	?	?	Night
6791	2025-03-17 22:27:50	70	45dB	5.3	428%	Night
6792	2025-03-17 22:31:02	67	45dB	4.3	329%	Night
6793	2025-03-17 22:32:58	67	45dB	4.3	329%	Night
6794	2025-03-17 22:35:12	68	45dB	4.6	359%	Night
6795	2025-03-17 22:37:00	71	45dB	5.7	466%	Night
6796	2025-03-17 22:38:35	69	45dB	5.3	428%	Night
6797	2025-03-17 22:40:43	?	45dB	?	?	Night
6798	2025-03-17 22:42:02	67	45dB	4.6	359%	Night
6799	2025-03-17 22:43:22	69	45dB	4.9	392%	Night
6800	2025-03-17 22:44:54	69	45dB	5.3	428%	Night
6801	2025-03-17 22:46:34	71	45dB	5.7	466%	Night
6802	2025-03-17 22:48:51	68	45dB	4.9	392%	Night
6803	2025-03-17 22:52:44	67	45dB	4.6	359%	Night
6804	2025-03-17 22:57:28	72	45dB	6.1	506%	Night
6805	2025-03-17 23:02:24	72	45dB	6.1	506%	Night
6806	2025-03-17 23:11:32	68	45dB	4.6	359%	Night
6807	2025-03-17 23:16:02	71	45dB	6.1	506%	Night
6808	2025-03-17 23:23:23	72	45dB	6.1	506%	Night
6809	2025-03-17 23:25:15	?	45dB	?	?	Night
6810	2025-03-17 23:26:57	69	45dB	5.3	428%	Night
6811	2025-03-17 23:28:53	67	45dB	4.6	359%	Night
6812	2025-03-17 23:31:30	68	45dB	4.9	392%	Night
6813	2025-03-17 23:33:00	72	45dB	6.5	550%	Night
6814	2025-03-17 23:34:45	70	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6815	2025-03-17 23:36:26	72	45dB	6.5	550%	Night
6816	2025-03-17 23:40:39	70	45dB	5.7	466%	Night
6817	2025-03-17 23:42:35	70	45dB	5.7	466%	Night
6818	2025-03-17 23:44:11	69	45dB	5.3	428%	Night
6819	2025-03-17 23:45:23	69	45dB	5.3	428%	Night
6820	2025-03-17 23:46:55	66	45dB	4.3	329%	Night
6821	2025-03-17 23:49:11	71	45dB	6.1	506%	Night
6822	2025-03-17 23:52:17	77	45dB	9.2	819%	Night
6823	2025-03-17 23:55:01	75	45dB	7.5	646%	Night
6824	2025-03-17 23:57:30	80	45dB	10.6	956%	Night
6825	2025-03-17 23:59:43	73	45dB	6.5	550%	Night
6826	2025-03-18 00:02:30	73	45dB	7.0	596%	Night
6827	2025-03-18 00:03:41	74	45dB	7.5	646%	Night
6828	2025-03-18 00:05:26	74	45dB	7.5	646%	Night
6829	2025-03-18 00:10:28	73	45dB	6.5	550%	Night
6830	2025-03-18 00:13:11	74	45dB	7.0	596%	Night
6831	2025-03-18 00:17:24	76	45dB	8.6	757%	Night
6832	2025-03-18 00:21:47	72	45dB	6.5	550%	Night
6833	2025-03-18 00:26:11	77	45dB	8.6	757%	Night
6834	2025-03-18 00:29:11	75	45dB	7.5	646%	Night
6835	2025-03-18 00:32:08	74	45dB	7.5	646%	Night
6836	2025-03-18 00:34:43	75	45dB	7.5	646%	Night
6837	2025-03-18 00:37:18	72	45dB	6.1	506%	Night
6838	2025-03-18 00:42:58	74	45dB	7.5	646%	Night
6839	2025-03-18 00:54:03	73	45dB	6.5	550%	Night
6840	2025-03-18 00:56:37	74	45dB	7.0	596%	Night
6841	2025-03-18 01:03:04	74	45dB	7.5	646%	Night
6842	2025-03-18 01:05:34	76	45dB	8.0	700%	Night
6843	2025-03-18 01:06:58	71	45dB	6.1	506%	Night
6844	2025-03-18 01:08:22	74	45dB	7.5	646%	Night
6845	2025-03-18 01:15:51	75	45dB	8.0	700%	Night
6846	2025-03-18 01:28:28	73	45dB	6.5	550%	Night
6847	2025-03-18 01:42:30	74	45dB	7.5	646%	Night
6848	2025-03-18 01:53:05	75	45dB	8.0	700%	Night
6849	2025-03-18 01:54:57	72	45dB	6.5	550%	Night
6850	2025-03-18 01:56:23	75	45dB	8.0	700%	Night
6851	2025-03-18 02:06:06	82	45dB	12.1	1113%	Night
6852	2025-03-18 02:08:25	73	45dB	7.0	596%	Night
6853	2025-03-18 02:11:04	74	45dB	7.5	646%	Night
6854	2025-03-18 02:12:47	75	45dB	8.0	700%	Night
6855	2025-03-18 02:41:40	71	45dB	6.1	506%	Night
6856	2025-03-18 02:53:24	75	45dB	8.0	700%	Night
6857	2025-03-18 03:20:04	74	45dB	7.0	596%	Night
6858	2025-03-18 04:27:25	76	45dB	8.6	757%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6859	2025-03-18 04:35:05	65	45dB	3.7	273%	Night
6860	2025-03-18 05:09:44	77	45dB	8.6	757%	Night
6861	2025-03-18 05:13:38	72	45dB	6.5	550%	Night
6862	2025-03-18 05:15:50	75	45dB	8.0	700%	Night
6863	2025-03-18 05:19:58	73	45dB	6.5	550%	Night
6864	2025-03-18 05:26:59	77	45dB	8.6	757%	Night
6865	2025-03-18 05:40:05	75	45dB	7.5	646%	Night
6866	2025-03-18 05:47:23	71	45dB	5.7	466%	Night
6867	2025-03-18 05:49:31	76	45dB	8.0	700%	Night
6868	2025-03-18 05:58:51	72	45dB	6.1	506%	Night
6869	2025-03-18 06:13:02	78	45dB	9.2	819%	Night
6870	2025-03-18 06:19:16	76	45dB	8.0	700%	Night
6871	2025-03-18 06:22:16	73	45dB	6.5	550%	Night
6872	2025-03-18 06:29:34	70	45dB	5.7	466%	Night
6873	2025-03-18 06:32:02	71	45dB	6.1	506%	Night
6874	2025-03-18 06:33:56	?	45dB	?	?	Night
6875	2025-03-18 06:35:21	72	45dB	6.5	550%	Night
6876	2025-03-18 06:36:50	69	45dB	5.3	428%	Night
6877	2025-03-18 06:38:33	70	45dB	5.3	428%	Night
6878	2025-03-18 06:40:04	67	45dB	4.6	359%	Night
6879	2025-03-18 06:41:32	70	45dB	5.7	466%	Night
6880	2025-03-18 06:43:36	70	45dB	5.7	466%	Night
6881	2025-03-18 06:44:39	68	45dB	4.9	392%	Night
6882	2025-03-18 06:45:00	70	45dB	5.7	466%	Night
6883	2025-03-18 06:46:35	71	45dB	5.7	466%	Night
6884	2025-03-18 06:47:56	70	45dB	5.3	428%	Night
6885	2025-03-18 06:49:44	69	45dB	5.3	428%	Night
6886	2025-03-18 06:51:00	73	45dB	6.5	550%	Night
6887	2025-03-18 06:52:46	70	45dB	5.3	428%	Night
6888	2025-03-18 06:55:41	69	45dB	4.9	392%	Night
6889	2025-03-18 06:56:56	72	45dB	6.5	550%	Night
6890	2025-03-18 06:59:15	80	45dB	11.3	1031%	Night
6891	2025-03-18 07:00:32	70	55dB	2.8	183%	Day
6892	2025-03-18 07:01:59	70	55dB	2.6	164%	Day
6893	2025-03-18 07:03:26	74	55dB	3.5	248%	Day
6894	2025-03-18 07:05:22	71	55dB	2.8	183%	Day
6895	2025-03-18 07:07:05	71	55dB	3.0	203%	Day
6896	2025-03-18 07:08:28	67	55dB	2.3	130%	Day
6897	2025-03-18 07:10:08	73	55dB	3.2	225%	Day
6898	2025-03-18 07:11:35	69	55dB	2.6	164%	Day
6899	2025-03-18 07:13:07	73	55dB	3.5	248%	Day
6900	2025-03-18 07:14:37	71	55dB	3.0	203%	Day
6901	2025-03-18 07:16:19	72	55dB	3.0	203%	Day
6902	2025-03-18 07:21:03	69	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6903	2025-03-18 07:32:23	?	55dB	?	?	Day
6904	2025-03-18 07:38:41	73	55dB	3.2	225%	Day
6905	2025-03-18 07:46:28	77	55dB	4.3	329%	Day
6906	2025-03-18 07:47:46	71	55dB	3.0	203%	Day
6907	2025-03-18 07:49:39	69	55dB	2.6	164%	Day
6908	2025-03-18 07:52:51	71	55dB	2.8	183%	Day
6909	2025-03-18 07:55:31	70	55dB	2.8	183%	Day
6910	2025-03-18 07:57:40	73	55dB	3.5	248%	Day
6911	2025-03-18 08:00:12	74	55dB	3.7	273%	Day
6912	2025-03-18 08:05:40	69	55dB	2.6	164%	Day
6913	2025-03-18 08:15:35	75	55dB	3.7	273%	Day
6914	2025-03-18 08:18:02	?	55dB	?	?	Day
6915	2025-03-18 08:20:48	73	55dB	3.5	248%	Day
6916	2025-03-18 08:28:52	68	55dB	2.3	130%	Day
6917	2025-03-18 08:30:49	71	55dB	2.8	183%	Day
6918	2025-03-18 08:32:13	71	55dB	2.8	183%	Day
6919	2025-03-18 08:38:09	72	55dB	3.2	225%	Day
6920	2025-03-18 08:40:45	75	55dB	4.0	300%	Day
6921	2025-03-18 08:49:26	69	55dB	2.5	146%	Day
6922	2025-03-18 08:50:54	?	55dB	?	?	Day
6923	2025-03-18 08:52:23	?	55dB	?	?	Day
6924	2025-03-18 08:54:36	70	55dB	2.6	164%	Day
6925	2025-03-18 08:56:15	70	55dB	2.8	183%	Day
6926	2025-03-18 09:01:35	?	55dB	?	?	Day
6927	2025-03-18 09:10:03	77	55dB	4.6	359%	Day
6928	2025-03-18 09:14:39	70	55dB	2.8	183%	Day
6929	2025-03-18 09:28:57	71	55dB	3.0	203%	Day
6930	2025-03-18 09:31:17	70	55dB	2.8	183%	Day
6931	2025-03-18 09:34:47	67	55dB	2.3	130%	Day
6932	2025-03-18 09:37:13	74	55dB	3.7	273%	Day
6933	2025-03-18 09:39:59	69	55dB	2.6	164%	Day
6934	2025-03-18 09:41:56	?	55dB	?	?	Day
6935	2025-03-18 09:43:13	72	55dB	3.0	203%	Day
6936	2025-03-18 09:45:11	76	55dB	4.0	300%	Day
6937	2025-03-18 09:51:46	77	55dB	4.6	359%	Day
6938	2025-03-18 09:55:14	73	55dB	3.2	225%	Day
6939	2025-03-18 09:57:10	74	55dB	3.7	273%	Day
6940	2025-03-18 09:59:35	70	55dB	2.8	183%	Day
6941	2025-03-18 10:01:56	70	55dB	2.8	183%	Day
6942	2025-03-18 10:10:36	71	55dB	3.0	203%	Day
6943	2025-03-18 10:15:15	72	55dB	3.0	203%	Day
6944	2025-03-18 10:18:52	71	55dB	3.0	203%	Day
6945	2025-03-18 10:20:21	68	55dB	2.5	146%	Day
6946	2025-03-18 10:25:34	75	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6947	2025-03-18 10:27:04	?	55dB	?	?	Day
6948	2025-03-18 10:28:34	70	55dB	2.8	183%	Day
6949	2025-03-18 10:30:27	72	55dB	3.2	225%	Day
6950	2025-03-18 10:32:19	69	55dB	2.6	164%	Day
6951	2025-03-18 10:39:42	71	55dB	2.8	183%	Day
6952	2025-03-18 10:43:07	68	55dB	2.3	130%	Day
6953	2025-03-18 10:44:33	73	55dB	3.2	225%	Day
6954	2025-03-18 10:46:02	73	55dB	3.2	225%	Day
6955	2025-03-18 10:48:43	72	55dB	3.0	203%	Day
6956	2025-03-18 10:50:20	68	55dB	2.3	130%	Day
6957	2025-03-18 10:52:12	73	55dB	3.5	248%	Day
6958	2025-03-18 10:55:56	73	55dB	3.5	248%	Day
6959	2025-03-18 10:58:16	69	55dB	2.6	164%	Day
6960	2025-03-18 11:00:19	71	55dB	2.8	183%	Day
6961	2025-03-18 11:03:26	67	55dB	2.3	130%	Day
6962	2025-03-18 11:05:21	?	55dB	?	?	Day
6963	2025-03-18 11:07:04	71	55dB	3.0	203%	Day
6964	2025-03-18 11:09:11	70	55dB	2.6	164%	Day
6965	2025-03-18 11:11:25	74	55dB	3.5	248%	Day
6966	2025-03-18 11:12:53	?	55dB	?	?	Day
6967	2025-03-18 11:16:56	?	55dB	?	?	Day
6968	2025-03-18 11:18:22	72	55dB	3.0	203%	Day
6969	2025-03-18 11:21:03	70	55dB	2.6	164%	Day
6970	2025-03-18 11:22:23	72	55dB	3.2	225%	Day
6971	2025-03-18 11:23:53	67	55dB	2.3	130%	Day
6972	2025-03-18 11:25:24	68	55dB	2.3	130%	Day
6973	2025-03-18 11:28:10	?	55dB	?	?	Day
6974	2025-03-18 11:29:47	72	55dB	3.0	203%	Day
6975	2025-03-18 11:35:13	69	55dB	2.5	146%	Day
6976	2025-03-18 11:37:15	71	55dB	2.8	183%	Day
6977	2025-03-18 11:39:20	?	55dB	?	?	Day
6978	2025-03-18 11:41:25	68	55dB	2.3	130%	Day
6979	2025-03-18 11:44:07	71	55dB	2.8	183%	Day
6980	2025-03-18 11:45:49	67	55dB	2.3	130%	Day
6981	2025-03-18 11:48:14	68	55dB	2.3	130%	Day
6982	2025-03-18 11:51:56	70	55dB	2.8	183%	Day
6983	2025-03-18 11:55:35	?	55dB	?	?	Day
6984	2025-03-18 12:11:37	70	55dB	2.6	164%	Day
6985	2025-03-18 12:13:21	69	55dB	2.6	164%	Day
6986	2025-03-18 12:17:16	69	55dB	2.6	164%	Day
6987	2025-03-18 12:20:53	69	55dB	2.6	164%	Day
6988	2025-03-18 12:22:20	69	55dB	2.5	146%	Day
6989	2025-03-18 12:25:43	70	55dB	2.8	183%	Day
6990	2025-03-18 12:29:15	72	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

6991	2025-03-18 12:30:51	74	55dB	3.5	248%	Day
6992	2025-03-18 12:32:47	71	55dB	3.0	203%	Day
6993	2025-03-18 12:34:08	?	55dB	?	?	Day
6994	2025-03-18 12:35:30	?	55dB	?	?	Day
6995	2025-03-18 12:37:19	?	55dB	?	?	Day
6996	2025-03-18 12:38:52	72	55dB	3.2	225%	Day
6997	2025-03-18 12:40:14	?	55dB	?	?	Day
6998	2025-03-18 12:41:52	68	55dB	2.5	146%	Day
6999	2025-03-18 12:43:26	70	55dB	2.8	183%	Day
7000	2025-03-18 12:45:15	72	55dB	3.0	203%	Day
7001	2025-03-18 12:46:56	72	55dB	3.0	203%	Day
7002	2025-03-18 12:54:09	72	55dB	3.2	225%	Day
7003	2025-03-18 12:56:03	?	55dB	?	?	Day
7004	2025-03-18 12:57:30	71	55dB	3.0	203%	Day
7005	2025-03-18 12:59:06	68	55dB	2.3	130%	Day
7006	2025-03-18 13:03:08	82	55dB	6.5	550%	Day
7007	2025-03-18 13:06:03	71	55dB	3.0	203%	Day
7008	2025-03-18 13:08:15	69	55dB	2.5	146%	Day
7009	2025-03-18 13:10:15	69	55dB	2.6	164%	Day
7010	2025-03-18 13:11:37	?	55dB	?	?	Day
7011	2025-03-18 13:13:02	72	55dB	3.2	225%	Day
7012	2025-03-18 13:15:47	68	55dB	2.3	130%	Day
7013	2025-03-18 13:17:18	70	55dB	2.6	164%	Day
7014	2025-03-18 13:19:23	71	55dB	2.8	183%	Day
7015	2025-03-18 13:21:43	?	55dB	?	?	Day
7016	2025-03-18 13:25:55	?	55dB	?	?	Day
7017	2025-03-18 13:27:44	?	55dB	?	?	Day
7018	2025-03-18 13:29:26	?	55dB	?	?	Day
7019	2025-03-18 13:30:41	69	55dB	2.6	164%	Day
7020	2025-03-18 13:32:02	79	55dB	4.9	392%	Day
7021	2025-03-18 13:33:44	80	55dB	5.3	428%	Day
7022	2025-03-18 13:36:22	78	55dB	4.9	392%	Day
7023	2025-03-18 13:38:36	71	55dB	3.0	203%	Day
7024	2025-03-18 13:40:22	?	55dB	?	?	Day
7025	2025-03-18 13:41:47	70	55dB	2.6	164%	Day
7026	2025-03-18 13:43:24	70	55dB	2.6	164%	Day
7027	2025-03-18 13:44:44	?	55dB	?	?	Day
7028	2025-03-18 13:48:31	71	55dB	3.0	203%	Day
7029	2025-03-18 13:50:54	68	55dB	2.5	146%	Day
7030	2025-03-18 13:54:21	71	55dB	3.0	203%	Day
7031	2025-03-18 13:56:58	73	55dB	3.5	248%	Day
7032	2025-03-18 13:59:38	74	55dB	3.7	273%	Day
7033	2025-03-18 14:02:16	68	55dB	2.5	146%	Day
7034	2025-03-18 14:07:57	69	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7035	2025-03-18 14:10:51	70	55dB	2.8	183%	Day
7036	2025-03-18 14:15:33	?	55dB	?	?	Day
7037	2025-03-18 14:21:44	68	55dB	2.5	146%	Day
7038	2025-03-18 14:23:55	80	55dB	5.7	466%	Day
7039	2025-03-18 14:26:03	?	55dB	?	?	Day
7040	2025-03-18 14:27:24	69	55dB	2.5	146%	Day
7041	2025-03-18 14:29:23	71	55dB	2.8	183%	Day
7042	2025-03-18 14:31:05	70	55dB	2.6	164%	Day
7043	2025-03-18 14:32:35	71	55dB	3.0	203%	Day
7044	2025-03-18 14:34:05	70	55dB	2.8	183%	Day
7045	2025-03-18 14:36:53	67	55dB	2.3	130%	Day
7046	2025-03-18 14:38:26	?	55dB	?	?	Day
7047	2025-03-18 14:39:45	70	55dB	2.8	183%	Day
7048	2025-03-18 14:42:33	?	55dB	?	?	Day
7049	2025-03-18 14:44:13	73	55dB	3.2	225%	Day
7050	2025-03-18 14:45:45	74	55dB	3.5	248%	Day
7051	2025-03-18 14:47:40	72	55dB	3.0	203%	Day
7052	2025-03-18 14:49:00	68	55dB	2.3	130%	Day
7053	2025-03-18 14:50:28	71	55dB	2.8	183%	Day
7054	2025-03-18 14:52:06	77	55dB	4.3	329%	Day
7055	2025-03-18 14:54:32	69	55dB	2.5	146%	Day
7056	2025-03-18 14:56:01	70	55dB	2.6	164%	Day
7057	2025-03-18 14:57:34	74	55dB	3.5	248%	Day
7058	2025-03-18 14:59:42	73	55dB	3.5	248%	Day
7059	2025-03-18 15:01:48	72	55dB	3.0	203%	Day
7060	2025-03-18 15:04:37	71	55dB	3.0	203%	Day
7061	2025-03-18 15:06:50	74	55dB	3.5	248%	Day
7062	2025-03-18 15:08:16	72	55dB	3.0	203%	Day
7063	2025-03-18 15:13:26	71	55dB	3.0	203%	Day
7064	2025-03-18 15:15:33	74	55dB	3.5	248%	Day
7065	2025-03-18 15:17:32	71	55dB	3.0	203%	Day
7066	2025-03-18 15:18:48	75	55dB	4.0	300%	Day
7067	2025-03-18 15:20:03	70	55dB	2.8	183%	Day
7068	2025-03-18 15:22:01	81	55dB	5.7	466%	Day
7069	2025-03-18 15:23:28	73	55dB	3.2	225%	Day
7070	2025-03-18 15:33:03	71	55dB	3.0	203%	Day
7071	2025-03-18 15:34:47	?	55dB	?	?	Day
7072	2025-03-18 15:37:34	67	55dB	2.3	130%	Day
7073	2025-03-18 15:38:44	69	55dB	2.5	146%	Day
7074	2025-03-18 15:40:27	78	55dB	4.6	359%	Day
7075	2025-03-18 15:42:06	69	55dB	2.6	164%	Day
7076	2025-03-18 15:43:30	70	55dB	2.6	164%	Day
7077	2025-03-18 15:44:35	?	55dB	?	?	Day
7078	2025-03-18 15:45:45	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7079	2025-03-18 15:47:02	69	55dB	2.6	164%	Day
7080	2025-03-18 15:48:12	79	55dB	5.3	428%	Day
7081	2025-03-18 15:50:32	67	55dB	2.3	130%	Day
7082	2025-03-18 15:51:49	?	55dB	?	?	Day
7083	2025-03-18 15:53:01	68	55dB	2.3	130%	Day
7084	2025-03-18 15:54:16	77	55dB	4.6	359%	Day
7085	2025-03-18 15:55:35	69	55dB	2.6	164%	Day
7086	2025-03-18 15:57:56	74	55dB	3.7	273%	Day
7087	2025-03-18 16:01:11	73	55dB	3.5	248%	Day
7088	2025-03-18 16:03:26	?	55dB	?	?	Day
7089	2025-03-18 16:05:00	66	55dB	2.1	114%	Day
7090	2025-03-18 16:07:02	69	55dB	2.5	146%	Day
7091	2025-03-18 16:09:02	69	55dB	2.5	146%	Day
7092	2025-03-18 16:10:19	73	55dB	3.2	225%	Day
7093	2025-03-18 16:11:33	70	55dB	2.8	183%	Day
7094	2025-03-18 16:13:11	72	55dB	3.0	203%	Day
7095	2025-03-18 16:15:38	69	55dB	2.6	164%	Day
7096	2025-03-18 16:18:31	71	55dB	2.8	183%	Day
7097	2025-03-18 16:21:01	72	55dB	3.2	225%	Day
7098	2025-03-18 16:22:58	?	55dB	?	?	Day
7099	2025-03-18 16:28:02	73	55dB	3.5	248%	Day
7100	2025-03-18 16:30:27	72	55dB	3.0	203%	Day
7101	2025-03-18 16:33:05	71	55dB	2.8	183%	Day
7102	2025-03-18 16:35:25	71	55dB	2.8	183%	Day
7103	2025-03-18 16:37:19	72	55dB	3.2	225%	Day
7104	2025-03-18 16:39:38	72	55dB	3.0	203%	Day
7105	2025-03-18 16:42:39	71	55dB	2.8	183%	Day
7106	2025-03-18 16:44:46	76	55dB	4.0	300%	Day
7107	2025-03-18 16:46:35	72	55dB	3.2	225%	Day
7108	2025-03-18 16:47:51	72	55dB	3.0	203%	Day
7109	2025-03-18 16:49:49	?	55dB	?	?	Day
7110	2025-03-18 16:51:40	?	55dB	?	?	Day
7111	2025-03-18 16:53:05	69	55dB	2.5	146%	Day
7112	2025-03-18 16:55:47	69	55dB	2.5	146%	Day
7113	2025-03-18 16:57:39	92	55dB	12.1	1113%	Day
7114	2025-03-18 17:00:11	76	55dB	4.0	300%	Day
7115	2025-03-18 17:04:28	?	55dB	?	?	Day
7116	2025-03-18 17:05:46	74	55dB	3.5	248%	Day
7117	2025-03-18 17:07:14	77	55dB	4.6	359%	Day
7118	2025-03-18 17:09:03	73	55dB	3.5	248%	Day
7119	2025-03-18 17:11:02	?	55dB	?	?	Day
7120	2025-03-18 17:12:26	70	55dB	2.8	183%	Day
7121	2025-03-18 17:13:41	?	55dB	?	?	Day
7122	2025-03-18 17:14:55	67	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7123	2025-03-18 17:16:19	?	55dB	?	?	Day
7124	2025-03-18 17:17:42	74	55dB	3.5	248%	Day
7125	2025-03-18 17:20:38	71	55dB	2.8	183%	Day
7126	2025-03-18 17:22:42	74	55dB	3.7	273%	Day
7127	2025-03-18 17:25:03	71	55dB	2.8	183%	Day
7128	2025-03-18 17:26:48	71	55dB	2.8	183%	Day
7129	2025-03-18 17:28:17	75	55dB	3.7	273%	Day
7130	2025-03-18 17:30:20	68	55dB	2.5	146%	Day
7131	2025-03-18 17:32:03	74	55dB	3.5	248%	Day
7132	2025-03-18 17:33:50	?	55dB	?	?	Day
7133	2025-03-18 17:35:53	71	55dB	2.8	183%	Day
7134	2025-03-18 17:37:15	76	55dB	4.3	329%	Day
7135	2025-03-18 17:41:03	74	55dB	3.7	273%	Day
7136	2025-03-18 17:47:12	73	55dB	3.2	225%	Day
7137	2025-03-18 17:48:54	72	55dB	3.0	203%	Day
7138	2025-03-18 17:50:46	70	55dB	2.6	164%	Day
7139	2025-03-18 17:52:11	71	55dB	2.8	183%	Day
7140	2025-03-18 17:53:31	72	55dB	3.0	203%	Day
7141	2025-03-18 17:54:51	73	55dB	3.5	248%	Day
7142	2025-03-18 17:56:47	70	55dB	2.8	183%	Day
7143	2025-03-18 17:58:11	70	55dB	2.8	183%	Day
7144	2025-03-18 17:59:37	73	55dB	3.5	248%	Day
7145	2025-03-18 18:02:03	67	55dB	2.3	130%	Day
7146	2025-03-18 18:03:19	70	55dB	2.8	183%	Day
7147	2025-03-18 18:04:42	68	55dB	2.5	146%	Day
7148	2025-03-18 18:05:56	67	55dB	2.1	114%	Day
7149	2025-03-18 18:07:26	69	55dB	2.5	146%	Day
7150	2025-03-18 18:08:52	77	55dB	4.6	359%	Day
7151	2025-03-18 18:10:59	76	55dB	4.3	329%	Day
7152	2025-03-18 18:12:26	70	55dB	2.8	183%	Day
7153	2025-03-18 18:14:01	71	55dB	3.0	203%	Day
7154	2025-03-18 18:18:07	70	55dB	2.6	164%	Day
7155	2025-03-18 18:19:37	73	55dB	3.2	225%	Day
7156	2025-03-18 18:21:31	70	55dB	2.6	164%	Day
7157	2025-03-18 18:23:43	73	55dB	3.5	248%	Day
7158	2025-03-18 18:26:26	69	55dB	2.6	164%	Day
7159	2025-03-18 18:28:15	69	55dB	2.5	146%	Day
7160	2025-03-18 18:30:12	66	55dB	2.1	114%	Day
7161	2025-03-18 18:31:45	72	55dB	3.2	225%	Day
7162	2025-03-18 18:34:38	72	55dB	3.0	203%	Day
7163	2025-03-18 18:38:10	69	55dB	2.6	164%	Day
7164	2025-03-18 18:40:00	69	55dB	2.6	164%	Day
7165	2025-03-18 18:41:56	72	55dB	3.0	203%	Day
7166	2025-03-18 18:43:37	70	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7167	2025-03-18 18:44:51	72	55dB	3.2	225%	Day
7168	2025-03-18 18:46:26	74	55dB	3.5	248%	Day
7169	2025-03-18 18:48:20	71	55dB	2.8	183%	Day
7170	2025-03-18 18:49:26	68	55dB	2.3	130%	Day
7171	2025-03-18 18:50:55	?	55dB	?	?	Day
7172	2025-03-18 18:52:17	73	55dB	3.2	225%	Day
7173	2025-03-18 18:53:36	69	55dB	2.6	164%	Day
7174	2025-03-18 18:54:54	70	55dB	2.6	164%	Day
7175	2025-03-18 18:56:14	71	55dB	3.0	203%	Day
7176	2025-03-18 18:57:28	72	55dB	3.0	203%	Day
7177	2025-03-18 18:59:33	69	55dB	2.5	146%	Day
7178	2025-03-18 19:01:13	69	45dB	4.9	392%	Night
7179	2025-03-18 19:02:22	71	45dB	6.1	506%	Night
7180	2025-03-18 19:04:42	71	45dB	6.1	506%	Night
7181	2025-03-18 19:06:20	70	45dB	5.7	466%	Night
7182	2025-03-18 19:07:31	72	45dB	6.1	506%	Night
7183	2025-03-18 19:08:58	74	45dB	7.0	596%	Night
7184	2025-03-18 19:11:21	69	45dB	5.3	428%	Night
7185	2025-03-18 19:12:39	71	45dB	6.1	506%	Night
7186	2025-03-18 19:13:58	70	45dB	5.7	466%	Night
7187	2025-03-18 19:16:02	71	45dB	5.7	466%	Night
7188	2025-03-18 19:17:32	69	45dB	5.3	428%	Night
7189	2025-03-18 19:18:47	69	45dB	5.3	428%	Night
7190	2025-03-18 19:20:02	69	45dB	5.3	428%	Night
7191	2025-03-18 19:21:25	67	45dB	4.6	359%	Night
7192	2025-03-18 19:23:17	72	45dB	6.1	506%	Night
7193	2025-03-18 19:24:52	71	45dB	6.1	506%	Night
7194	2025-03-18 19:26:02	67	45dB	4.6	359%	Night
7195	2025-03-18 19:27:54	70	45dB	5.7	466%	Night
7196	2025-03-18 19:30:33	69	45dB	5.3	428%	Night
7197	2025-03-18 19:32:48	70	45dB	5.3	428%	Night
7198	2025-03-18 19:36:16	76	45dB	8.6	757%	Night
7199	2025-03-18 19:38:19	70	45dB	5.3	428%	Night
7200	2025-03-18 19:39:44	70	45dB	5.7	466%	Night
7201	2025-03-18 19:42:28	72	45dB	6.5	550%	Night
7202	2025-03-18 19:43:58	71	45dB	6.1	506%	Night
7203	2025-03-18 19:45:23	78	45dB	9.2	819%	Night
7204	2025-03-18 19:47:05	70	45dB	5.7	466%	Night
7205	2025-03-18 19:48:34	70	45dB	5.3	428%	Night
7206	2025-03-18 19:49:44	69	45dB	4.9	392%	Night
7207	2025-03-18 19:51:02	68	45dB	4.9	392%	Night
7208	2025-03-18 19:52:51	69	45dB	4.9	392%	Night
7209	2025-03-18 19:57:45	67	45dB	4.3	329%	Night
7210	2025-03-18 20:00:21	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7211	2025-03-18 20:01:46	71	45dB	5.7	466%	Night
7212	2025-03-18 20:03:31	71	45dB	6.1	506%	Night
7213	2025-03-18 20:04:57	70	45dB	5.3	428%	Night
7214	2025-03-18 20:06:14	70	45dB	5.7	466%	Night
7215	2025-03-18 20:07:34	68	45dB	4.9	392%	Night
7216	2025-03-18 20:09:06	72	45dB	6.1	506%	Night
7217	2025-03-18 20:11:26	71	45dB	6.1	506%	Night
7218	2025-03-18 20:12:50	?	45dB	?	?	Night
7219	2025-03-18 20:15:56	71	45dB	5.7	466%	Night
7220	2025-03-18 20:19:06	78	45dB	9.2	819%	Night
7221	2025-03-18 20:21:42	69	45dB	4.9	392%	Night
7222	2025-03-18 20:24:54	72	45dB	6.1	506%	Night
7223	2025-03-18 20:27:13	76	45dB	8.0	700%	Night
7224	2025-03-18 20:29:46	72	45dB	6.1	506%	Night
7225	2025-03-18 20:32:11	75	45dB	7.5	646%	Night
7226	2025-03-18 20:34:01	70	45dB	5.3	428%	Night
7227	2025-03-18 20:35:21	71	45dB	5.7	466%	Night
7228	2025-03-18 20:37:23	70	45dB	5.7	466%	Night
7229	2025-03-18 20:39:02	72	45dB	6.1	506%	Night
7230	2025-03-18 20:41:20	69	45dB	5.3	428%	Night
7231	2025-03-18 20:42:47	72	45dB	6.5	550%	Night
7232	2025-03-18 20:44:30	69	45dB	5.3	428%	Night
7233	2025-03-18 20:46:14	71	45dB	5.7	466%	Night
7234	2025-03-18 20:48:34	68	45dB	4.9	392%	Night
7235	2025-03-18 20:50:03	69	45dB	4.9	392%	Night
7236	2025-03-18 20:51:49	68	45dB	4.6	359%	Night
7237	2025-03-18 20:53:15	71	45dB	6.1	506%	Night
7238	2025-03-18 20:54:41	71	45dB	5.7	466%	Night
7239	2025-03-18 20:56:00	73	45dB	6.5	550%	Night
7240	2025-03-18 20:57:32	69	45dB	5.3	428%	Night
7241	2025-03-18 20:59:12	70	45dB	5.7	466%	Night
7242	2025-03-18 21:00:34	70	45dB	5.3	428%	Night
7243	2025-03-18 21:01:48	69	45dB	4.9	392%	Night
7244	2025-03-18 21:03:16	70	45dB	5.7	466%	Night
7245	2025-03-18 21:05:14	71	45dB	6.1	506%	Night
7246	2025-03-18 21:06:26	68	45dB	4.6	359%	Night
7247	2025-03-18 21:09:12	70	45dB	5.7	466%	Night
7248	2025-03-18 21:10:55	69	45dB	5.3	428%	Night
7249	2025-03-18 21:12:32	70	45dB	5.3	428%	Night
7250	2025-03-18 21:13:48	85	45dB	16.0	1500%	Night
7251	2025-03-18 21:15:23	69	45dB	4.9	392%	Night
7252	2025-03-18 21:17:33	71	45dB	5.7	466%	Night
7253	2025-03-18 21:19:02	71	45dB	6.1	506%	Night
7254	2025-03-18 21:21:21	70	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7255	2025-03-18 21:23:00	68	45dB	4.9	392%	Night
7256	2025-03-18 21:24:56	75	45dB	7.5	646%	Night
7257	2025-03-18 21:27:12	74	45dB	7.0	596%	Night
7258	2025-03-18 21:31:39	71	45dB	5.7	466%	Night
7259	2025-03-18 21:33:40	68	45dB	4.6	359%	Night
7260	2025-03-18 21:35:56	68	45dB	4.6	359%	Night
7261	2025-03-18 21:38:27	74	45dB	7.5	646%	Night
7262	2025-03-18 21:40:31	73	45dB	6.5	550%	Night
7263	2025-03-18 21:42:36	70	45dB	5.7	466%	Night
7264	2025-03-18 21:44:43	72	45dB	6.1	506%	Night
7265	2025-03-18 21:49:10	72	45dB	6.1	506%	Night
7266	2025-03-18 21:52:15	74	45dB	7.5	646%	Night
7267	2025-03-18 21:54:33	67	45dB	4.3	329%	Night
7268	2025-03-18 22:00:03	69	45dB	4.9	392%	Night
7269	2025-03-18 22:01:42	68	45dB	4.6	359%	Night
7270	2025-03-18 22:03:36	68	45dB	4.9	392%	Night
7271	2025-03-18 22:05:43	74	45dB	7.0	596%	Night
7272	2025-03-18 22:07:58	68	45dB	4.6	359%	Night
7273	2025-03-18 22:09:46	70	45dB	5.3	428%	Night
7274	2025-03-18 22:11:45	71	45dB	5.7	466%	Night
7275	2025-03-18 22:13:38	74	45dB	7.5	646%	Night
7276	2025-03-18 22:15:28	67	45dB	4.6	359%	Night
7277	2025-03-18 22:17:04	68	45dB	4.9	392%	Night
7278	2025-03-18 22:18:51	71	45dB	6.1	506%	Night
7279	2025-03-18 22:31:32	70	45dB	5.3	428%	Night
7280	2025-03-18 22:33:40	69	45dB	4.9	392%	Night
7281	2025-03-18 22:35:23	69	45dB	5.3	428%	Night
7282	2025-03-18 22:37:14	70	45dB	5.7	466%	Night
7283	2025-03-18 22:40:33	69	45dB	5.3	428%	Night
7284	2025-03-18 22:41:56	71	45dB	5.7	466%	Night
7285	2025-03-18 22:43:52	72	45dB	6.5	550%	Night
7286	2025-03-18 22:45:56	76	45dB	8.0	700%	Night
7287	2025-03-18 22:47:36	72	45dB	6.1	506%	Night
7288	2025-03-18 22:49:56	70	45dB	5.7	466%	Night
7289	2025-03-18 22:54:12	67	45dB	4.6	359%	Night
7290	2025-03-18 22:58:49	68	45dB	4.6	359%	Night
7291	2025-03-18 23:03:02	69	45dB	4.9	392%	Night
7292	2025-03-18 23:05:08	70	45dB	5.7	466%	Night
7293	2025-03-18 23:06:39	69	45dB	5.3	428%	Night
7294	2025-03-18 23:10:11	70	45dB	5.7	466%	Night
7295	2025-03-18 23:12:38	73	45dB	6.5	550%	Night
7296	2025-03-18 23:20:31	71	45dB	5.7	466%	Night
7297	2025-03-18 23:23:43	?	45dB	?	?	Night
7298	2025-03-18 23:28:40	68	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7299	2025-03-18 23:32:58	70	45dB	5.3	428%	Night
7300	2025-03-18 23:34:53	68	45dB	4.6	359%	Night
7301	2025-03-18 23:36:32	69	45dB	4.9	392%	Night
7302	2025-03-18 23:39:45	73	45dB	6.5	550%	Night
7303	2025-03-18 23:41:26	68	45dB	4.6	359%	Night
7304	2025-03-18 23:43:05	72	45dB	6.5	550%	Night
7305	2025-03-18 23:44:39	67	45dB	4.6	359%	Night
7306	2025-03-18 23:48:33	70	45dB	5.3	428%	Night
7307	2025-03-18 23:53:39	68	45dB	4.6	359%	Night
7308	2025-03-18 23:55:33	73	45dB	7.0	596%	Night
7309	2025-03-19 00:03:00	71	45dB	5.7	466%	Night
7310	2025-03-19 00:05:50	70	45dB	5.7	466%	Night
7311	2025-03-19 00:07:32	72	45dB	6.5	550%	Night
7312	2025-03-19 00:09:48	75	45dB	8.0	700%	Night
7313	2025-03-19 00:11:14	71	45dB	6.1	506%	Night
7314	2025-03-19 00:13:32	77	45dB	8.6	757%	Night
7315	2025-03-19 00:15:53	73	45dB	7.0	596%	Night
7316	2025-03-19 00:20:13	80	45dB	10.6	956%	Night
7317	2025-03-19 00:22:58	74	45dB	7.5	646%	Night
7318	2025-03-19 00:24:20	71	45dB	5.7	466%	Night
7319	2025-03-19 00:28:03	71	45dB	6.1	506%	Night
7320	2025-03-19 00:36:03	73	45dB	6.5	550%	Night
7321	2025-03-19 00:40:19	70	45dB	5.3	428%	Night
7322	2025-03-19 00:58:12	73	45dB	7.0	596%	Night
7323	2025-03-19 01:00:28	72	45dB	6.1	506%	Night
7324	2025-03-19 01:08:45	72	45dB	6.5	550%	Night
7325	2025-03-19 01:12:52	71	45dB	5.7	466%	Night
7326	2025-03-19 01:27:01	73	45dB	6.5	550%	Night
7327	2025-03-19 01:34:22	76	45dB	8.0	700%	Night
7328	2025-03-19 02:00:35	74	45dB	7.0	596%	Night
7329	2025-03-19 02:14:50	73	45dB	7.0	596%	Night
7330	2025-03-19 05:08:27	72	45dB	6.1	506%	Night
7331	2025-03-19 05:11:31	71	45dB	6.1	506%	Night
7332	2025-03-19 05:20:28	69	45dB	5.3	428%	Night
7333	2025-03-19 05:38:21	68	45dB	4.9	392%	Night
7334	2025-03-19 05:41:13	73	45dB	6.5	550%	Night
7335	2025-03-19 05:44:11	70	45dB	5.7	466%	Night
7336	2025-03-19 05:46:51	73	45dB	6.5	550%	Night
7337	2025-03-19 05:52:01	74	45dB	7.0	596%	Night
7338	2025-03-19 05:54:42	71	45dB	5.7	466%	Night
7339	2025-03-19 05:56:24	73	45dB	7.0	596%	Night
7340	2025-03-19 05:58:32	70	45dB	5.7	466%	Night
7341	2025-03-19 06:04:53	69	45dB	4.9	392%	Night
7342	2025-03-19 06:29:53	76	45dB	8.0	700%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7343	2025-03-19 06:31:10	68	45dB	4.6	359%	Night
7344	2025-03-19 06:32:39	75	45dB	8.0	700%	Night
7345	2025-03-19 06:34:02	74	45dB	7.5	646%	Night
7346	2025-03-19 06:35:29	72	45dB	6.1	506%	Night
7347	2025-03-19 06:36:42	75	45dB	7.5	646%	Night
7348	2025-03-19 06:38:52	71	45dB	6.1	506%	Night
7349	2025-03-19 06:40:05	71	45dB	5.7	466%	Night
7350	2025-03-19 06:41:18	72	45dB	6.1	506%	Night
7351	2025-03-19 06:42:46	72	45dB	6.1	506%	Night
7352	2025-03-19 06:44:10	71	45dB	5.7	466%	Night
7353	2025-03-19 06:45:23	70	45dB	5.3	428%	Night
7354	2025-03-19 06:47:00	72	45dB	6.5	550%	Night
7355	2025-03-19 06:49:10	71	45dB	5.7	466%	Night
7356	2025-03-19 06:50:45	70	45dB	5.3	428%	Night
7357	2025-03-19 06:52:09	69	45dB	5.3	428%	Night
7358	2025-03-19 06:53:32	70	45dB	5.7	466%	Night
7359	2025-03-19 06:54:48	74	45dB	7.0	596%	Night
7360	2025-03-19 06:56:11	71	45dB	5.7	466%	Night
7361	2025-03-19 06:57:56	66	45dB	4.0	300%	Night
7362	2025-03-19 06:59:25	70	45dB	5.3	428%	Night
7363	2025-03-19 07:01:25	67	55dB	2.3	130%	Day
7364	2025-03-19 07:05:41	69	55dB	2.6	164%	Day
7365	2025-03-19 07:12:14	70	55dB	2.6	164%	Day
7366	2025-03-19 07:14:18	70	55dB	2.8	183%	Day
7367	2025-03-19 07:16:11	67	55dB	2.3	130%	Day
7368	2025-03-19 07:18:18	70	55dB	2.8	183%	Day
7369	2025-03-19 07:20:53	72	55dB	3.2	225%	Day
7370	2025-03-19 07:23:58	73	55dB	3.2	225%	Day
7371	2025-03-19 07:25:31	71	55dB	3.0	203%	Day
7372	2025-03-19 07:42:42	71	55dB	2.8	183%	Day
7373	2025-03-19 07:44:40	77	55dB	4.6	359%	Day
7374	2025-03-19 07:47:38	69	55dB	2.6	164%	Day
7375	2025-03-19 07:53:48	72	55dB	3.2	225%	Day
7376	2025-03-19 07:56:05	73	55dB	3.5	248%	Day
7377	2025-03-19 07:57:41	70	55dB	2.8	183%	Day
7378	2025-03-19 07:59:26	75	55dB	3.7	273%	Day
7379	2025-03-19 08:01:58	68	55dB	2.5	146%	Day
7380	2025-03-19 08:04:37	78	55dB	4.6	359%	Day
7381	2025-03-19 08:09:49	67	55dB	2.3	130%	Day
7382	2025-03-19 08:18:18	73	55dB	3.5	248%	Day
7383	2025-03-19 08:20:37	71	55dB	2.8	183%	Day
7384	2025-03-19 08:22:38	72	55dB	3.2	225%	Day
7385	2025-03-19 08:30:19	70	55dB	2.6	164%	Day
7386	2025-03-19 08:32:10	69	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7387	2025-03-19 08:34:16	68	55dB	2.5	146%	Day
7388	2025-03-19 08:41:11	71	55dB	2.8	183%	Day
7389	2025-03-19 08:44:06	74	55dB	3.7	273%	Day
7390	2025-03-19 08:46:39	74	55dB	3.7	273%	Day
7391	2025-03-19 09:00:15	66	55dB	2.1	114%	Day
7392	2025-03-19 09:06:05	?	55dB	?	?	Day
7393	2025-03-19 09:08:18	72	55dB	3.2	225%	Day
7394	2025-03-19 09:20:44	?	55dB	?	?	Day
7395	2025-03-19 09:24:33	69	55dB	2.5	146%	Day
7396	2025-03-19 09:26:14	71	55dB	2.8	183%	Day
7397	2025-03-19 09:28:32	75	55dB	4.0	300%	Day
7398	2025-03-19 09:32:40	71	55dB	2.8	183%	Day
7399	2025-03-19 09:35:54	70	55dB	2.8	183%	Day
7400	2025-03-19 09:42:06	79	55dB	5.3	428%	Day
7401	2025-03-19 09:43:56	68	55dB	2.3	130%	Day
7402	2025-03-19 09:46:56	69	55dB	2.5	146%	Day
7403	2025-03-19 09:55:32	70	55dB	2.6	164%	Day
7404	2025-03-19 09:59:13	?	55dB	?	?	Day
7405	2025-03-19 10:04:30	76	55dB	4.0	300%	Day
7406	2025-03-19 10:06:53	76	55dB	4.0	300%	Day
7407	2025-03-19 10:11:05	71	55dB	2.8	183%	Day
7408	2025-03-19 10:22:41	?	55dB	?	?	Day
7409	2025-03-19 10:25:58	69	55dB	2.5	146%	Day
7410	2025-03-19 10:28:15	69	55dB	2.5	146%	Day
7411	2025-03-19 10:29:35	73	55dB	3.5	248%	Day
7412	2025-03-19 10:31:54	70	55dB	2.6	164%	Day
7413	2025-03-19 10:36:15	71	55dB	3.0	203%	Day
7414	2025-03-19 10:41:22	70	55dB	2.8	183%	Day
7415	2025-03-19 10:43:09	73	55dB	3.5	248%	Day
7416	2025-03-19 10:44:44	72	55dB	3.0	203%	Day
7417	2025-03-19 10:46:21	?	55dB	?	?	Day
7418	2025-03-19 10:47:48	82	55dB	6.5	550%	Day
7419	2025-03-19 10:49:05	82	55dB	6.5	550%	Day
7420	2025-03-19 10:50:30	85	55dB	7.5	646%	Day
7421	2025-03-19 10:52:20	68	55dB	2.5	146%	Day
7422	2025-03-19 10:53:51	79	55dB	4.9	392%	Day
7423	2025-03-19 10:55:13	73	55dB	3.2	225%	Day
7424	2025-03-19 10:57:12	?	55dB	?	?	Day
7425	2025-03-19 10:58:43	78	55dB	4.6	359%	Day
7426	2025-03-19 11:00:11	79	55dB	4.9	392%	Day
7427	2025-03-19 11:01:47	73	55dB	3.5	248%	Day
7428	2025-03-19 11:06:31	83	55dB	6.5	550%	Day
7429	2025-03-19 11:08:27	70	55dB	2.8	183%	Day
7430	2025-03-19 11:12:40	72	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7431	2025-03-19 11:14:52	69	55dB	2.6	164%	Day
7432	2025-03-19 11:16:31	73	55dB	3.5	248%	Day
7433	2025-03-19 11:19:52	69	55dB	2.5	146%	Day
7434	2025-03-19 11:21:41	?	55dB	?	?	Day
7435	2025-03-19 11:23:13	?	55dB	?	?	Day
7436	2025-03-19 11:25:08	73	55dB	3.2	225%	Day
7437	2025-03-19 11:26:12	68	55dB	2.5	146%	Day
7438	2025-03-19 11:27:31	78	55dB	4.6	359%	Day
7439	2025-03-19 11:28:42	?	55dB	?	?	Day
7440	2025-03-19 11:29:52	70	55dB	2.8	183%	Day
7441	2025-03-19 11:31:18	?	55dB	?	?	Day
7442	2025-03-19 11:32:55	73	55dB	3.2	225%	Day
7443	2025-03-19 11:34:23	74	55dB	3.7	273%	Day
7444	2025-03-19 11:36:33	?	55dB	?	?	Day
7445	2025-03-19 11:51:26	68	55dB	2.5	146%	Day
7446	2025-03-19 11:53:13	?	55dB	?	?	Day
7447	2025-03-19 11:54:39	72	55dB	3.2	225%	Day
7448	2025-03-19 11:56:21	?	55dB	?	?	Day
7449	2025-03-19 12:07:32	71	55dB	2.8	183%	Day
7450	2025-03-19 12:10:02	70	55dB	2.6	164%	Day
7451	2025-03-19 12:11:53	?	55dB	?	?	Day
7452	2025-03-19 12:15:02	70	55dB	2.6	164%	Day
7453	2025-03-19 12:17:04	71	55dB	3.0	203%	Day
7454	2025-03-19 12:18:48	71	55dB	3.0	203%	Day
7455	2025-03-19 12:20:30	68	55dB	2.5	146%	Day
7456	2025-03-19 12:22:12	72	55dB	3.0	203%	Day
7457	2025-03-19 12:24:03	72	55dB	3.0	203%	Day
7458	2025-03-19 12:25:45	70	55dB	2.8	183%	Day
7459	2025-03-19 12:29:50	70	55dB	2.6	164%	Day
7460	2025-03-19 12:31:31	74	55dB	3.5	248%	Day
7461	2025-03-19 12:33:22	73	55dB	3.5	248%	Day
7462	2025-03-19 12:36:26	?	55dB	?	?	Day
7463	2025-03-19 12:38:11	73	55dB	3.2	225%	Day
7464	2025-03-19 12:39:24	74	55dB	3.5	248%	Day
7465	2025-03-19 12:43:05	?	55dB	?	?	Day
7466	2025-03-19 12:44:51	73	55dB	3.5	248%	Day
7467	2025-03-19 12:46:38	73	55dB	3.2	225%	Day
7468	2025-03-19 12:48:38	69	55dB	2.6	164%	Day
7469	2025-03-19 12:51:16	68	55dB	2.5	146%	Day
7470	2025-03-19 12:54:51	71	55dB	2.8	183%	Day
7471	2025-03-19 13:05:25	?	55dB	?	?	Day
7472	2025-03-19 13:07:19	?	55dB	?	?	Day
7473	2025-03-19 13:11:57	74	55dB	3.7	273%	Day
7474	2025-03-19 13:16:17	69	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7475	2025-03-19 13:18:33	68	55dB	2.5	146%	Day
7476	2025-03-19 13:19:55	71	55dB	2.8	183%	Day
7477	2025-03-19 13:21:08	74	55dB	3.5	248%	Day
7478	2025-03-19 13:22:16	74	55dB	3.7	273%	Day
7479	2025-03-19 13:23:47	71	55dB	2.8	183%	Day
7480	2025-03-19 13:27:26	71	55dB	3.0	203%	Day
7481	2025-03-19 13:30:26	70	55dB	2.8	183%	Day
7482	2025-03-19 13:31:48	75	55dB	3.7	273%	Day
7483	2025-03-19 13:33:05	70	55dB	2.8	183%	Day
7484	2025-03-19 13:34:32	72	55dB	3.2	225%	Day
7485	2025-03-19 13:36:24	73	55dB	3.5	248%	Day
7486	2025-03-19 13:41:11	?	55dB	?	?	Day
7487	2025-03-19 13:43:02	69	55dB	2.6	164%	Day
7488	2025-03-19 13:44:19	70	55dB	2.6	164%	Day
7489	2025-03-19 13:45:44	75	55dB	3.7	273%	Day
7490	2025-03-19 13:47:41	77	55dB	4.6	359%	Day
7491	2025-03-19 13:50:59	68	55dB	2.5	146%	Day
7492	2025-03-19 13:53:00	71	55dB	3.0	203%	Day
7493	2025-03-19 13:55:53	82	55dB	6.1	506%	Day
7494	2025-03-19 13:58:30	82	55dB	6.1	506%	Day
7495	2025-03-19 14:00:33	71	55dB	2.8	183%	Day
7496	2025-03-19 14:01:53	71	55dB	2.8	183%	Day
7497	2025-03-19 14:05:28	76	55dB	4.0	300%	Day
7498	2025-03-19 14:06:43	82	55dB	6.1	506%	Day
7499	2025-03-19 14:08:25	69	55dB	2.6	164%	Day
7500	2025-03-19 14:09:58	71	55dB	2.8	183%	Day
7501	2025-03-19 14:11:27	74	55dB	3.7	273%	Day
7502	2025-03-19 14:17:39	71	55dB	2.8	183%	Day
7503	2025-03-19 14:24:56	68	55dB	2.3	130%	Day
7504	2025-03-19 14:28:05	71	55dB	3.0	203%	Day
7505	2025-03-19 14:31:04	75	55dB	3.7	273%	Day
7506	2025-03-19 14:34:04	68	55dB	2.5	146%	Day
7507	2025-03-19 14:35:23	77	55dB	4.3	329%	Day
7508	2025-03-19 14:36:53	79	55dB	5.3	428%	Day
7509	2025-03-19 14:38:14	70	55dB	2.8	183%	Day
7510	2025-03-19 14:41:10	68	55dB	2.3	130%	Day
7511	2025-03-19 14:45:28	70	55dB	2.6	164%	Day
7512	2025-03-19 14:47:20	82	55dB	6.5	550%	Day
7513	2025-03-19 14:49:39	72	55dB	3.2	225%	Day
7514	2025-03-19 14:51:23	73	55dB	3.2	225%	Day
7515	2025-03-19 14:53:15	68	55dB	2.5	146%	Day
7516	2025-03-19 14:54:32	80	55dB	5.7	466%	Day
7517	2025-03-19 14:56:28	68	55dB	2.5	146%	Day
7518	2025-03-19 14:57:40	70	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7519	2025-03-19 14:58:58	?	55dB	?	?	Day
7520	2025-03-19 15:00:26	74	55dB	3.5	248%	Day
7521	2025-03-19 15:01:45	73	55dB	3.2	225%	Day
7522	2025-03-19 15:03:32	81	55dB	5.7	466%	Day
7523	2025-03-19 15:05:45	?	55dB	?	?	Day
7524	2025-03-19 15:07:00	72	55dB	3.2	225%	Day
7525	2025-03-19 15:08:34	74	55dB	3.5	248%	Day
7526	2025-03-19 15:11:52	?	55dB	?	?	Day
7527	2025-03-19 15:13:42	68	55dB	2.5	146%	Day
7528	2025-03-19 15:15:09	74	55dB	3.7	273%	Day
7529	2025-03-19 15:17:22	71	55dB	3.0	203%	Day
7530	2025-03-19 15:18:36	71	55dB	2.8	183%	Day
7531	2025-03-19 15:20:02	70	55dB	2.6	164%	Day
7532	2025-03-19 15:21:56	72	55dB	3.0	203%	Day
7533	2025-03-19 15:23:54	72	55dB	3.0	203%	Day
7534	2025-03-19 15:25:13	77	55dB	4.3	329%	Day
7535	2025-03-19 15:26:46	72	55dB	3.0	203%	Day
7536	2025-03-19 15:28:36	71	55dB	3.0	203%	Day
7537	2025-03-19 15:30:58	75	55dB	4.0	300%	Day
7538	2025-03-19 15:32:31	71	55dB	2.8	183%	Day
7539	2025-03-19 15:33:51	?	55dB	?	?	Day
7540	2025-03-19 15:35:21	70	55dB	2.6	164%	Day
7541	2025-03-19 15:36:56	69	55dB	2.5	146%	Day
7542	2025-03-19 15:38:21	68	55dB	2.3	130%	Day
7543	2025-03-19 15:39:41	73	55dB	3.5	248%	Day
7544	2025-03-19 15:42:33	?	55dB	?	?	Day
7545	2025-03-19 15:46:18	?	55dB	?	?	Day
7546	2025-03-19 15:50:12	?	55dB	?	?	Day
7547	2025-03-19 15:52:24	71	55dB	2.8	183%	Day
7548	2025-03-19 15:53:56	?	55dB	?	?	Day
7549	2025-03-19 15:55:17	70	55dB	2.8	183%	Day
7550	2025-03-19 15:57:08	72	55dB	3.0	203%	Day
7551	2025-03-19 15:58:41	76	55dB	4.0	300%	Day
7552	2025-03-19 16:01:14	70	55dB	2.8	183%	Day
7553	2025-03-19 16:03:58	70	55dB	2.6	164%	Day
7554	2025-03-19 16:06:20	74	55dB	3.7	273%	Day
7555	2025-03-19 16:09:17	75	55dB	3.7	273%	Day
7556	2025-03-19 16:12:25	72	55dB	3.2	225%	Day
7557	2025-03-19 16:14:28	70	55dB	2.6	164%	Day
7558	2025-03-19 16:16:09	72	55dB	3.2	225%	Day
7559	2025-03-19 16:18:34	82	55dB	6.1	506%	Day
7560	2025-03-19 16:21:15	74	55dB	3.5	248%	Day
7561	2025-03-19 16:22:34	72	55dB	3.0	203%	Day
7562	2025-03-19 16:24:16	73	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7563	2025-03-19 16:25:56	74	55dB	3.5	248%	Day
7564	2025-03-19 16:28:21	?	55dB	?	?	Day
7565	2025-03-19 16:32:00	67	55dB	2.3	130%	Day
7566	2025-03-19 16:33:55	71	55dB	2.8	183%	Day
7567	2025-03-19 16:35:27	72	55dB	3.0	203%	Day
7568	2025-03-19 16:37:22	69	55dB	2.6	164%	Day
7569	2025-03-19 16:39:48	70	55dB	2.6	164%	Day
7570	2025-03-19 16:49:32	73	55dB	3.2	225%	Day
7571	2025-03-19 16:52:03	72	55dB	3.0	203%	Day
7572	2025-03-19 16:55:13	?	55dB	?	?	Day
7573	2025-03-19 16:58:13	?	55dB	?	?	Day
7574	2025-03-19 17:03:10	75	55dB	3.7	273%	Day
7575	2025-03-19 17:05:07	68	55dB	2.3	130%	Day
7576	2025-03-19 17:06:27	75	55dB	3.7	273%	Day
7577	2025-03-19 17:07:44	66	55dB	2.0	100%	Day
7578	2025-03-19 17:09:39	69	55dB	2.6	164%	Day
7579	2025-03-19 17:10:56	75	55dB	4.0	300%	Day
7580	2025-03-19 17:12:44	70	55dB	2.8	183%	Day
7581	2025-03-19 17:13:55	?	55dB	?	?	Day
7582	2025-03-19 17:16:48	69	55dB	2.6	164%	Day
7583	2025-03-19 17:18:05	74	55dB	3.5	248%	Day
7584	2025-03-19 17:20:37	76	55dB	4.0	300%	Day
7585	2025-03-19 17:22:16	73	55dB	3.5	248%	Day
7586	2025-03-19 17:25:35	74	55dB	3.7	273%	Day
7587	2025-03-19 17:28:17	?	55dB	?	?	Day
7588	2025-03-19 17:30:56	71	55dB	3.0	203%	Day
7589	2025-03-19 17:33:12	73	55dB	3.2	225%	Day
7590	2025-03-19 17:35:32	75	55dB	3.7	273%	Day
7591	2025-03-19 17:40:40	76	55dB	4.0	300%	Day
7592	2025-03-19 17:43:49	72	55dB	3.2	225%	Day
7593	2025-03-19 17:46:37	71	55dB	2.8	183%	Day
7594	2025-03-19 17:51:17	72	55dB	3.2	225%	Day
7595	2025-03-19 17:55:06	73	55dB	3.2	225%	Day
7596	2025-03-19 18:01:43	79	55dB	4.9	392%	Day
7597	2025-03-19 18:04:16	75	55dB	4.0	300%	Day
7598	2025-03-19 18:10:07	71	55dB	3.0	203%	Day
7599	2025-03-19 18:12:55	75	55dB	4.0	300%	Day
7600	2025-03-19 18:17:26	78	55dB	4.6	359%	Day
7601	2025-03-19 18:25:05	73	55dB	3.2	225%	Day
7602	2025-03-19 18:28:18	72	55dB	3.0	203%	Day
7603	2025-03-19 18:30:26	73	55dB	3.5	248%	Day
7604	2025-03-19 18:36:23	76	55dB	4.3	329%	Day
7605	2025-03-19 18:38:31	78	55dB	4.6	359%	Day
7606	2025-03-19 18:40:44	75	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7607	2025-03-19 18:45:13	72	55dB	3.0	203%	Day
7608	2025-03-19 18:47:20	74	55dB	3.5	248%	Day
7609	2025-03-19 18:49:14	75	55dB	4.0	300%	Day
7610	2025-03-19 18:53:43	73	55dB	3.5	248%	Day
7611	2025-03-19 18:58:07	75	55dB	3.7	273%	Day
7612	2025-03-19 19:00:42	74	45dB	7.0	596%	Night
7613	2025-03-19 19:02:45	78	45dB	9.8	885%	Night
7614	2025-03-19 19:05:22	75	45dB	8.0	700%	Night
7615	2025-03-19 19:07:49	79	45dB	9.8	885%	Night
7616	2025-03-19 19:10:45	74	45dB	7.0	596%	Night
7617	2025-03-19 19:14:07	78	45dB	9.2	819%	Night
7618	2025-03-19 19:16:53	72	45dB	6.5	550%	Night
7619	2025-03-19 19:19:27	76	45dB	8.0	700%	Night
7620	2025-03-19 19:22:25	72	45dB	6.1	506%	Night
7621	2025-03-19 19:24:55	69	45dB	4.9	392%	Night
7622	2025-03-19 19:32:12	74	45dB	7.5	646%	Night
7623	2025-03-19 19:34:56	74	45dB	7.5	646%	Night
7624	2025-03-19 19:37:17	74	45dB	7.5	646%	Night
7625	2025-03-19 19:39:30	73	45dB	7.0	596%	Night
7626	2025-03-19 19:41:53	74	45dB	7.0	596%	Night
7627	2025-03-19 19:44:31	73	45dB	6.5	550%	Night
7628	2025-03-19 19:46:42	75	45dB	7.5	646%	Night
7629	2025-03-19 19:50:41	66	45dB	4.0	300%	Night
7630	2025-03-19 19:53:17	71	45dB	6.1	506%	Night
7631	2025-03-19 19:55:35	71	45dB	6.1	506%	Night
7632	2025-03-19 20:00:46	74	45dB	7.5	646%	Night
7633	2025-03-19 20:03:46	73	45dB	7.0	596%	Night
7634	2025-03-19 20:07:21	74	45dB	7.0	596%	Night
7635	2025-03-19 20:10:12	74	45dB	7.5	646%	Night
7636	2025-03-19 20:12:13	76	45dB	8.0	700%	Night
7637	2025-03-19 20:14:10	72	45dB	6.1	506%	Night
7638	2025-03-19 20:18:13	71	45dB	5.7	466%	Night
7639	2025-03-19 20:19:54	69	45dB	4.9	392%	Night
7640	2025-03-19 20:24:28	70	45dB	5.7	466%	Night
7641	2025-03-19 20:30:02	71	45dB	5.7	466%	Night
7642	2025-03-19 20:33:07	71	45dB	6.1	506%	Night
7643	2025-03-19 20:34:40	69	45dB	5.3	428%	Night
7644	2025-03-19 20:36:56	75	45dB	7.5	646%	Night
7645	2025-03-19 20:39:24	?	45dB	?	?	Night
7646	2025-03-19 20:40:39	71	45dB	5.7	466%	Night
7647	2025-03-19 20:41:58	70	45dB	5.3	428%	Night
7648	2025-03-19 20:43:34	76	45dB	8.6	757%	Night
7649	2025-03-19 20:45:25	69	45dB	5.3	428%	Night
7650	2025-03-19 20:46:37	69	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7651	2025-03-19 20:47:55	71	45dB	6.1	506%	Night
7652	2025-03-19 20:49:14	73	45dB	7.0	596%	Night
7653	2025-03-19 20:51:22	71	45dB	6.1	506%	Night
7654	2025-03-19 20:53:12	72	45dB	6.5	550%	Night
7655	2025-03-19 20:54:47	72	45dB	6.1	506%	Night
7656	2025-03-19 20:56:42	70	45dB	5.7	466%	Night
7657	2025-03-19 20:57:52	70	45dB	5.3	428%	Night
7658	2025-03-19 21:00:04	70	45dB	5.3	428%	Night
7659	2025-03-19 21:01:30	70	45dB	5.3	428%	Night
7660	2025-03-19 21:02:48	69	45dB	5.3	428%	Night
7661	2025-03-19 21:04:14	72	45dB	6.1	506%	Night
7662	2025-03-19 21:06:26	?	45dB	?	?	Night
7663	2025-03-19 21:07:43	71	45dB	6.1	506%	Night
7664	2025-03-19 21:09:07	71	45dB	6.1	506%	Night
7665	2025-03-19 21:10:34	71	45dB	5.7	466%	Night
7666	2025-03-19 21:11:48	72	45dB	6.1	506%	Night
7667	2025-03-19 21:12:55	70	45dB	5.7	466%	Night
7668	2025-03-19 21:14:17	68	45dB	4.9	392%	Night
7669	2025-03-19 21:16:07	71	45dB	6.1	506%	Night
7670	2025-03-19 21:17:49	67	45dB	4.6	359%	Night
7671	2025-03-19 21:19:50	72	45dB	6.5	550%	Night
7672	2025-03-19 21:23:43	70	45dB	5.3	428%	Night
7673	2025-03-19 21:25:40	?	45dB	?	?	Night
7674	2025-03-19 21:31:43	71	45dB	5.7	466%	Night
7675	2025-03-19 21:33:22	70	45dB	5.3	428%	Night
7676	2025-03-19 21:34:42	69	45dB	4.9	392%	Night
7677	2025-03-19 21:35:52	?	45dB	?	?	Night
7678	2025-03-19 21:37:55	70	45dB	5.3	428%	Night
7679	2025-03-19 21:39:38	71	45dB	5.7	466%	Night
7680	2025-03-19 21:41:26	73	45dB	6.5	550%	Night
7681	2025-03-19 21:43:33	80	45dB	10.6	956%	Night
7682	2025-03-19 21:47:46	67	45dB	4.3	329%	Night
7683	2025-03-19 21:49:39	71	45dB	6.1	506%	Night
7684	2025-03-19 21:53:14	71	45dB	5.7	466%	Night
7685	2025-03-19 22:00:10	?	45dB	?	?	Night
7686	2025-03-19 22:02:05	69	45dB	4.9	392%	Night
7687	2025-03-19 22:03:37	72	45dB	6.5	550%	Night
7688	2025-03-19 22:05:00	75	45dB	8.0	700%	Night
7689	2025-03-19 22:06:37	69	45dB	4.9	392%	Night
7690	2025-03-19 22:09:35	68	45dB	4.9	392%	Night
7691	2025-03-19 22:10:49	73	45dB	6.5	550%	Night
7692	2025-03-19 22:12:27	72	45dB	6.1	506%	Night
7693	2025-03-19 22:14:49	70	45dB	5.7	466%	Night
7694	2025-03-19 22:16:04	71	45dB	6.1	506%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7695	2025-03-19 22:18:14	?	45dB	?	?	Night
7696	2025-03-19 22:20:10	?	45dB	?	?	Night
7697	2025-03-19 22:22:10	71	45dB	5.7	466%	Night
7698	2025-03-19 22:33:18	?	45dB	?	?	Night
7699	2025-03-19 22:37:37	70	45dB	5.3	428%	Night
7700	2025-03-19 22:42:25	73	45dB	7.0	596%	Night
7701	2025-03-19 22:44:57	72	45dB	6.1	506%	Night
7702	2025-03-19 22:46:33	73	45dB	6.5	550%	Night
7703	2025-03-19 22:48:52	67	45dB	4.3	329%	Night
7704	2025-03-19 22:52:17	69	45dB	4.9	392%	Night
7705	2025-03-19 22:59:07	74	45dB	7.0	596%	Night
7706	2025-03-19 23:01:44	71	45dB	6.1	506%	Night
7707	2025-03-19 23:06:35	67	45dB	4.3	329%	Night
7708	2025-03-19 23:09:54	72	45dB	6.5	550%	Night
7709	2025-03-19 23:11:35	?	45dB	?	?	Night
7710	2025-03-19 23:13:30	70	45dB	5.3	428%	Night
7711	2025-03-19 23:15:10	69	45dB	5.3	428%	Night
7712	2025-03-19 23:16:44	71	45dB	6.1	506%	Night
7713	2025-03-19 23:18:17	?	45dB	?	?	Night
7714	2025-03-19 23:20:18	73	45dB	7.0	596%	Night
7715	2025-03-19 23:22:00	69	45dB	4.9	392%	Night
7716	2025-03-19 23:23:55	74	45dB	7.0	596%	Night
7717	2025-03-19 23:27:08	?	45dB	?	?	Night
7718	2025-03-19 23:30:44	69	45dB	5.3	428%	Night
7719	2025-03-19 23:33:11	70	45dB	5.7	466%	Night
7720	2025-03-19 23:34:36	68	45dB	4.9	392%	Night
7721	2025-03-19 23:36:00	72	45dB	6.1	506%	Night
7722	2025-03-19 23:37:42	74	45dB	7.0	596%	Night
7723	2025-03-19 23:40:16	74	45dB	7.5	646%	Night
7724	2025-03-19 23:41:52	71	45dB	5.7	466%	Night
7725	2025-03-19 23:46:06	74	45dB	7.0	596%	Night
7726	2025-03-19 23:47:41	75	45dB	8.0	700%	Night
7727	2025-03-19 23:49:38	71	45dB	6.1	506%	Night
7728	2025-03-19 23:51:23	71	45dB	5.7	466%	Night
7729	2025-03-19 23:52:41	73	45dB	6.5	550%	Night
7730	2025-03-19 23:54:55	70	45dB	5.7	466%	Night
7731	2025-03-19 23:56:36	71	45dB	5.7	466%	Night
7732	2025-03-19 23:58:29	73	45dB	6.5	550%	Night
7733	2025-03-20 00:00:05	?	45dB	?	?	Night
7734	2025-03-20 00:01:36	71	45dB	5.7	466%	Night
7735	2025-03-20 00:14:12	68	45dB	4.9	392%	Night
7736	2025-03-20 00:19:37	67	45dB	4.6	359%	Night
7737	2025-03-20 00:21:51	73	45dB	7.0	596%	Night
7738	2025-03-20 00:24:53	72	45dB	6.5	550%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7739	2025-03-20 00:30:58	71	45dB	6.1	506%	Night
7740	2025-03-20 00:33:21	74	45dB	7.0	596%	Night
7741	2025-03-20 00:46:07	69	45dB	4.9	392%	Night
7742	2025-03-20 00:52:36	72	45dB	6.1	506%	Night
7743	2025-03-20 06:30:32	71	45dB	5.7	466%	Night
7744	2025-03-20 06:32:19	84	45dB	13.9	1293%	Night
7745	2025-03-20 06:33:44	75	45dB	8.0	700%	Night
7746	2025-03-20 06:35:41	73	45dB	7.0	596%	Night
7747	2025-03-20 06:38:02	68	45dB	4.9	392%	Night
7748	2025-03-20 06:39:23	76	45dB	8.6	757%	Night
7749	2025-03-20 06:40:50	74	45dB	7.0	596%	Night
7750	2025-03-20 06:42:24	72	45dB	6.5	550%	Night
7751	2025-03-20 06:43:46	71	45dB	6.1	506%	Night
7752	2025-03-20 06:45:36	70	45dB	5.3	428%	Night
7753	2025-03-20 06:46:56	71	45dB	6.1	506%	Night
7754	2025-03-20 06:48:43	79	45dB	10.6	956%	Night
7755	2025-03-20 06:50:32	75	45dB	7.5	646%	Night
7756	2025-03-20 06:51:57	71	45dB	6.1	506%	Night
7757	2025-03-20 06:53:13	?	45dB	?	?	Night
7758	2025-03-20 06:55:00	71	45dB	5.7	466%	Night
7759	2025-03-20 06:56:21	76	45dB	8.6	757%	Night
7760	2025-03-20 06:57:33	85	45dB	16.0	1500%	Night
7761	2025-03-20 06:59:08	75	45dB	8.0	700%	Night
7762	2025-03-20 07:00:26	74	55dB	3.5	248%	Day
7763	2025-03-20 07:03:00	88	55dB	9.8	885%	Day
7764	2025-03-20 07:05:21	73	55dB	3.5	248%	Day
7765	2025-03-20 07:06:52	80	55dB	5.3	428%	Day
7766	2025-03-20 07:08:45	89	55dB	9.8	885%	Day
7767	2025-03-20 07:10:08	88	55dB	9.8	885%	Day
7768	2025-03-20 07:14:04	72	55dB	3.0	203%	Day
7769	2025-03-20 07:18:31	70	55dB	2.8	183%	Day
7770	2025-03-20 07:20:11	70	55dB	2.8	183%	Day
7771	2025-03-20 07:22:06	72	55dB	3.2	225%	Day
7772	2025-03-20 07:29:23	72	55dB	3.0	203%	Day
7773	2025-03-20 07:31:04	72	55dB	3.2	225%	Day
7774	2025-03-20 07:32:56	?	55dB	?	?	Day
7775	2025-03-20 07:48:00	74	55dB	3.7	273%	Day
7776	2025-03-20 07:51:03	74	55dB	3.5	248%	Day
7777	2025-03-20 07:53:37	74	55dB	3.7	273%	Day
7778	2025-03-20 07:57:56	71	55dB	3.0	203%	Day
7779	2025-03-20 08:04:05	75	55dB	4.0	300%	Day
7780	2025-03-20 08:07:44	75	55dB	3.7	273%	Day
7781	2025-03-20 08:11:23	72	55dB	3.2	225%	Day
7782	2025-03-20 08:15:47	76	55dB	4.0	300%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7783	2025-03-20 08:19:22	74	55dB	3.5	248%	Day
7784	2025-03-20 08:22:31	76	55dB	4.3	329%	Day
7785	2025-03-20 08:44:30	77	55dB	4.6	359%	Day
7786	2025-03-20 09:00:44	72	55dB	3.2	225%	Day
7787	2025-03-20 09:15:30	71	55dB	3.0	203%	Day
7788	2025-03-20 09:19:25	77	55dB	4.3	329%	Day
7789	2025-03-20 09:25:18	77	55dB	4.3	329%	Day
7790	2025-03-20 09:28:30	72	55dB	3.0	203%	Day
7791	2025-03-20 09:30:07	77	55dB	4.6	359%	Day
7792	2025-03-20 09:33:56	74	55dB	3.5	248%	Day
7793	2025-03-20 09:36:22	69	55dB	2.6	164%	Day
7794	2025-03-20 09:37:40	72	55dB	3.0	203%	Day
7795	2025-03-20 09:39:12	?	55dB	?	?	Day
7796	2025-03-20 09:40:56	?	55dB	?	?	Day
7797	2025-03-20 09:43:04	73	55dB	3.5	248%	Day
7798	2025-03-20 09:44:35	79	55dB	5.3	428%	Day
7799	2025-03-20 09:47:27	71	55dB	2.8	183%	Day
7800	2025-03-20 09:49:45	76	55dB	4.0	300%	Day
7801	2025-03-20 09:51:54	72	55dB	3.2	225%	Day
7802	2025-03-20 09:53:46	72	55dB	3.0	203%	Day
7803	2025-03-20 09:57:31	76	55dB	4.3	329%	Day
7804	2025-03-20 10:11:44	71	55dB	3.0	203%	Day
7805	2025-03-20 10:15:27	78	55dB	4.6	359%	Day
7806	2025-03-20 10:19:49	75	55dB	3.7	273%	Day
7807	2025-03-20 10:23:04	70	55dB	2.8	183%	Day
7808	2025-03-20 10:26:00	70	55dB	2.6	164%	Day
7809	2025-03-20 10:27:53	75	55dB	4.0	300%	Day
7810	2025-03-20 10:29:27	71	55dB	2.8	183%	Day
7811	2025-03-20 10:31:21	75	55dB	3.7	273%	Day
7812	2025-03-20 10:34:38	70	55dB	2.6	164%	Day
7813	2025-03-20 10:41:33	71	55dB	3.0	203%	Day
7814	2025-03-20 10:44:38	69	55dB	2.5	146%	Day
7815	2025-03-20 10:48:20	?	55dB	?	?	Day
7816	2025-03-20 10:52:26	74	55dB	3.7	273%	Day
7817	2025-03-20 10:54:15	71	55dB	3.0	203%	Day
7818	2025-03-20 10:56:09	68	55dB	2.5	146%	Day
7819	2025-03-20 10:57:55	72	55dB	3.2	225%	Day
7820	2025-03-20 11:00:09	75	55dB	3.7	273%	Day
7821	2025-03-20 11:02:10	72	55dB	3.2	225%	Day
7822	2025-03-20 11:03:48	?	55dB	?	?	Day
7823	2025-03-20 11:05:25	?	55dB	?	?	Day
7824	2025-03-20 11:06:56	77	55dB	4.3	329%	Day
7825	2025-03-20 11:08:26	?	55dB	?	?	Day
7826	2025-03-20 11:09:55	73	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7827	2025-03-20 11:11:11	70	55dB	2.8	183%	Day
7828	2025-03-20 11:12:39	72	55dB	3.2	225%	Day
7829	2025-03-20 11:14:08	70	55dB	2.8	183%	Day
7830	2025-03-20 11:16:53	75	55dB	4.0	300%	Day
7831	2025-03-20 11:20:42	69	55dB	2.5	146%	Day
7832	2025-03-20 11:23:02	?	55dB	?	?	Day
7833	2025-03-20 11:24:36	72	55dB	3.0	203%	Day
7834	2025-03-20 11:26:49	75	55dB	4.0	300%	Day
7835	2025-03-20 11:28:32	69	55dB	2.6	164%	Day
7836	2025-03-20 11:31:49	70	55dB	2.6	164%	Day
7837	2025-03-20 11:33:19	77	55dB	4.3	329%	Day
7838	2025-03-20 11:34:46	72	55dB	3.0	203%	Day
7839	2025-03-20 11:36:32	74	55dB	3.5	248%	Day
7840	2025-03-20 11:38:50	75	55dB	4.0	300%	Day
7841	2025-03-20 11:40:50	78	55dB	4.9	392%	Day
7842	2025-03-20 11:42:57	72	55dB	3.2	225%	Day
7843	2025-03-20 11:46:11	?	55dB	?	?	Day
7844	2025-03-20 11:51:14	?	55dB	?	?	Day
7845	2025-03-20 11:56:14	79	55dB	5.3	428%	Day
7846	2025-03-20 11:58:03	80	55dB	5.3	428%	Day
7847	2025-03-20 12:03:31	76	55dB	4.3	329%	Day
7848	2025-03-20 12:07:22	85	55dB	7.5	646%	Day
7849	2025-03-20 12:15:18	73	55dB	3.2	225%	Day
7850	2025-03-20 12:18:31	75	55dB	3.7	273%	Day
7851	2025-03-20 12:20:53	78	55dB	4.6	359%	Day
7852	2025-03-20 12:22:15	71	55dB	3.0	203%	Day
7853	2025-03-20 12:23:37	70	55dB	2.8	183%	Day
7854	2025-03-20 12:24:51	69	55dB	2.5	146%	Day
7855	2025-03-20 12:28:53	77	55dB	4.6	359%	Day
7856	2025-03-20 12:30:45	76	55dB	4.0	300%	Day
7857	2025-03-20 12:32:48	?	55dB	?	?	Day
7858	2025-03-20 12:35:14	73	55dB	3.2	225%	Day
7859	2025-03-20 12:36:33	73	55dB	3.2	225%	Day
7860	2025-03-20 12:38:05	70	55dB	2.6	164%	Day
7861	2025-03-20 12:39:32	78	55dB	4.6	359%	Day
7862	2025-03-20 12:40:58	?	55dB	?	?	Day
7863	2025-03-20 12:42:30	78	55dB	4.9	392%	Day
7864	2025-03-20 12:44:17	72	55dB	3.0	203%	Day
7865	2025-03-20 12:46:58	75	55dB	4.0	300%	Day
7866	2025-03-20 12:49:02	70	55dB	2.6	164%	Day
7867	2025-03-20 12:50:27	76	55dB	4.3	329%	Day
7868	2025-03-20 12:51:47	82	55dB	6.5	550%	Day
7869	2025-03-20 12:53:06	75	55dB	3.7	273%	Day
7870	2025-03-20 12:54:57	76	55dB	4.0	300%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7871	2025-03-20 12:57:24	70	55dB	2.6	164%	Day
7872	2025-03-20 12:58:52	73	55dB	3.5	248%	Day
7873	2025-03-20 13:06:04	74	55dB	3.5	248%	Day
7874	2025-03-20 13:07:54	82	55dB	6.5	550%	Day
7875	2025-03-20 13:11:10	73	55dB	3.5	248%	Day
7876	2025-03-20 13:12:55	70	55dB	2.8	183%	Day
7877	2025-03-20 13:18:06	72	55dB	3.2	225%	Day
7878	2025-03-20 13:23:27	72	55dB	3.0	203%	Day
7879	2025-03-20 13:28:48	70	55dB	2.8	183%	Day
7880	2025-03-20 13:30:31	72	55dB	3.0	203%	Day
7881	2025-03-20 13:33:40	73	55dB	3.5	248%	Day
7882	2025-03-20 13:35:37	73	55dB	3.2	225%	Day
7883	2025-03-20 13:38:00	74	55dB	3.5	248%	Day
7884	2025-03-20 13:39:54	73	55dB	3.2	225%	Day
7885	2025-03-20 13:41:22	70	55dB	2.6	164%	Day
7886	2025-03-20 13:43:20	71	55dB	2.8	183%	Day
7887	2025-03-20 13:45:14	?	55dB	?	?	Day
7888	2025-03-20 13:54:02	72	55dB	3.2	225%	Day
7889	2025-03-20 13:59:30	72	55dB	3.2	225%	Day
7890	2025-03-20 14:03:17	75	55dB	3.7	273%	Day
7891	2025-03-20 14:06:36	79	55dB	5.3	428%	Day
7892	2025-03-20 14:08:06	74	55dB	3.5	248%	Day
7893	2025-03-20 14:09:26	75	55dB	3.7	273%	Day
7894	2025-03-20 14:10:48	71	55dB	2.8	183%	Day
7895	2025-03-20 14:12:26	77	55dB	4.3	329%	Day
7896	2025-03-20 14:15:41	72	55dB	3.2	225%	Day
7897	2025-03-20 14:18:54	74	55dB	3.5	248%	Day
7898	2025-03-20 14:22:26	75	55dB	4.0	300%	Day
7899	2025-03-20 14:28:51	71	55dB	2.8	183%	Day
7900	2025-03-20 14:30:16	72	55dB	3.2	225%	Day
7901	2025-03-20 14:32:04	72	55dB	3.2	225%	Day
7902	2025-03-20 14:37:40	69	55dB	2.6	164%	Day
7903	2025-03-20 14:39:18	75	55dB	4.0	300%	Day
7904	2025-03-20 14:41:17	75	55dB	3.7	273%	Day
7905	2025-03-20 14:43:02	73	55dB	3.5	248%	Day
7906	2025-03-20 14:44:24	69	55dB	2.5	146%	Day
7907	2025-03-20 14:45:50	73	55dB	3.5	248%	Day
7908	2025-03-20 14:47:10	73	55dB	3.5	248%	Day
7909	2025-03-20 14:48:30	68	55dB	2.5	146%	Day
7910	2025-03-20 14:52:00	72	55dB	3.2	225%	Day
7911	2025-03-20 14:53:35	?	55dB	?	?	Day
7912	2025-03-20 14:57:13	78	55dB	4.9	392%	Day
7913	2025-03-20 15:00:02	70	55dB	2.6	164%	Day
7914	2025-03-20 15:03:24	72	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7915	2025-03-20 15:05:58	74	55dB	3.7	273%	Day
7916	2025-03-20 15:07:55	70	55dB	2.8	183%	Day
7917	2025-03-20 15:09:32	71	55dB	2.8	183%	Day
7918	2025-03-20 15:11:19	75	55dB	4.0	300%	Day
7919	2025-03-20 15:14:13	81	55dB	6.1	506%	Day
7920	2025-03-20 15:16:31	72	55dB	3.2	225%	Day
7921	2025-03-20 15:28:32	71	55dB	2.8	183%	Day
7922	2025-03-20 15:30:11	69	55dB	2.6	164%	Day
7923	2025-03-20 15:32:40	78	55dB	4.9	392%	Day
7924	2025-03-20 15:34:44	78	55dB	4.6	359%	Day
7925	2025-03-20 15:36:11	78	55dB	4.9	392%	Day
7926	2025-03-20 15:38:18	74	55dB	3.5	248%	Day
7927	2025-03-20 15:39:42	70	55dB	2.8	183%	Day
7928	2025-03-20 15:41:07	71	55dB	3.0	203%	Day
7929	2025-03-20 15:42:29	74	55dB	3.7	273%	Day
7930	2025-03-20 15:45:26	80	55dB	5.3	428%	Day
7931	2025-03-20 15:47:47	76	55dB	4.3	329%	Day
7932	2025-03-20 15:49:28	81	55dB	6.1	506%	Day
7933	2025-03-20 15:51:38	82	55dB	6.5	550%	Day
7934	2025-03-20 15:53:02	86	55dB	8.0	700%	Day
7935	2025-03-20 15:54:11	86	55dB	8.6	757%	Day
7936	2025-03-20 15:55:43	79	55dB	4.9	392%	Day
7937	2025-03-20 15:57:09	85	55dB	8.0	700%	Day
7938	2025-03-20 15:58:44	?	55dB	?	?	Day
7939	2025-03-20 16:01:52	76	55dB	4.0	300%	Day
7940	2025-03-20 16:04:32	78	55dB	4.6	359%	Day
7941	2025-03-20 16:07:04	72	55dB	3.0	203%	Day
7942	2025-03-20 16:09:07	80	55dB	5.3	428%	Day
7943	2025-03-20 16:12:13	74	55dB	3.7	273%	Day
7944	2025-03-20 16:15:03	73	55dB	3.2	225%	Day
7945	2025-03-20 16:20:40	80	55dB	5.7	466%	Day
7946	2025-03-20 16:23:49	73	55dB	3.5	248%	Day
7947	2025-03-20 16:26:11	77	55dB	4.3	329%	Day
7948	2025-03-20 16:28:36	76	55dB	4.0	300%	Day
7949	2025-03-20 16:37:39	79	55dB	4.9	392%	Day
7950	2025-03-20 16:40:18	75	55dB	3.7	273%	Day
7951	2025-03-20 16:43:37	76	55dB	4.0	300%	Day
7952	2025-03-20 16:46:19	75	55dB	3.7	273%	Day
7953	2025-03-20 16:48:13	81	55dB	5.7	466%	Day
7954	2025-03-20 16:51:56	79	55dB	4.9	392%	Day
7955	2025-03-20 16:55:35	83	55dB	6.5	550%	Day
7956	2025-03-20 16:58:54	75	55dB	4.0	300%	Day
7957	2025-03-20 17:01:52	69	55dB	2.6	164%	Day
7958	2025-03-20 17:04:42	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

7959	2025-03-20 17:07:03	73	55dB	3.5	248%	Day
7960	2025-03-20 17:14:11	81	55dB	6.1	506%	Day
7961	2025-03-20 17:16:41	83	55dB	7.0	596%	Day
7962	2025-03-20 17:19:11	85	55dB	7.5	646%	Day
7963	2025-03-20 17:21:32	81	55dB	6.1	506%	Day
7964	2025-03-20 17:24:01	78	55dB	4.6	359%	Day
7965	2025-03-20 17:26:42	72	55dB	3.0	203%	Day
7966	2025-03-20 17:28:40	75	55dB	3.7	273%	Day
7967	2025-03-20 17:30:40	75	55dB	4.0	300%	Day
7968	2025-03-20 17:33:02	80	55dB	5.3	428%	Day
7969	2025-03-20 17:38:47	74	55dB	3.5	248%	Day
7970	2025-03-20 17:49:56	73	55dB	3.2	225%	Day
7971	2025-03-20 17:52:24	75	55dB	4.0	300%	Day
7972	2025-03-20 17:55:10	77	55dB	4.6	359%	Day
7973	2025-03-20 17:57:54	72	55dB	3.2	225%	Day
7974	2025-03-20 18:00:11	72	55dB	3.2	225%	Day
7975	2025-03-20 18:02:23	75	55dB	3.7	273%	Day
7976	2025-03-20 18:04:38	80	55dB	5.3	428%	Day
7977	2025-03-20 18:06:58	?	55dB	?	?	Day
7978	2025-03-20 18:10:25	73	55dB	3.5	248%	Day
7979	2025-03-20 18:15:34	75	55dB	3.7	273%	Day
7980	2025-03-20 18:17:56	?	55dB	?	?	Day
7981	2025-03-20 18:20:06	77	55dB	4.3	329%	Day
7982	2025-03-20 18:22:35	80	55dB	5.3	428%	Day
7983	2025-03-20 18:24:43	78	55dB	4.9	392%	Day
7984	2025-03-20 18:28:14	75	55dB	3.7	273%	Day
7985	2025-03-20 18:30:32	73	55dB	3.5	248%	Day
7986	2025-03-20 18:32:57	77	55dB	4.3	329%	Day
7987	2025-03-20 18:35:19	?	55dB	?	?	Day
7988	2025-03-20 18:37:36	77	55dB	4.6	359%	Day
7989	2025-03-20 18:39:45	76	55dB	4.0	300%	Day
7990	2025-03-20 18:42:17	72	55dB	3.2	225%	Day
7991	2025-03-20 20:21:10	70	45dB	5.7	466%	Night
7992	2025-03-21 03:36:45	68	45dB	4.6	359%	Night
7993	2025-03-21 04:54:55	71	45dB	5.7	466%	Night
7994	2025-03-21 04:59:05	75	45dB	7.5	646%	Night
7995	2025-03-21 05:18:18	75	45dB	7.5	646%	Night
7996	2025-03-21 05:26:11	75	45dB	8.0	700%	Night
7997	2025-03-21 05:28:43	72	45dB	6.5	550%	Night
7998	2025-03-21 05:31:43	71	45dB	5.7	466%	Night
7999	2025-03-21 05:35:46	76	45dB	8.6	757%	Night
8000	2025-03-21 05:38:39	72	45dB	6.5	550%	Night
8001	2025-03-21 05:41:14	70	45dB	5.7	466%	Night
8002	2025-03-21 05:42:39	73	45dB	7.0	596%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8003	2025-03-21 05:46:45	70	45dB	5.3	428%	Night
8004	2025-03-21 05:50:42	72	45dB	6.1	506%	Night
8005	2025-03-21 05:52:12	68	45dB	4.9	392%	Night
8006	2025-03-21 05:59:39	75	45dB	7.5	646%	Night
8007	2025-03-21 06:16:01	67	45dB	4.3	329%	Night
8008	2025-03-21 06:19:09	70	45dB	5.7	466%	Night
8009	2025-03-21 06:29:38	70	45dB	5.3	428%	Night
8010	2025-03-21 06:31:07	70	45dB	5.3	428%	Night
8011	2025-03-21 06:32:37	68	45dB	4.9	392%	Night
8012	2025-03-21 06:33:53	68	45dB	4.9	392%	Night
8013	2025-03-21 06:35:06	70	45dB	5.7	466%	Night
8014	2025-03-21 06:36:25	?	45dB	?	?	Night
8015	2025-03-21 06:37:53	70	45dB	5.7	466%	Night
8016	2025-03-21 06:39:12	70	45dB	5.3	428%	Night
8017	2025-03-21 06:40:50	73	45dB	7.0	596%	Night
8018	2025-03-21 06:42:21	69	45dB	5.3	428%	Night
8019	2025-03-21 06:44:00	69	45dB	5.3	428%	Night
8020	2025-03-21 06:45:32	71	45dB	6.1	506%	Night
8021	2025-03-21 06:47:08	74	45dB	7.0	596%	Night
8022	2025-03-21 06:49:25	73	45dB	7.0	596%	Night
8023	2025-03-21 06:51:14	68	45dB	4.9	392%	Night
8024	2025-03-21 06:52:39	67	45dB	4.3	329%	Night
8025	2025-03-21 06:54:22	69	45dB	5.3	428%	Night
8026	2025-03-21 06:55:27	?	45dB	?	?	Night
8027	2025-03-21 06:56:42	71	45dB	5.7	466%	Night
8028	2025-03-21 06:58:18	73	45dB	7.0	596%	Night
8029	2025-03-21 06:59:33	69	45dB	5.3	428%	Night
8030	2025-03-21 07:00:34	66	55dB	2.1	114%	Day
8031	2025-03-21 07:01:51	?	55dB	?	?	Day
8032	2025-03-21 07:03:04	68	55dB	2.5	146%	Day
8033	2025-03-21 07:05:12	69	55dB	2.5	146%	Day
8034	2025-03-21 07:08:12	74	55dB	3.5	248%	Day
8035	2025-03-21 07:10:09	74	55dB	3.5	248%	Day
8036	2025-03-21 07:12:50	68	55dB	2.5	146%	Day
8037	2025-03-21 07:16:04	?	55dB	?	?	Day
8038	2025-03-21 07:17:19	67	55dB	2.1	114%	Day
8039	2025-03-21 07:18:32	71	55dB	2.8	183%	Day
8040	2025-03-21 07:19:55	72	55dB	3.0	203%	Day
8041	2025-03-21 07:23:41	69	55dB	2.6	164%	Day
8042	2025-03-21 07:28:13	68	55dB	2.5	146%	Day
8043	2025-03-21 07:43:00	72	55dB	3.0	203%	Day
8044	2025-03-21 07:47:40	67	55dB	2.1	114%	Day
8045	2025-03-21 07:52:32	70	55dB	2.8	183%	Day
8046	2025-03-21 07:57:52	70	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8047	2025-03-21 07:59:18	69	55dB	2.5	146%	Day
8048	2025-03-21 08:00:55	68	55dB	2.5	146%	Day
8049	2025-03-21 08:04:13	74	55dB	3.5	248%	Day
8050	2025-03-21 08:07:17	69	55dB	2.5	146%	Day
8051	2025-03-21 08:08:26	73	55dB	3.2	225%	Day
8052	2025-03-21 08:09:47	70	55dB	2.6	164%	Day
8053	2025-03-21 08:18:15	68	55dB	2.3	130%	Day
8054	2025-03-21 08:21:24	70	55dB	2.6	164%	Day
8055	2025-03-21 08:26:18	?	55dB	?	?	Day
8056	2025-03-21 08:29:11	?	55dB	?	?	Day
8057	2025-03-21 08:35:19	70	55dB	2.6	164%	Day
8058	2025-03-21 08:39:41	73	55dB	3.2	225%	Day
8059	2025-03-21 08:46:39	71	55dB	3.0	203%	Day
8060	2025-03-21 08:49:08	74	55dB	3.5	248%	Day
8061	2025-03-21 08:53:07	76	55dB	4.3	329%	Day
8062	2025-03-21 08:57:50	80	55dB	5.3	428%	Day
8063	2025-03-21 08:59:17	68	55dB	2.3	130%	Day
8064	2025-03-21 09:01:02	67	55dB	2.3	130%	Day
8065	2025-03-21 09:02:40	75	55dB	3.7	273%	Day
8066	2025-03-21 09:05:32	?	55dB	?	?	Day
8067	2025-03-21 09:11:58	68	55dB	2.3	130%	Day
8068	2025-03-21 09:13:50	?	55dB	?	?	Day
8069	2025-03-21 09:25:07	67	55dB	2.1	114%	Day
8070	2025-03-21 09:30:02	73	55dB	3.5	248%	Day
8071	2025-03-21 09:32:23	69	55dB	2.6	164%	Day
8072	2025-03-21 09:33:46	66	55dB	2.1	114%	Day
8073	2025-03-21 09:39:02	75	55dB	4.0	300%	Day
8074	2025-03-21 09:47:10	?	55dB	?	?	Day
8075	2025-03-21 09:52:27	68	55dB	2.3	130%	Day
8076	2025-03-21 10:03:22	?	55dB	?	?	Day
8077	2025-03-21 10:04:41	?	55dB	?	?	Day
8078	2025-03-21 10:06:32	?	55dB	?	?	Day
8079	2025-03-21 10:13:13	69	55dB	2.6	164%	Day
8080	2025-03-21 10:16:13	72	55dB	3.0	203%	Day
8081	2025-03-21 10:20:41	68	55dB	2.3	130%	Day
8082	2025-03-21 10:22:58	71	55dB	3.0	203%	Day
8083	2025-03-21 10:25:36	?	55dB	?	?	Day
8084	2025-03-21 10:31:35	?	55dB	?	?	Day
8085	2025-03-21 10:35:13	72	55dB	3.2	225%	Day
8086	2025-03-21 10:36:28	69	55dB	2.6	164%	Day
8087	2025-03-21 10:37:55	?	55dB	?	?	Day
8088	2025-03-21 10:39:32	70	55dB	2.6	164%	Day
8089	2025-03-21 10:41:28	71	55dB	2.8	183%	Day
8090	2025-03-21 10:43:29	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8091	2025-03-21 10:45:01	?	55dB	?	?	Day
8092	2025-03-21 10:46:37	?	55dB	?	?	Day
8093	2025-03-21 10:48:16	?	55dB	?	?	Day
8094	2025-03-21 10:50:21	71	55dB	3.0	203%	Day
8095	2025-03-21 10:51:41	74	55dB	3.5	248%	Day
8096	2025-03-21 10:53:56	69	55dB	2.6	164%	Day
8097	2025-03-21 10:55:05	?	55dB	?	?	Day
8098	2025-03-21 10:56:23	71	55dB	2.8	183%	Day
8099	2025-03-21 10:57:32	69	55dB	2.6	164%	Day
8100	2025-03-21 10:58:45	?	55dB	?	?	Day
8101	2025-03-21 11:00:16	70	55dB	2.8	183%	Day
8102	2025-03-21 11:01:43	72	55dB	3.2	225%	Day
8103	2025-03-21 11:04:02	68	55dB	2.3	130%	Day
8104	2025-03-21 11:05:18	?	55dB	?	?	Day
8105	2025-03-21 11:09:18	?	55dB	?	?	Day
8106	2025-03-21 11:11:33	73	55dB	3.5	248%	Day
8107	2025-03-21 11:14:01	?	55dB	?	?	Day
8108	2025-03-21 11:16:28	68	55dB	2.5	146%	Day
8109	2025-03-21 11:18:02	71	55dB	3.0	203%	Day
8110	2025-03-21 11:19:44	?	55dB	?	?	Day
8111	2025-03-21 11:21:18	?	55dB	?	?	Day
8112	2025-03-21 11:22:39	71	55dB	2.8	183%	Day
8113	2025-03-21 11:24:09	71	55dB	3.0	203%	Day
8114	2025-03-21 11:25:36	?	55dB	?	?	Day
8115	2025-03-21 11:27:09	?	55dB	?	?	Day
8116	2025-03-21 11:28:42	?	55dB	?	?	Day
8117	2025-03-21 11:30:08	67	55dB	2.3	130%	Day
8118	2025-03-21 11:31:47	67	55dB	2.3	130%	Day
8119	2025-03-21 11:33:06	68	55dB	2.3	130%	Day
8120	2025-03-21 11:34:32	?	55dB	?	?	Day
8121	2025-03-21 11:35:51	72	55dB	3.2	225%	Day
8122	2025-03-21 11:37:21	?	55dB	?	?	Day
8123	2025-03-21 11:38:40	71	55dB	2.8	183%	Day
8124	2025-03-21 11:40:18	69	55dB	2.5	146%	Day
8125	2025-03-21 11:42:18	?	55dB	?	?	Day
8126	2025-03-21 11:43:47	73	55dB	3.2	225%	Day
8127	2025-03-21 11:49:07	70	55dB	2.8	183%	Day
8128	2025-03-21 11:51:48	73	55dB	3.2	225%	Day
8129	2025-03-21 11:55:55	?	55dB	?	?	Day
8130	2025-03-21 11:57:32	?	55dB	?	?	Day
8131	2025-03-21 11:59:03	68	55dB	2.5	146%	Day
8132	2025-03-21 12:01:16	75	55dB	4.0	300%	Day
8133	2025-03-21 12:03:32	?	55dB	?	?	Day
8134	2025-03-21 12:05:18	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8135	2025-03-21 12:07:17	67	55dB	2.3	130%	Day
8136	2025-03-21 12:13:28	74	55dB	3.5	248%	Day
8137	2025-03-21 12:15:39	69	55dB	2.5	146%	Day
8138	2025-03-21 12:17:31	75	55dB	3.7	273%	Day
8139	2025-03-21 12:19:44	?	55dB	?	?	Day
8140	2025-03-21 12:23:43	70	55dB	2.6	164%	Day
8141	2025-03-21 12:25:18	?	55dB	?	?	Day
8142	2025-03-21 12:27:07	70	55dB	2.6	164%	Day
8143	2025-03-21 12:28:24	73	55dB	3.2	225%	Day
8144	2025-03-21 12:29:51	70	55dB	2.6	164%	Day
8145	2025-03-21 12:31:40	66	55dB	2.1	114%	Day
8146	2025-03-21 12:33:47	74	55dB	3.7	273%	Day
8147	2025-03-21 12:37:32	71	55dB	2.8	183%	Day
8148	2025-03-21 12:39:33	68	55dB	2.5	146%	Day
8149	2025-03-21 12:42:34	?	55dB	?	?	Day
8150	2025-03-21 12:44:28	71	55dB	3.0	203%	Day
8151	2025-03-21 12:46:50	72	55dB	3.2	225%	Day
8152	2025-03-21 12:54:00	?	55dB	?	?	Day
8153	2025-03-21 12:57:32	75	55dB	4.0	300%	Day
8154	2025-03-21 12:59:10	75	55dB	3.7	273%	Day
8155	2025-03-21 13:02:41	?	55dB	?	?	Day
8156	2025-03-21 13:05:21	67	55dB	2.1	114%	Day
8157	2025-03-21 13:06:56	72	55dB	3.0	203%	Day
8158	2025-03-21 13:08:43	72	55dB	3.2	225%	Day
8159	2025-03-21 13:13:16	?	55dB	?	?	Day
8160	2025-03-21 13:17:26	?	55dB	?	?	Day
8161	2025-03-21 13:19:28	?	55dB	?	?	Day
8162	2025-03-21 13:20:58	?	55dB	?	?	Day
8163	2025-03-21 13:26:32	70	55dB	2.6	164%	Day
8164	2025-03-21 13:27:56	69	55dB	2.5	146%	Day
8165	2025-03-21 13:29:25	72	55dB	3.0	203%	Day
8166	2025-03-21 13:30:44	70	55dB	2.6	164%	Day
8167	2025-03-21 13:32:20	73	55dB	3.2	225%	Day
8168	2025-03-21 13:35:53	71	55dB	3.0	203%	Day
8169	2025-03-21 13:37:14	69	55dB	2.5	146%	Day
8170	2025-03-21 13:38:46	69	55dB	2.6	164%	Day
8171	2025-03-21 13:40:35	?	55dB	?	?	Day
8172	2025-03-21 13:41:56	74	55dB	3.7	273%	Day
8173	2025-03-21 13:46:05	?	55dB	?	?	Day
8174	2025-03-21 13:47:48	?	55dB	?	?	Day
8175	2025-03-21 13:49:14	69	55dB	2.6	164%	Day
8176	2025-03-21 13:50:46	68	55dB	2.5	146%	Day
8177	2025-03-21 13:55:33	77	55dB	4.6	359%	Day
8178	2025-03-21 13:57:34	67	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8179	2025-03-21 14:00:45	72	55dB	3.2	225%	Day
8180	2025-03-21 14:02:11	74	55dB	3.7	273%	Day
8181	2025-03-21 14:03:27	69	55dB	2.6	164%	Day
8182	2025-03-21 14:05:36	73	55dB	3.2	225%	Day
8183	2025-03-21 14:09:26	71	55dB	2.8	183%	Day
8184	2025-03-21 14:10:32	?	55dB	?	?	Day
8185	2025-03-21 14:12:03	73	55dB	3.2	225%	Day
8186	2025-03-21 14:21:27	73	55dB	3.2	225%	Day
8187	2025-03-21 14:22:58	72	55dB	3.0	203%	Day
8188	2025-03-21 14:25:13	69	55dB	2.6	164%	Day
8189	2025-03-21 14:26:18	79	55dB	5.3	428%	Day
8190	2025-03-21 14:28:21	76	55dB	4.0	300%	Day
8191	2025-03-21 14:30:30	75	55dB	3.7	273%	Day
8192	2025-03-21 14:32:13	67	55dB	2.3	130%	Day
8193	2025-03-21 14:36:32	68	55dB	2.5	146%	Day
8194	2025-03-21 14:38:36	72	55dB	3.2	225%	Day
8195	2025-03-21 14:41:17	72	55dB	3.0	203%	Day
8196	2025-03-21 14:43:02	76	55dB	4.3	329%	Day
8197	2025-03-21 14:46:09	73	55dB	3.2	225%	Day
8198	2025-03-21 14:49:57	?	55dB	?	?	Day
8199	2025-03-21 14:54:12	71	55dB	3.0	203%	Day
8200	2025-03-21 14:55:59	70	55dB	2.8	183%	Day
8201	2025-03-21 14:57:23	?	55dB	?	?	Day
8202	2025-03-21 14:58:42	70	55dB	2.6	164%	Day
8203	2025-03-21 15:00:08	70	55dB	2.6	164%	Day
8204	2025-03-21 15:01:35	73	55dB	3.5	248%	Day
8205	2025-03-21 15:03:52	72	55dB	3.2	225%	Day
8206	2025-03-21 15:05:28	74	55dB	3.5	248%	Day
8207	2025-03-21 15:07:09	76	55dB	4.0	300%	Day
8208	2025-03-21 15:09:25	78	55dB	4.6	359%	Day
8209	2025-03-21 15:11:06	70	55dB	2.6	164%	Day
8210	2025-03-21 15:13:58	73	55dB	3.5	248%	Day
8211	2025-03-21 15:17:56	73	55dB	3.2	225%	Day
8212	2025-03-21 15:20:22	75	55dB	3.7	273%	Day
8213	2025-03-21 15:21:52	72	55dB	3.0	203%	Day
8214	2025-03-21 15:24:16	69	55dB	2.6	164%	Day
8215	2025-03-21 15:26:13	?	55dB	?	?	Day
8216	2025-03-21 15:27:34	74	55dB	3.5	248%	Day
8217	2025-03-21 15:29:22	73	55dB	3.5	248%	Day
8218	2025-03-21 15:31:10	73	55dB	3.5	248%	Day
8219	2025-03-21 15:35:35	?	55dB	?	?	Day
8220	2025-03-21 15:36:56	?	55dB	?	?	Day
8221	2025-03-21 15:38:18	71	55dB	3.0	203%	Day
8222	2025-03-21 15:39:28	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8223	2025-03-21 15:40:56	75	55dB	3.7	273%	Day
8224	2025-03-21 15:42:14	72	55dB	3.2	225%	Day
8225	2025-03-21 15:44:15	72	55dB	3.2	225%	Day
8226	2025-03-21 15:45:33	68	55dB	2.3	130%	Day
8227	2025-03-21 15:48:17	?	55dB	?	?	Day
8228	2025-03-21 15:49:27	74	55dB	3.7	273%	Day
8229	2025-03-21 15:50:41	?	55dB	?	?	Day
8230	2025-03-21 15:52:16	70	55dB	2.8	183%	Day
8231	2025-03-21 15:53:40	?	55dB	?	?	Day
8232	2025-03-21 15:56:08	72	55dB	3.0	203%	Day
8233	2025-03-21 15:57:26	76	55dB	4.0	300%	Day
8234	2025-03-21 15:58:40	71	55dB	2.8	183%	Day
8235	2025-03-21 16:00:30	?	55dB	?	?	Day
8236	2025-03-21 16:01:47	?	55dB	?	?	Day
8237	2025-03-21 16:03:54	66	55dB	2.1	114%	Day
8238	2025-03-21 16:05:16	69	55dB	2.5	146%	Day
8239	2025-03-21 16:06:36	?	55dB	?	?	Day
8240	2025-03-21 16:07:56	68	55dB	2.5	146%	Day
8241	2025-03-21 16:09:34	68	55dB	2.3	130%	Day
8242	2025-03-21 16:10:56	67	55dB	2.3	130%	Day
8243	2025-03-21 16:13:18	67	55dB	2.3	130%	Day
8244	2025-03-21 16:14:44	76	55dB	4.0	300%	Day
8245	2025-03-21 16:16:31	70	55dB	2.8	183%	Day
8246	2025-03-21 16:18:03	71	55dB	2.8	183%	Day
8247	2025-03-21 16:20:05	72	55dB	3.2	225%	Day
8248	2025-03-21 16:22:56	73	55dB	3.2	225%	Day
8249	2025-03-21 16:25:13	?	55dB	?	?	Day
8250	2025-03-21 16:26:31	70	55dB	2.8	183%	Day
8251	2025-03-21 16:27:53	70	55dB	2.6	164%	Day
8252	2025-03-21 16:29:42	76	55dB	4.0	300%	Day
8253	2025-03-21 16:31:18	69	55dB	2.5	146%	Day
8254	2025-03-21 16:37:46	70	55dB	2.6	164%	Day
8255	2025-03-21 16:41:09	75	55dB	3.7	273%	Day
8256	2025-03-21 16:43:16	76	55dB	4.3	329%	Day
8257	2025-03-21 16:45:30	82	55dB	6.1	506%	Day
8258	2025-03-21 16:47:13	71	55dB	3.0	203%	Day
8259	2025-03-21 16:48:39	71	55dB	2.8	183%	Day
8260	2025-03-21 16:52:05	?	55dB	?	?	Day
8261	2025-03-21 16:53:46	74	55dB	3.5	248%	Day
8262	2025-03-21 16:56:29	?	55dB	?	?	Day
8263	2025-03-21 16:57:55	?	55dB	?	?	Day
8264	2025-03-21 17:00:47	?	55dB	?	?	Day
8265	2025-03-21 17:06:02	?	55dB	?	?	Day
8266	2025-03-21 17:09:17	75	55dB	4.0	300%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8267	2025-03-21 17:11:56	?	55dB	?	?	Day
8268	2025-03-21 17:13:43	70	55dB	2.6	164%	Day
8269	2025-03-21 17:15:17	?	55dB	?	?	Day
8270	2025-03-21 17:16:48	?	55dB	?	?	Day
8271	2025-03-21 17:25:24	?	55dB	?	?	Day
8272	2025-03-21 17:26:57	70	55dB	2.6	164%	Day
8273	2025-03-21 17:29:49	70	55dB	2.8	183%	Day
8274	2025-03-21 17:31:18	70	55dB	2.8	183%	Day
8275	2025-03-21 17:32:33	73	55dB	3.5	248%	Day
8276	2025-03-21 17:34:38	67	55dB	2.3	130%	Day
8277	2025-03-21 17:35:56	81	55dB	6.1	506%	Day
8278	2025-03-21 17:37:41	69	55dB	2.5	146%	Day
8279	2025-03-21 17:39:11	76	55dB	4.0	300%	Day
8280	2025-03-21 17:40:41	75	55dB	3.7	273%	Day
8281	2025-03-21 17:42:58	?	55dB	?	?	Day
8282	2025-03-21 17:44:56	74	55dB	3.5	248%	Day
8283	2025-03-21 17:47:26	?	55dB	?	?	Day
8284	2025-03-21 17:48:44	68	55dB	2.5	146%	Day
8285	2025-03-21 17:50:03	73	55dB	3.2	225%	Day
8286	2025-03-21 17:51:37	69	55dB	2.6	164%	Day
8287	2025-03-21 17:53:20	69	55dB	2.5	146%	Day
8288	2025-03-21 17:54:54	72	55dB	3.0	203%	Day
8289	2025-03-21 17:57:05	?	55dB	?	?	Day
8290	2025-03-21 17:58:27	73	55dB	3.5	248%	Day
8291	2025-03-21 18:00:06	?	55dB	?	?	Day
8292	2025-03-21 18:02:10	70	55dB	2.8	183%	Day
8293	2025-03-21 18:03:43	67	55dB	2.3	130%	Day
8294	2025-03-21 18:05:03	68	55dB	2.5	146%	Day
8295	2025-03-21 18:07:16	69	55dB	2.5	146%	Day
8296	2025-03-21 18:09:18	?	55dB	?	?	Day
8297	2025-03-21 18:10:53	69	55dB	2.5	146%	Day
8298	2025-03-21 18:12:49	77	55dB	4.3	329%	Day
8299	2025-03-21 18:14:25	77	55dB	4.3	329%	Day
8300	2025-03-21 18:15:55	73	55dB	3.5	248%	Day
8301	2025-03-21 18:17:19	70	55dB	2.6	164%	Day
8302	2025-03-21 18:19:02	79	55dB	4.9	392%	Day
8303	2025-03-21 18:20:39	70	55dB	2.8	183%	Day
8304	2025-03-21 18:22:18	?	55dB	?	?	Day
8305	2025-03-21 18:23:35	?	55dB	?	?	Day
8306	2025-03-21 18:25:07	77	55dB	4.6	359%	Day
8307	2025-03-21 18:27:32	72	55dB	3.0	203%	Day
8308	2025-03-21 18:29:40	73	55dB	3.2	225%	Day
8309	2025-03-21 18:31:11	?	55dB	?	?	Day
8310	2025-03-21 18:32:32	72	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8311	2025-03-21 18:34:10	?	55dB	?	?	Day
8312	2025-03-21 18:35:35	71	55dB	2.8	183%	Day
8313	2025-03-21 18:37:24	71	55dB	2.8	183%	Day
8314	2025-03-21 18:39:07	70	55dB	2.8	183%	Day
8315	2025-03-21 18:41:21	?	55dB	?	?	Day
8316	2025-03-21 18:42:36	?	55dB	?	?	Day
8317	2025-03-21 18:43:52	69	55dB	2.6	164%	Day
8318	2025-03-21 18:45:19	71	55dB	3.0	203%	Day
8319	2025-03-21 18:46:34	?	55dB	?	?	Day
8320	2025-03-21 18:47:55	67	55dB	2.1	114%	Day
8321	2025-03-21 18:49:50	?	55dB	?	?	Day
8322	2025-03-21 18:51:14	71	55dB	2.8	183%	Day
8323	2025-03-21 18:52:31	?	55dB	?	?	Day
8324	2025-03-21 18:54:27	?	55dB	?	?	Day
8325	2025-03-21 18:55:56	72	55dB	3.2	225%	Day
8326	2025-03-21 18:57:32	70	55dB	2.6	164%	Day
8327	2025-03-21 18:58:39	68	55dB	2.5	146%	Day
8328	2025-03-21 19:00:26	73	45dB	6.5	550%	Night
8329	2025-03-21 19:01:43	69	45dB	4.9	392%	Night
8330	2025-03-21 19:03:58	76	45dB	8.6	757%	Night
8331	2025-03-21 19:05:31	?	45dB	?	?	Night
8332	2025-03-21 19:07:11	69	45dB	4.9	392%	Night
8333	2025-03-21 19:08:52	75	45dB	8.0	700%	Night
8334	2025-03-21 19:10:34	?	45dB	?	?	Night
8335	2025-03-21 19:12:06	66	45dB	4.3	329%	Night
8336	2025-03-21 19:13:28	?	45dB	?	?	Night
8337	2025-03-21 19:14:52	68	45dB	4.6	359%	Night
8338	2025-03-21 19:16:12	70	45dB	5.3	428%	Night
8339	2025-03-21 19:17:33	73	45dB	6.5	550%	Night
8340	2025-03-21 19:19:01	78	45dB	9.2	819%	Night
8341	2025-03-21 19:20:30	72	45dB	6.1	506%	Night
8342	2025-03-21 19:21:50	?	45dB	?	?	Night
8343	2025-03-21 19:23:14	74	45dB	7.0	596%	Night
8344	2025-03-21 19:24:52	78	45dB	9.8	885%	Night
8345	2025-03-21 19:26:51	72	45dB	6.5	550%	Night
8346	2025-03-21 19:28:24	68	45dB	4.9	392%	Night
8347	2025-03-21 19:30:23	73	45dB	7.0	596%	Night
8348	2025-03-21 19:32:09	73	45dB	6.5	550%	Night
8349	2025-03-21 19:34:22	77	45dB	9.2	819%	Night
8350	2025-03-21 19:35:45	71	45dB	5.7	466%	Night
8351	2025-03-21 19:37:02	72	45dB	6.1	506%	Night
8352	2025-03-21 19:38:26	?	45dB	?	?	Night
8353	2025-03-21 19:39:55	?	45dB	?	?	Night
8354	2025-03-21 19:41:19	74	45dB	7.5	646%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8355	2025-03-21 19:42:40	70	45dB	5.7	466%	Night
8356	2025-03-21 19:43:57	67	45dB	4.6	359%	Night
8357	2025-03-21 19:46:03	?	45dB	?	?	Night
8358	2025-03-21 19:47:43	75	45dB	8.0	700%	Night
8359	2025-03-21 19:49:11	70	45dB	5.3	428%	Night
8360	2025-03-21 19:50:38	69	45dB	4.9	392%	Night
8361	2025-03-21 19:52:25	69	45dB	5.3	428%	Night
8362	2025-03-21 19:56:34	69	45dB	4.9	392%	Night
8363	2025-03-21 19:59:12	70	45dB	5.7	466%	Night
8364	2025-03-21 20:00:55	72	45dB	6.5	550%	Night
8365	2025-03-21 20:02:37	73	45dB	7.0	596%	Night
8366	2025-03-21 20:06:45	72	45dB	6.5	550%	Night
8367	2025-03-21 20:11:51	71	45dB	5.7	466%	Night
8368	2025-03-21 20:13:48	74	45dB	7.5	646%	Night
8369	2025-03-21 20:15:18	69	45dB	4.9	392%	Night
8370	2025-03-21 20:17:00	69	45dB	4.9	392%	Night
8371	2025-03-21 20:24:06	74	45dB	7.5	646%	Night
8372	2025-03-21 20:27:20	76	45dB	8.6	757%	Night
8373	2025-03-21 20:29:12	71	45dB	6.1	506%	Night
8374	2025-03-21 20:31:04	72	45dB	6.5	550%	Night
8375	2025-03-21 20:33:32	69	45dB	5.3	428%	Night
8376	2025-03-21 20:35:01	73	45dB	7.0	596%	Night
8377	2025-03-21 20:37:05	71	45dB	5.7	466%	Night
8378	2025-03-21 20:38:44	70	45dB	5.3	428%	Night
8379	2025-03-21 20:41:12	75	45dB	8.0	700%	Night
8380	2025-03-21 20:45:32	71	45dB	6.1	506%	Night
8381	2025-03-21 20:47:26	71	45dB	6.1	506%	Night
8382	2025-03-21 20:48:56	?	45dB	?	?	Night
8383	2025-03-21 20:50:25	70	45dB	5.7	466%	Night
8384	2025-03-21 20:52:19	73	45dB	7.0	596%	Night
8385	2025-03-21 20:53:50	75	45dB	8.0	700%	Night
8386	2025-03-21 20:55:53	72	45dB	6.1	506%	Night
8387	2025-03-21 20:57:26	71	45dB	6.1	506%	Night
8388	2025-03-21 20:59:13	72	45dB	6.5	550%	Night
8389	2025-03-21 21:00:38	71	45dB	6.1	506%	Night
8390	2025-03-21 21:02:13	69	45dB	4.9	392%	Night
8391	2025-03-21 21:03:34	?	45dB	?	?	Night
8392	2025-03-21 21:04:56	71	45dB	6.1	506%	Night
8393	2025-03-21 21:06:18	71	45dB	6.1	506%	Night
8394	2025-03-21 21:07:52	74	45dB	7.0	596%	Night
8395	2025-03-21 21:09:17	71	45dB	6.1	506%	Night
8396	2025-03-21 21:11:02	73	45dB	7.0	596%	Night
8397	2025-03-21 21:12:33	?	45dB	?	?	Night
8398	2025-03-21 21:14:13	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8399	2025-03-21 21:15:48	74	45dB	7.5	646%	Night
8400	2025-03-21 21:17:19	69	45dB	5.3	428%	Night
8401	2025-03-21 21:18:45	69	45dB	5.3	428%	Night
8402	2025-03-21 21:20:14	?	45dB	?	?	Night
8403	2025-03-21 21:21:36	74	45dB	7.5	646%	Night
8404	2025-03-21 21:23:33	69	45dB	5.3	428%	Night
8405	2025-03-21 21:25:26	67	45dB	4.3	329%	Night
8406	2025-03-21 21:26:51	69	45dB	4.9	392%	Night
8407	2025-03-21 21:28:33	74	45dB	7.0	596%	Night
8408	2025-03-21 21:30:45	72	45dB	6.5	550%	Night
8409	2025-03-21 21:33:21	66	45dB	4.3	329%	Night
8410	2025-03-21 21:35:24	71	45dB	6.1	506%	Night
8411	2025-03-21 21:38:08	?	45dB	?	?	Night
8412	2025-03-21 21:40:03	69	45dB	5.3	428%	Night
8413	2025-03-21 21:41:40	74	45dB	7.0	596%	Night
8414	2025-03-21 21:43:50	70	45dB	5.3	428%	Night
8415	2025-03-21 21:45:51	68	45dB	4.6	359%	Night
8416	2025-03-21 21:47:45	71	45dB	5.7	466%	Night
8417	2025-03-21 21:50:07	72	45dB	6.1	506%	Night
8418	2025-03-21 22:01:35	68	45dB	4.6	359%	Night
8419	2025-03-21 22:03:53	?	45dB	?	?	Night
8420	2025-03-21 22:08:02	?	45dB	?	?	Night
8421	2025-03-21 22:11:39	?	45dB	?	?	Night
8422	2025-03-21 22:13:36	68	45dB	4.6	359%	Night
8423	2025-03-21 22:15:26	74	45dB	7.5	646%	Night
8424	2025-03-21 22:17:30	70	45dB	5.7	466%	Night
8425	2025-03-21 22:18:57	70	45dB	5.7	466%	Night
8426	2025-03-21 22:21:02	70	45dB	5.7	466%	Night
8427	2025-03-21 22:22:43	?	45dB	?	?	Night
8428	2025-03-21 22:24:51	?	45dB	?	?	Night
8429	2025-03-21 22:26:37	?	45dB	?	?	Night
8430	2025-03-21 22:28:11	73	45dB	7.0	596%	Night
8431	2025-03-21 22:30:15	71	45dB	5.7	466%	Night
8432	2025-03-21 22:32:17	73	45dB	6.5	550%	Night
8433	2025-03-21 22:34:04	70	45dB	5.7	466%	Night
8434	2025-03-21 22:38:04	?	45dB	?	?	Night
8435	2025-03-21 22:41:30	68	45dB	4.6	359%	Night
8436	2025-03-21 22:44:13	72	45dB	6.1	506%	Night
8437	2025-03-21 22:46:45	71	45dB	5.7	466%	Night
8438	2025-03-21 22:49:03	73	45dB	7.0	596%	Night
8439	2025-03-21 22:51:56	71	45dB	5.7	466%	Night
8440	2025-03-21 22:53:58	?	45dB	?	?	Night
8441	2025-03-21 22:55:30	?	45dB	?	?	Night
8442	2025-03-21 22:59:37	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8443	2025-03-21 23:01:30	69	45dB	4.9	392%	Night
8444	2025-03-21 23:02:56	70	45dB	5.7	466%	Night
8445	2025-03-21 23:04:52	71	45dB	6.1	506%	Night
8446	2025-03-21 23:06:56	75	45dB	8.0	700%	Night
8447	2025-03-21 23:09:24	70	45dB	5.7	466%	Night
8448	2025-03-21 23:19:21	72	45dB	6.1	506%	Night
8449	2025-03-21 23:22:03	69	45dB	5.3	428%	Night
8450	2025-03-21 23:23:42	69	45dB	4.9	392%	Night
8451	2025-03-21 23:25:13	72	45dB	6.5	550%	Night
8452	2025-03-21 23:26:58	?	45dB	?	?	Night
8453	2025-03-21 23:32:33	72	45dB	6.5	550%	Night
8454	2025-03-21 23:34:57	73	45dB	6.5	550%	Night
8455	2025-03-21 23:37:18	68	45dB	4.9	392%	Night
8456	2025-03-21 23:39:10	74	45dB	7.0	596%	Night
8457	2025-03-21 23:41:37	?	45dB	?	?	Night
8458	2025-03-21 23:44:24	71	45dB	5.7	466%	Night
8459	2025-03-21 23:48:36	70	45dB	5.3	428%	Night
8460	2025-03-21 23:50:20	70	45dB	5.3	428%	Night
8461	2025-03-21 23:52:02	75	45dB	7.5	646%	Night
8462	2025-03-21 23:53:56	74	45dB	7.0	596%	Night
8463	2025-03-21 23:55:31	67	45dB	4.6	359%	Night
8464	2025-03-21 23:57:04	71	45dB	6.1	506%	Night
8465	2025-03-21 23:59:20	71	45dB	6.1	506%	Night
8466	2025-03-25 00:37:15	81	45dB	12.1	1113%	Night
8467	2025-03-25 00:39:43	76	45dB	8.6	757%	Night
8468	2025-03-25 00:55:26	72	45dB	6.1	506%	Night
8469	2025-03-25 01:20:51	67	45dB	4.6	359%	Night
8470	2025-03-25 01:23:25	69	45dB	5.3	428%	Night
8471	2025-03-25 02:01:04	?	45dB	?	?	Night
8472	2025-03-25 02:06:01	?	45dB	?	?	Night
8473	2025-03-25 02:16:56	73	45dB	6.5	550%	Night
8474	2025-03-25 02:21:16	70	45dB	5.3	428%	Night
8475	2025-03-25 03:09:39	73	45dB	6.5	550%	Night
8476	2025-03-25 03:33:24	80	45dB	11.3	1031%	Night
8477	2025-03-25 05:05:54	72	45dB	6.5	550%	Night
8478	2025-03-25 05:27:33	73	45dB	7.0	596%	Night
8479	2025-03-25 05:40:11	71	45dB	5.7	466%	Night
8480	2025-03-25 05:42:08	75	45dB	8.0	700%	Night
8481	2025-03-25 05:45:12	68	45dB	4.9	392%	Night
8482	2025-03-25 05:47:27	76	45dB	8.0	700%	Night
8483	2025-03-25 05:52:56	76	45dB	8.0	700%	Night
8484	2025-03-25 05:59:46	82	45dB	12.1	1113%	Night
8485	2025-03-25 06:04:38	78	45dB	9.2	819%	Night
8486	2025-03-25 06:15:55	73	45dB	7.0	596%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8487	2025-03-25 06:21:22	76	45dB	8.0	700%	Night
8488	2025-03-25 06:30:01	74	45dB	7.5	646%	Night
8489	2025-03-25 06:31:52	73	45dB	7.0	596%	Night
8490	2025-03-25 06:34:06	69	45dB	5.3	428%	Night
8491	2025-03-25 06:35:24	71	45dB	5.7	466%	Night
8492	2025-03-25 06:36:46	70	45dB	5.3	428%	Night
8493	2025-03-25 06:38:10	74	45dB	7.5	646%	Night
8494	2025-03-25 06:40:11	71	45dB	5.7	466%	Night
8495	2025-03-25 06:41:16	72	45dB	6.1	506%	Night
8496	2025-03-25 06:42:41	?	45dB	?	?	Night
8497	2025-03-25 06:43:47	70	45dB	5.7	466%	Night
8498	2025-03-25 06:45:10	70	45dB	5.7	466%	Night
8499	2025-03-25 06:46:24	70	45dB	5.7	466%	Night
8500	2025-03-25 06:47:34	?	45dB	?	?	Night
8501	2025-03-25 06:49:28	70	45dB	5.3	428%	Night
8502	2025-03-25 06:55:32	82	45dB	13.0	1200%	Night
8503	2025-03-25 06:59:14	71	45dB	6.1	506%	Night
8504	2025-03-25 07:00:38	71	55dB	2.8	183%	Day
8505	2025-03-25 07:02:21	76	55dB	4.0	300%	Day
8506	2025-03-25 07:03:23	72	55dB	3.2	225%	Day
8507	2025-03-25 07:04:42	72	55dB	3.0	203%	Day
8508	2025-03-25 07:05:44	72	55dB	3.0	203%	Day
8509	2025-03-25 07:07:10	76	55dB	4.0	300%	Day
8510	2025-03-25 07:08:28	74	55dB	3.5	248%	Day
8511	2025-03-25 07:10:12	76	55dB	4.3	329%	Day
8512	2025-03-25 07:11:32	72	55dB	3.2	225%	Day
8513	2025-03-25 07:15:58	72	55dB	3.0	203%	Day
8514	2025-03-25 07:19:08	80	55dB	5.7	466%	Day
8515	2025-03-25 07:21:27	73	55dB	3.5	248%	Day
8516	2025-03-25 07:23:02	?	55dB	?	?	Day
8517	2025-03-25 07:24:37	?	55dB	?	?	Day
8518	2025-03-25 07:29:42	?	55dB	?	?	Day
8519	2025-03-25 07:36:37	?	55dB	?	?	Day
8520	2025-03-25 07:42:03	76	55dB	4.0	300%	Day
8521	2025-03-25 07:44:08	?	55dB	?	?	Day
8522	2025-03-25 07:45:51	76	55dB	4.0	300%	Day
8523	2025-03-25 07:56:51	69	55dB	2.5	146%	Day
8524	2025-03-25 07:58:19	70	55dB	2.6	164%	Day
8525	2025-03-25 08:00:13	73	55dB	3.5	248%	Day
8526	2025-03-25 08:03:45	74	55dB	3.7	273%	Day
8527	2025-03-25 08:09:40	74	55dB	3.7	273%	Day
8528	2025-03-25 08:14:34	82	55dB	6.5	550%	Day
8529	2025-03-25 08:21:35	70	55dB	2.6	164%	Day
8530	2025-03-25 08:25:06	70	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8531	2025-03-25 08:30:56	83	55dB	6.5	550%	Day
8532	2025-03-25 08:36:15	70	55dB	2.6	164%	Day
8533	2025-03-25 08:48:07	74	55dB	3.7	273%	Day
8534	2025-03-25 08:50:41	74	55dB	3.7	273%	Day
8535	2025-03-25 08:57:32	83	55dB	6.5	550%	Day
8536	2025-03-25 09:08:14	73	55dB	3.2	225%	Day
8537	2025-03-25 09:18:48	76	55dB	4.0	300%	Day
8538	2025-03-25 09:20:28	75	55dB	4.0	300%	Day
8539	2025-03-25 09:22:38	76	55dB	4.3	329%	Day
8540	2025-03-25 09:23:53	71	55dB	2.8	183%	Day
8541	2025-03-25 09:25:33	73	55dB	3.2	225%	Day
8542	2025-03-25 09:26:57	70	55dB	2.8	183%	Day
8543	2025-03-25 09:29:00	73	55dB	3.2	225%	Day
8544	2025-03-25 09:33:28	73	55dB	3.2	225%	Day
8545	2025-03-25 09:35:46	81	55dB	5.7	466%	Day
8546	2025-03-25 09:43:49	69	55dB	2.5	146%	Day
8547	2025-03-25 09:45:29	77	55dB	4.6	359%	Day
8548	2025-03-25 09:48:05	71	55dB	2.8	183%	Day
8549	2025-03-25 09:56:21	80	55dB	5.3	428%	Day
8550	2025-03-25 10:00:41	71	55dB	2.8	183%	Day
8551	2025-03-25 10:09:48	80	55dB	5.3	428%	Day
8552	2025-03-25 10:17:05	?	55dB	?	?	Day
8553	2025-03-25 10:19:07	?	55dB	?	?	Day
8554	2025-03-25 10:21:02	?	55dB	?	?	Day
8555	2025-03-25 10:23:05	71	55dB	2.8	183%	Day
8556	2025-03-25 10:24:40	79	55dB	5.3	428%	Day
8557	2025-03-25 10:28:47	?	55dB	?	?	Day
8558	2025-03-25 10:34:38	71	55dB	3.0	203%	Day
8559	2025-03-25 10:36:41	69	55dB	2.5	146%	Day
8560	2025-03-25 10:40:30	79	55dB	5.3	428%	Day
8561	2025-03-25 10:44:51	?	55dB	?	?	Day
8562	2025-03-25 10:46:23	?	55dB	?	?	Day
8563	2025-03-25 10:48:53	78	55dB	4.6	359%	Day
8564	2025-03-25 10:55:10	75	55dB	4.0	300%	Day
8565	2025-03-25 10:57:09	78	55dB	4.9	392%	Day
8566	2025-03-25 10:59:03	79	55dB	5.3	428%	Day
8567	2025-03-25 11:00:53	84	55dB	7.5	646%	Day
8568	2025-03-25 11:03:03	85	55dB	7.5	646%	Day
8569	2025-03-25 11:04:41	69	55dB	2.5	146%	Day
8570	2025-03-25 11:06:06	77	55dB	4.3	329%	Day
8571	2025-03-25 11:07:26	69	55dB	2.5	146%	Day
8572	2025-03-25 11:08:55	72	55dB	3.0	203%	Day
8573	2025-03-25 11:10:27	73	55dB	3.5	248%	Day
8574	2025-03-25 11:12:41	80	55dB	5.3	428%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8575	2025-03-25 11:14:17	80	55dB	5.3	428%	Day
8576	2025-03-25 11:15:53	71	55dB	2.8	183%	Day
8577	2025-03-25 11:17:50	73	55dB	3.5	248%	Day
8578	2025-03-25 11:19:39	71	55dB	3.0	203%	Day
8579	2025-03-25 11:20:56	?	55dB	?	?	Day
8580	2025-03-25 11:22:25	85	55dB	8.0	700%	Day
8581	2025-03-25 11:24:18	77	55dB	4.3	329%	Day
8582	2025-03-25 11:25:49	76	55dB	4.3	329%	Day
8583	2025-03-25 11:27:10	81	55dB	5.7	466%	Day
8584	2025-03-25 11:28:42	78	55dB	4.6	359%	Day
8585	2025-03-25 11:30:33	82	55dB	6.5	550%	Day
8586	2025-03-25 11:34:21	69	55dB	2.6	164%	Day
8587	2025-03-25 11:36:11	74	55dB	3.7	273%	Day
8588	2025-03-25 11:38:07	69	55dB	2.6	164%	Day
8589	2025-03-25 11:42:24	69	55dB	2.5	146%	Day
8590	2025-03-25 11:44:41	77	55dB	4.6	359%	Day
8591	2025-03-25 11:48:02	79	55dB	5.3	428%	Day
8592	2025-03-25 11:49:50	79	55dB	5.3	428%	Day
8593	2025-03-25 11:51:33	?	55dB	?	?	Day
8594	2025-03-25 11:52:53	?	55dB	?	?	Day
8595	2025-03-25 11:54:28	68	55dB	2.5	146%	Day
8596	2025-03-25 11:57:23	80	55dB	5.3	428%	Day
8597	2025-03-25 11:59:20	76	55dB	4.3	329%	Day
8598	2025-03-25 12:07:49	80	55dB	5.7	466%	Day
8599	2025-03-25 12:16:12	72	55dB	3.2	225%	Day
8600	2025-03-25 12:19:46	75	55dB	3.7	273%	Day
8601	2025-03-25 12:24:30	81	55dB	6.1	506%	Day
8602	2025-03-25 12:27:06	71	55dB	3.0	203%	Day
8603	2025-03-25 12:31:10	75	55dB	4.0	300%	Day
8604	2025-03-25 12:34:08	73	55dB	3.5	248%	Day
8605	2025-03-25 12:36:15	75	55dB	3.7	273%	Day
8606	2025-03-25 12:38:00	74	55dB	3.7	273%	Day
8607	2025-03-25 12:39:52	72	55dB	3.0	203%	Day
8608	2025-03-25 12:43:23	72	55dB	3.0	203%	Day
8609	2025-03-25 12:49:25	81	55dB	5.7	466%	Day
8610	2025-03-25 12:51:10	?	55dB	?	?	Day
8611	2025-03-25 12:53:08	?	55dB	?	?	Day
8612	2025-03-25 12:56:42	75	55dB	4.0	300%	Day
8613	2025-03-25 12:58:56	71	55dB	2.8	183%	Day
8614	2025-03-25 13:00:28	74	55dB	3.7	273%	Day
8615	2025-03-25 13:02:33	79	55dB	4.9	392%	Day
8616	2025-03-25 13:04:49	68	55dB	2.5	146%	Day
8617	2025-03-25 13:11:56	?	55dB	?	?	Day
8618	2025-03-25 13:18:15	69	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8619	2025-03-25 13:19:38	?	55dB	?	?	Day
8620	2025-03-25 13:20:57	?	55dB	?	?	Day
8621	2025-03-25 13:22:25	76	55dB	4.0	300%	Day
8622	2025-03-25 13:23:36	87	55dB	8.6	757%	Day
8623	2025-03-25 13:24:45	73	55dB	3.5	248%	Day
8624	2025-03-25 13:26:42	78	55dB	4.9	392%	Day
8625	2025-03-25 13:28:15	87	55dB	8.6	757%	Day
8626	2025-03-25 13:29:21	75	55dB	3.7	273%	Day
8627	2025-03-25 13:31:23	73	55dB	3.2	225%	Day
8628	2025-03-25 13:35:23	77	55dB	4.3	329%	Day
8629	2025-03-25 13:37:25	87	55dB	9.2	819%	Day
8630	2025-03-25 13:39:27	72	55dB	3.2	225%	Day
8631	2025-03-25 13:40:51	72	55dB	3.2	225%	Day
8632	2025-03-25 13:42:15	75	55dB	3.7	273%	Day
8633	2025-03-25 13:43:43	70	55dB	2.6	164%	Day
8634	2025-03-25 13:45:18	73	55dB	3.2	225%	Day
8635	2025-03-25 13:46:35	77	55dB	4.6	359%	Day
8636	2025-03-25 13:49:15	73	55dB	3.2	225%	Day
8637	2025-03-25 13:51:00	72	55dB	3.0	203%	Day
8638	2025-03-25 13:54:06	77	55dB	4.3	329%	Day
8639	2025-03-25 14:00:05	75	55dB	4.0	300%	Day
8640	2025-03-25 14:05:02	77	55dB	4.6	359%	Day
8641	2025-03-25 14:07:58	83	55dB	7.0	596%	Day
8642	2025-03-25 14:16:52	66	55dB	2.1	114%	Day
8643	2025-03-25 14:19:07	?	55dB	?	?	Day
8644	2025-03-25 14:22:56	71	55dB	2.8	183%	Day
8645	2025-03-25 14:25:14	80	55dB	5.3	428%	Day
8646	2025-03-25 14:26:50	77	55dB	4.6	359%	Day
8647	2025-03-25 14:28:18	69	55dB	2.6	164%	Day
8648	2025-03-25 14:29:55	71	55dB	3.0	203%	Day
8649	2025-03-25 14:31:11	70	55dB	2.6	164%	Day
8650	2025-03-25 14:34:11	75	55dB	3.7	273%	Day
8651	2025-03-25 14:38:05	77	55dB	4.6	359%	Day
8652	2025-03-25 14:40:32	70	55dB	2.8	183%	Day
8653	2025-03-25 14:42:04	?	55dB	?	?	Day
8654	2025-03-25 14:43:35	?	55dB	?	?	Day
8655	2025-03-25 14:45:01	83	55dB	7.0	596%	Day
8656	2025-03-25 14:46:18	78	55dB	4.6	359%	Day
8657	2025-03-25 14:48:33	77	55dB	4.3	329%	Day
8658	2025-03-25 14:49:42	79	55dB	5.3	428%	Day
8659	2025-03-25 14:50:56	70	55dB	2.8	183%	Day
8660	2025-03-25 14:52:39	73	55dB	3.2	225%	Day
8661	2025-03-25 14:54:31	81	55dB	6.1	506%	Day
8662	2025-03-25 14:56:04	82	55dB	6.5	550%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8663	2025-03-25 14:58:54	79	55dB	4.9	392%	Day
8664	2025-03-25 15:03:01	70	55dB	2.6	164%	Day
8665	2025-03-25 15:04:39	86	55dB	8.0	700%	Day
8666	2025-03-25 15:06:16	?	55dB	?	?	Day
8667	2025-03-25 15:10:49	74	55dB	3.7	273%	Day
8668	2025-03-25 15:15:11	74	55dB	3.7	273%	Day
8669	2025-03-25 15:18:51	75	55dB	4.0	300%	Day
8670	2025-03-25 15:21:09	78	55dB	4.6	359%	Day
8671	2025-03-25 15:22:32	80	55dB	5.3	428%	Day
8672	2025-03-25 15:24:34	75	55dB	3.7	273%	Day
8673	2025-03-25 15:26:00	81	55dB	5.7	466%	Day
8674	2025-03-25 15:27:35	77	55dB	4.3	329%	Day
8675	2025-03-25 15:29:41	73	55dB	3.2	225%	Day
8676	2025-03-25 15:31:17	?	55dB	?	?	Day
8677	2025-03-25 15:32:50	76	55dB	4.0	300%	Day
8678	2025-03-25 15:34:19	79	55dB	5.3	428%	Day
8679	2025-03-25 15:35:41	69	55dB	2.6	164%	Day
8680	2025-03-25 15:39:02	85	55dB	7.5	646%	Day
8681	2025-03-25 15:40:35	73	55dB	3.5	248%	Day
8682	2025-03-25 15:43:19	?	55dB	?	?	Day
8683	2025-03-25 15:44:42	78	55dB	4.6	359%	Day
8684	2025-03-25 15:46:21	78	55dB	4.9	392%	Day
8685	2025-03-25 15:48:42	71	55dB	2.8	183%	Day
8686	2025-03-25 15:50:14	74	55dB	3.7	273%	Day
8687	2025-03-25 15:52:24	80	55dB	5.7	466%	Day
8688	2025-03-25 15:55:02	79	55dB	5.3	428%	Day
8689	2025-03-25 15:56:41	70	55dB	2.6	164%	Day
8690	2025-03-25 15:59:26	81	55dB	5.7	466%	Day
8691	2025-03-25 16:01:40	76	55dB	4.0	300%	Day
8692	2025-03-25 16:03:53	77	55dB	4.3	329%	Day
8693	2025-03-25 16:06:12	74	55dB	3.7	273%	Day
8694	2025-03-25 16:08:12	73	55dB	3.5	248%	Day
8695	2025-03-25 16:10:55	77	55dB	4.3	329%	Day
8696	2025-03-25 16:18:14	73	55dB	3.5	248%	Day
8697	2025-03-25 16:20:51	80	55dB	5.7	466%	Day
8698	2025-03-25 16:23:50	68	55dB	2.5	146%	Day
8699	2025-03-25 16:25:56	75	55dB	3.7	273%	Day
8700	2025-03-25 16:36:18	81	55dB	6.1	506%	Day
8701	2025-03-25 16:38:26	74	55dB	3.7	273%	Day
8702	2025-03-25 16:41:48	75	55dB	3.7	273%	Day
8703	2025-03-25 16:44:23	83	55dB	6.5	550%	Day
8704	2025-03-25 16:46:40	72	55dB	3.2	225%	Day
8705	2025-03-25 16:48:50	?	55dB	?	?	Day
8706	2025-03-25 16:53:35	70	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8707	2025-03-25 16:55:32	73	55dB	3.2	225%	Day
8708	2025-03-25 16:58:05	74	55dB	3.5	248%	Day
8709	2025-03-25 17:06:05	71	55dB	2.8	183%	Day
8710	2025-03-25 17:09:12	82	55dB	6.1	506%	Day
8711	2025-03-25 17:17:04	75	55dB	4.0	300%	Day
8712	2025-03-25 17:21:16	78	55dB	4.6	359%	Day
8713	2025-03-25 17:24:09	79	55dB	4.9	392%	Day
8714	2025-03-25 17:27:05	75	55dB	4.0	300%	Day
8715	2025-03-25 17:29:18	73	55dB	3.5	248%	Day
8716	2025-03-25 17:31:19	77	55dB	4.3	329%	Day
8717	2025-03-25 17:34:10	73	55dB	3.5	248%	Day
8718	2025-03-25 17:36:28	80	55dB	5.7	466%	Day
8719	2025-03-25 17:38:42	83	55dB	7.0	596%	Day
8720	2025-03-25 17:41:27	84	55dB	7.5	646%	Day
8721	2025-03-25 17:45:57	75	55dB	3.7	273%	Day
8722	2025-03-25 17:48:12	73	55dB	3.2	225%	Day
8723	2025-03-25 17:53:23	76	55dB	4.3	329%	Day
8724	2025-03-25 17:57:15	72	55dB	3.2	225%	Day
8725	2025-03-25 18:03:23	71	55dB	2.8	183%	Day
8726	2025-03-25 18:06:04	72	55dB	3.2	225%	Day
8727	2025-03-25 18:08:42	71	55dB	2.8	183%	Day
8728	2025-03-25 18:11:43	74	55dB	3.7	273%	Day
8729	2025-03-25 18:14:21	87	55dB	9.2	819%	Day
8730	2025-03-25 18:16:40	84	55dB	7.0	596%	Day
8731	2025-03-25 18:23:49	?	55dB	?	?	Day
8732	2025-03-25 18:27:26	77	55dB	4.6	359%	Day
8733	2025-03-25 18:30:02	76	55dB	4.0	300%	Day
8734	2025-03-25 18:34:33	73	55dB	3.5	248%	Day
8735	2025-03-25 18:36:56	73	55dB	3.5	248%	Day
8736	2025-03-25 18:39:42	73	55dB	3.5	248%	Day
8737	2025-03-25 18:42:01	72	55dB	3.2	225%	Day
8738	2025-03-25 18:44:44	?	55dB	?	?	Day
8739	2025-03-25 18:47:06	73	55dB	3.5	248%	Day
8740	2025-03-25 18:49:26	73	55dB	3.5	248%	Day
8741	2025-03-25 18:51:52	78	55dB	4.6	359%	Day
8742	2025-03-25 18:54:03	75	55dB	3.7	273%	Day
8743	2025-03-25 18:56:18	76	55dB	4.0	300%	Day
8744	2025-03-25 18:58:57	77	55dB	4.3	329%	Day
8745	2025-03-25 19:03:04	74	45dB	7.0	596%	Night
8746	2025-03-25 19:05:14	75	45dB	8.0	700%	Night
8747	2025-03-25 19:10:36	71	45dB	5.7	466%	Night
8748	2025-03-25 19:13:25	72	45dB	6.1	506%	Night
8749	2025-03-25 19:15:52	76	45dB	8.0	700%	Night
8750	2025-03-25 19:18:01	74	45dB	7.5	646%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8751	2025-03-25 19:20:07	75	45dB	7.5	646%	Night
8752	2025-03-25 19:22:06	77	45dB	8.6	757%	Night
8753	2025-03-25 19:24:18	78	45dB	9.2	819%	Night
8754	2025-03-25 19:33:33	79	45dB	9.8	885%	Night
8755	2025-03-25 19:38:18	74	45dB	7.5	646%	Night
8756	2025-03-25 19:40:11	75	45dB	8.0	700%	Night
8757	2025-03-25 19:42:31	71	45dB	6.1	506%	Night
8758	2025-03-25 19:45:21	74	45dB	7.5	646%	Night
8759	2025-03-25 19:47:54	71	45dB	6.1	506%	Night
8760	2025-03-25 19:50:09	73	45dB	7.0	596%	Night
8761	2025-03-25 19:52:23	76	45dB	8.0	700%	Night
8762	2025-03-25 19:54:30	70	45dB	5.7	466%	Night
8763	2025-03-25 19:59:11	74	45dB	7.5	646%	Night
8764	2025-03-25 20:04:23	76	45dB	8.0	700%	Night
8765	2025-03-25 20:13:02	73	45dB	6.5	550%	Night
8766	2025-03-25 20:15:36	72	45dB	6.5	550%	Night
8767	2025-03-25 20:19:22	72	45dB	6.5	550%	Night
8768	2025-03-25 20:21:56	73	45dB	7.0	596%	Night
8769	2025-03-25 20:24:48	74	45dB	7.5	646%	Night
8770	2025-03-25 20:27:46	75	45dB	8.0	700%	Night
8771	2025-03-25 20:31:11	83	45dB	13.9	1293%	Night
8772	2025-03-25 20:33:27	69	45dB	4.9	392%	Night
8773	2025-03-25 20:35:52	73	45dB	6.5	550%	Night
8774	2025-03-25 20:38:04	73	45dB	7.0	596%	Night
8775	2025-03-25 20:43:11	77	45dB	9.2	819%	Night
8776	2025-03-25 20:45:33	73	45dB	7.0	596%	Night
8777	2025-03-25 20:47:36	72	45dB	6.5	550%	Night
8778	2025-03-25 20:49:46	67	45dB	4.6	359%	Night
8779	2025-03-25 20:52:07	73	45dB	6.5	550%	Night
8780	2025-03-25 20:54:10	73	45dB	7.0	596%	Night
8781	2025-03-25 20:56:22	75	45dB	7.5	646%	Night
8782	2025-03-25 20:59:01	72	45dB	6.1	506%	Night
8783	2025-03-25 21:01:04	75	45dB	7.5	646%	Night
8784	2025-03-25 21:03:30	74	45dB	7.0	596%	Night
8785	2025-03-25 21:08:09	75	45dB	7.5	646%	Night
8786	2025-03-25 21:10:23	72	45dB	6.1	506%	Night
8787	2025-03-25 21:12:20	72	45dB	6.5	550%	Night
8788	2025-03-25 21:14:51	75	45dB	8.0	700%	Night
8789	2025-03-25 21:21:17	76	45dB	8.6	757%	Night
8790	2025-03-25 21:23:12	74	45dB	7.5	646%	Night
8791	2025-03-25 21:26:44	81	45dB	12.1	1113%	Night
8792	2025-03-25 21:29:41	?	45dB	?	?	Night
8793	2025-03-25 21:32:02	70	45dB	5.3	428%	Night
8794	2025-03-25 21:34:27	73	45dB	6.5	550%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8795	2025-03-25 21:36:07	74	45dB	7.5	646%	Night
8796	2025-03-25 21:38:32	78	45dB	9.8	885%	Night
8797	2025-03-25 21:39:48	69	45dB	4.9	392%	Night
8798	2025-03-25 21:41:14	69	45dB	4.9	392%	Night
8799	2025-03-25 21:42:39	70	45dB	5.3	428%	Night
8800	2025-03-25 21:43:54	68	45dB	4.9	392%	Night
8801	2025-03-25 21:45:24	?	45dB	?	?	Night
8802	2025-03-25 21:46:37	?	45dB	?	?	Night
8803	2025-03-25 21:48:19	72	45dB	6.1	506%	Night
8804	2025-03-25 21:50:18	68	45dB	4.9	392%	Night
8805	2025-03-25 21:51:55	75	45dB	7.5	646%	Night
8806	2025-03-25 21:54:36	71	45dB	5.7	466%	Night
8807	2025-03-25 21:57:08	?	45dB	?	?	Night
8808	2025-03-25 21:59:39	70	45dB	5.7	466%	Night
8809	2025-03-25 22:05:16	69	45dB	5.3	428%	Night
8810	2025-03-25 22:08:39	72	45dB	6.5	550%	Night
8811	2025-03-25 22:11:14	?	45dB	?	?	Night
8812	2025-03-25 22:13:26	?	45dB	?	?	Night
8813	2025-03-25 22:15:30	69	45dB	4.9	392%	Night
8814	2025-03-25 22:26:39	68	45dB	4.9	392%	Night
8815	2025-03-25 22:30:19	72	45dB	6.1	506%	Night
8816	2025-03-25 22:34:01	68	45dB	4.9	392%	Night
8817	2025-03-25 22:36:30	?	45dB	?	?	Night
8818	2025-03-25 22:42:14	69	45dB	5.3	428%	Night
8819	2025-03-25 22:46:53	68	45dB	4.9	392%	Night
8820	2025-03-25 22:48:56	69	45dB	4.9	392%	Night
8821	2025-03-25 22:51:53	70	45dB	5.7	466%	Night
8822	2025-03-25 22:54:18	?	45dB	?	?	Night
8823	2025-03-25 22:56:19	69	45dB	5.3	428%	Night
8824	2025-03-25 22:58:12	70	45dB	5.3	428%	Night
8825	2025-03-25 23:00:04	72	45dB	6.1	506%	Night
8826	2025-03-25 23:03:07	69	45dB	5.3	428%	Night
8827	2025-03-25 23:12:35	69	45dB	4.9	392%	Night
8828	2025-03-25 23:14:49	68	45dB	4.6	359%	Night
8829	2025-03-25 23:20:21	70	45dB	5.3	428%	Night
8830	2025-03-25 23:21:57	68	45dB	4.6	359%	Night
8831	2025-03-25 23:28:57	68	45dB	4.6	359%	Night
8832	2025-03-25 23:30:39	73	45dB	6.5	550%	Night
8833	2025-03-25 23:32:44	72	45dB	6.1	506%	Night
8834	2025-03-25 23:36:23	70	45dB	5.7	466%	Night
8835	2025-03-25 23:38:17	68	45dB	4.9	392%	Night
8836	2025-03-25 23:40:37	?	45dB	?	?	Night
8837	2025-03-25 23:42:02	70	45dB	5.7	466%	Night
8838	2025-03-25 23:43:41	71	45dB	6.1	506%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8839	2025-03-25 23:46:25	70	45dB	5.7	466%	Night
8840	2025-03-25 23:52:15	71	45dB	5.7	466%	Night
8841	2025-03-25 23:56:19	73	45dB	7.0	596%	Night
8842	2025-03-25 23:58:15	74	45dB	7.0	596%	Night
8843	2025-03-25 23:59:39	73	45dB	7.0	596%	Night
8844	2025-03-26 00:01:23	72	45dB	6.5	550%	Night
8845	2025-03-26 00:03:10	72	45dB	6.1	506%	Night
8846	2025-03-26 00:06:37	75	45dB	8.0	700%	Night
8847	2025-03-26 00:12:43	75	45dB	7.5	646%	Night
8848	2025-03-26 00:15:30	77	45dB	8.6	757%	Night
8849	2025-03-26 00:17:11	73	45dB	6.5	550%	Night
8850	2025-03-26 00:18:45	76	45dB	8.6	757%	Night
8851	2025-03-26 00:21:08	73	45dB	6.5	550%	Night
8852	2025-03-26 00:31:52	76	45dB	8.6	757%	Night
8853	2025-03-26 00:35:04	73	45dB	6.5	550%	Night
8854	2025-03-26 00:42:21	73	45dB	6.5	550%	Night
8855	2025-03-26 00:46:54	75	45dB	7.5	646%	Night
8856	2025-03-26 00:52:20	73	45dB	6.5	550%	Night
8857	2025-03-26 01:04:35	74	45dB	7.0	596%	Night
8858	2025-03-26 01:39:28	74	45dB	7.0	596%	Night
8859	2025-03-26 01:43:16	74	45dB	7.5	646%	Night
8860	2025-03-26 02:59:14	69	45dB	5.3	428%	Night
8861	2025-03-26 03:14:35	79	45dB	9.8	885%	Night
8862	2025-03-26 05:09:23	76	45dB	8.0	700%	Night
8863	2025-03-26 05:11:49	71	45dB	6.1	506%	Night
8864	2025-03-26 05:13:39	74	45dB	7.0	596%	Night
8865	2025-03-26 05:17:26	72	45dB	6.1	506%	Night
8866	2025-03-26 05:25:10	76	45dB	8.6	757%	Night
8867	2025-03-26 05:30:41	74	45dB	7.5	646%	Night
8868	2025-03-26 05:32:57	81	45dB	11.3	1031%	Night
8869	2025-03-26 05:43:47	73	45dB	7.0	596%	Night
8870	2025-03-26 05:48:13	74	45dB	7.0	596%	Night
8871	2025-03-26 05:55:49	70	45dB	5.7	466%	Night
8872	2025-03-26 06:22:31	69	45dB	4.9	392%	Night
8873	2025-03-26 06:29:23	74	45dB	7.0	596%	Night
8874	2025-03-26 06:31:23	?	45dB	?	?	Night
8875	2025-03-26 06:32:41	69	45dB	4.9	392%	Night
8876	2025-03-26 06:34:00	70	45dB	5.7	466%	Night
8877	2025-03-26 06:35:10	70	45dB	5.3	428%	Night
8878	2025-03-26 06:36:21	69	45dB	4.9	392%	Night
8879	2025-03-26 06:37:31	70	45dB	5.3	428%	Night
8880	2025-03-26 06:38:51	72	45dB	6.1	506%	Night
8881	2025-03-26 06:39:57	70	45dB	5.3	428%	Night
8882	2025-03-26 06:42:31	69	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8883	2025-03-26 06:44:23	67	45dB	4.3	329%	Night
8884	2025-03-26 06:46:07	70	45dB	5.3	428%	Night
8885	2025-03-26 06:47:26	70	45dB	5.7	466%	Night
8886	2025-03-26 06:49:28	75	45dB	7.5	646%	Night
8887	2025-03-26 06:51:08	69	45dB	5.3	428%	Night
8888	2025-03-26 06:52:13	69	45dB	4.9	392%	Night
8889	2025-03-26 06:53:31	69	45dB	4.9	392%	Night
8890	2025-03-26 06:56:08	74	45dB	7.5	646%	Night
8891	2025-03-26 06:57:54	69	45dB	4.9	392%	Night
8892	2025-03-26 06:59:18	69	45dB	5.3	428%	Night
8893	2025-03-26 07:00:29	72	55dB	3.0	203%	Day
8894	2025-03-26 07:01:46	70	55dB	2.8	183%	Day
8895	2025-03-26 07:03:11	68	55dB	2.5	146%	Day
8896	2025-03-26 07:04:36	?	55dB	?	?	Day
8897	2025-03-26 07:09:50	69	55dB	2.5	146%	Day
8898	2025-03-26 07:10:55	70	55dB	2.8	183%	Day
8899	2025-03-26 07:12:06	70	55dB	2.8	183%	Day
8900	2025-03-26 07:13:25	70	55dB	2.8	183%	Day
8901	2025-03-26 07:14:34	?	55dB	?	?	Day
8902	2025-03-26 07:15:54	70	55dB	2.8	183%	Day
8903	2025-03-26 07:17:08	68	55dB	2.5	146%	Day
8904	2025-03-26 07:18:34	69	55dB	2.6	164%	Day
8905	2025-03-26 07:24:23	69	55dB	2.5	146%	Day
8906	2025-03-26 07:28:44	?	55dB	?	?	Day
8907	2025-03-26 07:31:08	75	55dB	4.0	300%	Day
8908	2025-03-26 07:36:56	?	55dB	?	?	Day
8909	2025-03-26 07:44:18	70	55dB	2.6	164%	Day
8910	2025-03-26 07:53:04	69	55dB	2.6	164%	Day
8911	2025-03-26 07:54:44	70	55dB	2.8	183%	Day
8912	2025-03-26 07:56:56	73	55dB	3.5	248%	Day
8913	2025-03-26 07:59:01	74	55dB	3.5	248%	Day
8914	2025-03-26 08:00:41	68	55dB	2.3	130%	Day
8915	2025-03-26 08:03:10	70	55dB	2.8	183%	Day
8916	2025-03-26 08:05:32	70	55dB	2.8	183%	Day
8917	2025-03-26 08:11:03	73	55dB	3.5	248%	Day
8918	2025-03-26 08:13:21	70	55dB	2.6	164%	Day
8919	2025-03-26 08:17:57	?	55dB	?	?	Day
8920	2025-03-26 08:19:14	75	55dB	4.0	300%	Day
8921	2025-03-26 08:21:06	76	55dB	4.0	300%	Day
8922	2025-03-26 08:22:36	74	55dB	3.7	273%	Day
8923	2025-03-26 08:24:11	72	55dB	3.2	225%	Day
8924	2025-03-26 08:31:53	76	55dB	4.0	300%	Day
8925	2025-03-26 09:01:14	65	55dB	2.0	100%	Day
8926	2025-03-26 09:10:19	72	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8927	2025-03-26 09:12:34	72	55dB	3.0	203%	Day
8928	2025-03-26 09:16:30	72	55dB	3.0	203%	Day
8929	2025-03-26 09:29:32	77	55dB	4.3	329%	Day
8930	2025-03-26 09:32:15	73	55dB	3.2	225%	Day
8931	2025-03-26 09:41:33	70	55dB	2.6	164%	Day
8932	2025-03-26 09:48:07	78	55dB	4.6	359%	Day
8933	2025-03-26 10:01:33	74	55dB	3.5	248%	Day
8934	2025-03-26 10:21:15	71	55dB	3.0	203%	Day
8935	2025-03-26 10:24:35	73	55dB	3.5	248%	Day
8936	2025-03-26 10:28:24	75	55dB	3.7	273%	Day
8937	2025-03-26 10:30:16	72	55dB	3.2	225%	Day
8938	2025-03-26 10:32:31	67	55dB	2.3	130%	Day
8939	2025-03-26 10:33:47	70	55dB	2.6	164%	Day
8940	2025-03-26 10:35:10	71	55dB	2.8	183%	Day
8941	2025-03-26 10:36:56	?	55dB	?	?	Day
8942	2025-03-26 10:38:25	?	55dB	?	?	Day
8943	2025-03-26 10:40:02	69	55dB	2.6	164%	Day
8944	2025-03-26 10:41:24	70	55dB	2.6	164%	Day
8945	2025-03-26 10:43:22	?	55dB	?	?	Day
8946	2025-03-26 10:45:08	71	55dB	2.8	183%	Day
8947	2025-03-26 10:46:28	70	55dB	2.6	164%	Day
8948	2025-03-26 10:48:24	?	55dB	?	?	Day
8949	2025-03-26 10:54:58	75	55dB	3.7	273%	Day
8950	2025-03-26 10:56:19	70	55dB	2.6	164%	Day
8951	2025-03-26 10:58:45	?	55dB	?	?	Day
8952	2025-03-26 11:00:08	71	55dB	2.8	183%	Day
8953	2025-03-26 11:01:50	70	55dB	2.8	183%	Day
8954	2025-03-26 11:03:30	71	55dB	2.8	183%	Day
8955	2025-03-26 11:04:36	68	55dB	2.3	130%	Day
8956	2025-03-26 11:05:50	75	55dB	4.0	300%	Day
8957	2025-03-26 11:07:21	?	55dB	?	?	Day
8958	2025-03-26 11:09:01	73	55dB	3.5	248%	Day
8959	2025-03-26 11:13:05	?	55dB	?	?	Day
8960	2025-03-26 11:14:26	76	55dB	4.0	300%	Day
8961	2025-03-26 11:16:06	69	55dB	2.5	146%	Day
8962	2025-03-26 11:17:33	67	55dB	2.1	114%	Day
8963	2025-03-26 11:18:56	69	55dB	2.6	164%	Day
8964	2025-03-26 11:20:35	83	55dB	7.0	596%	Day
8965	2025-03-26 11:25:26	71	55dB	3.0	203%	Day
8966	2025-03-26 11:27:02	?	55dB	?	?	Day
8967	2025-03-26 11:28:14	74	55dB	3.7	273%	Day
8968	2025-03-26 11:31:17	?	55dB	?	?	Day
8969	2025-03-26 11:32:34	77	55dB	4.3	329%	Day
8970	2025-03-26 11:34:53	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

8971	2025-03-26 11:40:36	67	55dB	2.1	114%	Day
8972	2025-03-26 11:44:17	71	55dB	3.0	203%	Day
8973	2025-03-26 11:47:44	69	55dB	2.6	164%	Day
8974	2025-03-26 11:50:22	?	55dB	?	?	Day
8975	2025-03-26 11:52:41	71	55dB	2.8	183%	Day
8976	2025-03-26 11:54:01	67	55dB	2.3	130%	Day
8977	2025-03-26 11:56:15	73	55dB	3.5	248%	Day
8978	2025-03-26 12:02:35	68	55dB	2.5	146%	Day
8979	2025-03-26 12:04:15	84	55dB	7.5	646%	Day
8980	2025-03-26 12:10:36	?	55dB	?	?	Day
8981	2025-03-26 12:12:05	72	55dB	3.2	225%	Day
8982	2025-03-26 12:13:52	69	55dB	2.5	146%	Day
8983	2025-03-26 12:15:13	68	55dB	2.5	146%	Day
8984	2025-03-26 12:16:21	68	55dB	2.3	130%	Day
8985	2025-03-26 12:19:42	72	55dB	3.2	225%	Day
8986	2025-03-26 12:20:53	77	55dB	4.6	359%	Day
8987	2025-03-26 12:22:02	68	55dB	2.5	146%	Day
8988	2025-03-26 12:23:34	69	55dB	2.6	164%	Day
8989	2025-03-26 12:57:25	?	55dB	?	?	Day
8990	2025-03-26 15:33:33	?	55dB	?	?	Day
8991	2025-03-26 15:35:57	67	55dB	2.1	114%	Day
8992	2025-03-26 15:37:31	72	55dB	3.0	203%	Day
8993	2025-03-26 15:39:07	72	55dB	3.0	203%	Day
8994	2025-03-26 15:41:25	69	55dB	2.6	164%	Day
8995	2025-03-26 15:43:22	?	55dB	?	?	Day
8996	2025-03-26 15:44:45	?	55dB	?	?	Day
8997	2025-03-26 15:46:32	80	55dB	5.7	466%	Day
8998	2025-03-26 15:47:51	76	55dB	4.0	300%	Day
8999	2025-03-26 15:49:11	77	55dB	4.3	329%	Day
9000	2025-03-26 15:50:22	69	55dB	2.6	164%	Day
9001	2025-03-26 15:51:43	80	55dB	5.7	466%	Day
9002	2025-03-26 15:54:03	?	55dB	?	?	Day
9003	2025-03-26 15:55:33	?	55dB	?	?	Day
9004	2025-03-26 15:56:48	76	55dB	4.3	329%	Day
9005	2025-03-26 15:58:06	?	55dB	?	?	Day
9006	2025-03-26 15:59:27	77	55dB	4.3	329%	Day
9007	2025-03-26 16:00:44	?	55dB	?	?	Day
9008	2025-03-26 16:02:04	70	55dB	2.6	164%	Day
9009	2025-03-26 16:03:30	?	55dB	?	?	Day
9010	2025-03-26 16:06:09	80	55dB	5.3	428%	Day
9011	2025-03-26 16:07:39	69	55dB	2.6	164%	Day
9012	2025-03-26 16:09:33	?	55dB	?	?	Day
9013	2025-03-26 16:10:57	?	55dB	?	?	Day
9014	2025-03-26 16:12:42	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9015	2025-03-26 16:15:19	?	55dB	?	?	Day
9016	2025-03-26 16:17:31	67	55dB	2.3	130%	Day
9017	2025-03-26 16:19:03	86	55dB	8.0	700%	Day
9018	2025-03-26 16:21:03	72	55dB	3.2	225%	Day
9019	2025-03-26 16:22:16	71	55dB	2.8	183%	Day
9020	2025-03-26 16:24:19	66	55dB	2.0	100%	Day
9021	2025-03-26 16:26:01	?	55dB	?	?	Day
9022	2025-03-26 16:32:22	?	55dB	?	?	Day
9023	2025-03-26 16:34:05	78	55dB	4.6	359%	Day
9024	2025-03-26 16:36:08	?	55dB	?	?	Day
9025	2025-03-26 16:38:43	?	55dB	?	?	Day
9026	2025-03-26 16:40:28	79	55dB	5.3	428%	Day
9027	2025-03-26 16:41:38	78	55dB	4.6	359%	Day
9028	2025-03-26 16:44:45	81	55dB	5.7	466%	Day
9029	2025-03-26 16:47:54	71	55dB	2.8	183%	Day
9030	2025-03-26 16:51:40	?	55dB	?	?	Day
9031	2025-03-26 16:53:31	67	55dB	2.3	130%	Day
9032	2025-03-26 16:55:49	?	55dB	?	?	Day
9033	2025-03-26 16:57:06	?	55dB	?	?	Day
9034	2025-03-26 16:58:35	?	55dB	?	?	Day
9035	2025-03-26 17:00:05	71	55dB	3.0	203%	Day
9036	2025-03-26 17:01:26	72	55dB	3.2	225%	Day
9037	2025-03-26 17:05:33	72	55dB	3.2	225%	Day
9038	2025-03-26 17:07:34	?	55dB	?	?	Day
9039	2025-03-26 17:09:12	68	55dB	2.5	146%	Day
9040	2025-03-26 17:11:22	73	55dB	3.5	248%	Day
9041	2025-03-26 17:13:31	?	55dB	?	?	Day
9042	2025-03-26 17:15:06	68	55dB	2.3	130%	Day
9043	2025-03-26 17:16:26	?	55dB	?	?	Day
9044	2025-03-26 17:17:50	?	55dB	?	?	Day
9045	2025-03-26 17:19:11	?	55dB	?	?	Day
9046	2025-03-26 17:20:27	75	55dB	3.7	273%	Day
9047	2025-03-26 17:24:38	?	55dB	?	?	Day
9048	2025-03-26 17:25:57	?	55dB	?	?	Day
9049	2025-03-26 17:27:24	76	55dB	4.0	300%	Day
9050	2025-03-26 17:29:11	79	55dB	5.3	428%	Day
9051	2025-03-26 17:30:40	74	55dB	3.5	248%	Day
9052	2025-03-26 17:32:10	75	55dB	3.7	273%	Day
9053	2025-03-26 17:34:28	?	55dB	?	?	Day
9054	2025-03-26 17:36:15	76	55dB	4.0	300%	Day
9055	2025-03-26 17:37:57	83	55dB	6.5	550%	Day
9056	2025-03-26 17:39:55	81	55dB	5.7	466%	Day
9057	2025-03-26 17:41:11	?	55dB	?	?	Day
9058	2025-03-26 17:42:45	72	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9059	2025-03-26 17:44:35	91	55dB	11.3	1031%	Day
9060	2025-03-26 17:45:51	72	55dB	3.2	225%	Day
9061	2025-03-26 17:47:00	71	55dB	2.8	183%	Day
9062	2025-03-26 17:48:39	74	55dB	3.7	273%	Day
9063	2025-03-26 17:50:03	72	55dB	3.2	225%	Day
9064	2025-03-26 17:51:44	75	55dB	3.7	273%	Day
9065	2025-03-26 17:53:11	71	55dB	3.0	203%	Day
9066	2025-03-26 17:55:23	?	55dB	?	?	Day
9067	2025-03-26 17:56:32	77	55dB	4.6	359%	Day
9068	2025-03-26 17:58:13	71	55dB	2.8	183%	Day
9069	2025-03-26 18:02:21	69	55dB	2.5	146%	Day
9070	2025-03-26 18:03:50	76	55dB	4.3	329%	Day
9071	2025-03-26 18:05:28	74	55dB	3.7	273%	Day
9072	2025-03-26 18:06:54	?	55dB	?	?	Day
9073	2025-03-26 18:08:27	?	55dB	?	?	Day
9074	2025-03-26 18:09:46	78	55dB	4.6	359%	Day
9075	2025-03-26 18:12:20	75	55dB	3.7	273%	Day
9076	2025-03-26 18:13:47	83	55dB	6.5	550%	Day
9077	2025-03-26 18:15:14	72	55dB	3.2	225%	Day
9078	2025-03-26 18:21:21	69	55dB	2.6	164%	Day
9079	2025-03-26 18:23:14	?	55dB	?	?	Day
9080	2025-03-26 18:25:48	74	55dB	3.5	248%	Day
9081	2025-03-26 18:27:54	71	55dB	2.8	183%	Day
9082	2025-03-26 18:30:02	79	55dB	4.9	392%	Day
9083	2025-03-26 18:31:36	?	55dB	?	?	Day
9084	2025-03-26 18:32:50	83	55dB	6.5	550%	Day
9085	2025-03-26 18:33:56	78	55dB	4.9	392%	Day
9086	2025-03-26 18:37:04	?	55dB	?	?	Day
9087	2025-03-26 18:38:53	84	55dB	7.5	646%	Day
9088	2025-03-26 18:40:49	?	55dB	?	?	Day
9089	2025-03-26 18:42:24	68	55dB	2.5	146%	Day
9090	2025-03-26 18:43:39	70	55dB	2.6	164%	Day
9091	2025-03-26 18:45:03	69	55dB	2.6	164%	Day
9092	2025-03-26 18:46:22	72	55dB	3.2	225%	Day
9093	2025-03-26 18:49:56	?	55dB	?	?	Day
9094	2025-03-26 18:51:25	?	55dB	?	?	Day
9095	2025-03-26 18:52:50	70	55dB	2.8	183%	Day
9096	2025-03-26 18:54:24	?	55dB	?	?	Day
9097	2025-03-26 18:55:42	84	55dB	7.0	596%	Day
9098	2025-03-26 18:57:13	75	55dB	3.7	273%	Day
9099	2025-03-26 18:58:56	71	55dB	3.0	203%	Day
9100	2025-03-26 19:01:56	?	45dB	?	?	Night
9101	2025-03-26 19:03:17	68	45dB	4.9	392%	Night
9102	2025-03-26 19:05:00	70	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9103	2025-03-26 19:06:50	74	45dB	7.0	596%	Night
9104	2025-03-26 19:10:00	71	45dB	6.1	506%	Night
9105	2025-03-26 19:11:36	67	45dB	4.3	329%	Night
9106	2025-03-26 19:13:06	69	45dB	5.3	428%	Night
9107	2025-03-26 19:16:03	70	45dB	5.3	428%	Night
9108	2025-03-26 19:22:21	?	45dB	?	?	Night
9109	2025-03-26 19:26:21	?	45dB	?	?	Night
9110	2025-03-26 19:28:02	69	45dB	4.9	392%	Night
9111	2025-03-26 19:29:37	?	45dB	?	?	Night
9112	2025-03-26 19:31:10	?	45dB	?	?	Night
9113	2025-03-26 19:32:53	?	45dB	?	?	Night
9114	2025-03-26 19:34:12	?	45dB	?	?	Night
9115	2025-03-26 19:35:44	67	45dB	4.6	359%	Night
9116	2025-03-26 19:37:51	80	45dB	10.6	956%	Night
9117	2025-03-26 19:42:54	76	45dB	8.6	757%	Night
9118	2025-03-26 19:45:48	66	45dB	4.3	329%	Night
9119	2025-03-26 19:47:17	67	45dB	4.6	359%	Night
9120	2025-03-26 19:48:57	?	45dB	?	?	Night
9121	2025-03-26 19:51:09	71	45dB	6.1	506%	Night
9122	2025-03-26 19:53:39	68	45dB	4.6	359%	Night
9123	2025-03-26 19:55:00	?	45dB	?	?	Night
9124	2025-03-26 19:57:41	78	45dB	9.8	885%	Night
9125	2025-03-26 19:59:05	78	45dB	9.2	819%	Night
9126	2025-03-26 20:00:26	71	45dB	6.1	506%	Night
9127	2025-03-26 20:02:30	?	45dB	?	?	Night
9128	2025-03-26 20:03:47	?	45dB	?	?	Night
9129	2025-03-26 20:05:11	72	45dB	6.5	550%	Night
9130	2025-03-26 20:07:00	?	45dB	?	?	Night
9131	2025-03-26 20:08:22	68	45dB	4.6	359%	Night
9132	2025-03-26 20:09:53	68	45dB	4.9	392%	Night
9133	2025-03-26 20:11:00	69	45dB	4.9	392%	Night
9134	2025-03-26 20:12:18	?	45dB	?	?	Night
9135	2025-03-26 20:13:37	67	45dB	4.6	359%	Night
9136	2025-03-26 20:15:01	71	45dB	6.1	506%	Night
9137	2025-03-26 20:16:20	67	45dB	4.6	359%	Night
9138	2025-03-26 20:17:33	?	45dB	?	?	Night
9139	2025-03-26 20:18:54	74	45dB	7.5	646%	Night
9140	2025-03-26 20:20:34	?	45dB	?	?	Night
9141	2025-03-26 20:22:02	70	45dB	5.3	428%	Night
9142	2025-03-26 20:25:28	68	45dB	4.6	359%	Night
9143	2025-03-26 20:27:21	?	45dB	?	?	Night
9144	2025-03-26 20:29:10	?	45dB	?	?	Night
9145	2025-03-26 20:30:39	?	45dB	?	?	Night
9146	2025-03-26 20:33:27	72	45dB	6.5	550%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9147	2025-03-26 20:36:05	68	45dB	4.6	359%	Night
9148	2025-03-26 20:38:27	?	45dB	?	?	Night
9149	2025-03-26 20:42:28	68	45dB	4.6	359%	Night
9150	2025-03-26 20:44:52	72	45dB	6.5	550%	Night
9151	2025-03-26 20:46:57	68	45dB	4.6	359%	Night
9152	2025-03-26 20:48:10	69	45dB	5.3	428%	Night
9153	2025-03-26 20:50:13	?	45dB	?	?	Night
9154	2025-03-26 20:51:39	76	45dB	8.0	700%	Night
9155	2025-03-26 20:53:02	68	45dB	4.9	392%	Night
9156	2025-03-26 20:54:23	71	45dB	5.7	466%	Night
9157	2025-03-26 20:57:16	69	45dB	4.9	392%	Night
9158	2025-03-26 20:58:38	?	45dB	?	?	Night
9159	2025-03-26 21:00:09	?	45dB	?	?	Night
9160	2025-03-26 21:02:08	?	45dB	?	?	Night
9161	2025-03-26 21:03:31	?	45dB	?	?	Night
9162	2025-03-26 21:04:50	?	45dB	?	?	Night
9163	2025-03-26 21:06:13	?	45dB	?	?	Night
9164	2025-03-26 21:07:24	?	45dB	?	?	Night
9165	2025-03-26 21:08:48	73	45dB	6.5	550%	Night
9166	2025-03-26 21:10:26	87	45dB	18.4	1738%	Night
9167	2025-03-26 21:12:07	?	45dB	?	?	Night
9168	2025-03-26 21:13:32	77	45dB	9.2	819%	Night
9169	2025-03-26 21:16:34	74	45dB	7.0	596%	Night
9170	2025-03-26 21:17:48	74	45dB	7.5	646%	Night
9171	2025-03-26 21:19:14	?	45dB	?	?	Night
9172	2025-03-26 21:21:05	67	45dB	4.6	359%	Night
9173	2025-03-26 21:22:40	?	45dB	?	?	Night
9174	2025-03-26 21:27:14	69	45dB	5.3	428%	Night
9175	2025-03-26 21:29:39	67	45dB	4.6	359%	Night
9176	2025-03-26 21:31:48	?	45dB	?	?	Night
9177	2025-03-26 21:35:14	68	45dB	4.9	392%	Night
9178	2025-03-26 21:36:57	68	45dB	4.9	392%	Night
9179	2025-03-26 21:38:21	69	45dB	5.3	428%	Night
9180	2025-03-26 21:39:50	?	45dB	?	?	Night
9181	2025-03-26 21:43:59	?	45dB	?	?	Night
9182	2025-03-26 21:47:08	?	45dB	?	?	Night
9183	2025-03-26 21:50:55	?	45dB	?	?	Night
9184	2025-03-26 21:52:34	?	45dB	?	?	Night
9185	2025-03-26 21:54:13	?	45dB	?	?	Night
9186	2025-03-26 21:56:19	67	45dB	4.6	359%	Night
9187	2025-03-26 21:59:55	?	45dB	?	?	Night
9188	2025-03-26 22:01:14	70	45dB	5.3	428%	Night
9189	2025-03-26 22:03:46	?	45dB	?	?	Night
9190	2025-03-26 22:06:14	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9191	2025-03-26 22:10:46	72	45dB	6.5	550%	Night
9192	2025-03-26 22:12:08	?	45dB	?	?	Night
9193	2025-03-26 22:13:36	69	45dB	4.9	392%	Night
9194	2025-03-26 22:15:18	?	45dB	?	?	Night
9195	2025-03-26 22:17:06	?	45dB	?	?	Night
9196	2025-03-26 22:19:09	69	45dB	4.9	392%	Night
9197	2025-03-26 22:20:38	?	45dB	?	?	Night
9198	2025-03-26 22:26:27	75	45dB	7.5	646%	Night
9199	2025-03-26 22:28:05	?	45dB	?	?	Night
9200	2025-03-26 22:30:18	?	45dB	?	?	Night
9201	2025-03-26 22:40:30	69	45dB	5.3	428%	Night
9202	2025-03-26 22:46:21	?	45dB	?	?	Night
9203	2025-03-26 22:48:14	?	45dB	?	?	Night
9204	2025-03-26 22:49:37	71	45dB	5.7	466%	Night
9205	2025-03-26 22:51:44	?	45dB	?	?	Night
9206	2025-03-26 22:55:23	?	45dB	?	?	Night
9207	2025-03-26 22:56:55	?	45dB	?	?	Night
9208	2025-03-26 22:58:21	?	45dB	?	?	Night
9209	2025-03-26 22:59:38	68	45dB	4.6	359%	Night
9210	2025-03-26 23:01:00	?	45dB	?	?	Night
9211	2025-03-26 23:02:27	?	45dB	?	?	Night
9212	2025-03-26 23:05:55	?	45dB	?	?	Night
9213	2025-03-26 23:12:55	68	45dB	4.9	392%	Night
9214	2025-03-26 23:16:33	?	45dB	?	?	Night
9215	2025-03-26 23:20:56	69	45dB	5.3	428%	Night
9216	2025-03-26 23:22:35	?	45dB	?	?	Night
9217	2025-03-26 23:23:51	68	45dB	4.6	359%	Night
9218	2025-03-26 23:25:57	71	45dB	5.7	466%	Night
9219	2025-03-26 23:28:04	68	45dB	4.9	392%	Night
9220	2025-03-26 23:32:53	67	45dB	4.3	329%	Night
9221	2025-03-26 23:34:18	67	45dB	4.3	329%	Night
9222	2025-03-26 23:36:53	70	45dB	5.3	428%	Night
9223	2025-03-26 23:38:58	75	45dB	8.0	700%	Night
9224	2025-03-26 23:41:09	?	45dB	?	?	Night
9225	2025-03-26 23:42:28	?	45dB	?	?	Night
9226	2025-03-26 23:43:42	?	45dB	?	?	Night
9227	2025-03-26 23:45:30	?	45dB	?	?	Night
9228	2025-03-26 23:47:38	76	45dB	8.0	700%	Night
9229	2025-03-26 23:49:51	68	45dB	4.6	359%	Night
9230	2025-03-26 23:51:26	69	45dB	5.3	428%	Night
9231	2025-03-26 23:53:16	68	45dB	4.9	392%	Night
9232	2025-03-26 23:58:03	67	45dB	4.6	359%	Night
9233	2025-03-27 00:01:03	67	45dB	4.6	359%	Night
9234	2025-03-27 00:03:10	70	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9235	2025-03-27 00:08:37	70	45dB	5.7	466%	Night
9236	2025-03-27 00:14:31	66	45dB	4.0	300%	Night
9237	2025-03-27 00:17:02	67	45dB	4.3	329%	Night
9238	2025-03-27 00:21:46	66	45dB	4.3	329%	Night
9239	2025-03-27 00:24:12	70	45dB	5.7	466%	Night
9240	2025-03-27 00:26:20	71	45dB	5.7	466%	Night
9241	2025-03-27 00:28:11	69	45dB	4.9	392%	Night
9242	2025-03-27 00:31:31	68	45dB	4.6	359%	Night
9243	2025-03-27 00:33:38	66	45dB	4.0	300%	Night
9244	2025-03-27 00:35:12	74	45dB	7.0	596%	Night
9245	2025-03-27 00:37:25	68	45dB	4.6	359%	Night
9246	2025-03-27 00:40:55	67	45dB	4.6	359%	Night
9247	2025-03-27 00:44:16	69	45dB	5.3	428%	Night
9248	2025-03-27 01:04:08	67	45dB	4.6	359%	Night
9249	2025-03-27 01:06:28	65	45dB	4.0	300%	Night
9250	2025-03-27 01:12:38	68	45dB	4.6	359%	Night
9251	2025-03-27 01:15:46	70	45dB	5.3	428%	Night
9252	2025-03-27 01:59:10	65	45dB	4.0	300%	Night
9253	2025-03-27 02:03:43	67	45dB	4.3	329%	Night
9254	2025-03-27 02:26:49	73	45dB	6.5	550%	Night
9255	2025-03-27 03:14:15	68	45dB	4.9	392%	Night
9256	2025-03-27 04:39:48	70	45dB	5.7	466%	Night
9257	2025-03-27 04:48:31	75	45dB	7.5	646%	Night
9258	2025-03-27 04:56:49	69	45dB	5.3	428%	Night
9259	2025-03-27 05:16:00	67	45dB	4.6	359%	Night
9260	2025-03-27 05:26:30	68	45dB	4.6	359%	Night
9261	2025-03-27 05:44:46	68	45dB	4.9	392%	Night
9262	2025-03-27 05:46:09	73	45dB	6.5	550%	Night
9263	2025-03-27 05:49:06	66	45dB	4.3	329%	Night
9264	2025-03-27 06:05:26	74	45dB	7.5	646%	Night
9265	2025-03-27 06:08:03	66	45dB	4.0	300%	Night
9266	2025-03-27 06:11:01	68	45dB	4.6	359%	Night
9267	2025-03-27 06:18:34	67	45dB	4.3	329%	Night
9268	2025-03-27 06:21:02	67	45dB	4.3	329%	Night
9269	2025-03-27 06:29:09	72	45dB	6.1	506%	Night
9270	2025-03-27 06:31:05	?	45dB	?	?	Night
9271	2025-03-27 06:32:42	67	45dB	4.6	359%	Night
9272	2025-03-27 06:33:56	68	45dB	4.6	359%	Night
9273	2025-03-27 06:35:07	68	45dB	4.9	392%	Night
9274	2025-03-27 06:36:30	70	45dB	5.7	466%	Night
9275	2025-03-27 06:37:54	73	45dB	6.5	550%	Night
9276	2025-03-27 06:39:54	67	45dB	4.6	359%	Night
9277	2025-03-27 06:41:24	69	45dB	5.3	428%	Night
9278	2025-03-27 06:42:42	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9279	2025-03-27 06:44:06	71	45dB	6.1	506%	Night
9280	2025-03-27 06:46:07	76	45dB	8.0	700%	Night
9281	2025-03-27 06:47:22	68	45dB	4.9	392%	Night
9282	2025-03-27 06:48:28	69	45dB	5.3	428%	Night
9283	2025-03-27 06:49:47	?	45dB	?	?	Night
9284	2025-03-27 06:51:09	78	45dB	9.2	819%	Night
9285	2025-03-27 06:53:32	70	45dB	5.3	428%	Night
9286	2025-03-27 06:55:41	69	45dB	4.9	392%	Night
9287	2025-03-27 06:57:00	68	45dB	4.6	359%	Night
9288	2025-03-27 06:58:18	?	45dB	?	?	Night
9289	2025-03-27 07:02:07	?	55dB	?	?	Day
9290	2025-03-27 07:05:04	70	55dB	2.8	183%	Day
9291	2025-03-27 07:07:18	68	55dB	2.5	146%	Day
9292	2025-03-27 07:09:03	?	55dB	?	?	Day
9293	2025-03-27 07:10:53	?	55dB	?	?	Day
9294	2025-03-27 07:14:46	72	55dB	3.0	203%	Day
9295	2025-03-27 07:16:26	?	55dB	?	?	Day
9296	2025-03-27 07:18:52	70	55dB	2.6	164%	Day
9297	2025-03-27 07:20:58	71	55dB	2.8	183%	Day
9298	2025-03-27 07:22:45	76	55dB	4.0	300%	Day
9299	2025-03-27 07:25:13	66	55dB	2.1	114%	Day
9300	2025-03-27 07:32:58	70	55dB	2.8	183%	Day
9301	2025-03-27 07:35:20	?	55dB	?	?	Day
9302	2025-03-27 07:40:00	67	55dB	2.3	130%	Day
9303	2025-03-27 07:41:45	?	55dB	?	?	Day
9304	2025-03-27 07:46:21	68	55dB	2.5	146%	Day
9305	2025-03-27 07:48:02	67	55dB	2.3	130%	Day
9306	2025-03-27 07:49:32	68	55dB	2.5	146%	Day
9307	2025-03-27 08:00:17	69	55dB	2.6	164%	Day
9308	2025-03-27 08:02:44	75	55dB	4.0	300%	Day
9309	2025-03-27 08:04:40	?	55dB	?	?	Day
9310	2025-03-27 08:06:12	70	55dB	2.8	183%	Day
9311	2025-03-27 08:07:54	?	55dB	?	?	Day
9312	2025-03-27 08:14:30	72	55dB	3.2	225%	Day
9313	2025-03-27 08:16:40	73	55dB	3.5	248%	Day
9314	2025-03-27 08:18:22	73	55dB	3.5	248%	Day
9315	2025-03-27 08:23:27	71	55dB	3.0	203%	Day
9316	2025-03-27 08:31:03	?	55dB	?	?	Day
9317	2025-03-27 08:46:01	70	55dB	2.6	164%	Day
9318	2025-03-27 08:58:41	70	55dB	2.8	183%	Day
9319	2025-03-27 09:18:36	69	55dB	2.5	146%	Day
9320	2025-03-27 09:21:01	81	55dB	6.1	506%	Day
9321	2025-03-27 09:31:08	69	55dB	2.5	146%	Day
9322	2025-03-27 09:33:55	71	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9323	2025-03-27 09:35:09	77	55dB	4.3	329%	Day
9324	2025-03-27 09:36:36	69	55dB	2.5	146%	Day
9325	2025-03-27 09:38:23	?	55dB	?	?	Day
9326	2025-03-27 09:40:35	?	55dB	?	?	Day
9327	2025-03-27 09:43:26	?	55dB	?	?	Day
9328	2025-03-27 09:46:31	?	55dB	?	?	Day
9329	2025-03-27 09:57:11	69	55dB	2.6	164%	Day
9330	2025-03-27 10:13:58	?	55dB	?	?	Day
9331	2025-03-27 10:15:21	67	55dB	2.3	130%	Day
9332	2025-03-27 10:17:04	67	55dB	2.3	130%	Day
9333	2025-03-27 10:22:44	71	55dB	3.0	203%	Day
9334	2025-03-27 10:25:18	?	55dB	?	?	Day
9335	2025-03-27 10:27:08	74	55dB	3.5	248%	Day
9336	2025-03-27 10:29:57	?	55dB	?	?	Day
9337	2025-03-27 10:31:45	68	55dB	2.3	130%	Day
9338	2025-03-27 10:33:06	67	55dB	2.1	114%	Day
9339	2025-03-27 10:35:12	?	55dB	?	?	Day
9340	2025-03-27 10:38:15	68	55dB	2.5	146%	Day
9341	2025-03-27 10:40:38	68	55dB	2.3	130%	Day
9342	2025-03-27 10:44:52	?	55dB	?	?	Day
9343	2025-03-27 10:46:11	?	55dB	?	?	Day
9344	2025-03-27 10:47:44	?	55dB	?	?	Day
9345	2025-03-27 10:49:07	69	55dB	2.5	146%	Day
9346	2025-03-27 10:51:41	72	55dB	3.2	225%	Day
9347	2025-03-27 10:54:33	73	55dB	3.5	248%	Day
9348	2025-03-27 10:56:22	68	55dB	2.5	146%	Day
9349	2025-03-27 10:58:00	68	55dB	2.5	146%	Day
9350	2025-03-27 10:59:30	?	55dB	?	?	Day
9351	2025-03-27 11:01:26	?	55dB	?	?	Day
9352	2025-03-27 11:03:12	69	55dB	2.5	146%	Day
9353	2025-03-27 11:07:30	70	55dB	2.6	164%	Day
9354	2025-03-27 11:10:41	68	55dB	2.3	130%	Day
9355	2025-03-27 11:12:47	85	55dB	8.0	700%	Day
9356	2025-03-27 11:14:20	68	55dB	2.3	130%	Day
9357	2025-03-27 11:17:06	69	55dB	2.6	164%	Day
9358	2025-03-27 11:18:39	69	55dB	2.5	146%	Day
9359	2025-03-27 11:19:53	68	55dB	2.3	130%	Day
9360	2025-03-27 11:21:46	?	55dB	?	?	Day
9361	2025-03-27 11:23:22	70	55dB	2.6	164%	Day
9362	2025-03-27 11:24:36	68	55dB	2.3	130%	Day
9363	2025-03-27 11:26:32	70	55dB	2.6	164%	Day
9364	2025-03-27 11:29:07	?	55dB	?	?	Day
9365	2025-03-27 11:31:01	67	55dB	2.1	114%	Day
9366	2025-03-27 11:32:16	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9367	2025-03-27 11:34:42	68	55dB	2.3	130%	Day
9368	2025-03-27 11:36:08	?	55dB	?	?	Day
9369	2025-03-27 11:37:33	72	55dB	3.0	203%	Day
9370	2025-03-27 11:55:53	?	55dB	?	?	Day
9371	2025-03-27 11:57:55	?	55dB	?	?	Day
9372	2025-03-27 11:59:56	?	55dB	?	?	Day
9373	2025-03-27 12:03:51	73	55dB	3.2	225%	Day
9374	2025-03-27 12:07:30	76	55dB	4.3	329%	Day
9375	2025-03-27 12:10:03	74	55dB	3.5	248%	Day
9376	2025-03-27 12:17:23	71	55dB	3.0	203%	Day
9377	2025-03-27 12:20:36	70	55dB	2.8	183%	Day
9378	2025-03-27 12:24:41	71	55dB	3.0	203%	Day
9379	2025-03-27 12:29:28	69	55dB	2.6	164%	Day
9380	2025-03-27 12:31:26	72	55dB	3.2	225%	Day
9381	2025-03-27 12:32:46	73	55dB	3.2	225%	Day
9382	2025-03-27 12:35:28	?	55dB	?	?	Day
9383	2025-03-27 12:37:11	69	55dB	2.6	164%	Day
9384	2025-03-27 12:39:23	69	55dB	2.5	146%	Day
9385	2025-03-27 12:40:45	72	55dB	3.0	203%	Day
9386	2025-03-27 12:42:23	?	55dB	?	?	Day
9387	2025-03-27 12:44:00	?	55dB	?	?	Day
9388	2025-03-27 12:46:01	69	55dB	2.6	164%	Day
9389	2025-03-27 12:53:55	76	55dB	4.0	300%	Day
9390	2025-03-27 12:56:13	66	55dB	2.1	114%	Day
9391	2025-03-27 12:57:35	67	55dB	2.3	130%	Day
9392	2025-03-27 12:59:11	?	55dB	?	?	Day
9393	2025-03-27 13:00:37	?	55dB	?	?	Day
9394	2025-03-27 13:03:02	?	55dB	?	?	Day
9395	2025-03-27 13:04:31	?	55dB	?	?	Day
9396	2025-03-27 13:06:17	69	55dB	2.5	146%	Day
9397	2025-03-27 13:10:55	73	55dB	3.2	225%	Day
9398	2025-03-27 13:13:35	75	55dB	3.7	273%	Day
9399	2025-03-27 13:16:50	70	55dB	2.8	183%	Day
9400	2025-03-27 13:20:14	68	55dB	2.5	146%	Day
9401	2025-03-27 13:23:15	72	55dB	3.2	225%	Day
9402	2025-03-27 13:25:28	67	55dB	2.3	130%	Day
9403	2025-03-27 13:26:53	?	55dB	?	?	Day
9404	2025-03-27 13:28:17	?	55dB	?	?	Day
9405	2025-03-27 13:30:09	74	55dB	3.5	248%	Day
9406	2025-03-27 13:31:46	76	55dB	4.3	329%	Day
9407	2025-03-27 13:33:07	73	55dB	3.2	225%	Day
9408	2025-03-27 13:34:21	?	55dB	?	?	Day
9409	2025-03-27 13:36:05	67	55dB	2.1	114%	Day
9410	2025-03-27 13:39:33	80	55dB	5.3	428%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9411	2025-03-27 13:41:37	74	55dB	3.5	248%	Day
9412	2025-03-27 13:44:21	76	55dB	4.0	300%	Day
9413	2025-03-27 13:45:34	72	55dB	3.2	225%	Day
9414	2025-03-27 13:50:57	69	55dB	2.5	146%	Day
9415	2025-03-27 13:52:40	70	55dB	2.6	164%	Day
9416	2025-03-27 13:56:08	70	55dB	2.8	183%	Day
9417	2025-03-27 13:57:58	71	55dB	3.0	203%	Day
9418	2025-03-27 14:01:05	?	55dB	?	?	Day
9419	2025-03-27 14:02:43	78	55dB	4.6	359%	Day
9420	2025-03-27 14:04:32	74	55dB	3.5	248%	Day
9421	2025-03-27 14:06:26	69	55dB	2.6	164%	Day
9422	2025-03-27 14:09:10	70	55dB	2.6	164%	Day
9423	2025-03-27 14:12:24	84	55dB	7.0	596%	Day
9424	2025-03-27 14:15:05	75	55dB	4.0	300%	Day
9425	2025-03-27 14:16:48	76	55dB	4.3	329%	Day
9426	2025-03-27 14:19:55	68	55dB	2.5	146%	Day
9427	2025-03-27 14:23:11	79	55dB	5.3	428%	Day
9428	2025-03-27 14:24:55	76	55dB	4.0	300%	Day
9429	2025-03-27 14:26:28	84	55dB	7.5	646%	Day
9430	2025-03-27 14:29:00	72	55dB	3.0	203%	Day
9431	2025-03-27 14:41:03	73	55dB	3.5	248%	Day
9432	2025-03-27 14:43:09	69	55dB	2.6	164%	Day
9433	2025-03-27 14:45:02	70	55dB	2.6	164%	Day
9434	2025-03-27 14:46:11	?	55dB	?	?	Day
9435	2025-03-27 14:47:31	74	55dB	3.5	248%	Day
9436	2025-03-27 14:49:01	80	55dB	5.7	466%	Day
9437	2025-03-27 14:50:49	69	55dB	2.5	146%	Day
9438	2025-03-27 14:52:29	69	55dB	2.5	146%	Day
9439	2025-03-27 14:53:50	74	55dB	3.5	248%	Day
9440	2025-03-27 14:56:24	69	55dB	2.6	164%	Day
9441	2025-03-27 14:59:32	71	55dB	2.8	183%	Day
9442	2025-03-27 15:04:38	66	55dB	2.0	100%	Day
9443	2025-03-27 15:06:01	77	55dB	4.6	359%	Day
9444	2025-03-27 15:08:16	?	55dB	?	?	Day
9445	2025-03-27 15:09:41	?	55dB	?	?	Day
9446	2025-03-27 15:10:52	?	55dB	?	?	Day
9447	2025-03-27 15:12:21	73	55dB	3.2	225%	Day
9448	2025-03-27 15:14:39	76	55dB	4.0	300%	Day
9449	2025-03-27 15:18:17	75	55dB	3.7	273%	Day
9450	2025-03-27 15:20:40	68	55dB	2.3	130%	Day
9451	2025-03-27 15:28:00	70	55dB	2.8	183%	Day
9452	2025-03-27 15:30:04	69	55dB	2.5	146%	Day
9453	2025-03-27 15:31:32	82	55dB	6.5	550%	Day
9454	2025-03-27 15:33:21	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9455	2025-03-27 15:34:49	?	55dB	?	?	Day
9456	2025-03-27 15:36:46	?	55dB	?	?	Day
9457	2025-03-27 15:39:53	80	55dB	5.3	428%	Day
9458	2025-03-27 15:41:02	68	55dB	2.5	146%	Day
9459	2025-03-27 15:42:34	73	55dB	3.5	248%	Day
9460	2025-03-27 15:45:12	?	55dB	?	?	Day
9461	2025-03-27 15:46:46	67	55dB	2.3	130%	Day
9462	2025-03-27 15:48:10	76	55dB	4.0	300%	Day
9463	2025-03-27 15:49:41	74	55dB	3.5	248%	Day
9464	2025-03-27 15:52:02	72	55dB	3.0	203%	Day
9465	2025-03-27 15:59:14	70	55dB	2.6	164%	Day
9466	2025-03-27 16:01:26	75	55dB	3.7	273%	Day
9467	2025-03-27 16:02:46	69	55dB	2.5	146%	Day
9468	2025-03-27 16:04:02	?	55dB	?	?	Day
9469	2025-03-27 16:06:22	69	55dB	2.6	164%	Day
9470	2025-03-27 16:07:49	76	55dB	4.3	329%	Day
9471	2025-03-27 16:09:07	71	55dB	2.8	183%	Day
9472	2025-03-27 16:10:57	67	55dB	2.3	130%	Day
9473	2025-03-27 16:14:05	?	55dB	?	?	Day
9474	2025-03-27 16:15:50	70	55dB	2.8	183%	Day
9475	2025-03-27 16:21:24	71	55dB	2.8	183%	Day
9476	2025-03-27 16:24:13	78	55dB	4.6	359%	Day
9477	2025-03-27 16:28:35	?	55dB	?	?	Day
9478	2025-03-27 16:30:34	?	55dB	?	?	Day
9479	2025-03-27 16:32:10	?	55dB	?	?	Day
9480	2025-03-27 16:34:56	78	55dB	4.9	392%	Day
9481	2025-03-27 16:37:52	67	55dB	2.3	130%	Day
9482	2025-03-27 16:39:43	67	55dB	2.3	130%	Day
9483	2025-03-27 16:46:13	?	55dB	?	?	Day
9484	2025-03-27 16:52:31	86	55dB	8.6	757%	Day
9485	2025-03-27 16:53:54	69	55dB	2.6	164%	Day
9486	2025-03-27 16:55:20	?	55dB	?	?	Day
9487	2025-03-27 16:56:40	83	55dB	7.0	596%	Day
9488	2025-03-27 16:57:58	?	55dB	?	?	Day
9489	2025-03-27 16:59:25	?	55dB	?	?	Day
9490	2025-03-27 17:01:21	79	55dB	5.3	428%	Day
9491	2025-03-27 17:03:01	74	55dB	3.7	273%	Day
9492	2025-03-27 17:04:52	?	55dB	?	?	Day
9493	2025-03-27 17:06:19	71	55dB	2.8	183%	Day
9494	2025-03-27 17:07:42	?	55dB	?	?	Day
9495	2025-03-27 17:11:07	?	55dB	?	?	Day
9496	2025-03-27 17:13:21	74	55dB	3.5	248%	Day
9497	2025-03-27 17:14:43	76	55dB	4.3	329%	Day
9498	2025-03-27 17:16:01	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9499	2025-03-27 17:17:37	86	55dB	8.0	700%	Day
9500	2025-03-27 17:20:06	73	55dB	3.2	225%	Day
9501	2025-03-27 17:21:28	74	55dB	3.5	248%	Day
9502	2025-03-27 17:23:03	78	55dB	4.6	359%	Day
9503	2025-03-27 17:24:27	73	55dB	3.2	225%	Day
9504	2025-03-27 17:25:57	86	55dB	8.0	700%	Day
9505	2025-03-27 17:28:02	70	55dB	2.8	183%	Day
9506	2025-03-27 17:30:57	75	55dB	3.7	273%	Day
9507	2025-03-27 17:32:18	76	55dB	4.3	329%	Day
9508	2025-03-27 17:33:39	?	55dB	?	?	Day
9509	2025-03-27 17:35:01	71	55dB	3.0	203%	Day
9510	2025-03-27 17:36:47	70	55dB	2.8	183%	Day
9511	2025-03-27 17:40:46	83	55dB	7.0	596%	Day
9512	2025-03-27 17:43:08	?	55dB	?	?	Day
9513	2025-03-27 17:45:27	77	55dB	4.3	329%	Day
9514	2025-03-27 17:49:30	76	55dB	4.0	300%	Day
9515	2025-03-27 17:51:20	?	55dB	?	?	Day
9516	2025-03-27 17:52:52	71	55dB	3.0	203%	Day
9517	2025-03-27 17:54:47	84	55dB	7.0	596%	Day
9518	2025-03-27 17:56:31	?	55dB	?	?	Day
9519	2025-03-27 17:58:26	72	55dB	3.0	203%	Day
9520	2025-03-27 18:08:27	72	55dB	3.0	203%	Day
9521	2025-03-27 18:11:45	74	55dB	3.5	248%	Day
9522	2025-03-27 18:12:52	?	55dB	?	?	Day
9523	2025-03-27 18:15:08	74	55dB	3.5	248%	Day
9524	2025-03-27 18:16:22	74	55dB	3.5	248%	Day
9525	2025-03-27 18:17:51	76	55dB	4.0	300%	Day
9526	2025-03-27 18:19:21	73	55dB	3.5	248%	Day
9527	2025-03-27 18:20:49	73	55dB	3.5	248%	Day
9528	2025-03-27 18:22:07	77	55dB	4.6	359%	Day
9529	2025-03-27 18:23:40	75	55dB	4.0	300%	Day
9530	2025-03-27 18:26:15	77	55dB	4.6	359%	Day
9531	2025-03-27 18:28:31	78	55dB	4.6	359%	Day
9532	2025-03-27 18:31:12	87	55dB	9.2	819%	Day
9533	2025-03-27 18:34:02	79	55dB	5.3	428%	Day
9534	2025-03-27 18:36:20	75	55dB	4.0	300%	Day
9535	2025-03-27 18:38:26	81	55dB	6.1	506%	Day
9536	2025-03-27 18:40:30	?	55dB	?	?	Day
9537	2025-03-27 18:43:08	72	55dB	3.2	225%	Day
9538	2025-03-27 18:45:34	82	55dB	6.1	506%	Day
9539	2025-03-27 18:48:06	83	55dB	7.0	596%	Day
9540	2025-03-27 18:50:16	74	55dB	3.5	248%	Day
9541	2025-03-27 18:52:24	78	55dB	4.9	392%	Day
9542	2025-03-27 18:54:40	75	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9543	2025-03-27 18:56:40	79	55dB	5.3	428%	Day
9544	2025-03-27 18:59:01	84	55dB	7.0	596%	Day
9545	2025-03-27 19:01:26	81	45dB	12.1	1113%	Night
9546	2025-03-27 19:03:56	?	45dB	?	?	Night
9547	2025-03-27 19:06:12	87	45dB	18.4	1738%	Night
9548	2025-03-27 19:08:22	86	45dB	17.1	1615%	Night
9549	2025-03-27 19:11:06	86	45dB	17.1	1615%	Night
9550	2025-03-27 19:13:39	75	45dB	8.0	700%	Night
9551	2025-03-27 19:20:40	73	45dB	6.5	550%	Night
9552	2025-03-27 19:22:44	76	45dB	8.0	700%	Night
9553	2025-03-27 19:25:41	81	45dB	11.3	1031%	Night
9554	2025-03-27 19:28:01	80	45dB	10.6	956%	Night
9555	2025-03-27 19:31:31	80	45dB	10.6	956%	Night
9556	2025-03-27 19:32:45	72	45dB	6.1	506%	Night
9557	2025-03-27 19:34:23	71	45dB	6.1	506%	Night
9558	2025-03-27 19:37:27	70	45dB	5.7	466%	Night
9559	2025-03-27 19:39:11	78	45dB	9.8	885%	Night
9560	2025-03-27 19:41:15	80	45dB	11.3	1031%	Night
9561	2025-03-27 19:43:04	72	45dB	6.1	506%	Night
9562	2025-03-27 19:44:23	82	45dB	13.0	1200%	Night
9563	2025-03-27 19:45:54	68	45dB	4.9	392%	Night
9564	2025-03-27 19:47:25	73	45dB	7.0	596%	Night
9565	2025-03-27 19:49:36	75	45dB	7.5	646%	Night
9566	2025-03-27 19:52:13	72	45dB	6.1	506%	Night
9567	2025-03-27 19:59:52	69	45dB	5.3	428%	Night
9568	2025-03-27 20:01:23	78	45dB	9.8	885%	Night
9569	2025-03-27 20:03:15	78	45dB	9.2	819%	Night
9570	2025-03-27 20:04:47	?	45dB	?	?	Night
9571	2025-03-27 20:06:14	72	45dB	6.1	506%	Night
9572	2025-03-27 20:07:28	?	45dB	?	?	Night
9573	2025-03-27 20:08:53	69	45dB	5.3	428%	Night
9574	2025-03-27 20:10:39	?	45dB	?	?	Night
9575	2025-03-27 20:12:18	70	45dB	5.3	428%	Night
9576	2025-03-27 20:13:47	?	45dB	?	?	Night
9577	2025-03-27 20:15:17	73	45dB	6.5	550%	Night
9578	2025-03-27 20:18:14	74	45dB	7.5	646%	Night
9579	2025-03-27 20:21:22	70	45dB	5.3	428%	Night
9580	2025-03-27 20:23:33	70	45dB	5.3	428%	Night
9581	2025-03-27 20:25:37	69	45dB	5.3	428%	Night
9582	2025-03-27 20:27:48	72	45dB	6.5	550%	Night
9583	2025-03-27 20:29:23	70	45dB	5.7	466%	Night
9584	2025-03-27 20:30:57	69	45dB	4.9	392%	Night
9585	2025-03-27 20:33:31	70	45dB	5.7	466%	Night
9586	2025-03-27 20:35:08	74	45dB	7.0	596%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9587	2025-03-27 20:36:39	?	45dB	?	?	Night
9588	2025-03-27 20:38:20	72	45dB	6.1	506%	Night
9589	2025-03-27 20:41:08	71	45dB	5.7	466%	Night
9590	2025-03-27 20:42:36	69	45dB	4.9	392%	Night
9591	2025-03-27 20:44:05	70	45dB	5.7	466%	Night
9592	2025-03-27 20:45:31	71	45dB	5.7	466%	Night
9593	2025-03-27 20:47:26	?	45dB	?	?	Night
9594	2025-03-27 20:48:41	74	45dB	7.5	646%	Night
9595	2025-03-27 20:50:08	71	45dB	5.7	466%	Night
9596	2025-03-27 20:51:36	69	45dB	5.3	428%	Night
9597	2025-03-27 20:53:17	69	45dB	4.9	392%	Night
9598	2025-03-27 20:56:12	69	45dB	5.3	428%	Night
9599	2025-03-27 20:57:43	70	45dB	5.7	466%	Night
9600	2025-03-27 20:59:54	70	45dB	5.7	466%	Night
9601	2025-03-27 21:01:17	70	45dB	5.7	466%	Night
9602	2025-03-27 21:02:44	68	45dB	4.9	392%	Night
9603	2025-03-27 21:05:44	69	45dB	5.3	428%	Night
9604	2025-03-27 21:07:17	68	45dB	4.9	392%	Night
9605	2025-03-27 21:08:34	68	45dB	4.6	359%	Night
9606	2025-03-27 21:10:10	72	45dB	6.1	506%	Night
9607	2025-03-27 21:13:03	?	45dB	?	?	Night
9608	2025-03-27 21:14:30	?	45dB	?	?	Night
9609	2025-03-27 21:16:01	72	45dB	6.5	550%	Night
9610	2025-03-27 21:17:22	71	45dB	6.1	506%	Night
9611	2025-03-27 21:18:50	79	45dB	10.6	956%	Night
9612	2025-03-27 21:20:18	73	45dB	7.0	596%	Night
9613	2025-03-27 21:21:41	74	45dB	7.0	596%	Night
9614	2025-03-27 21:25:14	71	45dB	5.7	466%	Night
9615	2025-03-27 21:27:09	69	45dB	5.3	428%	Night
9616	2025-03-27 21:30:32	?	45dB	?	?	Night
9617	2025-03-27 21:33:46	69	45dB	4.9	392%	Night
9618	2025-03-27 21:35:10	70	45dB	5.3	428%	Night
9619	2025-03-27 21:36:33	69	45dB	5.3	428%	Night
9620	2025-03-27 21:37:42	70	45dB	5.3	428%	Night
9621	2025-03-27 21:39:04	72	45dB	6.5	550%	Night
9622	2025-03-27 21:40:30	70	45dB	5.3	428%	Night
9623	2025-03-27 21:41:47	70	45dB	5.3	428%	Night
9624	2025-03-27 21:43:12	?	45dB	?	?	Night
9625	2025-03-27 21:44:34	?	45dB	?	?	Night
9626	2025-03-27 21:46:09	69	45dB	5.3	428%	Night
9627	2025-03-27 21:47:19	69	45dB	5.3	428%	Night
9628	2025-03-27 21:48:41	74	45dB	7.5	646%	Night
9629	2025-03-27 21:50:12	69	45dB	4.9	392%	Night
9630	2025-03-27 21:51:41	74	45dB	7.5	646%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9631	2025-03-27 21:53:02	68	45dB	4.9	392%	Night
9632	2025-03-27 21:54:44	70	45dB	5.7	466%	Night
9633	2025-03-27 21:57:16	68	45dB	4.6	359%	Night
9634	2025-03-27 21:58:50	71	45dB	5.7	466%	Night
9635	2025-03-27 22:01:37	66	45dB	4.3	329%	Night
9636	2025-03-27 22:03:45	79	45dB	9.8	885%	Night
9637	2025-03-27 22:06:57	70	45dB	5.3	428%	Night
9638	2025-03-27 22:11:47	67	45dB	4.3	329%	Night
9639	2025-03-27 22:16:01	?	45dB	?	?	Night
9640	2025-03-27 22:26:40	68	45dB	4.6	359%	Night
9641	2025-03-27 22:28:02	?	45dB	?	?	Night
9642	2025-03-27 22:29:52	70	45dB	5.3	428%	Night
9643	2025-03-27 22:31:47	?	45dB	?	?	Night
9644	2025-03-27 22:33:10	70	45dB	5.3	428%	Night
9645	2025-03-27 22:34:45	78	45dB	9.8	885%	Night
9646	2025-03-27 22:41:58	69	45dB	5.3	428%	Night
9647	2025-03-27 22:43:56	69	45dB	4.9	392%	Night
9648	2025-03-27 22:46:41	68	45dB	4.9	392%	Night
9649	2025-03-27 22:48:42	72	45dB	6.1	506%	Night
9650	2025-03-27 22:50:12	73	45dB	6.5	550%	Night
9651	2025-03-27 22:52:07	71	45dB	6.1	506%	Night
9652	2025-03-27 22:54:39	?	45dB	?	?	Night
9653	2025-03-27 22:58:47	?	45dB	?	?	Night
9654	2025-03-28 06:32:18	66	45dB	4.3	329%	Night
9655	2025-03-28 06:33:07	69	45dB	4.9	392%	Night
9656	2025-03-28 06:36:27	74	45dB	7.5	646%	Night
9657	2025-03-28 06:37:20	?	45dB	?	?	Night
9658	2025-03-28 06:38:21	?	45dB	?	?	Night
9659	2025-03-28 06:39:22	67	45dB	4.6	359%	Night
9660	2025-03-28 06:40:21	?	45dB	?	?	Night
9661	2025-03-28 06:41:26	?	45dB	?	?	Night
9662	2025-03-28 06:44:19	?	45dB	?	?	Night
9663	2025-03-28 06:45:43	?	45dB	?	?	Night
9664	2025-03-28 06:46:34	73	45dB	7.0	596%	Night
9665	2025-03-28 06:47:22	70	45dB	5.3	428%	Night
9666	2025-03-28 06:48:11	?	45dB	?	?	Night
9667	2025-03-28 06:48:52	69	45dB	5.3	428%	Night
9668	2025-03-28 06:49:56	72	45dB	6.5	550%	Night
9669	2025-03-28 06:50:51	68	45dB	4.9	392%	Night
9670	2025-03-28 06:51:57	?	45dB	?	?	Night
9671	2025-03-28 06:53:50	74	45dB	7.5	646%	Night
9672	2025-03-28 06:54:48	73	45dB	6.5	550%	Night
9673	2025-03-28 06:56:12	69	45dB	5.3	428%	Night
9674	2025-03-28 06:58:02	76	45dB	8.6	757%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9675	2025-03-28 06:59:18	?	45dB	?	?	Night
9676	2025-03-28 07:00:43	?	55dB	?	?	Day
9677	2025-03-28 07:01:39	73	55dB	3.2	225%	Day
9678	2025-03-28 07:02:29	75	55dB	3.7	273%	Day
9679	2025-03-28 07:03:24	69	55dB	2.6	164%	Day
9680	2025-03-28 07:04:24	?	55dB	?	?	Day
9681	2025-03-28 07:05:40	?	55dB	?	?	Day
9682	2025-03-28 07:08:41	?	55dB	?	?	Day
9683	2025-03-28 07:09:48	71	55dB	3.0	203%	Day
9684	2025-03-28 07:13:53	69	55dB	2.5	146%	Day
9685	2025-03-28 07:15:22	68	55dB	2.5	146%	Day
9686	2025-03-28 07:17:33	?	55dB	?	?	Day
9687	2025-03-28 07:20:44	76	55dB	4.3	329%	Day
9688	2025-03-28 07:22:42	71	55dB	2.8	183%	Day
9689	2025-03-28 07:23:58	71	55dB	3.0	203%	Day
9690	2025-03-28 07:24:44	?	55dB	?	?	Day
9691	2025-03-28 07:25:35	73	55dB	3.5	248%	Day
9692	2025-03-28 07:26:50	75	55dB	4.0	300%	Day
9693	2025-03-28 07:27:21	?	55dB	?	?	Day
9694	2025-03-28 07:29:22	74	55dB	3.5	248%	Day
9695	2025-03-28 07:30:48	69	55dB	2.5	146%	Day
9696	2025-03-28 07:32:26	68	55dB	2.5	146%	Day
9697	2025-03-28 07:34:31	70	55dB	2.6	164%	Day
9698	2025-03-28 07:36:01	?	55dB	?	?	Day
9699	2025-03-28 07:38:00	?	55dB	?	?	Day
9700	2025-03-28 07:38:38	?	55dB	?	?	Day
9701	2025-03-28 07:40:42	?	55dB	?	?	Day
9702	2025-03-28 07:42:32	69	55dB	2.5	146%	Day
9703	2025-03-28 07:43:21	?	55dB	?	?	Day
9704	2025-03-28 07:45:22	77	55dB	4.3	329%	Day
9705	2025-03-28 07:48:09	?	55dB	?	?	Day
9706	2025-03-28 07:49:47	68	55dB	2.5	146%	Day
9707	2025-03-28 07:51:56	?	55dB	?	?	Day
9708	2025-03-28 07:55:22	71	55dB	2.8	183%	Day
9709	2025-03-28 07:56:01	?	55dB	?	?	Day
9710	2025-03-28 07:56:59	?	55dB	?	?	Day
9711	2025-03-28 07:57:53	73	55dB	3.2	225%	Day
9712	2025-03-28 08:00:13	?	55dB	?	?	Day
9713	2025-03-28 08:02:53	?	55dB	?	?	Day
9714	2025-03-28 08:05:56	75	55dB	4.0	300%	Day
9715	2025-03-28 08:07:01	?	55dB	?	?	Day
9716	2025-03-28 08:08:06	73	55dB	3.2	225%	Day
9717	2025-03-28 08:09:11	74	55dB	3.5	248%	Day
9718	2025-03-28 08:10:09	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9719	2025-03-28 08:12:06	71	55dB	2.8	183%	Day
9720	2025-03-28 08:13:26	73	55dB	3.2	225%	Day
9721	2025-03-28 08:14:10	68	55dB	2.3	130%	Day
9722	2025-03-28 08:14:55	68	55dB	2.3	130%	Day
9723	2025-03-28 08:15:46	69	55dB	2.5	146%	Day
9724	2025-03-28 08:16:57	70	55dB	2.8	183%	Day
9725	2025-03-28 08:17:50	?	55dB	?	?	Day
9726	2025-03-28 08:18:56	?	55dB	?	?	Day
9727	2025-03-28 08:20:58	?	55dB	?	?	Day
9728	2025-03-28 08:21:57	73	55dB	3.2	225%	Day
9729	2025-03-28 08:23:10	74	55dB	3.7	273%	Day
9730	2025-03-28 08:25:01	69	55dB	2.5	146%	Day
9731	2025-03-28 08:25:53	?	55dB	?	?	Day
9732	2025-03-28 08:26:54	73	55dB	3.2	225%	Day
9733	2025-03-28 08:27:36	69	55dB	2.5	146%	Day
9734	2025-03-28 08:28:51	68	55dB	2.5	146%	Day
9735	2025-03-28 08:31:20	73	55dB	3.5	248%	Day
9736	2025-03-28 08:35:33	68	55dB	2.5	146%	Day
9737	2025-03-28 08:36:40	75	55dB	3.7	273%	Day
9738	2025-03-28 08:37:15	?	55dB	?	?	Day
9739	2025-03-28 08:38:17	70	55dB	2.6	164%	Day
9740	2025-03-28 08:39:52	72	55dB	3.2	225%	Day
9741	2025-03-28 08:40:57	75	55dB	3.7	273%	Day
9742	2025-03-28 08:42:46	68	55dB	2.5	146%	Day
9743	2025-03-28 08:44:18	?	55dB	?	?	Day
9744	2025-03-28 08:45:21	77	55dB	4.3	329%	Day
9745	2025-03-28 08:46:18	74	55dB	3.7	273%	Day
9746	2025-03-28 08:47:13	?	55dB	?	?	Day
9747	2025-03-28 08:48:03	71	55dB	2.8	183%	Day
9748	2025-03-28 08:48:48	72	55dB	3.0	203%	Day
9749	2025-03-28 08:49:43	?	55dB	?	?	Day
9750	2025-03-28 08:51:53	70	55dB	2.6	164%	Day
9751	2025-03-28 08:58:35	71	55dB	2.8	183%	Day
9752	2025-03-28 09:02:08	?	55dB	?	?	Day
9753	2025-03-28 09:04:27	68	55dB	2.3	130%	Day
9754	2025-03-28 09:05:51	?	55dB	?	?	Day
9755	2025-03-28 09:08:58	77	55dB	4.6	359%	Day
9756	2025-03-28 09:10:55	67	55dB	2.3	130%	Day
9757	2025-03-28 09:12:34	75	55dB	3.7	273%	Day
9758	2025-03-28 09:13:20	?	55dB	?	?	Day
9759	2025-03-28 09:14:15	?	55dB	?	?	Day
9760	2025-03-28 09:15:19	?	55dB	?	?	Day
9761	2025-03-28 09:16:36	?	55dB	?	?	Day
9762	2025-03-28 09:17:39	69	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9763	2025-03-28 09:18:53	?	55dB	?	?	Day
9764	2025-03-28 09:20:39	?	55dB	?	?	Day
9765	2025-03-28 09:21:42	75	55dB	4.0	300%	Day
9766	2025-03-28 09:22:53	?	55dB	?	?	Day
9767	2025-03-28 09:23:56	70	55dB	2.8	183%	Day
9768	2025-03-28 09:24:40	?	55dB	?	?	Day
9769	2025-03-28 09:25:37	70	55dB	2.8	183%	Day
9770	2025-03-28 09:26:54	?	55dB	?	?	Day
9771	2025-03-28 09:28:28	72	55dB	3.0	203%	Day
9772	2025-03-28 09:29:52	?	55dB	?	?	Day
9773	2025-03-28 09:31:43	?	55dB	?	?	Day
9774	2025-03-28 09:32:50	74	55dB	3.5	248%	Day
9775	2025-03-28 09:33:48	71	55dB	3.0	203%	Day
9776	2025-03-28 09:34:34	69	55dB	2.5	146%	Day
9777	2025-03-28 09:35:50	71	55dB	2.8	183%	Day
9778	2025-03-28 09:37:32	?	55dB	?	?	Day
9779	2025-03-28 09:38:52	?	55dB	?	?	Day
9780	2025-03-28 09:40:01	69	55dB	2.5	146%	Day
9781	2025-03-28 09:41:48	?	55dB	?	?	Day
9782	2025-03-28 09:43:00	?	55dB	?	?	Day
9783	2025-03-28 09:43:47	?	55dB	?	?	Day
9784	2025-03-28 09:45:09	?	55dB	?	?	Day
9785	2025-03-28 09:47:06	75	55dB	4.0	300%	Day
9786	2025-03-28 09:48:26	77	55dB	4.6	359%	Day
9787	2025-03-28 09:49:32	69	55dB	2.6	164%	Day
9788	2025-03-28 09:51:07	75	55dB	4.0	300%	Day
9789	2025-03-28 09:52:57	75	55dB	3.7	273%	Day
9790	2025-03-28 09:54:27	?	55dB	?	?	Day
9791	2025-03-28 09:55:31	?	55dB	?	?	Day
9792	2025-03-28 09:57:08	75	55dB	4.0	300%	Day
9793	2025-03-28 09:58:01	72	55dB	3.0	203%	Day
9794	2025-03-28 09:59:13	67	55dB	2.3	130%	Day
9795	2025-03-28 10:00:56	71	55dB	3.0	203%	Day
9796	2025-03-28 10:02:44	69	55dB	2.6	164%	Day
9797	2025-03-28 10:04:06	69	55dB	2.5	146%	Day
9798	2025-03-28 16:08:01	72	55dB	3.2	225%	Day
9799	2025-03-29 06:30:27	69	45dB	5.3	428%	Night
9800	2025-03-29 06:32:06	72	45dB	6.1	506%	Night
9801	2025-03-29 06:33:44	70	45dB	5.7	466%	Night
9802	2025-03-29 06:35:24	73	45dB	6.5	550%	Night
9803	2025-03-29 06:37:35	69	45dB	4.9	392%	Night
9804	2025-03-29 06:38:54	71	45dB	5.7	466%	Night
9805	2025-03-29 06:40:15	71	45dB	5.7	466%	Night
9806	2025-03-29 06:42:41	69	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9807	2025-03-29 06:44:19	75	45dB	8.0	700%	Night
9808	2025-03-29 06:46:15	72	45dB	6.1	506%	Night
9809	2025-03-29 06:47:33	?	45dB	?	?	Night
9810	2025-03-29 06:48:46	?	45dB	?	?	Night
9811	2025-03-29 06:50:06	70	45dB	5.7	466%	Night
9812	2025-03-29 06:51:20	78	45dB	9.8	885%	Night
9813	2025-03-29 06:54:04	72	45dB	6.1	506%	Night
9814	2025-03-29 06:56:24	72	45dB	6.5	550%	Night
9815	2025-03-29 06:57:42	?	45dB	?	?	Night
9816	2025-03-29 06:59:03	70	45dB	5.7	466%	Night
9817	2025-03-29 07:00:23	68	55dB	2.5	146%	Day
9818	2025-03-29 07:01:48	?	55dB	?	?	Day
9819	2025-03-29 07:03:16	67	55dB	2.1	114%	Day
9820	2025-03-29 07:05:02	?	55dB	?	?	Day
9821	2025-03-29 07:09:54	69	55dB	2.5	146%	Day
9822	2025-03-29 07:15:46	?	55dB	?	?	Day
9823	2025-03-29 13:59:34	?	55dB	?	?	Day
9824	2025-03-29 20:15:52	72	45dB	6.1	506%	Night
9825	2025-03-30 06:33:56	70	45dB	5.3	428%	Night
9826	2025-03-30 06:35:08	71	45dB	6.1	506%	Night
9827	2025-03-30 06:36:27	76	45dB	8.6	757%	Night
9828	2025-03-30 06:37:19	71	45dB	5.7	466%	Night
9829	2025-03-30 06:38:27	74	45dB	7.5	646%	Night
9830	2025-03-30 06:40:14	?	45dB	?	?	Night
9831	2025-03-30 06:46:43	?	45dB	?	?	Night
9832	2025-03-30 06:48:47	74	45dB	7.5	646%	Night
9833	2025-03-30 06:49:52	71	45dB	5.7	466%	Night
9834	2025-03-30 06:53:23	67	45dB	4.3	329%	Night
9835	2025-03-30 06:58:04	?	45dB	?	?	Night
9836	2025-03-30 07:01:45	72	55dB	3.2	225%	Day
9837	2025-03-30 07:06:28	75	55dB	4.0	300%	Day
9838	2025-03-30 07:09:42	?	55dB	?	?	Day
9839	2025-03-30 07:10:51	?	55dB	?	?	Day
9840	2025-03-30 07:12:03	78	55dB	4.6	359%	Day
9841	2025-03-30 07:13:09	75	55dB	4.0	300%	Day
9842	2025-03-30 07:14:23	74	55dB	3.7	273%	Day
9843	2025-03-30 07:15:34	68	55dB	2.3	130%	Day
9844	2025-03-30 07:16:51	?	55dB	?	?	Day
9845	2025-03-30 07:17:56	78	55dB	4.6	359%	Day
9846	2025-03-30 07:20:19	78	55dB	4.6	359%	Day
9847	2025-03-30 07:22:06	75	55dB	4.0	300%	Day
9848	2025-03-30 07:24:10	?	55dB	?	?	Day
9849	2025-03-30 07:25:12	71	55dB	2.8	183%	Day
9850	2025-03-30 07:26:16	78	55dB	4.9	392%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9851	2025-03-30 07:27:37	72	55dB	3.0	203%	Day
9852	2025-03-30 07:30:26	70	55dB	2.6	164%	Day
9853	2025-03-30 07:31:47	?	55dB	?	?	Day
9854	2025-03-30 07:33:53	71	55dB	3.0	203%	Day
9855	2025-03-30 07:36:42	?	55dB	?	?	Day
9856	2025-03-30 07:38:02	?	55dB	?	?	Day
9857	2025-03-30 07:39:47	74	55dB	3.7	273%	Day
9858	2025-03-30 07:41:19	?	55dB	?	?	Day
9859	2025-03-30 07:42:36	?	55dB	?	?	Day
9860	2025-03-30 07:44:20	68	55dB	2.5	146%	Day
9861	2025-03-30 07:45:36	72	55dB	3.0	203%	Day
9862	2025-03-30 07:47:44	74	55dB	3.5	248%	Day
9863	2025-03-30 07:49:14	?	55dB	?	?	Day
9864	2025-03-30 07:50:52	74	55dB	3.7	273%	Day
9865	2025-03-30 07:52:39	74	55dB	3.5	248%	Day
9866	2025-03-30 07:54:50	69	55dB	2.6	164%	Day
9867	2025-03-30 07:56:32	71	55dB	3.0	203%	Day
9868	2025-03-30 08:01:13	74	55dB	3.5	248%	Day
9869	2025-03-30 08:08:33	68	55dB	2.5	146%	Day
9870	2025-03-30 08:10:25	74	55dB	3.7	273%	Day
9871	2025-03-30 08:11:35	73	55dB	3.5	248%	Day
9872	2025-03-30 08:14:38	68	55dB	2.5	146%	Day
9873	2025-03-30 08:16:30	71	55dB	3.0	203%	Day
9874	2025-03-30 08:19:11	67	55dB	2.3	130%	Day
9875	2025-03-30 08:21:09	?	55dB	?	?	Day
9876	2025-03-30 08:22:13	77	55dB	4.6	359%	Day
9877	2025-03-30 08:23:36	73	55dB	3.2	225%	Day
9878	2025-03-30 08:25:20	75	55dB	4.0	300%	Day
9879	2025-03-30 08:27:05	70	55dB	2.8	183%	Day
9880	2025-03-30 08:29:28	81	55dB	6.1	506%	Day
9881	2025-03-30 08:31:43	71	55dB	3.0	203%	Day
9882	2025-03-30 08:33:49	68	55dB	2.5	146%	Day
9883	2025-03-30 08:34:52	71	55dB	2.8	183%	Day
9884	2025-03-30 08:35:52	69	55dB	2.6	164%	Day
9885	2025-03-30 08:37:26	73	55dB	3.2	225%	Day
9886	2025-03-30 08:39:11	?	55dB	?	?	Day
9887	2025-03-30 08:41:30	69	55dB	2.6	164%	Day
9888	2025-03-30 08:43:05	?	55dB	?	?	Day
9889	2025-03-30 08:47:47	?	55dB	?	?	Day
9890	2025-03-30 08:49:08	77	55dB	4.6	359%	Day
9891	2025-03-30 08:50:54	76	55dB	4.3	329%	Day
9892	2025-03-30 08:53:41	?	55dB	?	?	Day
9893	2025-03-30 08:56:37	71	55dB	3.0	203%	Day
9894	2025-03-30 08:59:19	70	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9895	2025-03-30 09:02:03	68	55dB	2.3	130%	Day
9896	2025-03-30 09:05:01	72	55dB	3.2	225%	Day
9897	2025-03-30 09:09:16	76	55dB	4.0	300%	Day
9898	2025-03-30 09:11:13	73	55dB	3.2	225%	Day
9899	2025-03-30 09:13:02	76	55dB	4.0	300%	Day
9900	2025-03-30 09:15:04	75	55dB	3.7	273%	Day
9901	2025-03-30 09:16:38	76	55dB	4.0	300%	Day
9902	2025-03-30 09:18:41	73	55dB	3.2	225%	Day
9903	2025-03-30 09:19:42	71	55dB	2.8	183%	Day
9904	2025-03-30 09:22:34	78	55dB	4.9	392%	Day
9905	2025-03-30 09:23:54	68	55dB	2.5	146%	Day
9906	2025-03-30 09:25:56	68	55dB	2.5	146%	Day
9907	2025-03-30 09:28:45	78	55dB	4.9	392%	Day
9908	2025-03-30 09:30:17	72	55dB	3.0	203%	Day
9909	2025-03-30 09:31:46	72	55dB	3.0	203%	Day
9910	2025-03-30 09:33:10	80	55dB	5.3	428%	Day
9911	2025-03-30 09:35:20	72	55dB	3.2	225%	Day
9912	2025-03-30 09:36:18	75	55dB	4.0	300%	Day
9913	2025-03-30 09:38:44	71	55dB	2.8	183%	Day
9914	2025-03-30 09:39:52	74	55dB	3.7	273%	Day
9915	2025-03-30 09:41:33	70	55dB	2.8	183%	Day
9916	2025-03-30 09:42:56	74	55dB	3.7	273%	Day
9917	2025-03-30 09:44:53	70	55dB	2.6	164%	Day
9918	2025-03-30 09:46:25	76	55dB	4.0	300%	Day
9919	2025-03-30 09:47:53	84	55dB	7.0	596%	Day
9920	2025-03-30 09:49:39	72	55dB	3.2	225%	Day
9921	2025-03-30 09:51:23	?	55dB	?	?	Day
9922	2025-03-30 09:52:23	70	55dB	2.8	183%	Day
9923	2025-03-30 09:53:36	?	55dB	?	?	Day
9924	2025-03-30 09:56:40	72	55dB	3.0	203%	Day
9925	2025-03-30 09:58:17	?	55dB	?	?	Day
9926	2025-03-30 09:59:37	?	55dB	?	?	Day
9927	2025-03-30 10:01:10	?	55dB	?	?	Day
9928	2025-03-30 10:02:16	75	55dB	4.0	300%	Day
9929	2025-03-30 10:03:39	78	55dB	4.9	392%	Day
9930	2025-03-30 10:05:55	69	55dB	2.5	146%	Day
9931	2025-03-30 10:07:08	81	55dB	6.1	506%	Day
9932	2025-03-30 10:09:38	69	55dB	2.5	146%	Day
9933	2025-03-30 10:11:32	71	55dB	3.0	203%	Day
9934	2025-03-30 10:12:45	74	55dB	3.5	248%	Day
9935	2025-03-30 10:14:01	76	55dB	4.3	329%	Day
9936	2025-03-30 10:15:27	71	55dB	3.0	203%	Day
9937	2025-03-30 10:16:36	75	55dB	3.7	273%	Day
9938	2025-03-30 10:17:50	74	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9939	2025-03-30 10:19:24	?	55dB	?	?	Day
9940	2025-03-30 10:20:38	72	55dB	3.0	203%	Day
9941	2025-03-30 10:22:27	?	55dB	?	?	Day
9942	2025-03-30 10:23:46	?	55dB	?	?	Day
9943	2025-03-30 10:24:33	?	55dB	?	?	Day
9944	2025-03-30 10:26:28	70	55dB	2.6	164%	Day
9945	2025-03-30 10:27:40	77	55dB	4.6	359%	Day
9946	2025-03-30 10:31:45	?	55dB	?	?	Day
9947	2025-03-30 10:33:47	71	55dB	3.0	203%	Day
9948	2025-03-30 10:34:49	74	55dB	3.7	273%	Day
9949	2025-03-30 10:36:34	72	55dB	3.0	203%	Day
9950	2025-03-30 10:38:31	66	55dB	2.0	100%	Day
9951	2025-03-30 10:40:32	76	55dB	4.0	300%	Day
9952	2025-03-30 10:42:33	73	55dB	3.2	225%	Day
9953	2025-03-30 10:44:28	72	55dB	3.2	225%	Day
9954	2025-03-30 10:45:47	?	55dB	?	?	Day
9955	2025-03-30 10:47:08	72	55dB	3.2	225%	Day
9956	2025-03-30 10:48:50	76	55dB	4.0	300%	Day
9957	2025-03-30 10:53:17	71	55dB	2.8	183%	Day
9958	2025-03-30 10:56:42	74	55dB	3.5	248%	Day
9959	2025-03-30 10:58:49	?	55dB	?	?	Day
9960	2025-03-30 11:00:30	71	55dB	2.8	183%	Day
9961	2025-03-30 11:01:38	70	55dB	2.8	183%	Day
9962	2025-03-30 11:03:19	70	55dB	2.6	164%	Day
9963	2025-03-30 11:04:49	71	55dB	2.8	183%	Day
9964	2025-03-30 11:07:46	70	55dB	2.6	164%	Day
9965	2025-03-30 11:09:50	79	55dB	4.9	392%	Day
9966	2025-03-30 11:11:17	71	55dB	2.8	183%	Day
9967	2025-03-30 11:13:03	71	55dB	3.0	203%	Day
9968	2025-03-30 11:14:09	71	55dB	2.8	183%	Day
9969	2025-03-30 11:15:20	69	55dB	2.5	146%	Day
9970	2025-03-30 11:16:30	69	55dB	2.5	146%	Day
9971	2025-03-30 11:17:35	68	55dB	2.5	146%	Day
9972	2025-03-30 11:19:17	86	55dB	8.0	700%	Day
9973	2025-03-30 11:21:20	70	55dB	2.6	164%	Day
9974	2025-03-30 11:23:10	72	55dB	3.0	203%	Day
9975	2025-03-30 11:24:26	73	55dB	3.5	248%	Day
9976	2025-03-30 11:26:20	70	55dB	2.6	164%	Day
9977	2025-03-30 11:27:30	?	55dB	?	?	Day
9978	2025-03-30 11:28:32	78	55dB	4.6	359%	Day
9979	2025-03-30 11:29:41	74	55dB	3.5	248%	Day
9980	2025-03-30 11:31:26	?	55dB	?	?	Day
9981	2025-03-30 11:32:36	?	55dB	?	?	Day
9982	2025-03-30 11:33:46	79	55dB	4.9	392%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

9983	2025-03-30 11:35:41	72	55dB	3.0	203%	Day
9984	2025-03-30 11:36:43	?	55dB	?	?	Day
9985	2025-03-30 11:38:36	76	55dB	4.0	300%	Day
9986	2025-03-30 11:39:31	73	55dB	3.2	225%	Day
9987	2025-03-30 11:40:49	70	55dB	2.8	183%	Day
9988	2025-03-30 11:40:49	70	55dB	2.8	183%	Day
9989	2025-03-30 11:41:58	?	55dB	?	?	Day
9990	2025-03-30 11:43:19	88	55dB	9.2	819%	Day
9991	2025-03-30 11:45:49	86	55dB	8.6	757%	Day
9992	2025-03-30 11:46:56	69	55dB	2.5	146%	Day
9993	2025-03-30 11:48:06	?	55dB	?	?	Day
9994	2025-03-30 11:49:51	69	55dB	2.6	164%	Day
9995	2025-03-30 11:50:51	66	55dB	2.1	114%	Day
9996	2025-03-30 11:52:48	69	55dB	2.5	146%	Day
9997	2025-03-30 11:54:19	77	55dB	4.3	329%	Day
9998	2025-03-30 11:55:39	71	55dB	2.8	183%	Day
9999	2025-03-30 11:56:43	69	55dB	2.5	146%	Day
10000	2025-03-30 11:58:23	74	55dB	3.7	273%	Day
10001	2025-03-30 12:00:35	79	55dB	4.9	392%	Day
10002	2025-03-30 12:02:35	?	55dB	?	?	Day
10003	2025-03-30 12:03:54	71	55dB	2.8	183%	Day
10004	2025-03-30 12:06:35	68	55dB	2.3	130%	Day
10005	2025-03-30 12:09:32	75	55dB	4.0	300%	Day
10006	2025-03-30 12:11:09	?	55dB	?	?	Day
10007	2025-03-30 12:12:24	71	55dB	2.8	183%	Day
10008	2025-03-30 12:15:37	74	55dB	3.7	273%	Day
10009	2025-03-30 12:17:53	75	55dB	4.0	300%	Day
10010	2025-03-30 12:20:29	70	55dB	2.6	164%	Day
10011	2025-03-30 12:23:56	70	55dB	2.6	164%	Day
10012	2025-03-30 12:25:06	?	55dB	?	?	Day
10013	2025-03-30 12:31:20	?	55dB	?	?	Day
10014	2025-03-30 12:34:58	69	55dB	2.5	146%	Day
10015	2025-03-30 12:38:20	?	55dB	?	?	Day
10016	2025-03-30 12:40:26	70	55dB	2.8	183%	Day
10017	2025-03-30 12:42:39	?	55dB	?	?	Day
10018	2025-03-30 12:43:47	71	55dB	3.0	203%	Day
10019	2025-03-30 12:45:13	76	55dB	4.3	329%	Day
10020	2025-03-30 12:48:24	75	55dB	4.0	300%	Day
10021	2025-03-30 12:50:06	76	55dB	4.3	329%	Day
10022	2025-03-30 12:52:02	71	55dB	3.0	203%	Day
10023	2025-03-30 12:53:16	74	55dB	3.5	248%	Day
10024	2025-03-30 12:54:56	74	55dB	3.7	273%	Day
10025	2025-03-30 12:58:37	67	55dB	2.3	130%	Day
10026	2025-03-30 13:01:47	74	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10027	2025-03-30 13:04:55	78	55dB	4.6	359%	Day
10028	2025-03-30 13:07:54	72	55dB	3.0	203%	Day
10029	2025-03-30 13:09:43	69	55dB	2.6	164%	Day
10030	2025-03-30 13:12:23	?	55dB	?	?	Day
10031	2025-03-30 13:15:50	?	55dB	?	?	Day
10032	2025-03-30 13:17:35	68	55dB	2.3	130%	Day
10033	2025-03-30 13:25:00	?	55dB	?	?	Day
10034	2025-03-30 13:27:27	?	55dB	?	?	Day
10035	2025-03-30 13:29:28	?	55dB	?	?	Day
10036	2025-03-30 13:31:16	69	55dB	2.5	146%	Day
10037	2025-03-30 13:33:23	?	55dB	?	?	Day
10038	2025-03-30 13:36:10	75	55dB	3.7	273%	Day
10039	2025-03-30 13:41:28	68	55dB	2.5	146%	Day
10040	2025-03-30 13:42:32	?	55dB	?	?	Day
10041	2025-03-30 13:43:45	?	55dB	?	?	Day
10042	2025-03-30 13:45:33	75	55dB	4.0	300%	Day
10043	2025-03-30 13:47:18	?	55dB	?	?	Day
10044	2025-03-30 13:48:24	75	55dB	3.7	273%	Day
10045	2025-03-30 13:49:26	84	55dB	7.0	596%	Day
10046	2025-03-30 13:51:23	?	55dB	?	?	Day
10047	2025-03-30 13:53:10	68	55dB	2.5	146%	Day
10048	2025-03-30 13:56:32	69	55dB	2.6	164%	Day
10049	2025-03-30 14:03:45	78	55dB	4.6	359%	Day
10050	2025-03-30 14:06:38	74	55dB	3.7	273%	Day
10051	2025-03-30 14:08:23	68	55dB	2.3	130%	Day
10052	2025-03-30 14:10:25	73	55dB	3.2	225%	Day
10053	2025-03-30 14:13:36	68	55dB	2.5	146%	Day
10054	2025-03-30 14:16:52	?	55dB	?	?	Day
10055	2025-03-30 14:18:54	79	55dB	5.3	428%	Day
10056	2025-03-30 14:20:07	76	55dB	4.0	300%	Day
10057	2025-03-30 14:21:06	76	55dB	4.0	300%	Day
10058	2025-03-30 14:22:04	71	55dB	2.8	183%	Day
10059	2025-03-30 14:25:32	70	55dB	2.6	164%	Day
10060	2025-03-30 14:26:30	68	55dB	2.5	146%	Day
10061	2025-03-30 14:27:33	73	55dB	3.5	248%	Day
10062	2025-03-30 14:30:19	75	55dB	3.7	273%	Day
10063	2025-03-30 14:32:18	72	55dB	3.2	225%	Day
10064	2025-03-30 14:33:37	76	55dB	4.0	300%	Day
10065	2025-03-30 14:37:40	69	55dB	2.5	146%	Day
10066	2025-03-30 14:43:32	78	55dB	4.9	392%	Day
10067	2025-03-30 14:47:16	70	55dB	2.8	183%	Day
10068	2025-03-30 14:48:42	?	55dB	?	?	Day
10069	2025-03-30 14:53:05	69	55dB	2.6	164%	Day
10070	2025-03-30 14:54:03	69	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10071	2025-03-30 14:57:15	?	55dB	?	?	Day
10072	2025-03-30 16:20:11	78	55dB	4.6	359%	Day
10073	2025-03-30 16:21:53	74	55dB	3.5	248%	Day
10074	2025-03-30 16:23:41	75	55dB	3.7	273%	Day
10075	2025-03-30 16:26:10	71	55dB	2.8	183%	Day
10076	2025-03-30 16:27:36	72	55dB	3.2	225%	Day
10077	2025-03-30 16:29:00	68	55dB	2.5	146%	Day
10078	2025-03-30 16:30:28	69	55dB	2.6	164%	Day
10079	2025-03-30 16:31:42	68	55dB	2.3	130%	Day
10080	2025-03-30 16:33:32	73	55dB	3.2	225%	Day
10081	2025-03-30 16:35:24	?	55dB	?	?	Day
10082	2025-03-30 16:36:49	78	55dB	4.6	359%	Day
10083	2025-03-30 16:38:50	70	55dB	2.8	183%	Day
10084	2025-03-30 16:40:16	69	55dB	2.6	164%	Day
10085	2025-03-30 16:42:49	67	55dB	2.1	114%	Day
10086	2025-03-30 16:44:09	71	55dB	3.0	203%	Day
10087	2025-03-30 16:46:05	74	55dB	3.7	273%	Day
10088	2025-03-30 16:48:13	71	55dB	2.8	183%	Day
10089	2025-03-30 16:50:06	70	55dB	2.8	183%	Day
10090	2025-03-30 16:51:44	67	55dB	2.3	130%	Day
10091	2025-03-30 16:53:03	69	55dB	2.5	146%	Day
10092	2025-03-30 16:54:42	71	55dB	2.8	183%	Day
10093	2025-03-30 16:56:10	69	55dB	2.6	164%	Day
10094	2025-03-30 16:57:37	73	55dB	3.2	225%	Day
10095	2025-03-30 16:59:06	?	55dB	?	?	Day
10096	2025-03-30 17:00:38	74	55dB	3.5	248%	Day
10097	2025-03-30 17:02:47	70	55dB	2.6	164%	Day
10098	2025-03-30 17:04:14	75	55dB	3.7	273%	Day
10099	2025-03-30 17:05:52	77	55dB	4.3	329%	Day
10100	2025-03-30 17:20:49	?	55dB	?	?	Day
10101	2025-03-30 17:22:08	72	55dB	3.0	203%	Day
10102	2025-03-30 17:23:55	69	55dB	2.6	164%	Day
10103	2025-03-30 17:25:25	70	55dB	2.6	164%	Day
10104	2025-03-30 17:27:05	69	55dB	2.6	164%	Day
10105	2025-03-30 17:31:25	74	55dB	3.7	273%	Day
10106	2025-03-30 17:34:01	66	55dB	2.0	100%	Day
10107	2025-03-30 17:35:38	?	55dB	?	?	Day
10108	2025-03-30 17:37:17	71	55dB	3.0	203%	Day
10109	2025-03-30 17:41:23	?	55dB	?	?	Day
10110	2025-03-30 17:42:54	71	55dB	3.0	203%	Day
10111	2025-03-30 17:44:31	73	55dB	3.5	248%	Day
10112	2025-03-30 17:46:16	74	55dB	3.5	248%	Day
10113	2025-03-30 17:47:57	70	55dB	2.6	164%	Day
10114	2025-03-30 17:49:18	72	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10115	2025-03-30 17:50:46	71	55dB	3.0	203%	Day
10116	2025-03-30 17:54:55	72	55dB	3.2	225%	Day
10117	2025-03-30 17:57:39	72	55dB	3.2	225%	Day
10118	2025-03-30 17:58:54	72	55dB	3.2	225%	Day
10119	2025-03-30 18:00:43	70	55dB	2.6	164%	Day
10120	2025-03-30 18:02:25	70	55dB	2.6	164%	Day
10121	2025-03-30 18:04:28	?	55dB	?	?	Day
10122	2025-03-30 18:05:46	81	55dB	6.1	506%	Day
10123	2025-03-30 18:07:15	?	55dB	?	?	Day
10124	2025-03-30 18:08:44	?	55dB	?	?	Day
10125	2025-03-30 18:10:07	69	55dB	2.6	164%	Day
10126	2025-03-30 18:12:39	?	55dB	?	?	Day
10127	2025-03-30 18:16:35	?	55dB	?	?	Day
10128	2025-03-30 18:18:03	73	55dB	3.5	248%	Day
10129	2025-03-30 18:20:32	68	55dB	2.3	130%	Day
10130	2025-03-30 18:21:53	70	55dB	2.8	183%	Day
10131	2025-03-30 18:23:17	76	55dB	4.3	329%	Day
10132	2025-03-30 18:25:03	66	55dB	2.1	114%	Day
10133	2025-03-30 18:26:18	72	55dB	3.0	203%	Day
10134	2025-03-30 18:27:52	72	55dB	3.0	203%	Day
10135	2025-03-30 18:29:38	75	55dB	4.0	300%	Day
10136	2025-03-30 18:32:48	?	55dB	?	?	Day
10137	2025-03-30 18:34:15	71	55dB	3.0	203%	Day
10138	2025-03-30 18:35:43	69	55dB	2.5	146%	Day
10139	2025-03-30 18:37:02	70	55dB	2.8	183%	Day
10140	2025-03-30 18:38:42	74	55dB	3.5	248%	Day
10141	2025-03-30 18:41:13	79	55dB	4.9	392%	Day
10142	2025-03-30 18:42:31	69	55dB	2.6	164%	Day
10143	2025-03-30 18:44:07	71	55dB	2.8	183%	Day
10144	2025-03-30 18:46:10	71	55dB	2.8	183%	Day
10145	2025-03-30 18:48:53	69	55dB	2.5	146%	Day
10146	2025-03-30 18:50:27	?	55dB	?	?	Day
10147	2025-03-30 18:53:32	?	55dB	?	?	Day
10148	2025-03-30 18:55:16	?	55dB	?	?	Day
10149	2025-03-30 18:56:57	72	55dB	3.0	203%	Day
10150	2025-03-30 18:58:30	73	55dB	3.2	225%	Day
10151	2025-03-30 19:00:32	67	45dB	4.6	359%	Night
10152	2025-03-30 19:02:35	76	45dB	8.0	700%	Night
10153	2025-03-30 19:05:03	74	45dB	7.0	596%	Night
10154	2025-03-30 19:07:24	70	45dB	5.3	428%	Night
10155	2025-03-30 19:08:46	70	45dB	5.3	428%	Night
10156	2025-03-30 19:10:05	?	45dB	?	?	Night
10157	2025-03-30 19:11:30	71	45dB	5.7	466%	Night
10158	2025-03-30 19:12:52	76	45dB	8.6	757%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10159	2025-03-30 19:14:25	70	45dB	5.7	466%	Night
10160	2025-03-30 19:16:52	?	45dB	?	?	Night
10161	2025-03-30 19:18:12	71	45dB	5.7	466%	Night
10162	2025-03-30 19:19:53	69	45dB	5.3	428%	Night
10163	2025-03-30 19:21:30	73	45dB	7.0	596%	Night
10164	2025-03-30 19:22:53	?	45dB	?	?	Night
10165	2025-03-30 19:24:35	?	45dB	?	?	Night
10166	2025-03-30 19:26:19	74	45dB	7.0	596%	Night
10167	2025-03-30 19:30:04	?	45dB	?	?	Night
10168	2025-03-30 19:32:00	76	45dB	8.6	757%	Night
10169	2025-03-30 19:34:04	68	45dB	4.6	359%	Night
10170	2025-03-30 19:37:22	?	45dB	?	?	Night
10171	2025-03-30 19:38:58	69	45dB	5.3	428%	Night
10172	2025-03-30 19:40:56	?	45dB	?	?	Night
10173	2025-03-30 19:42:24	75	45dB	7.5	646%	Night
10174	2025-03-30 19:43:48	70	45dB	5.3	428%	Night
10175	2025-03-30 19:48:24	?	45dB	?	?	Night
10176	2025-03-30 19:50:48	67	45dB	4.6	359%	Night
10177	2025-03-30 19:52:50	69	45dB	4.9	392%	Night
10178	2025-03-30 19:54:33	78	45dB	9.8	885%	Night
10179	2025-03-30 19:57:01	75	45dB	7.5	646%	Night
10180	2025-03-30 19:58:37	77	45dB	8.6	757%	Night
10181	2025-03-30 20:00:00	74	45dB	7.5	646%	Night
10182	2025-03-30 20:01:24	73	45dB	6.5	550%	Night
10183	2025-03-30 20:03:02	73	45dB	6.5	550%	Night
10184	2025-03-30 20:05:40	?	45dB	?	?	Night
10185	2025-03-30 20:07:20	74	45dB	7.5	646%	Night
10186	2025-03-30 20:10:02	72	45dB	6.5	550%	Night
10187	2025-03-30 20:11:31	?	45dB	?	?	Night
10188	2025-03-30 20:13:02	?	45dB	?	?	Night
10189	2025-03-30 20:14:53	69	45dB	5.3	428%	Night
10190	2025-03-30 20:16:32	72	45dB	6.1	506%	Night
10191	2025-03-30 20:18:25	72	45dB	6.5	550%	Night
10192	2025-03-30 20:20:49	73	45dB	6.5	550%	Night
10193	2025-03-30 20:22:36	68	45dB	4.9	392%	Night
10194	2025-03-30 20:24:25	69	45dB	5.3	428%	Night
10195	2025-03-30 20:26:27	69	45dB	5.3	428%	Night
10196	2025-03-30 20:28:04	72	45dB	6.1	506%	Night
10197	2025-03-30 20:29:50	69	45dB	5.3	428%	Night
10198	2025-03-30 20:31:34	67	45dB	4.6	359%	Night
10199	2025-03-30 20:33:33	70	45dB	5.7	466%	Night
10200	2025-03-30 20:36:08	73	45dB	7.0	596%	Night
10201	2025-03-30 20:37:55	74	45dB	7.0	596%	Night
10202	2025-03-30 20:39:48	70	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10203	2025-03-30 20:42:17	72	45dB	6.5	550%	Night
10204	2025-03-30 20:43:47	70	45dB	5.7	466%	Night
10205	2025-03-30 20:46:22	69	45dB	4.9	392%	Night
10206	2025-03-30 20:48:12	72	45dB	6.1	506%	Night
10207	2025-03-30 20:49:55	?	45dB	?	?	Night
10208	2025-03-30 20:51:39	70	45dB	5.3	428%	Night
10209	2025-03-30 20:53:54	71	45dB	6.1	506%	Night
10210	2025-03-30 20:56:05	70	45dB	5.7	466%	Night
10211	2025-03-30 20:58:19	70	45dB	5.3	428%	Night
10212	2025-03-30 21:00:05	72	45dB	6.5	550%	Night
10213	2025-03-30 21:02:15	73	45dB	6.5	550%	Night
10214	2025-03-30 21:03:54	72	45dB	6.1	506%	Night
10215	2025-03-30 21:06:03	71	45dB	5.7	466%	Night
10216	2025-03-30 21:07:51	72	45dB	6.5	550%	Night
10217	2025-03-30 21:10:08	73	45dB	7.0	596%	Night
10218	2025-03-30 21:11:55	74	45dB	7.5	646%	Night
10219	2025-03-30 21:14:03	74	45dB	7.0	596%	Night
10220	2025-03-30 21:16:30	71	45dB	5.7	466%	Night
10221	2025-03-30 21:18:24	?	45dB	?	?	Night
10222	2025-03-30 21:20:17	73	45dB	7.0	596%	Night
10223	2025-03-30 21:21:55	74	45dB	7.0	596%	Night
10224	2025-03-30 21:24:32	69	45dB	5.3	428%	Night
10225	2025-03-30 21:26:35	?	45dB	?	?	Night
10226	2025-03-30 21:28:22	70	45dB	5.7	466%	Night
10227	2025-03-30 21:30:21	72	45dB	6.1	506%	Night
10228	2025-03-30 21:32:30	69	45dB	5.3	428%	Night
10229	2025-03-30 21:39:38	?	45dB	?	?	Night
10230	2025-03-30 21:40:54	?	45dB	?	?	Night
10231	2025-03-30 21:43:01	71	45dB	5.7	466%	Night
10232	2025-03-30 21:44:13	66	45dB	4.3	329%	Night
10233	2025-03-30 21:46:02	83	45dB	13.0	1200%	Night
10234	2025-03-30 21:48:24	?	45dB	?	?	Night
10235	2025-03-30 21:49:46	?	45dB	?	?	Night
10236	2025-03-30 21:51:13	?	45dB	?	?	Night
10237	2025-03-30 21:53:12	?	45dB	?	?	Night
10238	2025-03-30 21:55:24	73	45dB	7.0	596%	Night
10239	2025-03-30 22:00:20	?	45dB	?	?	Night
10240	2025-03-30 22:03:51	?	45dB	?	?	Night
10241	2025-03-30 22:05:05	66	45dB	4.0	300%	Night
10242	2025-03-30 22:07:19	72	45dB	6.5	550%	Night
10243	2025-03-30 22:09:10	70	45dB	5.7	466%	Night
10244	2025-03-30 22:11:19	76	45dB	8.6	757%	Night
10245	2025-03-30 22:22:05	76	45dB	8.0	700%	Night
10246	2025-03-30 22:23:45	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10247	2025-03-30 22:25:33	69	45dB	4.9	392%	Night
10248	2025-03-30 22:27:11	72	45dB	6.5	550%	Night
10249	2025-03-30 22:29:30	73	45dB	6.5	550%	Night
10250	2025-03-30 22:37:43	69	45dB	4.9	392%	Night
10251	2025-03-30 22:40:35	73	45dB	6.5	550%	Night
10252	2025-03-30 22:42:28	71	45dB	5.7	466%	Night
10253	2025-03-30 22:44:45	70	45dB	5.3	428%	Night
10254	2025-03-30 22:46:42	71	45dB	5.7	466%	Night
10255	2025-03-30 22:48:13	74	45dB	7.5	646%	Night
10256	2025-03-30 22:50:06	?	45dB	?	?	Night
10257	2025-03-30 22:52:02	77	45dB	8.6	757%	Night
10258	2025-03-30 22:53:51	72	45dB	6.5	550%	Night
10259	2025-03-30 22:56:23	70	45dB	5.7	466%	Night
10260	2025-03-30 22:58:21	75	45dB	7.5	646%	Night
10261	2025-03-30 23:00:02	71	45dB	6.1	506%	Night
10262	2025-03-30 23:01:53	71	45dB	6.1	506%	Night
10263	2025-03-30 23:03:51	75	45dB	7.5	646%	Night
10264	2025-03-30 23:06:36	72	45dB	6.5	550%	Night
10265	2025-03-30 23:10:16	73	45dB	6.5	550%	Night
10266	2025-03-30 23:12:04	71	45dB	6.1	506%	Night
10267	2025-03-30 23:13:54	71	45dB	5.7	466%	Night
10268	2025-03-30 23:15:43	71	45dB	5.7	466%	Night
10269	2025-03-30 23:17:31	70	45dB	5.3	428%	Night
10270	2025-03-30 23:19:35	70	45dB	5.3	428%	Night
10271	2025-03-30 23:23:06	?	45dB	?	?	Night
10272	2025-03-30 23:25:47	70	45dB	5.7	466%	Night
10273	2025-03-30 23:30:39	71	45dB	6.1	506%	Night
10274	2025-03-30 23:37:14	?	45dB	?	?	Night
10275	2025-03-30 23:39:48	73	45dB	6.5	550%	Night
10276	2025-03-30 23:42:02	71	45dB	5.7	466%	Night
10277	2025-03-30 23:50:51	81	45dB	11.3	1031%	Night
10278	2025-03-30 23:52:54	71	45dB	6.1	506%	Night
10279	2025-03-31 00:02:01	72	45dB	6.1	506%	Night
10280	2025-03-31 00:05:33	73	45dB	6.5	550%	Night
10281	2025-03-31 00:07:25	77	45dB	9.2	819%	Night
10282	2025-03-31 00:10:21	70	45dB	5.3	428%	Night
10283	2025-03-31 00:11:55	71	45dB	6.1	506%	Night
10284	2025-03-31 00:13:34	72	45dB	6.5	550%	Night
10285	2025-03-31 00:15:13	73	45dB	6.5	550%	Night
10286	2025-03-31 00:17:04	69	45dB	5.3	428%	Night
10287	2025-03-31 00:18:48	73	45dB	6.5	550%	Night
10288	2025-03-31 00:20:26	73	45dB	7.0	596%	Night
10289	2025-03-31 00:23:11	74	45dB	7.5	646%	Night
10290	2025-03-31 00:25:02	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10291	2025-03-31 00:26:51	69	45dB	4.9	392%	Night
10292	2025-03-31 00:28:31	71	45dB	6.1	506%	Night
10293	2025-03-31 00:30:34	73	45dB	6.5	550%	Night
10294	2025-03-31 00:32:37	69	45dB	4.9	392%	Night
10295	2025-03-31 00:35:16	70	45dB	5.7	466%	Night
10296	2025-03-31 00:37:54	71	45dB	6.1	506%	Night
10297	2025-03-31 00:39:38	73	45dB	7.0	596%	Night
10298	2025-03-31 00:41:28	78	45dB	9.2	819%	Night
10299	2025-03-31 00:43:19	74	45dB	7.5	646%	Night
10300	2025-03-31 00:45:33	73	45dB	6.5	550%	Night
10301	2025-03-31 00:47:10	71	45dB	6.1	506%	Night
10302	2025-03-31 00:48:50	75	45dB	8.0	700%	Night
10303	2025-03-31 00:50:34	70	45dB	5.7	466%	Night
10304	2025-03-31 00:52:20	73	45dB	6.5	550%	Night
10305	2025-03-31 00:54:05	76	45dB	8.0	700%	Night
10306	2025-03-31 00:55:43	75	45dB	8.0	700%	Night
10307	2025-03-31 00:57:26	70	45dB	5.7	466%	Night
10308	2025-03-31 00:59:39	74	45dB	7.0	596%	Night
10309	2025-03-31 01:01:07	73	45dB	6.5	550%	Night
10310	2025-03-31 01:03:11	73	45dB	6.5	550%	Night
10311	2025-03-31 01:04:46	72	45dB	6.5	550%	Night
10312	2025-03-31 01:06:23	70	45dB	5.7	466%	Night
10313	2025-03-31 01:07:53	70	45dB	5.3	428%	Night
10314	2025-03-31 01:09:28	69	45dB	5.3	428%	Night
10315	2025-03-31 01:11:18	72	45dB	6.5	550%	Night
10316	2025-03-31 01:12:55	69	45dB	4.9	392%	Night
10317	2025-03-31 01:14:25	71	45dB	6.1	506%	Night
10318	2025-03-31 01:16:08	69	45dB	5.3	428%	Night
10319	2025-03-31 01:18:00	72	45dB	6.1	506%	Night
10320	2025-03-31 01:19:45	69	45dB	5.3	428%	Night
10321	2025-03-31 01:23:50	70	45dB	5.7	466%	Night
10322	2025-03-31 01:25:40	71	45dB	6.1	506%	Night
10323	2025-03-31 01:28:14	70	45dB	5.7	466%	Night
10324	2025-03-31 01:30:27	71	45dB	6.1	506%	Night
10325	2025-03-31 01:32:32	72	45dB	6.5	550%	Night
10326	2025-03-31 01:34:50	72	45dB	6.5	550%	Night
10327	2025-03-31 01:36:58	73	45dB	6.5	550%	Night
10328	2025-03-31 01:39:29	72	45dB	6.5	550%	Night
10329	2025-03-31 01:46:10	73	45dB	6.5	550%	Night
10330	2025-03-31 01:52:34	69	45dB	5.3	428%	Night
10331	2025-03-31 01:59:56	73	45dB	6.5	550%	Night
10332	2025-03-31 02:05:20	67	45dB	4.3	329%	Night
10333	2025-03-31 02:08:48	70	45dB	5.3	428%	Night
10334	2025-03-31 02:11:25	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10335	2025-03-31 02:15:32	75	45dB	8.0	700%	Night
10336	2025-03-31 02:39:26	63	45dB	3.5	248%	Night
10337	2025-03-31 02:42:14	75	45dB	7.5	646%	Night
10338	2025-03-31 05:22:07	79	45dB	10.6	956%	Night
10339	2025-03-31 05:26:43	74	45dB	7.0	596%	Night
10340	2025-03-31 05:29:22	80	45dB	11.3	1031%	Night
10341	2025-03-31 05:36:22	72	45dB	6.1	506%	Night
10342	2025-03-31 05:38:38	71	45dB	5.7	466%	Night
10343	2025-03-31 05:40:40	73	45dB	7.0	596%	Night
10344	2025-03-31 05:42:48	71	45dB	6.1	506%	Night
10345	2025-03-31 05:46:18	77	45dB	9.2	819%	Night
10346	2025-03-31 05:48:57	77	45dB	9.2	819%	Night
10347	2025-03-31 05:59:09	74	45dB	7.0	596%	Night
10348	2025-03-31 06:05:32	76	45dB	8.0	700%	Night
10349	2025-03-31 06:11:33	72	45dB	6.5	550%	Night
10350	2025-03-31 06:13:54	71	45dB	5.7	466%	Night
10351	2025-03-31 06:19:03	76	45dB	8.6	757%	Night
10352	2025-03-31 06:28:38	70	45dB	5.3	428%	Night
10353	2025-03-31 06:31:06	71	45dB	6.1	506%	Night
10354	2025-03-31 06:32:40	73	45dB	7.0	596%	Night
10355	2025-03-31 06:34:16	72	45dB	6.1	506%	Night
10356	2025-03-31 06:36:06	73	45dB	7.0	596%	Night
10357	2025-03-31 06:37:50	75	45dB	7.5	646%	Night
10358	2025-03-31 06:40:15	70	45dB	5.7	466%	Night
10359	2025-03-31 06:41:51	72	45dB	6.1	506%	Night
10360	2025-03-31 06:43:20	76	45dB	8.0	700%	Night
10361	2025-03-31 06:46:05	70	45dB	5.7	466%	Night
10362	2025-03-31 06:47:36	72	45dB	6.5	550%	Night
10363	2025-03-31 06:49:02	70	45dB	5.3	428%	Night
10364	2025-03-31 06:50:47	72	45dB	6.5	550%	Night
10365	2025-03-31 06:52:26	73	45dB	6.5	550%	Night
10366	2025-03-31 06:54:02	71	45dB	6.1	506%	Night
10367	2025-03-31 06:56:30	73	45dB	7.0	596%	Night
10368	2025-03-31 07:00:53	70	55dB	2.8	183%	Day
10369	2025-03-31 07:02:24	71	55dB	2.8	183%	Day
10370	2025-03-31 07:07:07	73	55dB	3.2	225%	Day
10371	2025-03-31 07:08:43	72	55dB	3.0	203%	Day
10372	2025-03-31 07:10:34	72	55dB	3.2	225%	Day
10373	2025-03-31 07:13:07	71	55dB	3.0	203%	Day
10374	2025-03-31 07:14:45	74	55dB	3.5	248%	Day
10375	2025-03-31 07:16:39	69	55dB	2.6	164%	Day
10376	2025-03-31 07:18:24	77	55dB	4.3	329%	Day
10377	2025-03-31 07:20:22	69	55dB	2.6	164%	Day
10378	2025-03-31 07:22:00	70	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10379	2025-03-31 07:23:50	71	55dB	3.0	203%	Day
10380	2025-03-31 07:26:16	74	55dB	3.7	273%	Day
10381	2025-03-31 07:28:35	74	55dB	3.5	248%	Day
10382	2025-03-31 07:35:31	71	55dB	3.0	203%	Day
10383	2025-03-31 07:42:52	71	55dB	2.8	183%	Day
10384	2025-03-31 07:46:23	70	55dB	2.8	183%	Day
10385	2025-03-31 07:52:11	77	55dB	4.6	359%	Day
10386	2025-03-31 07:54:46	71	55dB	2.8	183%	Day
10387	2025-03-31 07:56:48	72	55dB	3.2	225%	Day
10388	2025-03-31 08:05:32	72	55dB	3.2	225%	Day
10389	2025-03-31 08:11:23	72	55dB	3.2	225%	Day
10390	2025-03-31 08:14:58	70	55dB	2.6	164%	Day
10391	2025-03-31 08:17:27	83	55dB	6.5	550%	Day
10392	2025-03-31 08:19:31	79	55dB	4.9	392%	Day
10393	2025-03-31 08:22:18	74	55dB	3.7	273%	Day
10394	2025-03-31 08:32:58	95	55dB	14.9	1393%	Day
10395	2025-03-31 08:45:20	?	55dB	?	?	Day
10396	2025-03-31 08:49:00	72	55dB	3.2	225%	Day
10397	2025-03-31 08:50:50	74	55dB	3.7	273%	Day
10398	2025-03-31 08:55:10	77	55dB	4.6	359%	Day
10399	2025-03-31 08:57:25	78	55dB	4.6	359%	Day
10400	2025-03-31 08:59:22	78	55dB	4.9	392%	Day
10401	2025-03-31 09:02:48	78	55dB	4.9	392%	Day
10402	2025-03-31 09:06:16	84	55dB	7.0	596%	Day
10403	2025-03-31 09:15:09	74	55dB	3.7	273%	Day
10404	2025-03-31 09:19:59	77	55dB	4.6	359%	Day
10405	2025-03-31 09:24:12	85	55dB	7.5	646%	Day
10406	2025-03-31 09:29:49	74	55dB	3.5	248%	Day
10407	2025-03-31 09:43:46	69	55dB	2.6	164%	Day
10408	2025-03-31 09:45:16	72	55dB	3.2	225%	Day
10409	2025-03-31 09:46:54	81	55dB	5.7	466%	Day
10410	2025-03-31 09:48:46	75	55dB	3.7	273%	Day
10411	2025-03-31 09:50:48	68	55dB	2.5	146%	Day
10412	2025-03-31 09:52:40	76	55dB	4.3	329%	Day
10413	2025-03-31 09:55:34	71	55dB	3.0	203%	Day
10414	2025-03-31 09:57:35	74	55dB	3.5	248%	Day
10415	2025-03-31 10:01:51	68	55dB	2.5	146%	Day
10416	2025-03-31 10:04:54	?	55dB	?	?	Day
10417	2025-03-31 10:10:49	82	55dB	6.1	506%	Day
10418	2025-03-31 10:12:18	71	55dB	3.0	203%	Day
10419	2025-03-31 10:16:47	72	55dB	3.0	203%	Day
10420	2025-03-31 10:20:03	77	55dB	4.6	359%	Day
10421	2025-03-31 10:21:42	76	55dB	4.3	329%	Day
10422	2025-03-31 10:23:45	75	55dB	4.0	300%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10423	2025-03-31 10:26:18	70	55dB	2.6	164%	Day
10424	2025-03-31 10:36:50	78	55dB	4.9	392%	Day
10425	2025-03-31 10:38:24	71	55dB	2.8	183%	Day
10426	2025-03-31 10:41:00	82	55dB	6.1	506%	Day
10427	2025-03-31 10:43:17	71	55dB	3.0	203%	Day
10428	2025-03-31 10:44:45	72	55dB	3.2	225%	Day
10429	2025-03-31 10:46:32	67	55dB	2.3	130%	Day
10430	2025-03-31 10:47:56	71	55dB	3.0	203%	Day
10431	2025-03-31 10:52:28	76	55dB	4.3	329%	Day
10432	2025-03-31 10:56:55	69	55dB	2.6	164%	Day
10433	2025-03-31 10:59:18	76	55dB	4.3	329%	Day
10434	2025-03-31 11:01:12	78	55dB	4.6	359%	Day
10435	2025-03-31 11:07:00	69	55dB	2.5	146%	Day
10436	2025-03-31 11:10:26	77	55dB	4.6	359%	Day
10437	2025-03-31 11:12:44	77	55dB	4.3	329%	Day
10438	2025-03-31 11:14:51	72	55dB	3.2	225%	Day
10439	2025-03-31 11:16:27	74	55dB	3.7	273%	Day
10440	2025-03-31 11:19:28	75	55dB	3.7	273%	Day
10441	2025-03-31 11:22:04	73	55dB	3.2	225%	Day
10442	2025-03-31 11:24:02	82	55dB	6.1	506%	Day
10443	2025-03-31 11:25:47	86	55dB	8.0	700%	Day
10444	2025-03-31 11:27:48	69	55dB	2.5	146%	Day
10445	2025-03-31 11:29:54	71	55dB	2.8	183%	Day
10446	2025-03-31 11:37:28	73	55dB	3.2	225%	Day
10447	2025-03-31 11:39:44	69	55dB	2.6	164%	Day
10448	2025-03-31 11:45:24	84	55dB	7.5	646%	Day
10449	2025-03-31 11:47:30	69	55dB	2.5	146%	Day
10450	2025-03-31 11:49:27	68	55dB	2.5	146%	Day
10451	2025-03-31 11:51:56	?	55dB	?	?	Day
10452	2025-03-31 11:54:07	70	55dB	2.8	183%	Day
10453	2025-03-31 11:56:31	69	55dB	2.6	164%	Day
10454	2025-03-31 11:58:40	76	55dB	4.3	329%	Day
10455	2025-03-31 12:03:37	70	55dB	2.8	183%	Day
10456	2025-03-31 12:05:36	78	55dB	4.9	392%	Day
10457	2025-03-31 12:07:19	77	55dB	4.6	359%	Day
10458	2025-03-31 12:09:20	?	55dB	?	?	Day
10459	2025-03-31 12:12:02	91	55dB	12.1	1113%	Day
10460	2025-03-31 12:14:20	79	55dB	5.3	428%	Day
10461	2025-03-31 12:16:15	67	55dB	2.1	114%	Day
10462	2025-03-31 12:18:18	75	55dB	4.0	300%	Day
10463	2025-03-31 12:20:23	85	55dB	8.0	700%	Day
10464	2025-03-31 12:21:52	84	55dB	7.5	646%	Day
10465	2025-03-31 12:23:51	?	55dB	?	?	Day
10466	2025-03-31 12:25:38	73	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10467	2025-03-31 12:26:54	73	55dB	3.2	225%	Day
10468	2025-03-31 12:28:22	78	55dB	4.6	359%	Day
10469	2025-03-31 12:29:46	80	55dB	5.3	428%	Day
10470	2025-03-31 12:31:13	74	55dB	3.5	248%	Day
10471	2025-03-31 12:32:33	84	55dB	7.0	596%	Day
10472	2025-03-31 12:34:01	79	55dB	4.9	392%	Day
10473	2025-03-31 12:43:12	85	55dB	7.5	646%	Day
10474	2025-03-31 12:45:05	75	55dB	3.7	273%	Day
10475	2025-03-31 12:48:03	83	55dB	6.5	550%	Day
10476	2025-03-31 12:49:17	82	55dB	6.1	506%	Day
10477	2025-03-31 12:50:38	?	55dB	?	?	Day
10478	2025-03-31 12:52:07	76	55dB	4.0	300%	Day
10479	2025-03-31 12:53:31	88	55dB	9.8	885%	Day
10480	2025-03-31 12:54:54	73	55dB	3.5	248%	Day
10481	2025-03-31 12:57:19	81	55dB	5.7	466%	Day
10482	2025-03-31 12:58:48	76	55dB	4.3	329%	Day
10483	2025-03-31 13:01:05	76	55dB	4.3	329%	Day
10484	2025-03-31 13:02:34	73	55dB	3.5	248%	Day
10485	2025-03-31 13:04:54	81	55dB	6.1	506%	Day
10486	2025-03-31 13:06:20	73	55dB	3.2	225%	Day
10487	2025-03-31 13:08:02	78	55dB	4.9	392%	Day
10488	2025-03-31 13:09:15	83	55dB	7.0	596%	Day
10489	2025-03-31 13:10:50	69	55dB	2.5	146%	Day
10490	2025-03-31 13:12:13	73	55dB	3.5	248%	Day
10491	2025-03-31 13:13:53	78	55dB	4.9	392%	Day
10492	2025-03-31 13:16:05	?	55dB	?	?	Day
10493	2025-03-31 13:18:31	84	55dB	7.5	646%	Day
10494	2025-03-31 13:20:00	75	55dB	4.0	300%	Day
10495	2025-03-31 13:21:18	77	55dB	4.6	359%	Day
10496	2025-03-31 13:24:06	?	55dB	?	?	Day
10497	2025-03-31 13:25:40	76	55dB	4.0	300%	Day
10498	2025-03-31 13:27:32	83	55dB	6.5	550%	Day
10499	2025-03-31 13:29:41	82	55dB	6.5	550%	Day
10500	2025-03-31 13:31:20	80	55dB	5.3	428%	Day
10501	2025-03-31 13:33:10	69	55dB	2.6	164%	Day
10502	2025-03-31 13:38:58	75	55dB	3.7	273%	Day
10503	2025-03-31 13:40:58	78	55dB	4.9	392%	Day
10504	2025-03-31 13:42:26	79	55dB	4.9	392%	Day
10505	2025-03-31 13:43:58	75	55dB	4.0	300%	Day
10506	2025-03-31 13:45:38	73	55dB	3.2	225%	Day
10507	2025-03-31 13:47:22	74	55dB	3.7	273%	Day
10508	2025-03-31 13:53:00	80	55dB	5.3	428%	Day
10509	2025-03-31 13:55:37	79	55dB	5.3	428%	Day
10510	2025-03-31 13:57:37	79	55dB	4.9	392%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10511	2025-03-31 13:59:08	82	55dB	6.5	550%	Day
10512	2025-03-31 14:00:33	75	55dB	4.0	300%	Day
10513	2025-03-31 14:02:45	78	55dB	4.9	392%	Day
10514	2025-03-31 14:04:34	77	55dB	4.6	359%	Day
10515	2025-03-31 14:05:41	80	55dB	5.3	428%	Day
10516	2025-03-31 14:07:01	80	55dB	5.7	466%	Day
10517	2025-03-31 14:08:10	73	55dB	3.5	248%	Day
10518	2025-03-31 14:15:03	72	55dB	3.2	225%	Day
10519	2025-03-31 14:16:25	80	55dB	5.3	428%	Day
10520	2025-03-31 14:17:55	81	55dB	5.7	466%	Day
10521	2025-03-31 14:20:51	72	55dB	3.0	203%	Day
10522	2025-03-31 14:29:38	85	55dB	8.0	700%	Day
10523	2025-03-31 14:31:03	79	55dB	5.3	428%	Day
10524	2025-03-31 14:32:47	?	55dB	?	?	Day
10525	2025-03-31 14:34:02	70	55dB	2.6	164%	Day
10526	2025-03-31 14:35:25	?	55dB	?	?	Day
10527	2025-03-31 14:36:33	?	55dB	?	?	Day
10528	2025-03-31 14:37:56	83	55dB	6.5	550%	Day
10529	2025-03-31 14:39:17	71	55dB	3.0	203%	Day
10530	2025-03-31 14:44:54	82	55dB	6.1	506%	Day
10531	2025-03-31 14:46:34	79	55dB	4.9	392%	Day
10532	2025-03-31 14:48:23	73	55dB	3.2	225%	Day
10533	2025-03-31 14:49:30	78	55dB	4.9	392%	Day
10534	2025-03-31 14:50:49	71	55dB	3.0	203%	Day
10535	2025-03-31 14:52:08	81	55dB	6.1	506%	Day
10536	2025-03-31 14:54:16	68	55dB	2.5	146%	Day
10537	2025-03-31 14:55:33	75	55dB	4.0	300%	Day
10538	2025-03-31 14:57:47	70	55dB	2.8	183%	Day
10539	2025-03-31 14:59:06	81	55dB	6.1	506%	Day
10540	2025-03-31 15:00:45	77	55dB	4.6	359%	Day
10541	2025-03-31 15:02:53	?	55dB	?	?	Day
10542	2025-03-31 15:04:22	?	55dB	?	?	Day
10543	2025-03-31 15:08:04	?	55dB	?	?	Day
10544	2025-03-31 15:10:32	79	55dB	4.9	392%	Day
10545	2025-03-31 15:12:23	?	55dB	?	?	Day
10546	2025-03-31 15:14:11	80	55dB	5.3	428%	Day
10547	2025-03-31 15:16:41	86	55dB	8.0	700%	Day
10548	2025-03-31 15:22:12	73	55dB	3.5	248%	Day
10549	2025-03-31 15:24:42	86	55dB	8.0	700%	Day
10550	2025-03-31 15:26:56	84	55dB	7.5	646%	Day
10551	2025-03-31 15:28:21	78	55dB	4.6	359%	Day
10552	2025-03-31 15:30:05	70	55dB	2.8	183%	Day
10553	2025-03-31 15:31:14	80	55dB	5.7	466%	Day
10554	2025-03-31 15:33:41	68	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10555	2025-03-31 15:36:24	71	55dB	2.8	183%	Day
10556	2025-03-31 15:37:28	74	55dB	3.7	273%	Day
10557	2025-03-31 15:39:36	72	55dB	3.0	203%	Day
10558	2025-03-31 15:40:47	79	55dB	5.3	428%	Day
10559	2025-03-31 15:42:08	?	55dB	?	?	Day
10560	2025-03-31 15:44:25	85	55dB	7.5	646%	Day
10561	2025-03-31 15:47:49	84	55dB	7.0	596%	Day
10562	2025-03-31 15:49:27	78	55dB	4.6	359%	Day
10563	2025-03-31 15:51:02	70	55dB	2.6	164%	Day
10564	2025-03-31 15:52:18	69	55dB	2.5	146%	Day
10565	2025-03-31 15:53:51	72	55dB	3.0	203%	Day
10566	2025-03-31 15:55:04	78	55dB	4.9	392%	Day
10567	2025-03-31 15:56:23	?	55dB	?	?	Day
10568	2025-03-31 15:57:35	79	55dB	5.3	428%	Day
10569	2025-03-31 15:59:42	?	55dB	?	?	Day
10570	2025-03-31 16:01:07	78	55dB	4.9	392%	Day
10571	2025-03-31 16:02:56	73	55dB	3.5	248%	Day
10572	2025-03-31 16:04:35	75	55dB	4.0	300%	Day
10573	2025-03-31 16:07:11	76	55dB	4.0	300%	Day
10574	2025-03-31 16:09:02	?	55dB	?	?	Day
10575	2025-03-31 16:10:12	82	55dB	6.1	506%	Day
10576	2025-03-31 16:11:42	70	55dB	2.8	183%	Day
10577	2025-03-31 16:14:30	80	55dB	5.3	428%	Day
10578	2025-03-31 16:16:27	70	55dB	2.8	183%	Day
10579	2025-03-31 16:20:09	77	55dB	4.6	359%	Day
10580	2025-03-31 16:25:34	75	55dB	3.7	273%	Day
10581	2025-03-31 16:28:43	71	55dB	2.8	183%	Day
10582	2025-03-31 16:31:39	75	55dB	4.0	300%	Day
10583	2025-03-31 16:34:01	79	55dB	4.9	392%	Day
10584	2025-03-31 16:35:39	78	55dB	4.9	392%	Day
10585	2025-03-31 16:37:07	77	55dB	4.3	329%	Day
10586	2025-03-31 16:39:25	75	55dB	4.0	300%	Day
10587	2025-03-31 16:42:56	77	55dB	4.6	359%	Day
10588	2025-03-31 16:44:33	?	55dB	?	?	Day
10589	2025-03-31 16:47:16	?	55dB	?	?	Day
10590	2025-03-31 16:53:21	73	55dB	3.5	248%	Day
10591	2025-03-31 16:59:31	?	55dB	?	?	Day
10592	2025-03-31 17:01:22	75	55dB	3.7	273%	Day
10593	2025-03-31 17:03:09	77	55dB	4.3	329%	Day
10594	2025-03-31 17:05:26	74	55dB	3.7	273%	Day
10595	2025-03-31 17:06:50	69	55dB	2.5	146%	Day
10596	2025-03-31 17:08:03	68	55dB	2.5	146%	Day
10597	2025-03-31 17:09:24	73	55dB	3.5	248%	Day
10598	2025-03-31 17:10:50	79	55dB	4.9	392%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10599	2025-03-31 17:12:20	71	55dB	2.8	183%	Day
10600	2025-03-31 17:15:10	68	55dB	2.3	130%	Day
10601	2025-03-31 17:16:39	73	55dB	3.2	225%	Day
10602	2025-03-31 17:18:40	69	55dB	2.6	164%	Day
10603	2025-03-31 17:20:14	70	55dB	2.6	164%	Day
10604	2025-03-31 17:21:21	?	55dB	?	?	Day
10605	2025-03-31 17:22:32	75	55dB	4.0	300%	Day
10606	2025-03-31 17:24:04	72	55dB	3.0	203%	Day
10607	2025-03-31 17:25:19	71	55dB	3.0	203%	Day
10608	2025-03-31 17:27:53	70	55dB	2.6	164%	Day
10609	2025-03-31 17:29:56	71	55dB	3.0	203%	Day
10610	2025-03-31 17:31:26	76	55dB	4.3	329%	Day
10611	2025-03-31 17:33:28	85	55dB	8.0	700%	Day
10612	2025-03-31 17:34:55	75	55dB	4.0	300%	Day
10613	2025-03-31 17:36:44	?	55dB	?	?	Day
10614	2025-03-31 17:38:36	77	55dB	4.6	359%	Day
10615	2025-03-31 17:39:54	71	55dB	3.0	203%	Day
10616	2025-03-31 17:41:16	71	55dB	2.8	183%	Day
10617	2025-03-31 17:44:35	82	55dB	6.5	550%	Day
10618	2025-03-31 17:45:47	?	55dB	?	?	Day
10619	2025-03-31 17:47:07	81	55dB	5.7	466%	Day
10620	2025-03-31 17:50:46	76	55dB	4.0	300%	Day
10621	2025-03-31 17:56:17	71	55dB	2.8	183%	Day
10622	2025-03-31 17:57:40	?	55dB	?	?	Day
10623	2025-03-31 18:00:25	79	55dB	5.3	428%	Day
10624	2025-03-31 18:02:32	?	55dB	?	?	Day
10625	2025-03-31 18:04:00	77	55dB	4.3	329%	Day
10626	2025-03-31 18:05:07	85	55dB	7.5	646%	Day
10627	2025-03-31 18:06:26	77	55dB	4.6	359%	Day
10628	2025-03-31 18:07:37	77	55dB	4.6	359%	Day
10629	2025-03-31 18:09:11	74	55dB	3.7	273%	Day
10630	2025-03-31 18:12:10	75	55dB	4.0	300%	Day
10631	2025-03-31 18:14:42	71	55dB	2.8	183%	Day
10632	2025-03-31 18:22:20	77	55dB	4.3	329%	Day
10633	2025-03-31 18:24:28	76	55dB	4.3	329%	Day
10634	2025-03-31 18:26:38	78	55dB	4.6	359%	Day
10635	2025-03-31 18:28:46	78	55dB	4.6	359%	Day
10636	2025-03-31 18:30:56	72	55dB	3.0	203%	Day
10637	2025-03-31 18:36:28	75	55dB	3.7	273%	Day
10638	2025-03-31 18:42:07	71	55dB	3.0	203%	Day
10639	2025-03-31 18:44:11	73	55dB	3.5	248%	Day
10640	2025-03-31 18:46:01	80	55dB	5.7	466%	Day
10641	2025-03-31 18:50:24	74	55dB	3.5	248%	Day
10642	2025-03-31 18:53:00	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10643	2025-03-31 18:55:28	75	55dB	3.7	273%	Day
10644	2025-03-31 18:57:36	66	55dB	2.1	114%	Day
10645	2025-03-31 19:04:17	73	45dB	7.0	596%	Night
10646	2025-03-31 19:06:37	70	45dB	5.3	428%	Night
10647	2025-03-31 19:09:54	75	45dB	7.5	646%	Night
10648	2025-03-31 19:13:30	77	45dB	8.6	757%	Night
10649	2025-03-31 19:15:04	72	45dB	6.1	506%	Night
10650	2025-03-31 19:16:45	71	45dB	5.7	466%	Night
10651	2025-03-31 19:18:17	70	45dB	5.3	428%	Night
10652	2025-03-31 19:19:47	79	45dB	9.8	885%	Night
10653	2025-03-31 19:22:05	73	45dB	6.5	550%	Night
10654	2025-03-31 19:24:10	72	45dB	6.1	506%	Night
10655	2025-03-31 19:25:40	74	45dB	7.5	646%	Night
10656	2025-03-31 19:27:39	74	45dB	7.5	646%	Night
10657	2025-03-31 19:29:08	?	45dB	?	?	Night
10658	2025-03-31 19:30:38	79	45dB	10.6	956%	Night
10659	2025-03-31 19:32:17	71	45dB	5.7	466%	Night
10660	2025-03-31 19:33:39	70	45dB	5.3	428%	Night
10661	2025-03-31 19:35:18	71	45dB	5.7	466%	Night
10662	2025-03-31 19:38:41	?	45dB	?	?	Night
10663	2025-03-31 19:40:09	72	45dB	6.1	506%	Night
10664	2025-03-31 19:41:49	71	45dB	6.1	506%	Night
10665	2025-03-31 19:43:37	67	45dB	4.6	359%	Night
10666	2025-03-31 19:44:55	72	45dB	6.5	550%	Night
10667	2025-03-31 19:46:26	75	45dB	8.0	700%	Night
10668	2025-03-31 19:50:20	70	45dB	5.3	428%	Night
10669	2025-03-31 19:52:18	?	45dB	?	?	Night
10670	2025-03-31 19:55:37	75	45dB	7.5	646%	Night
10671	2025-03-31 19:57:51	74	45dB	7.0	596%	Night
10672	2025-03-31 20:00:08	72	45dB	6.1	506%	Night
10673	2025-03-31 20:01:24	72	45dB	6.5	550%	Night
10674	2025-03-31 20:02:55	72	45dB	6.5	550%	Night
10675	2025-03-31 20:04:40	71	45dB	6.1	506%	Night
10676	2025-03-31 20:06:40	72	45dB	6.5	550%	Night
10677	2025-03-31 20:08:06	73	45dB	7.0	596%	Night
10678	2025-03-31 20:09:23	69	45dB	5.3	428%	Night
10679	2025-03-31 20:10:50	74	45dB	7.0	596%	Night
10680	2025-03-31 20:12:13	69	45dB	4.9	392%	Night
10681	2025-03-31 20:14:17	68	45dB	4.9	392%	Night
10682	2025-03-31 20:15:49	73	45dB	7.0	596%	Night
10683	2025-03-31 20:17:18	70	45dB	5.3	428%	Night
10684	2025-03-31 20:18:30	71	45dB	6.1	506%	Night
10685	2025-03-31 20:20:30	75	45dB	8.0	700%	Night
10686	2025-03-31 20:22:59	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10687	2025-03-31 20:25:25	72	45dB	6.5	550%	Night
10688	2025-03-31 20:27:38	69	45dB	4.9	392%	Night
10689	2025-03-31 20:29:01	80	45dB	11.3	1031%	Night
10690	2025-03-31 20:30:41	70	45dB	5.3	428%	Night
10691	2025-03-31 20:32:12	75	45dB	8.0	700%	Night
10692	2025-03-31 20:35:44	73	45dB	7.0	596%	Night
10693	2025-03-31 20:37:34	72	45dB	6.5	550%	Night
10694	2025-03-31 20:39:30	72	45dB	6.5	550%	Night
10695	2025-03-31 20:41:22	73	45dB	7.0	596%	Night
10696	2025-03-31 20:43:04	70	45dB	5.3	428%	Night
10697	2025-03-31 20:45:00	76	45dB	8.0	700%	Night
10698	2025-03-31 20:46:24	71	45dB	6.1	506%	Night
10699	2025-03-31 20:47:50	69	45dB	4.9	392%	Night
10700	2025-03-31 20:49:19	71	45dB	5.7	466%	Night
10701	2025-03-31 20:50:25	71	45dB	5.7	466%	Night
10702	2025-03-31 20:52:50	78	45dB	9.8	885%	Night
10703	2025-03-31 20:54:06	?	45dB	?	?	Night
10704	2025-03-31 20:55:24	74	45dB	7.5	646%	Night
10705	2025-03-31 20:57:30	71	45dB	6.1	506%	Night
10706	2025-03-31 20:58:48	72	45dB	6.5	550%	Night
10707	2025-03-31 21:00:55	70	45dB	5.3	428%	Night
10708	2025-03-31 21:02:56	73	45dB	6.5	550%	Night
10709	2025-03-31 21:04:26	71	45dB	6.1	506%	Night
10710	2025-03-31 21:07:09	69	45dB	4.9	392%	Night
10711	2025-03-31 21:10:13	70	45dB	5.7	466%	Night
10712	2025-03-31 21:11:25	70	45dB	5.7	466%	Night
10713	2025-03-31 21:12:49	71	45dB	5.7	466%	Night
10714	2025-03-31 21:14:13	75	45dB	8.0	700%	Night
10715	2025-03-31 21:15:28	?	45dB	?	?	Night
10716	2025-03-31 21:18:05	70	45dB	5.7	466%	Night
10717	2025-03-31 21:19:52	72	45dB	6.5	550%	Night
10718	2025-03-31 21:23:57	66	45dB	4.3	329%	Night
10719	2025-03-31 21:26:02	77	45dB	9.2	819%	Night
10720	2025-03-31 21:28:42	70	45dB	5.7	466%	Night
10721	2025-03-31 21:30:17	77	45dB	8.6	757%	Night
10722	2025-03-31 21:31:33	68	45dB	4.6	359%	Night
10723	2025-03-31 21:34:15	70	45dB	5.3	428%	Night
10724	2025-03-31 21:37:19	80	45dB	11.3	1031%	Night
10725	2025-03-31 21:39:24	75	45dB	8.0	700%	Night
10726	2025-03-31 21:44:06	77	45dB	9.2	819%	Night
10727	2025-03-31 21:47:43	67	45dB	4.6	359%	Night
10728	2025-03-31 21:50:45	70	45dB	5.3	428%	Night
10729	2025-03-31 21:53:21	73	45dB	6.5	550%	Night
10730	2025-03-31 21:55:16	75	45dB	8.0	700%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

10731	2025-03-31 21:57:21	73	45dB	7.0	596%	Night
10732	2025-03-31 21:58:47	72	45dB	6.5	550%	Night
10733	2025-03-31 22:01:38	75	45dB	8.0	700%	Night
10734	2025-03-31 22:03:15	69	45dB	4.9	392%	Night
10735	2025-03-31 22:04:51	69	45dB	5.3	428%	Night
10736	2025-03-31 22:07:46	78	45dB	9.2	819%	Night
10737	2025-03-31 22:09:25	72	45dB	6.1	506%	Night
10738	2025-03-31 22:10:46	70	45dB	5.3	428%	Night
10739	2025-03-31 22:12:01	78	45dB	9.8	885%	Night
10740	2025-03-31 22:13:50	75	45dB	7.5	646%	Night
10741	2025-03-31 22:15:18	68	45dB	4.6	359%	Night
10742	2025-03-31 22:16:49	81	45dB	11.3	1031%	Night
10743	2025-03-31 22:23:12	80	45dB	10.6	956%	Night
10744	2025-03-31 22:25:42	68	45dB	4.9	392%	Night
10745	2025-03-31 22:27:24	69	45dB	4.9	392%	Night
10746	2025-03-31 22:29:32	70	45dB	5.7	466%	Night
10747	2025-03-31 22:36:25	69	45dB	4.9	392%	Night
10748	2025-03-31 22:40:37	67	45dB	4.6	359%	Night
10749	2025-03-31 22:42:23	78	45dB	9.2	819%	Night
10750	2025-03-31 22:48:09	71	45dB	5.7	466%	Night
10751	2025-03-31 22:50:31	78	45dB	9.2	819%	Night
10752	2025-03-31 22:51:47	76	45dB	8.0	700%	Night
10753	2025-03-31 22:53:44	71	45dB	5.7	466%	Night
10754	2025-03-31 22:55:10	72	45dB	6.1	506%	Night
10755	2025-03-31 22:57:42	71	45dB	6.1	506%	Night
10756	2025-03-31 22:59:19	70	45dB	5.7	466%	Night
10757	2025-03-31 23:02:16	82	45dB	13.0	1200%	Night
10758	2025-03-31 23:05:42	?	45dB	?	?	Night
10759	2025-03-31 23:09:49	74	45dB	7.5	646%	Night
10760	2025-03-31 23:14:44	75	45dB	7.5	646%	Night
10761	2025-03-31 23:20:45	79	45dB	9.8	885%	Night
10762	2025-03-31 23:31:07	?	45dB	?	?	Night
10763	2025-03-31 23:32:54	72	45dB	6.1	506%	Night
10764	2025-03-31 23:34:56	76	45dB	8.6	757%	Night
10765	2025-03-31 23:38:10	76	45dB	8.0	700%	Night
10766	2025-03-31 23:40:34	70	45dB	5.7	466%	Night
10767	2025-03-31 23:48:07	?	45dB	?	?	Night
10768	2025-03-31 23:53:30	68	45dB	4.6	359%	Night
10769	2025-03-31 23:58:36	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

GTAA Restricted Hours Operating Policy

Date: May 29, 2019

Version: 4.1

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

Table of Contents

1 Introduction 1

1.1 General Information 1

1.2 Noise Operating Restrictions and Noise Abatement Procedures 1

2 Restricted Hours Operating Policy 1

2.1 Restricted Hours 1

2.1.1 Request for Exemptions 2

2.1.2 Request for Operating Extensions 2

2.1.3 Request for General Aviation (GA) Night Flight Approval 3

2.2 Preferential Runway System 3

2.3 Maintenance Runs 4

2.4 Arrival and Departure Procedures 4

2.5 Weather Alternate 4

2.6 Enforcement 4

2.7 Amendments 4

Annex A – Request for Operating Extension due to Mechanical Malfunction of Aircraft 5

Annex B – Toronto based General Aviation Night Flight Program Request Form 6

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1 Introduction

1.1 General Information

The purpose of this document is to detail procedures and communications required for the operation of aircraft at Toronto Pearson International Airport in accordance with the Greater Toronto Airports Authority's Night Flight Restriction Program.

1.2 Noise Operating Restrictions and Noise Abatement Procedures

Noise is a concern at many major airports and being a good neighbour means considering those who live around us. Noise Operating Restrictions and Noise Abatement Procedures are in place to reduce the impact on surrounding residential communities and are strictly enforced by the Greater Toronto Airports Authority (GTAA) and Transport Canada in accordance with the Canadian Aviation Regulations (CARs).

The GTAA administers the operation of aircraft within the noise operating restrictions as published in the Canada Air Pilot relating to Toronto Pearson International Airport, including the following:

- Hours when aircraft operations are prohibited or restricted;
- Preferential runways;
- Maintenance Run procedures; and
- Arrival and Departure procedures.

2 Restricted Hours Operating Policy

2.1 Restricted Hours

Operations at Toronto Pearson International Airport are restricted between the hours of 00:30 and 06:29 local. The GTAA is subject to an annual movement limit (budget) imposed by Transport Canada.

Air Operators planning to arrive or depart within the restricted hours must have the express permission of the GTAA, either by a pre-planned/scheduled exemption, an operating extension on the day of operation or a General Aviation (GA) night flight approval (slot). The GTAA makes every effort to balance the needs of the community with the requests of the Air Operators when approving nighttime operations without exceeding the annual limit.

Initial submissions in writing for restricted hour exemption requests should be addressed to the Manager, Slot Coordination, Strategy Development (Fax. 416-776-3483) on a seasonal basis. Approval may be granted, based on the criteria in 2.1.1 of this policy. Subsequent communications relating to changes, revisions, or additions should be made through normal Schedule Change Request (SCR) submissions.

Scheduled Air Operators will be given a seasonal quota of nighttime operation slots intended to be used on specific dates at specific times. The Air Operator will be expected to manage their allotment appropriately. Swaps may be used in extenuating circumstances for managing restricted hours slots. However, swaps will only be considered for use with other operations from the same month. Air Operators should contact the GTAA for any intended swaps.

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2.1.1 Request for Exemptions

Requests

Requests for pre-approved operations during the Restricted Hours must be received in writing once at the start of each season, no later than 30 days prior to the intended operation (refer to Section 2.1). Exemption requests not meeting these criteria will not be considered. Subsequent communications relating to changes or additions should be made through normal SCR submission processes.

Information Required

The request to the GTAA shall include, at a minimum, the following information:

a. a statement from the management of the Air Operator justifying the proposed operations based upon the factors listed in the next section;

b. the proposed hours and days of operation;

c. the type or types of aircraft which are proposed to be operated detailing the aircraft model, maximum take-off weight, engine model, hushkit (if applicable) and noise certification levels; and,

d. a statement from the management of the Air Operator establishing to the satisfaction of the GTAA, the rationale for the proposed operations based upon operational constraints including considerations involving economic and operational factors.

Factors

The factors the GTAA may consider in its determination of whether to grant approval include, but are not limited to:

a. the impact of the proposed operations upon the overall GTAA Noise Management Program;

b. the contribution of the proposed operations to the economic development of the Greater Toronto area;

c. the proposed operations do not diminish passenger or aircraft safety; and

d. improved passenger or shipper convenience.

2.1.2 Request for Operating Extensions

When aircraft operations scheduled within regular operating hours (06:30 to 00:29L) are delayed on the day of operation, Air Operators may request an operating extension. All requests for extensions will require thorough justification and are subject to scrutiny. Extensions may be granted on the day of operation only for delays caused by weather, mechanical, security, or Air Traffic Control delays; however, operating extension approvals are limited, and some flights may be denied.

Air Operator requests for extensions due to a mechanical malfunction of the aircraft must be accompanied by a completed request form (Annex A). The form must be signed by the Air Operator representative with the details of the malfunction and faxed or emailed to the Resource Management Unit (RMU).

Contact the RMU at (416) 776-3480 or 1-(800) 267-7568 (SLOT) or via email at yyzslots@gtaa.com to

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

request an approval to operate.

Note: Non-noise certificated aircraft and Chapter 2 operations will not be granted operating extensions as per the Noise Operating Restrictions.

When aircraft operations scheduled within the restricted hours (00:30 to 06:29L) are delayed on the day of operation no extension is required; however, notice must be given to the GTAA through the RMU.

Contact the RMU at (416) 776-3480 or 1-(800) 267-7568 (SLOT) or yyzslots@gtaa.com with the revised estimated arrival/departure time.

Note: It is the Airline's responsibility to ensure that all applicable agencies are notified of delays (e.g. Canada Customs, Taxi/Limo compound, etc.)

In the event of a dispute between an Air Operator and the RMU over permission to operate on the day of operation, the GTAA Manager Operations, Airport Flow (416-776-3030) will have the final decision-making authority.

2.1.3 Request for General Aviation (GA) Night Flight Approval

The GA Night Flight Budget Pool (GA Night Pool), established by the GTAA within the limits of the night flight budget, permits a limited number of nighttime operations of Toronto Pearson based GA operators. Requests may be made up to 30 days in advance or on the day of a planned operation. Priority is given to requests for arrivals. Consideration for departures will be given on a per case basis.

Pre-approved GA Night Pool slots may be obtained by Toronto Pearson based GA operators by submitting a slot request to the RMU for flights prior to 24 hours of the anticipated operating time and not more than 30 days in advance.

Send requests to the RMU by fax (416-776-5552) or by e-mail at yyzslots@gtaa.com and include the Toronto Based General Aviation Night Flight Request Form (Annex B) found at the end of this policy.

Requests for pre-approved GA Night Pool slots will be reviewed by the RMU with any disputes being addressed by the GTAA's Manager Operations Airport Flow, or their designate.

Requests for GA Night Pool slots within 24 hours of the planned operation may be obtained by contacting the RMU at (416) 776-3480 or 1-(800) 267-SLOT (7568). In the event of a dispute between an Air Operator and the RMU over permission to operate on the day of operation, the GTAA Manager Operations, Airport Flow will have the final decision-making authority.

Medevac operations of any priority are permitted during the restricted hours. Contact the RMU to obtain night flight approval prior to operating. These operations will not be counted against the GA Night Pool budget.

2.2 Preferential Runway System

The preferential runway hours differ slightly from the Restricted Hours: they are in effect from 0000-0630L. Subject to existing conditions, (e.g. wind, weather, runway conditions, approach aid availability) the following runways comprise the preferential runway system for aircraft operations in the following order of priority:

ARRIVALS: 05 15L 06L

DEPARTURES: 23 33R 24R

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

Operations on other runways are limited as much as possible during the preferential runway hours.

Preferential runway assignments have been in practice for many years to ensure that the fewest number of residents in the surrounding communities are impacted by aircraft operations at night.

Note: Air Operators are required to request approval from the GTAA Airport Duty Manager if they wish to have a flight reassigned from preferred runways during the preferential runway hours for operational reasons. If the request is denied, the Air Operator must use the assigned runway or risk a violation of CAR 602.105.

2.3 Maintenance Runs

Occasionally, airline maintenance staff are required to perform engine run-ups after engine repairs have been completed. At all times, these run-ups must be approved by the GTAA in advance and conducted at designated times and locations determined to minimize their impact on the surrounding communities particularly at night.

Between 0000 – 0700 local time, maintenance run-ups are prohibited unless authorized by the GTAA.

Prior to conducting any engine runs, either at idle setting, or above idle power, approval must be obtained from the GTAA Manager Operations Airport Flow at (416) 776-3056. Full details are available in the *GTAA Apron and Maintenance Run Procedures Directive*. Contact the Noise Management Office at (416) 776-4556 to obtain a copy.

2.4 Arrival and Departure Procedures

To minimize noise, the GTAA works with NAV CANADA to implement and maintain flight procedures for arriving and departing aircraft that minimize the number of community residents that are overflown at a decibel rating above 45dB during the restricted hours.

2.5 Weather Alternate

Aircraft enroute to other airports filing Toronto Pearson as their weather alternate that experience severe weather and are diverted to CYYZ must advise the GTAA **prior** to arriving at the airport during the restricted hours. Contact the RMU at (416) 776-3480 or 1-(800) 267-7568 (SLOT) with the details of the estimated time of arrival. Additionally, once arrived the diverted flight may not depart during the restricted hours.

2.6 Enforcement

Compliance with the Night Flight Restriction Program is mandatory for all Air Operators and is strictly enforced. Aircraft arriving or departing during the restricted hours without prior approval of the GTAA will be investigated and reported to Transport Canada for their review and possible CARs enforcement action, including a monetary penalty.

2.7 Amendments

The GTAA may amend, supplement or replace the Restricted Hours Operating Policy at any time.

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

GTAA

ANNEX A – REQUEST FOR OPERATING EXTENSION DUE TO MECHANICAL MALFUNCTION OF AIRCRAFT

EMAIL REQUEST TO: yyzslots@gtaa.com
OR
FAX REQUEST TO: (416) 776-5552

Part A: Request – Must be completed by aircraft operator for all operating extensions requested due to aircraft malfunction. This request must be completed in full and faxed or emailed to the GTAA prior to receiving Extension Approval. All required information must be provided in order for the request to be processed. Contact the GTAA at the telephone number below or email yyzslots@gtaa.com to obtain Approval Number.

Part B: Approval – Must be completed by GTAA

Enforcement – All extension requests may be audited by the GTAA and Transport Canada. Violations may be subject to a monetary penalty enforced by Transport Canada.

PART A – REQUEST

DATE: _____ TIME OF REQUEST(Local): _____

AIRCRAFT OPERATOR: _____ AIRCRAFT TYPE: _____

FLIGHT NUMBER: _____ ORIGIN/DESTINATION: _____

ORIGINALLY SCHEDULED TIME (Local): _____ DEP / ARR (Circle One)

PROPOSED TIME (Local): _____ DEP / ARR (Circle One)

CIVIL REGISTRATION: _____

ICAO ANNEX 16 NOISE CERTIFICATION:
- □ Chapter 2
- □ Chapter 3
- □ Chapter 4

DETAILS OF MECHANICAL MALFUNCTION:

NAME OF REQUESTOR: _____ REQUESTOR'S SIGNATURE: _____

TELEPHONE No: _____ FACSMILE No: _____

PART B – APPROVAL

APPROVAL GRANTED: □ YES □ NO APPROVAL NUMBER: _____

APPROVED BY: _____

For any inquiries concerning the above instructions, contact The Greater Toronto Airports Authority at (416) 776-3480 or 1-800-267-7568 (SLOT).

Page: 742 of/de 3,203
A2025001153

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

ANNEX B - TORONTO BASED GENERAL AVIATION NIGHT FLIGHT PROGRAM REQUEST FORM

EMAIL REQUEST TO: yyzslots@gtaa.com
OR
FAX REQUEST TO: (416) 776-5552

Requestor Information	Name:		
	Telephone:		
	Fax:		
	Email:		
Flight Information	Carrier:		
	Flight Number:		
	Aircraft Registration:		
	Aircraft Type:		
	ICAO Chapter:		
	Arrival/Departure: (circle one)	Arrival	Departure
	Origin Station: (3 or 4 letter code)		
	Destination Station: (3 or 4 letter code)		
	Date of Operation:		
	Scheduled Operation Time: (YYZ local time)		
	Estimated Operation Time: (YYZ local time)		
Notes	1. This form should only be used for advanced requests 24 hours to 30 days in advance of the desired operation time.		
	2. For day of operation requests or questions, please call the GTAA at (416) 776-3480 or 1-800-267-SLOT (7568)		
GTAA use only			
Request Status	Approved:		Approval #
	Denied:		

ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: Minister of Transport / Ministre des Transports (TC); hcminister.ministresc; Prime Minister | Premier Ministre
Cc: Judy - M.P. Sgro; PublicHealth@toronto.ca; Councillor Perruzza; petitions@oag-bvg.gc.ca; Ida (Trustees" Services); Matias de Dovitiis; info.com@chrc-ccdp.gc.ca; complaint.plainte@chrc-ccdp.gc.ca; info@psic-ispc.gc.ca; mark.holland@parl.gc.ca; vaara.saks@parl.gc.ca; Costen, Eric (he, him | il, lui) (HC/SC); Orencsak, Greg (he, him | il, lui) (HC/SC); Jagmeet - M.P.; Francesco Sorbara; Mayor Chow; Minister of Transport / Ministre des Transports (TC); hcminister.ministresc; [redacted] Tom Rakocevic; doug.fordco@pc.ola.org; [redacted] piac.ward04@tdsb.on.ca; [redacted] office@timothycs.com; piac.ward01@tdsb.on.ca; [redacted] councillor_crisanti@toronto.ca; councillor_holyday@toronto.ca; councillor_morley@toronto.ca; councillor_perks@toronto.ca; councillor_nunziata@toronto.ca; councillor_pasternak@toronto.ca; councillor_colle8@toronto.ca; councillor_malik@toronto.ca; councillor_saxe@toronto.ca; councillor_matlow@toronto.ca; councillor_moise@toronto.ca; councillor_fletcher@toronto.ca; councillor_chernoslin@toronto.ca; councillor_burnside@toronto.ca; councillor_carroll@toronto.ca; councillor_cheng@toronto.ca; councillor_bradford@toronto.ca; councillor_kandavel@toronto.ca; councillor_thompson@toronto.ca; councillor_mantas@toronto.ca; councillor_myers@toronto.ca; councillor_ainslie@toronto.ca; [redacted] humberleacommunitygroup@gmail.com; [redacted] W5 Viewer Mail; [redacted] judy.sgro.a1@parl.gc.ca; [redacted]
Subject: Immediate Request for Federal Compensation – Sleep Deprivation and Financial Harm Preventing Residents from Meeting Basic Needs
Date: 2025-06-24 10:18:19 AM

Warning: This message is from an EXTERNAL SENDER – be CAUTIOUS, particularly with links and attachments.
Attention : Ce message provient d'un EXPÉDITEUR EXTERNE – soyez PRUDENT, en particulier avec les liens et les pièces jointes.

Subject: Immediate Request for Federal Compensation – Sleep Deprivation and Financial Harm Preventing Residents from Meeting Basic Needs

To: Minister of Transport, Minister of Health, Prime Minister

---

Dear Minister Freeland and Minister Michel,

I am writing on behalf of my community to issue an urgent and immediate request for federal compensation in response to the severe and ongoing health and financial harm caused by airport operations at Toronto Pearson International Airport.

The damage is not theoretical. It is not future. It is present and devastating. Chronic sleep deprivation, air pollution, and relentless overnight disruption are pushing residents into economic and physical collapse—harm that stems directly from operations authorized by your departments.

This harm has reached the point where residents can no longer meet their most basic needs:

- They cannot afford essential medications.
- They cannot hold stable jobs or function safely at work after repeated nights of sleep disruption.
- They are being forced to choose between groceries and air purifiers.
- They are falling behind on rent and bills due to illness, exhaustion, and reduced hours.
- They are experiencing mental health breakdowns, burnout, and social withdrawal from the cumulative effects of being treated as disposable.

We are no longer asking politely for studies or consultations. We are demanding that the federal government take immediate responsibility for harm it has knowingly allowed and funded.

We therefore request the creation of an emergency federal compensation fund to provide direct relief to affected communities, covering:

- Lost income and productivity due to medically harmful night noise;
- Health-related expenses, including mental health care, sleep medication, and respiratory treatments;
- Out-of-pocket mitigation costs, including air filtration, noise insulation, and therapy;
- Emergency support for individuals and families no longer able to meet essential survival needs as a result of federally sanctioned operations.

This compensation must be immediate and ongoing, and it must not wait on long studies or committees. Residents are collapsing now. We cannot be expected to endure another year of abuse while the same institutions responsible for this crisis continue to delay, deny, and deflect.

Let us be clear: this is not a request for charity. It is a demand for accountability. It is the bare minimum step to address what is rapidly becoming a federally sustained humanitarian failure in one of the richest countries in the world.

GTAA's own documents recognize that noise above 45 dB causes harm. Yet residents here are repeatedly exposed to 70 to 80+ dB levels overnight—equivalent to 1,000%+ the safe limit, by any meaningful scientific standard. No community should be asked to live like this. And yet ours has—for years.

We request a formal response within 15 business days, and we are prepared to provide extensive documentation, including:

- Noise monitor data from Acacia Park and elsewhere;
- Resident testimonies and medical records (with consent);
- GTAA reports and Transport Canada correspondence showing awareness of this crisis.

We will also be sharing this request with the Auditor General of Canada, the Canadian Human Rights Commission, and other oversight bodies.

We are tired. We are sick. And we are running out of time.

Sincerely,
Fabio Ovettini

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 1, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:02:05	65dB	45dB	4.0	300%	Night
2	00:05:46	68dB	45dB	4.9	392%	Night
3	00:09:40	71dB	45dB	6.1	506%	Night
4	00:11:01	76dB	45dB	8.6	757%	Night
5	00:13:23	73dB	45dB	7.0	596%	Night
6	00:18:52	70dB	45dB	5.7	466%	Night
7	00:38:01	66dB	45dB	4.3	329%	Night
8	00:39:26	72dB	45dB	6.5	550%	Night
9	07:26:00	64	55dB	1.9	87%	Day
10	09:46:24	66	55dB	2.1	114%	Day
11	10:26:46	69dB	55dB	2.6	164%	Day
12	10:28:02	67dB	55dB	2.3	130%	Day
13	10:31:26	70dB	55dB	2.8	183%	Day
14	10:35:38	73dB	55dB	3.5	248%	Day
15	10:38:59	70dB	55dB	2.8	183%	Day
16	10:40:53	67	55dB	2.3	130%	Day
17	10:44:13	72dB	55dB	3.2	225%	Day
18	10:45:45	73dB	55dB	3.5	248%	Day
19	10:47:38	71dB	55dB	3.0	203%	Day
20	10:48:57	70dB	55dB	2.8	183%	Day
21	10:50:27	71dB	55dB	3.0	203%	Day
22	10:52:50	66	55dB	2.1	114%	Day
23	10:54:40	70dB	55dB	2.8	183%	Day
24	11:02:21	68dB	55dB	2.5	146%	Day
25	11:03:52	67dB	55dB	2.3	130%	Day
26	11:05:31	67dB	55dB	2.3	130%	Day
27	11:08:55	67	55dB	2.3	130%	Day
28	11:11:24	71dB	55dB	3.0	203%	Day
29	11:12:36	67	55dB	2.3	130%	Day
30	11:14:01	67	55dB	2.3	130%	Day
31	11:15:16	70dB	55dB	2.8	183%	Day
32	11:17:16	68dB	55dB	2.5	146%	Day
33	11:18:49	67	55dB	2.3	130%	Day
34	11:19:53	68	55dB	2.5	146%	Day
35	11:23:53	68dB	55dB	2.5	146%	Day
36	11:25:27	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	11:27:02	66	55dB	2.1	114%	Day
38	11:28:42	69	55dB	2.6	164%	Day
39	11:20:50	65	55dB	2.0	100%	Day
40	11:32:55	70dB	55dB	2.8	183%	Day
41	11:34:32	67dB	55dB	2.3	130%	Day
42	11:36:47	68dB	55dB	2.5	146%	Day
43	11:40:44	69dB	55dB	2.6	164%	Day
44	11:42:02	68dB	55dB	2.5	146%	Day
45	11:44:07	67dB	55dB	2.3	130%	Day
46	11:47:01	67dB	55dB	2.3	130%	Day
47	11:48:25	69dB	55dB	2.6	164%	Day
48	11:49:58	71dB	55dB	3.0	203%	Day
49	11:52:15	65	55dB	2.0	100%	Day
50	11:53:40	69	55dB	2.6	164%	Day
51	11:55:30	68dB	55dB	2.5	146%	Day
52	11:56:44	69	55dB	2.6	164%	Day
53	11:59:19	70dB	55dB	2.8	183%	Day
54	12:00:47	67	55dB	2.3	130%	Day
55	12:03:28	71dB	55dB	3.0	203%	Day
56	12:07:16	71dB	55dB	3.0	203%	Day
57	12:09:37	70dB	55dB	2.8	183%	Day
58	12:10:55	70dB	55dB	2.8	183%	Day
59	12:13:13	69dB	55dB	2.6	164%	Day
60	12:14:55	81dB	55dB	6.1	506%	Day
61	12:17:32	70dB	55dB	2.8	183%	Day
62	12:18:42	68dB	55dB	2.5	146%	Day
63	12:19:52	68dB	55dB	2.5	146%	Day
64	12:23:35	69dB	55dB	2.6	164%	Day
65	12:25:03	70dB	55dB	2.8	183%	Day
66	12:27:13	76dB	55dB	4.3	329%	Day
67	12:29:14	70dB	55dB	2.8	183%	Day
68	12:30:53	67	55dB	2.3	130%	Day
69	12:32:18	67dB	55dB	2.3	130%	Day
70	12:33:48	73dB	55dB	3.5	248%	Day
71	12:36:05	71dB	55dB	3.0	203%	Day
72	12:37:55	69dB	55dB	2.6	164%	Day
73	12:39:26	68	55dB	2.5	146%	Day
74	12:41:10	70dB	55dB	2.8	183%	Day
75	12:47:59	65	55dB	2.0	100%	Day
76	12:49:43	69dB	55dB	2.6	164%	Day
77	12:51:35	69dB	55dB	2.6	164%	Day
78	12:57:18	65	55dB	2.0	100%	Day
79	12:59:23	72dB	55dB	3.2	225%	Day
80	13:01:58	66	55dB	2.1	114%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	13:03:35	70dB	55dB	2.8	183%	Day
82	13:05:19	72dB	55dB	3.2	225%	Day
83	13:16:29	71dB	55dB	3.0	203%	Day
84	13:24:43	70dB	55dB	2.8	183%	Day
85	13:30:14	73dB	55dB	3.5	248%	Day
86	13:31:52	75dB	55dB	4.0	300%	Day
87	13:35:34	71dB	55dB	3.0	203%	Day
88	13:40:39	71dB	55dB	3.0	203%	Day
89	13:47:08	68dB	55dB	2.5	146%	Day
90	13:48:40	65	55dB	2.0	100%	Day
91	13:50:28	73dB	55dB	3.5	248%	Day
92	13:52:36	67dB	55dB	2.3	130%	Day
93	13:53:51	70dB	55dB	2.8	183%	Day
94	13:55:10	71dB	55dB	3.0	203%	Day
95	13:56:16	72dB	55dB	3.2	225%	Day
96	13:57:53	70dB	55dB	2.8	183%	Day
97	13:58:57	67dB	55dB	2.3	130%	Day
98	14:00:09	62	55dB	1.6	62%	Day
99	14:01:32	69dB	55dB	2.6	164%	Day
100	14:02:45	70dB	55dB	2.8	183%	Day
101	14:04:34	68dB	55dB	2.5	146%	Day
102	14:06:00	70dB	55dB	2.8	183%	Day
103	14:07:25	70dB	55dB	2.8	183%	Day
104	14:08:47	69dB	55dB	2.6	164%	Day
105	14:10:07	70dB	55dB	2.8	183%	Day
106	14:11:41	71dB	55dB	3.0	203%	Day
107	14:12:59	70dB	55dB	2.8	183%	Day
108	14:14:11	70dB	55dB	2.8	183%	Day
109	14:15:24	69dB	55dB	2.6	164%	Day
110	14:16:39	72dB	55dB	3.2	225%	Day
111	14:17:56	74dB	55dB	3.7	273%	Day
112	14:19:50	67	55dB	2.3	130%	Day
113	14:21:35	69dB	55dB	2.6	164%	Day
114	14:23:21	69dB	55dB	2.6	164%	Day
115	14:26:32	66	55dB	2.1	114%	Day
116	14:30:13	71dB	55dB	3.0	203%	Day
117	14:37:33	63	55dB	1.7	74%	Day
118	14:40:00	73dB	55dB	3.5	248%	Day
119	14:41:59	70dB	55dB	2.8	183%	Day
120	14:43:13	69dB	55dB	2.6	164%	Day
121	14:44:39	71dB	55dB	3.0	203%	Day
122	14:46:02	65	55dB	2.0	100%	Day
123	14:48:15	70dB	55dB	2.8	183%	Day
124	14:50:05	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	14:51:27	67	55dB	2.3	130%	Day
126	14:53:49	75dB	55dB	4.0	300%	Day
127	14:55:32	73dB	55dB	3.5	248%	Day
128	14:57:29	70dB	55dB	2.8	183%	Day
129	14:58:52	72dB	55dB	3.2	225%	Day
130	15:00:36	71dB	55dB	3.0	203%	Day
131	15:02:38	71dB	55dB	3.0	203%	Day
132	15:04:41	66	55dB	2.1	114%	Day
133	15:06:32	69dB	55dB	2.6	164%	Day
134	15:08:16	73dB	55dB	3.5	248%	Day
135	15:10:21	70dB	55dB	2.8	183%	Day
136	15:12:27	68dB	55dB	2.5	146%	Day
137	15:13:55	70dB	55dB	2.8	183%	Day
138	15:15:11	71dB	55dB	3.0	203%	Day
139	15:16:59	66	55dB	2.1	114%	Day
140	15:18:19	70dB	55dB	2.8	183%	Day
141	15:20:27	74dB	55dB	3.7	273%	Day
142	15:23:00	74dB	55dB	3.7	273%	Day
143	15:26:42	67dB	55dB	2.3	130%	Day
144	15:28:38	69dB	55dB	2.6	164%	Day
145	15:30:13	70dB	55dB	2.8	183%	Day
146	15:32:09	70dB	55dB	2.8	183%	Day
147	15:33:25	67	55dB	2.3	130%	Day
148	15:35:03	71dB	55dB	3.0	203%	Day
149	15:38:09	66	55dB	2.1	114%	Day
150	15:41:16	69dB	55dB	2.6	164%	Day
151	15:44:23	72dB	55dB	3.2	225%	Day
152	15:46:05	73dB	55dB	3.5	248%	Day
153	15:48:21	70dB	55dB	2.8	183%	Day
154	15:49:35	75dB	55dB	4.0	300%	Day
155	15:51:23	71dB	55dB	3.0	203%	Day
156	15:53:17	71dB	55dB	3.0	203%	Day
157	15:55:37	75dB	55dB	4.0	300%	Day
158	15:58:08	67dB	55dB	2.3	130%	Day
159	16:02:09	71dB	55dB	3.0	203%	Day
160	16:04:09	70dB	55dB	2.8	183%	Day
161	16:05:11	68dB	55dB	2.5	146%	Day
162	16:06:32	69dB	55dB	2.6	164%	Day
163	16:08:11	66	55dB	2.1	114%	Day
164	16:09:41	70dB	55dB	2.8	183%	Day
165	16:12:20	63	55dB	1.7	74%	Day
166	16:14:18	66	55dB	2.1	114%	Day
167	16:16:25	70dB	55dB	2.8	183%	Day
168	16:17:38	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	16:19:06	69dB	55dB	2.6	164%	Day
170	16:20:24	72dB	55dB	3.2	225%	Day
171	16:23:11	71dB	55dB	3.0	203%	Day
172	16:27:36	72dB	55dB	3.2	225%	Day
173	16:30:51	67	55dB	2.3	130%	Day
174	16:32:06	71dB	55dB	3.0	203%	Day
175	16:33:28	70dB	55dB	2.8	183%	Day
176	16:34:33	71dB	55dB	3.0	203%	Day
177	16:36:40	70dB	55dB	2.8	183%	Day
178	16:38:27	65	55dB	2.0	100%	Day
179	16:40:10	71dB	55dB	3.0	203%	Day
180	16:41:26	71dB	55dB	3.0	203%	Day
181	16:42:37	67dB	55dB	2.3	130%	Day
182	16:42:43	80dB	55dB	5.7	466%	Day
183	16:44:13	71dB	55dB	3.0	203%	Day
184	16:47:03	67	55dB	2.3	130%	Day
185	16:48:13	68dB	55dB	2.5	146%	Day
186	16:49:45	66	55dB	2.1	114%	Day
187	16:51:23	77dB	55dB	4.6	359%	Day
188	16:53:32	70dB	55dB	2.8	183%	Day
189	16:54:50	68	55dB	2.5	146%	Day
190	16:56:17	72dB	55dB	3.2	225%	Day
191	16:58:31	65	55dB	2.0	100%	Day
192	16:59:57	71dB	55dB	3.0	203%	Day
193	17:01:57	71dB	55dB	3.0	203%	Day
194	17:03:21	67dB	55dB	2.3	130%	Day
195	17:05:48	71dB	55dB	3.0	203%	Day
196	17:07:06	69dB	55dB	2.6	164%	Day
197	17:10:01	69dB	55dB	2.6	164%	Day
198	17:11:29	68dB	55dB	2.5	146%	Day
199	17:12:48	68dB	55dB	2.5	146%	Day
200	17:15:08	71dB	55dB	3.0	203%	Day
201	17:16:55	70	55dB	2.8	183%	Day
202	17:18:07	67	55dB	2.3	130%	Day
203	17:19:25	68dB	55dB	2.5	146%	Day
204	17:20:49	67dB	55dB	2.3	130%	Day
205	17:23:06	71dB	55dB	3.0	203%	Day
206	17:24:21	66dB	55dB	2.1	114%	Day
207	17:25:51	69dB	55dB	2.6	164%	Day
208	17:27:13	73dB	55dB	3.5	248%	Day
209	17:28:15	68dB	55dB	2.5	146%	Day
210	17:29:48	69dB	55dB	2.6	164%	Day
211	17:31:24	73dB	55dB	3.5	248%	Day
212	17:33:38	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	17:35:12	74dB	55dB	3.7	273%	Day
214	17:37:05	70dB	55dB	2.8	183%	Day
215	17:38:30	68dB	55dB	2.5	146%	Day
216	17:39:49	69dB	55dB	2.6	164%	Day
217	17:41:13	74dB	55dB	3.7	273%	Day
218	17:42:51	67	55dB	2.3	130%	Day
219	17:44:56	69dB	55dB	2.6	164%	Day
220	17:48:39	71dB	55dB	3.0	203%	Day
221	17:52:05	70dB	55dB	2.8	183%	Day
222	17:53:34	70dB	55dB	2.8	183%	Day
223	17:55:04	67	55dB	2.3	130%	Day
224	17:57:31	68dB	55dB	2.5	146%	Day
225	17:59:01	71dB	55dB	3.0	203%	Day
226	18:00:26	NMT down	55dB	#VALUE!	#VALUE!	Day
227	18:02:25	69dB	55dB	2.6	164%	Day
228	18:03:56	71dB	55dB	3.0	203%	Day
229	18:06:28	74dB	55dB	3.7	273%	Day
230	18:08:50	70dB	55dB	2.8	183%	Day
231	18:09:59	67	55dB	2.3	130%	Day
232	18:11:28	73dB	55dB	3.5	248%	Day
233	18:13:40	69dB	55dB	2.6	164%	Day
234	18:14:58	69dB	55dB	2.6	164%	Day
235	18:16:23	66	55dB	2.1	114%	Day
236	18:19:08	72dB	55dB	3.2	225%	Day
237	18:20:57	67	55dB	2.3	130%	Day
238	18:23:33	72dB	55dB	3.2	225%	Day
239	18:26:01	69dB	55dB	2.6	164%	Day
240	18:27:14	70dB	55dB	2.8	183%	Day
241	18:28:32	67dB	55dB	2.3	130%	Day
242	18:29:40	70dB	55dB	2.8	183%	Day
243	18:31:09	71dB	55dB	3.0	203%	Day
244	18:32:48	69dB	55dB	2.6	164%	Day
245	18:36:02	70dB	55dB	2.8	183%	Day
246	18:38:41	70dB	55dB	2.8	183%	Day
247	18:40:36	69dB	55dB	2.6	164%	Day
248	18:41:58	71dB	55dB	3.0	203%	Day
249	18:43:16	70dB	55dB	2.8	183%	Day
250	18:44:40	68dB	55dB	2.5	146%	Day
251	18:46:34	68dB	55dB	2.5	146%	Day
252	18:47:59	68dB	55dB	2.5	146%	Day
253	18:50:07	70dB	55dB	2.8	183%	Day
254	18:53:54	69dB	55dB	2.6	164%	Day
255	18:55:15	70dB	55dB	2.8	183%	Day
256	18:57:21	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	18:58:51	75dB	55dB	4.0	300%	Day
258	19:00:22	70dB	55dB	2.8	183%	Day
259	19:04:24	68dB	55dB	2.5	146%	Day
260	19:06:12	66dB	55dB	2.1	114%	Day
261	19:07:34	74dB	55dB	3.7	273%	Day
262	17:18:07	65	55dB	2.0	100%	Day
263	19:13:48	71dB	55dB	3.0	203%	Day
264	19:15:12	72dB	55dB	3.2	225%	Day
265	19:17:25	70dB	55dB	2.8	183%	Day
266	19:18:43	66dB	55dB	2.1	114%	Day
267	19:19:54	67dB	55dB	2.3	130%	Day
268	19:21:27	72dB	55dB	3.2	225%	Day
269	19:24:12	74dB	55dB	3.7	273%	Day
270	19:25:54	73dB	55dB	3.5	248%	Day
271	19:28:53	71dB	55dB	3.0	203%	Day
272	19:30:48	68dB	55dB	2.5	146%	Day
273	19:37:51	67	55dB	2.3	130%	Day
274	19:42:03	69dB	55dB	2.6	164%	Day
275	19:43:58	69dB	55dB	2.6	164%	Day
276	19:37:51	65	55dB	2.0	100%	Day
277	19:46:16	68	55dB	2.5	146%	Day
278	19:51:30	69dB	55dB	2.6	164%	Day
279	19:58:37	71dB	55dB	3.0	203%	Day
280	21:03:01	69dB	55dB	2.6	164%	Day
281	20:04:29	70dB	55dB	2.8	183%	Day
282	20:05:41	71dB	55dB	3.0	203%	Day
283	20:06:53	71dB	55dB	3.0	203%	Day
284	20:08:40	68dB	55dB	2.5	146%	Day
285	20:10:08	67dB	55dB	2.3	130%	Day
286	20:11:46	71dB	55dB	3.0	203%	Day
287	20:13:38	73dB	55dB	3.5	248%	Day
288	20:14:58	70dB	55dB	2.8	183%	Day
289	20:16:11	67dB	55dB	2.3	130%	Day
290	20:17:21	73dB	55dB	3.5	248%	Day
291	20:18:48	68dB	55dB	2.5	146%	Day
292	20:23:13	72dB	55dB	3.2	225%	Day
293	20:29:41	69dB	55dB	2.6	164%	Day
294	20:37:56	69dB	55dB	2.6	164%	Day
295	20:39:47	72dB	55dB	3.2	225%	Day
296	20:41:40	71dB	55dB	3.0	203%	Day
297	20:42:44	72dB	55dB	3.2	225%	Day
298	20:44:43	72dB	55dB	3.2	225%	Day
299	20:47:23	65	55dB	2.0	100%	Day
300	20:48:42	68	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	20:52:10	75dB	55dB	4.0	300%	Day
302	20:55:09	87dB	55dB	9.2	819%	Day
303	20:56:26	84dB	55dB	7.5	646%	Day
304	21:00:34	70dB	55dB	2.8	183%	Day
305	21:23:49	82dB	55dB	6.5	550%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 10, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	16:46:46	73dB	55dB	3.5	248%	Day
2	16:48:23	71dB	55dB	3.0	203%	Day
3	16:50:28	68dB	55dB	2.5	146%	Day
4	16:55:35	71dB	55dB	3.0	203%	Day
5	16:57:54	71dB	55dB	3.0	203%	Day
6	16:59:12	69dB	55dB	2.6	164%	Day
7	17:00:14	69dB	55dB	2.6	164%	Day
8	17:02:53	68dB	55dB	2.5	146%	Day
9	17:05:02	74dB	55dB	3.7	273%	Day
10	17:10:46	69dB	55dB	2.6	164%	Day
11	17:12:11	68dB	55dB	2.5	146%	Day
12	17:15:34	69dB	55dB	2.6	164%	Day
13	17:17:58	69dB	55dB	2.6	164%	Day
14	17:19:16	67dB	55dB	2.3	130%	Day
15	17:21:34	71dB	55dB	3.0	203%	Day
16	17:25:53	70dB	55dB	2.8	183%	Day
17	17:28:01	78dB	55dB	4.9	392%	Day
18	17:31:59	69dB	55dB	2.6	164%	Day
19	17:34:00	72dB	55dB	3.2	225%	Day
20	17:35:52	72dB	55dB	3.2	225%	Day
21	17:37:51	73dB	55dB	3.5	248%	Day
22	17:39:54	74dB	55dB	3.7	273%	Day
23	17:42:06	73dB	55dB	3.5	248%	Day
24	17:45:23	73dB	55dB	3.5	248%	Day
25	17:47:29	74dB	55dB	3.7	273%	Day
26	17:49:31	75dB	55dB	4.0	300%	Day
27	17:52:30	73dB	55dB	3.5	248%	Day
28	17:58:43	78dB	55dB	4.9	392%	Day
29	18:04:40	71dB	55dB	3.0	203%	Day
30	18:07:51	74dB	55dB	3.7	273%	Day
31	18:09:54	73dB	55dB	3.5	248%	Day
32	18:11:49	72dB	55dB	3.2	225%	Day
33	18:16:00	76dB	55dB	4.3	329%	Day
34	18:19:47	72dB	55dB	3.2	225%	Day
35	18:28:23	67dB	55dB	2.3	130%	Day
36	18:32:55	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	18:34:33	70dB	55dB	2.8	183%	Day
38	18:35:57	69dB	55dB	2.6	164%	Day
39	18:38:58	70dB	55dB	2.8	183%	Day
40	18:40:16	70dB	55dB	2.8	183%	Day
41	18:42:07	70dB	55dB	2.8	183%	Day
42	18:45:40	68dB	55dB	2.5	146%	Day
43	18:51:22	69dB	55dB	2.6	164%	Day
44	18:55:10	68dB	55dB	2.5	146%	Day
45	18:56:23	68dB	55dB	2.5	146%	Day
46	18:57:51	71dB	55dB	3.0	203%	Day
47	18:59:51	68dB	55dB	2.5	146%	Day
48	19:02:20	71dB	55dB	3.0	203%	Day
49	19:04:40	67dB	55dB	2.3	130%	Day
50	19:05:51	71dB	55dB	3.0	203%	Day
51	19:08:53	71dB	55dB	3.0	203%	Day
52	19:10:10	73dB	55dB	3.5	248%	Day
53	19:11:21	71dB	55dB	3.0	203%	Day
54	19:13:03	75dB	55dB	4.0	300%	Day
55	19:14:46	69dB	55dB	2.6	164%	Day
56	19:16:00	76dB	55dB	4.3	329%	Day
57	19:18:20	68dB	55dB	2.5	146%	Day
58	19:19:35	68dB	55dB	2.5	146%	Day
59	19:20:54	69dB	55dB	2.6	164%	Day
60	19:22:31	72dB	55dB	3.2	225%	Day
61	19:24:45	68dB	55dB	2.5	146%	Day
62	19:26:27	68dB	55dB	2.5	146%	Day
63	19:27:40	69dB	55dB	2.6	164%	Day
64	19:29:03	68dB	55dB	2.5	146%	Day
65	19:30:38	68dB	55dB	2.5	146%	Day
66	19:33:31	71dB	55dB	3.0	203%	Day
67	19:35:31	71dB	55dB	3.0	203%	Day
68	19:38:17	69dB	55dB	2.6	164%	Day
69	19:39:32	69dB	55dB	2.6	164%	Day
70	19:41:04	69dB	55dB	2.6	164%	Day
71	19:43:12	70dB	55dB	2.8	183%	Day
72	19:49:59	67dB	55dB	2.3	130%	Day
73	19:52:05	69dB	55dB	2.6	164%	Day
74	19:53:42	69dB	55dB	2.6	164%	Day
75	20:00:17	68dB	55dB	2.5	146%	Day
76	20:11:00	68dB	55dB	2.5	146%	Day
77	20:12:22	69dB	55dB	2.6	164%	Day
78	20:14:23	70dB	55dB	2.8	183%	Day
79	20:19:10	70dB	55dB	2.8	183%	Day
80	20:22:21	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	20:24:00	71dB	55dB	3.0	203%	Day
82	20:25:10	69dB	55dB	2.6	164%	Day
83	20:26:37	71dB	55dB	3.0	203%	Day
84	20:28:26	72dB	55dB	3.2	225%	Day
85	20:29:40	68dB	55dB	2.5	146%	Day
86	20:32:10	69dB	55dB	2.6	164%	Day
87	20:33:21	70dB	55dB	2.8	183%	Day
88	20:34:43	69dB	55dB	2.6	164%	Day
89	20:35:57	69dB	55dB	2.6	164%	Day
90	20:37:09	73dB	55dB	3.5	248%	Day
91	20:39:09	70dB	55dB	2.8	183%	Day
92	20:40:28	72dB	55dB	3.2	225%	Day
93	20:41:39	70dB	55dB	2.8	183%	Day
94	20:43:19	74dB	55dB	3.7	273%	Day
95	20:45:21	69dB	55dB	2.6	164%	Day
96	20:46:38	67dB	55dB	2.3	130%	Day
97	20:52:15	75dB	55dB	4.0	300%	Day
98	20:55:58	68dB	55dB	2.5	146%	Day
99	21:00:58	71dB	55dB	3.0	203%	Day
100	21:02:21	68dB	55dB	2.5	146%	Day
101	21:04:34	72dB	55dB	3.2	225%	Day
102	21:06:06	69dB	55dB	2.6	164%	Day
103	21:08:41	67dB	55dB	2.3	130%	Day
104	21:10:04	70dB	55dB	2.8	183%	Day
105	21:11:31	69dB	55dB	2.6	164%	Day
106	21:12:38	72dB	55dB	3.2	225%	Day
107	21:16:54	67dB	55dB	2.3	130%	Day
108	21:18:13	69dB	55dB	2.6	164%	Day
109	21:19:41	67dB	55dB	2.3	130%	Day
110	21:21:06	67dB	55dB	2.3	130%	Day
111	21:22:19	78dB	55dB	4.9	392%	Day
112	21:29:36	74dB	55dB	3.7	273%	Day
113	21:31:09	70dB	55dB	2.8	183%	Day
114	21:40:21	73dB	55dB	3.5	248%	Day
115	21:44:33	69dB	55dB	2.6	164%	Day
116	21:46:13	71dB	55dB	3.0	203%	Day
117	21:47:28	69dB	55dB	2.6	164%	Day
118	21:49:07	72dB	55dB	3.2	225%	Day
119	21:51:21	68dB	55dB	2.5	146%	Day
120	21:57:19	69dB	55dB	2.6	164%	Day
121	21:59:00	69dB	55dB	2.6	164%	Day
122	22:01:30	69dB	55dB	2.6	164%	Day
123	22:03:06	69dB	55dB	2.6	164%	Day
124	22:04:57	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	22:13:37	68dB	55dB	2.5	146%	Day
126	22:15:04	68dB	55dB	2.5	146%	Day
127	22:19:30	68dB	55dB	2.5	146%	Day
128	22:22:11	70dB	55dB	2.8	183%	Day
129	22:24:51	68dB	55dB	2.5	146%	Day
130	22:26:53	71dB	55dB	3.0	203%	Day
131	22:29:54	67dB	55dB	2.3	130%	Day
132	22:31:07	67dB	55dB	2.3	130%	Day
133	22:35:28	69dB	55dB	2.6	164%	Day
134	22:37:35	66dB	55dB	2.1	114%	Day
135	22:39:15	70dB	55dB	2.8	183%	Day
136	22:44:12	68dB	55dB	2.5	146%	Day
137	22:45:24	68dB	55dB	2.5	146%	Day
138	22:46:47	66dB	55dB	2.1	114%	Day
139	22:48:01	72dB	55dB	3.2	225%	Day
140	22:49:39	71dB	55dB	3.0	203%	Day
141	23:07:19	72dB	45dB	6.5	550%	Night
142	23:09:54	70dB	45dB	5.7	466%	Night
143	23:12:19	72dB	45dB	6.5	550%	Night
144	23:17:11	73dB	45dB	7.0	596%	Night
145	23:20:37	78dB	45dB	9.8	885%	Night
146	23:34:06	75dB	45dB	8.0	700%	Night
147	23:36:18	70dB	45dB	5.7	466%	Night
148	23:39:32	72dB	45dB	6.5	550%	Night
149	23:41:31	68dB	45dB	4.9	392%	Night
150	23:43:06	69dB	45dB	5.3	428%	Night
151	23:47:15	74dB	45dB	7.5	646%	Night
152	23:48:55	70dB	45dB	5.7	466%	Night
153	23:51:05	72dB	45dB	6.5	550%	Night
154	23:52:36	68dB	45dB	4.9	392%	Night
155	23:54:33	72dB	45dB	6.5	550%	Night
156	23:56:06	72dB	45dB	6.5	550%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 11, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:02:57	69dB	45dB	5.3	428%	Night
2	00:04:31	64dB	45dB	3.7	273%	Night
3	00:06:23	71dB	45dB	6.1	506%	Night
4	00:09:57	71dB	45dB	6.1	506%	Night
5	06:28:40	70dB	45dB	5.7	466%	Night
6	06:30:25	69dB	45dB	5.3	428%	Night
7	06:32:06	69dB	45dB	5.3	428%	Night
8	06:33:22	71dB	45dB	6.1	506%	Night
9	06:34:51	69dB	45dB	5.3	428%	Night
10	06:36:04	69dB	45dB	5.3	428%	Night
11	06:37:35	71dB	45dB	6.1	506%	Night
12	06:38:40	69dB	45dB	5.3	428%	Night
13	06:39:59	70dB	45dB	5.7	466%	Night
14	06:41:16	67dB	45dB	4.6	359%	Night
15	06:42:39	70dB	45dB	5.7	466%	Night
16	06:45:10	69dB	45dB	5.3	428%	Night
17	06:48:53	71dB	45dB	6.1	506%	Night
18	06:50:56	68dB	45dB	4.9	392%	Night
19	06:53:33	69dB	45dB	5.3	428%	Night
20	06:57:09	70dB	45dB	5.7	466%	Night
21	07:04:57	69dB	55dB	2.6	164%	Day
22	07:06:32	71dB	55dB	3.0	203%	Day
23	07:08:01	70dB	55dB	2.8	183%	Day
24	07:18:19	69dB	55dB	2.6	164%	Day
25	07:20:11	69dB	55dB	2.6	164%	Day
26	07:21:58	69dB	55dB	2.6	164%	Day
27	07:23:34	67dB	55dB	2.3	130%	Day
28	07:26:17	70dB	55dB	2.8	183%	Day
29	07:27:36	69dB	55dB	2.6	164%	Day
30	07:29:05	67dB	55dB	2.3	130%	Day
31	07:30:29	69dB	55dB	2.6	164%	Day
32	07:36:26	70dB	55dB	2.8	183%	Day
33	07:40:00	69dB	55dB	2.6	164%	Day
34	07:45:01	68dB	55dB	2.5	146%	Day
35	07:55:34	69dB	55dB	2.6	164%	Day
36	07:57:46	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	07:59:17	68dB	55dB	2.5	146%	Day
38	08:00:52	72dB	55dB	3.2	225%	Day
39	08:02:18	69dB	55dB	2.6	164%	Day
40	08:03:22	75dB	55dB	4.0	300%	Day
41	08:04:39	68dB	55dB	2.5	146%	Day
42	08:06:03	70dB	55dB	2.8	183%	Day
43	08:09:32	70dB	55dB	2.8	183%	Day
44	08:11:51	67dB	55dB	2.3	130%	Day
45	08:16:27	70dB	55dB	2.8	183%	Day
46	08:20:43	66dB	55dB	2.1	114%	Day
47	08:27:08	68dB	55dB	2.5	146%	Day
48	08:30:02	69dB	55dB	2.6	164%	Day
49	08:36:25	73dB	55dB	3.5	248%	Day
50	08:47:27	73dB	55dB	3.5	248%	Day
51	08:56:47	69dB	55dB	2.6	164%	Day
52	09:00:09	74dB	55dB	3.7	273%	Day
53	09:02:48	69dB	55dB	2.6	164%	Day
54	09:15:02	67dB	55dB	2.3	130%	Day
55	09:19:17	67dB	55dB	2.3	130%	Day
56	09:25:09	71dB	55dB	3.0	203%	Day
57	09:28:30	69dB	55dB	2.6	164%	Day
58	09:48:41	69dB	55dB	2.6	164%	Day
59	10:00:06	68dB	55dB	2.5	146%	Day
60	10:01:55	71dB	55dB	3.0	203%	Day
61	10:16:31	70dB	55dB	2.8	183%	Day
62	10:18:22	71dB	55dB	3.0	203%	Day
63	10:25:35	70dB	55dB	2.8	183%	Day
64	10:29:54	69dB	55dB	2.6	164%	Day
65	10:36:22	69dB	55dB	2.6	164%	Day
66	10:38:19	67dB	55dB	2.3	130%	Day
67	10:43:31	73dB	55dB	3.5	248%	Day
68	10:46:48	74dB	55dB	3.7	273%	Day
69	10:48:13	74dB	55dB	3.7	273%	Day
70	10:50:31	72dB	55dB	3.2	225%	Day
71	10:52:27	73dB	55dB	3.5	248%	Day
72	10:54:45	75dB	55dB	4.0	300%	Day
73	10:56:40	71dB	55dB	3.0	203%	Day
74	10:59:52	70dB	55dB	2.8	183%	Day
75	11:04:16	69dB	55dB	2.6	164%	Day
76	11:07:39	72dB	55dB	3.2	225%	Day
77	11:09:21	71dB	55dB	3.0	203%	Day
78	11:11:44	70dB	55dB	2.8	183%	Day
79	11:13:17	72dB	55dB	3.2	225%	Day
80	11:15:27	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	11:16:54	75dB	55dB	4.0	300%	Day
82	11:19:24	71dB	55dB	3.0	203%	Day
83	11:21:05	71dB	55dB	3.0	203%	Day
84	11:23:23	72dB	55dB	3.2	225%	Day
85	11:25:58	74dB	55dB	3.7	273%	Day
86	11:35:24	72dB	55dB	3.2	225%	Day
87	11:37:55	69dB	55dB	2.6	164%	Day
88	11:42:02	73dB	55dB	3.5	248%	Day
89	11:44:20	73dB	55dB	3.5	248%	Day
90	11:45:37	73dB	55dB	3.5	248%	Day
91	11:47:48	71dB	55dB	3.0	203%	Day
92	11:49:19	74dB	55dB	3.7	273%	Day
93	11:51:38	69dB	55dB	2.6	164%	Day
94	11:53:16	69dB	55dB	2.6	164%	Day
95	11:54:44		55dB	#VALUE!	#VALUE!	Day
96	11:57:54	68dB	55dB	2.5	146%	Day
97	12:00:59	75dB	55dB	4.0	300%	Day
98	12:02:59	71dB	55dB	3.0	203%	Day
99	12:04:23	69dB	55dB	2.6	164%	Day
100	12:05:27	70dB	55dB	2.8	183%	Day
101	12:06:51	73dB	55dB	3.5	248%	Day
102	12:08:06	79dB	55dB	5.3	428%	Day
103	12:09:32	75dB	55dB	4.0	300%	Day
104	12:11:49	71dB	55dB	3.0	203%	Day
105	12:13:23	73dB	55dB	3.5	248%	Day
106	12:15:26	70dB	55dB	2.8	183%	Day
107	12:17:05	70dB	55dB	2.8	183%	Day
108	12:21:44	77dB	55dB	4.6	359%	Day
109	12:24:37	68dB	55dB	2.5	146%	Day
110	12:26:04	69dB	55dB	2.6	164%	Day
111	12:27:29	72dB	55dB	3.2	225%	Day
112	12:32:15	70dB	55dB	2.8	183%	Day
113	12:35:32	71dB	55dB	3.0	203%	Day
114	12:36:52	71dB	55dB	3.0	203%	Day
115	12:38:10	71dB	55dB	3.0	203%	Day
116	12:40:42	72dB	55dB	3.2	225%	Day
117	12:43:39	69dB	55dB	2.6	164%	Day
118	12:45:08	71dB	55dB	3.0	203%	Day
119	12:46:38	72dB	55dB	3.2	225%	Day
120	12:49:50	70dB	55dB	2.8	183%	Day
121	12:51:37	78dB	55dB	4.9	392%	Day
122	12:54:03	68dB	55dB	2.5	146%	Day
123	12:55:22	71dB	55dB	3.0	203%	Day
124	12:56:25	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	12:57:48	70dB	55dB	2.8	183%	Day
126	12:59:44	72dB	55dB	3.2	225%	Day
127	13:01:45	68dB	55dB	2.5	146%	Day
128	13:03:52	80dB	55dB	5.7	466%	Day
129	13:06:34	74dB	55dB	3.7	273%	Day
130	13:08:45	71dB	55dB	3.0	203%	Day
131	13:13:01	72dB	55dB	3.2	225%	Day
132	13:16:09	67dB	55dB	2.3	130%	Day
133	13:18:02	72dB	55dB	3.2	225%	Day
134	13:21:13	78dB	55dB	4.9	392%	Day
135	13:24:43	71dB	55dB	3.0	203%	Day
136	13:26:14	67dB	55dB	2.3	130%	Day
137	13:27:32	69dB	55dB	2.6	164%	Day
138	13:29:26	68dB	55dB	2.5	146%	Day
139	13:36:37	70dB	55dB	2.8	183%	Day
140	13:40:50	71dB	55dB	3.0	203%	Day
141	13:46:00	75dB	55dB	4.0	300%	Day
142	13:49:02	69dB	55dB	2.6	164%	Day
143	13:50:45	69dB	55dB	2.6	164%	Day
144	13:53:47	71dB	55dB	3.0	203%	Day
145	13:56:41	71dB	55dB	3.0	203%	Day
146	13:58:38	72dB	55dB	3.2	225%	Day
147	14:04:56	69dB	55dB	2.6	164%	Day
148	14:09:38	72dB	55dB	3.2	225%	Day
149	14:11:46	69dB	55dB	2.6	164%	Day
150	14:13:34	72dB	55dB	3.2	225%	Day
151	14:15:09	69dB	55dB	2.6	164%	Day
152	14:16:50	72dB	55dB	3.2	225%	Day
153	14:19:56	68dB	55dB	2.5	146%	Day
154	14:21:23	71dB	55dB	3.0	203%	Day
155	14:23:06	69dB	55dB	2.6	164%	Day
156	14:30:51	75dB	55dB	4.0	300%	Day
157	14:33:41	68dB	55dB	2.5	146%	Day
158	14:35:05	69dB	55dB	2.6	164%	Day
159	14:38:46	72dB	55dB	3.2	225%	Day
160	14:40:13	71dB	55dB	3.0	203%	Day
161	14:42:55	70dB	55dB	2.8	183%	Day
162	14:44:11	69dB	55dB	2.6	164%	Day
163	14:45:41	71dB	55dB	3.0	203%	Day
164	14:47:12	70dB	55dB	2.8	183%	Day
165	14:49:24	72dB	55dB	3.2	225%	Day
166	14:50:34	70dB	55dB	2.8	183%	Day
167	14:52:26	69dB	55dB	2.6	164%	Day
168	14:57:54	74dB	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	15:07:01	71dB	55dB	3.0	203%	Day
170	15:11:04	68dB	55dB	2.5	146%	Day
171	15:16:06	69dB	55dB	2.6	164%	Day
172	15:17:37	73dB	55dB	3.5	248%	Day
173	15:18:59	70dB	55dB	2.8	183%	Day
174	15:23:03	69dB	55dB	2.6	164%	Day
175	15:24:28	71dB	55dB	3.0	203%	Day
176	15:25:35	70dB	55dB	2.8	183%	Day
177	15:30:35	69dB	55dB	2.6	164%	Day
178	15:35:38	73dB	55dB	3.5	248%	Day
179	15:37:10	71dB	55dB	3.0	203%	Day
180	15:38:21	70dB	55dB	2.8	183%	Day
181	15:40:06	74dB	55dB	3.7	273%	Day
182	15:42:20	74dB	55dB	3.7	273%	Day
183	15:43:42	71dB	55dB	3.0	203%	Day
184	15:45:59	72dB	55dB	3.2	225%	Day
185	15:48:49	68dB	55dB	2.5	146%	Day
186	15:51:11	71dB	55dB	3.0	203%	Day
187	15:53:57	71dB	55dB	3.0	203%	Day
188	15:56:56	73dB	55dB	3.5	248%	Day
189	15:58:37	74dB	55dB	3.7	273%	Day
190	16:03:26	77dB	55dB	4.6	359%	Day
191	16:05:30	73dB	55dB	3.5	248%	Day
192	16:06:37	70dB	55dB	2.8	183%	Day
193	16:09:21	75dB	55dB	4.0	300%	Day
194	16:10:31	70dB	55dB	2.8	183%	Day
195	16:11:57	74dB	55dB	3.7	273%	Day
196	16:16:10	71dB	55dB	3.0	203%	Day
197	16:19:58	87dB	55dB	9.2	819%	Day
198	16:21:27	69dB	55dB	2.6	164%	Day
199	16:22:45	73dB	55dB	3.5	248%	Day
200	16:25:46	73dB	55dB	3.5	248%	Day
201	16:28:00	74dB	55dB	3.7	273%	Day
202	16:32:16	67dB	55dB	2.3	130%	Day
203	16:33:32	73dB	55dB	3.5	248%	Day
204	16:35:02	70dB	55dB	2.8	183%	Day
205	16:38:16	71dB	55dB	3.0	203%	Day
206	16:41:02	70dB	55dB	2.8	183%	Day
207	16:42:20	69dB	55dB	2.6	164%	Day
208	16:44:26	71dB	55dB	3.0	203%	Day
209	16:45:39	69dB	55dB	2.6	164%	Day
210	16:48:32	69dB	55dB	2.6	164%	Day
211	16:49:57	68dB	55dB	2.5	146%	Day
212	16:52:56	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	16:55:24	68dB	55dB	2.5	146%	Day
214	16:58:09	71dB	55dB	3.0	203%	Day
215	17:00:24	68dB	55dB	2.5	146%	Day
216	17:02:41	79dB	55dB	5.3	428%	Day
217	17:06:57	75dB	55dB	4.0	300%	Day
218	17:09:18	71dB	55dB	3.0	203%	Day
219	17:11:38	72dB	55dB	3.2	225%	Day
220	17:13:57	71dB	55dB	3.0	203%	Day
221	17:16:26	73dB	55dB	3.5	248%	Day
222	17:18:52	80dB	55dB	5.7	466%	Day
223	17:21:19	70dB	55dB	2.8	183%	Day
224	17:23:56	71dB	55dB	3.0	203%	Day
225	17:31:16	75dB	55dB	4.0	300%	Day
226	17:35:34	73dB	55dB	3.5	248%	Day
227	17:43:04	74dB	55dB	3.7	273%	Day
228	17:45:25	83dB	55dB	7.0	596%	Day
229	17:48:55	73dB	55dB	3.5	248%	Day
230	17:51:13	73dB	55dB	3.5	248%	Day
231	17:53:25	72dB	55dB	3.2	225%	Day
232	17:55:38	73dB	55dB	3.5	248%	Day
233	17:57:47	73dB	55dB	3.5	248%	Day
234	17:59:56	74dB	55dB	3.7	273%	Day
235	18:02:57	75dB	55dB	4.0	300%	Day
236	18:05:35	70dB	55dB	2.8	183%	Day
237	18:10:08	73dB	55dB	3.5	248%	Day
238	18:12:39	74dB	55dB	3.7	273%	Day
239	18:25:01	77dB	55dB	4.6	359%	Day
240	18:27:08	75dB	55dB	4.0	300%	Day
241	18:29:29	72dB	55dB	3.2	225%	Day
242	18:34:05	75dB	55dB	4.0	300%	Day
243	18:39:30	76dB	55dB	4.3	329%	Day
244	18:42:13	72dB	55dB	3.2	225%	Day
245	18:44:45	72dB	55dB	3.2	225%	Day
246	18:47:02	69dB	55dB	2.6	164%	Day
247	18:49:58	72dB	55dB	3.2	225%	Day
248	18:52:49	74dB	55dB	3.7	273%	Day
249	18:57:51	79dB	55dB	5.3	428%	Day
250	18:59:59	69dB	55dB	2.6	164%	Day
251	19:01:31	70dB	55dB	2.8	183%	Day
252	19:02:50	72dB	55dB	3.2	225%	Day
253	19:04:26	73dB	55dB	3.5	248%	Day
254	19:06:04	79dB	55dB	5.3	428%	Day
255	19:07:25	73dB	55dB	3.5	248%	Day
256	19:10:30	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	19:14:21	74dB	55dB	3.7	273%	Day
258	19:25:57	70dB	55dB	2.8	183%	Day
259	19:27:45	71dB	55dB	3.0	203%	Day
260	19:29:25	72dB	55dB	3.2	225%	Day
261	19:31:21	72dB	55dB	3.2	225%	Day
262	19:32:49	72dB	55dB	3.2	225%	Day
263	19:34:33	70dB	55dB	2.8	183%	Day
264	19:36:01	70dB	55dB	2.8	183%	Day
265	19:40:14	67dB	55dB	2.3	130%	Day
266	19:40:58	67dB	55dB	2.3	130%	Day
267	19:41:10	75dB	55dB	4.0	300%	Day
268	19:42:33	71dB	55dB	3.0	203%	Day
269	19:44:18	77dB	55dB	4.6	359%	Day
270	19:46:30	79dB	55dB	5.3	428%	Day
271	19:49:48	74dB	55dB	3.7	273%	Day
272	19:52:09	71dB	55dB	3.0	203%	Day
273	19:53:43	72dB	55dB	3.2	225%	Day
274	19:56:43	73dB	55dB	3.5	248%	Day
275	20:00:18	77dB	55dB	4.6	359%	Day
276	20:03:40	73dB	55dB	3.5	248%	Day
277	20:06:39	75dB	55dB	4.0	300%	Day
278	20:08:48	73dB	55dB	3.5	248%	Day
279	20:10:36	72dB	55dB	3.2	225%	Day
280	20:10:57	72dB	55dB	3.2	225%	Day
281	20:12:38	70dB	55dB	2.8	183%	Day
282	20:13:59	69dB	55dB	2.6	164%	Day
283	20:15:15	75dB	55dB	4.0	300%	Day
284	20:16:54	72dB	55dB	3.2	225%	Day
285	20:18:49	72dB	55dB	3.2	225%	Day
286	20:20:41	76dB	55dB	4.3	329%	Day
287	20:22:55	72dB	55dB	3.2	225%	Day
288	20:24:13	73dB	55dB	3.5	248%	Day
289	20:25:56	71dB	55dB	3.0	203%	Day
290	20:27:42	72dB	55dB	3.2	225%	Day
291	20:29:35	69dB	55dB	2.6	164%	Day
292	20:30:57	74dB	55dB	3.7	273%	Day
293	20:32:18	72dB	55dB	3.2	225%	Day
294	20:36:37	71dB	55dB	3.0	203%	Day
295	20:38:16	71dB	55dB	3.0	203%	Day
296	20:39:51	70dB	55dB	2.8	183%	Day
297	20:41:36	70dB	55dB	2.8	183%	Day
298	20:44:04	75dB	55dB	4.0	300%	Day
299	20:46:03	74dB	55dB	3.7	273%	Day
300	20:48:16	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	20:52:32	78dB	55dB	4.9	392%	Day
302	20:54:00	66dB	55dB	2.1	114%	Day
303	20:55:54	74dB	55dB	3.7	273%	Day
304	20:57:58	69dB	55dB	2.6	164%	Day
305	20:59:41	72dB	55dB	3.2	225%	Day
306	21:01:30	72dB	55dB	3.2	225%	Day
307	21:04:40	72dB	55dB	3.2	225%	Day
308	21:07:41	72dB	55dB	3.2	225%	Day
309	21:09:08	66dB	55dB	2.1	114%	Day
310	21:09:16	71dB	55dB	3.0	203%	Day
311	21:11:19	74dB	55dB	3.7	273%	Day
312	21:13:51	74dB	55dB	3.7	273%	Day
313	21:15:06	71dB	55dB	3.0	203%	Day
314	21:15:17	68dB	55dB	2.5	146%	Day
315	21:17:35	70dB	55dB	2.8	183%	Day
316	21:19:24	73dB	55dB	3.5	248%	Day
317	21:21:01	73dB	55dB	3.5	248%	Day
318	21:24:04	69dB	55dB	2.6	164%	Day
319	21:25:39	75dB	55dB	4.0	300%	Day
320	21:27:42	70dB	55dB	2.8	183%	Day
321	21:30:57	68dB	55dB	2.5	146%	Day
322	21:32:27	73dB	55dB	3.5	248%	Day
323	21:34:07	72dB	55dB	3.2	225%	Day
324	21:35:38	68dB	55dB	2.5	146%	Day
325	21:38:22	70dB	55dB	2.8	183%	Day
326	21:39:48	69dB	55dB	2.6	164%	Day
327	21:41:11	68dB	55dB	2.5	146%	Day
328	21:41:16	68dB	55dB	2.5	146%	Day
329	21:42:37	71dB	55dB	3.0	203%	Day
330	21:45:57	68dB	55dB	2.5	146%	Day
331	21:47:21	73dB	55dB	3.5	248%	Day
332	21:50:38	69dB	55dB	2.6	164%	Day
333	21:54:00	67dB	55dB	2.3	130%	Day
334	21:58:29	69dB	55dB	2.6	164%	Day
335	22:00:30	71dB	55dB	3.0	203%	Day
336	22:10:03	69dB	55dB	2.6	164%	Day
337	22:14:19	71dB	55dB	3.0	203%	Day
338	22:15:44	69dB	55dB	2.6	164%	Day
339	22:20:02	67dB	55dB	2.3	130%	Day
340	22:22:03	70dB	55dB	2.8	183%	Day
341	22:23:51	69dB	55dB	2.6	164%	Day
342	22:25:50	68dB	55dB	2.5	146%	Day
343	22:27:19	70dB	55dB	2.8	183%	Day
344	22:29:22	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

345	22:32:40	68dB	55dB	2.5	146%	Day
346	22:33:57	68dB	55dB	2.5	146%	Day
347	22:35:17	68dB	55dB	2.5	146%	Day
348	22:37:51	68dB	55dB	2.5	146%	Day
349	22:39:27	69dB	55dB	2.6	164%	Day
350	22:41:00	70dB	55dB	2.8	183%	Day
351	22:42:37	67dB	55dB	2.3	130%	Day
352	22:52:25	68dB	55dB	2.5	146%	Day
353	23:03:23	71dB	45dB	6.1	506%	Night
354	23:08:33	67dB	45dB	4.6	359%	Night
355	23:21:19	69dB	45dB	5.3	428%	Night
356	23:23:48	70dB	45dB	5.7	466%	Night
357	23:38:40	70dB	45dB	5.7	466%	Night
358	23:40:22	71dB	45dB	6.1	506%	Night
359	23:46:27	70dB	45dB	5.7	466%	Night
360	23:48:41	69dB	45dB	5.3	428%	Night
361	23:50:05	68dB	45dB	4.9	392%	Night
362	23:51:33	73dB	45dB	7.0	596%	Night
363	23:54:45	69dB	45dB	5.3	428%	Night
364	23:56:10	70dB	45dB	5.7	466%	Night
365	23:57:33	69dB	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 12, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:02:24	70dB	45dB	5.7	466%	Night
2	00:04:00	67dB	45dB	4.6	359%	Night
3	00:07:54	70dB	45dB	5.7	466%	Night
4	00:24:32	71dB	45dB	6.1	506%	Night
5	03:32:32	77dB	45dB	9.2	819%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 13, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	12:06:36	76dB	55dB	4.3	329%	Day
2	12:07:57	73dB	55dB	3.5	248%	Day
3	13:23:29	70dB	55dB	2.8	183%	Day
4	14:22:17	74dB	55dB	3.7	273%	Day
5	14:51:32	76dB	55dB	4.3	329%	Day
6	15:45:09	74dB	55dB	3.7	273%	Day
7	20:58:46	73dB	55dB	3.5	248%	Day
8	22:18:00	72dB	55dB	3.2	225%	Day
9	22:52:20	78dB	55dB	4.9	392%	Day
10	22:52:32	82dB	55dB	6.5	550%	Day
11	22:53:01	72dB	55dB	3.2	225%	Day
12	22:53:45	72dB	55dB	3.2	225%	Day
13	22:55:37	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 14, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:20:24	77dB	45dB	9.2	819%	Day
2	00:44:12	74dB	45dB	7.5	646%	Day
3	1:10:28	84dB	45dB	14.9	1393%	Day
4	1:15:13	78dB	45dB	9.8	885%	Day
5	1:27:20	81dB	45dB	12.1	1113%	Day
6	1:30:47	82dB	45dB	13.0	1200%	Day
7	1:55:59	73dB	45dB	7.0	596%	Day
8	2:57:37	71dB	45dB	6.1	506%	Day
9	3:00:31	69dB	45dB	5.3	428%	Day
10	3:06:41	73dB	45dB	7.0	596%	Day
11	4:00:43	76dB	45dB	8.6	757%	Day
12	4:30:30	73dB	45dB	7.0	596%	Day
13	11:30:30	82dB	55dB	6.5	550%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 15, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	15:44:58	70dB	45dB	5.7	466%	Night
2	15:47:04	70dB	45dB	5.7	466%	Night
3	15:48:35	69dB	45dB	5.3	428%	Night
4	15:57:02	70dB	45dB	5.7	466%	Night
5	15:58:31	70dB	45dB	5.7	466%	Night
6	16:00:50	73dB	45dB	7.0	596%	Night
7	16:06:01	69dB	45dB	5.3	428%	Night
8	16:07:11	72dB	45dB	6.5	550%	Night
9	16:08:27	71dB	45dB	6.1	506%	Night
10	16:10:02	67dB	45dB	4.6	359%	Night
11	16:11:13	72dB	45dB	6.5	550%	Night
12	16:13:23	75dB	45dB	8.0	700%	Night
13	16:16:14	70dB	45dB	5.7	466%	Night
14	16:20:26	68dB	45dB	4.9	392%	Night
15	16:22:56	75dB	45dB	8.0	700%	Night
16	16:25:06	69dB	45dB	5.3	428%	Night
17	16:26:22	72dB	45dB	6.5	550%	Night
18	16:29:31	70dB	45dB	5.7	466%	Night
19	16:37:12	71dB	45dB	6.1	506%	Night
20	16:39:33	68dB	45dB	4.9	392%	Night
21	16:41:46	71dB	45dB	6.1	506%	Day
22	16:44:52	81dB	45dB	12.1	1113%	Day
23	16:46:49	73dB	45dB	7.0	596%	Day
24	16:48:51	74dB	45dB	7.5	646%	Day
25	16:55:29	81dB	45dB	12.1	1113%	Day
26	16:55:42	71dB	55dB	3.0	203%	Day
27	17:00:26	71dB	55dB	3.0	203%	Day
28	17:02:34	68dB	55dB	2.5	146%	Day
29	17:03:59	69dB	55dB	2.6	164%	Day
30	17:06:36	69dB	55dB	2.6	164%	Day
31	17:08:18	75dB	55dB	4.0	300%	Day
32	17:14:22	69dB	55dB	2.6	164%	Day
33	17:17:45	70dB	55dB	2.8	183%	Day
34	17:18:54	72dB	55dB	3.2	225%	Day
35	17:20:09	72dB	55dB	3.2	225%	Day
36	17:21:52	72dB	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	17:25:25	69dB	55dB	2.6	164%	Day
38	17:29:05	73dB	55dB	3.5	248%	Day
39	17:29:36	70dB	55dB	2.8	183%	Day
40	17:30:55	67dB	55dB	2.3	130%	Day
41	17:31:06	71dB	55dB	3.0	203%	Day
42	17:32:23	71dB	55dB	3.0	203%	Day
43	17:35:17	74dB	55dB	3.7	273%	Day
44	17:37:05	72dB	55dB	3.2	225%	Day
45	17:38:37	67dB	55dB	2.3	130%	Day
46	17:38:55	75dB	55dB	4.0	300%	Day
47	17:40:56	69dB	55dB	2.6	164%	Day
48	17:42:50	74dB	55dB	3.7	273%	Day
49	17:45:30	72dB	55dB	3.2	225%	Day
50	17:47:17	69dB	55dB	2.6	164%	Day
51	17:48:28	70dB	55dB	2.8	183%	Day
52	17:49:52	72dB	55dB	3.2	225%	Day
53	17:51:07	73dB	55dB	3.5	248%	Day
54	17:54:08	69dB	55dB	2.6	164%	Day
55	17:55:39	70dB	55dB	2.8	183%	Day
56	17:57:37	71dB	55dB	3.0	203%	Day
57	17:58:59	69dB	55dB	2.6	164%	Day
58	18:00:59	72dB	55dB	3.2	225%	Day
59	18:02:48	72dB	55dB	3.2	225%	Day
60	18:04:43	69dB	55dB	2.6	164%	Day
61	18:11:35	69dB	55dB	2.6	164%	Day
62	18:13:00	72dB	55dB	3.2	225%	Day
63	18:16:18	70dB	55dB	2.8	183%	Day
64	18:17:40	67dB	55dB	2.3	130%	Day
65	18:17:51	70dB	55dB	2.8	183%	Day
66	18:21:17	72dB	55dB	3.2	225%	Day
67	18:22:43	70dB	55dB	2.8	183%	Day
68	18:24:03	70dB	55dB	2.8	183%	Day
69	18:25:25	69dB	55dB	2.6	164%	Day
70	18:27:01	69dB	55dB	2.6	164%	Day
71	18:30:11	69dB	55dB	2.6	164%	Day
72	18:31:48	72dB	55dB	3.2	225%	Day
73	18:33:45	70dB	55dB	2.8	183%	Day
74	18:35:28	71dB	55dB	3.0	203%	Day
75	18:39:29	69dB	55dB	2.6	164%	Day
76	18:41:04	69dB	55dB	2.6	164%	Day
77	18:42:33	69dB	55dB	2.6	164%	Day
78	18:44:05	69dB	55dB	2.6	164%	Day
79	18:45:38	71dB	55dB	3.0	203%	Day
80	18:51:30	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	18:57:25	69dB	55dB	2.6	164%	Day
82	19:01:24	69dB	55dB	2.6	164%	Day
83	19:01:26	69dB	55dB	2.6	164%	Day
84	19:03:19	70dB	55dB	2.8	183%	Day
85	19:05:01	71dB	55dB	3.0	203%	Day
86	19:06:22	74dB	55dB	3.7	273%	Day
87	19:07:41	71dB	55dB	3.0	203%	Day
88	19:12:28	71dB	55dB	3.0	203%	Day
89	19:13:53	68dB	55dB	2.5	146%	Day
90	19:14:01	72dB	55dB	3.2	225%	Day
91	19:15:49	75dB	55dB	4.0	300%	Day
92	19:18:04	67dB	55dB	2.3	130%	Day
93	19:21:39	68dB	55dB	2.5	146%	Day
94	19:23:05	70dB	55dB	2.8	183%	Day
95	19:24:39	70dB	55dB	2.8	183%	Day
96	19:30:26	71dB	55dB	3.0	203%	Day
97	19:33:22	69dB	55dB	2.6	164%	Day
98	19:35:16	71dB	55dB	3.0	203%	Day
99	19:37:04	68dB	55dB	2.5	146%	Day
100	19:38:32	69dB	55dB	2.6	164%	Day
101	19:44:15	68dB	55dB	2.5	146%	Day
102	19:51:52	69dB	55dB	2.6	164%	Day
103	19:53:09	74dB	55dB	3.7	273%	Day
104	19:56:09	70dB	55dB	2.8	183%	Day
105	19:59:11	69dB	55dB	2.6	164%	Day
106	20:02:02	69dB	55dB	2.6	164%	Day
107	20:06:05	73dB	55dB	3.5	248%	Day
108	20:08:22	75dB	55dB	4.0	300%	Day
109	20:09:35	71dB	55dB	3.0	203%	Day
110	20:11:25	69dB	55dB	2.6	164%	Day
111	20:13:12	70dB	55dB	2.8	183%	Day
112	20:14:54	68dB	55dB	2.5	146%	Day
113	20:16:25	70dB	55dB	2.8	183%	Day
114	20:17:53	69dB	55dB	2.6	164%	Day
115	20:19:29	70dB	55dB	2.8	183%	Day
116	20:21:15	71dB	55dB	3.0	203%	Day
117	20:23:04	70dB	55dB	2.8	183%	Day
118	20:30:25	71dB	55dB	3.0	203%	Day
119	20:34:04	72dB	55dB	3.2	225%	Day
120	20:39:28	76dB	55dB	4.3	329%	Day
121	20:43:43	70dB	55dB	2.8	183%	Day
122	20:46:37	72dB	55dB	3.2	225%	Day
123	20:49:28	71dB	55dB	3.0	203%	Day
124	20:52:25	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	20:54:01	72dB	55dB	3.2	225%	Day
126	20:59:06	69dB	55dB	2.6	164%	Day
127	21:01:22	72dB	55dB	3.2	225%	Day
128	21:03:45	67dB	55dB	2.3	130%	Day
129	21:05:33	69dB	55dB	2.6	164%	Day
130	21:07:07	69dB	55dB	2.6	164%	Day
131	21:11:06	71dB	55dB	3.0	203%	Day
132	21:12:53	72dB	55dB	3.2	225%	Day
133	21:18:43	70dB	55dB	2.8	183%	Day
134	21:21:01	69dB	55dB	2.6	164%	Day
135	21:30:31	71dB	55dB	3.0	203%	Day
136	21:36:35	69dB	55dB	2.6	164%	Day
137	21:40:36	68dB	55dB	2.5	146%	Day
138	21:42:04	69dB	55dB	2.6	164%	Day
139	21:43:39	68dB	55dB	2.5	146%	Day
140	21:45:17	72dB	55dB	3.2	225%	Day
141	21:46:46	67dB	55dB	2.3	130%	Day
142	21:48:09	70dB	55dB	2.8	183%	Day
143	21:49:45	69dB	55dB	2.6	164%	Day
144	21:51:13	68dB	55dB	2.5	146%	Day
145	22:02:48	80dB	55dB	5.7	466%	Day
146	22:05:18	71dB	55dB	3.0	203%	Day
147	22:09:15	73dB	55dB	3.5	248%	Day
148	22:11:35	70dB	55dB	2.8	183%	Day
149	22:14:38	70dB	55dB	2.8	183%	Day
150	22:16:09	71dB	55dB	3.0	203%	Day
151	22:18:39	77dB	55dB	4.6	359%	Day
152	22:20:24	71dB	55dB	3.0	203%	Day
153	22:23:12	68dB	55dB	2.5	146%	Day
154	22:26:17	71dB	55dB	3.0	203%	Day
155	22:28:44	69dB	55dB	2.6	164%	Day
156	22:33:38	71dB	55dB	3.0	203%	Day
157	22:37:39	69dB	55dB	2.6	164%	Day
158	22:42:08	72dB	55dB	3.2	225%	Day
159	22:44:12	70dB	55dB	2.8	183%	Day
160	22:46:41	69dB	55dB	2.6	164%	Day
161	22:50:51	68dB	55dB	2.5	146%	Day
162	22:51:00	72dB	55dB	3.2	225%	Day
163	22:55:13	71dB	55dB	3.0	203%	Day
164	23:02:59	70dB	45dB	5.7	466%	Night
165	23:08:19	76dB	45dB	8.6	757%	Night
166	23:11:09	68dB	45dB	4.9	392%	Night
167	23:29:25	74dB	45dB	7.5	646%	Night
168	23:31:55	75dB	45dB	8.0	700%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	23:33:32	73dB	45dB	7.0	596%	Night
170	23:36:02	74dB	45dB	7.5	646%	Night
171	23:38:07	74dB	45dB	7.5	646%	Night
172	23:45:16	70dB	45dB	5.7	466%	Night
173	23:48:32	74dB	45dB	7.5	646%	Night
174	23:55:29	74dB	45dB	7.5	646%	Night
175	23:57:16	74dB	45dB	7.5	646%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 16, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:00:06	71dB	45dB	6.1	506%	Night
2	00:01:35	74dB	45dB	7.5	646%	Night
3	00:03:04	73dB	45dB	7.0	596%	Night
4	00:04:44	73dB	45dB	7.0	596%	Night
5	00:06:23	73dB	45dB	7.0	596%	Night
6	00:08:30	72dB	45dB	6.5	550%	Night
7	00:14:30	72dB	45dB	6.5	550%	Night
8	00:16:24	74dB	45dB	7.5	646%	Night
9	00:18:25	74dB	45dB	7.5	646%	Night
10	00:21:43	73dB	45dB	7.0	596%	Night
11	00:44:03	70dB	45dB	5.7	466%	Night
12	00:45:16	73dB	45dB	7.0	596%	Night
13	00:47:05	73dB	45dB	7.0	596%	Night
14	00:50:25	76dB	45dB	8.6	757%	Night
15	00:52:14	74dB	45dB	7.5	646%	Night
16	01:01:30	73dB	45dB	7.0	596%	Night
17	01:10:15	73dB	45dB	7.0	596%	Night
18	01:17:35	77dB	45dB	9.2	819%	Night
19	01:19:46	73dB	45dB	7.0	596%	Night
20	01:23:48	75dB	45dB	8.0	700%	Night
21	01:33:07	73dB	45dB	7.0	596%	Night
22	01:42:52	73dB	45dB	7.0	596%	Night
23	01:47:32	75dB	45dB	8.0	700%	Night
24	02:14:51	73dB	45dB	7.0	596%	Night
25	02:18:27	73dB	45dB	7.0	596%	Night
26	05:01:57	72dB	55dB	3.2	225%	Night
27	05:11:43	74dB	55dB	3.7	273%	Night
28	11:56:14	68dB	55dB	2.5	146%	Day
29	11:56:39	79dB	55dB	5.3	428%	Day
30	11:57:08	81dB	55dB	6.1	506%	Day
31	11:57:31	71dB	55dB	3.0	203%	Day
32	12:31:35	68dB	55dB	2.5	146%	Day
33	12:32:23	68dB	55dB	2.5	146%	Day
34	12:33:00	81dB	55dB	6.1	506%	Day
35	12:34:09	81dB	55dB	6.1	506%	Day
36	14:41:40	84dB	55dB	7.5	646%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	22:05:10	67dB	55dB	2.3	130%	Day
38	22:11:48	69dB	55dB	2.6	164%	Day
39	22:13:22	67dB	55dB	2.3	130%	Day
40	22:16:13	67dB	55dB	2.3	130%	Day
41	22:18:16	69dB	55dB	2.6	164%	Day
42	22:21:00	71dB	55dB	3.0	203%	Day
43	22:23:21	68dB	55dB	2.5	146%	Day
44	22:25:31	68dB	55dB	2.5	146%	Day
45	22:28:23	73dB	55dB	3.5	248%	Day
46	22:30:49	70dB	55dB	2.8	183%	Day
47	22:32:22	70dB	55dB	2.8	183%	Day
48	22:34:11	73dB	55dB	3.5	248%	Day
49	22:42:23	68dB	55dB	2.5	146%	Day
50	22:44:07	67dB	55dB	2.3	130%	Day
51	22:49:36	72dB	55dB	3.2	225%	Day
52	22:51:37	67dB	45dB	4.6	359%	Day
53	23:04:12	71dB	45dB	6.1	506%	Night
54	23:16:51	69dB	45dB	5.3	428%	Night
55	23:27:37	68dB	45dB	4.9	392%	Night
56	23:33:27	70dB	45dB	5.7	466%	Night
57	23:40:20	69dB	45dB	5.3	428%	Night
58	23:42:49	70dB	45dB	5.7	466%	Night
59	23:45:25	68dB	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 17, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	06:28:49	69dB	45dB	5.3	428%	Night
2	06:29:50	70dB	45dB	5.7	466%	Night
3	06:31:01	69dB	45dB	5.3	428%	Night
4	06:32:06	70dB	45dB	5.7	466%	Night
5	06:33:23	69dB	45dB	5.3	428%	Night
6	06:34:28	71dB	45dB	6.1	506%	Night
7	06:35:50	69dB	45dB	5.3	428%	Night
8	06:38:52	72dB	45dB	6.5	550%	Night
9	06:40:12	70dB	45dB	5.7	466%	Night
10	06:42:56	71dB	45dB	6.1	506%	Night
11	06:44:30	79dB	45dB	10.6	956%	Night
12	06:47:37	71dB	45dB	6.1	506%	Night
13	06:49:10	76dB	45dB	8.6	757%	Night
14	06:50:24	70dB	45dB	5.7	466%	Night
15	06:51:52	71dB	45dB	6.1	506%	Night
16	06:54:22	70dB	45dB	5.7	466%	Night
17	06:56:16	69dB	45dB	5.3	428%	Night
18	06:58:18	68dB	45dB	4.9	392%	Night
19	07:00:13	70dB	55dB	2.8	183%	Day
20	07:07:07	68dB	55dB	2.5	146%	Day
21	07:08:38	71dB	55dB	3.0	203%	Day
22	07:11:50	70dB	55dB	2.8	183%	Day
23	07:19:16	70dB	55dB	2.8	183%	Day
24	07:23:58	69dB	55dB	2.6	164%	Day
25	07:25:32	67dB	55dB	2.3	130%	Day
26	07:27:22	69dB	55dB	2.6	164%	Day
27	07:29:02	75dB	55dB	4.0	300%	Day
28	07:35:12	69dB	55dB	2.6	164%	Day
29	07:36:50	68dB	55dB	2.5	146%	Day
30	07:40:06	69dB	55dB	2.6	164%	Day
31	07:44:28	69dB	55dB	2.6	164%	Day
32	07:52:26	74dB	55dB	3.7	273%	Day
33	07:58:08	69dB	55dB	2.6	164%	Day
34	07:59:46	69dB	55dB	2.6	164%	Day
35	08:00:59	69dB	55dB	2.6	164%	Day
36	08:02:16	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	08:03:45	71dB	55dB	3.0	203%	Day
38	08:09:33	69dB	55dB	2.6	164%	Day
39	08:13:44	68dB	55dB	2.5	146%	Day
40	08:13:53	66dB	55dB	2.1	114%	Day
41	08:17:02	68dB	55dB	2.5	146%	Day
42	08:20:05	69dB	55dB	2.6	164%	Day
43	08:21:39	73dB	55dB	3.5	248%	Day
44	08:23:44	69dB	55dB	2.6	164%	Day
45	08:25:21	68dB	55dB	2.5	146%	Day
46	08:32:46	71dB	55dB	3.0	203%	Day
47	08:34:14	67dB	55dB	2.3	130%	Day
48	08:36:22	70dB	55dB	2.8	183%	Day
49	09:00:53	73dB	55dB	3.5	248%	Day
50	09:03:10	72dB	55dB	3.2	225%	Day
51	09:10:53	68dB	55dB	2.5	146%	Day
52	09:17:34	70dB	55dB	2.8	183%	Day
53	09:19:14	69dB	55dB	2.6	164%	Day
54	09:38:19	68dB	55dB	2.5	146%	Day
55	09:44:21	70dB	55dB	2.8	183%	Day
56	09:47:30	71dB	55dB	3.0	203%	Day
57	09:54:37	72dB	55dB	3.2	225%	Day
58	09:56:50	69dB	55dB	2.6	164%	Day
59	10:01:24	70dB	55dB	2.8	183%	Day
60	10:03:07	69dB	55dB	2.6	164%	Day
61	10:04:12	68dB	55dB	2.5	146%	Day
62	10:11:19	68dB	55dB	2.5	146%	Day
63	10:14:15	69dB	55dB	2.6	164%	Day
64	10:18:36	67dB	55dB	2.3	130%	Day
65	10:24:46	70dB	55dB	2.8	183%	Day
66	10:26:19	68dB	55dB	2.5	146%	Day
67	10:31:31	71dB	55dB	3.0	203%	Day
68	10:37:11	70dB	55dB	2.8	183%	Day
69	10:39:28	67dB	55dB	2.3	130%	Day
70	10:40:37	73dB	55dB	3.5	248%	Day
71	10:44:21	71dB	55dB	3.0	203%	Day
72	10:46:09	69dB	55dB	2.6	164%	Day
73	10:48:25	67dB	55dB	2.3	130%	Day
74	10:54:52	68dB	55dB	2.5	146%	Day
75	11:02:47	70dB	55dB	2.8	183%	Day
76	11:04:33	67dB	55dB	2.3	130%	Day
77	11:08:01	70dB	55dB	2.8	183%	Day
78	11:09:31	68dB	55dB	2.5	146%	Day
79	11:13:22	69dB	55dB	2.6	164%	Day
80	11:15:33	73dB	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	11:22:27	70dB	55dB	2.8	183%	Day
82	11:32:19	70dB	55dB	2.8	183%	Day
83	11:38:12	69dB	55dB	2.6	164%	Day
84	11:41:36	71dB	55dB	3.0	203%	Day
85	11:43:11	71dB	55dB	3.0	203%	Day
86	11:46:15	68dB	55dB	2.5	146%	Day
87	11:47:33	68dB	55dB	2.5	146%	Day
88	11:48:48	68dB	55dB	2.5	146%	Day
89	12:02:30	70dB	55dB	2.8	183%	Day
90	12:03:58	67dB	55dB	2.3	130%	Day
91	12:07:11	68dB	55dB	2.5	146%	Day
92	12:09:01	70dB	55dB	2.8	183%	Day
93	12:10:10	69dB	55dB	2.6	164%	Day
94	12:11:23	69dB	55dB	2.6	164%	Day
95	12:13:00	71dB	55dB	3.0	203%	Day
96	12:14:31	70dB	55dB	2.8	183%	Day
97	12:18:50	67dB	55dB	2.3	130%	Day
98	12:22:49	75dB	55dB	4.0	300%	Day
99	12:24:29	69dB	55dB	2.6	164%	Day
100	12:26:13	76dB	55dB	4.3	329%	Day
101	12:31:23	76dB	55dB	4.3	329%	Day
102	12:36:37	71dB	55dB	3.0	203%	Day
103	12:41:31	72dB	55dB	3.2	225%	Day
104	12:42:38	68dB	55dB	2.5	146%	Day
105	12:45:50	73dB	55dB	3.5	248%	Day
106	12:48:47	68dB	55dB	2.5	146%	Day
107	12:50:22	69dB	55dB	2.6	164%	Day
108	12:51:41	70dB	55dB	2.8	183%	Day
109	13:00:59	72dB	55dB	3.2	225%	Day
110	13:06:22	67dB	55dB	2.3	130%	Day
111	13:08:17	67dB	55dB	2.3	130%	Day
112	13:10:09	75dB	55dB	4.0	300%	Day
113	13:12:32	71dB	55dB	3.0	203%	Day
114	13:14:37	72dB	55dB	3.2	225%	Day
115	13:22:29	71dB	55dB	3.0	203%	Day
116	13:28:38	67dB	55dB	2.3	130%	Day
117	13:30:03	70dB	55dB	2.8	183%	Day
118	13:31:57	71dB	55dB	3.0	203%	Day
119	13:39:43	69dB	55dB	2.6	164%	Day
120	13:33:15	72dB	55dB	3.2	225%	Day
121	13:35:12	68dB	55dB	2.5	146%	Day
122	13:36:33	67dB	55dB	2.3	130%	Day
123	13:43:46	72dB	55dB	3.2	225%	Day
124	13:44:57	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	13:47:09	69dB	55dB	2.6	164%	Day
126	14:02:00	72dB	55dB	3.2	225%	Day
127	14:03:55	71dB	55dB	3.0	203%	Day
128	14:05:04	71dB	55dB	3.0	203%	Day
129	14:09:00	69dB	55dB	2.6	164%	Day
130	14:10:23	75dB	55dB	4.0	300%	Day
131	14:11:59	68dB	55dB	2.5	146%	Day
132	14:13:11	68dB	55dB	2.5	146%	Day
133	14:14:31	69dB	55dB	2.6	164%	Day
134	14:16:50	69dB	55dB	2.6	164%	Day
135	14:18:08	71dB	55dB	3.0	203%	Day
136	14:19:17	68dB	55dB	2.5	146%	Day
137	14:20:28	72dB	55dB	3.2	225%	Day
138	14:22:42	70dB	55dB	2.8	183%	Day
139	14:23:50	70dB	55dB	2.8	183%	Day
140	14:28:29	69dB	55dB	2.6	164%	Day
141	14:31:06	70dB	55dB	2.8	183%	Day
142	14:34:17	70dB	55dB	2.8	183%	Day
143	14:35:26	70dB	55dB	2.8	183%	Day
144	14:36:57	73dB	55dB	3.5	248%	Day
145	14:38:44	72dB	55dB	3.2	225%	Day
146	14:40:05	75dB	55dB	4.0	300%	Day
147	14:42:25	68dB	55dB	2.5	146%	Day
148	14:44:59	69dB	55dB	2.6	164%	Day
149	14:46:27	73dB	55dB	3.5	248%	Day
150	14:48:32	71dB	55dB	3.0	203%	Day
151	14:49:51	69dB	55dB	2.6	164%	Day
152	14:51:15	67dB	55dB	2.3	130%	Day
153	14:52:39	74dB	55dB	3.7	273%	Day
154	14:55:38	71dB	55dB	3.0	203%	Day
155	14:58:25	70dB	55dB	2.8	183%	Day
156	14:59:55	71dB	55dB	3.0	203%	Day
157	14:01:37	73dB	55dB	3.5	248%	Day
158	15:03:56	74dB	55dB	3.7	273%	Day
159	15:05:55	69dB	55dB	2.6	164%	Day
160	15:08:24	70dB	55dB	2.8	183%	Day
161	15:10:26	69dB	55dB	2.6	164%	Day
162	15:12:00	78dB	55dB	4.9	392%	Day
163	15:14:22	69dB	55dB	2.6	164%	Day
164	15:15:55	68dB	55dB	2.5	146%	Day
165	15:19:30	68dB	55dB	2.5	146%	Day
166	15:21:31	72dB	55dB	3.2	225%	Day
167	15:23:42	67dB	55dB	2.3	130%	Day
168	15:25:55	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	15:27:58	70dB	55dB	2.8	183%	Day
170	15:30:19	73dB	55dB	3.5	248%	Day
171	15:31:42	70dB	55dB	2.8	183%	Day
172	15:33:58	70dB	55dB	2.8	183%	Day
173	15:35:25	71dB	55dB	3.0	203%	Day
174	15:38:57	70dB	55dB	2.8	183%	Day
175	15:40:16	73dB	55dB	3.5	248%	Day
176	15:55:52	70dB	55dB	2.8	183%	Day
177	16:01:29	72dB	55dB	3.2	225%	Day
178	16:03:31	71dB	55dB	3.0	203%	Day
179	16:04:48	69dB	55dB	2.6	164%	Day
180	16:06:07	76dB	55dB	4.3	329%	Day
181	16:07:20	75dB	55dB	4.0	300%	Day
182	16:09:28	72dB	55dB	3.2	225%	Day
183	16:10:54	77dB	55dB	4.6	359%	Day
184	16:17:25	74dB	55dB	3.7	273%	Day
185	16:20:26	70dB	55dB	2.8	183%	Day
186	16:22:10	72dB	55dB	3.2	225%	Day
187	16:27:18	73dB	55dB	3.5	248%	Day
188	16:32:16	70dB	55dB	2.8	183%	Day
189	16:33:43	71dB	55dB	3.0	203%	Day
190	16:35:04	70dB	55dB	2.8	183%	Day
191	16:36:34	70dB	55dB	2.8	183%	Day
192	16:45:57	72dB	55dB	3.2	225%	Day
193	16:48:47	74dB	55dB	3.7	273%	Day
194	16:51:04	71dB	55dB	3.0	203%	Day
195	16:56:17	69dB	55dB	2.6	164%	Day
196	16:59:32	74dB	55dB	3.7	273%	Day
197	17:01:48	69dB	55dB	2.6	164%	Day
198	17:04:18	72dB	55dB	3.2	225%	Day
199	17:06:41	72dB	55dB	3.2	225%	Day
200	17:08:47	72dB	55dB	3.2	225%	Day
201	17:11:19	73dB	55dB	3.5	248%	Day
202	17:15:14	73dB	55dB	3.5	248%	Day
203	17:18:08	73dB	55dB	3.5	248%	Day
204	17:20:32	70dB	55dB	2.8	183%	Day
205	17:23:33	78dB	55dB	4.9	392%	Day
206	17:26:01	73dB	55dB	3.5	248%	Day
207	17:30:12	73dB	55dB	3.5	248%	Day
208	17:32:12	71dB	55dB	3.0	203%	Day
209	17:34:12	69dB	55dB	2.6	164%	Day
210	17:36:26	73dB	55dB	3.5	248%	Day
211	17:38:22	69dB	55dB	2.6	164%	Day
212	17:40:48	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	17:45:48	71dB	55dB	3.0	203%	Day
214	17:48:40	75dB	55dB	4.0	300%	Day
215	17:53:31	74dB	55dB	3.7	273%	Day
216	17:58:08	74dB	55dB	3.7	273%	Day
217	18:01:08	71dB	55dB	3.0	203%	Day
218	18:03:32	74dB	55dB	3.7	273%	Day
219	18:05:47	74dB	55dB	3.7	273%	Day
220	18:08:23	74dB	55dB	3.7	273%	Day
221	18:10:53	74dB	55dB	3.7	273%	Day
222	18:13:02	71dB	55dB	3.0	203%	Day
223	18:15:20	75dB	55dB	4.0	300%	Day
224	18:20:00	74dB	55dB	3.7	273%	Day
225	18:23:27	71dB	55dB	3.0	203%	Day
226	18:25:35	71dB	55dB	3.0	203%	Day
227	18:27:52	73dB	55dB	3.5	248%	Day
228	18:30:54	77dB	55dB	4.6	359%	Day
229	18:35:16	73dB	55dB	3.5	248%	Day
230	18:37:30	74dB	55dB	3.7	273%	Day
231	18:39:52	73dB	55dB	3.5	248%	Day
232	18:42:09	71dB	55dB	3.0	203%	Day
233	18:47:10	71dB	55dB	3.0	203%	Day
234	18:49:07	68dB	55dB	2.5	146%	Day
235	18:53:07	68dB	55dB	2.5	146%	Day
236	19:02:49	71dB	55dB	3.0	203%	Day
237	19:03:53	70dB	55dB	2.8	183%	Day
238	19:06:00	73dB	55dB	3.5	248%	Day
239	19:08:00	70dB	55dB	2.8	183%	Day
240	19:09:15	71dB	55dB	3.0	203%	Day
241	19:12:48	71dB	55dB	3.0	203%	Day
242	19:15:20	71dB	55dB	3.0	203%	Day
243	19:16:53	73dB	55dB	3.5	248%	Day
244	19:18:36	67dB	55dB	2.3	130%	Day
245	19:20:12	69dB	55dB	2.6	164%	Day
246	19:21:23	70dB	55dB	2.8	183%	Day
247	19:22:35	69dB	55dB	2.6	164%	Day
248	19:25:20	71dB	55dB	3.0	203%	Day
249	19:26:37	72dB	55dB	3.2	225%	Day
250	19:28:22	69dB	55dB	2.6	164%	Day
251	19:29:37	74dB	55dB	3.7	273%	Day
252	19:30:59	69dB	55dB	2.6	164%	Day
253	19:32:12	71dB	55dB	3.0	203%	Day
254	19:10:20	66dB	55dB	2.1	114%	Day
255	19:33:39	69dB	55dB	2.6	164%	Day
256	19:36:42	73dB	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	19:38:10	67dB	55dB	2.3	130%	Day
258	19:39:21	69dB	55dB	2.6	164%	Day
259	19:42:38	68dB	55dB	2.5	146%	Day
260	19:44:45	68dB	55dB	2.5	146%	Day
261	19:46:54	70dB	55dB	2.8	183%	Day
262	19:48:08	70dB	55dB	2.8	183%	Day
263	19:49:29	69dB	55dB	2.6	164%	Day
264	19:54:13	71dB	55dB	3.0	203%	Day
265	19:56:51	69dB	55dB	2.6	164%	Day
266	19:59:09	70dB	55dB	2.8	183%	Day
267	20:04:12	71dB	55dB	3.0	203%	Day
268	20:06:26	68dB	55dB	2.5	146%	Day
269	20:08:39	74dB	55dB	3.7	273%	Day
270	20:10:56	71dB	55dB	3.0	203%	Day
271	20:12:08	70dB	55dB	2.8	183%	Day
272	20:13:55	71dB	55dB	3.0	203%	Day
273	20:17:42	68dB	55dB	2.5	146%	Day
274	20:19:09	71dB	55dB	3.0	203%	Day
275	20:26:13	70dB	55dB	2.8	183%	Day
276	20:30:46	73dB	55dB	3.5	248%	Day
277	20:32:15	73dB	55dB	3.5	248%	Day
278	20:33:57	72dB	55dB	3.2	225%	Day
279	20:35:14	70dB	55dB	2.8	183%	Day
280	20:39:28	67dB	55dB	2.3	130%	Day
281	20:46:39	71dB	55dB	3.0	203%	Day
282	20:48:08	69dB	55dB	2.6	164%	Day
283	20:49:46	67dB	55dB	2.3	130%	Day
284	20:51:15	70dB	55dB	2.8	183%	Day
285	20:53:02	68dB	55dB	2.5	146%	Day
286	20:55:07	71dB	55dB	3.0	203%	Day
287	20:57:12	67dB	55dB	2.3	130%	Day
288	21:00:03	69dB	55dB	2.6	164%	Day
289	21:01:53	70dB	55dB	2.8	183%	Day
290	21:03:08	70dB	55dB	2.8	183%	Day
291	21:04:42	69dB	55dB	2.6	164%	Day
292	21:05:50	70dB	55dB	2.8	183%	Day
293	21:07:17	70dB	55dB	2.8	183%	Day
294	21:17:04	69dB	55dB	2.6	164%	Day
295	21:19:02	69dB	55dB	2.6	164%	Day
296	21:20:42	68dB	55dB	2.5	146%	Day
297	21:22:08	68dB	55dB	2.5	146%	Day
298	21:23:35	68dB	55dB	2.5	146%	Day
299	21:25:05	68dB	55dB	2.5	146%	Day
300	21:29:28	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	21:31:03	68dB	55dB	2.5	146%	Day
302	21:41:27	79dB	55dB	5.3	428%	Day
303	21:46:15	72dB	55dB	3.2	225%	Day
304	21:49:46	70dB	55dB	2.8	183%	Day
305	21:50:59	71dB	55dB	3.0	203%	Day
306	21:52:25	67dB	55dB	2.3	130%	Day
307	21:54:24	71dB	55dB	3.0	203%	Day
308	21:56:11	70dB	55dB	2.8	183%	Day
309	21:57:32	70dB	55dB	2.8	183%	Day
310	21:58:39	67dB	55dB	2.3	130%	Day
311	22:00:00	67dB	55dB	2.3	130%	Day
312	22:01:21	76dB	55dB	4.3	329%	Day
313	22:10:15	69dB	55dB	2.6	164%	Day
314	22:13:43	69dB	55dB	2.6	164%	Day
315	22:15:21	67dB	55dB	2.3	130%	Day
316	22:18:12	68dB	55dB	2.5	146%	Day
317	22:21:12	67dB	55dB	2.3	130%	Day
318	22:22:34	69dB	55dB	2.6	164%	Day
319	22:25:14	68dB	55dB	2.5	146%	Day
320	22:30:37	71dB	55dB	3.0	203%	Day
321	22:33:53	70dB	55dB	2.8	183%	Day
322	22:36:32	67dB	55dB	2.3	130%	Day
323	22:47:02	68dB	55dB	2.5	146%	Day
324	22:48:37	67dB	55dB	2.3	130%	Day
325	22:50:02	68dB	55dB	2.5	146%	Day
326	22:57:19	67dB	55dB	2.3	130%	Day
327	22:59:09	69dB	55dB	2.6	164%	Day
328	23:01:03	70dB	45dB	5.7	466%	Night
329	23:03:09	68dB	45dB	4.9	392%	Night
330	23:10:26	69dB	45dB	5.3	428%	Night
331	23:24:07	71dB	45dB	6.1	506%	Night
332	23:32:47	69dB	45dB	5.3	428%	Night
333	23:34:20	67dB	45dB	4.6	359%	Night
334	23:36:23	76dB	45dB	8.6	757%	Night
335	23:38:34	67dB	45dB	4.6	359%	Night
336	23:39:53	68dB	45dB	4.9	392%	Night
337	23:41:25	73dB	45dB	7.0	596%	Night
338	23:43:23	69dB	45dB	5.3	428%	Night
339	23:46:08	77dB	45dB	9.2	819%	Night
340	23:49:01	69dB	45dB	5.3	428%	Night
341	23:55:00	71dB	45dB	6.1	506%	Night
342	23:59:17	69dB	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 18, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:01:07	70dB	45dB	5.7	466%	Night
2	00:03:04	69dB	45dB	5.3	428%	Night
3	00:04:27	69dB	45dB	5.3	428%	Night
4	00:06:21	72dB	45dB	6.5	550%	Night
5	00:17:50	69dB	45dB	5.3	428%	Night
6	06:36:31	71dB	45dB	6.1	506%	Night
7	06:28:29	69dB	45dB	5.3	428%	Night
8	06:29:51	69dB	45dB	5.3	428%	Night
9	06:30:57	70dB	45dB	5.7	466%	Night
10	06:33:04	69dB	45dB	5.3	428%	Night
11	06:34:55	69dB	45dB	5.3	428%	Night
12	06:37:41	78dB	45dB	9.8	885%	Night
13	06:39:11	70dB	45dB	5.7	466%	Night
14	06:40:30	71dB	45dB	6.1	506%	Night
15	06:41:40	70dB	45dB	5.7	466%	Night
16	06:42:55	71dB	45dB	6.1	506%	Night
17	06:45:25	72dB	45dB	6.5	550%	Night
18	06:47:44	67dB	45dB	4.6	359%	Night
19	06:49:54	70dB	45dB	5.7	466%	Night
20	06:52:01	71dB	45dB	6.1	506%	Night
21	06:53:27	70dB	45dB	5.7	466%	Night
22	06:56:22	68dB	45dB	4.9	392%	Night
23	06:57:31	72dB	45dB	6.5	550%	Night
24	06:59:01	70dB	45dB	5.7	466%	Night
25	07:00:15	68dB	55dB	2.5	146%	Day
26	07:39:31	70dB	55dB	2.8	183%	Day
27	07:44:35	71dB	55dB	3.0	203%	Day
28	07:53:54	68dB	55dB	2.5	146%	Day
29	07:56:13	68dB	55dB	2.5	146%	Day
30	07:57:32	70dB	55dB	2.8	183%	Day
31	07:58:52	69dB	55dB	2.6	164%	Day
32	08:00:09	68dB	55dB	2.5	146%	Day
33	08:01:37	71dB	55dB	3.0	203%	Day
34	08:03:37	69dB	55dB	2.6	164%	Day
35	08:07:02	73dB	55dB	3.5	248%	Day
36	08:10:50	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	08:13:02	76dB	55dB	4.3	329%	Day
38	08:16:36	69dB	55dB	2.6	164%	Day
39	08:18:10	69dB	55dB	2.6	164%	Day
40	08:19:51	69dB	55dB	2.6	164%	Day
41	08:21:33	69dB	55dB	2.6	164%	Day
42	08:22:53	72dB	55dB	3.2	225%	Day
43	08:25:05	70dB	55dB	2.8	183%	Day
44	08:27:07	69dB	55dB	2.6	164%	Day
45	08:37:40	72dB	55dB	3.2	225%	Day
46	09:02:33	69dB	55dB	2.6	164%	Day
47	09:12:47	75dB	55dB	4.0	300%	Day
48	09:15:49	67dB	55dB	2.3	130%	Day
49	09:34:21	70dB	55dB	2.8	183%	Day
50	09:35:57	68dB	55dB	2.5	146%	Day
51	09:37:49	72dB	55dB	3.2	225%	Day
52	09:41:06	67dB	55dB	2.3	130%	Day
53	09:43:08	67dB	55dB	2.3	130%	Day
54	09:50:45	71dB	55dB	3.0	203%	Day
55	09:53:17	71dB	55dB	3.0	203%	Day
56	09:57:12	69dB	55dB	2.6	164%	Day
57	10:01:27	67dB	55dB	2.3	130%	Day
58	10:11:12	69dB	55dB	2.6	164%	Day
59	10:14:57	71dB	55dB	3.0	203%	Day
60	10:17:25	71dB	55dB	3.0	203%	Day
61	10:18:41	70dB	55dB	2.8	183%	Day
62	10:44:30	69dB	55dB	2.6	164%	Day
63	10:46:31	70dB	55dB	2.8	183%	Day
64	10:48:18	69dB	55dB	2.6	164%	Day
65	10:49:46	68dB	55dB	2.5	146%	Day
66	10:54:15	69dB	55dB	2.6	164%	Day
67	11:06:03	70dB	55dB	2.8	183%	Day
68	11:07:29	67dB	55dB	2.3	130%	Day
69	11:08:51	70dB	55dB	2.8	183%	Day
70	11:11:34	73dB	55dB	3.5	248%	Day
71	11:16:18	68dB	55dB	2.5	146%	Day
72	11:18:21	68dB	55dB	2.5	146%	Day
73	11:20:15	69dB	55dB	2.6	164%	Day
74	11:21:43	68dB	55dB	2.5	146%	Day
75	11:25:19	73dB	55dB	3.5	248%	Day
76	11:34:02	69dB	55dB	2.6	164%	Day
77	11:41:21	67dB	55dB	2.3	130%	Day
78	11:47:50	69dB	55dB	2.6	164%	Day
79	11:50:02	68dB	55dB	2.5	146%	Day
80	11:52:02	72dB	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	11:55:07	69dB	55dB	2.6	164%	Day
82	11:57:03	68dB	55dB	2.5	146%	Day
83	11:59:50	68dB	55dB	2.5	146%	Day
84	12:01:16	69dB	55dB	2.6	164%	Day
85	12:02:39	72dB	55dB	3.2	225%	Day
86	12:04:15	70dB	55dB	2.8	183%	Day
87	12:06:29	71dB	55dB	3.0	203%	Day
88	12:07:53	70dB	55dB	2.8	183%	Day
89	12:09:25	70dB	55dB	2.8	183%	Day
90	12:11:00	67dB	55dB	2.3	130%	Day
91	12:12:28	68dB	55dB	2.5	146%	Day
92	12:16:24	70dB	55dB	2.8	183%	Day
93	12:17:44	73dB	55dB	3.5	248%	Day
94	12:20:03	68dB	55dB	2.5	146%	Day
95	12:24:01	73dB	55dB	3.5	248%	Day
96	12:30:08	71dB	55dB	3.0	203%	Day
97	12:31:41	69dB	55dB	2.6	164%	Day
98	12:34:52	68dB	55dB	2.5	146%	Day
99	12:36:48	70dB	55dB	2.8	183%	Day
100	12:38:04	74dB	55dB	3.7	273%	Day
101	12:39:33	71dB	55dB	3.0	203%	Day
102	12:41:25	70dB	55dB	2.8	183%	Day
103	12:43:42	69dB	55dB	2.6	164%	Day
104	12:45:21	73dB	55dB	3.5	248%	Day
105	12:47:23	71dB	55dB	3.0	203%	Day
106	12:49:37	73dB	55dB	3.5	248%	Day
107	12:56:04	71dB	55dB	3.0	203%	Day
108	12:58:42	71dB	55dB	3.0	203%	Day
109	13:00:12	69dB	55dB	2.6	164%	Day
110	13:04:13	70dB	55dB	2.8	183%	Day
111	13:07:51	70dB	55dB	2.8	183%	Day
112	13:13:10	75dB	55dB	4.0	300%	Day
113	13:18:13	70dB	55dB	2.8	183%	Day
114	13:20:28	70dB	55dB	2.8	183%	Day
115	13:24:15	68dB	55dB	2.5	146%	Day
116	13:25:52	71dB	55dB	3.0	203%	Day
117	13:37:20	68dB	55dB	2.5	146%	Day
118	13:42:51	71dB	55dB	3.0	203%	Day
119	13:46:18	70dB	55dB	2.8	183%	Day
120	13:47:20	67dB	55dB	2.3	130%	Day
121	13:48:57	69dB	55dB	2.6	164%	Day
122	13:52:51	68dB	55dB	2.5	146%	Day
123	13:54:33	71dB	55dB	3.0	203%	Day
124	13:59:17	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	14:02:07	68dB	55dB	2.5	146%	Day
126	14:04:39	69dB	55dB	2.6	164%	Day
127	14:06:29	70dB	55dB	2.8	183%	Day
128	14:09:46	75dB	55dB	4.0	300%	Day
129	14:11:16	73dB	55dB	3.5	248%	Day
130	14:13:03	69dB	55dB	2.6	164%	Day
131	14:14:08	70dB	55dB	2.8	183%	Day
132	14:16:11	69dB	55dB	2.6	164%	Day
133	14:17:55	69dB	55dB	2.6	164%	Day
134	14:19:46	69dB	55dB	2.6	164%	Day
135	14:23:30	71dB	55dB	3.0	203%	Day
136	14:24:45	68dB	55dB	2.5	146%	Day
137	14:25:53	70dB	55dB	2.8	183%	Day
138	14:27:10	72dB	55dB	3.2	225%	Day
139	14:29:48	71dB	55dB	3.0	203%	Day
140	14:31:53	70dB	55dB	2.8	183%	Day
141	14:34:13	70dB	55dB	2.8	183%	Day
142	14:35:21	68dB	55dB	2.5	146%	Day
143	14:37:22	70dB	55dB	2.8	183%	Day
144	14:38:59	75dB	55dB	4.0	300%	Day
145	14:41:43	69dB	55dB	2.6	164%	Day
146	14:44:01	69dB	55dB	2.6	164%	Day
147	14:45:26	68dB	55dB	2.5	146%	Day
148	14:49:21	70dB	55dB	2.8	183%	Day
149	14:58:37	68dB	55dB	2.5	146%	Day
150	15:02:45	69dB	55dB	2.6	164%	Day
151	15:04:27	71dB	55dB	3.0	203%	Day
152	15:06:32	69dB	55dB	2.6	164%	Day
153	15:08:03	72dB	55dB	3.2	225%	Day
154	15:12:33	69dB	55dB	2.6	164%	Day
155	15:18:53	69dB	55dB	2.6	164%	Day
156	15:20:25	71dB	55dB	3.0	203%	Day
157	15:25:24	72dB	55dB	3.2	225%	Day
158	15:26:49	70dB	55dB	2.8	183%	Day
159	15:28:03	75dB	55dB	4.0	300%	Day
160	15:30:20	71dB	55dB	3.0	203%	Day
161	15:33:17	72dB	55dB	3.2	225%	Day
162	15:34:34	70dB	55dB	2.8	183%	Day
163	15:36:00	68dB	55dB	2.5	146%	Day
164	15:37:23	73dB	55dB	3.5	248%	Day
165	15:38:31	72dB	55dB	3.2	225%	Day
166	15:40:26	69dB	55dB	2.6	164%	Day
167	15:41:55	69dB	55dB	2.6	164%	Day
168	15:43:05	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	15:44:11	73dB	55dB	3.5	248%	Day
170	15:46:12	71dB	55dB	3.0	203%	Day
171	15:47:33	71dB	55dB	3.0	203%	Day
172	15:49:37	71dB	55dB	3.0	203%	Day
173	15:51:07	74dB	55dB	3.7	273%	Day
174	15:53:03	71dB	55dB	3.0	203%	Day
175	15:54:11	72dB	55dB	3.2	225%	Day
176	15:55:34	70dB	55dB	2.8	183%	Day
177	15:57:01	67dB	55dB	2.3	130%	Day
178	15:58:06	69dB	55dB	2.6	164%	Day
179	16:02:33	68dB	55dB	2.5	146%	Day
180	16:03:47	78dB	55dB	4.9	392%	Day
181	16:05:48	68dB	55dB	2.5	146%	Day
182	16:06:58	73dB	55dB	3.5	248%	Day
183	16:09:02	69dB	55dB	2.6	164%	Day
184	16:18:07	73dB	55dB	3.5	248%	Day
185	16:19:58	71dB	55dB	3.0	203%	Day
186	16:23:00	71dB	55dB	3.0	203%	Day
187	16:36:08	67dB	55dB	2.3	130%	Day
188	16:37:23	71dB	55dB	3.0	203%	Day
189	16:38:46	72dB	55dB	3.2	225%	Day
190	16:40:57	71dB	55dB	3.0	203%	Day
191	16:42:02	68dB	55dB	2.5	146%	Day
192	16:43:52	70dB	55dB	2.8	183%	Day
193	16:48:55	75dB	55dB	4.0	300%	Day
194	16:52:24	70dB	55dB	2.8	183%	Day
195	16:54:08	71dB	55dB	3.0	203%	Day
196	16:56:20	71dB	55dB	3.0	203%	Day
197	16:58:34	69dB	55dB	2.6	164%	Day
198	17:00:29	68dB	55dB	2.5	146%	Day
199	17:01:59	68dB	55dB	2.5	146%	Day
200	17:03:18	72dB	55dB	3.2	225%	Day
201	17:05:48	68dB	55dB	2.5	146%	Day
202	17:09:28	70dB	55dB	2.8	183%	Day
203	17:12:52	67dB	55dB	2.3	130%	Day
204	17:16:39	68dB	55dB	2.5	146%	Day
205	17:18:59	73dB	55dB	3.5	248%	Day
206	17:21:14	71dB	55dB	3.0	203%	Day
207	17:23:52	70dB	55dB	2.8	183%	Day
208	17:30:10	74dB	55dB	3.7	273%	Day
209	17:33:40	68dB	55dB	2.5	146%	Day
210	17:34:50	68dB	55dB	2.5	146%	Day
211	17:36:14	71dB	55dB	3.0	203%	Day
212	17:37:24	67dB	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	17:38:38	71dB	55dB	3.0	203%	Day
214	17:41:38	74dB	55dB	3.7	273%	Day
215	17:45:30	69dB	55dB	2.6	164%	Day
216	17:47:15	76dB	55dB	4.3	329%	Day
217	17:49:02	69dB	55dB	2.6	164%	Day
218	17:50:14	70dB	55dB	2.8	183%	Day
219	17:54:12	71dB	55dB	3.0	203%	Day
220	17:56:06	68dB	55dB	2.5	146%	Day
221	17:58:45	69dB	55dB	2.6	164%	Day
222	18:02:29	67dB	55dB	2.3	130%	Day
223	18:04:21	71dB	55dB	3.0	203%	Day
224	18:05:37	67dB	55dB	2.3	130%	Day
225	18:08:56	74dB	55dB	3.7	273%	Day
226	18:13:03	71dB	55dB	3.0	203%	Day
227	18:14:18	67dB	55dB	2.3	130%	Day
228	18:15:26	69dB	55dB	2.6	164%	Day
229	18:17:16	71dB	55dB	3.0	203%	Day
230	18:19:03	71dB	55dB	3.0	203%	Day
231	18:21:12	74dB	55dB	3.7	273%	Day
232	18:23:10	69dB	55dB	2.6	164%	Day
233	18:24:40	69dB	55dB	2.6	164%	Day
234	18:27:28	70dB	55dB	2.8	183%	Day
235	18:28:37	71dB	55dB	3.0	203%	Day
236	18:31:20	68dB	55dB	2.5	146%	Day
237	18:33:01	72dB	55dB	3.2	225%	Day
238	18:35:31	71dB	55dB	3.0	203%	Day
239	18:37:56	70dB	55dB	2.8	183%	Day
240	18:39:26	67dB	55dB	2.3	130%	Day
241	18:49:09	69dB	55dB	2.6	164%	Day
242	18:52:57	70dB	55dB	2.8	183%	Day
243	18:54:25	68dB	55dB	2.5	146%	Day
244	18:56:00	70dB	55dB	2.8	183%	Day
245	18:57:09	69dB	55dB	2.6	164%	Day
246	19:00:11	72dB	55dB	3.2	225%	Day
247	19:02:05	72dB	55dB	3.2	225%	Day
248	19:04:03	74dB	55dB	3.7	273%	Day
249	19:08:21	69dB	55dB	2.6	164%	Day
250	19:09:44	74dB	55dB	3.7	273%	Day
251	19:13:36	69dB	55dB	2.6	164%	Day
252	19:16:50	71dB	55dB	3.0	203%	Day
253	19:18:14	77dB	55dB	4.6	359%	Day
254	19:20:34	68dB	55dB	2.5	146%	Day
255	19:22:19	78dB	55dB	4.9	392%	Day
256	19:24:18	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	19:25:34	71dB	55dB	3.0	203%	Day
258	19:26:49	75dB	55dB	4.0	300%	Day
259	19:29:04	72dB	55dB	3.2	225%	Day
260	19:30:56	68dB	55dB	2.5	146%	Day
261	19:34:51	69dB	55dB	2.6	164%	Day
262	19:36:04	68dB	55dB	2.5	146%	Day
263	19:37:43	69dB	55dB	2.6	164%	Day
264	19:38:52	69dB	55dB	2.6	164%	Day
265	19:40:10	69dB	55dB	2.6	164%	Day
266	19:41:40	68dB	55dB	2.5	146%	Day
267	19:43:03	68dB	55dB	2.5	146%	Day
268	19:45:48	70dB	55dB	2.8	183%	Day
269	19:48:30	69dB	55dB	2.6	164%	Day
270	19:50:13	69dB	55dB	2.6	164%	Day
271	19:53:01	70dB	55dB	2.8	183%	Day
272	19:54:21	69dB	55dB	2.6	164%	Day
273	19:55:31	70dB	55dB	2.8	183%	Day
274	19:57:25	69dB	55dB	2.6	164%	Day
275	20:01:05	70dB	55dB	2.8	183%	Day
276	20:06:11	70dB	55dB	2.8	183%	Day
277	20:09:25	73dB	55dB	3.5	248%	Day
278	20:11:17	68dB	55dB	2.5	146%	Day
279	20:13:08	67dB	55dB	2.3	130%	Day
280	20:14:36	70dB	55dB	2.8	183%	Day
281	20:15:45	70dB	55dB	2.8	183%	Day
282	20:17:09	70dB	55dB	2.8	183%	Day
283	20:18:59	69dB	55dB	2.6	164%	Day
284	20:20:25	69dB	55dB	2.6	164%	Day
285	20:24:19	72dB	55dB	3.2	225%	Day
286	20:26:14	70dB	55dB	2.8	183%	Day
287	20:27:32	70dB	55dB	2.8	183%	Day
288	20:28:44	71dB	55dB	3.0	203%	Day
289	20:29:50	68dB	55dB	2.5	146%	Day
290	20:31:02	68dB	55dB	2.5	146%	Day
291	20:32:23	70dB	55dB	2.8	183%	Day
292	20:33:39	69dB	55dB	2.6	164%	Day
293	20:35:00	68dB	55dB	2.5	146%	Day
294	20:36:06	70dB	55dB	2.8	183%	Day
295	20:37:39	69dB	55dB	2.6	164%	Day
296	20:40:40	69dB	55dB	2.6	164%	Day
297	20:42:18	69dB	55dB	2.6	164%	Day
298	20:44:16	67dB	55dB	2.3	130%	Day
299	20:48:31	69dB	55dB	2.6	164%	Day
300	20:49:53	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	20:51:07	70dB	55dB	2.8	183%	Day
302	20:53:24	69dB	55dB	2.6	164%	Day
303	20:55:55	68dB	55dB	2.5	146%	Day
304	20:57:35	69dB	55dB	2.6	164%	Day
305	20:59:50	77dB	55dB	4.6	359%	Day
306	21:01:06	69dB	55dB	2.6	164%	Day
307	21:02:41	69dB	55dB	2.6	164%	Day
308	21:04:12	68dB	55dB	2.5	146%	Day
309	21:07:48	71dB	55dB	3.0	203%	Day
310	21:10:03	71dB	55dB	3.0	203%	Day
311	21:14:11	73dB	55dB	3.5	248%	Day
312	21:16:11	73dB	55dB	3.5	248%	Day
313	21:17:37	69dB	55dB	2.6	164%	Day
314	21:19:03	72dB	55dB	3.2	225%	Day
315	21:20:11	68dB	55dB	2.5	146%	Day
316	21:21:43	71dB	55dB	3.0	203%	Day
317	21:23:05	70dB	55dB	2.8	183%	Day
318	21:25:42	71dB	55dB	3.0	203%	Day
319	21:27:47	68dB	55dB	2.5	146%	Day
320	21:29:13	69dB	55dB	2.6	164%	Day
321	21:30:32	78dB	55dB	4.9	392%	Day
322	21:31:55	67dB	55dB	2.3	130%	Day
323	21:33:09	69dB	55dB	2.6	164%	Day
324	21:35:35	78dB	55dB	4.9	392%	Day
325	21:37:24	71dB	55dB	3.0	203%	Day
326	21:38:47	71dB	55dB	3.0	203%	Day
327	21:39:57	71dB	55dB	3.0	203%	Day
328	21:41:32	74dB	55dB	3.7	273%	Day
329	21:44:52	71dB	55dB	3.0	203%	Day
330	21:50:31	73dB	55dB	3.5	248%	Day
331	21:52:51	67dB	55dB	2.3	130%	Day
332	21:54:15	66dB	55dB	2.1	114%	Day
333	21:55:29	67dB	55dB	2.3	130%	Day
334	21:57:15	70dB	55dB	2.8	183%	Day
335	21:58:44	73dB	55dB	3.5	248%	Day
336	22:00:49	68dB	55dB	2.5	146%	Day
337	22:02:26	68dB	55dB	2.5	146%	Day
338	22:05:18	69dB	55dB	2.6	164%	Day
339	22:14:13	68dB	55dB	2.5	146%	Day
340	22:16:20	71dB	55dB	3.0	203%	Day
341	22:20:39	68dB	55dB	2.5	146%	Day
342	22:22:28	69dB	55dB	2.6	164%	Day
343	22:25:20	66dB	55dB	2.1	114%	Day
344	22:31:09	66dB	55dB	2.1	114%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

345	22:34:33	70dB	55dB	2.8	183%	Day
346	22:39:51	70dB	55dB	2.8	183%	Day
347	22:43:25	68dB	55dB	2.5	146%	Day
348	22:45:22	67dB	55dB	2.3	130%	Day
349	22:47:14	66dB	55dB	2.1	114%	Day
350	22:51:47	67dB	55dB	2.3	130%	Day
351	23:20:25	72dB	45dB	6.5	550%	Day
352	23:23:43	72dB	45dB	6.5	550%	Day
353	23:38:27	68dB	45dB	4.9	392%	Night
354	23:42:08	71dB	45dB	6.1	506%	Night
355	23:45:19	71dB	45dB	6.1	506%	Night
356	23:47:24	72dB	45dB	6.5	550%	Night
357	23:49:43	73dB	45dB	7.0	596%	Night
358	23:53:25	71dB	45dB	6.1	506%	Night
359	23:56:09	69dB	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 19, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:00:58	69dB	45dB	5.3	428%	Night
2	00:02:38	72dB	45dB	6.5	550%	Night
3	00:04:32	70dB	45dB	5.7	466%	Night
4	00:06:59	77dB	45dB	9.2	819%	Night
5	00:09:36	68dB	45dB	4.9	392%	Night
6	00:11:19	70dB	45dB	5.7	466%	Night
7	00:13:54	74dB	45dB	7.5	646%	Night
8	00:15:46	70dB	45dB	5.7	466%	Night
9	00:18:40	67dB	45dB	4.6	359%	Night
10	00:20:44	69dB	45dB	5.3	428%	Night
11	03:31:37	61dB	45dB	3.0	203%	Night
12	06:29:17	71dB	45dB	6.1	506%	Night
13	06:31:10	69dB	45dB	5.3	428%	Night
14	06:32:51	70dB	45dB	5.7	466%	Night
15	06:35:51	71dB	45dB	6.1	506%	Night
16	06:37:15	76dB	45dB	8.6	757%	Night
17	06:39:19	71dB	45dB	6.1	506%	Night
18	06:40:31	72dB	45dB	6.5	550%	Night
19	06:41:40	68dB	45dB	4.9	392%	Night
20	06:42:50	68dB	45dB	4.9	392%	Night
21	06:44:17	70dB	45dB	5.7	466%	Night
22	06:45:28	70dB	45dB	5.7	466%	Night
23	06:48:20	75dB	45dB	8.0	700%	Night
24	06:52:27	69dB	45dB	5.3	428%	Night
25	06:54:02	70dB	45dB	5.7	466%	Night
26	06:55:14	70dB	45dB	5.7	466%	Night
27	06:56:30	74dB	45dB	7.5	646%	Night
28	07:00:45	70dB	55dB	2.8	183%	Day
29	07:03:00	70dB	55dB	2.8	183%	Day
30	07:06:44	71dB	55dB	3.0	203%	Day
31	07:09:09	67dB	55dB	2.3	130%	Day
32	07:10:38	70dB	55dB	2.8	183%	Day
33	07:13:52	69dB	55dB	2.6	164%	Day
34	07:16:10	67dB	55dB	2.3	130%	Day
35	07:29:41	68dB	55dB	2.5	146%	Day
36	07:34:21	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	07:38:13	69dB	55dB	2.6	164%	Day
38	07:40:55	69dB	55dB	2.6	164%	Day
39	07:48:12	69dB	55dB	2.6	164%	Day
40	07:49:45	70dB	55dB	2.8	183%	Day
41	07:51:20	70dB	55dB	2.8	183%	Day
42	07:56:12	69dB	55dB	2.6	164%	Day
43	08:00:28	71dB	55dB	3.0	203%	Day
44	08:03:39	68dB	55dB	2.5	146%	Day
45	08:05:36	68dB	55dB	2.5	146%	Day
46	08:10:20	67dB	55dB	2.3	130%	Day
47	08:15:16	68dB	55dB	2.5	146%	Day
48	08:16:46	69dB	55dB	2.6	164%	Day
49	08:18:32	68dB	55dB	2.5	146%	Day
50	08:19:58	74dB	55dB	3.7	273%	Day
51	08:21:55	71dB	55dB	3.0	203%	Day
52	08:29:02	69dB	55dB	2.6	164%	Day
53	08:33:17	69dB	55dB	2.6	164%	Day
54	08:44:22	73dB	55dB	3.5	248%	Day
55	09:05:24	72dB	55dB	3.2	225%	Day
56	09:08:10	69dB	55dB	2.6	164%	Day
57	09:17:24	69dB	55dB	2.6	164%	Day
58	09:22:00	68dB	55dB	2.5	146%	Day
59	09:24:15	67dB	55dB	2.3	130%	Day
60	09:30:50	70dB	55dB	2.8	183%	Day
61	09:38:26	71dB	55dB	3.0	203%	Day
62	09:40:58	68dB	55dB	2.5	146%	Day
63	09:45:30	69dB	55dB	2.6	164%	Day
64	09:48:13	72dB	55dB	3.2	225%	Day
65	09:59:07	69dB	55dB	2.6	164%	Day
66	10:04:19	67dB	55dB	2.3	130%	Day
67	10:05:54	68dB	55dB	2.5	146%	Day
68	10:10:42	67dB	55dB	2.3	130%	Day
69	10:18:31	70dB	55dB	2.8	183%	Day
70	10:22:22	71dB	55dB	3.0	203%	Day
71	10:29:06	67dB	55dB	2.3	130%	Day
72	10:31:14	69dB	55dB	2.6	164%	Day
73	10:33:09	71dB	55dB	3.0	203%	Day
74	10:37:14	74dB	55dB	3.7	273%	Day
75	10:39:00	69dB	55dB	2.6	164%	Day
76	10:40:27	69dB	55dB	2.6	164%	Day
77	10:42:21	69dB	55dB	2.6	164%	Day
78	10:43:52	69dB	55dB	2.6	164%	Day
79	10:46:00	69dB	55dB	2.6	164%	Day
80	10:56:35	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	11:01:47	74dB	55dB	3.7	273%	Day
82	11:04:06	69dB	55dB	2.6	164%	Day
83	11:08:57	72dB	55dB	3.2	225%	Day
84	11:14:25	69dB	55dB	2.6	164%	Day
85	11:15:53	67dB	55dB	2.3	130%	Day
86	11:18:38	72dB	55dB	3.2	225%	Day
87	11:20:33	71dB	55dB	3.0	203%	Day
88	11:23:12	69dB	55dB	2.6	164%	Day
89	11:24:40	69dB	55dB	2.6	164%	Day
90	11:25:59	68dB	55dB	2.5	146%	Day
91	11:28:55	67dB	55dB	2.3	130%	Day
92	11:30:08	69dB	55dB	2.6	164%	Day
93	11:32:30	73dB	55dB	3.5	248%	Day
94	11:39:13	68dB	55dB	2.5	146%	Day
95	11:43:59	67dB	55dB	2.3	130%	Day
96	11:45:59	68dB	55dB	2.5	146%	Day
97	11:49:38	70dB	55dB	2.8	183%	Day
98	11:54:50	71dB	55dB	3.0	203%	Day
99	12:14:03	68dB	55dB	2.5	146%	Day
100	12:16:49	70dB	55dB	2.8	183%	Day
101	12:18:08	69dB	55dB	2.6	164%	Day
102	12:20:17	74dB	55dB	3.7	273%	Day
103	12:22:32	68dB	55dB	2.5	146%	Day
104	12:24:31	69dB	55dB	2.6	164%	Day
105	12:27:20	69dB	55dB	2.6	164%	Day
106	12:28:26	67dB	55dB	2.3	130%	Day
107	12:30:05	68dB	55dB	2.5	146%	Day
108	12:31:32	75dB	55dB	4.0	300%	Day
109	12:35:04	68dB	55dB	2.5	146%	Day
110	12:36:21	72dB	55dB	3.2	225%	Day
111	12:40:13	70dB	55dB	2.8	183%	Day
112	12:42:18	70dB	55dB	2.8	183%	Day
113	12:43:37	70dB	55dB	2.8	183%	Day
114	12:44:52	71dB	55dB	3.0	203%	Day
115	12:45:54	69dB	55dB	2.6	164%	Day
116	12:47:43	70dB	55dB	2.8	183%	Day
117	12:48:51	68dB	55dB	2.5	146%	Day
118	12:56:01	72dB	55dB	3.2	225%	Day
119	13:00:08	67dB	55dB	2.3	130%	Day
120	13:01:57	71dB	55dB	3.0	203%	Day
121	13:08:22	73dB	55dB	3.5	248%	Day
122	13:16:24	75dB	55dB	4.0	300%	Day
123	13:19:46	69dB	55dB	2.6	164%	Day
124	13:21:16	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	13:23:25	72dB	55dB	3.2	225%	Day
126	13:26:19	71dB	55dB	3.0	203%	Day
127	13:32:49	70dB	55dB	2.8	183%	Day
128	13:34:46	69dB	55dB	2.6	164%	Day
129	13:36:48	71dB	55dB	3.0	203%	Day
130	13:40:51	71dB	55dB	3.0	203%	Day
131	13:41:56	68dB	55dB	2.5	146%	Day
132	13:43:46	70dB	55dB	2.8	183%	Day
133	13:45:32	68dB	55dB	2.5	146%	Day
134	13:47:09	71dB	55dB	3.0	203%	Day
135	13:50:14	66dB	55dB	2.1	114%	Day
136	13:54:27	69dB	55dB	2.6	164%	Day
137	13:57:10	70dB	55dB	2.8	183%	Day
138	13:59:11	70dB	55dB	2.8	183%	Day
139	14:02:35	72dB	55dB	3.2	225%	Day
140	14:06:00	69dB	55dB	2.6	164%	Day
141	14:08:16	71dB	55dB	3.0	203%	Day
142	14:09:55	72dB	55dB	3.2	225%	Day
143	14:11:04	70dB	55dB	2.8	183%	Day
144	14:12:29	68dB	55dB	2.5	146%	Day
145	14:13:41	71dB	55dB	3.0	203%	Day
146	14:16:18	73dB	55dB	3.5	248%	Day
147	14:19:31	72dB	55dB	3.2	225%	Day
148	14:22:27	72dB	55dB	3.2	225%	Day
149	14:23:47	70dB	55dB	2.8	183%	Day
150	14:24:55	70dB	55dB	2.8	183%	Day
151	14:26:39	69dB	55dB	2.6	164%	Day
152	14:29:27	70dB	55dB	2.8	183%	Day
153	14:33:38	72dB	55dB	3.2	225%	Day
154	14:36:50	81dB	55dB	6.1	506%	Day
155	14:38:50	68dB	55dB	2.5	146%	Day
156	14:41:05	71dB	55dB	3.0	203%	Day
157	14:42:31	72dB	55dB	3.2	225%	Day
158	14:44:02	75dB	55dB	4.0	300%	Day
159	14:49:01	70dB	55dB	2.8	183%	Day
160	14:54:16	72dB	55dB	3.2	225%	Day
161	14:55:49	72dB	55dB	3.2	225%	Day
162	14:57:49	70dB	55dB	2.8	183%	Day
163	14:59:05	73dB	55dB	3.5	248%	Day
164	15:01:05	68dB	55dB	2.5	146%	Day
165	15:02:24	70dB	55dB	2.8	183%	Day
166	15:03:46	75dB	55dB	4.0	300%	Day
167	15:04:58	68dB	55dB	2.5	146%	Day
168	15:06:26	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	15:13:19	74dB	55dB	3.7	273%	Day
170	15:14:56	80dB	55dB	5.7	466%	Day
171	15:16:18	71dB	55dB	3.0	203%	Day
172	15:19:46	71dB	55dB	3.0	203%	Day
173	15:23:55	69dB	55dB	2.6	164%	Day
174	15:25:14	67dB	55dB	2.3	130%	Day
175	15:27:33	68dB	55dB	2.5	146%	Day
176	15:31:03	73dB	55dB	3.5	248%	Day
177	15:32:37	71dB	55dB	3.0	203%	Day
178	15:35:07	71dB	55dB	3.0	203%	Day
179	15:36:30	71dB	55dB	3.0	203%	Day
180	15:38:31	71dB	55dB	3.0	203%	Day
181	15:46:49	71dB	55dB	3.0	203%	Day
182	15:48:45	69dB	55dB	2.6	164%	Day
183	15:54:06	76dB	55dB	4.3	329%	Day
184	15:56:45	67dB	55dB	2.3	130%	Day
185	15:58:08	73dB	55dB	3.5	248%	Day
186	15:59:47	74dB	55dB	3.7	273%	Day
187	16:01:43	71dB	55dB	3.0	203%	Day
188	16:03:08	67dB	55dB	2.3	130%	Day
189	16:04:39	78dB	55dB	4.9	392%	Day
190	16:07:06	70dB	55dB	2.8	183%	Day
191	16:10:39	72dB	55dB	3.2	225%	Day
192	16:13:59	73dB	55dB	3.5	248%	Day
193	16:17:21	75dB	55dB	4.0	300%	Day
194	16:19:38	75dB	55dB	4.0	300%	Day
195	16:21:29	71dB	55dB	3.0	203%	Day
196	16:23:16	69dB	55dB	2.6	164%	Day
197	16:28:33	71dB	55dB	3.0	203%	Day
198	16:33:14	70dB	55dB	2.8	183%	Day
199	16:34:19	70dB	55dB	2.8	183%	Day
200	16:35:41	70dB	55dB	2.8	183%	Day
201	16:38:52	71dB	55dB	3.0	203%	Day
202	16:40:26	71dB	55dB	3.0	203%	Day
203	16:47:56	70dB	55dB	2.8	183%	Day
204	16:49:15	70dB	55dB	2.8	183%	Day
205	16:51:46	71dB	55dB	3.0	203%	Day
206	16:53:03	68dB	55dB	2.5	146%	Day
207	16:54:23	70dB	55dB	2.8	183%	Day
208	16:55:38	68dB	55dB	2.5	146%	Day
209	16:58:19	70dB	55dB	2.8	183%	Day
210	17:00:30	68dB	55dB	2.5	146%	Day
211	17:01:43	69dB	55dB	2.6	164%	Day
212	17:04:23	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	17:10:26	69dB	55dB	2.6	164%	Day
214	17:12:34	69dB	55dB	2.6	164%	Day
215	17:14:31	73dB	55dB	3.5	248%	Day
216	17:16:50	67dB	55dB	2.3	130%	Day
217	17:18:06	71dB	55dB	3.0	203%	Day
218	17:19:22	82dB	55dB	6.5	550%	Day
219	17:21:43	69dB	55dB	2.6	164%	Day
220	17:24:36	77dB	55dB	4.6	359%	Day
221	17:33:04	68dB	55dB	2.5	146%	Day
222	17:34:42	75dB	55dB	4.0	300%	Day
223	17:37:17	69dB	55dB	2.6	164%	Day
224	17:38:49	70dB	55dB	2.8	183%	Day
225	17:41:21	70dB	55dB	2.8	183%	Day
226	17:42:28	69dB	55dB	2.6	164%	Day
227	17:42:37	71dB	55dB	3.0	203%	Day
228	17:44:02	69dB	55dB	2.6	164%	Day
229	17:45:16	69dB	55dB	2.6	164%	Day
230	17:46:40	71dB	55dB	3.0	203%	Day
231	17:47:58	73dB	55dB	3.5	248%	Day
232	17:49:30	72dB	55dB	3.2	225%	Day
233	17:52:25	72dB	55dB	3.2	225%	Day
234	17:53:53	71dB	55dB	3.0	203%	Day
235	17:55:36	69dB	55dB	2.6	164%	Day
236	17:56:58	69dB	55dB	2.6	164%	Day
237	17:58:23	72dB	55dB	3.2	225%	Day
238	17:59:57	67dB	55dB	2.3	130%	Day
239	18:01:29	68dB	55dB	2.5	146%	Day
240	18:03:52	70dB	55dB	2.8	183%	Day
241	18:05:15	73dB	55dB	3.5	248%	Day
242	18:07:07	72dB	55dB	3.2	225%	Day
243	18:09:07	72dB	55dB	3.2	225%	Day
244	18:11:37	72dB	55dB	3.2	225%	Day
245	18:12:32	67dB	55dB	2.3	130%	Day
246	18:12:45	66dB	55dB	2.1	114%	Day
247	18:12:53	67dB	55dB	2.3	130%	Day
248	18:13:14	66dB	55dB	2.1	114%	Day
249	18:14:00	71dB	55dB	3.0	203%	Day
250	18:14:48	72dB	55dB	3.2	225%	Day
251	18:14:58	67dB	55dB	2.3	130%	Day
252	18:15:29	66dB	55dB	2.1	114%	Day
253	18:15:36	66dB	55dB	2.1	114%	Day
254	18:15:54	67dB	55dB	2.3	130%	Day
255	18:16:08	68dB	55dB	2.5	146%	Day
256	18:18:01	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	18:18:11	66dB	55dB	2.1	114%	Day
258	18:18:20	67dB	55dB	2.3	130%	Day
259	18:18:42	66dB	55dB	2.1	114%	Day
260	18:18:54	67dB	55dB	2.3	130%	Day
261	18:19:02	66dB	55dB	2.1	114%	Day
262	18:20:01	72dB	55dB	3.2	225%	Day
263	18:20:39	69dB	55dB	2.6	164%	Day
264	18:21:25	68dB	55dB	2.5	146%	Day
265	18:23:20	70dB	55dB	2.8	183%	Day
266	18:26:10	71dB	55dB	3.0	203%	Day
267	18:27:39	66dB	55dB	2.1	114%	Day
268	18:29:40	69dB	55dB	2.6	164%	Day
269	18:30:55	71dB	55dB	3.0	203%	Day
270	18:32:50	70dB	55dB	2.8	183%	Day
271	18:40:53	70dB	55dB	2.8	183%	Day
272	18:42:40	69dB	55dB	2.6	164%	Day
273	18:45:24	78dB	55dB	4.9	392%	Day
274	18:47:05	70dB	55dB	2.8	183%	Day
275	18:48:41	73dB	55dB	3.5	248%	Day
276	18:50:48	72dB	55dB	3.2	225%	Day
277	18:52:20	74dB	55dB	3.7	273%	Day
278	18:53:53	70dB	55dB	2.8	183%	Day
279	18:55:48	69dB	55dB	2.6	164%	Day
280	18:57:01	72dB	55dB	3.2	225%	Day
281	18:59:16	72dB	55dB	3.2	225%	Day
282	19:01:33	70dB	55dB	2.8	183%	Day
283	19:03:11	70dB	55dB	2.8	183%	Day
284	19:05:40	73dB	55dB	3.5	248%	Day
285	19:09:48	67dB	55dB	2.3	130%	Day
286	19:12:08	71dB	55dB	3.0	203%	Day
287	19:13:42	69dB	55dB	2.6	164%	Day
288	19:15:16	69dB	55dB	2.6	164%	Day
289	19:16:55	70dB	55dB	2.8	183%	Day
290	19:18:32	71dB	55dB	3.0	203%	Day
291	19:21:18	72dB	55dB	3.2	225%	Day
292	19:23:01	71dB	55dB	3.0	203%	Day
293	19:24:22	69dB	55dB	2.6	164%	Day
294	19:25:38	70dB	55dB	2.8	183%	Day
295	19:27:35	69dB	55dB	2.6	164%	Day
296	19:28:55	69dB	55dB	2.6	164%	Day
297	19:30:12	73dB	55dB	3.5	248%	Day
298	19:31:49	72dB	55dB	3.2	225%	Day
299	19:34:11	68dB	55dB	2.5	146%	Day
300	19:35:34	75dB	55dB	4.0	300%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	19:36:45	69dB	55dB	2.6	164%	Day
302	19:38:02	70dB	55dB	2.8	183%	Day
303	19:39:33	73dB	55dB	3.5	248%	Day
304	19:41:40	69dB	55dB	2.6	164%	Day
305	19:44:24	69dB	55dB	2.6	164%	Day
306	19:47:40	71dB	55dB	3.0	203%	Day
307	19:49:08	67dB	55dB	2.3	130%	Day
308	19:50:43	69dB	55dB	2.6	164%	Day
309	19:52:45	72dB	55dB	3.2	225%	Day
310	20:01:23	74dB	55dB	3.7	273%	Day
311	20:03:30	71dB	55dB	3.0	203%	Day
312	20:05:25	70dB	55dB	2.8	183%	Day
313	20:17:28	70dB	55dB	2.8	183%	Day
314	20:21:28	73dB	55dB	3.5	248%	Day
315	20:25:06	71dB	55dB	3.0	203%	Day
316	20:26:33	71dB	55dB	3.0	203%	Day
317	20:28:34	71dB	55dB	3.0	203%	Day
318	20:31:55	70dB	55dB	2.8	183%	Day
319	20:33:22	70dB	55dB	2.8	183%	Day
320	20:36:13	70dB	55dB	2.8	183%	Day
321	20:40:25	70dB	55dB	2.8	183%	Day
322	20:43:04	67dB	55dB	2.3	130%	Day
323	20:44:48	69dB	55dB	2.6	164%	Day
324	20:46:40	71dB	55dB	3.0	203%	Day
325	20:48:01	71dB	55dB	3.0	203%	Day
326	20:50:30	68dB	55dB	2.5	146%	Day
327	20:54:05	70dB	55dB	2.8	183%	Day
328	20:55:21	70dB	55dB	2.8	183%	Day
329	20:56:46	74dB	55dB	3.7	273%	Day
330	20:58:10	68dB	55dB	2.5	146%	Day
331	20:59:38	69dB	55dB	2.6	164%	Day
332	21:00:47	69dB	55dB	2.6	164%	Day
333	21:02:48	81dB	55dB	6.1	506%	Day
334	21:04:11	70dB	55dB	2.8	183%	Day
335	21:05:34	67dB	55dB	2.3	130%	Day
336	21:07:01	68dB	55dB	2.5	146%	Day
337	21:08:09	69dB	55dB	2.6	164%	Day
338	21:09:38	69dB	55dB	2.6	164%	Day
339	21:13:12	69dB	55dB	2.6	164%	Day
340	21:15:21	75dB	55dB	4.0	300%	Day
341	21:21:03	70dB	55dB	2.8	183%	Day
342	21:26:55	67dB	55dB	2.3	130%	Day
343	21:28:49	71dB	55dB	3.0	203%	Day
344	21:30:09	76dB	55dB	4.3	329%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

345	21:31:35	66dB	55dB	2.1	114%	Day
346	21:33:05	69dB	55dB	2.6	164%	Day
347	21:34:22	70dB	55dB	2.8	183%	Day
348	21:36:18	70dB	55dB	2.8	183%	Day
349	21:39:22	67dB	55dB	2.3	130%	Day
350	21:41:33	70dB	55dB	2.8	183%	Day
351	21:43:10	73dB	55dB	3.5	248%	Day
352	21:44:47	69dB	55dB	2.6	164%	Day
353	21:51:14	66dB	55dB	2.1	114%	Day
354	21:53:52	68dB	55dB	2.5	146%	Day
355	22:01:08	69dB	55dB	2.6	164%	Day
356	22:04:15	71dB	55dB	3.0	203%	Day
357	22:04:28	76dB	55dB	4.3	329%	Day
358	22:15:45	73dB	55dB	3.5	248%	Day
359	22:17:18	68dB	55dB	2.5	146%	Day
360	22:20:49	71dB	55dB	3.0	203%	Day
361	22:29:06	71dB	55dB	3.0	203%	Day
362	22:30:50	70dB	55dB	2.8	183%	Day
363	22:32:53	73dB	55dB	3.5	248%	Day
364	22:37:38	68dB	55dB	2.5	146%	Day
365	22:39:09	69dB	55dB	2.6	164%	Day
366	22:40:38	70dB	55dB	2.8	183%	Day
367	22:42:11	67dB	55dB	2.3	130%	Day
368	22:45:09	68dB	55dB	2.5	146%	Day
369	22:52:10	69dB	55dB	2.6	164%	Day
370	22:55:45	72dB	55dB	3.2	225%	Day
371	23:02:12	70dB	45dB	5.7	466%	Night
372	23:05:08	68dB	45dB	4.9	392%	Night
373	23:13:51	70dB	45dB	5.7	466%	Night
374	23:15:28	71dB	45dB	6.1	506%	Night
375	23:29:08	69dB	45dB	5.3	428%	Night
376	23:33:33	69dB	45dB	5.3	428%	Night
377	23:49:36	68dB	45dB	4.9	392%	Night
378	23:51:25	68dB	45dB	4.9	392%	Night
379	23:52:45	71dB	45dB	6.1	506%	Night
380	23:54:14	70dB	45dB	5.7	466%	Night
381	23:56:55	72dB	45dB	6.5	550%	Night
382	23:59:20	69dB	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 2, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	05:14:03	73dB	45dB	7.0	596%	Night
2	05:16:20	72dB	45dB	6.5	550%	Night
3	05:21:15	70dB	45dB	5.7	466%	Night
4	05:23:26	70dB	45dB	5.7	466%	Night
5	05:24:52	71dB	45dB	6.1	506%	Night
6	05:27:09	71dB	45dB	6.1	506%	Night
7	05:29:54	71dB	45dB	6.1	506%	Night
8	05:33:38	72dB	45dB	6.5	550%	Night
9	05:35:45	71dB	45dB	6.1	506%	Night
10	05:38:49	70dB	45dB	5.7	466%	Night
11	05:49:39	71dB	45dB	6.1	506%	Night
12	05:52:15	71dB	45dB	6.1	506%	Night
13	05:53:52	71dB	45dB	6.1	506%	Night
14	05:55:17	71dB	45dB	6.1	506%	Night
15	05:56:57	67dB	45dB	4.6	359%	Night
16	05:58:26	68dB	45dB	4.9	392%	Night
17	06:09:44	69dB	45dB	5.3	428%	Night
18	06:30:23	69dB	45dB	5.3	428%	Night
19	06:31:55	70dB	45dB	5.7	466%	Night
20	06:33:16	69dB	45dB	5.3	428%	Night
21	06:34:50	69dB	45dB	5.3	428%	Night
22	06:36:01	70dB	45dB	5.7	466%	Night
23	06:37:39	71dB	45dB	6.1	506%	Night
24	06:39:04	68dB	45dB	4.9	392%	Night
25	06:40:33	70dB	45dB	5.7	466%	Night
26	06:41:54	69dB	45dB	5.3	428%	Night
27	06:43:10	70dB	45dB	5.7	466%	Night
28	06:45:04	70dB	45dB	5.7	466%	Night
29	06:46:34	74dB	45dB	7.5	646%	Night
30	06:48:32	69dB	45dB	5.3	428%	Night
31	06:57:10	71dB	45dB	6.1	506%	Night
32	06:59:34	70dB	45dB	5.7	466%	Night
33	07:14:03	69dB	55dB	2.6	164%	Day
34	07:17:55	67dB	55dB	2.3	130%	Day
35	07:19:37	69dB	55dB	2.6	164%	Day
36	07:21:49	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	07:24:37	69dB	55dB	2.6	164%	Day
38	07:26:36	71dB	55dB	3.0	203%	Day
39	07:28:01	69dB	55dB	2.6	164%	Day
40	07:29:22	71dB	55dB	3.0	203%	Day
41	07:37:04	69dB	55dB	2.6	164%	Day
42	07:40:40	69dB	55dB	2.6	164%	Day
43	07:44:00	70dB	55dB	2.8	183%	Day
44	07:48:55	70dB	55dB	2.8	183%	Day
45	07:51:54	70dB	55dB	2.8	183%	Day
46	07:54:20	70dB	55dB	2.8	183%	Day
47	07:57:29	69dB	55dB	2.6	164%	Day
48	07:59:18	64	55dB	1.9	87%	Day
49	08:00:49	69dB	55dB	2.6	164%	Day
50	08:01:57	70dB	55dB	2.8	183%	Day
51	08:05:57	71dB	55dB	3.0	203%	Day
52	08:08:58	67dB	55dB	2.3	130%	Day
53	08:11:18	71dB	55dB	3.0	203%	Day
54	08:14:41	71dB	55dB	3.0	203%	Day
55	08:25:23	68dB	55dB	2.5	146%	Day
56	08:27:07	73dB	55dB	3.5	248%	Day
57	08:29:44	66	55dB	2.1	114%	Day
58	08:33:39	69dB	55dB	2.6	164%	Day
59	08:35:19	69dB	55dB	2.6	164%	Day
60	08:38:56	74dB	55dB	3.7	273%	Day
61	08:40:47	67	55dB	2.3	130%	Day
62	08:51:09	67	55dB	2.3	130%	Day
63	09:00:36	68dB	55dB	2.5	146%	Day
64	09:11:42	67dB	55dB	2.3	130%	Day
65	09:28:39	68dB	55dB	2.5	146%	Day
66	09:32:06	72dB	55dB	3.2	225%	Day
67	09:34:52	70dB	55dB	2.8	183%	Day
68	09:36:21	69dB	55dB	2.6	164%	Day
69	09:38:19	68dB	55dB	2.5	146%	Day
70	09:40:43	66	55dB	2.1	114%	Day
71	09:42:37	70dB	55dB	2.8	183%	Day
72	09:47:35	69dB	55dB	2.6	164%	Day
73	09:49:13	70dB	55dB	2.8	183%	Day
74	9:52:24	63	55dB	1.7	74%	Day
75	09:56:35	71dB	55dB	3.0	203%	Day
76	09:58:12	71dB	55dB	3.0	203%	Day
77	09:59:51	70dB	55dB	2.8	183%	Day
78	10:02:11	62	55dB	1.6	62%	Day
79	10:03:21	69dB	55dB	2.6	164%	Day
80	10:11:15	64	55dB	1.9	87%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	10:14:59	69dB	55dB	2.6	164%	Day
82	10:16:54	68dB	55dB	2.5	146%	Day
83	10:18:33	64	55dB	1.9	87%	Day
84	10:19:50	64	55dB	1.9	87%	Day
85	10:21:01	72dB	55dB	3.2	225%	Day
86	10:22:13	67dB	55dB	2.3	130%	Day
87	10:23:26	67	55dB	2.3	130%	Day
88	10:24:43	70dB	55dB	2.8	183%	Day
89	10:33:36	64	55dB	1.9	87%	Day
90	10:36:01	64	55dB	1.9	87%	Day
91	10:38:54	69dB	55dB	2.6	164%	Day
92	10:39:58	70dB	55dB	2.8	183%	Day
93	10:41:27	69dB	55dB	2.6	164%	Day
94	10:43:17	71dB	55dB	3.0	203%	Day
95	10:44:44	69dB	55dB	2.6	164%	Day
96	10:46:25	75dB	55dB	4.0	300%	Day
97	10:52:05	71dB	55dB	3.0	203%	Day
98	11:00:58	68dB	55dB	2.5	146%	Day
99	11:05:31	70dB	55dB	2.8	183%	Day
100	11:06:53	67dB	55dB	2.3	130%	Day
101	11:11:47	72dB	55dB	3.2	225%	Day
102	11:12:31	75dB	55dB	4.0	300%	Day
103	11:16:15	70dB	55dB	2.8	183%	Day
104	11:19:21	69dB	55dB	2.6	164%	Day
105	11:20:16	70dB	55dB	2.8	183%	Day
106	11:21:38	68	55dB	2.5	146%	Day
107	11:24:25	66dB	55dB	2.1	114%	Day
108	11:25:21	68	55dB	2.5	146%	Day
109	11:39:47	66	55dB	2.1	114%	Day
110	11:42:17	75dB	55dB	4.0	300%	Day
111	11:43:29	77dB	55dB	4.6	359%	Day
112	11:44:22	74dB	55dB	3.7	273%	Day
113	12:02:22	75dB	55dB	4.0	300%	Day
114	12:03:49	73dB	55dB	3.5	248%	Day
115	12:04:58	73dB	55dB	3.5	248%	Day
116	12:06:38	69	55dB	2.6	164%	Day
117	12:11:15	70dB	55dB	2.8	183%	Day
118	12:12:05	67	55dB	2.3	130%	Day
119	12:12:37	70dB	55dB	2.8	183%	Day
120	12:14:03	75dB	55dB	4.0	300%	Day
121	12:16:08	74dB	55dB	3.7	273%	Day
122	12:19:52	73dB	55dB	3.5	248%	Day
123	12:22:51	69dB	55dB	2.6	164%	Day
124	12:28:29	69	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	12:31:27	76dB	55dB	4.3	329%	Day
126	12:34:04	69	55dB	2.6	164%	Day
127	12:39:31	75dB	55dB	4.0	300%	Day
128	12:40:47	74dB	55dB	3.7	273%	Day
129	12:45:25	71dB	55dB	3.0	203%	Day
130	12:47:00	72dB	55dB	3.2	225%	Day
131	12:48:05	67	55dB	2.3	130%	Day
132	12:53:21	71dB	55dB	3.0	203%	Day
133	12:56:08	73dB	55dB	3.5	248%	Day
134	13:00:38	73dB	55dB	3.5	248%	Day
135	13:12:26	57	55dB	1.1	15%	Day
136	13:13:38	71dB	55dB	3.0	203%	Day
137	13:15:08	76dB	55dB	4.3	329%	Day
138	13:18:08	69dB	55dB	2.6	164%	Day
139	13:19:06	73dB	55dB	3.5	248%	Day
140	13:20:32	73dB	55dB	3.5	248%	Day
141	13:21:52	72dB	55dB	3.2	225%	Day
142	13:27:10	64	55dB	1.9	87%	Day
143	13:34:57	70dB	55dB	2.8	183%	Day
144	13:37:31	69dB	55dB	2.6	164%	Day
145	13:39:16	70dB	55dB	2.8	183%	Day
146	13:41:21	64	55dB	1.9	87%	Day
147	13:44:55	68dB	55dB	2.5	146%	Day
148	13:45:55	70dB	55dB	2.8	183%	Day
149	13:48:08	82dB	55dB	6.5	550%	Day
150	13:49:14	70dB	55dB	2.8	183%	Day
151	13:52:04	70dB	55dB	2.8	183%	Day
152	13:53:50	67dB	55dB	2.3	130%	Day
153	13:55:18	70dB	55dB	2.8	183%	Day
154	13:56:31	67	55dB	2.3	130%	Day
155	13:57:48	67	55dB	2.3	130%	Day
156	13:59:23	69	55dB	2.6	164%	Day
157	14:00:50	68dB	55dB	2.5	146%	Day
158	14:02:43	62	55dB	1.6	62%	Day
159	14:04:07	69dB	55dB	2.6	164%	Day
160	14:06:23	70dB	55dB	2.8	183%	Day
161	14:08:21	72dB	55dB	3.2	225%	Day
162	14:10:31	68dB	55dB	2.5	146%	Day
163	14:11:58	67	55dB	2.3	130%	Day
164	14:15:05	69dB	55dB	2.6	164%	Day
165	14:17:45	65	55dB	2.0	100%	Day
166	14:20:20	62	55dB	1.6	62%	Day
167	14:22:42	74dB	55dB	3.7	273%	Day
168	14:26:19	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	14:27:59	69dB	55dB	2.6	164%	Day
170	14:29:51	69dB	55dB	2.6	164%	Day
171	14:31:18	68dB	55dB	2.5	146%	Day
172	14:32:54	68dB	55dB	2.5	146%	Day
173	14:34:14	67	55dB	2.3	130%	Day
174	14:35:42	70dB	55dB	2.8	183%	Day
175	14:37:18	76dB	55dB	4.3	329%	Day
176	14:41:59	73dB	55dB	3.5	248%	Day
177	14:40:28	63	55dB	1.7	74%	Day
178	14:43:46	72dB	55dB	3.2	225%	Day
179	14:49:18	74dB	55dB	3.7	273%	Day
180	14:51:37	68dB	55dB	2.5	146%	Day
181	14:53:45	69dB	55dB	2.6	164%	Day
182	14:56:08	70dB	55dB	2.8	183%	Day
183	14:58:36	67	55dB	2.3	130%	Day
184	15:01:34	71dB	55dB	3.0	203%	Day
185	15:02:52	70dB	55dB	2.8	183%	Day
186	15:04:17	67	55dB	2.3	130%	Day
187	15:05:43	70dB	55dB	2.8	183%	Day
188	15:07:30	71dB	55dB	3.0	203%	Day
189	15:09:24	65	55dB	2.0	100%	Day
190	15:10:42	69dB	55dB	2.6	164%	Day
191	15:12:41	70dB	55dB	2.8	183%	Day
192	15:13:58	71dB	55dB	3.0	203%	Day
193	15:15:15	66dB	55dB	2.1	114%	Day
194	15:16:38	76dB	55dB	4.3	329%	Day
195	15:18:46	67	55dB	2.3	130%	Day
196	15:19:56	69dB	55dB	2.6	164%	Day
197	15:21:05	67dB	55dB	2.3	130%	Day
198	15:22:37	69	55dB	2.6	164%	Day
199	15:23:43	69	55dB	2.6	164%	Day
200	15:25:08	69dB	55dB	2.6	164%	Day
201	15:26:28	72dB	55dB	3.2	225%	Day
202	15:27:43	68	55dB	2.5	146%	Day
203	15:28:51	80dB	55dB	5.7	466%	Day
204	15:30:49	68dB	55dB	2.5	146%	Day
205	15:32:28	65	55dB	2.0	100%	Day
206	15:33:49	69dB	55dB	2.6	164%	Day
207	15:39:13	69dB	55dB	2.6	164%	Day
208	15:41:46	71dB	55dB	3.0	203%	Day
209	15:43:41	71dB	55dB	3.0	203%	Day
210	15:45:02	73dB	55dB	3.5	248%	Day
211	15:48:51	67dB	55dB	2.3	130%	Day
212	15:51:23	76dB	55dB	4.3	329%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	15:54:05	69dB	55dB	2.6	164%	Day
214	15:55:37	69dB	55dB	2.6	164%	Day
215	15:57:18	75dB	55dB	4.0	300%	Day
216	15:58:50	73dB	55dB	3.5	248%	Day
217	16:03:27	66	55dB	2.1	114%	Day
218	16:06:56	73dB	55dB	3.5	248%	Day
219	16:09:06	74dB	55dB	3.7	273%	Day
220	16:10:28	68	55dB	2.5	146%	Day
221	16:11:34	62	55dB	1.6	62%	Day
222	16:12:50	67dB	55dB	2.3	130%	Day
223	16:14:14	70dB	55dB	2.8	183%	Day
224	16:15:28	70dB	55dB	2.8	183%	Day
225	16:16:37	71dB	55dB	3.0	203%	Day
226	16:17:58	76dB	55dB	4.3	329%	Day
227	16:20:07	68dB	55dB	2.5	146%	Day
228	16:22:36	70dB	55dB	2.8	183%	Day
229	16:27:03	72dB	55dB	3.2	225%	Day
230	16:29:16	74dB	55dB	3.7	273%	Day
231	16:30:48	75dB	55dB	4.0	300%	Day
232	16:32:58	67dB	55dB	2.3	130%	Day
233	16:34:18	71dB	55dB	3.0	203%	Day
234	16:36:14	65	55dB	2.0	100%	Day
235	16:37:42	72dB	55dB	3.2	225%	Day
236	16:39:32	68dB	55dB	2.5	146%	Day
237	16:40:49	71dB	55dB	3.0	203%	Day
238	16:42:07	74dB	55dB	3.7	273%	Day
239	16:43:52	70dB	55dB	2.8	183%	Day
240	16:45:05	67dB	55dB	2.3	130%	Day
241	16:46:30	68dB	55dB	2.5	146%	Day
242	16:47:54	72dB	55dB	3.2	225%	Day
243	16:49:09	67dB	55dB	2.3	130%	Day
244	16:50:48	71dB	55dB	3.0	203%	Day
245	16:54:20	76dB	55dB	4.3	329%	Day
246	16:59:35	64	55dB	1.9	87%	Day
247	17:01:34	67dB	55dB	2.3	130%	Day
248	17:02:55	67	55dB	2.3	130%	Day
249	17:03:56	67dB	55dB	2.3	130%	Day
250	17:05:16	68dB	55dB	2.5	146%	Day
251	17:06:31	66dB	55dB	2.1	114%	Day
252	17:07:45	69dB	55dB	2.6	164%	Day
253	17:09:07	70dB	55dB	2.8	183%	Day
254	17:10:54	62	55dB	1.6	62%	Day
255	17:12:16	68dB	55dB	2.5	146%	Day
256	17:13:32	70	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	17:14:52	68dB	55dB	2.5	146%	Day
258	17:22:52	73dB	55dB	3.5	248%	Day
259	17:24:13	71dB	55dB	3.0	203%	Day
260	17:25:46	71dB	55dB	3.0	203%	Day
261	17:27:15	73dB	55dB	3.5	248%	Day
262	17:28:36	73dB	55dB	3.5	248%	Day
263	17:29:57	72dB	55dB	3.2	225%	Day
264	17:31:07	72dB	55dB	3.2	225%	Day
265	17:33:15	69dB	55dB	2.6	164%	Day
266	17:34:36	64	55dB	1.9	87%	Day
267	17:35:58	71dB	55dB	3.0	203%	Day
268	17:37:15	72dB	55dB	3.2	225%	Day
269	17:38:14	68dB	55dB	2.5	146%	Day
270	17:39:38	68dB	55dB	2.5	146%	Day
271	17:40:52	73dB	55dB	3.5	248%	Day
272	17:43:18	65	55dB	2.0	100%	Day
273	17:44:25	72dB	55dB	3.2	225%	Day
274	17:46:27	70dB	55dB	2.8	183%	Day
275	17:48:19	63	55dB	1.7	74%	Day
276	17:49:41	69dB	55dB	2.6	164%	Day
277	17:50:51	71dB	55dB	3.0	203%	Day
278	17:51:59	69dB	55dB	2.6	164%	Day
279	17:53:18	69dB	55dB	2.6	164%	Day
280	17:54:32	66	55dB	2.1	114%	Day
281	17:56:31	61	55dB	1.5	52%	Day
282	17:57:56	75dB	55dB	4.0	300%	Day
283	18:00:26	NMT down	55dB	#VALUE!	#VALUE!	Day
284	18:01:26	61	55dB	1.5	52%	Day
285	18:02:30	66	55dB	2.1	114%	Day
286	18:03:46	68dB	55dB	2.5	146%	Day
287	18:04:57	69dB	55dB	2.6	164%	Day
288	18:06:05	67dB	55dB	2.3	130%	Day
289	18:07:22	67	55dB	2.3	130%	Day
290	18:08:31	70dB	55dB	2.8	183%	Day
291	18:09:45	67	55dB	2.3	130%	Day
292	18:10:54	69dB	55dB	2.6	164%	Day
293	18:12:25	63	55dB	1.7	74%	Day
294	18:14:33	72dB	55dB	3.2	225%	Day
295	18:17:11	66	55dB	2.1	114%	Day
296	18:18:23	67	55dB	2.3	130%	Day
297	18:19:45	67	55dB	2.3	130%	Day
298	18:21:04	74dB	55dB	3.7	273%	Day
299	18:23:06	72dB	55dB	3.2	225%	Day
300	18:24:31	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	18:25:53	63	55dB	1.7	74%	Day
302	18:27:01	72dB	55dB	3.2	225%	Day
303	18:29:03	68dB	55dB	2.5	146%	Day
304	18:30:40	63	55dB	1.7	74%	Day
305	18:32:02	71dB	55dB	3.0	203%	Day
306	18:33:14	67dB	55dB	2.3	130%	Day
307	18:34:17	67dB	55dB	2.3	130%	Day
308	18:35:35	70	55dB	2.8	183%	Day
309	18:36:50	68dB	55dB	2.5	146%	Day
310	18:37:56	66	55dB	2.1	114%	Day
311	18:40:05	71dB	55dB	3.0	203%	Day
312	18:42:29	72dB	55dB	3.2	225%	Day
313	18:47:16	69dB	55dB	2.6	164%	Day
314	18:48:50	68dB	55dB	2.5	146%	Day
315	18:50:09	69dB	55dB	2.6	164%	Day
316	18:51:27	72dB	55dB	3.2	225%	Day
317	18:53:31	69dB	55dB	2.6	164%	Day
318	18:55:17	69dB	55dB	2.6	164%	Day
319	18:57:11	69dB	55dB	2.6	164%	Day
320	18:59:24	65	55dB	2.0	100%	Day
321	19:02:50	75dB	55dB	4.0	300%	Day
322	19:05:30	70dB	55dB	2.8	183%	Day
323	19:07:15	66	55dB	2.1	114%	Day
324	19:09:55	72dB	55dB	3.2	225%	Day
325	19:11:53	69dB	55dB	2.6	164%	Day
326	19:13:15	72dB	55dB	3.2	225%	Day
327	19:16:03	76dB	55dB	4.3	329%	Day
328	19:18:30	69dB	55dB	2.6	164%	Day
329	19:19:33	68dB	55dB	2.5	146%	Day
330	19:21:13	70dB	55dB	2.8	183%	Day
331	19:22:37	67dB	55dB	2.3	130%	Day
332	19:23:49	72	55dB	3.2	225%	Day
333	19:24:55	70dB	55dB	2.8	183%	Day
334	19:26:11	67dB	55dB	2.3	130%	Day
335	19:27:50	68dB	55dB	2.5	146%	Day
336	19:29:28	67dB	55dB	2.3	130%	Day
337	19:36:40	75dB	55dB	4.0	300%	Day
338	19:38:36	69dB	55dB	2.6	164%	Day
339	19:40:43	69dB	55dB	2.6	164%	Day
340	19:47:07	71dB	55dB	3.0	203%	Day
341	19:52:10	68dB	55dB	2.5	146%	Day
342	19:58:03	67	55dB	2.3	130%	Day
343	19:59:33	69dB	55dB	2.6	164%	Day
344	20:05:54	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

345	20:08:15	67	55dB	2.3	130%	Day
346	20:09:46	70dB	55dB	2.8	183%	Day
347	20:15:35	71dB	55dB	3.0	203%	Day
348	20:14:16	71dB	55dB	3.0	203%	Day
349	20:17:20	67dB	55dB	2.3	130%	Day
350	20:18:38	67dB	55dB	2.3	130%	Day
351	20:21:48	71dB	55dB	3.0	203%	Day
352	20:23:26	69dB	55dB	2.6	164%	Day
353	20:25:10	70dB	55dB	2.8	183%	Day
354	20:27:03	64	55dB	1.9	87%	Day
355	20:29:07	70dB	55dB	2.8	183%	Day
356	20:30:37	70dB	55dB	2.8	183%	Day
357	20:32:03	70dB	55dB	2.8	183%	Day
358	20:33:33	71dB	55dB	3.0	203%	Day
359	20:34:57	71dB	55dB	3.0	203%	Day
360	20:36:11	71dB	55dB	3.0	203%	Day
361	20:38:22	69dB	55dB	2.6	164%	Day
362	20:42:01	72dB	55dB	3.2	225%	Day
363	20:44:08	69dB	55dB	2.6	164%	Day
364	20:50:18	67dB	55dB	2.3	130%	Day
365	20:51:34	68dB	55dB	2.5	146%	Day
366	20:53:37	72dB	55dB	3.2	225%	Day
367	20:56:03	75dB	55dB	4.0	300%	Day
368	20:57:22	68dB	55dB	2.5	146%	Day
369	20:58:48	66dB	55dB	2.1	114%	Day
370	21:03:43	65	55dB	2.0	100%	Day
371	21:05:33	70dB	55dB	2.8	183%	Day
372	21:07:15	70dB	55dB	2.8	183%	Day
373	21:09:51	64	55dB	1.9	87%	Day
374	21:11:08	69dB	55dB	2.6	164%	Day
375	21:12:52	69dB	55dB	2.6	164%	Day
376	21:14:17	68dB	55dB	2.5	146%	Day
377	21:15:56	69dB	55dB	2.6	164%	Day
378	21:17:16	73dB	55dB	3.5	248%	Day
379	21:19:57	73dB	55dB	3.5	248%	Day
380	21:21:09	68dB	55dB	2.5	146%	Day
381	21:22:48	67dB	55dB	2.3	130%	Day
382	21:24:59	69dB	55dB	2.6	164%	Day
383	21:26:43	74	55dB	3.7	273%	Day
384	21:28:16	72dB	55dB	3.2	225%	Day
385	21:29:37	68dB	55dB	2.5	146%	Day
386	21:31:06	70dB	55dB	2.8	183%	Day
387	21:32:20	70dB	55dB	2.8	183%	Day
388	21:33:52	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

389	21:35:10	69dB	55dB	2.6	164%	Day
390	21:36:51	67dB	55dB	2.3	130%	Day
391	21:41:59	71dB	55dB	3.0	203%	Day
392	21:43:29	70dB	55dB	2.8	183%	Day
393	21:48:26	69dB	55dB	2.6	164%	Day
394	21:50:43	67dB	55dB	2.3	130%	Day
395	21:52:24	69dB	55dB	2.6	164%	Day
396	21:54:02	68dB	55dB	2.5	146%	Day
397	21:55:38	71dB	55dB	3.0	203%	Day
398	21:56:52	68dB	55dB	2.5	146%	Day
399	21:58:48	71dB	55dB	3.0	203%	Day
400	22:01:48	72dB	55dB	3.2	225%	Day
401	22:07:36	71dB	55dB	3.0	203%	Day
402	22:10:05	66	55dB	2.1	114%	Day
403	22:11:36	70dB	55dB	2.8	183%	Day
404	22:17:20	67dB	55dB	2.3	130%	Day
405	22:21:08	68dB	55dB	2.5	146%	Day
406	22:22:32	70dB	55dB	2.8	183%	Day
407	22:23:52	71dB	55dB	3.0	203%	Day
408	22:25:34	69dB	55dB	2.6	164%	Day
409	22:26:43	71dB	55dB	3.0	203%	Day
410	22:28:22	71dB	55dB	3.0	203%	Day
411	22:31:35	72dB	55dB	3.2	225%	Day
412	22:33:21	72dB	55dB	3.2	225%	Day
413	22:35:04	70dB	55dB	2.8	183%	Day
414	22:37:29	68dB	55dB	2.5	146%	Day
415	22:46:06	66	55dB	2.1	114%	Day
416	22:48:06	71dB	55dB	3.0	203%	Day
417	22:52:00	68dB	55dB	2.5	146%	Day
418	22:59:42	68	55dB	2.5	146%	Day
419	23:03:13	72dB	45dB	6.5	550%	Night
420	23:19:09	67dB	45dB	4.6	359%	Night
421	23:28:51	71dB	45dB	6.1	506%	Night
422	23:31:30	68dB	45dB	4.9	392%	Night
423	23:33:13	69dB	45dB	5.3	428%	Night
424	23:39:16	72dB	45dB	6.5	550%	Night
425	23:45:35	68dB	45dB	4.9	392%	Night
426	23:50:31	73dB	45dB	7.0	596%	Night
427	23:56:14	71dB	45dB	6.1	506%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 20, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:00:39	70dB	45dB	5.7	466%	Night
2	00:02:17	70dB	45dB	5.7	466%	Night
3	00:04:17	70dB	45dB	5.7	466%	Night
4	00:06:01	70dB	45dB	5.7	466%	Night
5	00:14:27	70dB	45dB	5.7	466%	Night
6	06:29:49	67dB	45dB	4.6	359%	Night
7	06:31:49	66dB	45dB	4.3	329%	Night
8	06:33:14	69dB	45dB	5.3	428%	Night
9	06:34:55	70dB	45dB	5.7	466%	Night
10	06:35:59	67dB	45dB	4.6	359%	Night
11	06:37:27	69dB	45dB	5.3	428%	Night
12	06:38:51	71dB	45dB	6.1	506%	Night
13	06:40:18	70dB	45dB	5.7	466%	Night
14	06:41:31	69dB	45dB	5.3	428%	Night
15	06:45:17	70dB	45dB	5.7	466%	Night
16	07:03:30	69dB	55dB	2.6	164%	Day
17	07:05:28	70dB	55dB	2.8	183%	Day
18	07:07:08	68dB	55dB	2.5	146%	Day
19	07:10:39	70dB	55dB	2.8	183%	Day
20	07:13:10	69dB	55dB	2.6	164%	Day
21	07:15:31	70dB	55dB	2.8	183%	Day
22	07:18:22	72dB	55dB	3.2	225%	Day
23	07:21:22	70dB	55dB	2.8	183%	Day
24	07:23:53	67dB	55dB	2.3	130%	Day
25	07:30:53	69dB	55dB	2.6	164%	Day
26	07:33:17	69dB	55dB	2.6	164%	Day
27	07:42:21	68dB	55dB	2.5	146%	Day
28	07:43:44	75dB	55dB	4.0	300%	Day
29	07:49:26	68dB	55dB	2.5	146%	Day
30	07:51:32	69dB	55dB	2.6	164%	Day
31	07:53:47	69dB	55dB	2.6	164%	Day
32	07:55:55	70dB	55dB	2.8	183%	Day
33	08:01:13	70dB	55dB	2.8	183%	Day
34	08:04:33	68dB	55dB	2.5	146%	Day
35	08:06:32	69dB	55dB	2.6	164%	Day
36	08:20:54	66dB	55dB	2.1	114%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	08:25:58	69dB	55dB	2.6	164%	Day
38	08:27:29	68dB	55dB	2.5	146%	Day
39	08:30:57	68dB	55dB	2.5	146%	Day
40	08:35:30	70dB	55dB	2.8	183%	Day
41	08:39:52	70dB	55dB	2.8	183%	Day
42	08:59:23	74dB	55dB	3.7	273%	Day
43	09:15:55	73dB	55dB	3.5	248%	Day
44	09:20:29	68dB	55dB	2.5	146%	Day
45	09:24:12	69dB	55dB	2.6	164%	Day
46	09:26:14	70dB	55dB	2.8	183%	Day
47	09:30:55	68dB	55dB	2.5	146%	Day
48	09:47:16	70dB	55dB	2.8	183%	Day
49	09:48:36	70dB	55dB	2.8	183%	Day
50	09:50:25	68dB	55dB	2.5	146%	Day
51	09:53:21	68dB	55dB	2.5	146%	Day
52	09:58:03	70dB	55dB	2.8	183%	Day
53	10:08:46	70dB	55dB	2.8	183%	Day
54	10:10:19	71dB	55dB	3.0	203%	Day
55	10:24:12	67dB	55dB	2.3	130%	Day
56	10:25:51	68dB	55dB	2.5	146%	Day
57	10:28:40	67dB	55dB	2.3	130%	Day
58	10:42:47	69dB	55dB	2.6	164%	Day
59	10:44:14	71dB	55dB	3.0	203%	Day
60	10:48:22	67dB	55dB	2.3	130%	Day
61	10:53:21	67dB	55dB	2.3	130%	Day
62	10:57:18	70dB	55dB	2.8	183%	Day
63	10:58:52	69dB	55dB	2.6	164%	Day
64	11:06:52	68dB	55dB	2.5	146%	Day
65	11:13:59	68dB	55dB	2.5	146%	Day
66	11:15:48	72dB	55dB	3.2	225%	Day
67	11:17:12	67dB	55dB	2.3	130%	Day
68	11:31:17	71dB	55dB	3.0	203%	Day
69	11:32:37		55dB	#VALUE!	#VALUE!	Day
70	11:34:22	68dB	55dB	2.5	146%	Day
71	11:36:08	73dB	55dB	3.5	248%	Day
72	11:38:43	70dB	55dB	2.8	183%	Day
73	11:44:03	66dB	55dB	2.1	114%	Day
74	11:45:27	71dB	55dB	3.0	203%	Day
75	11:48:36	72dB	55dB	3.2	225%	Day
76	11:49:44	71dB	55dB	3.0	203%	Day
77	11:51:11	70dB	55dB	2.8	183%	Day
78	12:00:31	72dB	55dB	3.2	225%	Day
79	12:03:08	67dB	55dB	2.3	130%	Day
80	12:07:06	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	12:12:32	73dB	55dB	3.5	248%	Day
82	12:17:34	71dB	55dB	3.0	203%	Day
83	12:20:59	69dB	55dB	2.6	164%	Day
84	12:22:12	68dB	55dB	2.5	146%	Day
85	12:22:18	68dB	55dB	2.5	146%	Day
86	12:27:17	68dB	55dB	2.5	146%	Day
87	12:28:39	69dB	55dB	2.6	164%	Day
88	12:29:58	71dB	55dB	3.0	203%	Day
89	12:33:08	69dB	55dB	2.6	164%	Day
90	12:34:21	72dB	55dB	3.2	225%	Day
91	12:36:11	74dB	55dB	3.7	273%	Day
92	12:38:36	69dB	55dB	2.6	164%	Day
93	12:40:28	68dB	55dB	2.5	146%	Day
94	12:44:17	69dB	55dB	2.6	164%	Day
95	12:49:33	69dB	55dB	2.6	164%	Day
96	12:50:57	74dB	55dB	3.7	273%	Day
97	12:55:37	71dB	55dB	3.0	203%	Day
98	12:57:06	68dB	55dB	2.5	146%	Day
99	12:58:49	68dB	55dB	2.5	146%	Day
100	13:00:17	73dB	55dB	3.5	248%	Day
101	13:02:41	70dB	55dB	2.8	183%	Day
102	13:03:57	70dB	55dB	2.8	183%	Day
103	13:11:25	74dB	55dB	3.7	273%	Day
104	13:12:29	68dB	55dB	2.5	146%	Day
105	13:12:46	73dB	55dB	3.5	248%	Day
106	13:14:54	68dB	55dB	2.5	146%	Day
107	13:16:14	70dB	55dB	2.8	183%	Day
108	13:20:17	71dB	55dB	3.0	203%	Day
109	13:25:34	71dB	55dB	3.0	203%	Day
110	13:27:11	70dB	55dB	2.8	183%	Day
111	13:31:39	70dB	55dB	2.8	183%	Day
112	13:33:40	69dB	55dB	2.6	164%	Day
113	13:35:11	70dB	55dB	2.8	183%	Day
114	13:37:03	69dB	55dB	2.6	164%	Day
115	13:48:46	72dB	55dB	3.2	225%	Day
116	13:52:19	72dB	55dB	3.2	225%	Day
117	13:55:48	79dB	55dB	5.3	428%	Day
118	13:58:08	71dB	55dB	3.0	203%	Day
119	14:00:57	67dB	55dB	2.3	130%	Day
120	14:02:23	69dB	55dB	2.6	164%	Day
121	14:04:17	70dB	55dB	2.8	183%	Day
122	14:05:37	70dB	55dB	2.8	183%	Day
123	14:07:00	70dB	55dB	2.8	183%	Day
124	14:08:35	72dB	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	14:09:17	71dB	55dB	3.0	203%	Day
126	14:10:26	75dB	55dB	4.0	300%	Day
127	14:12:55	67dB	55dB	2.3	130%	Day
128	14:15:45	75dB	55dB	4.0	300%	Day
129	14:17:24	69dB	55dB	2.6	164%	Day
130	14:18:34	72dB	55dB	3.2	225%	Day
131	14:19:04	77dB	55dB	4.6	359%	Day
132	14:19:15	67dB	55dB	2.3	130%	Day
133	14:19:22	68dB	55dB	2.5	146%	Day
134	14:19:59	75dB	55dB	4.0	300%	Day
135	14:21:22	70dB	55dB	2.8	183%	Day
136	14:22:57	74dB	55dB	3.7	273%	Day
137	14:24:57	69dB	55dB	2.6	164%	Day
138	14:27:02	70dB	55dB	2.8	183%	Day
139	14:35:01	75dB	55dB	4.0	300%	Day
140	14:39:50	70dB	55dB	2.8	183%	Day
141	14:40:56	73dB	55dB	3.5	248%	Day
142	14:45:22	70dB	55dB	2.8	183%	Day
143	14:48:49	73dB	55dB	3.5	248%	Day
144	14:50:25	71dB	55dB	3.0	203%	Day
145	14:53:35	72dB	55dB	3.2	225%	Day
146	14:54:55	75dB	55dB	4.0	300%	Day
147	14:57:13	70dB	55dB	2.8	183%	Day
148	14:58:47	68dB	55dB	2.5	146%	Day
149	15:00:56	71dB	55dB	3.0	203%	Day
150	15:02:04	69dB	55dB	2.6	164%	Day
151	15:03:34	71dB	55dB	3.0	203%	Day
152	15:05:15	73dB	55dB	3.5	248%	Day
153	15:07:13	70dB	55dB	2.8	183%	Day
154	15:08:32	73dB	55dB	3.5	248%	Day
155	15:10:48	68dB	55dB	2.5	146%	Day
156	15:12:05	69dB	55dB	2.6	164%	Day
157	15:16:15	68dB	55dB	2.5	146%	Day
158	15:20:02	69dB	55dB	2.6	164%	Day
159	15:23:35	71dB	55dB	3.0	203%	Day
160	15:24:42	69dB	55dB	2.6	164%	Day
161	15:26:00	69dB	55dB	2.6	164%	Day
162	15:27:10	73dB	55dB	3.5	248%	Day
163	15:29:04	70dB	55dB	2.8	183%	Day
164	15:30:39	68dB	55dB	2.5	146%	Day
165	15:30:49	70dB	55dB	2.8	183%	Day
166	15:32:13	74dB	55dB	3.7	273%	Day
167	15:33:38	74dB	55dB	3.7	273%	Day
168	15:35:00	73dB	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	15:36:45	70dB	55dB	2.8	183%	Day
170	15:38:09	81dB	55dB	6.1	506%	Day
171	15:43:12	70dB	55dB	2.8	183%	Day
172	15:45:05	73dB	55dB	3.5	248%	Day
173	15:46:02	75dB	55dB	4.0	300%	Day
174	15:46:38	72dB	55dB	3.2	225%	Day
175	15:48:31	73dB	55dB	3.5	248%	Day
176	15:50:21	69dB	55dB	2.6	164%	Day
177	15:50:30	68dB	55dB	2.5	146%	Day
178	15:51:08	70dB	55dB	2.8	183%	Day
179	15:52:18	73dB	55dB	3.5	248%	Day
180	15:53:13	76dB	55dB	4.3	329%	Day
181	15:55:00	73dB	55dB	3.5	248%	Day
182	15:55:49	77dB	55dB	4.6	359%	Day
183	15:56:38	70dB	55dB	2.8	183%	Day
184	16:00:04	68dB	55dB	2.5	146%	Day
185	16:01:54	72dB	55dB	3.2	225%	Day
186	16:03:51	73dB	55dB	3.5	248%	Day
187	16:06:35	73dB	55dB	3.5	248%	Day
188	16:10:32	69dB	55dB	2.6	164%	Day
189	16:17:01	71dB	55dB	3.0	203%	Day
190	16:19:07	70dB	55dB	2.8	183%	Day
191	16:19:16	69dB	55dB	2.6	164%	Day
192	16:21:17	69dB	55dB	2.6	164%	Day
193	16:22:52	72dB	55dB	3.2	225%	Day
194	16:26:09	72dB	55dB	3.2	225%	Day
195	16:27:20	69dB	55dB	2.6	164%	Day
196	16:29:05	70dB	55dB	2.8	183%	Day
197	16:31:09	75dB	55dB	4.0	300%	Day
198	16:35:26	70dB	55dB	2.8	183%	Day
199	16:37:17	74dB	55dB	3.7	273%	Day
200	16:39:12	69dB	55dB	2.6	164%	Day
201	16:42:53	69dB	55dB	2.6	164%	Day
202	16:44:26	68dB	55dB	2.5	146%	Day
203	16:48:50	70dB	55dB	2.8	183%	Day
204	16:55:35	69dB	55dB	2.6	164%	Day
205	16:57:01	72dB	55dB	3.2	225%	Day
206	16:58:13	67dB	55dB	2.3	130%	Day
207	16:59:25	74dB	55dB	3.7	273%	Day
208	16:59:31	67dB	55dB	2.3	130%	Day
209	17:00:46	73dB	55dB	3.5	248%	Day
210	17:02:09	67dB	55dB	2.3	130%	Day
211	17:03:36	70dB	55dB	2.8	183%	Day
212	17:04:58	73dB	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	17:06:02	69dB	55dB	2.6	164%	Day
214	17:07:23	72dB	55dB	3.2	225%	Day
215	17:09:31	73dB	55dB	3.5	248%	Day
216	17:13:13	69dB	55dB	2.6	164%	Day
217	17:14:30	68dB	55dB	2.5	146%	Day
218	17:16:09	73dB	55dB	3.5	248%	Day
219	17:19:45	67dB	55dB	2.3	130%	Day
220	17:21:15	68dB	55dB	2.5	146%	Day
221	17:23:34	68dB	55dB	2.5	146%	Day
222	17:24:57	71dB	55dB	3.0	203%	Day
223	17:28:17	72dB	55dB	3.2	225%	Day
224	17:37:04	70dB	55dB	2.8	183%	Day
225	17:39:29	70dB	55dB	2.8	183%	Day
226	17:40:43	67dB	55dB	2.3	130%	Day
227	17:42:49	71dB	55dB	3.0	203%	Day
228	17:45:12	68dB	55dB	2.5	146%	Day
229	17:49:34	69dB	55dB	2.6	164%	Day
230	17:50:46	76dB	55dB	4.3	329%	Day
231	17:52:55	71dB	55dB	3.0	203%	Day
232	17:54:20	70dB	55dB	2.8	183%	Day
233	17:55:38	71dB	55dB	3.0	203%	Day
234	17:58:19	70dB	55dB	2.8	183%	Day
235	18:03:31	71dB	55dB	3.0	203%	Day
236	18:05:03	70dB	55dB	2.8	183%	Day
237	18:06:19	70dB	55dB	2.8	183%	Day
238	18:10:04	70dB	55dB	2.8	183%	Day
239	18:11:52	70dB	55dB	2.8	183%	Day
240	18:15:24	71dB	55dB	3.0	203%	Day
241	18:18:52	67dB	55dB	2.3	130%	Day
242	18:21:30	71dB	55dB	3.0	203%	Day
243	18:25:00	67dB	55dB	2.3	130%	Day
244	18:26:18	69dB	55dB	2.6	164%	Day
245	18:29:02	69dB	55dB	2.6	164%	Day
246	18:30:20	68dB	55dB	2.5	146%	Day
247	18:36:06	67dB	55dB	2.3	130%	Day
248	18:37:39	71dB	55dB	3.0	203%	Day
249	18:39:14	75dB	55dB	4.0	300%	Day
250	18:40:25	73dB	55dB	3.5	248%	Day
251	18:43:17	70dB	55dB	2.8	183%	Day
252	18:44:48	72dB	55dB	3.2	225%	Day
253	18:48:59	75dB	55dB	4.0	300%	Day
254	18:52:43	68dB	55dB	2.5	146%	Day
255	18:54:02	70dB	55dB	2.8	183%	Day
256	18:55:34	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	18:56:49	69dB	55dB	2.6	164%	Day
258	18:58:15	70dB	55dB	2.8	183%	Day
259	19:03:18	72dB	55dB	3.2	225%	Day
260	19:04:47	72dB	55dB	3.2	225%	Day
261	19:07:44	68dB	55dB	2.5	146%	Day
262	19:09:35	76dB	55dB	4.3	329%	Day
263	19:11:46	68dB	55dB	2.5	146%	Day
264	19:13:15	74dB	55dB	3.7	273%	Day
265	19:14:57	70dB	55dB	2.8	183%	Day
266	19:18:59	69dB	55dB	2.6	164%	Day
267	19:20:58	70dB	55dB	2.8	183%	Day
268	19:22:46	68dB	55dB	2.5	146%	Day
269	19:22:55	71dB	55dB	3.0	203%	Day
270	19:24:25	69dB	55dB	2.6	164%	Day
271	19:26:05	68dB	55dB	2.5	146%	Day
272	19:27:39	68dB	55dB	2.5	146%	Day
273	19:29:06	74dB	55dB	3.7	273%	Day
274	19:31:06	69dB	55dB	2.6	164%	Day
275	19:34:15	71dB	55dB	3.0	203%	Day
276	19:35:51	76dB	55dB	4.3	329%	Day
277	19:38:04	72dB	55dB	3.2	225%	Day
278	19:41:57	73dB	55dB	3.5	248%	Day
279	19:47:54	69dB	55dB	2.6	164%	Day
280	19:51:11	70dB	55dB	2.8	183%	Day
281	19:52:25	71dB	55dB	3.0	203%	Day
282	19:53:45	73dB	55dB	3.5	248%	Day
283	19:55:22	70dB	55dB	2.8	183%	Day
284	19:57:40	79dB	55dB	5.3	428%	Day
285	20:06:29	71dB	55dB	3.0	203%	Day
286	20:07:43	74dB	55dB	3.7	273%	Day
287	20:09:47	74dB	55dB	3.7	273%	Day
288	20:11:13	72dB	55dB	3.2	225%	Day
289	20:12:43	72dB	55dB	3.2	225%	Day
290	20:13:56	75dB	55dB	4.0	300%	Day
291	20:15:10	73dB	55dB	3.5	248%	Day
292	20:16:24	75dB	55dB	4.0	300%	Day
293	20:17:47	75dB	55dB	4.0	300%	Day
294	20:23:03	70dB	55dB	2.8	183%	Day
295	20:24:30	68dB	55dB	2.5	146%	Day
296	20:26:13	71dB	55dB	3.0	203%	Day
297	20:28:31	71dB	55dB	3.0	203%	Day
298	20:30:09	72dB	55dB	3.2	225%	Day
299	20:33:48	72dB	55dB	3.2	225%	Day
300	20:35:32	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	20:38:37	76dB	55dB	4.3	329%	Day
302	20:41:27	68dB	55dB	2.5	146%	Day
303	20:42:59	72dB	55dB	3.2	225%	Day
304	20:44:35	71dB	55dB	3.0	203%	Day
305	20:46:02	70dB	55dB	2.8	183%	Day
306	20:47:36	72dB	55dB	3.2	225%	Day
307	20:49:34	71dB	55dB	3.0	203%	Day
308	20:52:49	75dB	55dB	4.0	300%	Day
309	20:54:19	72dB	55dB	3.2	225%	Day
310	20:56:25	69dB	55dB	2.6	164%	Day
311	20:57:49	68dB	55dB	2.5	146%	Day
312	20:59:30	67dB	55dB	2.3	130%	Day
313	21:01:15	72dB	55dB	3.2	225%	Day
314	21:04:28	71dB	55dB	3.0	203%	Day
315	21:05:53	73dB	55dB	3.5	248%	Day
316	21:07:17	68dB	55dB	2.5	146%	Day
317	21:08:47	71dB	55dB	3.0	203%	Day
318	21:10:29	73dB	55dB	3.5	248%	Day
319	21:20:06	67dB	55dB	2.3	130%	Day
320	21:21:55	67dB	55dB	2.3	130%	Day
321	21:24:39	68dB	55dB	2.5	146%	Day
322	21:25:58	69dB	55dB	2.6	164%	Day
323	21:30:08	69dB	55dB	2.6	164%	Day
324	21:32:09	68dB	55dB	2.5	146%	Day
325	21:33:56	75dB	55dB	4.0	300%	Day
326	21:35:23	75dB	55dB	4.0	300%	Day
327	21:41:44	70dB	55dB	2.8	183%	Day
328	21:43:32	70dB	55dB	2.8	183%	Day
329	21:44:50	70dB	55dB	2.8	183%	Day
330	21:46:21	73dB	55dB	3.5	248%	Day
331	21:48:11	69dB	55dB	2.6	164%	Day
332	21:49:27	72dB	55dB	3.2	225%	Day
333	21:51:00	68dB	55dB	2.5	146%	Day
334	22:04:22	70dB	55dB	2.8	183%	Day
335	22:05:51	68dB	55dB	2.5	146%	Day
336	22:14:15	69dB	55dB	2.6	164%	Day
337	22:15:46	70dB	55dB	2.8	183%	Day
338	22:16:57	74dB	55dB	3.7	273%	Day
339	22:18:35	73dB	55dB	3.5	248%	Day
340	22:20:08	71dB	55dB	3.0	203%	Day
341	22:21:41	72dB	55dB	3.2	225%	Day
342	22:26:47	71dB	55dB	3.0	203%	Day
343	22:28:49	76dB	55dB	4.3	329%	Day
344	22:30:49	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

345	22:35:58	69dB	55dB	2.6	164%	Day
346	22:37:32	68dB	55dB	2.5	146%	Day
347	22:40:04	72dB	55dB	3.2	225%	Day
348	22:43:23	71dB	55dB	3.0	203%	Day
349	22:52:07	69dB	55dB	2.6	164%	Day
350	22:55:22	68dB	55dB	2.5	146%	Day
351	23:09:46	67dB	45dB	4.6	359%	Day
352	23:12:18	67dB	45dB	4.6	359%	Night
353	23:18:09	73dB	45dB	7.0	596%	Night
354	23:22:59	68dB	45dB	4.9	392%	Night
355	23:38:08	73dB	45dB	7.0	596%	Night
356	23:43:48	69dB	45dB	5.3	428%	Night
357	23:43:53	68dB	45dB	4.9	392%	Night
358	23:46:35	70dB	45dB	5.7	466%	Night
359	23:48:45	68dB	45dB	4.9	392%	Night
360	23:50:10	70dB	45dB	5.7	466%	Night
361	23:53:43	71dB	45dB	6.1	506%	Night
362	23:55:33	70dB	45dB	5.7	466%	Night
363	23:57:26	69dB	45dB	5.3	428%	Night
364	23:59:24	70dB	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 21, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:02:36	75dB	45dB	8.0	700%	Night
2	06:29:33	69dB	45dB	5.3	428%	Night
3	06:31:22	69dB	45dB	5.3	428%	Night
4	06:32:45	67dB	45dB	4.6	359%	Night
5	06:34:35	68dB	45dB	4.9	392%	Night
6	06:36:14	69dB	45dB	5.3	428%	Night
7	06:37:53	72dB	45dB	6.5	550%	Night
8	06:39:20	68dB	45dB	4.9	392%	Night
9	06:40:39	68dB	45dB	4.9	392%	Night
10	06:42:10	70dB	45dB	5.7	466%	Night
11	06:43:47	69dB	45dB	5.3	428%	Night
12	06:45:09	69dB	45dB	5.3	428%	Night
13	06:47:00	73dB	45dB	7.0	596%	Night
14	06:49:09	70dB	45dB	5.7	466%	Night
15	06:55:24	71dB	45dB	6.1	506%	Night
16	06:57:39	68dB	45dB	4.9	392%	Night
17	06:59:29	70dB	45dB	5.7	466%	Night
18	07:00:52	69dB	55dB	2.6	164%	Day
19	07:02:52	70dB	55dB	2.8	183%	Day
20	07:07:00	68dB	55dB	2.5	146%	Day
21	07:09:25	71dB	55dB	3.0	203%	Day
22	07:18:44	68dB	55dB	2.5	146%	Day
23	07:24:51	68dB	55dB	2.5	146%	Day
24	07:27:29	67dB	55dB	2.3	130%	Day
25	07:34:09	68dB	55dB	2.5	146%	Day
26	07:44:15	70dB	55dB	2.8	183%	Day
27	07:47:36	69dB	55dB	2.6	164%	Day
28	07:49:37	69dB	55dB	2.6	164%	Day
29	07:53:36	69dB	55dB	2.6	164%	Day
30	07:58:49	67dB	55dB	2.3	130%	Day
31	07:58:59	69dB	55dB	2.6	164%	Day
32	08:00:24	68dB	55dB	2.5	146%	Day
33	08:01:50	68dB	55dB	2.5	146%	Day
34	08:03:20	69dB	55dB	2.6	164%	Day
35	08:06:24	70dB	55dB	2.8	183%	Day
36	08:12:20	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	08:16:15	67dB	55dB	2.3	130%	Day
38	08:17:32	68dB	55dB	2.5	146%	Day
39	08:20:07	68dB	55dB	2.5	146%	Day
40	08:23:25	68dB	55dB	2.5	146%	Day
41	08:27:53	72dB	55dB	3.2	225%	Day
42	08:40:09	68dB	55dB	2.5	146%	Day
43	08:41:36	73dB	55dB	3.5	248%	Day
44	08:55:39	73dB	55dB	3.5	248%	Day
45	09:01:58	70dB	55dB	2.8	183%	Day
46	09:11:12	69dB	55dB	2.6	164%	Day
47	09:17:49	68dB	55dB	2.5	146%	Day
48	09:20:30	67dB	55dB	2.3	130%	Day
49	09:23:55	73dB	55dB	3.5	248%	Day
50	09:28:14	73dB	55dB	3.5	248%	Day
51	09:31:17	70dB	55dB	2.8	183%	Day
52	09:35:02	69dB	55dB	2.6	164%	Day
53	09:45:34	68dB	55dB	2.5	146%	Day
54	09:52:53	69dB	55dB	2.6	164%	Day
55	10:18:28	68dB	55dB	2.5	146%	Day
56	10:23:07	69dB	55dB	2.6	164%	Day
57	10:26:38	67dB	55dB	2.3	130%	Day
58	10:28:22	68dB	55dB	2.5	146%	Day
59	10:32:21	69dB	55dB	2.6	164%	Day
60	10:34:11	69dB	55dB	2.6	164%	Day
61	10:35:40	70dB	55dB	2.8	183%	Day
62	10:42:38	70dB	55dB	2.8	183%	Day
63	10:48:50	71dB	55dB	3.0	203%	Day
64	10:53:59	72dB	55dB	3.2	225%	Day
65	11:01:03	68dB	55dB	2.5	146%	Day
66	11:14:45	71dB	55dB	3.0	203%	Day
67	11:16:47	68dB	55dB	2.5	146%	Day
68	11:24:05	71dB	55dB	3.0	203%	Day
69	11:25:54	67dB	55dB	2.3	130%	Day
70	11:27:39	72dB	55dB	3.2	225%	Day
71	11:33:06	68dB	55dB	2.5	146%	Day
72	11:35:37	71dB	55dB	3.0	203%	Day
73	11:38:48	69dB	55dB	2.6	164%	Day
74	11:39:54	68dB	55dB	2.5	146%	Day
75	11:41:11	67dB	55dB	2.3	130%	Day
76	11:45:50	69dB	55dB	2.6	164%	Day
77	11:56:22	70dB	55dB	2.8	183%	Day
78	11:57:45	70dB	55dB	2.8	183%	Day
79	11:59:41	67dB	55dB	2.3	130%	Day
80	12:04:51	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	12:14:40	70dB	55dB	2.8	183%	Day
82	12:17:03	71dB	55dB	3.0	203%	Day
83	12:19:49	68dB	55dB	2.5	146%	Day
84	12:25:39	68dB	55dB	2.5	146%	Day
85	12:31:40	68dB	55dB	2.5	146%	Day
86	12:34:12	67dB	55dB	2.3	130%	Day
87	12:37:36	75dB	55dB	4.0	300%	Day
88	12:39:41	68dB	55dB	2.5	146%	Day
89	12:42:42	69dB	55dB	2.6	164%	Day
90	12:44:41	69dB	55dB	2.6	164%	Day
91	12:48:31	71dB	55dB	3.0	203%	Day
92	12:50:17	72dB	55dB	3.2	225%	Day
93	12:53:20	73dB	55dB	3.5	248%	Day
94	12:56:15	71dB	55dB	3.0	203%	Day
95	12:58:34	69dB	55dB	2.6	164%	Day
96	13:01:40	71dB	55dB	3.0	203%	Day
97	13:03:26	70dB	55dB	2.8	183%	Day
98	13:06:05	69dB	55dB	2.6	164%	Day
99	13:07:09	71dB	55dB	3.0	203%	Day
100	13:14:32	68dB	55dB	2.5	146%	Day
101	13:22:28	68dB	55dB	2.5	146%	Day
102	13:24:20	72dB	55dB	3.2	225%	Day
103	13:26:22	69dB	55dB	2.6	164%	Day
104	13:27:49	67dB	55dB	2.3	130%	Day
105	13:31:50	75dB	55dB	4.0	300%	Day
106	13:38:53	68dB	55dB	2.5	146%	Day
107	13:41:21	70dB	55dB	2.8	183%	Day
108	13:52:57	70dB	55dB	2.8	183%	Day
109	13:54:58	70dB	55dB	2.8	183%	Day
110	13:56:56	69dB	55dB	2.6	164%	Day
111	13:59:00	70dB	55dB	2.8	183%	Day
112	14:02:28	70dB	55dB	2.8	183%	Day
113	14:05:59	68dB	55dB	2.5	146%	Day
114	14:11:49	69dB	55dB	2.6	164%	Day
115	14:13:11	70dB	55dB	2.8	183%	Day
116	14:14:38	70dB	55dB	2.8	183%	Day
117	14:15:57	68dB	55dB	2.5	146%	Day
118	14:17:26	70dB	55dB	2.8	183%	Day
119	14:18:47	69dB	55dB	2.6	164%	Day
120	14:19:47	70dB	55dB	2.8	183%	Day
121	14:22:21	68dB	55dB	2.5	146%	Day
122	14:25:36	70dB	55dB	2.8	183%	Day
123	14:28:49	71dB	55dB	3.0	203%	Day
124	14:30:00	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	14:31:20	72dB	55dB	3.2	225%	Day
126	14:33:17	70dB	55dB	2.8	183%	Day
127	14:34:43	70dB	55dB	2.8	183%	Day
128	14:36:06	68dB	55dB	2.5	146%	Day
129	14:40:00	74dB	55dB	3.7	273%	Day
130	14:41:47	70dB	55dB	2.8	183%	Day
131	14:43:45	67dB	55dB	2.3	130%	Day
132	14:44:52	69dB	55dB	2.6	164%	Day
133	14:46:26	67dB	55dB	2.3	130%	Day
134	14:47:48	74dB	55dB	3.7	273%	Day
135	14:51:17	68dB	55dB	2.5	146%	Day
136	14:52:49	71dB	55dB	3.0	203%	Day
137	14:54:21	70dB	55dB	2.8	183%	Day
138	14:57:34	70dB	55dB	2.8	183%	Day
139	14:59:58	75dB	55dB	4.0	300%	Day
140	15:02:09	67dB	55dB	2.3	130%	Day
141	15:03:26	72dB	55dB	3.2	225%	Day
142	15:05:24	70dB	55dB	2.8	183%	Day
143	15:06:48	67dB	55dB	2.3	130%	Day
144	15:10:48	74dB	55dB	3.7	273%	Day
145	15:13:32	69dB	55dB	2.6	164%	Day
146	15:16:30	69dB	55dB	2.6	164%	Day
147	15:19:02	77dB	55dB	4.6	359%	Day
148	15:21:02	69dB	55dB	2.6	164%	Day
149	15:22:23	68dB	55dB	2.5	146%	Day
150	15:25:46	71dB	55dB	3.0	203%	Day
151	15:28:01	68dB	55dB	2.5	146%	Day
152	15:32:15	70dB	55dB	2.8	183%	Day
153	15:36:23	74dB	55dB	3.7	273%	Day
154	15:37:52	72dB	55dB	3.2	225%	Day
155	15:42:45	70dB	55dB	2.8	183%	Day
156	15:45:59	69dB	55dB	2.6	164%	Day
157	15:48:43	73dB	55dB	3.5	248%	Day
158	15:51:00	70dB	55dB	2.8	183%	Day
159	15:53:50	66dB	55dB	2.1	114%	Day
160	15:55:11	68dB	55dB	2.5	146%	Day
161	16:01:43	73dB	55dB	3.5	248%	Day
162	16:03:29	72dB	55dB	3.2	225%	Day
163	16:04:55	75dB	55dB	4.0	300%	Day
164	16:07:09	71dB	55dB	3.0	203%	Day
165	16:09:30	70dB	55dB	2.8	183%	Day
166	16:11:34	69dB	55dB	2.6	164%	Day
167	16:16:29	72dB	55dB	3.2	225%	Day
168	16:17:58	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	16:19:51	75dB	55dB	4.0	300%	Day
170	16:21:53	68dB	55dB	2.5	146%	Day
171	16:23:12	68dB	55dB	2.5	146%	Day
172	16:24:28	71dB	55dB	3.0	203%	Day
173	16:26:32	70dB	55dB	2.8	183%	Day
174	16:34:03	67dB	55dB	2.3	130%	Day
175	16:35:34	68dB	55dB	2.5	146%	Day
176	16:37:06	68dB	55dB	2.5	146%	Day
177	16:38:28	74dB	55dB	3.7	273%	Day
178	16:41:06	68dB	55dB	2.5	146%	Day
179	16:42:37	70dB	55dB	2.8	183%	Day
180	16:44:21	69dB	55dB	2.6	164%	Day
181	16:49:08	71dB	55dB	3.0	203%	Day
182	16:51:35	69dB	55dB	2.6	164%	Day
183	16:52:43	68dB	55dB	2.5	146%	Day
184	16:54:49	68dB	55dB	2.5	146%	Day
185	16:59:05	67dB	55dB	2.3	130%	Day
186	17:00:42	69dB	55dB	2.6	164%	Day
187	17:04:22	67dB	55dB	2.3	130%	Day
188	17:07:17	72dB	55dB	3.2	225%	Day
189	17:11:14	70dB	55dB	2.8	183%	Day
190	17:15:45	72dB	55dB	3.2	225%	Day
191	17:19:19	70dB	55dB	2.8	183%	Day
192	17:20:41	69dB	55dB	2.6	164%	Day
193	17:21:45	68dB	55dB	2.5	146%	Day
194	17:23:19	73dB	55dB	3.5	248%	Day
195	17:31:36	73dB	55dB	3.5	248%	Day
196	17:34:07	72dB	55dB	3.2	225%	Day
197	17:36:09	72dB	55dB	3.2	225%	Day
198	17:41:24	69dB	55dB	2.6	164%	Day
199	17:41:39	73dB	55dB	3.5	248%	Day
200	17:48:36	73dB	55dB	3.5	248%	Day
201	17:51:03	73dB	55dB	3.5	248%	Day
202	17:53:07	72dB	55dB	3.2	225%	Day
203	17:55:17	70dB	55dB	2.8	183%	Day
204	17:57:36	72dB	55dB	3.2	225%	Day
205	17:59:41	72dB	55dB	3.2	225%	Day
206	18:04:29	73dB	55dB	3.5	248%	Day
207	18:06:43	71dB	55dB	3.0	203%	Day
208	18:09:31	74dB	55dB	3.7	273%	Day
209	18:13:46	71dB	55dB	3.0	203%	Day
210	18:16:10	72dB	55dB	3.2	225%	Day
211	18:18:07	73dB	55dB	3.5	248%	Day
212	18:21:21	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	18:23:53	72dB	55dB	3.2	225%	Day
214	18:26:01	69dB	55dB	2.6	164%	Day
215	18:28:10	72dB	55dB	3.2	225%	Day
216	18:30:02	73dB	55dB	3.5	248%	Day
217	18:34:24	72dB	55dB	3.2	225%	Day
218	18:41:36	72dB	55dB	3.2	225%	Day
219	18:44:05	70dB	55dB	2.8	183%	Day
220	18:48:28	71dB	55dB	3.0	203%	Day
221	18:50:40	74dB	55dB	3.7	273%	Day
222	18:55:23	73dB	55dB	3.5	248%	Day
223	18:57:29	73dB	55dB	3.5	248%	Day
224	18:59:55	72dB	55dB	3.2	225%	Day
225	19:01:53	73dB	55dB	3.5	248%	Day
226	19:04:07	73dB	55dB	3.5	248%	Day
227	19:07:31	72dB	55dB	3.2	225%	Day
228	19:09:31	73dB	55dB	3.5	248%	Day
229	19:11:34	71dB	55dB	3.0	203%	Day
230	19:13:33	73dB	55dB	3.5	248%	Day
231	19:15:51	74dB	55dB	3.7	273%	Day
232	19:27:01	73dB	55dB	3.5	248%	Day
233	19:31:02	72dB	55dB	3.2	225%	Day
234	19:32:47	73dB	55dB	3.5	248%	Day
235	19:34:58	69dB	55dB	2.6	164%	Day
236	19:36:30	70dB	55dB	2.8	183%	Day
237	19:37:27	67dB	55dB	2.3	130%	Day
238	19:40:19	71dB	55dB	3.0	203%	Day
239	19:47:02	67dB	55dB	2.3	130%	Day
240	19:49:21	69dB	55dB	2.6	164%	Day
241	19:50:43	68dB	55dB	2.5	146%	Day
242	19:55:08	71dB	55dB	3.0	203%	Day
243	19:57:04	71dB	55dB	3.0	203%	Day
244	19:58:19	69dB	55dB	2.6	164%	Day
245	19:59:38	67dB	55dB	2.3	130%	Day
246	20:00:59	69dB	55dB	2.6	164%	Day
247	20:02:07	69dB	55dB	2.6	164%	Day
248	20:03:25	68dB	55dB	2.5	146%	Day
249	20:04:44	67dB	55dB	2.3	130%	Day
250	20:09:52	69dB	55dB	2.6	164%	Day
251	20:14:44	70dB	55dB	2.8	183%	Day
252	20:18:44	70dB	55dB	2.8	183%	Day
253	20:21:17	72dB	55dB	3.2	225%	Day
254	20:23:04	69dB	55dB	2.6	164%	Day
255	20:27:22	69dB	55dB	2.6	164%	Day
256	20:29:09	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	20:30:44	70dB	55dB	2.8	183%	Day
258	20:32:13	71dB	55dB	3.0	203%	Day
259	20:35:01	68dB	55dB	2.5	146%	Day
260	20:36:51	71dB	55dB	3.0	203%	Day
261	20:39:52	70dB	55dB	2.8	183%	Day
262	20:43:01	71dB	55dB	3.0	203%	Day
263	20:47:27	71dB	55dB	3.0	203%	Day
264	20:49:57	81dB	55dB	6.1	506%	Day
265	20:52:30	69dB	55dB	2.6	164%	Day
266	20:53:56	70dB	55dB	2.8	183%	Day
267	20:55:17	69dB	55dB	2.6	164%	Day
268	20:56:31	69dB	55dB	2.6	164%	Day
269	20:58:29	67dB	55dB	2.3	130%	Day
270	21:02:03	69dB	55dB	2.6	164%	Day
271	21:04:42	72dB	55dB	3.2	225%	Day
272	21:07:10	67dB	55dB	2.3	130%	Day
273	21:08:34	69dB	55dB	2.6	164%	Day
274	21:10:08	70dB	55dB	2.8	183%	Day
275	21:13:40	67dB	55dB	2.3	130%	Day
276	21:15:29	69dB	55dB	2.6	164%	Day
277	21:17:24	67dB	55dB	2.3	130%	Day
278	21:19:13	67dB	55dB	2.3	130%	Day
279	21:20:49	66dB	55dB	2.1	114%	Day
280	21:25:07	69dB	55dB	2.6	164%	Day
281	21:28:11	67dB	55dB	2.3	130%	Day
282	21:29:34	79dB	55dB	5.3	428%	Day
283	21:30:53	78dB	55dB	4.9	392%	Day
284	21:33:52	71dB	55dB	3.0	203%	Day
285	21:35:27	67dB	55dB	2.3	130%	Day
286	21:40:14	69dB	55dB	2.6	164%	Day
287	21:41:46	69dB	55dB	2.6	164%	Day
288	21:43:15	70dB	55dB	2.8	183%	Day
289	21:50:16	69dB	55dB	2.6	164%	Day
290	21:51:28	68dB	55dB	2.5	146%	Day
291	21:52:57	69dB	55dB	2.6	164%	Day
292	22:02:57	69dB	55dB	2.6	164%	Day
293	22:04:18	69dB	55dB	2.6	164%	Day
294	22:06:18	68dB	55dB	2.5	146%	Day
295	22:08:34	70dB	55dB	2.8	183%	Day
296	22:12:23	72dB	55dB	3.2	225%	Day
297	22:14:27	69dB	55dB	2.6	164%	Day
298	22:15:52	70dB	55dB	2.8	183%	Day
299	22:17:26	68dB	55dB	2.5	146%	Day
300	22:19:01	67dB	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	22:20:12	69dB	55dB	2.6	164%	Day
302	22:21:34	70dB	55dB	2.8	183%	Day
303	22:22:38	68dB	55dB	2.5	146%	Day
304	22:24:23	66dB	55dB	2.1	114%	Day
305	22:25:39	67dB	55dB	2.3	130%	Day
306	22:27:27	68dB	55dB	2.5	146%	Day
307	22:29:18	70dB	55dB	2.8	183%	Day
308	22:30:38	66dB	55dB	2.1	114%	Day
309	22:36:21	67dB	55dB	2.3	130%	Day
310	22:38:15	69dB	55dB	2.6	164%	Day
311	22:49:01	77dB	55dB	4.6	359%	Day
312	23:01:07	77dB	45dB	9.2	819%	Night
313	23:03:12	67dB	45dB	4.6	359%	Night
314	23:04:53	67dB	45dB	4.6	359%	Night
315	23:07:10	70dB	45dB	5.7	466%	Night
316	23:16:14	69dB	45dB	5.3	428%	Night
317	23:18:38	69dB	45dB	5.3	428%	Night
318	23:37:34	67dB	45dB	4.6	359%	Night
319	23:39:50	66dB	45dB	4.3	329%	Night
320	23:41:52	70dB	45dB	5.7	466%	Night
321	23:45:20	75dB	45dB	8.0	700%	Night
322	23:47:35	69dB	45dB	5.3	428%	Night
323	23:49:27	71dB	45dB	6.1	506%	Night
324	23:50:59	69dB	45dB	5.3	428%	Night
325	23:53:16	70dB	45dB	5.7	466%	Night
326	23:56:12	70dB	45dB	5.7	466%	Night
327	23:59:10	70dB	45dB	5.7	466%	Night
328	23:29:12	68	45dB	4.9	392%	Night
329	23:43:50	65	45dB	4.0	300%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 22, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:11:28	67dB	45dB	4.6	359%	Night
2	00:12:56	70dB	45dB	5.7	466%	Night
3	00:14:23	65dB	45dB	4.0	300%	Night
4	00:17:23	69dB	45dB	5.3	428%	Night
5	00:28:14	68dB	45dB	4.9	392%	Night
6	00:30:30	68dB	45dB	4.9	392%	Night
7	00:33:07	67dB	45dB	4.6	359%	Night
8	00:41:29	68dB	45dB	4.9	392%	Night
9	00:47:19	69dB	45dB	5.3	428%	Night
10	00:49:37	67dB	45dB	4.6	359%	Night
11	00:51:05	72dB	45dB	6.5	550%	Night
12	00:55:10	70dB	45dB	5.7	466%	Night
13	00:58:57	68dB	45dB	4.9	392%	Night
14	1:02:22	69dB	45dB	5.3	428%	Night
15	1:14:36	70dB	45dB	5.7	466%	Night
16	1:19:21	68dB	45dB	4.9	392%	Night
17	1:22:49	68dB	45dB	4.9	392%	Night
18	1:33:55	68dB	45dB	4.9	392%	Night
19	1:44:48	66dB	45dB	4.3	329%	Night
20	2:02:51	69dB	45dB	5.3	428%	Night
21	2:16:23	69dB	45dB	5.3	428%	Night
22	2:54:00	70dB	45dB	5.7	466%	Night
23	3:10:15	69dB	45dB	5.3	428%	Night
24	3:58:05	70dB	45dB	5.7	466%	Night
25	5:46:39	62dB	45dB	3.2	225%	Night
26	5:50:33	62dB	45dB	3.2	225%	Night
27	5:51:35	62dB	45dB	3.2	225%	Night
28	6:28:23	70dB	45dB	5.7	466%	Night
29	6:29:44	69dB	45dB	5.3	428%	Night
30	6:31:15	70dB	45dB	5.7	466%	Night
31	6:32:54	70dB	45dB	5.7	466%	Night
32	6:34:31	70dB	45dB	5.7	466%	Night
33	6:41:21	70dB	45dB	5.7	466%	Night
34	6:49:17	75dB	45dB	8.0	700%	Night
35	6:56:21	69dB	45dB	5.3	428%	Night
36	6:57:53	69dB	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	6:59:32	71dB	45dB	6.1	506%	Night
38	7:01:37	68dB	55dB	2.5	146%	Day
39	7:03:40	69dB	55dB	2.6	164%	Day
40	7:05:11	70dB	55dB	2.8	183%	Day
41	7:06:57	69dB	55dB	2.6	164%	Day
42	7:08:16	68dB	55dB	2.5	146%	Day
43	7:10:04	75dB	55dB	4.0	300%	Day
44	7:13:00	69dB	55dB	2.6	164%	Day
45	7:23:00	68dB	55dB	2.5	146%	Day
46	7:24:46	69dB	55dB	2.6	164%	Day
47	7:26:28	69dB	55dB	2.6	164%	Day
48	7:28:22	70dB	55dB	2.8	183%	Day
49	7:31:27	69dB	55dB	2.6	164%	Day
50	7:33:10	67dB	55dB	2.3	130%	Day
51	7:34:47	67dB	55dB	2.3	130%	Day
52	7:45:30	70dB	55dB	2.8	183%	Day
53	7:47:05	71dB	55dB	3.0	203%	Day
54	7:52:12	69dB	55dB	2.6	164%	Day
55	7:55:20	69dB	55dB	2.6	164%	Day
56	7:58:23	67dB	55dB	2.3	130%	Day
57	8:02:57	70dB	55dB	2.8	183%	Day
58	8:04:40	68dB	55dB	2.5	146%	Day
59	8:06:20	68dB	55dB	2.5	146%	Day
60	8:08:14	74dB	55dB	3.7	273%	Day
61	8:10:00	67dB	55dB	2.3	130%	Day
62	8:16:50	66dB	55dB	2.1	114%	Day
63	8:42:15	68dB	55dB	2.5	146%	Day
64	8:49:04	73dB	55dB	3.5	248%	Day
65	9:02:55	70dB	55dB	2.8	183%	Day
66	9:05:03	69dB	55dB	2.6	164%	Day
67	9:10:11	67dB	55dB	2.3	130%	Day
68	9:25:06	69dB	55dB	2.6	164%	Day
69	9:26:49	68dB	55dB	2.5	146%	Day
70	9:33:18	73dB	55dB	3.5	248%	Day
71	9:39:44	73dB	55dB	3.5	248%	Day
72	9:42:31	70dB	55dB	2.8	183%	Day
73	9:51:31	72dB	55dB	3.2	225%	Day
74	9:58:33	66dB	55dB	2.1	114%	Day
75	10:02:11	71dB	55dB	3.0	203%	Day
76	10:05:38	68dB	55dB	2.5	146%	Day
77	10:08:52	72dB	55dB	3.2	225%	Day
78	10:28:43	67dB	55dB	2.3	130%	Day
79	10:31:58	69dB	55dB	2.6	164%	Day
80	10:35:51	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	10:39:08	68dB	55dB	2.5	146%	Day
82	10:45:02	70dB	55dB	2.8	183%	Day
83	10:47:00	70dB	55dB	2.8	183%	Day
84	10:52:16	69dB	55dB	2.6	164%	Day
85	10:54:51	69dB	55dB	2.6	164%	Day
86	10:56:43	68dB	55dB	2.5	146%	Day
87	10:58:05	69dB	55dB	2.6	164%	Day
88	11:00:09	69dB	55dB	2.6	164%	Day
89	11:01:17	71dB	55dB	3.0	203%	Day
90	11:03:44	73dB	55dB	3.5	248%	Day
91	11:11:08	70dB	55dB	2.8	183%	Day
92	11:24:48	70dB	55dB	2.8	183%	Day
93	11:33:40	67dB	55dB	2.3	130%	Day
94	11:36:52	67dB	55dB	2.3	130%	Day
95	11:39:59	72dB	55dB	3.2	225%	Day
96	11:41:37	70dB	55dB	2.8	183%	Day
97	11:45:32	69dB	55dB	2.6	164%	Day
98	11:49:49	69dB	55dB	2.6	164%	Day
99	11:51:11	70dB	55dB	2.8	183%	Day
100	11:53:20	71dB	55dB	3.0	203%	Day
101	11:54:56	70dB	55dB	2.8	183%	Day
102	11:56:40	70dB	55dB	2.8	183%	Day
103	12:01:39	69dB	55dB	2.6	164%	Day
104	12:01:48	79dB	55dB	5.3	428%	Day
105	12:04:59	70dB	55dB	2.8	183%	Day
106	12:06:13	69dB	55dB	2.6	164%	Day
107	12:07:40	68dB	55dB	2.5	146%	Day
108	12:08:56	71dB	55dB	3.0	203%	Day
109	12:10:06	68dB	55dB	2.5	146%	Day
110	12:14:29	68dB	55dB	2.5	146%	Day
111	12:22:13	72dB	55dB	3.2	225%	Day
112	12:26:30	72dB	55dB	3.2	225%	Day
113	12:29:16	68dB	55dB	2.5	146%	Day
114	12:31:59	70dB	55dB	2.8	183%	Day
115	12:33:41	70dB	55dB	2.8	183%	Day
116	12:35:12	74dB	55dB	3.7	273%	Day
117	12:37:12	70dB	55dB	2.8	183%	Day
118	12:39:03	72dB	55dB	3.2	225%	Day
119	12:45:29	68dB	55dB	2.5	146%	Day
120	13:00:30	69dB	55dB	2.6	164%	Day
121	13:03:15	70dB	55dB	2.8	183%	Day
122	13:05:11	68dB	55dB	2.5	146%	Day
123	13:05:18	67dB	55dB	2.3	130%	Day
124	13:07:01	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	13:08:31	68dB	55dB	2.5	146%	Day
126	13:10:11	73dB	55dB	3.5	248%	Day
127	13:16:42	70dB	55dB	2.8	183%	Day
128	13:19:49	67dB	55dB	2.3	130%	Day
129	13:21:39	73dB	55dB	3.5	248%	Day
130	13:23:49	69dB	55dB	2.6	164%	Day
131	13:28:03	70dB	55dB	2.8	183%	Day
132	13:29:45	69dB	55dB	2.6	164%	Day
133	13:37:06	73dB	55dB	3.5	248%	Day
134	13:47:56	74dB	55dB	3.7	273%	Day
135	13:50:09	77dB	55dB	4.6	359%	Day
136	13:52:41	70dB	55dB	2.8	183%	Day
137	13:56:09	68dB	55dB	2.5	146%	Day
138	14:01:44	69dB	55dB	2.6	164%	Day
139	14:03:49	70dB	55dB	2.8	183%	Day
140	14:05:32	71dB	55dB	3.0	203%	Day
141	14:07:44	81dB	55dB	6.1	506%	Day
142	14:09:24	70dB	55dB	2.8	183%	Day
143	14:10:38	69dB	55dB	2.6	164%	Day
144	14:10:44	68dB	55dB	2.5	146%	Day
145	14:12:21	68dB	55dB	2.5	146%	Day
146	14:17:02	70dB	55dB	2.8	183%	Day
147	14:18:25	70dB	55dB	2.8	183%	Day
148	14:19:39	71dB	55dB	3.0	203%	Day
149	14:20:59	72dB	55dB	3.2	225%	Day
150	14:22:07	72dB	55dB	3.2	225%	Day
151	14:28:11	66dB	55dB	2.1	114%	Day
152	14:31:41	71dB	55dB	3.0	203%	Day
153	14:35:00	71dB	55dB	3.0	203%	Day
154	14:39:05	68dB	55dB	2.5	146%	Day
155	14:41:29	70dB	55dB	2.8	183%	Day
156	14:42:40	69dB	55dB	2.6	164%	Day
157	14:45:30	70dB	55dB	2.8	183%	Day
158	14:46:39	69dB	55dB	2.6	164%	Day
159	14:48:01	78dB	55dB	4.9	392%	Day
160	14:49:13	71dB	55dB	3.0	203%	Day
161	14:52:39	71dB	55dB	3.0	203%	Day
162	14:53:52	68dB	55dB	2.5	146%	Day
163	14:55:25	68dB	55dB	2.5	146%	Day
164	14:56:42	67dB	55dB	2.3	130%	Day
165	14:58:06	71dB	55dB	3.0	203%	Day
166	14:59:34	77dB	55dB	4.6	359%	Day
167	15:04:46	69dB	55dB	2.6	164%	Day
168	15:06:40	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	15:09:16	71dB	55dB	3.0	203%	Day
170	15:10:32	70dB	55dB	2.8	183%	Day
171	15:13:15	77dB	55dB	4.6	359%	Day
172	15:14:32	68dB	55dB	2.5	146%	Day
173	15:16:08	71dB	55dB	3.0	203%	Day
174	15:20:15	67dB	55dB	2.3	130%	Day
175	15:21:24	68dB	55dB	2.5	146%	Day
176	15:23:05	69dB	55dB	2.6	164%	Day
177	15:24:23	71dB	55dB	3.0	203%	Day
178	15:25:39	71dB	55dB	3.0	203%	Day
179	15:27:35	69dB	55dB	2.6	164%	Day
180	15:28:46	69dB	55dB	2.6	164%	Day
181	15:30:10	69dB	55dB	2.6	164%	Day
182	15:31:07	68dB	55dB	2.5	146%	Day
183	15:32:40	73dB	55dB	3.5	248%	Day
184	15:34:30	67dB	55dB	2.3	130%	Day
185	15:34:35	69dB	55dB	2.6	164%	Day
186	15:35:35	70dB	55dB	2.8	183%	Day
187	15:36:58	71dB	55dB	3.0	203%	Day
188	15:40:08	74dB	55dB	3.7	273%	Day
189	15:43:42	70dB	55dB	2.8	183%	Day
190	15:45:46	72dB	55dB	3.2	225%	Day
191	15:47:45	68dB	55dB	2.5	146%	Day
192	15:49:01	71dB	55dB	3.0	203%	Day
193	15:50:11	72dB	55dB	3.2	225%	Day
194	15:51:26	70dB	55dB	2.8	183%	Day
195	15:53:38	68dB	55dB	2.5	146%	Day
196	15:54:57	73dB	55dB	3.5	248%	Day
197	15:56:04	73dB	55dB	3.5	248%	Day
198	15:58:07	69dB	55dB	2.6	164%	Day
199	16:03:12	70dB	55dB	2.8	183%	Day
200	16:05:03	70dB	55dB	2.8	183%	Day
201	16:12:07	73dB	55dB	3.5	248%	Day
202	16:15:55	69dB	55dB	2.6	164%	Day
203	16:17:09	70dB	55dB	2.8	183%	Day
204	16:18:23	72dB	55dB	3.2	225%	Day
205	16:20:25	72dB	55dB	3.2	225%	Day
206	16:24:16	72dB	55dB	3.2	225%	Day
207	16:28:01	74dB	55dB	3.7	273%	Day
208	16:30:37	68dB	55dB	2.5	146%	Day
209	16:32:31	72dB	55dB	3.2	225%	Day
210	16:34:04	75dB	55dB	4.0	300%	Day
211	16:42:37	68dB	55dB	2.5	146%	Day
212	16:43:56	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	16:46:32	72dB	55dB	3.2	225%	Day
214	16:51:26	69dB	55dB	2.6	164%	Day
215	16:55:17	68dB	55dB	2.5	146%	Day
216	16:56:43	68dB	55dB	2.5	146%	Day
217	16:59:22	70dB	55dB	2.8	183%	Day
218	17:02:23	67dB	55dB	2.3	130%	Day
219	17:03:53	69dB	55dB	2.6	164%	Day
220	17:06:42	72dB	55dB	3.2	225%	Day
221	17:09:10	67dB	55dB	2.3	130%	Day
222	17:11:56	68dB	55dB	2.5	146%	Day
223	17:14:06	70dB	55dB	2.8	183%	Day
224	17:15:26	67dB	55dB	2.3	130%	Day
225	17:16:38	71dB	55dB	3.0	203%	Day
226	17:19:06	70dB	55dB	2.8	183%	Day
227	17:22:29	68dB	55dB	2.5	146%	Day
228	17:25:54	73dB	55dB	3.5	248%	Day
229	17:27:11	73dB	55dB	3.5	248%	Day
230	17:39:15	73dB	55dB	3.5	248%	Day
231	17:41:05	69dB	55dB	2.6	164%	Day
232	17:42:45	73dB	55dB	3.5	248%	Day
233	17:44:49	69dB	55dB	2.6	164%	Day
234	17:46:29	76dB	55dB	4.3	329%	Day
235	17:48:21	69dB	55dB	2.6	164%	Day
236	17:49:52	70dB	55dB	2.8	183%	Day
237	17:53:20	68dB	55dB	2.5	146%	Day
238	17:55:01	71dB	55dB	3.0	203%	Day
239	17:56:15	72dB	55dB	3.2	225%	Day
240	17:57:39	71dB	55dB	3.0	203%	Day
241	17:58:45	70dB	55dB	2.8	183%	Day
242	18:01:54	80dB	55dB	5.7	466%	Day
243	18:07:42	71dB	55dB	3.0	203%	Day
244	18:10:04	67dB	55dB	2.3	130%	Day
245	18:11:23	68dB	55dB	2.5	146%	Day
246	18:12:58	74dB	55dB	3.7	273%	Day
247	18:16:37	67dB	55dB	2.3	130%	Day
248	18:18:16	70dB	55dB	2.8	183%	Day
249	18:19:40	73dB	55dB	3.5	248%	Day
250	18:22:11	70dB	55dB	2.8	183%	Day
251	18:23:30	69dB	55dB	2.6	164%	Day
252	18:24:45	67dB	55dB	2.3	130%	Day
253	18:26:10	66dB	55dB	2.1	114%	Day
254	18:27:30	66dB	55dB	2.1	114%	Day
255	18:28:45	68dB	55dB	2.5	146%	Day
256	18:30:26	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	18:33:33	67dB	55dB	2.3	130%	Day
258	18:35:41	68dB	55dB	2.5	146%	Day
259	18:38:24	67dB	55dB	2.3	130%	Day
260	18:43:27	73dB	55dB	3.5	248%	Day
261	18:47:26	68dB	55dB	2.5	146%	Day
262	18:48:57	70dB	55dB	2.8	183%	Day
263	18:50:08	68dB	55dB	2.5	146%	Day
264	18:51:56	68dB	55dB	2.5	146%	Day
265	18:55:06	69dB	55dB	2.6	164%	Day
266	18:56:28	69dB	55dB	2.6	164%	Day
267	18:59:39	74dB	55dB	3.7	273%	Day
268	19:01:53	67dB	55dB	2.3	130%	Day
269	19:08:12	70dB	55dB	2.8	183%	Day
270	19:11:05	70dB	55dB	2.8	183%	Day
271	19:14:46	70dB	55dB	2.8	183%	Day
272	19:16:25	73dB	55dB	3.5	248%	Day
273	19:18:15	69dB	55dB	2.6	164%	Day
274	19:21:58	69dB	55dB	2.6	164%	Day
275	19:24:36	73dB	55dB	3.5	248%	Day
276	19:25:49	69dB	55dB	2.6	164%	Day
277	19:27:19	67dB	55dB	2.3	130%	Day
278	19:27:27	72dB	55dB	3.2	225%	Day
279	19:29:08	71dB	55dB	3.0	203%	Day
280	19:40:42	72dB	55dB	3.2	225%	Day
281	19:43:06	78dB	55dB	4.9	392%	Day
282	19:46:06	70dB	55dB	2.8	183%	Day
283	19:49:40	69dB	55dB	2.6	164%	Day
284	19:53:23	72dB	55dB	3.2	225%	Day
285	19:55:21	69dB	55dB	2.6	164%	Day
286	19:57:13	74dB	55dB	3.7	273%	Day
287	19:59:32	72dB	55dB	3.2	225%	Day
288	20:02:59	72dB	55dB	3.2	225%	Day
289	20:04:19	70dB	55dB	2.8	183%	Day
290	20:05:40	68dB	55dB	2.5	146%	Day
291	20:07:44	75dB	55dB	4.0	300%	Day
292	20:10:28	74dB	55dB	3.7	273%	Day
293	20:11:54	68dB	55dB	2.5	146%	Day
294	20:13:32	67dB	55dB	2.3	130%	Day
295	20:17:27	70dB	55dB	2.8	183%	Day
296	20:19:21	70dB	55dB	2.8	183%	Day
297	20:22:05	71dB	55dB	3.0	203%	Day
298	20:23:43	72dB	55dB	3.2	225%	Day
299	20:27:48	72dB	55dB	3.2	225%	Day
300	20:32:28	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	20:37:58	68dB	55dB	2.5	146%	Day
302	20:39:12	68dB	55dB	2.5	146%	Day
303	20:40:41	71dB	55dB	3.0	203%	Day
304	20:41:48	70dB	55dB	2.8	183%	Day
305	20:43:44	69dB	55dB	2.6	164%	Day
306	20:45:22	75dB	55dB	4.0	300%	Day
307	20:47:04	72dB	55dB	3.2	225%	Day
308	20:49:11	67dB	55dB	2.3	130%	Day
309	20:52:32	67dB	55dB	2.3	130%	Day
310	20:54:11	66dB	55dB	2.1	114%	Day
311	21:03:44	71dB	55dB	3.0	203%	Day
312	21:06:02	74dB	55dB	3.7	273%	Day
313	21:08:16	69dB	55dB	2.6	164%	Day
314	21:09:48	74dB	55dB	3.7	273%	Day
315	21:12:08	70dB	55dB	2.8	183%	Day
316	21:13:34	69dB	55dB	2.6	164%	Day
317	21:15:12	68dB	55dB	2.5	146%	Day
318	21:16:57	68dB	55dB	2.5	146%	Day
319	21:18:18	70dB	55dB	2.8	183%	Day
320	21:19:34	71dB	55dB	3.0	203%	Day
321	21:25:07	68dB	55dB	2.5	146%	Day
322	21:26:48	70dB	55dB	2.8	183%	Day
323	21:29:25	68dB	55dB	2.5	146%	Day
324	21:31:06	69dB	55dB	2.6	164%	Day
325	21:34:32	70dB	55dB	2.8	183%	Day
326	21:36:52	68dB	55dB	2.5	146%	Day
327	21:38:50	68dB	55dB	2.5	146%	Day
328	21:42:18	69dB	55dB	2.6	164%	Day
329	21:43:49	74dB	55dB	3.7	273%	Day
330	21:45:20	71dB	55dB	3.0	203%	Day
331	21:49:15	72dB	55dB	3.2	225%	Day
332	21:50:39	72dB	55dB	3.2	225%	Day
333	21:52:05	68dB	55dB	2.5	146%	Day
334	21:53:38	71dB	55dB	3.0	203%	Day
335	21:56:32	69dB	55dB	2.6	164%	Day
336	22:05:18	71dB	55dB	3.0	203%	Day
337	22:06:52	75dB	55dB	4.0	300%	Day
338	22:09:00	70dB	55dB	2.8	183%	Day
339	22:10:44	70dB	55dB	2.8	183%	Day
340	22:11:51	66dB	55dB	2.1	114%	Day
341	22:13:29	72dB	55dB	3.2	225%	Day
342	22:15:03	73dB	55dB	3.5	248%	Day
343	22:16:38	70dB	55dB	2.8	183%	Day
344	22:19:52	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

345	22:21:26	70dB	55dB	2.8	183%	Day
346	22:23:16	68dB	55dB	2.5	146%	Day
347	22:27:10	68dB	55dB	2.5	146%	Day
348	22:30:16	68dB	55dB	2.5	146%	Day
349	22:32:38	69dB	55dB	2.6	164%	Day
350	22:40:29	71dB	55dB	3.0	203%	Day
351	22:42:24	68dB	55dB	2.5	146%	Day
352	22:47:47	73dB	55dB	3.5	248%	Day
353	23:03:07	69dB	45dB	5.3	428%	Night
354	23:03:23	75dB	45dB	8.0	700%	Night
355	23:19:11	70dB	45dB	5.7	466%	Night
356	23:22:08	68dB	45dB	4.9	392%	Night
357	23:24:58	70dB	45dB	5.7	466%	Night
358	23:29:37	72dB	45dB	6.5	550%	Night
359	23:35:08	72dB	45dB	6.5	550%	Night
360	23:37:04	67	45dB	4.6	359%	Night
361	23:38:55	73dB	45dB	7.0	596%	Night
362	23:42:29	67dB	45dB	4.6	359%	Night
363	23:44:35	67	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 23, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:03:15	73dB	45dB	7.0	596%	Night
2	00:05:47	74dB	45dB	7.5	646%	Night
3	00:08:03	75dB	45dB	8.0	700%	Night
4	00:13:42	74dB	45dB	7.5	646%	Night
5	00:18:02	75dB	45dB	8.0	700%	Night
6	00:26:03	74dB	45dB	7.5	646%	Night
7	00:32:45	74dB	45dB	7.5	646%	Night
8	00:38:20	77dB	45dB	9.2	819%	Night
9	00:52:30	72dB	45dB	6.5	550%	Night
10	00:58:38	75dB	45dB	8.0	700%	Night
11	01:05:52	74dB	45dB	7.5	646%	Night
12	01:20:21	72dB	45dB	6.5	550%	Night
13	01:30:49	73dB	45dB	7.0	596%	Night
14	01:33:36	74dB	45dB	7.5	646%	Night
15	01:36:30	75dB	45dB	8.0	700%	Night
16	01:43:35	75dB	45dB	8.0	700%	Night
17	01:47:33	75dB	45dB	8.0	700%	Night
18	01:55:47	74dB	45dB	7.5	646%	Night
19	02:02:37	75dB	45dB	8.0	700%	Night
20	02:12:33	74dB	45dB	7.5	646%	Night
21	02:24:43	75dB	45dB	8.0	700%	Night
22	02:39:43	74dB	45dB	7.5	646%	Night
23	02:42:48	73dB	45dB	7.0	596%	Night
24	03:13:09	76dB	45dB	8.6	757%	Night
25	03:35:31	74dB	45dB	7.5	646%	Night
26	05:20:52	73dB	45dB	7.0	596%	Night
27	05:25:40	75dB	45dB	8.0	700%	Night
28	05:32:29	77dB	45dB	9.2	819%	Night
29	05:35:06	76dB	45dB	8.6	757%	Night
30	05:37:36	75dB	45dB	8.0	700%	Night
31	05:39:46	74dB	45dB	7.5	646%	Night
32	05:41:17	75dB	45dB	8.0	700%	Night
33	05:43:14	74dB	45dB	7.5	646%	Night
34	05:45:31	80dB	45dB	11.3	1031%	Night
35	05:49:44	72dB	45dB	6.5	550%	Night
36	05:53:37	74dB	45dB	7.5	646%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	05:56:25	76dB	45dB	8.6	757%	Night
38	05:59:09	73dB	45dB	7.0	596%	Night
39	06:01:48	73dB	45dB	7.0	596%	Night
40	06:04:54	75dB	45dB	8.0	700%	Night
41	06:07:26	74dB	45dB	7.5	646%	Night
42	06:10:00	76dB	45dB	8.6	757%	Night
43	06:11:57	70dB	45dB	5.7	466%	Night
44	06:14:24	74dB	45dB	7.5	646%	Night
45	06:17:04	76dB	45dB	8.6	757%	Night
46	06:31:22	68dB	45dB	4.9	392%	Night
47	06:32:46	71dB	45dB	6.1	506%	Night
48	06:34:07	68dB	45dB	4.9	392%	Night
49	06:35:39	71dB	45dB	6.1	506%	Night
50	06:37:08	77dB	45dB	9.2	819%	Night
51	06:38:45	75dB	45dB	8.0	700%	Night
52	06:39:55	74dB	45dB	7.5	646%	Night
53	06:41:22	72dB	45dB	6.5	550%	Night
54	06:42:59	69dB	45dB	5.3	428%	Night
55	06:43:05	71dB	45dB	6.1	506%	Night
56	06:44:22	71dB	45dB	6.1	506%	Night
57	06:46:00	72dB	45dB	6.5	550%	Night
58	06:47:37	67dB	45dB	4.6	359%	Night
59	06:49:07	68dB	45dB	4.9	392%	Night
60	06:51:08	70dB	45dB	5.7	466%	Night
61	06:56:58	74dB	45dB	7.5	646%	Night
62	07:02:05	69dB	55dB	2.6	164%	Day
63	07:03:55	70dB	55dB	2.8	183%	Day
64	07:04:02	69dB	55dB	2.6	164%	Day
65	07:26:16	72dB	55dB	3.2	225%	Day
66	07:27:56	68dB	55dB	2.5	146%	Day
67	07:35:37	69dB	55dB	2.6	164%	Day
68	07:45:14	72dB	55dB	3.2	225%	Day
69	07:51:04	66dB	55dB	2.1	114%	Day
70	07:53:41	70dB	55dB	2.8	183%	Day
71	07:56:49	68dB	55dB	2.5	146%	Day
72	08:01:17	70dB	55dB	2.8	183%	Day
73	08:10:27	68dB	55dB	2.5	146%	Day
74	08:15:51	69dB	55dB	2.6	164%	Day
75	08:18:44	68dB	55dB	2.5	146%	Day
76	08:18:54	72dB	55dB	3.2	225%	Day
77	08:20:39	69dB	55dB	2.6	164%	Day
78	08:23:27	69dB	55dB	2.6	164%	Day
79	08:41:01	66dB	55dB	2.1	114%	Day
80	08:56:32	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	08:59:00	72dB	55dB	3.2	225%	Day
82	09:01:00	71dB	55dB	3.0	203%	Day
83	09:02:54	71dB	55dB	3.0	203%	Day
84	09:05:12	77dB	55dB	4.6	359%	Day
85	09:08:36	69dB	55dB	2.6	164%	Day
86	09:16:56	71dB	55dB	3.0	203%	Day
87	09:17:26	69dB	55dB	2.6	164%	Day
88	09:23:32	73dB	55dB	3.5	248%	Day
89	09:27:01	68dB	55dB	2.5	146%	Day
90	09:31:54	72dB	55dB	3.2	225%	Day
91	09:38:14	71dB	55dB	3.0	203%	Day
92	09:40:43	74dB	55dB	3.7	273%	Day
93	09:44:56	69dB	55dB	2.6	164%	Day
94	09:45:02	71dB	55dB	3.0	203%	Day
95	09:51:49	70dB	55dB	2.8	183%	Day
96	09:52:03	76dB	55dB	4.3	329%	Day
97	09:52:15	80dB	55dB	5.7	466%	Day
98	09:52:28	73dB	55dB	3.5	248%	Day
99	09:57:27	70dB	55dB	2.8	183%	Day
100	09:57:36	67dB	55dB	2.3	130%	Day
101	22:02:08	72dB	55dB	3.2	225%	Day
102	22:04:02	70dB	55dB	2.8	183%	Day
103	22:06:05	70dB	55dB	2.8	183%	Day
104	22:10:07	71dB	55dB	3.0	203%	Day
105	22:10:21	73dB	55dB	3.5	248%	Day
106	22:14:08	74dB	55dB	3.7	273%	Day
107	22:15:58	73dB	55dB	3.5	248%	Day
108	22:19:37	66dB	55dB	2.1	114%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 24, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:04:50	70dB	45dB	5.7	466%	Night
2	00:07:20	69dB	45dB	5.3	428%	Night
3	00:09:04	70dB	45dB	5.7	466%	Night
4	00:10:52	69dB	45dB	5.3	428%	Night
5	00:31:16	69dB	45dB	5.3	428%	Night
6	00:33:30	68dB	45dB	4.9	392%	Night
7	00:38:43	68dB	45dB	4.9	392%	Night
8	00:40:13	69dB	45dB	5.3	428%	Night
9	00:44:00	69dB	45dB	5.3	428%	Night
10	00:59:34	70dB	45dB	5.7	466%	Night
11	01:04:22	67dB	45dB	4.6	359%	Night
12	01:07:29	71dB	45dB	6.1	506%	Night
13	01:15:34	69dB	45dB	5.3	428%	Night
14	01:50:16	69dB	45dB	5.3	428%	Night
15	01:52:51	68dB	45dB	4.9	392%	Night
16	02:12:26	71dB	45dB	6.1	506%	Night
17	02:15:18	71dB	45dB	6.1	506%	Night
18	02:39:28	70dB	45dB	5.7	466%	Night
19	02:42:28	68dB	45dB	4.9	392%	Night
20	03:30:24	70dB	45dB	5.7	466%	Night
21	03:56:27	79dB	45dB	10.6	956%	Night
22	04:52:57	72dB	45dB	6.5	550%	Night
23	04:55:25	73dB	45dB	7.0	596%	Night
24	20:22:22	69dB	55dB	2.6	164%	Day
25	20:24:03	74dB	55dB	3.7	273%	Day
26	20:26:21	67dB	55dB	2.3	130%	Day
27	20:27:54	72dB	55dB	3.2	225%	Day
28	20:29:05	71dB	55dB	3.0	203%	Day
29	20:30:18	72dB	55dB	3.2	225%	Day
30	20:31:46	75dB	55dB	4.0	300%	Day
31	20:34:07	69dB	55dB	2.6	164%	Day
32	20:35:17	71dB	55dB	3.0	203%	Day
33	20:36:51	72dB	55dB	3.2	225%	Day
34	20:38:20	71dB	55dB	3.0	203%	Day
35	20:39:26	69dB	55dB	2.6	164%	Day
36	20:41:36	72dB	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	20:43:40	71dB	55dB	3.0	203%	Day
38	20:46:02	76dB	55dB	4.3	329%	Day
39	20:47:06	67dB	55dB	2.3	130%	Day
40	20:48:32	70dB	55dB	2.8	183%	Day
41	20:49:41	67dB	55dB	2.3	130%	Day
42	20:51:06	73dB	55dB	3.5	248%	Day
43	20:53:03	70dB	55dB	2.8	183%	Day
44	20:55:35	70dB	55dB	2.8	183%	Day
45	20:58:04	63	55dB	1.7	74%	Day
46	20:59:25	70dB	55dB	2.8	183%	Day
47	21:01:07	69dB	55dB	2.6	164%	Day
48	21:04:41	69dB	55dB	2.6	164%	Day
49	21:07:42	69dB	55dB	2.6	164%	Day
50	21:10:37	71dB	55dB	3.0	203%	Day
51	21:13:23	72dB	55dB	3.2	225%	Day
52	21:15:46	71dB	55dB	3.0	203%	Day
53	21:17:19	77dB	55dB	4.6	359%	Day
54	21:19:12	68dB	55dB	2.5	146%	Day
55	21:20:31	71dB	55dB	3.0	203%	Day
56	21:21:47	71dB	55dB	3.0	203%	Day
57	21:23:51	68dB	55dB	2.5	146%	Day
58	21:25:03	68dB	55dB	2.5	146%	Day
59	21:26:23	72dB	55dB	3.2	225%	Day
60	21:29:36	69dB	55dB	2.6	164%	Day
61	21:30:52	69dB	55dB	2.6	164%	Day
62	21:32:10	76dB	55dB	4.3	329%	Day
63	21:34:26	75dB	55dB	4.0	300%	Day
64	21:36:08	66	55dB	2.1	114%	Day
65	21:39:38	70dB	55dB	2.8	183%	Day
66	21:44:22	68dB	55dB	2.5	146%	Day
67	21:47:22	76dB	55dB	4.3	329%	Day
68	21:49:08	65	55dB	2.0	100%	Day
69	21:50:41	72dB	55dB	3.2	225%	Day
70	21:52:24	68dB	55dB	2.5	146%	Day
71	21:54:16	64	55dB	1.9	87%	Day
72	21:56:11	68dB	55dB	2.5	146%	Day
73	21:58:24	70dB	55dB	2.8	183%	Day
74	22:01:21	69dB	55dB	2.6	164%	Day
75	22:02:45	68dB	55dB	2.5	146%	Day
76	22:04:10	66dB	55dB	2.1	114%	Day
77	22:05:25	71dB	55dB	3.0	203%	Day
78	22:07:19	65	55dB	2.0	100%	Day
79	22:09:05	67dB	55dB	2.3	130%	Day
80	22:10:36	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	22:11:52	64	55dB	1.9	87%	Day
82	22:13:07	72dB	55dB	3.2	225%	Day
83	22:14:17	70dB	55dB	2.8	183%	Day
84	22:15:54	67	55dB	2.3	130%	Day
85	22:17:42	74dB	55dB	3.7	273%	Day
86	22:19:32	74dB	55dB	3.7	273%	Day
87	22:21:00	68dB	55dB	2.5	146%	Day
88	22:24:08	71dB	55dB	3.0	203%	Day
89	22:25:47	68dB	55dB	2.5	146%	Day
90	22:27:11	73dB	55dB	3.5	248%	Day
91	22:28:17	70dB	55dB	2.8	183%	Day
92	22:29:40	71dB	55dB	3.0	203%	Day
93	22:31:19	69dB	55dB	2.6	164%	Day
94	22:32:42	74dB	55dB	3.7	273%	Day
95	22:34:10	68dB	55dB	2.5	146%	Day
96	22:35:21	68dB	55dB	2.5	146%	Day
97	22:37:05	67dB	55dB	2.3	130%	Day
98	22:41:49	69dB	55dB	2.6	164%	Day
99	22:44:47	71dB	55dB	3.0	203%	Day
100	22:47:43	68dB	55dB	2.5	146%	Day
101	22:49:49	69dB	55dB	2.6	164%	Day
102	22:51:48	68dB	55dB	2.5	146%	Day
103	22:53:26	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 25, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	06:22:09	77dB	45dB	9.2	819%	Night
2	06:28:57	70dB	45dB	5.7	466%	Night
3	06:30:29	69dB	45dB	5.3	428%	Night
4	06:31:55	72dB	45dB	6.5	550%	Night
5	06:33:18	70dB	45dB	5.7	466%	Night
6	06:34:38	70dB	45dB	5.7	466%	Night
7	06:36:00	68dB	45dB	4.9	392%	Night
8	06:37:30	71dB	45dB	6.1	506%	Night
9	06:38:45	71dB	45dB	6.1	506%	Night
10	06:40:14	72dB	45dB	6.5	550%	Night
11	06:42:05	70dB	45dB	5.7	466%	Night
12	06:43:37	71dB	45dB	6.1	506%	Night
13	06:50:24	70dB	45dB	5.7	466%	Night
14	06:51:43	74dB	45dB	7.5	646%	Night
15	06:53:14	70dB	45dB	5.7	466%	Night
16	06:54:34	70dB	45dB	5.7	466%	Night
17	06:56:01	68dB	45dB	4.9	392%	Night
18	06:57:16	70dB	45dB	5.7	466%	Night
19	06:58:37	70dB	45dB	5.7	466%	Night
20	07:00:33	69dB	55dB	2.6	164%	Day
21	07:01:50	69dB	55dB	2.6	164%	Day
22	07:04:04	78dB	55dB	4.9	392%	Day
23	07:04:41	72dB	55dB	3.2	225%	Day
24	07:07:01	69dB	55dB	2.6	164%	Day
25	07:08:33	70dB	55dB	2.8	183%	Day
26	07:10:08	69dB	55dB	2.6	164%	Day
27	07:18:41	67dB	55dB	2.3	130%	Day
28	07:20:58	73dB	55dB	3.5	248%	Day
29	07:23:46	70dB	55dB	2.8	183%	Day
30	07:25:57	68dB	55dB	2.5	146%	Day
31	07:27:31	66dB	55dB	2.1	114%	Day
32	07:28:56	67dB	55dB	2.3	130%	Day
33	07:30:24	69dB	55dB	2.6	164%	Day
34	07:38:28	70dB	55dB	2.8	183%	Day
35	07:40:19	67dB	55dB	2.3	130%	Day
36	07:49:07	75dB	55dB	4.0	300%	Day
37	07:55:17	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

38	07:58:35	70dB	55dB	2.8	183%	Day
39	08:00:12	70dB	55dB	2.8	183%	Day
40	08:01:32	68dB	55dB	2.5	146%	Day
41	08:04:07	70dB	55dB	2.8	183%	Day
42	08:06:53	70dB	55dB	2.8	183%	Day
43	08:08:56	70dB	55dB	2.8	183%	Day
44	08:19:25	69dB	55dB	2.6	164%	Day
45	08:21:26	76dB	55dB	4.3	329%	Day
46	08:22:40	71dB	55dB	3.0	203%	Day
47	08:24:30	68dB	55dB	2.5	146%	Day
48	08:27:04	71dB	55dB	3.0	203%	Day
49	08:30:54	69dB	55dB	2.6	164%	Day
50	08:45:54	71dB	55dB	3.0	203%	Day
51	08:51:50	71dB	55dB	3.0	203%	Day
52	08:54:01	76dB	55dB	4.3	329%	Day
53	08:57:45	68dB	55dB	2.5	146%	Day
54	09:11:26	70dB	55dB	2.8	183%	Day
55	09:14:02	69dB	55dB	2.6	164%	Day
56	09:23:25	70dB	55dB	2.8	183%	Day
57	09:34:53	73dB	55dB	3.5	248%	Day
58	09:38:21	67dB	55dB	2.3	130%	Day
59	09:38:28	67dB	55dB	2.3	130%	Day
60	09:39:46	70dB	55dB	2.8	183%	Day
61	09:40:57	67dB	55dB	2.3	130%	Day
62	09:42:24	72dB	55dB	3.2	225%	Day
63	09:46:11	68dB	55dB	2.5	146%	Day
64	09:52:16	72dB	55dB	3.2	225%	Day
65	09:56:12	67dB	55dB	2.3	130%	Day
66	10:01:50	71dB	55dB	3.0	203%	Day
67	10:08:47	69dB	55dB	2.6	164%	Day
68	10:15:36	70dB	55dB	2.8	183%	Day
69	10:27:18	69dB	55dB	2.6	164%	Day
70	10:28:42	68dB	55dB	2.5	146%	Day
71	10:34:10	69dB	55dB	2.6	164%	Day
72	10:37:44	70dB	55dB	2.8	183%	Day
73	10:39:13	72dB	55dB	3.2	225%	Day
74	10:40:41	69dB	55dB	2.6	164%	Day
75	10:43:17	71dB	55dB	3.0	203%	Day
76	10:45:59	69dB	55dB	2.6	164%	Day
77	10:48:48	75dB	55dB	4.0	300%	Day
78	10:50:28	71dB	55dB	3.0	203%	Day
79	10:51:50	70dB	55dB	2.8	183%	Day
80	10:55:35	67dB	55dB	2.3	130%	Day
81	10:57:16	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

82	11:02:22	68dB	55dB	2.5	146%	Day
83	11:05:37	69dB	55dB	2.6	164%	Day
84	11:07:09	70dB	55dB	2.8	183%	Day
85	11:10:30	68dB	55dB	2.5	146%	Day
86	11:11:42	74dB	55dB	3.7	273%	Day
87	11:12:51	74dB	55dB	3.7	273%	Day
88	11:14:48	76dB	55dB	4.3	329%	Day
89	11:17:29	70dB	55dB	2.8	183%	Day
90	11:19:19	70dB	55dB	2.8	183%	Day
91	11:20:50	72dB	55dB	3.2	225%	Day
92	11:22:43	69dB	55dB	2.6	164%	Day
93	11:30:39	67dB	55dB	2.3	130%	Day
94	11:35:35	68dB	55dB	2.5	146%	Day
95	11:40:05	70dB	55dB	2.8	183%	Day
96	11:41:56	70dB	55dB	2.8	183%	Day
97	11:46:05	71dB	55dB	3.0	203%	Day
98	11:48:27	70dB	55dB	2.8	183%	Day
99	11:50:01	69dB	55dB	2.6	164%	Day
100	11:52:20	69dB	55dB	2.6	164%	Day
101	11:55:08	72dB	55dB	3.2	225%	Day
102	11:58:36	75dB	55dB	4.0	300%	Day
103	12:02:37	71dB	55dB	3.0	203%	Day
104	12:06:30	72dB	55dB	3.2	225%	Day
105	12:07:50	70dB	55dB	2.8	183%	Day
106	12:10:07	68dB	55dB	2.5	146%	Day
107	12:13:01	70dB	55dB	2.8	183%	Day
108	12:15:00	74dB	55dB	3.7	273%	Day
109	12:16:29	70dB	55dB	2.8	183%	Day
110	12:20:09	77dB	55dB	4.6	359%	Day
111	12:22:08	71dB	55dB	3.0	203%	Day
112	12:24:32	73dB	55dB	3.5	248%	Day
113	12:26:21	69dB	55dB	2.6	164%	Day
114	12:27:57	69dB	55dB	2.6	164%	Day
115	12:32:20	68dB	55dB	2.5	146%	Day
116	12:34:55	70dB	55dB	2.8	183%	Day
117	12:38:16	76dB	55dB	4.3	329%	Day
118	12:40:12	69dB	55dB	2.6	164%	Day
119	12:43:34	72dB	55dB	3.2	225%	Day
120	12:49:01	71dB	55dB	3.0	203%	Day
121	12:51:16	71dB	55dB	3.0	203%	Day
122	12:53:35	69dB	55dB	2.6	164%	Day
123	12:57:23	70dB	55dB	2.8	183%	Day
124	12:59:03	75dB	55dB	4.0	300%	Day
125	13:03:10	75dB	55dB	4.0	300%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

126	13:05:13	68dB	55dB	2.5	146%	Day
127	13:06:56	71dB	55dB	3.0	203%	Day
128	13:09:08	70dB	55dB	2.8	183%	Day
129	13:11:12	73dB	55dB	3.5	248%	Day
130	13:13:30	70dB	55dB	2.8	183%	Day
131	13:14:57	69dB	55dB	2.6	164%	Day
132	13:16:42	67dB	55dB	2.3	130%	Day
133	13:20:56	75dB	55dB	4.0	300%	Day
134	13:24:16	71dB	55dB	3.0	203%	Day
135	13:27:06	68dB	55dB	2.5	146%	Day
136	13:29:51	71dB	55dB	3.0	203%	Day
137	13:34:41	69dB	55dB	2.6	164%	Day
138	13:36:54	73dB	55dB	3.5	248%	Day
139	13:46:39	69dB	55dB	2.6	164%	Day
140	13:49:40	68dB	55dB	2.5	146%	Day
141	13:51:02	70dB	55dB	2.8	183%	Day
142	13:52:15	71dB	55dB	3.0	203%	Day
143	13:53:44	70dB	55dB	2.8	183%	Day
144	13:56:02	69dB	55dB	2.6	164%	Day
145	13:57:30	72dB	55dB	3.2	225%	Day
146	13:59:04	71dB	55dB	3.0	203%	Day
147	14:00:50	71dB	55dB	3.0	203%	Day
148	14:02:34	70dB	55dB	2.8	183%	Day
149	14:04:12	70dB	55dB	2.8	183%	Day
150	14:06:07	73dB	55dB	3.5	248%	Day
151	14:08:12	68dB	55dB	2.5	146%	Day
152	14:11:09	69dB	55dB	2.6	164%	Day
153	14:15:00	73dB	55dB	3.5	248%	Day
154	14:16:53	69dB	55dB	2.6	164%	Day
155	14:18:29	70dB	55dB	2.8	183%	Day
156	14:19:44	71dB	55dB	3.0	203%	Day
157	14:21:30	73dB	55dB	3.5	248%	Day
158	14:23:51	70dB	55dB	2.8	183%	Day
159	14:25:25	70dB	55dB	2.8	183%	Day
160	14:28:49	75dB	55dB	4.0	300%	Day
161	14:31:44	72dB	55dB	3.2	225%	Day
162	14:33:51	73dB	55dB	3.5	248%	Day
163	14:35:13	72dB	55dB	3.2	225%	Day
164	14:37:07	72dB	55dB	3.2	225%	Day
165	14:42:26	70dB	55dB	2.8	183%	Day
166	14:45:34	69dB	55dB	2.6	164%	Day
167	14:48:18	66dB	55dB	2.1	114%	Day
168	14:50:36	71dB	55dB	3.0	203%	Day
169	14:52:43	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

170	14:54:21	68dB	55dB	2.5	146%	Day
171	14:57:12	69dB	55dB	2.6	164%	Day
172	14:58:42	74dB	55dB	3.7	273%	Day
173	15:00:09	69dB	55dB	2.6	164%	Day
174	15:02:35	68dB	55dB	2.5	146%	Day
175	15:04:20	70dB	55dB	2.8	183%	Day
176	15:10:34	75dB	55dB	4.0	300%	Day
177	15:13:04	69dB	55dB	2.6	164%	Day
178	15:14:19	67dB	55dB	2.3	130%	Day
179	15:16:12	75dB	55dB	4.0	300%	Day
180	15:17:29	68dB	55dB	2.5	146%	Day
181	15:19:35	71dB	55dB	3.0	203%	Day
182	15:22:55	70dB	55dB	2.8	183%	Day
183	15:24:17	67dB	55dB	2.3	130%	Day
184	15:25:36	72dB	55dB	3.2	225%	Day
185	15:26:49	67dB	55dB	2.3	130%	Day
186	15:28:08	77dB	55dB	4.6	359%	Day
187	15:30:23	68dB	55dB	2.5	146%	Day
188	15:31:43	68dB	55dB	2.5	146%	Day
189	15:33:33	69dB	55dB	2.6	164%	Day
190	15:37:11	69dB	55dB	2.6	164%	Day
191	15:38:30	73dB	55dB	3.5	248%	Day
192	15:41:18	69dB	55dB	2.6	164%	Day
193	15:46:45	80dB	55dB	5.7	466%	Day
194	15:49:02	69dB	55dB	2.6	164%	Day
195	15:51:23	74dB	55dB	3.7	273%	Day
196	15:52:58	73dB	55dB	3.5	248%	Day
197	15:55:16	68dB	55dB	2.5	146%	Day
198	15:56:31	66dB	55dB	2.1	114%	Day
199	16:02:33	72dB	55dB	3.2	225%	Day
200	16:04:27	72dB	55dB	3.2	225%	Day
201	16:06:19	72dB	55dB	3.2	225%	Day
202	16:07:34	69dB	55dB	2.6	164%	Day
203	16:08:57	71dB	55dB	3.0	203%	Day
204	16:11:04	70dB	55dB	2.8	183%	Day
205	16:12:27	71dB	55dB	3.0	203%	Day
206	16:13:37	74dB	55dB	3.7	273%	Day
207	16:15:37	70dB	55dB	2.8	183%	Day
208	16:19:22	71dB	55dB	3.0	203%	Day
209	16:20:48	70dB	55dB	2.8	183%	Day
210	16:23:45	72dB	55dB	3.2	225%	Day
211	16:25:31	72dB	55dB	3.2	225%	Day
212	16:29:26	72dB	55dB	3.2	225%	Day
213	16:31:16	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

214	16:32:48	67dB	55dB	2.3	130%	Day
215	16:34:50	68dB	55dB	2.5	146%	Day
216	16:35:58	73dB	55dB	3.5	248%	Day
217	16:37:30	72dB	55dB	3.2	225%	Day
218	16:45:47	77dB	55dB	4.6	359%	Day
219	16:50:35	76dB	55dB	4.3	329%	Day
220	16:52:34	71dB	55dB	3.0	203%	Day
221	16:53:59	69dB	55dB	2.6	164%	Day
222	16:59:01	70dB	55dB	2.8	183%	Day
223	17:00:36	68dB	55dB	2.5	146%	Day
224	17:02:08	73dB	55dB	3.5	248%	Day
225	17:03:32	71dB	55dB	3.0	203%	Day
226	17:05:48	72dB	55dB	3.2	225%	Day
227	17:06:58	69dB	55dB	2.6	164%	Day
228	17:10:56	68dB	55dB	2.5	146%	Day
229	17:12:18	70dB	55dB	2.8	183%	Day
230	17:13:31	71dB	55dB	3.0	203%	Day
231	17:15:25	70dB	55dB	2.8	183%	Day
232	17:16:54	73dB	55dB	3.5	248%	Day
233	17:20:15	72dB	55dB	3.2	225%	Day
234	17:22:05	72dB	55dB	3.2	225%	Day
235	17:23:14	68dB	55dB	2.5	146%	Day
236	17:24:55	69dB	55dB	2.6	164%	Day
237	17:25:56	73dB	55dB	3.5	248%	Day
238	17:28:25	69dB	55dB	2.6	164%	Day
239	17:31:26	68dB	55dB	2.5	146%	Day
240	17:33:21	68dB	55dB	2.5	146%	Day
241	17:34:38	67dB	55dB	2.3	130%	Day
242	17:36:14	72dB	55dB	3.2	225%	Day
243	17:38:04	67dB	55dB	2.3	130%	Day
244	17:39:25	71dB	55dB	3.0	203%	Day
245	17:40:41	68dB	55dB	2.5	146%	Day
246	17:42:16	69dB	55dB	2.6	164%	Day
247	17:44:27	70dB	55dB	2.8	183%	Day
248	17:49:53	69dB	55dB	2.6	164%	Day
249	17:51:28	74dB	55dB	3.7	273%	Day
250	17:52:41	69dB	55dB	2.6	164%	Day
251	17:54:01	70dB	55dB	2.8	183%	Day
252	17:55:29	69dB	55dB	2.6	164%	Day
253	17:57:33	70dB	55dB	2.8	183%	Day
254	17:59:31	70dB	55dB	2.8	183%	Day
255	18:00:57	68dB	55dB	2.5	146%	Day
256	18:06:07	69dB	55dB	2.6	164%	Day
257	18:07:55	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

258	18:09:24	71dB	55dB	3.0	203%	Day
259	18:10:48	71dB	55dB	3.0	203%	Day
260	18:14:51	70dB	55dB	2.8	183%	Day
261	18:16:43	68dB	55dB	2.5	146%	Day
262	18:18:08	71dB	55dB	3.0	203%	Day
263	18:20:47	69dB	55dB	2.6	164%	Day
264	18:25:23	71dB	55dB	3.0	203%	Day
265	18:27:40	69dB	55dB	2.6	164%	Day
266	18:30:00	68dB	55dB	2.5	146%	Day
267	18:31:30	74dB	55dB	3.7	273%	Day
268	18:33:58	69dB	55dB	2.6	164%	Day
269	18:35:10	68dB	55dB	2.5	146%	Day
270	18:36:33	73dB	55dB	3.5	248%	Day
271	18:37:50	72dB	55dB	3.2	225%	Day
272	18:40:30	67dB	55dB	2.3	130%	Day
273	18:41:55	71dB	55dB	3.0	203%	Day
274	18:46:10	70dB	55dB	2.8	183%	Day
275	18:48:16	73dB	55dB	3.5	248%	Day
276	18:49:30	68dB	55dB	2.5	146%	Day
277	18:50:52	67dB	55dB	2.3	130%	Day
278	18:52:21	67dB	55dB	2.3	130%	Day
279	18:53:43	68dB	55dB	2.5	146%	Day
280	18:55:00	69dB	55dB	2.6	164%	Day
281	18:56:34	72dB	55dB	3.2	225%	Day
282	18:58:53	70dB	55dB	2.8	183%	Day
283	19:00:09	72dB	55dB	3.2	225%	Day
284	19:01:21	66dB	55dB	2.1	114%	Day
285	19:02:35	73dB	55dB	3.5	248%	Day
286	19:04:36	76dB	55dB	4.3	329%	Day
287	19:05:56	71dB	55dB	3.0	203%	Day
288	19:06:59	69dB	55dB	2.6	164%	Day
289	19:10:31	70dB	55dB	2.8	183%	Day
290	19:11:44	70dB	55dB	2.8	183%	Day
291	19:13:02	74dB	55dB	3.7	273%	Day
292	19:14:30	69dB	55dB	2.6	164%	Day
293	19:15:47	69dB	55dB	2.6	164%	Day
294	19:17:39	69dB	55dB	2.6	164%	Day
295	19:19:10	66	55dB	2.1	114%	Day
296	19:20:43	71dB	55dB	3.0	203%	Day
297	19:23:37	70dB	55dB	2.8	183%	Day
298	19:32:38	70dB	55dB	2.8	183%	Day
299	19:36:01	69dB	55dB	2.6	164%	Day
300	19:37:39	68dB	55dB	2.5	146%	Day
301	19:39:10	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

302	19:41:09	70dB	55dB	2.8	183%	Day
303	19:43:08	70dB	55dB	2.8	183%	Day
304	19:46:55	65	55dB	2.0	100%	Day
305	19:51:01	69dB	55dB	2.6	164%	Day
306	19:52:39	70dB	55dB	2.8	183%	Day
307	19:55:36	70dB	55dB	2.8	183%	Day
308	19:57:23	69dB	55dB	2.6	164%	Day
309	19:59:15	68dB	55dB	2.5	146%	Day
310	20:01:46	79dB	55dB	5.3	428%	Day
311	20:04:22	72dB	55dB	3.2	225%	Day
312	20:06:53	67dB	55dB	2.3	130%	Day
313	20:08:38	73dB	55dB	3.5	248%	Day
314	20:13:03	68dB	55dB	2.5	146%	Day
315	20:21:44	70dB	55dB	2.8	183%	Day
316	20:24:00	70dB	55dB	2.8	183%	Day
317	20:25:41	70dB	55dB	2.8	183%	Day
318	20:26:58	71dB	55dB	3.0	203%	Day
319	20:27:07	70dB	55dB	2.8	183%	Day
320	20:29:20	71dB	55dB	3.0	203%	Day
321	20:30:32	68dB	55dB	2.5	146%	Day
322	20:32:03	71dB	55dB	3.0	203%	Day
323	20:33:36	70dB	55dB	2.8	183%	Day
324	20:34:53	70dB	55dB	2.8	183%	Day
325	20:36:23	68dB	55dB	2.5	146%	Day
326	20:38:38	67	55dB	2.3	130%	Day
327	20:40:15	69dB	55dB	2.6	164%	Day
328	20:41:22	70dB	55dB	2.8	183%	Day
329	20:42:37	68dB	55dB	2.5	146%	Day
330	20:43:52	68dB	55dB	2.5	146%	Day
331	20:45:27	69dB	55dB	2.6	164%	Day
332	20:46:37	67dB	55dB	2.3	130%	Day
333	20:47:59	71dB	55dB	3.0	203%	Day
334	20:53:34	73dB	55dB	3.5	248%	Day
335	20:55:03	71dB	55dB	3.0	203%	Day
336	20:57:09	69dB	55dB	2.6	164%	Day
337	20:59:53	69dB	55dB	2.6	164%	Day
338	21:11:47	72	55dB	3.2	225%	Day
339	21:13:14	69dB	55dB	2.6	164%	Day
340	21:14:58	73dB	55dB	3.5	248%	Day
341	21:17:21	68dB	55dB	2.5	146%	Day
342	21:18:35	69dB	55dB	2.6	164%	Day
343	21:20:13	67dB	55dB	2.3	130%	Day
344	21:21:34	67	55dB	2.3	130%	Day
345	21:23:11	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

346	21:24:43	71dB	55dB	3.0	203%	Day
347	21:27:02	70dB	55dB	2.8	183%	Day
348	21:28:29	69dB	55dB	2.6	164%	Day
349	21:29:59	70dB	55dB	2.8	183%	Day
350	21:33:37	68dB	55dB	2.5	146%	Day
351	21:35:18	68	55dB	2.5	146%	Day
352	21:36:35	67	55dB	2.3	130%	Day
353	21:38:09	72dB	55dB	3.2	225%	Day
354	21:39:38	70dB	55dB	2.8	183%	Day
355	21:41:30	74dB	55dB	3.7	273%	Day
356	21:43:23	71dB	55dB	3.0	203%	Day
357	21:45:24	69dB	55dB	2.6	164%	Day
358	21:47:08	67	55dB	2.3	130%	Day
359	21:50:32	68	55dB	2.5	146%	Day
360	21:53:15	67	55dB	2.3	130%	Day
361	21:59:55	65	55dB	2.0	100%	Day
362	22:01:50	70dB	55dB	2.8	183%	Day
363	22:03:08	67dB	55dB	2.3	130%	Day
364	22:04:29	67	55dB	2.3	130%	Day
365	22:05:48	69dB	55dB	2.6	164%	Day
366	22:07:24	67	55dB	2.3	130%	Day
367	22:09:00	68dB	55dB	2.5	146%	Day
368	22:10:29	68dB	55dB	2.5	146%	Day
369	22:11:51	67	55dB	2.3	130%	Day
370	22:13:20	69dB	55dB	2.6	164%	Day
371	22:15:45	67	55dB	2.3	130%	Day
372	22:20:01	72dB	55dB	3.2	225%	Day
373	22:21:55	70dB	55dB	2.8	183%	Day
374	22:25:05	69dB	55dB	2.6	164%	Day
375	22:28:27	69dB	55dB	2.6	164%	Day
376	22:29:52	69dB	55dB	2.6	164%	Day
377	22:31:33	68	55dB	2.5	146%	Day
378	22:36:47	70dB	55dB	2.8	183%	Day
379	22:40:18	70dB	55dB	2.8	183%	Day
380	22:44:00	72dB	55dB	3.2	225%	Day
381	22:45:50	70	55dB	2.8	183%	Day
382	22:47:51	68dB	55dB	2.5	146%	Day
383	22:49:43	69dB	55dB	2.6	164%	Day
384	22:51:32	67	55dB	2.3	130%	Day
385	22:52:48	76dB	55dB	4.3	329%	Day
386	23:04:45	70dB	45dB	5.7	466%	Night
387	23:08:44	68dB	45dB	4.9	392%	Night
388	23:10:41	73dB	45dB	7.0	596%	Night
389	23:24:03	69dB	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

390	23:26:07	69dB	45dB	5.3	428%	Night
391	23:33:34	67dB	45dB	4.6	359%	Night
392	23:36:25	70dB	45dB	5.7	466%	Night
393	23:38:21	70dB	45dB	5.7	466%	Night
394	23:41:12	68dB	45dB	4.9	392%	Night
395	23:42:36	66	45dB	4.3	329%	Night
396	23:43:45	67dB	45dB	4.6	359%	Night
397	23:45:12	70dB	45dB	5.7	466%	Night
398	23:46:52	67dB	45dB	4.6	359%	Night
399	23:48:42	66	45dB	4.3	329%	Night
400	23:51:50	70dB	45dB	5.7	466%	Night
401	23:53:22	69dB	45dB	5.3	428%	Night
402	23:54:53	71dB	45dB	6.1	506%	Night
403	23:57:50	68dB	45dB	4.9	392%	Night
404	23:59:23	69dB	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 26, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:00:55	70dB	45dB	5.7	466%	Night
2	00:02:26	69dB	45dB	5.3	428%	Night
3	00:04:05	70dB	45dB	5.7	466%	Night
4	00:07:48	68dB	45dB	4.9	392%	Night
5	00:20:26	69dB	45dB	5.3	428%	Night
6	06:28:38	69dB	45dB	5.3	428%	Night
7	06:30:38	69dB	45dB	5.3	428%	Night
8	06:32:22	69dB	45dB	5.3	428%	Night
9	06:33:42	68dB	45dB	4.9	392%	Night
10	06:35:07	69dB	45dB	5.3	428%	Night
11	06:36:23	69dB	45dB	5.3	428%	Night
12	06:37:54	71dB	45dB	6.1	506%	Night
13	06:39:22	69dB	45dB	5.3	428%	Night
14	06:40:37	71dB	45dB	6.1	506%	Night
15	06:42:23	74dB	45dB	7.5	646%	Night
16	06:46:13	69dB	45dB	5.3	428%	Night
17	06:50:42	71dB	45dB	6.1	506%	Night
18	06:57:24	70dB	45dB	5.7	466%	Night
19	07:09:03	70dB	45dB	5.7	466%	Night
20	07:10:24	69dB	55dB	2.6	164%	Day
21	07:11:57	69dB	55dB	2.6	164%	Day
22	07:13:06	70dB	55dB	2.8	183%	Day
23	07:14:38	68dB	55dB	2.5	146%	Day
24	07:16:12	70dB	55dB	2.8	183%	Day
25	07:29:41	70dB	55dB	2.8	183%	Day
26	07:34:19	68dB	55dB	2.5	146%	Day
27	07:35:39	71dB	55dB	3.0	203%	Day
28	07:38:29	71dB	55dB	3.0	203%	Day
29	07:40:08	76dB	55dB	4.3	329%	Day
30	07:42:18	68dB	55dB	2.5	146%	Day
31	07:51:39	69dB	55dB	2.6	164%	Day
32	07:55:43	68dB	55dB	2.5	146%	Day
33	07:57:12	67dB	55dB	2.3	130%	Day
34	07:58:48	71dB	55dB	3.0	203%	Day
35	08:00:40	67dB	55dB	2.3	130%	Day
36	08:07:32	67dB	55dB	2.3	130%	Day
37	08:09:35	67dB	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

38	08:12:26	73dB	55dB	3.5	248%	Day
39	08:14:50	68dB	55dB	2.5	146%	Day
40	08:29:32	70dB	55dB	2.8	183%	Day
41	08:48:37	67dB	55dB	2.3	130%	Day
42	08:50:28	71dB	55dB	3.0	203%	Day
43	08:52:15	73dB	55dB	3.5	248%	Day
44	08:53:53	71dB	55dB	3.0	203%	Day
45	08:55:20	68dB	55dB	2.5	146%	Day
46	08:55:32	70dB	55dB	2.8	183%	Day
47	08:57:14	72dB	55dB	3.2	225%	Day
48	09:27:01	67dB	55dB	2.3	130%	Day
49	09:31:23	70dB	55dB	2.8	183%	Day
50	09:38:43	67dB	55dB	2.3	130%	Day
51	09:41:53	73dB	55dB	3.5	248%	Day
52	09:45:15	69dB	55dB	2.6	164%	Day
53	09:46:49	66dB	55dB	2.1	114%	Day
54	09:50:31	67dB	55dB	2.3	130%	Day
55	09:54:49	71dB	55dB	3.0	203%	Day
56	10:06:25	70dB	55dB	2.8	183%	Day
57	10:21:41	70dB	55dB	2.8	183%	Day
58	10:23:42	69dB	55dB	2.6	164%	Day
59	10:25:24	68dB	55dB	2.5	146%	Day
60	10:30:32	69dB	55dB	2.6	164%	Day
61	10:32:24	69dB	55dB	2.6	164%	Day
62	10:35:00	74dB	55dB	3.7	273%	Day
63	10:38:58	69dB	55dB	2.6	164%	Day
64	10:43:43	68dB	55dB	2.5	146%	Day
65	10:46:36	70dB	55dB	2.8	183%	Day
66	10:50:59	69dB	55dB	2.6	164%	Day
67	11:00:14	67dB	55dB	2.3	130%	Day
68	11:07:31	71dB	55dB	3.0	203%	Day
69	11:11:57	71dB	55dB	3.0	203%	Day
70	11:14:35	74dB	55dB	3.7	273%	Day
71	11:17:37	72dB	55dB	3.2	225%	Day
72	11:21:49	71dB	55dB	3.0	203%	Day
73	11:23:45	69dB	55dB	2.6	164%	Day
74	11:26:57	68dB	55dB	2.5	146%	Day
75	11:28:27	70dB	55dB	2.8	183%	Day
76	11:31:49	69dB	55dB	2.6	164%	Day
77	11:42:02	69dB	55dB	2.6	164%	Day
78	11:43:51	70dB	55dB	2.8	183%	Day
79	11:45:34	72dB	55dB	3.2	225%	Day
80	11:51:02	69dB	55dB	2.6	164%	Day
81	11:53:02	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

82	11:54:24	69dB	55dB	2.6	164%	Day
83	11:55:34	72dB	55dB	3.2	225%	Day
84	11:57:08	68dB	55dB	2.5	146%	Day
85	11:58:42	68dB	55dB	2.5	146%	Day
86	12:00:19	73dB	55dB	3.5	248%	Day
87	12:01:51	72dB	55dB	3.2	225%	Day
88	12:07:30	67dB	55dB	2.3	130%	Day
89	12:09:21	70dB	55dB	2.8	183%	Day
90	12:13:09	73dB	55dB	3.5	248%	Day
91	12:19:30	75dB	55dB	4.0	300%	Day
92	12:20:52	71dB	55dB	3.0	203%	Day
93	12:23:05	78dB	55dB	4.9	392%	Day
94	12:26:13	75dB	55dB	4.0	300%	Day
95	12:28:30	68dB	55dB	2.5	146%	Day
96	12:29:58	70dB	55dB	2.8	183%	Day
97	12:31:09	72dB	55dB	3.2	225%	Day
98	12:32:38	68dB	55dB	2.5	146%	Day
99	12:33:51	71dB	55dB	3.0	203%	Day
100	12:35:43	76dB	55dB	4.3	329%	Day
101	12:42:48	70dB	55dB	2.8	183%	Day
102	12:45:50	70dB	55dB	2.8	183%	Day
103	12:49:52	67dB	55dB	2.3	130%	Day
104	12:53:26	68dB	55dB	2.5	146%	Day
105	12:55:12	75dB	55dB	4.0	300%	Day
106	12:57:33	81dB	55dB	6.1	506%	Day
107	13:01:58	70dB	55dB	2.8	183%	Day
108	13:06:07	79dB	55dB	5.3	428%	Day
109	13:13:11	71dB	55dB	3.0	203%	Day
110	13:14:59	74dB	55dB	3.7	273%	Day
111	13:20:41	75dB	55dB	4.0	300%	Day
112	13:33:52	79dB	55dB	5.3	428%	Day
113	13:37:22	81dB	55dB	6.1	506%	Day
114	13:39:17	67dB	55dB	2.3	130%	Day
115	13:41:35	70dB	55dB	2.8	183%	Day
116	13:46:39	70dB	55dB	2.8	183%	Day
117	13:46:48	70dB	55dB	2.8	183%	Day
118	13:49:06	71dB	55dB	3.0	203%	Day
119	13:51:02	69dB	55dB	2.6	164%	Day
120	13:53:05	73dB	55dB	3.5	248%	Day
121	13:55:29	69dB	55dB	2.6	164%	Day
122	13:56:50	78dB	55dB	4.9	392%	Day
123	14:01:07	70dB	55dB	2.8	183%	Day
124	14:04:21	70dB	55dB	2.8	183%	Day
125	14:06:45	74dB	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

126	14:08:19	69dB	55dB	2.6	164%	Day
127	14:09:45	70dB	55dB	2.8	183%	Day
128	14:11:03	68dB	55dB	2.5	146%	Day
129	14:13:08	68dB	55dB	2.5	146%	Day
130	14:16:05	69dB	55dB	2.6	164%	Day
131	14:19:18	79dB	55dB	5.3	428%	Day
132	14:20:50	78dB	55dB	4.9	392%	Day
133	14:21:43	75dB	55dB	4.0	300%	Day
134	14:22:02	70dB	55dB	2.8	183%	Day
135	14:23:08	72dB	55dB	3.2	225%	Day
136	14:24:41	70dB	55dB	2.8	183%	Day
137	14:26:09	74dB	55dB	3.7	273%	Day
138	14:31:18	75dB	55dB	4.0	300%	Day
139	14:34:06	70dB	55dB	2.8	183%	Day
140	14:36:04	67dB	55dB	2.3	130%	Day
141	14:37:26	74dB	55dB	3.7	273%	Day
142	14:39:11	70dB	55dB	2.8	183%	Day
143	14:40:32	70dB	55dB	2.8	183%	Day
144	14:41:44	69dB	55dB	2.6	164%	Day
145	14:43:04	71dB	55dB	3.0	203%	Day
146	14:44:29	71dB	55dB	3.0	203%	Day
147	14:47:48	70dB	55dB	2.8	183%	Day
148	14:50:26	72dB	55dB	3.2	225%	Day
149	14:52:07	74dB	55dB	3.7	273%	Day
150	14:52:28	73dB	55dB	3.5	248%	Day
151	14:57:34	87dB	55dB	9.2	819%	Day
152	14:59:33	70dB	55dB	2.8	183%	Day
153	15:02:18	74dB	55dB	3.7	273%	Day
154	15:04:30	70dB	55dB	2.8	183%	Day
155	15:14:39	73dB	55dB	3.5	248%	Day
156	15:17:15	69dB	55dB	2.6	164%	Day
157	15:18:51	70dB	55dB	2.8	183%	Day
158	15:20:03	75dB	55dB	4.0	300%	Day
159	15:21:12	71dB	55dB	3.0	203%	Day
160	15:22:35	69dB	55dB	2.6	164%	Day
161	15:23:36	67dB	55dB	2.3	130%	Day
162	15:25:00	76dB	55dB	4.3	329%	Day
163	15:28:42	73dB	55dB	3.5	248%	Day
164	15:31:06	72dB	55dB	3.2	225%	Day
165	15:36:39	74dB	55dB	3.7	273%	Day
166	18:50:48	69dB	55dB	2.6	164%	Day
167	18:52:14	69dB	55dB	2.6	164%	Day
168	18:53:41	67dB	55dB	2.3	130%	Day
169	18:55:22	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

170	18:56:35	69dB	55dB	2.6	164%	Day
171	18:58:40	68dB	55dB	2.5	146%	Day
172	19:01:37	72dB	55dB	3.2	225%	Day
173	19:03:18	72dB	55dB	3.2	225%	Day
174	19:05:17	67dB	55dB	2.3	130%	Day
175	19:10:09	71dB	55dB	3.0	203%	Day
176	19:12:46	71dB	55dB	3.0	203%	Day
177	19:14:53	69dB	55dB	2.6	164%	Day
178	19:15:59	70dB	55dB	2.8	183%	Day
179	19:17:20	70dB	55dB	2.8	183%	Day
180	19:25:49	67dB	55dB	2.3	130%	Day
181	19:28:20	73dB	55dB	3.5	248%	Day
182	19:30:14	68dB	55dB	2.5	146%	Day
183	19:31:56	70dB	55dB	2.8	183%	Day
184	19:37:25	70dB	55dB	2.8	183%	Day
185	19:39:18	68dB	55dB	2.5	146%	Day
186	19:40:32	71dB	55dB	3.0	203%	Day
187	19:42:07	68dB	55dB	2.5	146%	Day
188	19:43:32	66	55dB	2.1	114%	Day
189	19:44:55	68dB	55dB	2.5	146%	Day
190	19:50:03	72dB	55dB	3.2	225%	Day
191	19:52:26	69dB	55dB	2.6	164%	Day
192	19:53:36	67dB	55dB	2.3	130%	Day
193	19:55:13	74dB	55dB	3.7	273%	Day
194	19:57:28	69dB	55dB	2.6	164%	Day
195	19:59:12	68dB	55dB	2.5	146%	Day
196	20:02:07	66	55dB	2.1	114%	Day
197	20:04:13	70	55dB	2.8	183%	Day
198	20:06:46	70dB	55dB	2.8	183%	Day
199	20:09:09	69dB	55dB	2.6	164%	Day
200	20:11:28	69dB	55dB	2.6	164%	Day
201	20:15:29	65	55dB	2.0	100%	Day
202	20:17:07	68	55dB	2.5	146%	Day
203	20:19:16	72dB	55dB	3.2	225%	Day
204	20:22:41	69dB	55dB	2.6	164%	Day
205	20:24:23	67dB	55dB	2.3	130%	Day
206	20:29:01	70dB	55dB	2.8	183%	Day
207	20:31:42	72dB	55dB	3.2	225%	Day
208	20:35:04	64	55dB	1.9	87%	Day
209	20:36:33	72dB	55dB	3.2	225%	Day
210	20:38:32	70dB	55dB	2.8	183%	Day
211	20:40:00	71dB	55dB	3.0	203%	Day
212	20:44:13	67dB	55dB	2.3	130%	Day
213	20:45:58	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

214	20:47:23	70dB	55dB	2.8	183%	Day
215	20:49:12	72dB	55dB	3.2	225%	Day
216	20:51:06	68dB	55dB	2.5	146%	Day
217	20:52:19	74dB	55dB	3.7	273%	Day
218	20:53:49	68dB	55dB	2.5	146%	Day
219	20:56:17	69dB	55dB	2.6	164%	Day
220	20:58:40	69dB	55dB	2.6	164%	Day
221	21:00:22	71dB	55dB	3.0	203%	Day
222	21:02:03	78dB	55dB	4.9	392%	Day
223	21:07:20	67	55dB	2.3	130%	Day
224	21:12:08	70dB	55dB	2.8	183%	Day
225	21:13:53	68dB	55dB	2.5	146%	Day
226	21:15:16	70dB	55dB	2.8	183%	Day
227	21:16:15	69dB	55dB	2.6	164%	Day
228	21:18:07	68dB	55dB	2.5	146%	Day
229	21:19:22	70dB	55dB	2.8	183%	Day
230	21:20:45	68dB	55dB	2.5	146%	Day
231	21:23:01	67	55dB	2.3	130%	Day
232	21:24:35	64	55dB	1.9	87%	Day
233	21:26:41	67dB	55dB	2.3	130%	Day
234	21:28:45	68dB	55dB	2.5	146%	Day
235	21:30:04	68dB	55dB	2.5	146%	Day
236	21:31:10	70	55dB	2.8	183%	Day
237	21:32:33	67dB	55dB	2.3	130%	Day
238	21:33:46	76	55dB	4.3	329%	Day
239	21:35:06	67dB	55dB	2.3	130%	Day
240	21:36:27	68dB	55dB	2.5	146%	Day
241	21:37:32	70dB	55dB	2.8	183%	Day
242	21:39:57	61	55dB	1.5	52%	Day
243	21:43:03	69	55dB	2.6	164%	Day
244	21:46:09	67dB	55dB	2.3	130%	Day
245	21:47:57	69dB	55dB	2.6	164%	Day
246	21:58:51	68dB	55dB	2.5	146%	Day
247	22:00:09	70dB	55dB	2.8	183%	Day
248	22:03:28	65	55dB	2.0	100%	Day
249	22:07:05	70dB	55dB	2.8	183%	Day
250	22:10:49	68dB	55dB	2.5	146%	Day
251	22:12:24	68	55dB	2.5	146%	Day
252	22:13:15	68dB	55dB	2.5	146%	Day
253	22:15:32	76	55dB	4.3	329%	Day
254	22:19:20	68dB	55dB	2.5	146%	Day
255	22:22:57	74dB	55dB	3.7	273%	Day
256	22:23:58	73dB	55dB	3.5	248%	Day
257	22:25:24	67dB	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

258	22:26:47	64	55dB	1.9	87%	Day
259	22:28:24	68dB	55dB	2.5	146%	Day
260	22:33:24	69dB	55dB	2.6	164%	Day
261	22:37:00	69dB	55dB	2.6	164%	Day
262	22:39:49	68dB	55dB	2.5	146%	Day
263	22:45:22	65	55dB	2.0	100%	Day
264	22:48:18	69dB	55dB	2.6	164%	Day
265	22:51:40	66	55dB	2.1	114%	Day
266	22:54:13	67dB	55dB	2.3	130%	Day
267	22:57:58	68dB	55dB	2.5	146%	Day
268	22:59:48	67dB	55dB	2.3	130%	Day
269	23:17:13	70dB	55dB	2.8	183%	Day
270	23:26:39	66	55dB	2.1	114%	Day
271	23:28:27	68dB	55dB	2.5	146%	Day
272	23:33:02	69dB	55dB	2.6	164%	Day
273	23:34:59	65	55dB	2.0	100%	Day
274	23:37:30	68dB	55dB	2.5	146%	Day
275	23:42:42	67dB	55dB	2.3	130%	Day
276	23:45:15	68dB	55dB	2.5	146%	Day
277	23:47:23	69dB	55dB	2.6	164%	Day
278	23:50:22	69dB	55dB	2.6	164%	Day
279	23:54:21	71dB	55dB	3.0	203%	Day
280	23:56:37	67	55dB	2.3	130%	Day
281	23:59:59	70	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 27, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:00:04	66dB	45dB	4.3	329%	Night
2	00:03:06	68dB	45dB	4.9	392%	Night
3	00:05:06	72dB	45dB	6.5	550%	Night
4	00:07:16	68dB	45dB	4.9	392%	Night
5	00:08:54	67dB	45dB	4.6	359%	Night
6	00:40:49	67dB	45dB	4.6	359%	Night
7	06:07:53	66	45dB	4.3	329%	Night
8	06:29:36	69dB	45dB	5.3	428%	Night
9	06:31:06	69dB	45dB	5.3	428%	Night
10	06:33:02	69dB	45dB	5.3	428%	Night
11	06:34:34	68dB	45dB	4.9	392%	Night
12	06:36:27	68dB	45dB	4.9	392%	Night
13	06:38:27	70dB	45dB	5.7	466%	Night
14	06:40:10	69dB	45dB	5.3	428%	Night
15	06:42:04	68dB	45dB	4.9	392%	Night
16	06:44:08	70dB	45dB	5.7	466%	Night
17	06:45:58	71dB	45dB	6.1	506%	Night
18	06:47:47	69dB	45dB	5.3	428%	Night
19	06:49:58	66	45dB	4.3	329%	Night
20	06:51:51	68dB	45dB	4.9	392%	Night
21	06:53:40	69dB	45dB	5.3	428%	Night
22	06:55:40	67	45dB	4.6	359%	Night
23	06:59:21	68dB	45dB	4.9	392%	Night
24	07:01:02	69dB	55dB	2.6	164%	Day
25	07:03:27	69dB	55dB	2.6	164%	Day
26	07:09:53	67	55dB	2.3	130%	Day
27	07:11:43	75dB	55dB	4.0	300%	Day
28	07:18:25	68dB	55dB	2.5	146%	Day
29	07:20:23	68dB	55dB	2.5	146%	Day
30	07:22:45	70dB	55dB	2.8	183%	Day
31	07:36:52	69dB	55dB	2.6	164%	Day
32	07:41:13	68dB	55dB	2.5	146%	Day
33	07:46:57	78dB	55dB	4.9	392%	Day
34	07:49:06	74dB	55dB	3.7	273%	Day
35	07:51:21	68dB	55dB	2.5	146%	Day
36	07:53:30	66dB	55dB	2.1	114%	Day
37	07:55:30	66	55dB	2.1	114%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

38	07:57:34	67dB	55dB	2.3	130%	Day
39	08:02:59	75dB	55dB	4.0	300%	Day
40	08:04:43	69dB	55dB	2.6	164%	Day
41	08:06:53	67dB	55dB	2.3	130%	Day
42	08:08:45	69dB	55dB	2.6	164%	Day
43	08:10:31	69dB	55dB	2.6	164%	Day
44	08:12:14	66dB	55dB	2.1	114%	Day
45	08:14:11	71dB	55dB	3.0	203%	Day
46	08:16:11	69dB	55dB	2.6	164%	Day
47	08:18:12	72dB	55dB	3.2	225%	Day
48	08:21:20	67dB	55dB	2.3	130%	Day
49	08:32:25	67	55dB	2.3	130%	Day
50	08:36:23	69dB	55dB	2.6	164%	Day
51	08:44:45	69dB	55dB	2.6	164%	Day
52	08:48:41	69dB	55dB	2.6	164%	Day
53	09:03:16	62	55dB	1.6	62%	Day
54	09:05:48	68dB	55dB	2.5	146%	Day
55	09:11:10	69dB	55dB	2.6	164%	Day
56	09:12:54	67	55dB	2.3	130%	Day
57	09:16:06	65	55dB	2.0	100%	Day
58	09:18:47	65	55dB	2.0	100%	Day
59	09:20:36	69dB	55dB	2.6	164%	Day
60	09:23:31	66dB	55dB	2.1	114%	Day
61	09:31:22	71dB	55dB	3.0	203%	Day
62	09:33:46	67	55dB	2.3	130%	Day
63	09:39:56	70dB	55dB	2.8	183%	Day
64	09:41:36	72dB	55dB	3.2	225%	Day
65	09:46:17	67dB	55dB	2.3	130%	Day
66	09:49:02	68	55dB	2.5	146%	Day
67	09:50:36	70dB	55dB	2.8	183%	Day
68	09:52:07	72dB	55dB	3.2	225%	Day
69	09:53:18	67dB	55dB	2.3	130%	Day
70	09:55:11	70dB	55dB	2.8	183%	Day
71	09:57:03	73dB	55dB	3.5	248%	Day
72	09:59:05	73dB	55dB	3.5	248%	Day
73	10:01:55	65	55dB	2.0	100%	Day
74	10:03:38	67dB	55dB	2.3	130%	Day
75	10:05:18	72dB	55dB	3.2	225%	Day
76	10:07:32	70dB	55dB	2.8	183%	Day
77	10:09:30	69dB	55dB	2.6	164%	Day
78	10:11:45	67dB	55dB	2.3	130%	Day
79	10:22:40	71dB	55dB	3.0	203%	Day
80	10:24:02	68dB	55dB	2.5	146%	Day
81	10:26:33	65	55dB	2.0	100%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

82	10:33:37	69dB	55dB	2.6	164%	Day
83	10:35:47	69dB	55dB	2.6	164%	Day
84	10:38:26	68	55dB	2.5	146%	Day
85	10:41:07	72dB	55dB	3.2	225%	Day
86	10:42:47	69dB	55dB	2.6	164%	Day
87	10:45:41	73dB	55dB	3.5	248%	Day
88	10:48:37	61	55dB	1.5	52%	Day
89	10:51:02	68dB	55dB	2.5	146%	Day
90	10:56:52	68dB	55dB	2.5	146%	Day
91	10:58:57	68dB	55dB	2.5	146%	Day
92	11:03:35	72dB	55dB	3.2	225%	Day
93	11:05:31	72dB	55dB	3.2	225%	Day
94	11:07:48	71dB	55dB	3.0	203%	Day
95	11:09:38	67	55dB	2.3	130%	Day
96	11:11:08	67	55dB	2.3	130%	Day
97	11:12:55	68dB	55dB	2.5	146%	Day
98	11:14:44	66	55dB	2.1	114%	Day
99	11:16:24	68dB	55dB	2.5	146%	Day
100	11:18:01	73dB	55dB	3.5	248%	Day
101	11:18:26	69dB	55dB	2.6	164%	Day
102	11:19:57	68dB	55dB	2.5	146%	Day
103	11:23:00	70dB	55dB	2.8	183%	Day
104	11:27:39	71	55dB	3.0	203%	Day
105	11:31:14	69	55dB	2.6	164%	Day
106	11:32:54	71dB	55dB	3.0	203%	Day
107	11:34:46	67	55dB	2.3	130%	Day
108	11:38:18	68dB	55dB	2.5	146%	Day
109	11:40:15	68dB	55dB	2.5	146%	Day
110	11:41:59	66	55dB	2.1	114%	Day
111	11:43:35	74dB	55dB	3.7	273%	Day
112	11:45:30	69dB	55dB	2.6	164%	Day
113	11:46:52	70dB	55dB	2.8	183%	Day
114	11:48:30	68dB	55dB	2.5	146%	Day
115	11:52:18	69dB	55dB	2.6	164%	Day
116	11:54:11	70dB	55dB	2.8	183%	Day
117	11:56:23	70dB	55dB	2.8	183%	Day
118	11:59:00	66	55dB	2.1	114%	Day
119	12:01:20	65	55dB	2.0	100%	Day
120	12:03:31	76dB	55dB	4.3	329%	Day
121	12:03:42	68dB	55dB	2.5	146%	Day
122	12:05:56	70dB	55dB	2.8	183%	Day
123	12:07:43	70dB	55dB	2.8	183%	Day
124	12:11:33	72dB	55dB	3.2	225%	Day
125	12:13:08	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

126	12:14:46	69dB	55dB	2.6	164%	Day
127	12:16:35	69	55dB	2.6	164%	Day
128	12:19:01	68dB	55dB	2.5	146%	Day
129	12:20:52	70dB	55dB	2.8	183%	Day
130	12:22:36	72dB	55dB	3.2	225%	Day
131	12:22:42	67dB	55dB	2.3	130%	Day
132	12:27:28	72dB	55dB	3.2	225%	Day
133	12:29:59	68dB	55dB	2.5	146%	Day
134	12:32:32	69dB	55dB	2.6	164%	Day
135	12:35:11	67dB	55dB	2.3	130%	Day
136	12:37:12	68	55dB	2.5	146%	Day
137	12:40:09	68dB	55dB	2.5	146%	Day
138	12:44:31	74dB	55dB	3.7	273%	Day
139	12:48:03	65	55dB	2.0	100%	Day
140	12:51:19	70dB	55dB	2.8	183%	Day
141	12:52:52	68dB	55dB	2.5	146%	Day
142	12:54:19	67	55dB	2.3	130%	Day
143	12:55:47	67	55dB	2.3	130%	Day
144	12:56:51	75dB	55dB	4.0	300%	Day
145	12:57:25	73dB	55dB	3.5	248%	Day
146	12:59:33	69dB	55dB	2.6	164%	Day
147	13:01:03	69dB	55dB	2.6	164%	Day
148	13:11:47	71dB	55dB	3.0	203%	Day
149	13:18:03	71dB	55dB	3.0	203%	Day
150	13:24:24	68	55dB	2.5	146%	Day
151	13:28:17	72dB	55dB	3.2	225%	Day
152	13:29:53	67	55dB	2.3	130%	Day
153	13:32:16	72dB	55dB	3.2	225%	Day
154	13:34:48	66	55dB	2.1	114%	Day
155	13:37:18	67dB	55dB	2.3	130%	Day
156	13:39:08	67	55dB	2.3	130%	Day
157	13:40:30	68dB	55dB	2.5	146%	Day
158	13:42:06	67dB	55dB	2.3	130%	Day
159	13:45:07	69dB	55dB	2.6	164%	Day
160	13:46:41	74dB	55dB	3.7	273%	Day
161	13:49:42	67dB	55dB	2.3	130%	Day
162	13:51:18	77dB	55dB	4.6	359%	Day
163	13:53:56	72dB	55dB	3.2	225%	Day
164	13:56:12	71dB	55dB	3.0	203%	Day
165	13:57:59	69dB	55dB	2.6	164%	Day
166	14:01:45	68dB	55dB	2.5	146%	Day
167	14:04:35	71dB	55dB	3.0	203%	Day
168	14:05:53	70dB	55dB	2.8	183%	Day
169	14:07:07	67	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

170	14:11:21	69dB	55dB	2.6	164%	Day
171	14:15:17	70dB	55dB	2.8	183%	Day
172	14:17:27	62	55dB	1.6	62%	Day
173	14:19:34	71dB	55dB	3.0	203%	Day
174	14:21:32	71dB	55dB	3.0	203%	Day
175	14:23:18	67	55dB	2.3	130%	Day
176	14:23:42	73dB	55dB	3.5	248%	Day
177	14:25:11	67	55dB	2.3	130%	Day
178	14:26:24	71dB	55dB	3.0	203%	Day
179	14:27:43	67	55dB	2.3	130%	Day
180	14:29:01	69dB	55dB	2.6	164%	Day
181	14:30:30	74dB	55dB	3.7	273%	Day
182	14:35:11	70dB	55dB	2.8	183%	Day
183	14:38:17	70dB	55dB	2.8	183%	Day
184	14:40:05	64	55dB	1.9	87%	Day
185	14:45:00	70dB	55dB	2.8	183%	Day
186	14:47:11	70dB	55dB	2.8	183%	Day
187	14:49:45	68dB	55dB	2.5	146%	Day
188	14:51:03	70dB	55dB	2.8	183%	Day
189	14:52:19	69dB	55dB	2.6	164%	Day
190	14:54:02	71dB	55dB	3.0	203%	Day
191	14:59:14	70dB	55dB	2.8	183%	Day
192	15:00:35	71dB	55dB	3.0	203%	Day
193	15:00:47	70dB	55dB	2.8	183%	Day
194	15:03:41	73dB	55dB	3.5	248%	Day
195	15:05:34	75dB	55dB	4.0	300%	Day
196	15:11:03	72dB	55dB	3.2	225%	Day
197	15:12:54	62	55dB	1.6	62%	Day
198	15:14:11	71dB	55dB	3.0	203%	Day
199	15:15:22	68dB	55dB	2.5	146%	Day
200	15:16:45	72dB	55dB	3.2	225%	Day
201	15:17:56	68	55dB	2.5	146%	Day
202	15:19:51	64	55dB	1.9	87%	Day
203	15:21:08	69dB	55dB	2.6	164%	Day
204	15:22:13	69dB	55dB	2.6	164%	Day
205	15:23:36	67dB	55dB	2.3	130%	Day
206	15:24:52	68dB	55dB	2.5	146%	Day
207	15:25:08	73dB	55dB	3.5	248%	Day
208	15:26:56	67dB	55dB	2.3	130%	Day
209	15:28:32	64	55dB	1.9	87%	Day
210	15:29:52	65	55dB	2.0	100%	Day
211	15:31:23	70dB	55dB	2.8	183%	Day
212	15:36:43	70dB	55dB	2.8	183%	Day
213	15:38:20	77dB	55dB	4.6	359%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

214	15:40:07	66	55dB	2.1	114%	Day
215	15:41:37	71	55dB	3.0	203%	Day
216	15:43:06	75dB	55dB	4.0	300%	Day
217	15:45:11	68	55dB	2.5	146%	Day
218	15:46:52	73dB	55dB	3.5	248%	Day
219	15:49:07	68dB	55dB	2.5	146%	Day
220	15:50:40	67	55dB	2.3	130%	Day
221	15:52:29	68dB	55dB	2.5	146%	Day
222	15:53:50	70dB	55dB	2.8	183%	Day
223	15:55:35	68dB	55dB	2.5	146%	Day
224	15:59:15	72dB	55dB	3.2	225%	Day
225	16:01:14	68	55dB	2.5	146%	Day
226	16:02:51	66	55dB	2.1	114%	Day
227	16:04:21	74dB	55dB	3.7	273%	Day
228	16:07:00	65	55dB	2.0	100%	Day
229	16:08:39	68	55dB	2.5	146%	Day
230	16:13:39	71dB	55dB	3.0	203%	Day
231	16:16:06	71dB	55dB	3.0	203%	Day
232	16:17:21	68dB	55dB	2.5	146%	Day
233	16:19:00	67dB	55dB	2.3	130%	Day
234	16:20:07	68dB	55dB	2.5	146%	Day
235	16:21:45	63	55dB	1.7	74%	Day
236	16:23:02	67	55dB	2.3	130%	Day
237	16:24:31	68dB	55dB	2.5	146%	Day
238	16:26:24	70dB	55dB	2.8	183%	Day
239	16:27:55	66	55dB	2.1	114%	Day
240	16:29:14	70dB	55dB	2.8	183%	Day
241	16:30:51	67dB	55dB	2.3	130%	Day
242	16:32:22	70dB	55dB	2.8	183%	Day
243	16:34:00	70dB	55dB	2.8	183%	Day
244	16:35:51	65	55dB	2.0	100%	Day
245	16:39:12	64	55dB	1.9	87%	Day
246	16:41:18	71dB	55dB	3.0	203%	Day
247	16:45:38	67dB	55dB	2.3	130%	Day
248	16:47:10	68dB	55dB	2.5	146%	Day
249	16:50:31	66dB	55dB	2.1	114%	Day
250	16:55:50	68dB	55dB	2.5	146%	Day
251	16:57:23	66	55dB	2.1	114%	Day
252	16:58:43	68dB	55dB	2.5	146%	Day
253	17:00:31	74dB	55dB	3.7	273%	Day
254	17:03:24	61	55dB	1.5	52%	Day
255	17:05:09	71dB	55dB	3.0	203%	Day
256	17:07:09	71dB	55dB	3.0	203%	Day
257	17:08:36	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

258	17:10:12	68dB	55dB	2.5	146%	Day
259	17:11:58	67dB	55dB	2.3	130%	Day
260	17:15:32	66	55dB	2.1	114%	Day
261	17:19:15	71dB	55dB	3.0	203%	Day
262	17:21:51	72dB	55dB	3.2	225%	Day
263	17:23:40	75dB	55dB	4.0	300%	Day
264	17:26:01	67	55dB	2.3	130%	Day
265	17:27:22	66	55dB	2.1	114%	Day
266	17:28:34	67dB	55dB	2.3	130%	Day
267	17:29:59	67	55dB	2.3	130%	Day
268	17:31:19	70dB	55dB	2.8	183%	Day
269	17:32:36	68dB	55dB	2.5	146%	Day
270	17:34:04	67	55dB	2.3	130%	Day
271	17:35:26	72dB	55dB	3.2	225%	Day
272	17:38:01	66	55dB	2.1	114%	Day
273	17:40:05	69dB	55dB	2.6	164%	Day
274	17:41:29	62	55dB	1.6	62%	Day
275	17:42:41	67dB	55dB	2.3	130%	Day
276	17:44:17	70dB	55dB	2.8	183%	Day
277	17:47:14	66	55dB	2.1	114%	Day
278	17:48:58	71dB	55dB	3.0	203%	Day
279	17:50:47	69dB	55dB	2.6	164%	Day
280	17:52:10	69	55dB	2.6	164%	Day
281	17:53:29	68dB	55dB	2.5	146%	Day
282	17:54:44	69dB	55dB	2.6	164%	Day
283	17:56:07	71dB	55dB	3.0	203%	Day
284	17:58:01	67dB	55dB	2.3	130%	Day
285	18:02:14	67	55dB	2.3	130%	Day
286	18:03:39	70dB	55dB	2.8	183%	Day
287	18:07:31	69dB	55dB	2.6	164%	Day
288	18:09:04	68dB	55dB	2.5	146%	Day
289	18:11:04	71dB	55dB	3.0	203%	Day
290	18:12:36	67	55dB	2.3	130%	Day
291	18:13:51	69dB	55dB	2.6	164%	Day
292	18:15:00	67	55dB	2.3	130%	Day
293	18:16:16	65	55dB	2.0	100%	Day
294	18:17:46	69dB	55dB	2.6	164%	Day
295	18:20:26	68dB	55dB	2.5	146%	Day
296	18:22:17	66	55dB	2.1	114%	Day
297	18:24:07	72dB	55dB	3.2	225%	Day
298	18:26:09	69dB	55dB	2.6	164%	Day
299	18:27:34	76dB	55dB	4.3	329%	Day
300	18:29:25	66	55dB	2.1	114%	Day
301	18:30:36	77dB	55dB	4.6	359%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

302	18:32:03	72dB	55dB	3.2	225%	Day
303	18:33:28	71dB	55dB	3.0	203%	Day
304	18:35:21	64	55dB	1.9	87%	Day
305	18:37:17	74dB	55dB	3.7	273%	Day
306	18:39:39	69dB	55dB	2.6	164%	Day
307	18:41:16	66	55dB	2.1	114%	Day
308	18:42:45	68dB	55dB	2.5	146%	Day
309	18:44:54	63	55dB	1.7	74%	Day
310	18:46:28	70dB	55dB	2.8	183%	Day
311	18:48:24	69dB	55dB	2.6	164%	Day
312	18:49:57	67	55dB	2.3	130%	Day
313	18:51:27	69dB	55dB	2.6	164%	Day
314	18:52:48	69dB	55dB	2.6	164%	Day
315	18:53:57	68dB	55dB	2.5	146%	Day
316	18:55:14	67dB	55dB	2.3	130%	Day
317	18:56:32	69dB	55dB	2.6	164%	Day
318	18:58:01	66dB	55dB	2.1	114%	Day
319	18:59:54	72dB	55dB	3.2	225%	Day
320	19:01:57	72dB	55dB	3.2	225%	Day
321	19:04:05	68dB	55dB	2.5	146%	Day
322	19:05:23	70dB	55dB	2.8	183%	Day
323	19:06:36	69dB	55dB	2.6	164%	Day
324	19:07:51	69dB	55dB	2.6	164%	Day
325	19:09:18	63	55dB	1.7	74%	Day
326	19:10:46	69dB	55dB	2.6	164%	Day
327	19:14:06	68dB	55dB	2.5	146%	Day
328	19:17:06	70dB	55dB	2.8	183%	Day
329	19:19:23	67dB	55dB	2.3	130%	Day
330	19:20:46	63	55dB	1.7	74%	Day
331	19:22:15	68	55dB	2.5	146%	Day
332	19:23:29	68dB	55dB	2.5	146%	Day
333	19:24:37	66	55dB	2.1	114%	Day
334	19:25:58	64	55dB	1.9	87%	Day
335	19:26:58	68dB	55dB	2.5	146%	Day
336	19:30:19	66	55dB	2.1	114%	Day
337	19:32:14	72dB	55dB	3.2	225%	Day
338	19:34:24	66	55dB	2.1	114%	Day
339	19:36:40	68dB	55dB	2.5	146%	Day
340	19:38:06	75	55dB	4.0	300%	Day
341	19:39:29	70dB	55dB	2.8	183%	Day
342	19:43:50	67dB	55dB	2.3	130%	Day
343	19:46:58	67dB	55dB	2.3	130%	Day
344	19:48:30	73dB	55dB	3.5	248%	Day
345	19:52:12	67dB	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

346	19:56:05	67	55dB	2.3	130%	Day
347	19:57:39	69dB	55dB	2.6	164%	Day
348	19:59:40	76dB	55dB	4.3	329%	Day
349	20:01:45	70dB	55dB	2.8	183%	Day
350	20:03:07	65	55dB	2.0	100%	Day
351	20:04:18	70dB	55dB	2.8	183%	Day
352	20:05:50	70dB	55dB	2.8	183%	Day
353	20:09:12	69dB	55dB	2.6	164%	Day
354	20:11:05	66	55dB	2.1	114%	Day
355	20:12:51	68dB	55dB	2.5	146%	Day
356	20:14:31	65	55dB	2.0	100%	Day
357	20:16:18	68dB	55dB	2.5	146%	Day
358	20:17:28	67	55dB	2.3	130%	Day
359	20:18:59	68dB	55dB	2.5	146%	Day
360	20:20:26	67dB	55dB	2.3	130%	Day
361	20:23:53	73dB	55dB	3.5	248%	Day
362	20:26:15	65	55dB	2.0	100%	Day
363	20:27:30	64	55dB	1.9	87%	Day
364	20:28:56	70dB	55dB	2.8	183%	Day
365	20:30:50	68dB	55dB	2.5	146%	Day
366	20:32:53	62	55dB	1.6	62%	Day
367	20:34:17	67dB	55dB	2.3	130%	Day
368	20:35:40	67dB	55dB	2.3	130%	Day
369	20:36:56	68dB	55dB	2.5	146%	Day
370	20:38:06	66	55dB	2.1	114%	Day
371	20:39:21	66dB	55dB	2.1	114%	Day
372	20:41:16	63	55dB	1.7	74%	Day
373	20:42:44	74dB	55dB	3.7	273%	Day
374	20:44:50	69dB	55dB	2.6	164%	Day
375	20:46:06	68dB	55dB	2.5	146%	Day
376	20:47:45	69dB	55dB	2.6	164%	Day
377	20:49:05	69dB	55dB	2.6	164%	Day
378	20:50:26	71	55dB	3.0	203%	Day
379	20:51:41	67dB	55dB	2.3	130%	Day
380	20:53:54	69dB	55dB	2.6	164%	Day
381	20:56:20	69dB	55dB	2.6	164%	Day
382	20:58:55	66	55dB	2.1	114%	Day
383	21:00:15	67dB	55dB	2.3	130%	Day
384	21:02:21	68dB	55dB	2.5	146%	Day
385	21:04:16	69dB	55dB	2.6	164%	Day
386	21:05:54	67dB	55dB	2.3	130%	Day
387	21:07:29	67	55dB	2.3	130%	Day
388	21:09:06	67dB	55dB	2.3	130%	Day
389	21:10:38	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

390	21:11:53	75dB	55dB	4.0	300%	Day
391	21:14:19	67	55dB	2.3	130%	Day
392	21:16:32	68dB	55dB	2.5	146%	Day
393	21:18:19	66	55dB	2.1	114%	Day
394	21:20:42	70dB	55dB	2.8	183%	Day
395	21:24:10	68dB	55dB	2.5	146%	Day
396	21:25:35	70dB	55dB	2.8	183%	Day
397	21:26:46	71	55dB	3.0	203%	Day
398	21:28:01	70dB	55dB	2.8	183%	Day
399	21:30:26	66dB	55dB	2.1	114%	Day
400	21:31:45	70dB	55dB	2.8	183%	Day
401	21:34:04	60	55dB	1.4	41%	Day
402	21:35:44	67dB	55dB	2.3	130%	Day
403	21:39:41	71dB	55dB	3.0	203%	Day
404	21:41:53	67	55dB	2.3	130%	Day
405	21:46:17	66	55dB	2.1	114%	Day
406	21:53:22	70dB	55dB	2.8	183%	Day
407	21:55:09	68dB	55dB	2.5	146%	Day
408	21:56:41	66	55dB	2.1	114%	Day
409	22:00:45	66	55dB	2.1	114%	Day
410	22:03:03	67dB	55dB	2.3	130%	Day
411	22:04:57	68	55dB	2.5	146%	Day
412	22:06:42	68dB	55dB	2.5	146%	Day
413	22:08:36	65	55dB	2.0	100%	Day
414	22:10:36	66	55dB	2.1	114%	Day
415	22:13:08	70dB	55dB	2.8	183%	Day
416	22:14:37	66	55dB	2.1	114%	Day
417	22:22:50	64	55dB	1.9	87%	Day
418	22:24:31	65	55dB	2.0	100%	Day
419	22:26:34	66	55dB	2.1	114%	Day
420	22:28:52	68dB	55dB	2.5	146%	Day
421	22:30:47	68dB	55dB	2.5	146%	Day
422	22:32:10	68dB	55dB	2.5	146%	Day
423	22:33:29	71dB	55dB	3.0	203%	Day
424	22:35:56	68dB	55dB	2.5	146%	Day
425	22:42:01	64	55dB	1.9	87%	Day
426	22:43:23	70dB	55dB	2.8	183%	Day
427	22:45:45	68dB	55dB	2.5	146%	Day
428	22:47:13	70dB	55dB	2.8	183%	Day
429	22:48:24	67	55dB	2.3	130%	Day
430	22:50:43	68dB	55dB	2.5	146%	Day
431	22:53:19	68dB	55dB	2.5	146%	Day
432	22:59:23	67dB	55dB	2.3	130%	Day
433	23:01:56	68dB	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

434	23:09:44	68dB	45dB	4.9	392%	Night
435	23:15:30	73dB	45dB	7.0	596%	Night
436	23:22:46	67dB	45dB	4.6	359%	Night
437	23:24:40	69dB	45dB	5.3	428%	Night
438	23:26:27	68dB	45dB	4.9	392%	Night
439	23:32:06	67dB	45dB	4.6	359%	Night
440	23:34:15	68dB	45dB	4.9	392%	Night
441	23:38:05	67dB	45dB	4.6	359%	Night
442	23:39:42	70dB	45dB	5.7	466%	Night
443	23:41:41	76	45dB	8.6	757%	Night
444	23:44:08	68dB	45dB	4.9	392%	Night
445	23:45:47	71dB	45dB	6.1	506%	Night
446	23:47:27	68dB	45dB	4.9	392%	Night
447	23:49:23	70dB	45dB	5.7	466%	Night
448	23:57:07	71dB	45dB	6.1	506%	Night
449	23:59:22	67dB	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 3, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:02:00	71dB	45dB	6.1	506%	Night
2	00:05:49	72dB	45dB	6.5	550%	Night
3	00:10:08	68dB	45dB	4.9	392%	Night
4	00:12:12	70dB	45dB	5.7	466%	Night
5	00:15:15	69dB	45dB	5.3	428%	Night
6	00:16:46	71dB	45dB	6.1	506%	Night
7	00:19:28	70dB	45dB	5.7	466%	Night
8	00:20:45	70dB	45dB	5.7	466%	Night
9	00:22:19	69dB	45dB	5.3	428%	Night
10	00:23:43	71dB	45dB	6.1	506%	Night
11	03:42:28	63dB	45dB	3.5	248%	Night
12	04:58:48	61dB	45dB	3.0	203%	Night
13	05:28:27	61dB	45dB	3.0	203%	Night
14	05:28:43	61dB	45dB	3.0	203%	Night
15	05:51:36	63dB	45dB	3.5	248%	Night
16	05:54:59	61dB	45dB	3.0	203%	Night
17	05:56:03	61dB	45dB	3.0	203%	Night
18	05:58:48	70dB	45dB	5.7	466%	Night
19	06:29:40	70dB	45dB	5.7	466%	Night
20	06:30:44	72dB	45dB	6.5	550%	Night
21	06:32:12	74dB	45dB	7.5	646%	Night
22	06:33:45	75dB	45dB	8.0	700%	Night
23	06:35:28	72dB	45dB	6.5	550%	Night
24	06:36:53	72dB	45dB	6.5	550%	Night
25	06:38:09	71dB	45dB	6.1	506%	Night
26	06:39:35	68dB	45dB	4.9	392%	Night
27	06:41:00	71dB	45dB	6.1	506%	Night
28	06:44:25	69dB	45dB	5.3	428%	Night
29	06:45:47	68dB	45dB	4.9	392%	Night
30	06:47:19	66dB	45dB	4.3	329%	Night
31	06:55:56	70dB	45dB	5.7	466%	Night
32	06:58:37	73dB	45dB	7.0	596%	Night
33	06:59:18	64	45dB	3.7	273%	Night
34	07:02:02	82dB	55dB	6.5	550%	Day
35	07:07:03	70dB	55dB	2.8	183%	Day
36	07:09:41	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	07:11:19	76dB	55dB	4.3	329%	Day
38	07:12:51	70dB	55dB	2.8	183%	Day
39	07:14:41	69dB	55dB	2.6	164%	Day
40	07:27:09	72dB	55dB	3.2	225%	Day
41	07:29:05	68dB	55dB	2.5	146%	Day
42	07:30:58	70dB	55dB	2.8	183%	Day
43	07:32:19	69dB	55dB	2.6	164%	Day
44	07:33:35	67	55dB	2.3	130%	Day
45	07:34:52	70dB	55dB	2.8	183%	Day
46	07:36:25	71dB	55dB	3.0	203%	Day
47	07:37:33	69dB	55dB	2.6	164%	Day
48	07:39:12	75dB	55dB	4.0	300%	Day
49	07:41:31	67	55dB	2.3	130%	Day
50	07:42:44	71dB	55dB	3.0	203%	Day
51	07:44:09	70dB	55dB	2.8	183%	Day
52	07:46:01	63	55dB	1.7	74%	Day
53	07:47:46	72dB	55dB	3.2	225%	Day
54	07:52:08	69dB	55dB	2.6	164%	Day
55	07:54:21	69dB	55dB	2.6	164%	Day
56	07:58:29	70dB	55dB	2.8	183%	Day
57	08:00:32	69dB	55dB	2.6	164%	Day
58	08:02:55	69dB	55dB	2.6	164%	Day
59	08:04:34	72dB	55dB	3.2	225%	Day
60	08:05:59	69dB	55dB	2.6	164%	Day
61	08:10:39	66dB	55dB	2.1	114%	Day
62	08:14:43	75dB	55dB	4.0	300%	Day
63	08:17:13	71dB	55dB	3.0	203%	Day
64	08:22:27	71dB	55dB	3.0	203%	Day
65	08:27:13	70dB	55dB	2.8	183%	Day
66	08:30:46	69dB	55dB	2.6	164%	Day
67	08:32:23	68dB	55dB	2.5	146%	Day
68	08:34:23	66	55dB	2.1	114%	Day
69	08:36:37	68dB	55dB	2.5	146%	Day
70	08:40:40	67dB	55dB	2.3	130%	Day
71	08:40:45	68dB	55dB	2.5	146%	Day
72	08:43:21	68dB	55dB	2.5	146%	Day
73	08:46:53	66	55dB	2.1	114%	Day
74	08:52:12	67	55dB	2.3	130%	Day
75	08:55:54	76dB	55dB	4.3	329%	Day
76	09:13:38	70dB	55dB	2.8	183%	Day
77	09:21:22	71dB	55dB	3.0	203%	Day
78	09:26:32	67	55dB	2.3	130%	Day
79	09:35:34	72dB	55dB	3.2	225%	Day
80	09:39:38	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	09:44:51	71dB	55dB	3.0	203%	Day
82	09:47:33	72dB	55dB	3.2	225%	Day
83	09:55:04	73dB	55dB	3.5	248%	Day
84	09:58:15	73dB	55dB	3.5	248%	Day
85	10:01:01	70dB	55dB	2.8	183%	Day
86	10:02:20	70dB	55dB	2.8	183%	Day
87	10:04:56	66	55dB	2.1	114%	Day
88	10:13:08	71dB	55dB	3.0	203%	Day
89	10:17:06	68	55dB	2.5	146%	Day
90	10:26:01	69	55dB	2.6	164%	Day
91	10:28:23	70dB	55dB	2.8	183%	Day
92	10:29:47	70dB	55dB	2.8	183%	Day
93	10:31:58	69dB	55dB	2.6	164%	Day
94	10:33:13	67dB	55dB	2.3	130%	Day
95	10:34:56	69	55dB	2.6	164%	Day
96	10:36:20	69dB	55dB	2.6	164%	Day
97	10:37:52	69dB	55dB	2.6	164%	Day
98	10:39:23	68	55dB	2.5	146%	Day
99	10:40:41	71dB	55dB	3.0	203%	Day
100	10:42:18	67	55dB	2.3	130%	Day
101	10:45:37	68dB	55dB	2.5	146%	Day
102	10:49:23	68	55dB	2.5	146%	Day
103	10:51:57	67	55dB	2.3	130%	Day
104	10:54:18	72dB	55dB	3.2	225%	Day
105	10:57:05	67dB	55dB	2.3	130%	Day
106	10:58:20	69dB	55dB	2.6	164%	Day
107	11:00:13	68	55dB	2.5	146%	Day
108	11:02:50	68dB	55dB	2.5	146%	Day
109	11:06:51	66	55dB	2.1	114%	Day
110	11:08:24	72dB	55dB	3.2	225%	Day
111	11:10:51	68	55dB	2.5	146%	Day
112	11:12:06	68dB	55dB	2.5	146%	Day
113	11:13:28	68	55dB	2.5	146%	Day
114	11:15:14	67	55dB	2.3	130%	Day
115	11:16:39	68dB	55dB	2.5	146%	Day
116	11:19:22	65	55dB	2.0	100%	Day
117	11:20:44	72dB	55dB	3.2	225%	Day
118	11:22:11	70dB	55dB	2.8	183%	Day
119	11:23:52	70dB	55dB	2.8	183%	Day
120	11:25:05	68dB	55dB	2.5	146%	Day
121	11:26:28	68	55dB	2.5	146%	Day
122	11:28:16	68	55dB	2.5	146%	Day
123	11:31:54	68dB	55dB	2.5	146%	Day
124	11:34:10	67	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	11:41:09	70dB	55dB	2.8	183%	Day
126	11:42:58	70dB	55dB	2.8	183%	Day
127	11:45:20	71dB	55dB	3.0	203%	Day
128	11:47:12	69dB	55dB	2.6	164%	Day
129	11:49:42	70dB	55dB	2.8	183%	Day
130	11:52:53	67dB	55dB	2.3	130%	Day
131	12:02:08	70dB	55dB	2.8	183%	Day
132	12:04:27	70dB	55dB	2.8	183%	Day
133	12:05:29	69dB	55dB	2.6	164%	Day
134	12:06:56	70dB	55dB	2.8	183%	Day
135	12:08:24	68dB	55dB	2.5	146%	Day
136	12:10:01	75dB	55dB	4.0	300%	Day
137	12:12:39	69	55dB	2.6	164%	Day
138	12:14:08	69dB	55dB	2.6	164%	Day
139	12:15:29	69dB	55dB	2.6	164%	Day
140	12:16:43	70dB	55dB	2.8	183%	Day
141	12:18:19	69dB	55dB	2.6	164%	Day
142	12:19:50	66	55dB	2.1	114%	Day
143	12:25:25	71dB	55dB	3.0	203%	Day
144	12:27:11	72dB	55dB	3.2	225%	Day
145	12:28:50	71dB	55dB	3.0	203%	Day
146	12:30:42	69dB	55dB	2.6	164%	Day
147	12:32:30	66	55dB	2.1	114%	Day
148	12:33:55	70dB	55dB	2.8	183%	Day
149	12:35:52	68	55dB	2.5	146%	Day
150	12:37:26	67	55dB	2.3	130%	Day
151	12:39:16	68	55dB	2.5	146%	Day
152	12:40:36	69dB	55dB	2.6	164%	Day
153	12:42:57	64	55dB	1.9	87%	Day
154	12:45:09	69dB	55dB	2.6	164%	Day
155	12:46:37	68dB	55dB	2.5	146%	Day
156	12:50:35	72dB	55dB	3.2	225%	Day
157	12:53:34	73dB	55dB	3.5	248%	Day
158	12:55:22	67	55dB	2.3	130%	Day
159	12:57:02	70dB	55dB	2.8	183%	Day
160	12:58:46	71dB	55dB	3.0	203%	Day
161	13:00:09	73dB	55dB	3.5	248%	Day
162	13:01:41	71dB	55dB	3.0	203%	Day
163	13:03:11	75dB	55dB	4.0	300%	Day
164	13:05:29	67dB	55dB	2.3	130%	Day
165	13:06:47	67dB	55dB	2.3	130%	Day
166	13:08:19	68dB	55dB	2.5	146%	Day
167	13:11:40	68	55dB	2.5	146%	Day
168	13:13:46	61	55dB	1.5	52%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	13:16:05	61	55dB	1.5	52%	Day
170	13:17:38	73dB	55dB	3.5	248%	Day
171	13:20:35	68	55dB	2.5	146%	Day
172	13:22:07	70dB	55dB	2.8	183%	Day
173	13:25:18	69dB	55dB	2.6	164%	Day
174	13:29:10	74dB	55dB	3.7	273%	Day
175	13:31:34	70dB	55dB	2.8	183%	Day
176	13:33:24	64	55dB	1.9	87%	Day
177	13:35:58	72dB	55dB	3.2	225%	Day
178	13:37:40	68dB	55dB	2.5	146%	Day
179	13:39:20	70dB	55dB	2.8	183%	Day
180	13:42:24	71dB	55dB	3.0	203%	Day
181	13:47:13	64	55dB	1.9	87%	Day
182	13:52:26	69dB	55dB	2.6	164%	Day
183	13:53:36	69dB	55dB	2.6	164%	Day
184	13:55:12	71dB	55dB	3.0	203%	Day
185	13:56:45	70dB	55dB	2.8	183%	Day
186	13:58:30	70dB	55dB	2.8	183%	Day
187	14:00:36	71dB	55dB	3.0	203%	Day
188	14:02:53	68	55dB	2.5	146%	Day
189	14:04:27	67dB	55dB	2.3	130%	Day
190	14:05:57	73dB	55dB	3.5	248%	Day
191	14:07:21	72dB	55dB	3.2	225%	Day
192	14:09:38	68dB	55dB	2.5	146%	Day
193	14:11:03	67	55dB	2.3	130%	Day
194	14:13:12	69dB	55dB	2.6	164%	Day
195	14:14:28	66	55dB	2.1	114%	Day
196	14:16:19	69dB	55dB	2.6	164%	Day
197	14:19:02	72dB	55dB	3.2	225%	Day
198	14:20:58	67dB	55dB	2.3	130%	Day
199	14:22:45	70dB	55dB	2.8	183%	Day
200	14:31:44	71dB	55dB	3.0	203%	Day
201	14:34:11	70dB	55dB	2.8	183%	Day
202	14:36:44	69dB	55dB	2.6	164%	Day
203	14:38:31	70dB	55dB	2.8	183%	Day
204	14:40:09	72dB	55dB	3.2	225%	Day
205	14:41:59	69dB	55dB	2.6	164%	Day
206	14:43:40	69dB	55dB	2.6	164%	Day
207	14:44:49	69dB	55dB	2.6	164%	Day
208	14:46:41	67dB	55dB	2.3	130%	Day
209	14:48:46	64	55dB	1.9	87%	Day
210	14:50:30	64	55dB	1.9	87%	Day
211	14:52:00	65	55dB	2.0	100%	Day
212	14:53:17	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	14:54:33	70dB	55dB	2.8	183%	Day
214	14:56:03	69dB	55dB	2.6	164%	Day
215	14:57:25	72dB	55dB	3.2	225%	Day
216	15:00:01	71dB	55dB	3.0	203%	Day
217	15:01:53	71dB	55dB	3.0	203%	Day
218	15:03:22	71dB	55dB	3.0	203%	Day
219	15:05:14	69dB	55dB	2.6	164%	Day
220	15:06:22	67dB	55dB	2.3	130%	Day
221	15:07:37	69dB	55dB	2.6	164%	Day
222	15:09:04	70dB	55dB	2.8	183%	Day
223	15:10:20	66	55dB	2.1	114%	Day
224	15:12:07	66	55dB	2.1	114%	Day
225	15:13:29	67	55dB	2.3	130%	Day
226	15:14:41	73dB	55dB	3.5	248%	Day
227	15:16:34	76dB	55dB	4.3	329%	Day
228	15:18:27	69dB	55dB	2.6	164%	Day
229	15:19:56	65	55dB	2.0	100%	Day
230	15:21:38	66	55dB	2.1	114%	Day
231	15:22:50	67	55dB	2.3	130%	Day
232	15:24:21	67dB	55dB	2.3	130%	Day
233	15:25:37	68dB	55dB	2.5	146%	Day
234	15:27:06	68dB	55dB	2.5	146%	Day
235	15:29:10	68dB	55dB	2.5	146%	Day
236	15:31:41	68dB	55dB	2.5	146%	Day
237	15:34:04	67dB	55dB	2.3	130%	Day
238	15:37:11	73dB	55dB	3.5	248%	Day
239	15:41:47	68dB	55dB	2.5	146%	Day
240	15:44:25	71dB	55dB	3.0	203%	Day
241	15:46:12	74dB	55dB	3.7	273%	Day
242	15:47:59	71dB	55dB	3.0	203%	Day
243	15:49:46	64	55dB	1.9	87%	Day
244	15:51:48	69dB	55dB	2.6	164%	Day
246	15:53:23	73dB	55dB	3.5	248%	Day
247	15:54:48	69dB	55dB	2.6	164%	Day
248	15:56:14	70dB	55dB	2.8	183%	Day
249	15:57:32	71dB	55dB	3.0	203%	Day
250	15:59:24	70dB	55dB	2.8	183%	Day
251	16:01:26	66	55dB	2.1	114%	Day
252	16:02:09	66	55dB	2.1	114%	Day
253	16:02:59	68	55dB	2.5	146%	Day
254	16:04:12	74dB	55dB	3.7	273%	Day
255	16:05:46	75dB	55dB	4.0	300%	Day
256	16:08:03	66	55dB	2.1	114%	Day
257	16:09:21	73dB	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

258	16:11:22	68dB	55dB	2.5	146%	Day
259	16:12:40	69dB	55dB	2.6	164%	Day
260	16:14:01	70dB	55dB	2.8	183%	Day
261	16:15:16	68dB	55dB	2.5	146%	Day
262	16:16:36	71dB	55dB	3.0	203%	Day
263	16:22:03	75dB	55dB	4.0	300%	Day
264	16:25:40	67	55dB	2.3	130%	Day
265	16:29:55	68dB	55dB	2.5	146%	Day
266	16:31:26	71dB	55dB	3.0	203%	Day
267	16:33:07	65	55dB	2.0	100%	Day
268	16:34:41	73dB	55dB	3.5	248%	Day
269	16:35:52	68dB	55dB	2.5	146%	Day
270	16:38:05	70dB	55dB	2.8	183%	Day
271	16:40:02	68dB	55dB	2.5	146%	Day
272	16:41:28	68dB	55dB	2.5	146%	Day
273	16:42:54	69dB	55dB	2.6	164%	Day
274	16:44:06	68	55dB	2.5	146%	Day
275	16:44:06	68	55dB	2.5	146%	Day
276	16:45:42	74dB	55dB	3.7	273%	Day
277	16:47:34	69dB	55dB	2.6	164%	Day
278	16:48:44	68dB	55dB	2.5	146%	Day
279	16:50:10	71dB	55dB	3.0	203%	Day
280	16:51:49	70dB	55dB	2.8	183%	Day
281	16:53:10	70dB	55dB	2.8	183%	Day
282	16:54:47	69dB	55dB	2.6	164%	Day
283	16:56:22	69dB	55dB	2.6	164%	Day
284	16:57:43	66	55dB	2.1	114%	Day
285	16:59:24	70dB	55dB	2.8	183%	Day
286	17:00:51	69dB	55dB	2.6	164%	Day
287	17:03:35	65	55dB	2.0	100%	Day
288	17:06:26	68	55dB	2.5	146%	Day
289	17:07:46	68dB	55dB	2.5	146%	Day
290	17:09:21	68	55dB	2.5	146%	Day
291	17:10:38	66	55dB	2.1	114%	Day
292	17:12:04	72dB	55dB	3.2	225%	Day
293	17:14:04	68dB	55dB	2.5	146%	Day
294	17:15:41	66dB	55dB	2.1	114%	Day
295	17:18:56	66	55dB	2.1	114%	Day
296	17:20:15	70dB	55dB	2.8	183%	Day
297	17:21:45	69dB	55dB	2.6	164%	Day
298	17:23:18	69dB	55dB	2.6	164%	Day
299	17:24:34	67dB	55dB	2.3	130%	Day
300	17:25:51	71dB	55dB	3.0	203%	Day
301	17:27:17	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

302	17:29:29	67	55dB	2.3	130%	Day
303	17:30:56	67dB	55dB	2.3	130%	Day
304	17:32:18	65	55dB	2.0	100%	Day
305	17:34:17	64	55dB	1.9	87%	Day
306	17:35:44	62	55dB	1.6	62%	Day
307	17:37:18	67dB	55dB	2.3	130%	Day
308	17:38:46	66	55dB	2.1	114%	Day
309	17:39:55	67	55dB	2.3	130%	Day
310	17:41:15	74dB	55dB	3.7	273%	Day
311	17:43:21	71dB	55dB	3.0	203%	Day
312	17:44:40	70dB	55dB	2.8	183%	Day
313	17:45:54	70dB	55dB	2.8	183%	Day
314	17:47:22	71dB	55dB	3.0	203%	Day
315	17:49:25	69	55dB	2.6	164%	Day
316	17:50:53	73dB	55dB	3.5	248%	Day
317	17:51:59	69dB	55dB	2.6	164%	Day
318	17:53:27	71dB	55dB	3.0	203%	Day
319	17:56:41	71dB	55dB	3.0	203%	Day
320	17:58:34	67dB	55dB	2.3	130%	Day
321	17:59:55	68	55dB	2.5	146%	Day
322	18:01:02	68dB	55dB	2.5	146%	Day
323	18:02:50	70dB	55dB	2.8	183%	Day
324	18:04:22	71dB	55dB	3.0	203%	Day
325	18:05:36	71dB	55dB	3.0	203%	Day
326	18:06:52	67	55dB	2.3	130%	Day
327	18:09:21	70dB	55dB	2.8	183%	Day
328	18:11:46	67dB	55dB	2.3	130%	Day
329	18:13:23	66	55dB	2.1	114%	Day
330	18:13:23	66	55dB	2.1	114%	Day
331	18:15:01	70dB	55dB	2.8	183%	Day
332	18:16:47	65	55dB	2.0	100%	Day
333	18:18:39	69dB	55dB	2.6	164%	Day
334	18:20:07	69dB	55dB	2.6	164%	Day
335	18:21:26	65	55dB	2.0	100%	Day
336	18:22:59	67dB	55dB	2.3	130%	Day
337	18:24:13	67	55dB	2.3	130%	Day
338	18:25:42	72dB	55dB	3.2	225%	Day
339	18:26:58	68dB	55dB	2.5	146%	Day
340	18:28:49	60	55dB	1.4	41%	Day
341	18:32:05	66	55dB	2.1	114%	Day
342	18:34:54	66dB	55dB	2.1	114%	Day
343	18:36:57	68dB	55dB	2.5	146%	Day
344	18:38:44	70dB	55dB	2.8	183%	Day
345	18:40:15	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

346	18:41:21	68dB	55dB	2.5	146%	Day
347	18:42:49	70dB	55dB	2.8	183%	Day
348	18:44:57	73dB	55dB	3.5	248%	Day
349	18:47:01	68dB	55dB	2.5	146%	Day
350	18:48:24	67	55dB	2.3	130%	Day
351	18:49:59	69	55dB	2.6	164%	Day
352	18:51:57	66	55dB	2.1	114%	Day
353	18:54:18	69dB	55dB	2.6	164%	Day
354	18:56:27	69dB	55dB	2.6	164%	Day
355	18:58:29	70dB	55dB	2.8	183%	Day
356	19:02:39	73dB	55dB	3.5	248%	Day
357	19:09:25	71dB	55dB	3.0	203%	Day
358	19:10:58	69dB	55dB	2.6	164%	Day
359	19:12:20	70dB	55dB	2.8	183%	Day
360	19:13:59	70dB	55dB	2.8	183%	Day
361	19:15:24	69dB	55dB	2.6	164%	Day
362	19:16:41	74	55dB	3.7	273%	Day
363	19:18:13	73dB	55dB	3.5	248%	Day
364	19:19:41	67dB	55dB	2.3	130%	Day
365	19:21:33	67dB	55dB	2.3	130%	Day
366	19:23:20	68	55dB	2.5	146%	Day
367	19:27:36	66	55dB	2.1	114%	Day
368	19:30:22	72dB	55dB	3.2	225%	Day
369	19:32:33	69dB	55dB	2.6	164%	Day
370	19:34:52	67	55dB	2.3	130%	Day
371	19:39:47	69dB	55dB	2.6	164%	Day
372	19:41:36	68dB	55dB	2.5	146%	Day
373	19:44:09	71dB	55dB	3.0	203%	Day
374	19:46:01	72dB	55dB	3.2	225%	Day
375	19:47:49	67	55dB	2.3	130%	Day
376	19:49:18	71dB	55dB	3.0	203%	Day
377	19:50:36	68dB	55dB	2.5	146%	Day
378	19:52:06	67dB	55dB	2.3	130%	Day
379	19:53:23	67dB	55dB	2.3	130%	Day
380	19:57:12	67dB	55dB	2.3	130%	Day
381	19:58:49	69dB	55dB	2.6	164%	Day
382	20:03:02	72dB	55dB	3.2	225%	Day
383	20:04:17	65	55dB	2.0	100%	Day
384	20:05:45	68dB	55dB	2.5	146%	Day
385	20:07:09	69dB	55dB	2.6	164%	Day
386	20:08:17	70dB	55dB	2.8	183%	Day
387	20:09:47	76dB	55dB	4.3	329%	Day
388	20:11:45	70dB	55dB	2.8	183%	Day
389	20:13:14	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

390	20:15:22	69dB	55dB	2.6	164%	Day
391	20:16:31	68dB	55dB	2.5	146%	Day
392	20:17:59	70dB	55dB	2.8	183%	Day
393	20:19:54	68dB	55dB	2.5	146%	Day
394	20:23:51	70dB	55dB	2.8	183%	Day
395	20:25:10	69dB	55dB	2.6	164%	Day
396	20:27:31	68	55dB	2.5	146%	Day
397	20:29:16	69dB	55dB	2.6	164%	Day
398	20:32:38	69dB	55dB	2.6	164%	Day
399	20:35:17	71dB	55dB	3.0	203%	Day
400	20:36:39	69dB	55dB	2.6	164%	Day
401	20:39:23	72dB	55dB	3.2	225%	Day
402	20:41:28	68dB	55dB	2.5	146%	Day
403	20:42:50	68dB	55dB	2.5	146%	Day
404	20:44:06	71dB	55dB	3.0	203%	Day
405	20:45:19	73dB	55dB	3.5	248%	Day
406	20:49:02	67dB	55dB	2.3	130%	Day
407	20:50:38	70dB	55dB	2.8	183%	Day
408	20:53:14	69dB	55dB	2.6	164%	Day
409	20:55:02	66	55dB	2.1	114%	Day
410	20:56:12	67dB	55dB	2.3	130%	Day
411	20:59:27	75dB	55dB	4.0	300%	Day
412	21:01:26	70dB	55dB	2.8	183%	Day
413	21:03:17	69dB	55dB	2.6	164%	Day
414	21:05:13	71dB	55dB	3.0	203%	Day
415	21:11:41	70dB	55dB	2.8	183%	Day
416	21:14:43	69dB	55dB	2.6	164%	Day
417	21:19:26	68dB	55dB	2.5	146%	Day
418	21:21:13	70dB	55dB	2.8	183%	Day
419	21:22:25	67dB	55dB	2.3	130%	Day
420	21:24:12	67dB	55dB	2.3	130%	Day
421	21:27:33	72dB	55dB	3.2	225%	Day
422	21:30:13	67dB	55dB	2.3	130%	Day
423	21:37:27	69dB	55dB	2.6	164%	Day
424	21:40:24	68dB	55dB	2.5	146%	Day
425	21:42:07	70dB	55dB	2.8	183%	Day
426	21:43:09	69dB	55dB	2.6	164%	Day
427	21:44:57	72dB	55dB	3.2	225%	Day
428	21:47:21	68dB	55dB	2.5	146%	Day
429	21:48:36	68dB	55dB	2.5	146%	Day
430	21:50:04	69dB	55dB	2.6	164%	Day
431	21:51:30	70	55dB	2.8	183%	Day
432	21:52:47	66	55dB	2.1	114%	Day
433	21:54:53	64	55dB	1.9	87%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

434	21:56:12	68dB	55dB	2.5	146%	Day
435	21:58:33	71dB	55dB	3.0	203%	Day
436	22:00:44	68dB	55dB	2.5	146%	Day
437	22:02:54	66	55dB	2.1	114%	Day
438	22:04:48	68dB	55dB	2.5	146%	Day
439	22:06:14	70dB	55dB	2.8	183%	Day
440	22:07:27	67dB	55dB	2.3	130%	Day
441	22:08:39	68dB	55dB	2.5	146%	Day
442	22:10:04	69dB	55dB	2.6	164%	Day
443	22:11:44	67dB	55dB	2.3	130%	Day
444	22:12:56	73dB	55dB	3.5	248%	Day
445	22:15:14	69dB	55dB	2.6	164%	Day
446	22:19:36	71dB	55dB	3.0	203%	Day
447	22:21:02	65	55dB	2.0	100%	Day
448	22:22:41	65	55dB	2.0	100%	Day
449	22:24:23	70dB	55dB	2.8	183%	Day
450	22:26:56	70dB	55dB	2.8	183%	Day
451	22:29:44	69dB	55dB	2.6	164%	Day
452	22:31:39	68dB	55dB	2.5	146%	Day
453	22:33:12	72dB	55dB	3.2	225%	Day
454	22:36:30	67dB	55dB	2.3	130%	Day
455	22:43:05	66	55dB	2.1	114%	Day
456	22:50:28	69dB	55dB	2.6	164%	Day
457	22:52:46	67dB	55dB	2.3	130%	Day
458	22:55:52	67dB	55dB	2.3	130%	Day
459	22:58:06	64	55dB	1.9	87%	Day
460	23:13:38	70dB	45dB	5.7	466%	Night
461	23:15:41	67dB	45dB	4.6	359%	Night
462	23:17:27	71dB	45dB	6.1	506%	Night
463	23:23:31	67	45dB	4.6	359%	Night
464	23:24:43	72dB	45dB	6.5	550%	Night
465	23:26:39	68dB	45dB	4.9	392%	Night
466	23:28:15	66dB	45dB	4.3	329%	Night
467	23:29:43	70dB	45dB	5.7	466%	Night
468	23:33:34	73dB	45dB	7.0	596%	Night
469	23:35:47	70dB	45dB	5.7	466%	Night
470	23:44:45	69dB	45dB	5.3	428%	Night
471	23:50:21	71dB	45dB	6.1	506%	Night
472	23:52:38	72dB	45dB	6.5	550%	Night
473	23:54:02	67dB	45dB	4.6	359%	Night
474	23:55:30	70dB	45dB	5.7	466%	Night
475	23:56:51	66	45dB	4.3	329%	Night
476	23:58:18	69dB	45dB	5.3	428%	Night
477	23:59:39	68dB	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 4, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:00:57	68dB	45dB	4.9	392%	Night
2	00:02:55	68dB	45dB	4.9	392%	Night
3	00:04:35	69dB	45dB	5.3	428%	Night
4	00:06:02	68dB	45dB	4.9	392%	Night
5	00:07:45	71dB	45dB	6.1	506%	Night
6	00:12:03	68dB	45dB	4.9	392%	Night
7	00:15:59	69dB	45dB	5.3	428%	Night
8	00:49:38	60	45dB	2.8	183%	Night
9	6:31:43	67dB	45dB	4.6	359%	Night
10	6:32:34	72dB	45dB	6.5	550%	Night
11	6:33:51	71dB	45dB	6.1	506%	Night
12	6:36:30	69dB	45dB	5.3	428%	Night
13	6:37:29	69dB	45dB	5.3	428%	Night
14	6:38:45	74dB	45dB	7.5	646%	Night
15	6:39:49	73dB	45dB	7.0	596%	Night
16	6:40:47	70dB	45dB	5.7	466%	Night
17	6:41:57	69dB	45dB	5.3	428%	Night
18	6:42:42	68dB	45dB	4.9	392%	Night
19	6:43:22	70dB	45dB	5.7	466%	Night
20	6:44:30	71dB	45dB	6.1	506%	Night
21	6:45:52	73dB	45dB	7.0	596%	Night
22	6:47:15	71dB	45dB	6.1	506%	Night
23	6:49:06	74dB	45dB	7.5	646%	Night
24	6:50:05	70dB	45dB	5.7	466%	Night
25	6:51:04	68dB	45dB	4.9	392%	Night
26	6:51:53	73dB	45dB	7.0	596%	Night
27	6:52:46	71dB	45dB	6.1	506%	Night
28	6:53:56	70dB	45dB	5.7	466%	Night
29	6:54:41	71dB	45dB	6.1	506%	Night
30	6:56:27	68dB	45dB	4.9	392%	Night
31	6:57:20	70dB	45dB	5.7	466%	Night
32	6:58:08	72dB	45dB	6.5	550%	Night
33	6:59:05	68dB	45dB	4.9	392%	Night
34	7:06:09	68dB	55dB	2.5	146%	Day
35	7:06:51	67dB	55dB	2.3	130%	Day
36	7:08:54	75dB	55dB	4.0	300%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	7:10:02	70dB	55dB	2.8	183%	Day
38	7:10:49	72dB	55dB	3.2	225%	Day
39	7:11:55	71dB	55dB	3.0	203%	Day
40	7:12:59	69dB	55dB	2.6	164%	Day
41	7:14:33	70dB	55dB	2.8	183%	Day
42	7:19:03	72dB	55dB	3.2	225%	Day
43	7:20:47	69dB	55dB	2.6	164%	Day
44	7:21:59	74dB	55dB	3.7	273%	Day
45	7:23:15	74dB	55dB	3.7	273%	Day
46	7:27:07	68dB	55dB	2.5	146%	Day
47	7:28:19	75dB	55dB	4.0	300%	Day
48	7:29:38	74dB	55dB	3.7	273%	Day
49	7:30:56	75dB	55dB	4.0	300%	Day
50	7:35:21	71dB	55dB	3.0	203%	Day
51	7:36:23	71dB	55dB	3.0	203%	Day
52	7:37:38	74dB	55dB	3.7	273%	Day
53	7:40:01	71dB	55dB	3.0	203%	Day
54	7:41:05	67dB	55dB	2.3	130%	Day
55	7:41:58	70dB	55dB	2.8	183%	Day
56	7:47:56	68dB	55dB	2.5	146%	Day
57	7:48:45	73dB	55dB	3.5	248%	Day
58	7:51:40	77dB	55dB	4.6	359%	Day
59	7:54:47	70dB	55dB	2.8	183%	Day
60	7:56:52	74dB	55dB	3.7	273%	Day
61	7:58:41	72dB	55dB	3.2	225%	Day
62	7:59:36	71dB	55dB	3.0	203%	Day
63	8:05:15	67dB	55dB	2.3	130%	Day
64	8:06:24	67dB	55dB	2.3	130%	Day
65	8:07:16	68dB	55dB	2.5	146%	Day
66	8:08:45	72dB	55dB	3.2	225%	Day
67	8:10:27	75dB	55dB	4.0	300%	Day
68	8:11:13	68dB	55dB	2.5	146%	Day
69	8:11:59	69dB	55dB	2.6	164%	Day
70	8:12:50	75dB	55dB	4.0	300%	Day
71	8:13:43	74dB	55dB	3.7	273%	Day
72	8:15:11	74dB	55dB	3.7	273%	Day
73	8:17:18	74dB	55dB	3.7	273%	Day
74	8:18:24	72dB	55dB	3.2	225%	Day
75	8:19:21	68dB	55dB	2.5	146%	Day
76	8:20:15	71dB	55dB	3.0	203%	Day
77	8:21:36	69dB	55dB	2.6	164%	Day
78	8:22:54	73dB	55dB	3.5	248%	Day
79	8:24:11	76dB	55dB	4.3	329%	Day
80	8:26:00	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	8:26:46	74dB	55dB	3.7	273%	Day
82	8:27:52	75dB	55dB	4.0	300%	Day
83	8:29:02	74dB	55dB	3.7	273%	Day
84	8:29:57	71dB	55dB	3.0	203%	Day
85	8:31:00	72dB	55dB	3.2	225%	Day
86	8:33:33	73dB	55dB	3.5	248%	Day
87	8:37:47	74dB	55dB	3.7	273%	Day
88	8:40:51	69dB	55dB	2.6	164%	Day
89	8:42:05	70dB	55dB	2.8	183%	Day
90	8:43:54	70dB	55dB	2.8	183%	Day
91	8:45:55	73dB	55dB	3.5	248%	Day
92	8:46:42	69dB	55dB	2.6	164%	Day
93	8:48:45	71dB	55dB	3.0	203%	Day
94	8:49:55	75dB	55dB	4.0	300%	Day
95	8:50:52	73dB	55dB	3.5	248%	Day
96	8:51:37	74dB	55dB	3.7	273%	Day
97	8:53:19	71dB	55dB	3.0	203%	Day
98	8:55:53	75dB	55dB	4.0	300%	Day
99	8:56:48	74dB	55dB	3.7	273%	Day
100	8:57:33	71dB	55dB	3.0	203%	Day
101	8:58:42	75dB	55dB	4.0	300%	Day
102	9:00:22	69dB	55dB	2.6	164%	Day
103	9:05:30	75dB	55dB	4.0	300%	Day
104	9:06:47	70dB	55dB	2.8	183%	Day
105	9:09:20	69dB	55dB	2.6	164%	Day
106	9:10:33	71dB	55dB	3.0	203%	Day
107	9:12:31	69dB	55dB	2.6	164%	Day
108	9:13:48	68dB	55dB	2.5	146%	Day
109	9:14:46	77dB	55dB	4.6	359%	Day
110	9:15:53	72dB	55dB	3.2	225%	Day
111	9:16:50	75dB	55dB	4.0	300%	Day
112	9:18:36	72dB	55dB	3.2	225%	Day
113	9:20:42	68dB	55dB	2.5	146%	Day
114	9:21:55	75dB	55dB	4.0	300%	Day
115	9:23:16	67dB	55dB	2.3	130%	Day
116	9:23:56	71dB	55dB	3.0	203%	Day
117	9:25:27	77dB	55dB	4.6	359%	Day
118	9:28:37	69dB	55dB	2.6	164%	Day
119	9:31:48	72dB	55dB	3.2	225%	Day
120	9:33:52	65	55dB	2.0	100%	Day
121	9:34:55	73dB	55dB	3.5	248%	Day
122	9:35:59	70dB	55dB	2.8	183%	Day
123	9:37:18	77dB	55dB	4.6	359%	Day
124	9:39:05	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	9:40:11	75dB	55dB	4.0	300%	Day
126	9:41:06	69dB	55dB	2.6	164%	Day
127	9:42:22	71dB	55dB	3.0	203%	Day
128	9:43:32	71dB	55dB	3.0	203%	Day
129	9:45:59	65	55dB	2.0	100%	Day
130	9:46:50	71dB	55dB	3.0	203%	Day
131	9:47:54	70dB	55dB	2.8	183%	Day
132	9:48:43	70dB	55dB	2.8	183%	Day
133	9:50:08	69dB	55dB	2.6	164%	Day
134	9:51:10	71dB	55dB	3.0	203%	Day
135	9:58:04	69dB	55dB	2.6	164%	Day
136	9:59:05	67	55dB	2.3	130%	Day
137	10:00:25	64	55dB	1.9	87%	Day
138	10:04:36	75dB	55dB	4.0	300%	Day
139	10:05:33	75dB	55dB	4.0	300%	Day
140	10:06:47	70dB	55dB	2.8	183%	Day
141	10:07:33	70dB	55dB	2.8	183%	Day
142	10:08:30	68dB	55dB	2.5	146%	Day
143	10:09:20	77dB	55dB	4.6	359%	Day
144	10:13:33	70dB	55dB	2.8	183%	Day
145	10:15:42	61	55dB	1.5	52%	Day
146	10:17:52	70dB	55dB	2.8	183%	Day
147	10:19:27	67dB	55dB	2.3	130%	Day
148	10:20:38	73dB	55dB	3.5	248%	Day
149	10:25:08	65	55dB	2.0	100%	Day
150	10:33:08	71dB	55dB	3.0	203%	Day
151	10:39:17	71dB	55dB	3.0	203%	Day
152	10:40:31	72dB	55dB	3.2	225%	Day
153	10:42:23	60	55dB	1.4	41%	Day
154	10:43:03	68	55dB	2.5	146%	Day
155	10:43:58	65	55dB	2.0	100%	Day
156	10:44:38	72dB	55dB	3.2	225%	Day
157	10:45:47	71dB	55dB	3.0	203%	Day
158	10:47:37	72dB	55dB	3.2	225%	Day
159	10:48:48	74dB	55dB	3.7	273%	Day
160	10:50:33	72dB	55dB	3.2	225%	Day
161	10:51:41	69dB	55dB	2.6	164%	Day
162	10:55:13	72dB	55dB	3.2	225%	Day
163	11:02:34	74dB	55dB	3.7	273%	Day
164	11:06:02	72dB	55dB	3.2	225%	Day
165	11:08:03	73dB	55dB	3.5	248%	Day
166	11:10:44	71dB	55dB	3.0	203%	Day
167	11:11:53	71dB	55dB	3.0	203%	Day
168	11:19:32	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	11:21:45	74dB	55dB	3.7	273%	Day
170	11:22:54	73dB	55dB	3.5	248%	Day
171	11:24:10	71dB	55dB	3.0	203%	Day
172	11:26:22	67	55dB	2.3	130%	Day
173	11:38:46	74dB	55dB	3.7	273%	Day
174	11:40:14	71dB	55dB	3.0	203%	Day
175	11:44:09	75dB	55dB	4.0	300%	Day
176	11:51:48	72dB	55dB	3.2	225%	Day
177	11:57:13	63	55dB	1.7	74%	Day
178	12:02:58	72dB	55dB	3.2	225%	Day
179	12:06:36	70dB	55dB	2.8	183%	Day
180	12:08:28	76dB	55dB	4.3	329%	Day
181	12:12:14	68dB	55dB	2.5	146%	Day
182	12:13:46	71dB	55dB	3.0	203%	Day
183	12:15:14	65	55dB	2.0	100%	Day
184	12:22:24	76dB	55dB	4.3	329%	Day
185	12:23:15	75dB	55dB	4.0	300%	Day
186	12:26:16	80dB	55dB	5.7	466%	Day
187	12:29:37	70dB	55dB	2.8	183%	Day
188	12:34:54	71dB	55dB	3.0	203%	Day
189	12:36:08	66	55dB	2.1	114%	Day
190	12:36:56	75dB	55dB	4.0	300%	Day
191	12:40:31	73dB	55dB	3.5	248%	Day
192	12:41:22	68	55dB	2.5	146%	Day
193	12:45:17	70dB	55dB	2.8	183%	Day
194	12:46:02	73dB	55dB	3.5	248%	Day
195	12:46:58	74dB	55dB	3.7	273%	Day
196	12:47:51	74dB	55dB	3.7	273%	Day
197	12:48:51	67dB	55dB	2.3	130%	Day
198	12:53:02	70dB	55dB	2.8	183%	Day
199	12:56:51	77dB	55dB	4.6	359%	Day
200	12:58:48	73dB	55dB	3.5	248%	Day
201	13:01:14	70dB	55dB	2.8	183%	Day
202	13:02:18	70dB	55dB	2.8	183%	Day
203	13:03:43	72dB	55dB	3.2	225%	Day
204	13:04:44	65	55dB	2.0	100%	Day
205	13:05:44	74dB	55dB	3.7	273%	Day
206	13:19:27	75dB	55dB	4.0	300%	Day
207	13:20:59	72dB	55dB	3.2	225%	Day
208	13:22:30	70dB	55dB	2.8	183%	Day
209	13:23:55	71dB	55dB	3.0	203%	Day
210	13:25:48	73dB	55dB	3.5	248%	Day
211	13:30:06	68dB	55dB	2.5	146%	Day
212	13:31:04	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	13:36:10	69dB	55dB	2.6	164%	Day
214	13:37:31	72dB	55dB	3.2	225%	Day
215	13:38:37	60	55dB	1.4	41%	Day
216	13:40:17	68dB	55dB	2.5	146%	Day
217	13:41:27	68dB	55dB	2.5	146%	Day
218	13:42:37	74dB	55dB	3.7	273%	Day
219	13:43:43	70dB	55dB	2.8	183%	Day
220	13:44:50	70dB	55dB	2.8	183%	Day
221	13:45:39	73dB	55dB	3.5	248%	Day
222	13:47:19	74dB	55dB	3.7	273%	Day
223	13:48:49	69dB	55dB	2.6	164%	Day
224	13:49:35	75dB	55dB	4.0	300%	Day
225	13:50:38	72dB	55dB	3.2	225%	Day
226	13:51:56	71dB	55dB	3.0	203%	Day
227	13:52:45	69dB	55dB	2.6	164%	Day
228	13:55:07	76dB	55dB	4.3	329%	Day
229	14:00:16	69dB	55dB	2.6	164%	Day
230	14:05:29	73dB	55dB	3.5	248%	Day
231	14:06:53	71dB	55dB	3.0	203%	Day
232	14:10:33	68	55dB	2.5	146%	Day
233	14:12:56	70dB	55dB	2.8	183%	Day
234	14:15:49	69dB	55dB	2.6	164%	Day
235	14:16:45	69dB	55dB	2.6	164%	Day
236	14:17:48	57	55dB	1.1	15%	Day
237	14:18:34	71dB	55dB	3.0	203%	Day
238	14:19:51	69dB	55dB	2.6	164%	Day
239	14:20:54	70dB	55dB	2.8	183%	Day
240	14:24:29	67	55dB	2.3	130%	Day
241	14:29:58	74dB	55dB	3.7	273%	Day
242	14:30:38	75dB	55dB	4.0	300%	Day
243	14:31:37	72dB	55dB	3.2	225%	Day
244	14:32:51	72dB	55dB	3.2	225%	Day
246	14:33:57	71dB	55dB	3.0	203%	Day
247	14:35:40	70dB	55dB	2.8	183%	Day
248	14:37:06	68dB	55dB	2.5	146%	Day
249	14:39:58	72dB	55dB	3.2	225%	Day
250	14:50:45	64	55dB	1.9	87%	Day
251	16:33:42	67	55dB	2.3	130%	Day
252	16:35:18	74dB	55dB	3.7	273%	Day
253	16:38:02	70dB	55dB	2.8	183%	Day
254	16:39:16	68dB	55dB	2.5	146%	Day
255	16:40:29	70dB	55dB	2.8	183%	Day
256	16:41:47	74dB	55dB	3.7	273%	Day
257	16:42:52	67	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

258	16:45:19	69dB	55dB	2.6	164%	Day
259	16:46:56	72dB	55dB	3.2	225%	Day
260	16:48:28	68dB	55dB	2.5	146%	Day
261	16:50:57	68dB	55dB	2.5	146%	Day
262	16:52:03	70dB	55dB	2.8	183%	Day
263	16:53:20	72dB	55dB	3.2	225%	Day
264	16:54:36	73dB	55dB	3.5	248%	Day
265	16:57:10	67	55dB	2.3	130%	Day
266	16:58:12	66	55dB	2.1	114%	Day
267	16:59:32	68dB	55dB	2.5	146%	Day
268	17:01:13	68dB	55dB	2.5	146%	Day
269	17:02:30	69dB	55dB	2.6	164%	Day
270	17:04:00	67dB	55dB	2.3	130%	Day
271	17:05:48	68dB	55dB	2.5	146%	Day
272	17:07:18	76dB	55dB	4.3	329%	Day
273	17:09:20	70dB	55dB	2.8	183%	Day
274	17:11:22	67dB	55dB	2.3	130%	Day
275	17:12:36	70dB	55dB	2.8	183%	Day
276	17:14:09	67	55dB	2.3	130%	Day
277	17:15:13	67	55dB	2.3	130%	Day
278	17:15:14	67dB	55dB	2.3	130%	Day
279	17:17:07	69dB	55dB	2.6	164%	Day
280	17:18:33	69dB	55dB	2.6	164%	Day
281	17:19:59	65	55dB	2.0	100%	Day
282	17:23:17	70dB	55dB	2.8	183%	Day
283	17:27:09	70dB	55dB	2.8	183%	Day
284	17:28:42	69dB	55dB	2.6	164%	Day
285	17:30:18	68dB	55dB	2.5	146%	Day
286	17:32:00	70dB	55dB	2.8	183%	Day
287	17:33:52	73dB	55dB	3.5	248%	Day
288	17:39:03	67dB	55dB	2.3	130%	Day
289	17:40:19	70dB	55dB	2.8	183%	Day
290	17:41:51	68dB	55dB	2.5	146%	Day
291	17:43:32	69dB	55dB	2.6	164%	Day
292	17:47:14	74dB	55dB	3.7	273%	Day
293	17:48:35	72dB	55dB	3.2	225%	Day
294	17:51:26	69dB	55dB	2.6	164%	Day
295	17:53:06	72dB	55dB	3.2	225%	Day
296	17:57:07	69dB	55dB	2.6	164%	Day
297	17:58:37	68dB	55dB	2.5	146%	Day
298	18:02:00	69dB	55dB	2.6	164%	Day
299	18:03:14	64	55dB	1.9	87%	Day
300	18:04:51	70dB	55dB	2.8	183%	Day
301	18:07:42	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

302	18:09:17	69dB	55dB	2.6	164%	Day
303	18:10:42	70dB	55dB	2.8	183%	Day
304	18:13:06	69dB	55dB	2.6	164%	Day
305	18:14:25	69dB	55dB	2.6	164%	Day
306	18:15:58	71dB	55dB	3.0	203%	Day
307	18:17:21	66dB	55dB	2.1	114%	Day
308	18:18:40	66	55dB	2.1	114%	Day
309	18:20:23	76dB	55dB	4.3	329%	Day
310	18:22:26	70dB	55dB	2.8	183%	Day
311	18:23:46	69dB	55dB	2.6	164%	Day
312	18:25:17	75dB	55dB	4.0	300%	Day
313	18:26:38	69dB	55dB	2.6	164%	Day
314	18:29:45	65	55dB	2.0	100%	Day
315	18:31:35	68dB	55dB	2.5	146%	Day
316	18:33:36	71dB	55dB	3.0	203%	Day
317	18:37:13	69dB	55dB	2.6	164%	Day
318	18:38:48	71dB	55dB	3.0	203%	Day
319	18:42:11	73dB	55dB	3.5	248%	Day
320	18:44:12	72dB	55dB	3.2	225%	Day
321	18:45:32	69dB	55dB	2.6	164%	Day
322	18:46:57	66	55dB	2.1	114%	Day
323	18:48:30	73dB	55dB	3.5	248%	Day
324	18:49:47	71dB	55dB	3.0	203%	Day
325	18:51:00	67dB	55dB	2.3	130%	Day
326	18:52:28	68dB	55dB	2.5	146%	Day
327	18:53:40	72dB	55dB	3.2	225%	Day
328	18:55:34	71dB	55dB	3.0	203%	Day
329	18:57:46	69dB	55dB	2.6	164%	Day
330	18:59:13	71dB	55dB	3.0	203%	Day
331	19:00:21	69dB	55dB	2.6	164%	Day
332	19:01:43	71dB	55dB	3.0	203%	Day
333	19:03:36	69dB	55dB	2.6	164%	Day
334	19:04:51	66	55dB	2.1	114%	Day
335	19:09:27	69dB	55dB	2.6	164%	Day
336	19:10:58	68dB	55dB	2.5	146%	Day
337	19:12:27	69dB	55dB	2.6	164%	Day
338	19:13:55	72dB	55dB	3.2	225%	Day
339	19:15:39	73dB	55dB	3.5	248%	Day
340	19:17:52	69dB	55dB	2.6	164%	Day
341	19:19:29	72dB	55dB	3.2	225%	Day
342	19:22:35	70dB	55dB	2.8	183%	Day
343	19:24:13	68dB	55dB	2.5	146%	Day
344	19:25:47	65	55dB	2.0	100%	Day
345	19:27:27	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

346	19:29:28	69dB	55dB	2.6	164%	Day
347	19:30:48	68dB	55dB	2.5	146%	Day
348	19:32:24	67dB	55dB	2.3	130%	Day
349	19:33:51	64	55dB	1.9	87%	Day
350	19:36:29	69dB	55dB	2.6	164%	Day
351	19:38:11	70dB	55dB	2.8	183%	Day
352	19:40:24	69dB	55dB	2.6	164%	Day
353	19:42:19	68	55dB	2.5	146%	Day
354	19:45:36	72dB	55dB	3.2	225%	Day
355	19:55:12	70dB	55dB	2.8	183%	Day
356	19:57:50	65	55dB	2.0	100%	Day
357	19:59:32	71dB	55dB	3.0	203%	Day
358	20:02:54	69dB	55dB	2.6	164%	Day
359	20:04:30	69dB	55dB	2.6	164%	Day
360	20:07:48	70dB	55dB	2.8	183%	Day
361	20:09:15	68dB	55dB	2.5	146%	Day
362	20:11:30	68dB	55dB	2.5	146%	Day
363	20:14:02	71dB	55dB	3.0	203%	Day
364	20:18:23	70dB	55dB	2.8	183%	Day
365	20:19:49	72dB	55dB	3.2	225%	Day
366	20:21:12	72dB	55dB	3.2	225%	Day
367	20:22:34	71dB	55dB	3.0	203%	Day
368	20:23:57	70dB	55dB	2.8	183%	Day
369	20:25:19	69dB	55dB	2.6	164%	Day
370	20:26:50	69dB	55dB	2.6	164%	Day
371	20:28:40	70dB	55dB	2.8	183%	Day
372	20:30:38	69dB	55dB	2.6	164%	Day
373	20:32:09	73dB	55dB	3.5	248%	Day
374	20:33:32	69dB	55dB	2.6	164%	Day
375	20:35:36	68dB	55dB	2.5	146%	Day
376	20:36:50	68dB	55dB	2.5	146%	Day
377	20:39:49	70dB	55dB	2.8	183%	Day
378	20:41:04	70dB	55dB	2.8	183%	Day
379	20:43:13	69dB	55dB	2.6	164%	Day
380	20:44:37	70dB	55dB	2.8	183%	Day
381	20:45:58	72dB	55dB	3.2	225%	Day
382	20:50:31	69dB	55dB	2.6	164%	Day
383	20:51:51	69dB	55dB	2.6	164%	Day
384	20:53:10	70dB	55dB	2.8	183%	Day
385	20:54:19	72dB	55dB	3.2	225%	Day
386	20:56:26	68dB	55dB	2.5	146%	Day
387	20:57:34	68dB	55dB	2.5	146%	Day
388	20:58:43	72dB	55dB	3.2	225%	Day
389	21:00:46	72dB	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

390	21:02:47	66	55dB	2.1	114%	Day
391	21:05:55	70dB	55dB	2.8	183%	Day
392	21:08:42	68dB	55dB	2.5	146%	Day
393	21:10:11	68dB	55dB	2.5	146%	Day
394	21:11:44	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 5, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	6:31:26	69dB	45dB	5.3	428%	Night
2	06:35:32	63	45dB	3.5	248%	Night
3	06:36:46	64	45dB	3.7	273%	Night
4	6:37:54	70dB	45dB	5.7	466%	Night
5	06:39:17	65	45dB	4.0	300%	Night
6	6:41:54	69dB	45dB	5.3	428%	Night
7	6:43:19	69dB	45dB	5.3	428%	Night
8	6:44:21	70dB	45dB	5.7	466%	Night
9	6:45:41	70dB	45dB	5.7	466%	Night
10	6:47:15	73dB	45dB	7.0	596%	Night
11	6:48:37	68dB	45dB	4.9	392%	Night
12	6:50:28	69dB	45dB	5.3	428%	Night
13	6:53:39	69dB	45dB	5.3	428%	Night
14	06:54:07	62	45dB	3.2	225%	Night
15	6:55:06	71dB	45dB	6.1	506%	Night
16	6:55:40	71dB	45dB	6.1	506%	Night
17	06:56:42	63	45dB	3.5	248%	Night
18	06:57:24	65	45dB	4.0	300%	Night
19	6:58:27	67dB	45dB	4.6	359%	Night
20	6:59:25	68dB	45dB	4.9	392%	Night
21	7:00:24	67dB	55dB	2.3	130%	Day
22	07:01:10	64	55dB	1.9	87%	Day
23	7:02:09	67dB	55dB	2.3	130%	Day
24	7:03:05	67dB	55dB	2.3	130%	Day
25	7:04:27	68dB	55dB	2.5	146%	Day
26	7:06:08	71dB	55dB	3.0	203%	Day
27	7:07:21	68dB	55dB	2.5	146%	Day
28	07:08:07	68	55dB	2.5	146%	Day
29	7:09:15	72dB	55dB	3.2	225%	Day
30	7:10:04	68dB	55dB	2.5	146%	Day
31	7:11:14	66dB	55dB	2.1	114%	Day
32	7:12:24	73dB	55dB	3.5	248%	Day
33	7:13:21	72dB	55dB	3.2	225%	Day
34	7:14:25	66dB	55dB	2.1	114%	Day
35	07:15:17	66	55dB	2.1	114%	Day
36	7:16:05	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	7:18:12	67dB	55dB	2.3	130%	Day
38	07:19:37	65	55dB	2.0	100%	Day
39	07:21:37	66	55dB	2.1	114%	Day
40	7:23:39	70dB	55dB	2.8	183%	Day
41	7:33:50	68dB	55dB	2.5	146%	Day
42	07:40:07	66	55dB	2.1	114%	Day
43	7:42:03	67dB	55dB	2.3	130%	Day
44	7:45:24	71dB	55dB	3.0	203%	Day
45	7:53:45	68dB	55dB	2.5	146%	Day
46	7:54:52	69dB	55dB	2.6	164%	Day
47	07:56:27	66	55dB	2.1	114%	Day
48	7:57:33	67dB	55dB	2.3	130%	Day
49	7:58:55	66dB	55dB	2.1	114%	Day
50	8:01:50	67dB	55dB	2.3	130%	Day
51	8:04:43	73dB	55dB	3.5	248%	Day
52	8:06:10	70dB	55dB	2.8	183%	Day
53	8:08:51	69dB	55dB	2.6	164%	Day
54	8:12:12	73dB	55dB	3.5	248%	Day
55	8:23:07	68dB	55dB	2.5	146%	Day
56	8:27:16	69dB	55dB	2.6	164%	Day
57	8:29:11	71dB	55dB	3.0	203%	Day
58	8:45:25	69dB	55dB	2.6	164%	Day
59	8:47:10	66dB	55dB	2.1	114%	Day
60	9:16:46	74dB	55dB	3.7	273%	Day
61	9:23:12	68dB	55dB	2.5	146%	Day
62	9:24:44	70dB	55dB	2.8	183%	Day
63	9:25:55	74dB	55dB	3.7	273%	Day
64	9:28:23	69dB	55dB	2.6	164%	Day
65	9:37:41	68dB	55dB	2.5	146%	Day
66	9:40:12	67dB	55dB	2.3	130%	Day
67	9:46:48	68dB	55dB	2.5	146%	Day
68	9:48:15	69dB	55dB	2.6	164%	Day
69	9:50:49	67dB	55dB	2.3	130%	Day
70	9:51:46	71dB	55dB	3.0	203%	Day
71	9:53:22	69dB	55dB	2.6	164%	Day
72	9:54:56	66dB	55dB	2.1	114%	Day
73	9:56:11	68dB	55dB	2.5	146%	Day
74	16:49:11	71dB	55dB	3.0	203%	Day
75	16:51:42	67dB	55dB	2.3	130%	Day
76	16:53:19	70dB	55dB	2.8	183%	Day
77	16:54:53	68dB	55dB	2.5	146%	Day
78	16:56:27	74dB	55dB	3.7	273%	Day
79	16:58:30	66	55dB	2.1	114%	Day
80	16:59:39	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	17:02:55	64	55dB	1.9	87%	Day
82	17:04:53	68dB	55dB	2.5	146%	Day
83	17:06:56	68	55dB	2.5	146%	Day
84	17:09:17	67	55dB	2.3	130%	Day
85	17:12:00	70dB	55dB	2.8	183%	Day
86	17:13:45	69dB	55dB	2.6	164%	Day
87	17:15:26	73dB	55dB	3.5	248%	Day
88	17:17:03	69dB	55dB	2.6	164%	Day
89	17:18:44	68dB	55dB	2.5	146%	Day
90	17:20:30	67dB	55dB	2.3	130%	Day
91	17:21:56	68dB	55dB	2.5	146%	Day
92	17:23:50	72dB	55dB	3.2	225%	Day
93	17:26:04	63	55dB	1.7	74%	Day
94	17:27:48	70dB	55dB	2.8	183%	Day
95	17:29:30	73dB	55dB	3.5	248%	Day
96	17:31:14	75dB	55dB	4.0	300%	Day
97	17:35:47	75dB	55dB	4.0	300%	Day
98	17:37:50	71dB	55dB	3.0	203%	Day
99	17:42:04	69dB	55dB	2.6	164%	Day
100	17:43:35	66	55dB	2.1	114%	Day
101	17:45:32	67dB	55dB	2.3	130%	Day
102	17:47:07	71dB	55dB	3.0	203%	Day
103	17:48:51	68dB	55dB	2.5	146%	Day
104	17:50:26	72dB	55dB	3.2	225%	Day
105	17:53:37	70dB	55dB	2.8	183%	Day
106	17:55:37	66	55dB	2.1	114%	Day
107	17:57:31	74dB	55dB	3.7	273%	Day
108	17:59:11	70dB	55dB	2.8	183%	Day
109	18:00:59	69dB	55dB	2.6	164%	Day
110	18:02:39	67dB	55dB	2.3	130%	Day
111	18:04:23	65	55dB	2.0	100%	Day
112	18:06:04	67dB	55dB	2.3	130%	Day
113	18:07:38	71dB	55dB	3.0	203%	Day
114	18:09:25	67	55dB	2.3	130%	Day
115	18:11:05	71dB	55dB	3.0	203%	Day
116	18:12:56	71dB	55dB	3.0	203%	Day
117	18:14:47	68	55dB	2.5	146%	Day
118	18:16:37	73dB	55dB	3.5	248%	Day
119	18:18:41	71dB	55dB	3.0	203%	Day
120	18:20:33	70dB	55dB	2.8	183%	Day
121	18:22:20	73dB	55dB	3.5	248%	Day
122	18:24:29	71dB	55dB	3.0	203%	Day
123	18:26:09	69dB	55dB	2.6	164%	Day
124	18:27:52	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	18:29:42	69dB	55dB	2.6	164%	Day
126	18:31:16	71dB	55dB	3.0	203%	Day
127	18:33:03	73dB	55dB	3.5	248%	Day
128	18:35:07	68dB	55dB	2.5	146%	Day
129	18:36:46	71dB	55dB	3.0	203%	Day
130	18:38:55	70dB	55dB	2.8	183%	Day
131	18:40:27	71dB	55dB	3.0	203%	Day
132	18:41:56	73dB	55dB	3.5	248%	Day
133	18:43:58	68dB	55dB	2.5	146%	Day
134	18:45:29	72dB	55dB	3.2	225%	Day
135	18:47:04	67dB	55dB	2.3	130%	Day
136	18:50:16	70dB	55dB	2.8	183%	Day
137	18:52:16	72dB	55dB	3.2	225%	Day
138	18:53:54	71dB	55dB	3.0	203%	Day
139	18:55:48	70dB	55dB	2.8	183%	Day
140	18:57:21	74dB	55dB	3.7	273%	Day
141	18:59:26	71dB	55dB	3.0	203%	Day
142	19:00:47	73dB	55dB	3.5	248%	Day
143	19:03:14	68dB	55dB	2.5	146%	Day
144	19:04:42	68dB	55dB	2.5	146%	Day
145	19:06:15	68dB	55dB	2.5	146%	Day
146	19:08:10	73dB	55dB	3.5	248%	Day
147	19:09:55	69dB	55dB	2.6	164%	Day
148	19:11:48	74dB	55dB	3.7	273%	Day
149	19:14:07	70dB	55dB	2.8	183%	Day
150	19:15:46	67dB	55dB	2.3	130%	Day
151	19:17:39	72dB	55dB	3.2	225%	Day
152	19:20:01	69dB	55dB	2.6	164%	Day
153	19:22:42	67dB	55dB	2.3	130%	Day
154	19:24:14	68dB	55dB	2.5	146%	Day
155	19:26:07	68dB	55dB	2.5	146%	Day
156	19:28:44	68	55dB	2.5	146%	Day
157	19:30:33	70dB	55dB	2.8	183%	Day
158	19:32:23	69dB	55dB	2.6	164%	Day
159	19:34:21	68dB	55dB	2.5	146%	Day
160	19:36:03	73dB	55dB	3.5	248%	Day
161	19:38:43	70dB	55dB	2.8	183%	Day
162	19:41:35	70dB	55dB	2.8	183%	Day
163	19:43:23	66	55dB	2.1	114%	Day
164	19:45:19	70dB	55dB	2.8	183%	Day
165	19:47:01	69dB	55dB	2.6	164%	Day
166	19:48:48	72dB	55dB	3.2	225%	Day
167	19:53:15	66	55dB	2.1	114%	Day
168	19:55:21	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	19:57:23	70dB	55dB	2.8	183%	Day
170	19:59:29	68dB	55dB	2.5	146%	Day
171	20:00:43	67dB	55dB	2.3	130%	Day
172	20:01:27	69	55dB	2.6	164%	Day
173	20:02:27	80dB	55dB	5.7	466%	Day
174	20:03:03	69dB	55dB	2.6	164%	Day
175	20:04:05	71dB	55dB	3.0	203%	Day
176	20:04:59	69dB	55dB	2.6	164%	Day
177	20:06:51	72dB	55dB	3.2	225%	Day
178	20:07:07	74dB	55dB	3.7	273%	Day
179	20:08:51	69dB	55dB	2.6	164%	Day
180	20:08:58	68dB	55dB	2.5	146%	Day
181	20:10:40	72dB	55dB	3.2	225%	Day
182	20:10:59	71dB	55dB	3.0	203%	Day
183	20:12:21	68dB	55dB	2.5	146%	Day
184	20:14:00	73dB	55dB	3.5	248%	Day
185	20:15:05	67dB	55dB	2.3	130%	Day
186	20:15:48	72dB	55dB	3.2	225%	Day
187	20:16:54	67dB	55dB	2.3	130%	Day
188	20:18:12	73dB	55dB	3.5	248%	Day
189	20:18:42	69dB	55dB	2.6	164%	Day
190	20:20:03	71dB	55dB	3.0	203%	Day
191	20:20:32	69dB	55dB	2.6	164%	Day
192	20:21:41	73dB	55dB	3.5	248%	Day
193	20:22:24	67dB	55dB	2.3	130%	Day
194	20:23:52	69dB	55dB	2.6	164%	Day
195	20:24:00	69dB	55dB	2.6	164%	Day
196	20:25:46	68dB	55dB	2.5	146%	Day
197	20:25:50	71dB	55dB	3.0	203%	Day
198	20:27:25	70dB	55dB	2.8	183%	Day
199	20:27:56	73dB	55dB	3.5	248%	Day
200	20:29:12	69dB	55dB	2.6	164%	Day
201	20:29:24	68	55dB	2.5	146%	Day
202	20:30:49	70dB	55dB	2.8	183%	Day
203	20:31:08	69dB	55dB	2.6	164%	Day
204	20:32:40	69dB	55dB	2.6	164%	Day
205	20:32:48	70dB	55dB	2.8	183%	Day
206	20:34:15	68dB	55dB	2.5	146%	Day
207	20:34:17	75dB	55dB	4.0	300%	Day
208	20:35:56	70dB	55dB	2.8	183%	Day
209	20:36:03	69dB	55dB	2.6	164%	Day
210	20:37:58	69dB	55dB	2.6	164%	Day
211	20:38:50	70dB	55dB	2.8	183%	Day
212	20:39:52	67dB	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	20:41:09	68dB	55dB	2.5	146%	Day
214	20:41:22	70dB	55dB	2.8	183%	Day
215	20:42:44	69dB	55dB	2.6	164%	Day
216	20:42:53	70dB	55dB	2.8	183%	Day
217	20:44:28	69dB	55dB	2.6	164%	Day
218	20:44:45	69dB	55dB	2.6	164%	Day
219	20:46:34	72dB	55dB	3.2	225%	Day
220	20:46:39	70dB	55dB	2.8	183%	Day
221	20:48:07	68dB	55dB	2.5	146%	Day
222	20:49:46	71dB	55dB	3.0	203%	Day
223	20:51:18	69dB	55dB	2.6	164%	Day
224	20:52:46	70dB	55dB	2.8	183%	Day
225	20:53:33	70dB	55dB	2.8	183%	Day
226	20:54:38	67dB	55dB	2.3	130%	Day
227	20:55:28	69dB	55dB	2.6	164%	Day
228	20:57:10	69dB	55dB	2.6	164%	Day
229	20:59:06	70dB	55dB	2.8	183%	Day
230	20:59:33	69dB	55dB	2.6	164%	Day
231	21:12:40	64	55dB	1.9	87%	Day
232	22:01:30	67dB	55dB	2.3	130%	Day
233	22:03:24	68dB	55dB	2.5	146%	Day
234	22:08:50	71dB	55dB	3.0	203%	Day
235	22:11:36	69dB	55dB	2.6	164%	Day
236	22:14:12	71dB	55dB	3.0	203%	Day
237	22:17:10	69dB	55dB	2.6	164%	Day
238	22:19:04	68dB	55dB	2.5	146%	Day
239	22:22:20	70dB	55dB	2.8	183%	Day
240	22:24:18	67dB	55dB	2.3	130%	Day
241	22:27:13	70dB	55dB	2.8	183%	Day
242	22:29:10	68dB	55dB	2.5	146%	Day
243	22:31:03	71dB	55dB	3.0	203%	Day
244	22:33:06	68dB	55dB	2.5	146%	Day
246	22:34:58	68dB	55dB	2.5	146%	Day
247	22:36:48	69dB	55dB	2.6	164%	Day
248	22:38:32	72dB	55dB	3.2	225%	Day
249	22:40:36	75dB	55dB	4.0	300%	Day
250	22:42:24	69dB	55dB	2.6	164%	Day
251	22:52:06	66dB	55dB	2.1	114%	Day
252	22:56:29	68dB	55dB	2.5	146%	Day
253	22:59:47	72dB	55dB	3.2	225%	Day
254	23:00:04	67dB	45dB	4.6	359%	Night
255	23:02:12	67dB	45dB	4.6	359%	Night
256	23:13:15	71dB	45dB	6.1	506%	Night
257	23:15:05	71dB	45dB	6.1	506%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

258	23:17:36	70dB	45dB	5.7	466%	Night
259	23:20:32	72dB	45dB	6.5	550%	Night
260	23:21:51	70dB	45dB	5.7	466%	Night
261	23:23:10	70dB	45dB	5.7	466%	Night
262	23:25:57	69dB	45dB	5.3	428%	Night
263	23:29:26	72dB	45dB	6.5	550%	Night
264	23:31:58	69dB	45dB	5.3	428%	Night
265	23:35:04	67dB	45dB	4.6	359%	Night
266	23:39:09	71dB	45dB	6.1	506%	Night
267	23:40:36	72dB	45dB	6.5	550%	Night
268	23:41:55	69dB	45dB	5.3	428%	Night
269	23:46:12	72dB	45dB	6.5	550%	Night
270	23:46:34	69dB	45dB	5.3	428%	Night
271	23:49:31	69dB	45dB	5.3	428%	Night
272	23:51:17	74dB	45dB	7.5	646%	Night
273	23:53:20	72dB	45dB	6.5	550%	Night
274	23:55:21	70dB	45dB	5.7	466%	Night
275	23:57:40	75dB	45dB	8.0	700%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 6, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:00:04	67dB	45dB	4.6	359%	Night
2	00:02:01	72dB	45dB	6.5	550%	Night
3	00:17:36	70dB	45dB	5.7	466%	Night
4	00:32:38	71dB	45dB	6.1	506%	Night
5	00:41:51	71dB	45dB	6.1	506%	Night
6	00:46:12	72dB	45dB	6.5	550%	Night
7	00:49:31	69dB	45dB	5.3	428%	Night
8	01:01:59	71dB	45dB	6.1	506%	Night
9	01:08:51	73dB	45dB	7.0	596%	Night
10	01:10:56	69dB	45dB	5.3	428%	Night
11	01:24:31	68dB	45dB	4.9	392%	Night
12	01:28:17	72dB	45dB	6.5	550%	Night
13	01:34:32	74dB	45dB	7.5	646%	Night
14	01:39:33	70dB	45dB	5.7	466%	Night
15	01:46:03	78dB	45dB	9.8	885%	Night
16	02:00:34	69dB	45dB	5.3	428%	Night
17	02:25:38	72dB	45dB	6.5	550%	Night
18	02:27:50	70dB	45dB	5.7	466%	Night
19	04:43:55	69dB	45dB	5.3	428%	Night
20	04:46:29	74dB	45dB	7.5	646%	Night
21	04:56:57	70dB	45dB	5.7	466%	Night
22	05:02:16	72dB	45dB	6.5	550%	Night
23	05:11:02	74dB	45dB	7.5	646%	Night
24	05:26:06	72dB	45dB	6.5	550%	Night
25	05:33:58	73dB	45dB	7.0	596%	Night
26	05:36:47	72dB	45dB	6.5	550%	Night
27	05:39:29	73dB	45dB	7.0	596%	Night
28	05:46:56	71dB	45dB	6.1	506%	Night
29	05:52:05	72dB	45dB	6.5	550%	Night
30	05:54:20	72dB	45dB	6.5	550%	Night
31	05:56:01	69dB	45dB	5.3	428%	Night
32	05:57:48	70dB	45dB	5.7	466%	Night
33	05:59:41	73dB	45dB	7.0	596%	Night
34	06:06:47	73dB	45dB	7.0	596%	Night
35	06:09:45	71dB	45dB	6.1	506%	Night
36	06:11:54	70dB	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	06:29:50	69dB	45dB	5.3	428%	Night
38	06:31:23	72dB	45dB	6.5	550%	Night
39	06:33:10	75dB	45dB	8.0	700%	Night
40	06:36:39	72dB	45dB	6.5	550%	Night
41	06:38:42	71dB	45dB	6.1	506%	Night
42	06:39:55	73dB	45dB	7.0	596%	Night
43	06:41:18	71dB	45dB	6.1	506%	Night
44	06:42:56	69dB	45dB	5.3	428%	Night
45	06:44:07	67dB	45dB	4.6	359%	Night
46	06:46:00	76dB	45dB	8.6	757%	Night
47	06:48:57	71dB	45dB	6.1	506%	Night
48	06:51:02	72dB	45dB	6.5	550%	Night
49	06:53:13	70dB	45dB	5.7	466%	Night
50	06:54:57	77dB	45dB	9.2	819%	Night
51	06:56:56	71dB	45dB	6.1	506%	Night
52	06:58:36	72dB	45dB	6.5	550%	Night
53	07:05:37	69dB	55dB	2.6	164%	Day
54	07:08:14	69dB	55dB	2.6	164%	Day
55	07:11:32	70dB	55dB	2.8	183%	Day
56	07:20:33	67dB	55dB	2.3	130%	Day
57	07:25:54	67dB	55dB	2.3	130%	Day
58	07:26:01	69dB	55dB	2.6	164%	Day
59	07:32:23	74dB	55dB	3.7	273%	Day
60	07:34:24	69dB	55dB	2.6	164%	Day
61	07:36:15	69dB	55dB	2.6	164%	Day
62	07:44:59	73dB	55dB	3.5	248%	Day
63	07:46:49	70dB	55dB	2.8	183%	Day
64	07:49:44	71dB	55dB	3.0	203%	Day
65	07:51:31	70dB	55dB	2.8	183%	Day
66	07:53:17	72dB	55dB	3.2	225%	Day
67	07:55:19	70dB	55dB	2.8	183%	Day
68	07:57:45	68dB	55dB	2.5	146%	Day
69	08:00:56	73dB	55dB	3.5	248%	Day
70	08:05:08	67dB	55dB	2.3	130%	Day
71	08:07:30	68dB	55dB	2.5	146%	Day
72	08:10:24	69dB	55dB	2.6	164%	Day
73	08:12:06	69dB	55dB	2.6	164%	Day
74	08:15:04	69dB	55dB	2.6	164%	Day
75	08:20:02	73dB	55dB	3.5	248%	Day
76	08:27:28	69dB	55dB	2.6	164%	Day
77	08:51:09	78dB	55dB	4.9	392%	Day
78	08:54:31	69dB	55dB	2.6	164%	Day
79	08:58:25	76dB	55dB	4.3	329%	Day
80	09:11:55	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	09:18:28	73dB	55dB	3.5	248%	Day
82	09:24:50	74dB	55dB	3.7	273%	Day
83	09:30:48	74dB	55dB	3.7	273%	Day
84	09:34:33	69dB	55dB	2.6	164%	Day
85	09:34:38	73dB	55dB	3.5	248%	Day
86	09:36:21	67dB	55dB	2.3	130%	Day
87	09:38:00	70dB	55dB	2.8	183%	Day
88	09:39:46	73dB	55dB	3.5	248%	Day
89	09:44:47	72dB	55dB	3.2	225%	Day
90	09:49:19	70dB	55dB	2.8	183%	Day
91	09:52:14	76dB	55dB	4.3	329%	Day
92	09:55:00	68dB	55dB	2.5	146%	Day
93	10:00:52	75dB	55dB	4.0	300%	Day
94	10:03:32	74dB	55dB	3.7	273%	Day
95	10:06:39	73dB	55dB	3.5	248%	Day
96	10:11:38	72dB	55dB	3.2	225%	Day
97	10:14:00	70dB	55dB	2.8	183%	Day
98	10:18:31	72dB	55dB	3.2	225%	Day
99	10:23:17	75dB	55dB	4.0	300%	Day
100	10:26:11	70dB	55dB	2.8	183%	Day
101	10:28:32	72dB	55dB	3.2	225%	Day
102	10:32:16	73dB	55dB	3.5	248%	Day
103	10:37:41	74dB	55dB	3.7	273%	Day
104	10:39:05	73dB	55dB	3.5	248%	Day
105	10:41:12	72dB	55dB	3.2	225%	Day
106	10:49:36	76dB	55dB	4.3	329%	Day
107	10:53:35	74dB	55dB	3.7	273%	Day
108	10:55:05	69dB	55dB	2.6	164%	Day
109	11:03:56	70dB	55dB	2.8	183%	Day
110	11:06:08	71dB	55dB	3.0	203%	Day
111	11:08:11	75dB	55dB	4.0	300%	Day
112	11:10:16	74dB	55dB	3.7	273%	Day
113	11:11:49	73dB	55dB	3.5	248%	Day
114	11:13:15	72dB	55dB	3.2	225%	Day
115	11:15:56	69dB	55dB	2.6	164%	Day
116	11:17:32	71dB	55dB	3.0	203%	Day
117	11:19:18	67dB	55dB	2.3	130%	Day
118	11:21:25	68dB	55dB	2.5	146%	Day
119	11:24:48	75dB	55dB	4.0	300%	Day
120	11:32:16	69dB	55dB	2.6	164%	Day
121	11:37:34	73dB	55dB	3.5	248%	Day
122	11:40:09	68dB	55dB	2.5	146%	Day
123	11:47:11	69dB	55dB	2.6	164%	Day
124	11:50:13	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	11:52:10	71dB	55dB	3.0	203%	Day
126	11:53:59	69dB	55dB	2.6	164%	Day
127	11:56:02	72dB	55dB	3.2	225%	Day
128	12:04:52	74dB	55dB	3.7	273%	Day
129	12:06:45	76dB	55dB	4.3	329%	Day
130	12:08:45	71dB	55dB	3.0	203%	Day
131	12:10:05	69dB	55dB	2.6	164%	Day
132	12:12:14	71dB	55dB	3.0	203%	Day
133	12:14:31	70dB	55dB	2.8	183%	Day
134	12:16:11	73dB	55dB	3.5	248%	Day
135	12:18:17	70dB	55dB	2.8	183%	Day
136	12:20:41	78dB	55dB	4.9	392%	Day
137	12:25:09	69dB	55dB	2.6	164%	Day
138	12:26:49	84dB	55dB	7.5	646%	Day
139	12:28:01	68dB	55dB	2.5	146%	Day
140	12:29:39	71dB	55dB	3.0	203%	Day
141	12:31:09	70dB	55dB	2.8	183%	Day
142	12:33:39	69dB	55dB	2.6	164%	Day
143	12:36:31	71dB	55dB	3.0	203%	Day
144	12:38:00	70dB	55dB	2.8	183%	Day
145	12:39:26	71dB	55dB	3.0	203%	Day
146	12:40:46	69dB	55dB	2.6	164%	Day
147	12:42:39	70dB	55dB	2.8	183%	Day
148	12:44:12	70dB	55dB	2.8	183%	Day
149	12:46:26	73dB	55dB	3.5	248%	Day
150	12:48:14	73dB	55dB	3.5	248%	Day
151	12:50:31	71dB	55dB	3.0	203%	Day
152	12:51:49	70dB	55dB	2.8	183%	Day
153	12:53:16	71dB	55dB	3.0	203%	Day
154	12:54:25	71dB	55dB	3.0	203%	Day
155	12:56:15	74dB	55dB	3.7	273%	Day
156	13:00:26	69dB	55dB	2.6	164%	Day
157	13:03:14	72dB	55dB	3.2	225%	Day
158	13:04:44	70dB	55dB	2.8	183%	Day
159	13:05:55	69dB	55dB	2.6	164%	Day
160	13:07:23	72dB	55dB	3.2	225%	Day
161	13:13:55	68dB	55dB	2.5	146%	Day
162	13:15:55	67dB	55dB	2.3	130%	Day
163	13:18:32	70dB	55dB	2.8	183%	Day
164	13:23:12	69dB	55dB	2.6	164%	Day
165	13:29:16	70dB	55dB	2.8	183%	Day
166	13:31:15	71dB	55dB	3.0	203%	Day
167	13:40:45	74dB	55dB	3.7	273%	Day
168	13:42:57	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	13:45:36	68dB	55dB	2.5	146%	Day
170	13:49:12	71dB	55dB	3.0	203%	Day
171	13:50:31	68dB	55dB	2.5	146%	Day
172	13:52:40	73dB	55dB	3.5	248%	Day
173	13:54:20	69dB	55dB	2.6	164%	Day
174	13:56:01	69dB	55dB	2.6	164%	Day
175	13:57:26	69dB	55dB	2.6	164%	Day
176	13:58:49	71dB	55dB	3.0	203%	Day
177	14:02:21	70dB	55dB	2.8	183%	Day
178	14:03:42	73dB	55dB	3.5	248%	Day
179	14:05:36	72dB	55dB	3.2	225%	Day
180	14:06:48	69dB	55dB	2.6	164%	Day
181	14:08:18	68dB	55dB	2.5	146%	Day
182	14:11:11	69dB	55dB	2.6	164%	Day
183	14:16:01	71dB	55dB	3.0	203%	Day
184	14:19:17	71dB	55dB	3.0	203%	Day
185	14:21:03	72dB	55dB	3.2	225%	Day
186	14:23:10	71dB	55dB	3.0	203%	Day
187	14:26:10	70dB	55dB	2.8	183%	Day
188	14:29:51	71dB	55dB	3.0	203%	Day
189	14:32:54	70dB	55dB	2.8	183%	Day
190	14:34:22	70dB	55dB	2.8	183%	Day
191	14:37:09	72dB	55dB	3.2	225%	Day
192	14:38:37	72dB	55dB	3.2	225%	Day
193	14:39:56	73dB	55dB	3.5	248%	Day
194	14:42:04	70dB	55dB	2.8	183%	Day
195	14:43:37	72dB	55dB	3.2	225%	Day
196	14:45:13	75dB	55dB	4.0	300%	Day
197	14:47:03	74dB	55dB	3.7	273%	Day
198	14:48:19	68dB	55dB	2.5	146%	Day
199	14:49:49	76dB	55dB	4.3	329%	Day
200	14:51:28	70dB	55dB	2.8	183%	Day
201	14:53:15	75dB	55dB	4.0	300%	Day
202	14:56:02	70dB	55dB	2.8	183%	Day
203	14:58:45	76dB	55dB	4.3	329%	Day
204	15:01:14	83dB	55dB	7.0	596%	Day
205	15:03:17	71dB	55dB	3.0	203%	Day
206	15:04:50	69dB	55dB	2.6	164%	Day
207	15:06:34	73dB	55dB	3.5	248%	Day
208	15:08:34	74dB	55dB	3.7	273%	Day
209	15:11:18	73dB	55dB	3.5	248%	Day
210	15:12:28	72dB	55dB	3.2	225%	Day
211	15:13:52	71dB	55dB	3.0	203%	Day
212	15:16:37	78dB	55dB	4.9	392%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	15:18:23	70dB	55dB	2.8	183%	Day
214	15:19:48	72dB	55dB	3.2	225%	Day
215	15:21:09	73dB	55dB	3.5	248%	Day
216	15:22:26	71dB	55dB	3.0	203%	Day
217	15:23:42	69dB	55dB	2.6	164%	Day
218	15:24:47	69dB	55dB	2.6	164%	Day
219	15:26:06	69dB	55dB	2.6	164%	Day
220	15:27:24	71dB	55dB	3.0	203%	Day
221	15:28:51	71dB	55dB	3.0	203%	Day
222	15:31:07	71dB	55dB	3.0	203%	Day
223	15:32:22	73dB	55dB	3.5	248%	Day
224	15:34:12	75dB	55dB	4.0	300%	Day
225	15:35:30	73dB	55dB	3.5	248%	Day
226	15:40:29	68dB	55dB	2.5	146%	Day
227	15:41:51	71dB	55dB	3.0	203%	Day
228	15:45:06		55dB	#VALUE!	#VALUE!	Day
229	15:46:47	72dB	55dB	3.2	225%	Day
230	15:48:16	74dB	55dB	3.7	273%	Day
231	15:50:19	84dB	55dB	7.5	646%	Day
232	15:52:04	74dB	55dB	3.7	273%	Day
233	15:53:43	77dB	55dB	4.6	359%	Day
234	15:55:26	72dB	55dB	3.2	225%	Day
235	15:56:50	68dB	55dB	2.5	146%	Day
236	15:57:56	71dB	55dB	3.0	203%	Day
237	15:59:24	68dB	55dB	2.5	146%	Day
238	16:00:37	78dB	55dB	4.9	392%	Day
239	16:02:56	68dB	55dB	2.5	146%	Day
240	16:04:36	67dB	55dB	2.3	130%	Day
241	16:05:47	72dB	55dB	3.2	225%	Day
242	16:10:22	67dB	55dB	2.3	130%	Day
243	16:12:00	73dB	55dB	3.5	248%	Day
244	16:14:18	71dB	55dB	3.0	203%	Day
245	16:16:00	68dB	55dB	2.5	146%	Day
246	16:20:06	71dB	55dB	3.0	203%	Day
247	16:22:21	74dB	55dB	3.7	273%	Day
248	16:28:05	70dB	55dB	2.8	183%	Day
249	16:29:59	67dB	55dB	2.3	130%	Day
250	16:31:50	69dB	55dB	2.6	164%	Day
251	16:33:42	71dB	55dB	3.0	203%	Day
252	16:34:59	71dB	55dB	3.0	203%	Day
253	16:36:20	68dB	55dB	2.5	146%	Day
254	16:37:48	69dB	55dB	2.6	164%	Day
255	16:39:13	68dB	55dB	2.5	146%	Day
256	16:43:01	73dB	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	16:47:06	68dB	55dB	2.5	146%	Day
258	16:50:09	70dB	55dB	2.8	183%	Day
259	16:52:08	71dB	55dB	3.0	203%	Day
260	16:55:38	69dB	55dB	2.6	164%	Day
261	16:58:08	81dB	55dB	6.1	506%	Day
262	16:59:47	68dB	55dB	2.5	146%	Day
263	17:05:46	69dB	55dB	2.6	164%	Day
264	17:07:31	71dB	55dB	3.0	203%	Day
265	17:09:52	69dB	55dB	2.6	164%	Day
266	17:11:34	77dB	55dB	4.6	359%	Day
267	17:13:34	75dB	55dB	4.0	300%	Day
268	17:15:36	68dB	55dB	2.5	146%	Day
269	17:16:58	71dB	55dB	3.0	203%	Day
270	17:18:30	72dB	55dB	3.2	225%	Day
271	17:20:37	71dB	55dB	3.0	203%	Day
272	17:21:53	71dB	55dB	3.0	203%	Day
273	17:24:21	67dB	55dB	2.3	130%	Day
274	17:28:05	67dB	55dB	2.3	130%	Day
275	17:30:27	69dB	55dB	2.6	164%	Day
276	17:34:21	71dB	55dB	3.0	203%	Day
277	17:36:25	68dB	55dB	2.5	146%	Day
278	17:37:43	69dB	55dB	2.6	164%	Day
279	17:42:11	69dB	55dB	2.6	164%	Day
280	17:45:49	68dB	55dB	2.5	146%	Day
281	17:47:06	68dB	55dB	2.5	146%	Day
282	17:48:36	71dB	55dB	3.0	203%	Day
283	17:51:08	71dB	55dB	3.0	203%	Day
284	17:52:22	70dB	55dB	2.8	183%	Day
285	17:54:28	69dB	55dB	2.6	164%	Day
286	17:55:46	73dB	55dB	3.5	248%	Day
287	17:57:06	71dB	55dB	3.0	203%	Day
288	17:58:32	68	55dB	2.5	146%	Day
289	17:59:57	70dB	55dB	2.8	183%	Day
290	18:01:14	68dB	55dB	2.5	146%	Day
291	18:03:43	70dB	55dB	2.8	183%	Day
292	18:05:31	71dB	55dB	3.0	203%	Day
293	18:08:39	69	55dB	2.6	164%	Day
294	18:10:21	72dB	55dB	3.2	225%	Day
295	18:12:49	67dB	55dB	2.3	130%	Day
296	18:14:16	69dB	55dB	2.6	164%	Day
297	18:16:03	70dB	55dB	2.8	183%	Day
298	18:21:25	64	55dB	1.9	87%	Day
299	18:23:06	70dB	55dB	2.8	183%	Day
300	18:25:09	66dB	55dB	2.1	114%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	18:27:13	65	55dB	2.0	100%	Day
302	18:29:39	67	55dB	2.3	130%	Day
303	18:33:41	70dB	55dB	2.8	183%	Day
304	18:42:40	69dB	55dB	2.6	164%	Day
305	18:45:36	64	55dB	1.9	87%	Day
306	18:47:26	70dB	55dB	2.8	183%	Day
307	18:49:15	68dB	55dB	2.5	146%	Day
308	18:50:39	69dB	55dB	2.6	164%	Day
309	18:52:06	70dB	55dB	2.8	183%	Day
310	18:54:18	68dB	55dB	2.5	146%	Day
311	18:56:01	68dB	55dB	2.5	146%	Day
312	18:57:27	67	55dB	2.3	130%	Day
313	18:58:47	63	55dB	1.7	74%	Day
314	18:59:57	67dB	55dB	2.3	130%	Day
315	19:01:08	70dB	55dB	2.8	183%	Day
316	19:03:23	70dB	55dB	2.8	183%	Day
317	19:04:45	67	55dB	2.3	130%	Day
318	19:06:31	68dB	55dB	2.5	146%	Day
319	19:09:22	68dB	55dB	2.5	146%	Day
320	19:11:19	70dB	55dB	2.8	183%	Day
321	19:13:27	68dB	55dB	2.5	146%	Day
322	19:15:18	67dB	55dB	2.3	130%	Day
323	19:17:15	70dB	55dB	2.8	183%	Day
324	19:18:52	72	55dB	3.2	225%	Day
325	19:20:41	71dB	55dB	3.0	203%	Day
326	19:23:30	66	55dB	2.1	114%	Day
327	19:25:01	72dB	55dB	3.2	225%	Day
328	19:26:56	70dB	55dB	2.8	183%	Day
329	19:28:28	68dB	55dB	2.5	146%	Day
330	19:30:03	70dB	55dB	2.8	183%	Day
331	19:31:19	67dB	55dB	2.3	130%	Day
332	19:32:51	68dB	55dB	2.5	146%	Day
333	19:34:41	70dB	55dB	2.8	183%	Day
334	19:36:42	71dB	55dB	3.0	203%	Day
335	19:39:14	67dB	55dB	2.3	130%	Day
336	19:43:50	68dB	55dB	2.5	146%	Day
337	19:45:37	71dB	55dB	3.0	203%	Day
338	19:49:22	68dB	55dB	2.5	146%	Day
339	19:50:37	71dB	55dB	3.0	203%	Day
340	19:52:20	70dB	55dB	2.8	183%	Day
341	19:54:07	70dB	55dB	2.8	183%	Day
342	19:55:23	73dB	55dB	3.5	248%	Day
343	19:57:44	69dB	55dB	2.6	164%	Day
344	19:59:54	64	55dB	1.9	87%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

345	20:02:24	67dB	55dB	2.3	130%	Day
346	20:05:04	71dB	55dB	3.0	203%	Day
347	20:10:23	72dB	55dB	3.2	225%	Day
348	20:12:29	77dB	55dB	4.6	359%	Day
349	20:14:10	64	55dB	1.9	87%	Day
350	20:15:18	69dB	55dB	2.6	164%	Day
351	20:17:17	70dB	55dB	2.8	183%	Day
352	20:20:03	69dB	55dB	2.6	164%	Day
353	20:21:41	71dB	55dB	3.0	203%	Day
354	20:23:41	69dB	55dB	2.6	164%	Day
355	20:25:47	66	55dB	2.1	114%	Day
356	20:27:29	70dB	55dB	2.8	183%	Day
357	20:30:35	65	55dB	2.0	100%	Day
358	20:32:28	72dB	55dB	3.2	225%	Day
359	20:34:32	67dB	55dB	2.3	130%	Day
360	20:36:20	68dB	55dB	2.5	146%	Day
361	20:43:56	67	55dB	2.3	130%	Day
362	20:45:54	70dB	55dB	2.8	183%	Day
363	20:48:04	77dB	55dB	4.6	359%	Day
364	20:50:19	69dB	55dB	2.6	164%	Day
365	20:51:53	74dB	55dB	3.7	273%	Day
366	20:53:22	70dB	55dB	2.8	183%	Day
367	20:54:50	70dB	55dB	2.8	183%	Day
368	20:57:00	69dB	55dB	2.6	164%	Day
369	20:58:37	71dB	55dB	3.0	203%	Day
370	21:00:02	67	55dB	2.3	130%	Day
371	21:01:12	70dB	55dB	2.8	183%	Day
372	21:03:03	72dB	55dB	3.2	225%	Day
373	21:06:24	67	55dB	2.3	130%	Day
374	21:07:40	70dB	55dB	2.8	183%	Day
375	21:09:32	69dB	55dB	2.6	164%	Day
376	21:14:46	68dB	55dB	2.5	146%	Day
377	21:17:01	66	55dB	2.1	114%	Day
378	21:21:32	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 7, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:21:56	67dB	45dB	4.6	359%	Night
2	06:28:22	69dB	45dB	5.3	428%	Night
3	06:29:50	70dB	45dB	5.7	466%	Night
4	06:31:39	76dB	45dB	8.6	757%	Night
5	06:34:05	70dB	45dB	5.7	466%	Night
6	06:35:38	70dB	45dB	5.7	466%	Night
7	06:36:57	70dB	45dB	5.7	466%	Night
8	06:38:26	70dB	45dB	5.7	466%	Night
9	06:39:48	69dB	45dB	5.3	428%	Night
10	06:41:14	70dB	45dB	5.7	466%	Night
11	06:42:38	68dB	45dB	4.9	392%	Night
12	06:44:16	69dB	45dB	5.3	428%	Night
13	06:45:26	70dB	45dB	5.7	466%	Night
14	06:46:50	74dB	45dB	7.5	646%	Night
15	06:48:58	71dB	45dB	6.1	506%	Night
16	06:51:24	70dB	45dB	5.7	466%	Night
17	06:54:13	71dB	45dB	6.1	506%	Night
18	06:55:27	69dB	45dB	5.3	428%	Night
19	06:57:01	70dB	45dB	5.7	466%	Night
20	06:58:10	69dB	45dB	5.3	428%	Night
21	07:14:01	69dB	55dB	2.6	164%	Day
22	07:24:53	69dB	55dB	2.6	164%	Day
23	07:27:52	70dB	55dB	2.8	183%	Day
24	07:32:10	71dB	55dB	3.0	203%	Day
25	07:36:54	70dB	55dB	2.8	183%	Day
26	07:38:26	68dB	55dB	2.5	146%	Day
27	07:40:20	71dB	55dB	3.0	203%	Day
28	07:42:52	74dB	55dB	3.7	273%	Day
29	07:54:58	74dB	55dB	3.7	273%	Day
30	07:57:33	70dB	55dB	2.8	183%	Day
31	07:58:40	71dB	55dB	3.0	203%	Day
32	07:59:57	69dB	55dB	2.6	164%	Day
33	08:03:58	69dB	55dB	2.6	164%	Day
34	08:06:01	68dB	55dB	2.5	146%	Day
35	08:08:37	73dB	55dB	3.5	248%	Day
36	08:11:02	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	08:14:03	72dB	55dB	3.2	225%	Day
38	08:15:57	72dB	55dB	3.2	225%	Day
39	08:18:21	71dB	55dB	3.0	203%	Day
40	08:21:04	73dB	55dB	3.5	248%	Day
41	08:35:26	71dB	55dB	3.0	203%	Day
42	08:51:57	72dB	55dB	3.2	225%	Day
43	09:04:00	73dB	55dB	3.5	248%	Day
44	09:06:16	74dB	55dB	3.7	273%	Day
45	09:15:41	71dB	55dB	3.0	203%	Day
46	09:18:12	72dB	55dB	3.2	225%	Day
47	09:22:44	75dB	55dB	4.0	300%	Day
48	09:39:15	71dB	55dB	3.0	203%	Day
49	09:41:36	71dB	55dB	3.0	203%	Day
50	09:45:51	71dB	55dB	3.0	203%	Day
51	09:54:55	68dB	55dB	2.5	146%	Day
52	09:56:31	72dB	55dB	3.2	225%	Day
53	09:59:41	69dB	55dB	2.6	164%	Day
54	10:05:26	74dB	55dB	3.7	273%	Day
55	10:12:15	69dB	55dB	2.6	164%	Day
56	10:14:15	74dB	55dB	3.7	273%	Day
57	10:17:58	69dB	55dB	2.6	164%	Day
58	10:19:47	74dB	55dB	3.7	273%	Day
59	10:21:32	71dB	55dB	3.0	203%	Day
60	10:22:42	69dB	55dB	2.6	164%	Day
61	10:24:08	69dB	55dB	2.6	164%	Day
62	10:28:03	70dB	55dB	2.8	183%	Day
63	10:30:21	71dB	55dB	3.0	203%	Day
64	10:32:30	68dB	55dB	2.5	146%	Day
65	10:37:03	72dB	55dB	3.2	225%	Day
66	10:39:45	75dB	55dB	4.0	300%	Day
67	10:44:14	69dB	55dB	2.6	164%	Day
68	10:47:14	70dB	55dB	2.8	183%	Day
69	10:52:13	71dB	55dB	3.0	203%	Day
70	11:13:30	69dB	55dB	2.6	164%	Day
71	11:15:06	70dB	55dB	2.8	183%	Day
72	11:16:38	70dB	55dB	2.8	183%	Day
73	11:17:54	71dB	55dB	3.0	203%	Day
74	11:19:05	70dB	55dB	2.8	183%	Day
75	11:20:16	69dB	55dB	2.6	164%	Day
76	11:22:53	69dB	55dB	2.6	164%	Day
77	11:26:47	72dB	55dB	3.2	225%	Day
78	11:30:37	71dB	55dB	3.0	203%	Day
79	11:32:01	68dB	55dB	2.5	146%	Day
80	11:35:57	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	11:40:15	68dB	55dB	2.5	146%	Day
82	11:41:54	77dB	55dB	4.6	359%	Day
83	11:44:30	68dB	55dB	2.5	146%	Day
84	11:45:25	70dB	55dB	2.8	183%	Day
85	11:47:12	72dB	55dB	3.2	225%	Day
86	11:49:01	71dB	55dB	3.0	203%	Day
87	11:49:29	68dB	55dB	2.5	146%	Day
88	11:51:02	72dB	55dB	3.2	225%	Day
89	11:51:04	71dB	55dB	3.0	203%	Day
90	11:52:59	70dB	55dB	2.8	183%	Day
91	11:54:36	70dB	55dB	2.8	183%	Day
92	11:55:19	70dB	55dB	2.8	183%	Day
93	11:56:22	69dB	55dB	2.6	164%	Day
94	11:56:56	70dB	55dB	2.8	183%	Day
95	11:57:30	70dB	55dB	2.8	183%	Day
96	11:59:02	71dB	55dB	3.0	203%	Day
97	11:59:07	67dB	55dB	2.3	130%	Day
98	12:04:18	70dB	55dB	2.8	183%	Day
99	12:05:44	69dB	55dB	2.6	164%	Day
100	12:07:50	69dB	55dB	2.6	164%	Day
101	12:09:38	70dB	55dB	2.8	183%	Day
102	12:09:40	70dB	55dB	2.8	183%	Day
103	12:11:24	72dB	55dB	3.2	225%	Day
104	12:12:16	70dB	55dB	2.8	183%	Day
105	12:13:55	68dB	55dB	2.5	146%	Day
106	12:14:45	74dB	55dB	3.7	273%	Day
107	12:15:57	66dB	55dB	2.1	114%	Day
108	12:17:35	70dB	55dB	2.8	183%	Day
109	12:20:30	69dB	55dB	2.6	164%	Day
110	12:21:06	69dB	55dB	2.6	164%	Day
111	12:22:15	70dB	55dB	2.8	183%	Day
112	12:23:44	70dB	55dB	2.8	183%	Day
113	12:24:58	68dB	55dB	2.5	146%	Day
114	12:26:11	69dB	55dB	2.6	164%	Day
115	12:27:29	70dB	55dB	2.8	183%	Day
116	12:28:44	71dB	55dB	3.0	203%	Day
117	12:30:21	69dB	55dB	2.6	164%	Day
118	12:36:06	68dB	55dB	2.5	146%	Day
119	12:37:51	71dB	55dB	3.0	203%	Day
120	12:40:48	68dB	55dB	2.5	146%	Day
121	12:42:01	67dB	55dB	2.3	130%	Day
122	12:43:31	71dB	55dB	3.0	203%	Day
123	12:47:03	70dB	55dB	2.8	183%	Day
124	12:53:16	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	12:54:30	69dB	55dB	2.6	164%	Day
126	12:59:19	68dB	55dB	2.5	146%	Day
127	13:01:24	69dB	55dB	2.6	164%	Day
128	13:02:48	70dB	55dB	2.8	183%	Day
129	13:04:30	69dB	55dB	2.6	164%	Day
130	13:06:05	69dB	55dB	2.6	164%	Day
131	13:07:34	70dB	55dB	2.8	183%	Day
132	13:09:06	73dB	55dB	3.5	248%	Day
133	13:11:16	71dB	55dB	3.0	203%	Day
134	13:13:30	70dB	55dB	2.8	183%	Day
135	13:16:39	71dB	55dB	3.0	203%	Day
136	13:17:57	68dB	55dB	2.5	146%	Day
137	13:33:35	69dB	55dB	2.6	164%	Day
138	13:37:52	69dB	55dB	2.6	164%	Day
139	13:40:51	67dB	55dB	2.3	130%	Day
140	13:48:15	72dB	55dB	3.2	225%	Day
141	13:49:49	70dB	55dB	2.8	183%	Day
142	13:51:18	69dB	55dB	2.6	164%	Day
143	13:54:47	69dB	55dB	2.6	164%	Day
144	13:58:32	71dB	55dB	3.0	203%	Day
145	14:00:32	69dB	55dB	2.6	164%	Day
146	14:03:16	67dB	55dB	2.3	130%	Day
147	14:04:45	70dB	55dB	2.8	183%	Day
148	14:06:39	70dB	55dB	2.8	183%	Day
149	14:11:11	70dB	55dB	2.8	183%	Day
150	14:13:44	71dB	55dB	3.0	203%	Day
151	14:15:16	68dB	55dB	2.5	146%	Day
152	14:18:13	70dB	55dB	2.8	183%	Day
153	14:20:33	69dB	55dB	2.6	164%	Day
154	14:21:52	74dB	55dB	3.7	273%	Day
155	14:23:46	71dB	55dB	3.0	203%	Day
156	14:25:03	73dB	55dB	3.5	248%	Day
157	14:27:28	72dB	55dB	3.2	225%	Day
158	14:28:44	75dB	55dB	4.0	300%	Day
159	14:30:50	70dB	55dB	2.8	183%	Day
160	14:32:16	72dB	55dB	3.2	225%	Day
161	14:33:56	69dB	55dB	2.6	164%	Day
162	14:35:25	71dB	55dB	3.0	203%	Day
163	14:39:53	71dB	55dB	3.0	203%	Day
164	14:41:46	71dB	55dB	3.0	203%	Day
165	14:43:33	69dB	55dB	2.6	164%	Day
166	14:46:40	74dB	55dB	3.7	273%	Day
167	14:52:46	78dB	55dB	4.9	392%	Day
168	14:55:07	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	14:56:33	69dB	55dB	2.6	164%	Day
170	15:00:30	79dB	55dB	5.3	428%	Day
171	15:01:39	76dB	55dB	4.3	329%	Day
172	15:03:46	73dB	55dB	3.5	248%	Day
173	15:08:41	79dB	55dB	5.3	428%	Day
174	15:10:33	68dB	55dB	2.5	146%	Day
175	15:14:23	70dB	55dB	2.8	183%	Day
176	15:16:34	70dB	55dB	2.8	183%	Day
177	15:18:07	71dB	55dB	3.0	203%	Day
178	15:19:19	70dB	55dB	2.8	183%	Day
179	15:22:41	72dB	55dB	3.2	225%	Day
180	15:24:32	68dB	55dB	2.5	146%	Day
181	15:25:47	68dB	55dB	2.5	146%	Day
182	15:28:29	69dB	55dB	2.6	164%	Day
183	15:33:01	69dB	55dB	2.6	164%	Day
184	15:34:22	69dB	55dB	2.6	164%	Day
185	15:37:06	68dB	55dB	2.5	146%	Day
186	15:38:54	74dB	55dB	3.7	273%	Day
187	15:43:22	70dB	55dB	2.8	183%	Day
188	15:45:02	71dB	55dB	3.0	203%	Day
189	15:46:52	70dB	55dB	2.8	183%	Day
190	15:48:17	73dB	55dB	3.5	248%	Day
191	15:55:20	72dB	55dB	3.2	225%	Day
192	15:57:50	70dB	55dB	2.8	183%	Day
193	16:00:02	70dB	55dB	2.8	183%	Day
194	16:01:59	68dB	55dB	2.5	146%	Day
195	16:04:04	74dB	55dB	3.7	273%	Day
196	16:08:28	67dB	55dB	2.3	130%	Day
197	16:11:25	70dB	55dB	2.8	183%	Day
198	16:14:51	73dB	55dB	3.5	248%	Day
199	16:16:50	74dB	55dB	3.7	273%	Day
200	16:18:17	72dB	55dB	3.2	225%	Day
201	16:20:35	68dB	55dB	2.5	146%	Day
202	16:23:15	69dB	55dB	2.6	164%	Day
203	16:24:37	69dB	55dB	2.6	164%	Day
204	16:26:39	73dB	55dB	3.5	248%	Day
205	16:29:11	67dB	55dB	2.3	130%	Day
206	16:31:58	69dB	55dB	2.6	164%	Day
207	16:33:31	70dB	55dB	2.8	183%	Day
208	16:34:51	70dB	55dB	2.8	183%	Day
209	16:36:20	71dB	55dB	3.0	203%	Day
210	16:40:50	72dB	55dB	3.2	225%	Day
211	16:44:29	79dB	55dB	5.3	428%	Day
212	16:47:08	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	16:49:38	68dB	55dB	2.5	146%	Day
214	16:53:16	71dB	55dB	3.0	203%	Day
215	16:59:27	70dB	55dB	2.8	183%	Day
216	17:00:48	73dB	55dB	3.5	248%	Day
217	17:02:44	68dB	55dB	2.5	146%	Day
218	17:04:06	73dB	55dB	3.5	248%	Day
219	17:06:19	71dB	55dB	3.0	203%	Day
220	17:08:47	71dB	55dB	3.0	203%	Day
221	17:10:10	66dB	55dB	2.1	114%	Day
222	17:11:24	70dB	55dB	2.8	183%	Day
223	17:12:33	70dB	55dB	2.8	183%	Day
224	17:13:57	68dB	55dB	2.5	146%	Day
225	17:16:27	72dB	55dB	3.2	225%	Day
226	17:18:37	67dB	55dB	2.3	130%	Day
227	17:19:46	71dB	55dB	3.0	203%	Day
228	17:22:12	73dB	55dB	3.5	248%	Day
229	17:29:41	69dB	55dB	2.6	164%	Day
230	17:30:56	71dB	55dB	3.0	203%	Day
231	17:32:32	71dB	55dB	3.0	203%	Day
232	17:36:11	67dB	55dB	2.3	130%	Day
233	17:37:47	68dB	55dB	2.5	146%	Day
234	17:40:09	70dB	55dB	2.8	183%	Day
235	17:46:31	72dB	55dB	3.2	225%	Day
236	17:47:35	70dB	55dB	2.8	183%	Day
237	17:50:12	71dB	55dB	3.0	203%	Day
238	17:51:45	73dB	55dB	3.5	248%	Day
239	17:55:15	70dB	55dB	2.8	183%	Day
240	17:57:14	68dB	55dB	2.5	146%	Day
241	17:58:36	73dB	55dB	3.5	248%	Day
242	18:00:32	70dB	55dB	2.8	183%	Day
243	18:01:40	71dB	55dB	3.0	203%	Day
244	18:06:07	71dB	55dB	3.0	203%	Day
245	18:07:20	74dB	55dB	3.7	273%	Day
246	18:09:09	71dB	55dB	3.0	203%	Day
247	18:10:59	74dB	55dB	3.7	273%	Day
248	18:13:01	68dB	55dB	2.5	146%	Day
249	18:16:22	70dB	55dB	2.8	183%	Day
250	18:17:43	71dB	55dB	3.0	203%	Day
251	18:20:04	67dB	55dB	2.3	130%	Day
252	18:21:27	71dB	55dB	3.0	203%	Day
253	18:22:36	71dB	55dB	3.0	203%	Day
254	18:23:59	67dB	55dB	2.3	130%	Day
255	18:25:16	68dB	55dB	2.5	146%	Day
256	18:26:47	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	18:28:56	73dB	55dB	3.5	248%	Day
258	18:31:44	70dB	55dB	2.8	183%	Day
259	18:34:25	69dB	55dB	2.6	164%	Day
260	18:36:06	69dB	55dB	2.6	164%	Day
261	18:37:27	71dB	55dB	3.0	203%	Day
262	18:41:08	69dB	55dB	2.6	164%	Day
263	18:45:59	70dB	55dB	2.8	183%	Day
264	18:47:22	72dB	55dB	3.2	225%	Day
265	18:48:41	68dB	55dB	2.5	146%	Day
266	18:55:53	70dB	55dB	2.8	183%	Day
267	18:59:41	75dB	55dB	4.0	300%	Day
268	19:01:54	70dB	55dB	2.8	183%	Day
269	19:04:01	75dB	55dB	4.0	300%	Day
270	19:07:33	68dB	55dB	2.5	146%	Day
271	19:08:52	70dB	55dB	2.8	183%	Day
272	19:13:32	70dB	55dB	2.8	183%	Day
273	19:15:07	70dB	55dB	2.8	183%	Day
274	19:16:56	70dB	55dB	2.8	183%	Day
275	19:18:28	73dB	55dB	3.5	248%	Day
276	19:25:07	67dB	55dB	2.3	130%	Day
277	19:33:57	73dB	55dB	3.5	248%	Day
278	19:38:34	67dB	55dB	2.3	130%	Day
279	19:43:45	69dB	55dB	2.6	164%	Day
280	19:45:36	69dB	55dB	2.6	164%	Day
281	19:47:31	70dB	55dB	2.8	183%	Day
282	19:49:46	73dB	55dB	3.5	248%	Day
283	19:54:19	68dB	55dB	2.5	146%	Day
284	19:56:23	70dB	55dB	2.8	183%	Day
285	19:58:19	70dB	55dB	2.8	183%	Day
286	20:01:04	68dB	55dB	2.5	146%	Day
287	20:06:13	71dB	55dB	3.0	203%	Day
288	20:09:42	69dB	55dB	2.6	164%	Day
289	20:11:18	71dB	55dB	3.0	203%	Day
290	20:16:49	70dB	55dB	2.8	183%	Day
291	20:18:38	66	55dB	2.1	114%	Day
292	20:20:49	69dB	55dB	2.6	164%	Day
293	20:24:02	70dB	55dB	2.8	183%	Day
294	20:26:11	71dB	55dB	3.0	203%	Day
295	20:28:05	70dB	55dB	2.8	183%	Day
296	20:29:30	66dB	55dB	2.1	114%	Day
297	20:30:57	79dB	55dB	5.3	428%	Day
298	20:32:15	70dB	55dB	2.8	183%	Day
299	20:33:47	72dB	55dB	3.2	225%	Day
300	20:35:21	72dB	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	20:37:15	68dB	55dB	2.5	146%	Day
302	20:38:34	66	55dB	2.1	114%	Day
303	20:41:13	70dB	55dB	2.8	183%	Day
304	20:42:51	70dB	55dB	2.8	183%	Day
305	20:48:27	66	55dB	2.1	114%	Day
306	20:50:07	69dB	55dB	2.6	164%	Day
307	20:52:00	68dB	55dB	2.5	146%	Day
308	20:53:30	67dB	55dB	2.3	130%	Day
309	20:55:03	72	55dB	3.2	225%	Day
310	20:56:41	68dB	55dB	2.5	146%	Day
311	20:58:03	68dB	55dB	2.5	146%	Day
312	20:59:15	68dB	55dB	2.5	146%	Day
313	21:01:13	65	55dB	2.0	100%	Day
314	21:02:50	69dB	55dB	2.6	164%	Day
315	21:04:10	71dB	55dB	3.0	203%	Day
316	21:06:33	67dB	55dB	2.3	130%	Day
317	21:08:28	66	55dB	2.1	114%	Day
318	21:09:58	64	55dB	1.9	87%	Day
319	21:11:08	70dB	55dB	2.8	183%	Day
320	21:14:52	74dB	55dB	3.7	273%	Day
321	21:17:02	68dB	55dB	2.5	146%	Day
322	21:18:38	72dB	55dB	3.2	225%	Day
323	21:20:56	70dB	55dB	2.8	183%	Day
324	21:22:59	68dB	55dB	2.5	146%	Day
325	21:24:18	70dB	55dB	2.8	183%	Day
326	21:27:44	68dB	55dB	2.5	146%	Day
327	21:29:36	68dB	55dB	2.5	146%	Day
328	21:31:11	68dB	55dB	2.5	146%	Day
329	21:32:54	68dB	55dB	2.5	146%	Day
330	21:34:00	73dB	55dB	3.5	248%	Day
331	21:36:17	67dB	55dB	2.3	130%	Day
332	21:37:35	68dB	55dB	2.5	146%	Day
333	21:39:25	67dB	55dB	2.3	130%	Day
334	21:40:33	67	55dB	2.3	130%	Day
335	21:41:45	68dB	55dB	2.5	146%	Day
336	21:43:02	68dB	55dB	2.5	146%	Day
337	21:44:38	63	55dB	1.7	74%	Day
338	21:46:15	78dB	55dB	4.9	392%	Day
339	21:47:40	69dB	55dB	2.6	164%	Day
340	21:49:19	73	55dB	3.5	248%	Day
341	21:53:02	69dB	55dB	2.6	164%	Day
342	21:54:24	69dB	55dB	2.6	164%	Day
343	21:56:24	71dB	55dB	3.0	203%	Day
344	22:01:55	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

345	22:04:15	67	55dB	2.3	130%	Day
346	22:10:27	67dB	55dB	2.3	130%	Day
347	22:12:52	71dB	55dB	3.0	203%	Day
348	22:15:11	69dB	55dB	2.6	164%	Day
349	22:17:51	69dB	55dB	2.6	164%	Day
350	22:19:59	72dB	55dB	3.2	225%	Day
351	22:21:18	65	55dB	2.0	100%	Day
352	22:23:06	70dB	55dB	2.8	183%	Day
353	22:24:58	66	55dB	2.1	114%	Day
354	22:26:25	69dB	55dB	2.6	164%	Day
355	22:27:48	68dB	55dB	2.5	146%	Day
356	22:29:21	66	55dB	2.1	114%	Day
357	22:30:52	66	55dB	2.1	114%	Day
358	22:33:08	70dB	55dB	2.8	183%	Day
359	22:34:46	65	55dB	2.0	100%	Day
360	22:37:58	71dB	55dB	3.0	203%	Day
361	22:39:34	69dB	55dB	2.6	164%	Day
362	22:41:30	69dB	55dB	2.6	164%	Day
363	22:47:48	66dB	55dB	2.1	114%	Day
364	22:55:47	69dB	55dB	2.6	164%	Day
365	23:00:35	67	45dB	4.6	359%	Night
366	23:04:47	65	45dB	4.0	300%	Night
367	23:06:30	68dB	45dB	4.9	392%	Night
368	23:10:15	66	45dB	4.3	329%	Night
369	23:16:02	67dB	45dB	4.6	359%	Night
370	23:28:17	70dB	45dB	5.7	466%	Night
371	23:29:41	71dB	45dB	6.1	506%	Night
372	23:37:27	69dB	45dB	5.3	428%	Night
373	23:53:37	69dB	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 8, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:07:50	69dB	45dB	5.3	428%	Night
2	00:09:38	70dB	45dB	5.7	466%	Night
3	00:11:24	72dB	45dB	6.5	550%	Night
4	00:13:55	68dB	45dB	4.9	392%	Night
5	00:15:57	66dB	45dB	4.3	329%	Night
6	00:20:30	69dB	45dB	5.3	428%	Night
7	01:39:41	70dB	45dB	5.7	466%	Night
8	02:17:49	72dB	45dB	6.5	550%	Night
9	06:30:36	71dB	45dB	6.1	506%	Night
10	06:32:04	68dB	45dB	4.9	392%	Night
11	06:33:27	66	45dB	4.3	329%	Night
12	06:34:50	69dB	45dB	5.3	428%	Night
13	06:36:14	69dB	45dB	5.3	428%	Night
14	06:37:43	71dB	45dB	6.1	506%	Night
15	06:39:17	68dB	45dB	4.9	392%	Night
16	06:40:47	69dB	45dB	5.3	428%	Night
17	06:42:11	69dB	45dB	5.3	428%	Night
18	06:43:35	69dB	45dB	5.3	428%	Night
19	06:45:17	70dB	45dB	5.7	466%	Night
20	06:47:46	69dB	45dB	5.3	428%	Night
21	06:49:18	69dB	45dB	5.3	428%	Day
22	06:51:56	68dB	45dB	4.9	392%	Day
23	06:53:42	69dB	45dB	5.3	428%	Day
24	06:56:13	69dB	45dB	5.3	428%	Day
25	06:59:07	70dB	45dB	5.7	466%	Day
26	07:01:59	70dB	55dB	2.8	183%	Day
27	07:03:39	68dB	55dB	2.5	146%	Day
28	07:10:21	67dB	55dB	2.3	130%	Day
29	07:12:36	68dB	55dB	2.5	146%	Day
30	07:16:42	68dB	55dB	2.5	146%	Day
31	07:27:34	71dB	55dB	3.0	203%	Day
32	07:30:40	73dB	55dB	3.5	248%	Day
33	07:32:41	69dB	55dB	2.6	164%	Day
34	07:34:23	69dB	55dB	2.6	164%	Day
35	07:37:04	69dB	55dB	2.6	164%	Day
36	07:39:11	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	07:46:06	70dB	55dB	2.8	183%	Day
38	07:48:43	73dB	55dB	3.5	248%	Day
39	07:50:23	68dB	55dB	2.5	146%	Day
40	07:51:50	74dB	55dB	3.7	273%	Day
41	07:53:26	72dB	55dB	3.2	225%	Day
42	07:58:03	68dB	55dB	2.5	146%	Day
43	08:02:13	78dB	55dB	4.9	392%	Day
44	08:08:43	66dB	55dB	2.1	114%	Day
45	08:10:06	68dB	55dB	2.5	146%	Day
46	08:14:30	69dB	55dB	2.6	164%	Day
47	08:16:37	73dB	55dB	3.5	248%	Day
48	08:25:19	78dB	55dB	4.9	392%	Day
49	08:33:28	76dB	55dB	4.3	329%	Day
50	08:42:30	81dB	55dB	6.1	506%	Day
51	09:06:09	71dB	55dB	3.0	203%	Day
52	09:19:47	71dB	55dB	3.0	203%	Day
53	09:23:04	70dB	55dB	2.8	183%	Day
54	09:30:38	74dB	55dB	3.7	273%	Day
55	09:52:55	71dB	55dB	3.0	203%	Day
56	09:55:07	69dB	55dB	2.6	164%	Day
57	10:04:53	69dB	55dB	2.6	164%	Day
58	10:08:17	69dB	55dB	2.6	164%	Day
59	10:13:12	72dB	55dB	3.2	225%	Day
60	10:17:59	70dB	55dB	2.8	183%	Day
61	10:19:36	71dB	55dB	3.0	203%	Day
62	10:22:32	71dB	55dB	3.0	203%	Day
63	10:24:07	74dB	55dB	3.7	273%	Day
64	10:30:25	69dB	55dB	2.6	164%	Day
65	10:32:58	70dB	55dB	2.8	183%	Day
66	10:34:20	71dB	55dB	3.0	203%	Day
67	10:36:01	71dB	55dB	3.0	203%	Day
68	10:43:27	70dB	55dB	2.8	183%	Day
69	10:49:55	75dB	55dB	4.0	300%	Day
70	10:52:51	78dB	55dB	4.9	392%	Day
71	10:54:04	83dB	55dB	7.0	596%	Day
72	10:55:27	70dB	55dB	2.8	183%	Day
73	10:57:05	67dB	55dB	2.3	130%	Day
74	10:59:04	77dB	55dB	4.6	359%	Day
75	11:00:44	78dB	55dB	4.9	392%	Day
76	11:01:23	78dB	55dB	4.9	392%	Day
77	11:03:17	78dB	55dB	4.9	392%	Day
78	11:04:29	78dB	55dB	4.9	392%	Day
79	11:06:11	79dB	55dB	5.3	428%	Day
80	11:07:42	80dB	55dB	5.7	466%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	11:08:59	69dB	55dB	2.6	164%	Day
82	11:10:44	71dB	55dB	3.0	203%	Day
83	11:12:09	69dB	55dB	2.6	164%	Day
84	11:15:43	71dB	55dB	3.0	203%	Day
85	11:18:02	73dB	55dB	3.5	248%	Day
86	11:21:20	81dB	55dB	6.1	506%	Day
87	11:22:22	81dB	55dB	6.1	506%	Day
88	11:23:30	76dB	55dB	4.3	329%	Day
89	11:24:49	68dB	55dB	2.5	146%	Day
90	11:26:01	73dB	55dB	3.5	248%	Day
91	11:27:40	69dB	55dB	2.6	164%	Day
92	11:46:46	70dB	55dB	2.8	183%	Day
93	11:48:05	68dB	55dB	2.5	146%	Day
94	11:49:36	69dB	55dB	2.6	164%	Day
95	11:53:19	70dB	55dB	2.8	183%	Day
96	11:55:10	70dB	55dB	2.8	183%	Day
97	11:57:04	71dB	55dB	3.0	203%	Day
98	11:58:48	70dB	55dB	2.8	183%	Day
99	12:05:41	70dB	55dB	2.8	183%	Day
100	12:07:42	71dB	55dB	3.0	203%	Day
101	12:10:14	70dB	55dB	2.8	183%	Day
102	12:11:56	69dB	55dB	2.6	164%	Day
103	12:15:37	69dB	55dB	2.6	164%	Day
104	12:18:18	68dB	55dB	2.5	146%	Day
105	12:19:48	67dB	55dB	2.3	130%	Day
106	12:23:33	72dB	55dB	3.2	225%	Day
107	12:25:46	69dB	55dB	2.6	164%	Day
108	12:27:07	69dB	55dB	2.6	164%	Day
109	12:28:24	69dB	55dB	2.6	164%	Day
110	12:31:04	67dB	55dB	2.3	130%	Day
111	12:32:37	69dB	55dB	2.6	164%	Day
112	12:33:36	71dB	55dB	3.0	203%	Day
113	12:34:48	69dB	55dB	2.6	164%	Day
114	12:36:35	72dB	55dB	3.2	225%	Day
115	12:38:05	74dB	55dB	3.7	273%	Day
116	12:40:24	69dB	55dB	2.6	164%	Day
117	12:41:45	81dB	55dB	6.1	506%	Day
118	12:43:47	70dB	55dB	2.8	183%	Day
119	12:45:13	70dB	55dB	2.8	183%	Day
120	12:46:31	70dB	55dB	2.8	183%	Day
121	12:47:43	71dB	55dB	3.0	203%	Day
122	12:51:08	74dB	55dB	3.7	273%	Day
123	12:53:45	68dB	55dB	2.5	146%	Day
124	12:55:16	68dB	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	12:57:54	66dB	55dB	2.1	114%	Day
126	13:07:20	72dB	55dB	3.2	225%	Day
127	13:08:57	76dB	55dB	4.3	329%	Day
128	13:11:06	71dB	55dB	3.0	203%	Day
129	13:15:21	76dB	55dB	4.3	329%	Day
130	13:34:32	71dB	55dB	3.0	203%	Day
131	13:37:01	72dB	55dB	3.2	225%	Day
132	13:40:17	70dB	55dB	2.8	183%	Day
133	13:42:24	68dB	55dB	2.5	146%	Day
134	13:47:10	70dB	55dB	2.8	183%	Day
135	13:50:41	71dB	55dB	3.0	203%	Day
136	13:52:10	71dB	55dB	3.0	203%	Day
137	13:54:32	68dB	55dB	2.5	146%	Day
138	13:58:47	68dB	55dB	2.5	146%	Day
139	14:03:46	71dB	55dB	3.0	203%	Day
140	14:05:17	70dB	55dB	2.8	183%	Day
141	14:06:40	71dB	55dB	3.0	203%	Day
142	14:08:30	69dB	55dB	2.6	164%	Day
143	14:09:48	69dB	55dB	2.6	164%	Day
144	14:12:03	71dB	55dB	3.0	203%	Day
145	14:13:52	72dB	55dB	3.2	225%	Day
146	14:15:15	71dB	55dB	3.0	203%	Day
147	14:16:46	70dB	55dB	2.8	183%	Day
148	14:21:32	74dB	55dB	3.7	273%	Day
149	14:24:39	67dB	55dB	2.3	130%	Day
150	14:26:10	69dB	55dB	2.6	164%	Day
151	14:27:50	72dB	55dB	3.2	225%	Day
152	14:31:07	70dB	55dB	2.8	183%	Day
153	14:32:54	69dB	55dB	2.6	164%	Day
154	14:34:27	74dB	55dB	3.7	273%	Day
155	14:36:07	71dB	55dB	3.0	203%	Day
156	14:37:22	71dB	55dB	3.0	203%	Day
157	14:38:41	74dB	55dB	3.7	273%	Day
158	14:40:30	70dB	55dB	2.8	183%	Day
159	14:41:47	72dB	55dB	3.2	225%	Day
160	14:42:50	68dB	55dB	2.5	146%	Day
161	14:46:49	69dB	55dB	2.6	164%	Day
162	14:51:39	70dB	55dB	2.8	183%	Day
163	14:57:08	70dB	55dB	2.8	183%	Day
164	14:58:35	70dB	55dB	2.8	183%	Day
165	15:00:28	72dB	55dB	3.2	225%	Day
166	15:02:27	69dB	55dB	2.6	164%	Day
167	15:03:34	68dB	55dB	2.5	146%	Day
168	15:11:41	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	15:16:03	73dB	55dB	3.5	248%	Day
170	15:19:36	77dB	55dB	4.6	359%	Day
171	15:21:57	68dB	55dB	2.5	146%	Day
172	15:23:14	69dB	55dB	2.6	164%	Day
173	15:24:54	70dB	55dB	2.8	183%	Day
174	15:27:10	74dB	55dB	3.7	273%	Day
175	15:29:41	71dB	55dB	3.0	203%	Day
176	15:31:44	74dB	55dB	3.7	273%	Day
177	15:34:02	74dB	55dB	3.7	273%	Day
178	15:36:08	70dB	55dB	2.8	183%	Day
179	15:39:14	74dB	55dB	3.7	273%	Day
180	15:46:16	74dB	55dB	3.7	273%	Day
181	15:48:37	75dB	55dB	4.0	300%	Day
182	15:59:19	74dB	55dB	3.7	273%	Day
183	16:01:41	75dB	55dB	4.0	300%	Day
184	16:03:59	75dB	55dB	4.0	300%	Day
185	16:05:47	73dB	55dB	3.5	248%	Day
186	16:08:19	72dB	55dB	3.2	225%	Day
187	16:20:09	79dB	55dB	5.3	428%	Day
188	16:22:16	78dB	55dB	4.9	392%	Day
189	16:28:31	71dB	55dB	3.0	203%	Day
190	16:30:55	74dB	55dB	3.7	273%	Day
191	16:33:43	72dB	55dB	3.2	225%	Day
192	16:35:51	75dB	55dB	4.0	300%	Day
193	16:39:25	72dB	55dB	3.2	225%	Day
194	16:41:18	72dB	55dB	3.2	225%	Day
195	16:43:27	73dB	55dB	3.5	248%	Day
196	16:45:32	73dB	55dB	3.5	248%	Day
197	16:47:37	72dB	55dB	3.2	225%	Day
198	16:50:30	74dB	55dB	3.7	273%	Day
199	16:54:46	75dB	55dB	4.0	300%	Day
200	17:02:15	69dB	55dB	2.6	164%	Day
201	17:04:47	72dB	55dB	3.2	225%	Day
202	17:09:58	75dB	55dB	4.0	300%	Day
203	17:12:26	72dB	55dB	3.2	225%	Day
204	17:18:02	75dB	55dB	4.0	300%	Day
205	17:20:05	74dB	55dB	3.7	273%	Day
206	17:24:39	75dB	55dB	4.0	300%	Day
207	17:26:55	73dB	55dB	3.5	248%	Day
208	17:29:08	74dB	55dB	3.7	273%	Day
209	17:31:20	70dB	55dB	2.8	183%	Day
210	17:33:16	77dB	55dB	4.6	359%	Day
211	17:35:36	73dB	55dB	3.5	248%	Day
212	17:37:39	74dB	55dB	3.7	273%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	17:41:41	74dB	55dB	3.7	273%	Day
214	17:45:43	75dB	55dB	4.0	300%	Day
215	17:47:44	72dB	55dB	3.2	225%	Day
216	17:49:59	71dB	55dB	3.0	203%	Day
217	17:52:07	73dB	55dB	3.5	248%	Day
218	17:54:45	74dB	55dB	3.7	273%	Day
219	17:57:09	71dB	55dB	3.0	203%	Day
220	17:59:16	74dB	55dB	3.7	273%	Day
221	18:01:21	75dB	55dB	4.0	300%	Day
222	18:04:49	71dB	55dB	3.0	203%	Day
223	18:09:23	69dB	55dB	2.6	164%	Day
224	18:11:48	70dB	55dB	2.8	183%	Day
225	18:13:47	70dB	55dB	2.8	183%	Day
226	18:16:48	73dB	55dB	3.5	248%	Day
227	18:18:53	73dB	55dB	3.5	248%	Day
228	18:20:51	74dB	55dB	3.7	273%	Day
229	18:22:55	71dB	55dB	3.0	203%	Day
230	18:30:08	73dB	55dB	3.5	248%	Day
231	18:32:29	74dB	55dB	3.7	273%	Day
232	18:35:23	73dB	55dB	3.5	248%	Day
233	18:37:34	71dB	55dB	3.0	203%	Day
234	18:40:04	70dB	55dB	2.8	183%	Day
235	18:42:17	70dB	55dB	2.8	183%	Day
236	18:48:14	70dB	55dB	2.8	183%	Day
237	18:52:39	70dB	55dB	2.8	183%	Day
238	19:01:23	73dB	55dB	3.5	248%	Day
239	19:05:42	73dB	55dB	3.5	248%	Day
240	19:08:26	73dB	55dB	3.5	248%	Day
241	19:13:01	73dB	55dB	3.5	248%	Day
242	19:20:39	72dB	55dB	3.2	225%	Day
243	19:22:52	72dB	55dB	3.2	225%	Day
244	19:30:20	77dB	55dB	4.6	359%	Day
245	19:36:07	72dB	55dB	3.2	225%	Day
246	19:38:56	71dB	55dB	3.0	203%	Day
247	19:40:57	69dB	55dB	2.6	164%	Day
248	19:44:06	68dB	55dB	2.5	146%	Day
249	19:45:28	72dB	55dB	3.2	225%	Day
250	19:47:36	70dB	55dB	2.8	183%	Day
251	19:49:19	71dB	55dB	3.0	203%	Day
252	19:51:25	71dB	55dB	3.0	203%	Day
253	19:54:29	70dB	55dB	2.8	183%	Day
254	19:56:30	70dB	55dB	2.8	183%	Day
255	19:59:04	69dB	55dB	2.6	164%	Day
256	20:04:01	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

257	20:05:20	70dB	55dB	2.8	183%	Day
258	20:06:48	71dB	55dB	3.0	203%	Day
259	20:09:25	71dB	55dB	3.0	203%	Day
260	20:11:41	70dB	55dB	2.8	183%	Day
261	20:15:38	69dB	55dB	2.6	164%	Day
262	20:19:00	69dB	55dB	2.6	164%	Day
263	20:23:50	69dB	55dB	2.6	164%	Day
264	20:25:32	70dB	55dB	2.8	183%	Day
265	20:32:31	68dB	55dB	2.5	146%	Day
266	20:35:18	69dB	55dB	2.6	164%	Day
267	20:37:02	71dB	55dB	3.0	203%	Day
268	20:38:40	73dB	55dB	3.5	248%	Day
269	20:40:52	70dB	55dB	2.8	183%	Day
270	20:42:07	68dB	55dB	2.5	146%	Day
271	20:44:28	69dB	55dB	2.6	164%	Day
272	20:47:32	70dB	55dB	2.8	183%	Day
273	20:49:14	67dB	55dB	2.3	130%	Day
274	20:51:56	73dB	55dB	3.5	248%	Day
275	20:53:46	68dB	55dB	2.5	146%	Day
276	20:54:55	68dB	55dB	2.5	146%	Day
277	20:56:28	70dB	55dB	2.8	183%	Day
278	20:59:18	69dB	55dB	2.6	164%	Day
279	21:02:08	69dB	55dB	2.6	164%	Day
280	21:03:35	68dB	55dB	2.5	146%	Day
281	21:04:59	67dB	55dB	2.3	130%	Day
282	21:09:04	68dB	55dB	2.5	146%	Day
283	21:11:32	73dB	55dB	3.5	248%	Day
284	21:14:06	69dB	55dB	2.6	164%	Day
285	21:15:55	68dB	55dB	2.5	146%	Day
286	21:19:42	67dB	55dB	2.3	130%	Day
287	21:21:35	66dB	55dB	2.1	114%	Day
288	21:23:27	70dB	55dB	2.8	183%	Day
289	21:26:04	70dB	55dB	2.8	183%	Day
290	21:27:30	68dB	55dB	2.5	146%	Day
291	21:28:41	78dB	55dB	4.9	392%	Day
292	21:30:28	67dB	55dB	2.3	130%	Day
293	21:43:22	68dB	55dB	2.5	146%	Day
294	21:49:30	68dB	55dB	2.5	146%	Day
295	21:52:13	74dB	55dB	3.7	273%	Day
296	21:56:48	70dB	55dB	2.8	183%	Day
297	22:00:09	71dB	55dB	3.0	203%	Day
298	22:15:40	69dB	55dB	2.6	164%	Day
299	22:18:27	69dB	55dB	2.6	164%	Day
300	22:19:52	67dB	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

301	22:21:18	67dB	55dB	2.3	130%	Day
302	22:24:32	68dB	55dB	2.5	146%	Day
303	22:26:04	69dB	55dB	2.6	164%	Day
304	22:28:41	69dB	55dB	2.6	164%	Day
305	22:30:02	69dB	55dB	2.6	164%	Day
306	22:39:39	70dB	55dB	2.8	183%	Day
307	22:41:16	68dB	55dB	2.5	146%	Day
308	22:42:59	69dB	55dB	2.6	164%	Day
309	22:55:10	69dB	55dB	2.6	164%	Day
310	23:24:54	70dB	45dB	5.7	466%	Night
311	23:28:57	67dB	45dB	4.6	359%	Night
312	23:30:43	70dB	45dB	5.7	466%	Night
313	23:32:32	74dB	45dB	7.5	646%	Night
314	23:38:25	69dB	45dB	5.3	428%	Night
315	23:42:05	71dB	45dB	6.1	506%	Night
316	23:46:41	67dB	45dB	4.6	359%	Night
317	23:48:09	68dB	45dB	4.9	392%	Night
318	23:49:35	70dB	45dB	5.7	466%	Night
319	23:52:44	67dB	45dB	4.6	359%	Night
320	23:54:13	69dB	45dB	5.3	428%	Night
321	23:55:46	69dB	45dB	5.3	428%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

As recorded by Acacia's noise Monitor on October 9, 2024						
Events	Time of airplane going above Acacia's noise monitor	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	00:01:11	67dB	45dB	4.6	359%	Night
2	06:30:51	69dB	45dB	5.3	428%	Night
3	06:33:08	72dB	45dB	6.5	550%	Night
4	06:34:39	70dB	45dB	5.7	466%	Night
5	06:36:28	72dB	45dB	6.5	550%	Night
6	06:38:26	69dB	45dB	5.3	428%	Night
7	06:40:17	70dB	45dB	5.7	466%	Night
8	06:42:11	71dB	45dB	6.1	506%	Night
9	06:44:03	71dB	45dB	6.1	506%	Night
10	06:46:24	72dB	45dB	6.5	550%	Night
11	06:48:38	67dB	45dB	4.6	359%	Night
12	06:50:19	68dB	45dB	4.9	392%	Night
13	06:52:24	76dB	45dB	8.6	757%	Night
14	06:54:11	69dB	45dB	5.3	428%	Night
15	06:55:58	69dB	45dB	5.3	428%	Night
16	06:57:56	69dB	45dB	5.3	428%	Night
17	07:02:00	70dB	55dB	2.8	183%	Day
18	07:05:06	67dB	55dB	2.3	130%	Day
19	07:11:26	67dB	55dB	2.3	130%	Day
20	07:15:40	70dB	55dB	2.8	183%	Day
21	07:29:13	69dB	55dB	2.6	164%	Day
22	07:31:31	67dB	55dB	2.3	130%	Day
23	07:33:22	69dB	55dB	2.6	164%	Day
24	07:36:08	71dB	55dB	3.0	203%	Day
25	07:44:31	70dB	55dB	2.8	183%	Day
26	07:46:34	69dB	55dB	2.6	164%	Day
27	07:54:57	70dB	55dB	2.8	183%	Day
28	07:57:21	66dB	55dB	2.1	114%	Day
29	07:59:32	70dB	55dB	2.8	183%	Day
30	08:01:27	67dB	55dB	2.3	130%	Day
31	08:03:08	68dB	55dB	2.5	146%	Day
32	08:06:51	68dB	55dB	2.5	146%	Day
33	08:08:43	69dB	55dB	2.6	164%	Day
34	08:10:55	68dB	55dB	2.5	146%	Day
35	08:19:50	68dB	55dB	2.5	146%	Day
36	08:23:05	75dB	55dB	4.0	300%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

37	08:25:11	66dB	55dB	2.1	114%	Day
38	08:27:04	70dB	55dB	2.8	183%	Day
39	08:37:14	74dB	55dB	3.7	273%	Day
40	08:40:37	68dB	55dB	2.5	146%	Day
41	08:47:06	68dB	55dB	2.5	146%	Day
42	08:50:04	71dB	55dB	3.0	203%	Day
43	08:52:33	67dB	55dB	2.3	130%	Day
44	08:54:54	70dB	55dB	2.8	183%	Day
45	09:02:29	68dB	55dB	2.5	146%	Day
46	09:09:00	71dB	55dB	3.0	203%	Day
47	09:18:29	68dB	55dB	2.5	146%	Day
48	09:22:48	69dB	55dB	2.6	164%	Day
49	09:24:53	69dB	55dB	2.6	164%	Day
50	09:28:14	72dB	55dB	3.2	225%	Day
51	09:42:09	68dB	55dB	2.5	146%	Day
52	09:48:16	69dB	55dB	2.6	164%	Day
53	09:51:54	68dB	55dB	2.5	146%	Day
54	09:54:07	68dB	55dB	2.5	146%	Day
55	09:56:07	69dB	55dB	2.6	164%	Day
56	10:05:45	71dB	55dB	3.0	203%	Day
57	10:08:21	70dB	55dB	2.8	183%	Day
58	10:12:31	78dB	55dB	4.9	392%	Day
59	10:21:43	67dB	55dB	2.3	130%	Day
60	10:23:01	68dB	55dB	2.5	146%	Day
61	10:28:07	68dB	55dB	2.5	146%	Day
62	10:30:48	71dB	55dB	3.0	203%	Day
63	10:36:38	69dB	55dB	2.6	164%	Day
64	10:42:23	71dB	55dB	3.0	203%	Day
65	10:46:22	74dB	55dB	3.7	273%	Day
66	10:48:55	68dB	55dB	2.5	146%	Day
67	10:55:17	70dB	55dB	2.8	183%	Day
68	10:57:18	69dB	55dB	2.6	164%	Day
69	10:59:14	68dB	55dB	2.5	146%	Day
70	11:01:11	67dB	55dB	2.3	130%	Day
71	11:03:39	67dB	55dB	2.3	130%	Day
72	11:07:58	68dB	55dB	2.5	146%	Day
73	11:10:11	67dB	55dB	2.3	130%	Day
74	11:12:07	69dB	55dB	2.6	164%	Day
75	11:16:08	72dB	55dB	3.2	225%	Day
76	11:22:20	68dB	55dB	2.5	146%	Day
77	11:24:26	70dB	55dB	2.8	183%	Day
78	11:26:26	70dB	55dB	2.8	183%	Day
79	11:32:25	72dB	55dB	3.2	225%	Day
80	11:33:55	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

81	11:35:39	74dB	55dB	3.7	273%	Day
82	11:38:13	69dB	55dB	2.6	164%	Day
83	11:46:01	72dB	55dB	3.2	225%	Day
84	11:50:58	70dB	55dB	2.8	183%	Day
85	11:52:21	74dB	55dB	3.7	273%	Day
86	11:54:13	68dB	55dB	2.5	146%	Day
87	11:55:54	71dB	55dB	3.0	203%	Day
88	11:58:47	71dB	55dB	3.0	203%	Day
89	12:00:53	71dB	55dB	3.0	203%	Day
90	12:02:18	69dB	55dB	2.6	164%	Day
91	12:04:12	67dB	55dB	2.3	130%	Day
92	12:07:02	69dB	55dB	2.6	164%	Day
93	12:09:46	69dB	55dB	2.6	164%	Day
94	12:11:27	67dB	55dB	2.3	130%	Day
95	12:12:42	68dB	55dB	2.5	146%	Day
96	12:12:56	72dB	55dB	3.2	225%	Day
97	12:14:51	72dB	55dB	3.2	225%	Day
98	12:16:24	71dB	55dB	3.0	203%	Day
99	12:17:39	70dB	55dB	2.8	183%	Day
100	12:19:25	73dB	55dB	3.5	248%	Day
101	12:21:11	75dB	55dB	4.0	300%	Day
102	12:23:40	69dB	55dB	2.6	164%	Day
103	12:25:32	68dB	55dB	2.5	146%	Day
104	12:26:40	71dB	55dB	3.0	203%	Day
105	12:27:51	69dB	55dB	2.6	164%	Day
106	12:29:24	71dB	55dB	3.0	203%	Day
107	12:32:49	74dB	55dB	3.7	273%	Day
108	12:37:48	70dB	55dB	2.8	183%	Day
109	12:39:14	72dB	55dB	3.2	225%	Day
110	12:41:02	73dB	55dB	3.5	248%	Day
111	12:43:17	82dB	55dB	6.5	550%	Day
112	12:43:28	74dB	55dB	3.7	273%	Day
113	12:45:15	85dB	55dB	8.0	700%	Day
114	12:50:31	70dB	55dB	2.8	183%	Day
115	12:52:27	71dB	55dB	3.0	203%	Day
116	12:56:28	68dB	55dB	2.5	146%	Day
117	12:57:50	70dB	55dB	2.8	183%	Day
118	12:59:03	68dB	55dB	2.5	146%	Day
119	13:02:01	68dB	55dB	2.5	146%	Day
120	13:36:42	88dB	55dB	9.8	885%	Day
121	15:26:02	70dB	55dB	2.8	183%	Day
122	15:33:16	74dB	55dB	3.7	273%	Day
123	15:35:30	74dB	55dB	3.7	273%	Day
124	15:37:24	70dB	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

125	15:39:24	74dB	55dB	3.7	273%	Day
126	15:41:31	69dB	55dB	2.6	164%	Day
127	15:42:48	72dB	55dB	3.2	225%	Day
128	15:44:20	72dB	55dB	3.2	225%	Day
129	15:45:24	70dB	55dB	2.8	183%	Day
130	15:46:37	70dB	55dB	2.8	183%	Day
131	15:47:45	70dB	55dB	2.8	183%	Day
132	15:48:49	70dB	55dB	2.8	183%	Day
133	15:49:58	69dB	55dB	2.6	164%	Day
134	15:51:21	71dB	55dB	3.0	203%	Day
135	15:52:42	74dB	55dB	3.7	273%	Day
136	15:54:44	72dB	55dB	3.2	225%	Day
137	15:57:25	71dB	55dB	3.0	203%	Day
138	15:59:06	73dB	55dB	3.5	248%	Day
139	16:01:01	69dB	55dB	2.6	164%	Day
140	18:49:53	70dB	55dB	2.8	183%	Day
141	18:51:31	71dB	55dB	3.0	203%	Day
142	18:53:41	69dB	55dB	2.6	164%	Day
143	18:54:50	69dB	55dB	2.6	164%	Day
144	18:57:25	71dB	55dB	3.0	203%	Day
145	18:59:32	68dB	55dB	2.5	146%	Day
146	19:00:47	74dB	55dB	3.7	273%	Day
147	19:03:03	68dB	55dB	2.5	146%	Day
148	19:04:18	70dB	55dB	2.8	183%	Day
149	19:06:16	68dB	55dB	2.5	146%	Day
150	19:07:57	68dB	55dB	2.5	146%	Day
151	19:09:59	69dB	55dB	2.6	164%	Day
152	19:11:09	69dB	55dB	2.6	164%	Day
153	19:12:42	75dB	55dB	4.0	300%	Day
154	19:14:35	73dB	55dB	3.5	248%	Day
155	19:17:11	72dB	55dB	3.2	225%	Day
156	19:19:06	70dB	55dB	2.8	183%	Day
157	19:21:51	70dB	55dB	2.8	183%	Day
158	19:24:13	69dB	55dB	2.6	164%	Day
159	19:25:37	69dB	55dB	2.6	164%	Day
160	19:26:54	70dB	55dB	2.8	183%	Day
161	19:30:41	69dB	55dB	2.6	164%	Day
162	19:32:14	69dB	55dB	2.6	164%	Day
163	19:33:17	69dB	55dB	2.6	164%	Day
164	19:36:40	71dB	55dB	3.0	203%	Day
165	19:47:59	68dB	55dB	2.5	146%	Day
166	19:50:44	67dB	55dB	2.3	130%	Day
167	19:51:55	67dB	55dB	2.3	130%	Day
168	19:53:03	69dB	55dB	2.6	164%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

169	19:54:13	69dB	55dB	2.6	164%	Day
170	19:58:44	70dB	55dB	2.8	183%	Day
171	20:03:41	69dB	55dB	2.6	164%	Day
172	20:05:23	70dB	55dB	2.8	183%	Day
173	20:09:48	72dB	55dB	3.2	225%	Day
174	20:12:04	70dB	55dB	2.8	183%	Day
175	20:13:18	68dB	55dB	2.5	146%	Day
176	20:14:48	71dB	55dB	3.0	203%	Day
177	20:16:06	72dB	55dB	3.2	225%	Day
178	20:22:38	72dB	55dB	3.2	225%	Day
179	20:23:53	71dB	55dB	3.0	203%	Day
180	20:25:56	68dB	55dB	2.5	146%	Day
181	20:27:07	69dB	55dB	2.6	164%	Day
182	20:28:37	70dB	55dB	2.8	183%	Day
183	20:30:19	70dB	55dB	2.8	183%	Day
184	20:31:38	68dB	55dB	2.5	146%	Day
185	20:33:02	70dB	55dB	2.8	183%	Day
186	20:37:44	74dB	55dB	3.7	273%	Day
187	20:43:56	71dB	55dB	3.0	203%	Day
188	20:49:14	72dB	55dB	3.2	225%	Day
189	20:50:31	71dB	55dB	3.0	203%	Day
190	20:51:54	69dB	55dB	2.6	164%	Day
191	20:52:56	69dB	55dB	2.6	164%	Day
192	20:56:18	74dB	55dB	3.7	273%	Day
193	21:00:24	70dB	55dB	2.8	183%	Day
194	21:03:28	68dB	55dB	2.5	146%	Day
195	21:04:41	70dB	55dB	2.8	183%	Day
196	21:06:03	67dB	55dB	2.3	130%	Day
197	21:07:49	76dB	55dB	4.3	329%	Day
198	21:10:58	69dB	55dB	2.6	164%	Day
199	21:13:22	69dB	55dB	2.6	164%	Day
200	21:14:36	71dB	55dB	3.0	203%	Day
201	21:16:06	68dB	55dB	2.5	146%	Day
202	21:17:12	68dB	55dB	2.5	146%	Day
203	21:19:26	72dB	55dB	3.2	225%	Day
204	21:21:21	70dB	55dB	2.8	183%	Day
205	21:24:27	71dB	55dB	3.0	203%	Day
206	21:26:14	70dB	55dB	2.8	183%	Day
207	21:28:05	71dB	55dB	3.0	203%	Day
208	21:29:22	71dB	55dB	3.0	203%	Day
209	21:30:47	68dB	55dB	2.5	146%	Day
210	21:31:57	70dB	55dB	2.8	183%	Day
211	21:45:25	70dB	55dB	2.8	183%	Day
212	21:48:00	71dB	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

213	21:49:14	67dB	55dB	2.3	130%	Day
214	21:50:29	70dB	55dB	2.8	183%	Day
215	21:51:54	68dB	55dB	2.5	146%	Day
216	21:56:41	68dB	55dB	2.5	146%	Day
217	21:59:17	70dB	55dB	2.8	183%	Day
218	22:00:32	70dB	55dB	2.8	183%	Day
219	22:01:46	68dB	55dB	2.5	146%	Day
220	22:04:24	70dB	55dB	2.8	183%	Day
221	22:06:47	76dB	55dB	4.3	329%	Day
222	22:17:00	69dB	55dB	2.6	164%	Day
223	22:19:29	68dB	55dB	2.5	146%	Day
224	22:24:39	70dB	55dB	2.8	183%	Day
225	22:26:10	69dB	55dB	2.6	164%	Day
226	22:39:05	70dB	55dB	2.8	183%	Day
227	22:41:40	69dB	55dB	2.6	164%	Day
228	22:43:42	69dB	55dB	2.6	164%	Day
229	22:46:03	68dB	55dB	2.5	146%	Day
230	22:49:27	70dB	55dB	2.8	183%	Day
231	23:08:14	72dB	45dB	6.5	550%	Night
232	23:10:26	65	45dB	4.0	300%	Night
233	23:26:06	67dB	45dB	4.6	359%	Night
234	23:30:22	71dB	45dB	6.1	506%	Night
235	23:32:01	69dB	45dB	5.3	428%	Night
236	23:34:02	71dB	45dB	6.1	506%	Night
237	23:35:54	70dB	45dB	5.7	466%	Night
238	23:38:51	68dB	45dB	4.9	392%	Night
239	23:49:20	69dB	45dB	5.3	428%	Night

ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: [redacted] Minister of Transport / Ministre des Transports (TC); Prime Minister | Premier Ministre; hcminister.ministresc
Cc: [redacted] mark.holland@parl.gc.ca; yaara.saks@parl.gc.ca; Costen, Eric (he, him | il, lui) (HC/SC); Orencsak, Greg (he, him | il, lui) (HC/SC); Jagmeet - M.P.; Francesco Sorbara; [redacted] humberleacommunitygroup@gmail.com; [redacted] Mayor Chow; Councillor Perruzza; [redacted] Tom Rakocevic; [redacted] W5 Viewer Mail; [redacted] "doug.ford.co@pc.ola.org; [redacted] hcminister.ministresc; [redacted] piac.ward04@tdsb.on.ca; [redacted] office@timothycs.com; piac.ward01@tdsb.on.ca; [redacted] judy.sgro.a1@parl.gc.ca; [redacted] judy.sgro@parl.gc.ca; [redacted] councillor_crisanti@toronto.ca; councillor_holyday@toronto.ca; councillor_morley@toronto.ca; councillor_perks@toronto.ca; councillor_nunziata@toronto.ca; councillor_pasternak@toronto.ca; councillor_colle8@toronto.ca; councillor_malik@toronto.ca; councillor_saxe@toronto.ca; councillor_matlow@toronto.ca; councillor_moise@toronto.ca; councillor_fletcher@toronto.ca; councillor_chernoslin@toronto.ca; councillor_burnside@toronto.ca; councillor_carroll@toronto.ca; councillor_cheng@toronto.ca; councillor_bradford@toronto.ca; councillor_kandavel@toronto.ca; councillor_thompson@toronto.ca; councillor_mantas@toronto.ca; councillor_myers@toronto.ca; [redacted] councillor_ainslie@toronto.ca
Subject: Missing Complaint Data in May Noise Report & Continued Disrespect Toward Community Members & Leadership Accountability
Date: 2025-06-13 10:45:26 AM

Warning: This message is from an EXTERNAL SENDER – be CAUTIOUS, particularly with links and attachments.
Attention : Ce message provient d'un EXPÉDITEUR EXTERNE – soyez PRUDENT, en particulier avec les liens et les pièces jointes.

Subject: Missing Complaint Data in May Noise Report & Continued Disrespect Toward Community Members & Leadership Accountability

Dear [redacted] Ms Freeland,

The **May 2025 Noise Report** has been published with **blank entries** for both the **number of complaints** and the **number of individuals**. Whether this is an oversight or a deliberate omission, it reflects a disturbing pattern of evasion and contempt for public accountability. When core data disappears, the message is clear: our experiences are being erased.

That message is reinforced by what we have seen in person. At a recent meeting with community members and a local MP, one of your staff — Mr. Thomas — chewed gum, rolled his eyes, and made faces while residents described the toll aircraft noise is taking on their lives and health. That behaviour was disgraceful. But more disturbing is the fact that **you gave this individual responsibility over the noise complaints department** — the very space meant to hear and respond to us.

That decision doesn't just reflect on him. It reflects on you.

You knew. And you empowered him anyway.

There is a word for that kind of institutional culture. It is corrupt.

I sincerely hope that one day, accountability will catch up with every individual who has knowingly allowed this system to abuse its power — and that the full weight of the law, not just public outrage, will determine their future wardrobe.

Fix the report. And take responsibility.

Sincerely,
Fabio Ovettini

ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: Minister of Transport / Ministre des Transports (TC); [redacted] Prime Minister | Premier Ministre; hcminister.ministresc
Cc: [redacted] mark.holland@parl.gc.ca; vaara.saks@parl.gc.ca; Costen, Eric (he, him | il, lui) (HC/SC); Orencsak, Greg (he, him | il, lui) (HC/SC); pierre.poilievre@parl.gc.ca; Jagmeet - M.P.; Francesco Sorbara; [redacted] humberleacommunitygroup@gmail.com; [redacted] Mayor Chow; Councillor Perruzza; [redacted] Tom Rakocevic; [redacted] W5 Viewer Mail; [redacted] doug.ford.o@pc.ola.org; [redacted] piac.ward04@tdsb.on.ca; [redacted] office@timothycs.com; piac.ward01@tdsb.on.ca; [redacted] judy.sgro.a1@parl.gc.ca; [redacted] judy.sgro@parl.gc.ca; [redacted] councillor_crisanti@toronto.ca; councillor_holyday@toronto.ca; councillor_morley@toronto.ca; councillor_perks@toronto.ca; councillor_nunziata@toronto.ca; councillor_pasternak@toronto.ca; councillor_colle8@toronto.ca; councillor_malik@toronto.ca; councillor_saxe@toronto.ca; councillor_matlow@toronto.ca; councillor_moise@toronto.ca; councillor_fletcher@toronto.ca; councillor_chernoslin@toronto.ca; councillor_burnside@toronto.ca; councillor_carroll@toronto.ca; councillor_cheng@toronto.ca; councillor_bradford@toronto.ca; councillor_kandavel@toronto.ca; councillor_thompson@toronto.ca; councillor_mantas@toronto.ca; councillor_myers@toronto.ca; councillor_mckelvie@toronto.ca; [redacted] councillor_ainslie@toronto.ca
Subject: Non-Functioning Noise Monitoring Terminals – Continued Disservice to Communities
Date: 2025-06-09 9:34:07 AM

Warning: This message is from an EXTERNAL SENDER – be CAUTIOUS, particularly with links and attachments.
Attention : Ce message provient d'un EXPÉDITEUR EXTERNE – soyez PRUDENT, en particulier avec les liens et les pièces jointes.

Subject: Non-Functioning Noise Monitoring Terminals – Continued Disservice to Communities

[redacted]

The Noise Monitor Terminals at Tobias Park have been non-functional for well over four months, and Oriole Park for more than a month. Despite multiple notifications, including from myself directly, there has been no response, no acknowledgement, and no indication of whether these critical monitoring systems will be repaired or replaced.

The affected communities remain in the dark—literally and figuratively—about the level of disruption they are being subjected to. This lack of transparency and accountability is unacceptable. Are you planning to address these failures honestly, or will you continue to send non-competent staff to "fix" the problem while letting operations at Pearson continue to deteriorate?

Ms.Freeland,

As the Minister of Transport, it is your responsibility to ensure that the terms of the ground lease with GTAA are upheld. GTAA continues to operate Pearson Airport in ways that appear to violate those clauses, yet your ministry continues to look the other way. When will you stop hiding behind your desk and show respect for the people impacted by this mismanagement? When will you enforce the obligations set out in the lease and protect the public interest?

This is not just about broken machines—it is about a broken system. Communities deserve better. Our dear Canada deserves better.. We deserve honesty, competence, and respect.

Sincerely,
Fabio Ovettini

ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: [redacted] aara.saks@parl.gc.ca; rminichiello@verityintl.com; tony.de.marchi031@gmail.com; [redacted] mark.holland@parl.gc.ca; vaara.saks@parl.gc.ca; Costen, Eric (he, him | il, lui) (HC/SC); Orencsak, Greg (he, him | il, lui) (HC/SC); judy.sgro@parl.gc.ca; pierre.poilievre@parl.gc.ca; Jagmeet - M.P.; Francesco Sorbara; [redacted] humberleacommunitygroup@gmail.com; [redacted] Mayor Chow; Councillor Perruzza; [redacted] Tom Rakocevic; [redacted] W5 Viewer Mail; [redacted] Minister of Transport / Ministre des Transports (TC); [redacted] newstips@thestar.ca; [redacted] ZZG-Community Engagement; doug.fordco@pc.ola.org; [redacted] hcminister.ministresc; MHA Minister / Ministre SMD (HC/SC); [redacted] piac.ward04@tdsb.on.ca; [redacted] office@timothycs.com; [redacted] piac.ward01@tdsb.on.ca; [redacted] Anita.Anand@parl.gc.ca; anita.anand@parl.gc.ca; judy.sgro.a1@parl.gc.ca; Meneses Albert (Sgro Judy A. - MP); Calderan Amy (Sgro Judy A. - MP); [redacted]
Subject: Observations on Recent Developments
Date: 2024-12-05 5:02:19 PM

Warning: This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.
Attention: Ce message provient d'un EXPÉDITEUR EXTERNE - soyez PRUDENT, en particulier avec les liens et les pièces jointes.

I hope this email finds you well.

I couldn't help but notice the increasing buzz about departures at Pearson Airport and within the GTAA—and, interestingly, this time, it does not seem to be about airplanes. While it's only a rumor at this point, such changes often signal shifts in leadership or priorities, and I cannot help but wonder how these might align with the pressing concerns many in our community continue to raise.

Should there be an opportunity for fresh dialogue or new approaches to long-standing issues, I would welcome the chance to discuss solutions that could better serve both the community and the airport's broader goals.

Sincerely,
Fabio Ovettini

ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: [redacted] Judy - M.P. Sgro; Minister of Transport / Ministre des Transports (TC); hcminister.ministresc; hcminister.ministresc; [redacted]; Prime Minister | Premier Ministre
Cc: [redacted] publichealth@toronto.ca; councillor_perruzza@toronto.ca; petitions@oag-bvg.gc.ca; [redacted] info.com@chrc-ccdp.gc.ca; complaint.plainte@chrc-ccdp.gc.ca; info@psic-ispc.gc.ca; mark.holland@parl.gc.ca; yeara.saks@parl.gc.ca; Costen, Eric (he, him | il, lui) (HC/SC); Orencsak, Greg (he, him | il, lui) (HC/SC); jagmeet.singh@parl.gc.ca; francesco.sorbara@parl.gc.ca; mayor_chow@toronto.ca; [redacted]; trakocevic-co@ndp.on.ca; doug.fordco@pc.ola.org; [redacted] piac.ward04@tdsb.on.ca; [redacted] office@timothycs.com; piac.ward01@tdsb.on.ca; [redacted] councillor_crisanti@toronto.ca; councillor_holyday@toronto.ca; councillor_morley@toronto.ca; councillor_perks@toronto.ca; councillor_nunziata@toronto.ca; councillor_pasternak@toronto.ca; councillor_colle8@toronto.ca; councillor_malik@toronto.ca; councillor_saxe@toronto.ca; councillor_matlow@toronto.ca; councillor_moise@toronto.ca; councillor_fletcher@toronto.ca; councillor_chernoslin@toronto.ca; councillor_burnside@toronto.ca; councillor_carroll@toronto.ca; councillor_cheng@toronto.ca; councillor_bradford@toronto.ca; councillor_kandavel@toronto.ca; councillor_thompson@toronto.ca; councillor_mantas@toronto.ca; councillor_myers@toronto.ca; councillor_ainslie@toronto.ca; [redacted] humberleacommunitygroup@gmail.com; [redacted] w5@ctv.ca; [redacted] judy.sgro.a1@parl.gc.ca; [redacted] communityengagement@gtaa.com
Subject: Ongoing Data Manipulation and Concealment at GTAA – April 2025 Report Altered Without Notice
Date: 2025-07-22 2:12:08 PM

Warning: This message is from an EXTERNAL SENDER – be CAUTIOUS, particularly with links and attachments.
Attention : Ce message provient d'un EXPÉDITEUR EXTERNE – soyez PRUDENT, en particulier avec les liens et les pièces jointes.

Subject: Ongoing Data Manipulation and Concealment at GTAA – April 2025 Report Altered Without Notice

Dear Ms. Freeland, [redacted] and Ms. Sgro,

Under the pretense of "modernization," the GTAA has unveiled a new website. But with it, yet again, the data has changed. The numbers in previously published reports—especially the April 2025 Noise Complaint Report—have been *quietly altered*.

This is not the first time I have raised the alarm. I flagged these discrepancies earlier. GTAA has now removed the erroneous data *without any public notice*, *without any acknowledgement*, and—most disturbingly—*under the cover of night*, as if hoping no one would notice.

Is this carelessness? Corruption? Deliberate manipulation?

Regardless of the answer, the result is the same: a complete erosion of trust and transparency.

Once again, accountability is absent. Once again, the leadership of Ms. Flint and Mr. Thomas is failing the public. What we see under their direction is not oversight—but obfuscation. Not transparency—but tampering. Not reform—but rot.

And so I must ask—**Ms. Freeland,** [redacted] **Ms. Sgro**:

How can you trust the reports GTAA presents to you in order to secure federal approvals?
What credibility remains when data is retroactively changed without disclosure?
What oversight exists when truth itself is quietly rewritten?

I will be attaching multiple examples demonstrating these alterations. I urge you to explain who authorized these changes, why they were made secretly, and how the public is expected to trust any of GTAA's reports moving forward.

Sincerely,
Fabio Ovettini

P.D. There are many more examples like the screenshots provided. The ones attached should be more than sufficient to illustrate the corruption at play.

April 2025---Print screen taken on July 2, 2025



April 2025---Print screen taken on July 22, 2025

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada



February 2025---Print screen taken on July 22, 2025



February 2025---Print screen taken on April 16, 2025



February 2025---Print screen taken on May 5, 2025

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada



ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: [redacted]; Chrystia - M.P. Freeland; Minister of Transport / Ministre des Transports (TC)
Cc: ZZG-Community Engagement; anita.anand@parl.gc.ca; [redacted] mark.holland@parl.gc.ca; yaara.saks@parl.gc.ca; Costen, Eric (he, him / il, lui) (HC/SC); Orencsak, Greg (he, him / il, lui) (HC/SC); pierre.poilievre@parl.gc.ca; Jagmeet - M.P.; Francesco Sorbara; [redacted] numberleacommunitygroup@gmail.com; [redacted] Mayor Chow; Councillor Perruzza; [redacted] Tom Rakocevic; [redacted] W5 Viewer Mail; [redacted] newstips@thestar.ca; [redacted] doug.fordco@pc.ola.org; [redacted] ministerministre@; [redacted]; piac.ward04@tdsb.on.ca; [redacted] office@timothycs.com; [redacted] piac.ward01@tdsb.on.ca; [redacted] judy.sgro.a1@parl.gc.ca; Meneses Albert (Sgro Judy A. - MP); Calderan Amy (Sgro Judy A. - MP); [redacted] judy.sgro@parl.gc.ca; [redacted]; councillor_crisanti@toronto.ca; councillor_holyday@toronto.ca; councillor_morley@toronto.ca; councillor_perks@toronto.ca; councillor_nunziata@toronto.ca; councillor_pasternak@toronto.ca; councillor_colle8@toronto.ca; councillor_malik@toronto.ca; councillor_saxe@toronto.ca; councillor_matlow@toronto.ca; councillor_moise@toronto.ca; councillor_fletcher@toronto.ca; councillor_chernoslin@toronto.ca; councillor_burnside@toronto.ca; councillor_carroll@toronto.ca; councillor_cheng@toronto.ca; councillor_bradford@toronto.ca; councillor_kandavel@toronto.ca; councillor_thompson@toronto.ca; councillor_mantas@toronto.ca; councillor_myers@toronto.ca; councillor_mckelvie@toronto.ca; [redacted]; councillor_ainslie@toronto.ca; [redacted]; MHA Minister / Ministre SMD (HC/SC)
Subject: Ongoing Neglect of Noise Monitoring Infrastructure – Tobias Park NMT #39
Date: 2025-05-18 12:01:31 PM

Warning: This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.
Attention: Ce message provient d'un EXPÉDITEUR EXTERNE - soyez PRUDENT, en particulier avec les liens et les pièces jointes.

[redacted] Ms. Freeland,

The continued failure to operate Toronto Pearson as a major national infrastructure, in accordance with its federal lease obligations, is unacceptable.

Noise Monitoring Terminal #39, located at Tobias Park, has been non-functional for over three months. There is no public acknowledgement of the outage. There is no notice, no explanation, and no timeline for repair. The community has been left completely in the dark.

There is no way for us to know if GTAA and Transport Canada are even aware of the problem. No way to know if there are any plans to address it. No transparency. No accountability.

This is a textbook example of institutional neglect—an active disservice to communities suffering under the weight of unchecked aircraft noise. The failures continue, and so does the silence. Meanwhile, Transport Canada appears content to look the other way.

This is not just technical dysfunction. It is a breakdown of public trust.

Sincerely,
Fabio Ovettini



Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada



ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: Minister of Transport / Ministre des Transports (TC); hcminister.ministresc; [redacted] Prime Minister | Premier Ministre; +Info; info.com@chrc-ccdp.gc.ca
Cc: [redacted] judy.sgro@parl.gc.ca; PublicHealth@toronto.ca; publichealth@toronto.ca; councillor_perruzza@toronto.ca; petitions@oag-bvg.gc.ca; ida.lipreti@tcdsb.org; matias.dedovitiis@tdsb.on.ca; info.com@chrc-ccdp.gc.ca; complaint.plainte@chrc-ccdp.gc.ca; info@psic-ispc.gc.ca; mark.holland@parl.gc.ca; yaara.saks@parl.gc.ca; Costen, Eric (he, him | il, lui) (HC/SC); Orencsak, Greg (he, him | il, lui) (HC/SC); jagmeet.singh@parl.gc.ca; francesco.sorbara@parl.gc.ca; mayor_chow@toronto.ca; tc.ministeroftransport-ministredestransports.tc@tc.gc.ca; hcminister.ministresc; [redacted] trakocevic-co@ndp.on.ca; doug.ford.c@pc.ola.org; [redacted] piac.ward04@tdsb.on.ca; [redacted] office@timothycs.com; piac.ward01@tdsb.on.ca; [redacted] councillor_crisanti@toronto.ca; councillor_holyday@toronto.ca; councillor_morley@toronto.ca; councillor_perks@toronto.ca; councillor_nunziata@toronto.ca; councillor_pasternak@toronto.ca; councillor_colle8@toronto.ca; councillor_malik@toronto.ca; councillor_saxe@toronto.ca; councillor_matlow@toronto.ca; councillor_moise@toronto.ca; councillor_fletcher@toronto.ca; councillor_chernoslin@toronto.ca; councillor_burnside@toronto.ca; councillor_carroll@toronto.ca; councillor_cheng@toronto.ca; councillor_bradford@toronto.ca; councillor_kandavel@toronto.ca; councillor_thompson@toronto.ca; councillor_mantas@toronto.ca; councillor_myers@toronto.ca; councillor_ainslie@toronto.ca; [redacted] humberleacommunitygroup@gmail.com; [redacted] wl-ff@rcy.ca; [redacted] judy.sgro.a1@parl.gc.ca; [redacted] ZZG-Community Engagement
Subject: Ongoing Tampering of Complaint Reports – Systemic Deceit Requires Immediate Dismissals
Date: 2025-07-02 10:13:12 AM

Warning: This message is from an EXTERNAL SENDER – be CAUTIOUS, particularly with links and attachments.
Attention : Ce message provient d'un EXPÉDITEUR EXTERNE – soyez PRUDENT, en particulier avec les liens et les pièces jointes.

Subject: Ongoing Tampering of Complaint Reports – Systemic Deceit Requires Immediate Dismissals

Dear Minister Freeland,

I am writing once again to raise the alarm about what is now indisputable: the deliberate, systematic tampering of complaint data related to Pearson Airport operations.

Another report has surfaced containing falsified or corrupted data. This is not an isolated glitch. It is part of a longstanding pattern of manipulation—so carefully executed, and yet so recurrent, that it leaves one chilling conclusion:
They've been doing this for years, and they've been getting away with it.

There is no attempt to hide it. No attempt to correct it. No transparency. No accountability. Not even the courtesy of cleaning their own fingerprints from the crime scene. This isn't negligence—it's a corporate culture of deceit. And it permeates the GTAA's leadership.

Enough is enough.

Ms. Flint must resign or be dismissed immediately. The entire GTAA management team must be replaced.
The community has lost all confidence in their ability or willingness to act in good faith.

And to you, Minister Freeland—oversight is not optional. The GTAA falls under your federal jurisdiction. You have known of these failures. You have seen the reports. You have received the warnings. If you are not willing to act—if you cannot bring yourself to defend the public against institutional fraud and environmental assault—then you, too, must step aside.

Pearson Airport is not the private playground of executives who lie to get expansion approvals, erase community complaints, and bury public health evidence. It is a federally leased public facility. The rules must be enforced.

This is not just about noise. It is about governance, truth, and public harm.
And it is about justice long denied.

We are demanding full transparency, criminal investigation, and federal takeover if necessary.
Because this is not how a country like Canada should run its airports.

Attached below is a screenshot of the newly discovered data inconsistencies.
This is your opportunity to act—before even more evidence is destroyed.

Sincerely,
Fabio Ovettini



ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: Minister of Transport / Ministre des Transports (TC); hcminister.ministresc; [redacted] Prime Minister | Premier Ministre
Cc: [redacted] judy.sgro@parl.gc.ca; PublicHealth@toronto.ca; publichealth@toronto.ca; councillor_perruzza@toronto.ca; petitions@oag-bvg.gc.ca; [redacted] info.com@chrc-ccdp.gc.ca; complaint.plainte@chrc-ccdp.gc.ca; info@psic-ispc.gc.ca; mark.holland@parl.gc.ca; yaara.saks@parl.gc.ca; Costen, Eric (he, him | il, lui) (HC/SC); Orencsak, Greg (he, him | il, lui) (HC/SC); jagmeet.singh@parl.gc.ca; francesco.sorbara@parl.gc.ca; mayor_chow@toronto.ca; tc.ministeroftransport-ministredestransports.tc@tc.gc.ca; hcminister.ministresc; [redacted] trakocevic-co@ndp.on.ca; doug.ford@pc.ola.org; [redacted] piac.ward04@tdsb.on.ca [redacted] office@timothycs.com; piac.ward01@tdsb.on.ca [redacted] councillor_crisanti@toronto.ca; councillor_holyday@toronto.ca; councillor_morley@toronto.ca; councillor_perks@toronto.ca; councillor_nunziata@toronto.ca; councillor_pasternak@toronto.ca; councillor_colle8@toronto.ca; councillor_malik@toronto.ca; councillor_saxe@toronto.ca; councillor_matlow@toronto.ca; councillor_moise@toronto.ca; councillor_fletcher@toronto.ca; councillor_chernoslin@toronto.ca; councillor_burnside@toronto.ca; councillor_carroll@toronto.ca; councillor_cheng@toronto.ca; councillor_bradford@toronto.ca; councillor_kandavel@toronto.ca; councillor_thompson@toronto.ca; councillor_mantas@toronto.ca; councillor_myers@toronto.ca; councillor_ainslie@toronto.ca; [redacted] humberleacommunitygroup@gmail.com; [redacted] w5@cty.ca; [redacted] judy.sgro.a1@parl.gc.ca; [redacted] ZZG-Community Engagement
Subject: Oriole Park Noise Monitor Down Again – A Shameful Disservice to the Community
Date: 2025-06-30 8:27:29 PM

Warning: This message is from an EXTERNAL SENDER – be CAUTIOUS, particularly with links and attachments.
Attention : Ce message provient d'un EXPÉDITEUR EXTERNE – soyez PRUDENT, en particulier avec les liens et les pièces jointes.

Subject: Oriole Park Noise Monitor Down Again – A Shameful Disservice to the Community

Minister Freeland,
Ms. Flint,

Once again, the Oriole Park noise monitor is down.

This repeated failure is not just a technical issue—it is a profound disservice to the community you claim to serve. For months, residents have endured relentless aircraft noise with no accountability, no data transparency, and no functioning system to validate or quantify our suffering.

To allow this to continue, again and again, without resolution or responsibility, is a shameful way to fulfill your positions. In Japan, such repeated public failures would be met with deep personal accountability—even ritual resignation. Here, we get silence, excuses, or cosmetic statements while the suffering continues unchecked.

This monitor is one of the few remaining mechanisms residents have to prove the extent of the harm. Its failure is not just technical—it is political.

We demand:

- Immediate restoration of the Oriole Park NMT;
- A public explanation for the repeated outages;
- A formal audit of GTAA's monitoring infrastructure;
- And a commitment to independent oversight of noise data collection going forward.

We are not your test subjects. Our homes are not GTAA's dumping ground.

Sincerely,
Fabio Ovettini

P/D: In Japan, *harakiri* (also known as *seppuku*) is a form of ritual suicide historically practiced by samurai to restore personal or familial honour after a disgrace or public failure. While we are not calling for anything of the sort, it's worth noting that some Japanese CEOs have in fact taken their own lives or resigned in the wake of scandals—out of a sense of personal responsibility. The contrast is glaring: in Canada, repeated institutional failures are met with silence, deflection, or performative concern. Communities are left to suffer while those in charge continue comfortably in their roles.



ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: judy.sgro@parl.gc.ca; pierre.poilievre@parl.gc.ca; Jagmeet - M.P.; Francesco Sorbara; [redacted] humberleacommunitygroup@gmail.com; [redacted] Mayor Chow; Councillor Perruzza; Tom Rakocevic; [redacted]; W5 Viewer Mail; [redacted] Minister of Transport / Ministre des Transports (TC); newstips@thestar.ca; [redacted] ZZG-Community Engagement; doug.fordco@pc.ola.org; [redacted]; hcminister.ministresc; MHA Minister / Ministre SMD (HC/SC); [redacted] piac.ward04@tdsb.on.ca; [redacted] office@timothycs.com; [redacted] piac.ward04@tdsb.on.ca; [redacted] Fabio Ovettini
Subject: Pearson ranked second-last in customer satisfaction survey
Date: 2024-09-19 4:45:36 PM

Warning: This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.
Attention: Ce message provient d'un EXPÉDITEUR EXTERNE - soyez PRUDENT, en particulier avec les liens et les pièces jointes.

Toronto Pearson ranked second-last in airport customer satisfaction survey



ATIA - 19(1)

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

From: Fabio Ovettini
To: [redacted], Minister of Transport / Ministre des Transports (TC); ZZG-Community Engagement; Anita.Anand@parl.gc.ca; anita.anand@parl.gc.ca; [redacted], aara.saks@parl.gc.ca; [redacted] mark.holland@parl.gc.ca; vaara.saks@parl.gc.ca; Costen, Eric (he, him | il, lui) (HC/SC); Orencsak, Greg (he, him | il, lui) (HC/SC); pierre.poilievre@parl.gc.ca; Jagmeet - M.P.; Francesco Sorbara; [redacted] humberleacommunitygroup@gmail.com; [redacted] Mayor Chow; Councillor Perruzza; [redacted] Tom Rakocevic; [redacted]; W5 Viewer Mail; [redacted] newstips@thestar.ca; [redacted] doug.fordco@pc.ola.org; [redacted] hcminister.ministresc; MHA Minister / Ministre SMD (HC/SC) [redacted] piac.ward04@tdsb.on.ca; [redacted] office@timothycs.com; [redacted] piac.ward01@tdsb.on.ca; [redacted] judy.sgro.a1@parl.gc.ca; Meneses Albert (Sgro Judy A. - MP); Calderan Amy (Sgro Judy A. - MP); [redacted] judy.sgro@parl.gc.ca; [redacted] councillor_crisanti@toronto.ca; councillor_holyday@toronto.ca; councillor_morley@toronto.ca; councillor_perks@toronto.ca; councillor_nunziata@toronto.ca; councillor_pasternak@toronto.ca; councillor_colle8@toronto.ca; councillor_malik@toronto.ca; councillor_saxe@toronto.ca; councillor_matlow@toronto.ca; councillor_moise@toronto.ca; councillor_fletcher@toronto.ca; councillor_chernoslin@toronto.ca; councillor_burnside@toronto.ca; councillor_carroll@toronto.ca; councillor_cheng@toronto.ca; councillor_bradford@toronto.ca; councillor_kandavel@toronto.ca; councillor_thompson@toronto.ca; councillor_mantas@toronto.ca; councillor_myers@toronto.ca; councillor_mckelvie@toronto.ca; [redacted] councillor_ainslie@toronto.ca; [redacted]
Subject: Proof of Sleep Deprivation - January and February 2025
Date: 2025-03-28 11:33:04 PM
Attachments: Noise-Events-Jan-2025.pdf
Noise-Events-Feb-2025.pdf

Warning: This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.
Attention: Ce message provient d'un EXPÉDITEUR EXTERNE - soyez PRUDENT, en particulier avec les liens et les pièces jointes.

Good day,

As many of you know, constant airplane traffic over our communities is causing serious harm—leading to mental and physical illness, chronic sickness, and severe sleep deprivation.
Sleep deprivation is a major risk factor in accidents. If you are involved in an accident and can prove that lack of sleep contributed to it, this evidence could be critical for you, your lawyer, and your insurance company in holding those responsible accountable. The Greater Toronto Airports Authority (GTAA), Transport Canada, and the Federal Government are ultimately responsible for enabling this ongoing harm.

The information provided here is specific to the areas surrounding **Acacia Park** (43.7199° N, 79.5411° W). If you require details regarding other communities affected by Pearson Airport operations, please contact me.

If you or your child suffer from physical or mental health issues linked to chronic airplane noise, this information could be essential in proving its impact on your life.

This applies to children facing learning, behavioural, physical, or mental health challenges due to airplane noise, as well as adults whose disrupted sleep has affected their well-being, safety, or livelihood.

If you lost your job as a commercial driver because you could not meet Transport Canada's requirement of eight consecutive hours of quality sleep, documented evidence of sleep disruption caused by airplane noise could be crucial for your case.

Please review the attached files carefully for more details on how to use this information

Sincerely,
Fabio Ovettini

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

January, 2025						
Events	Date and Time of Airplane Noise Event	Decibels as reported by Acacia's noise Monitor	max recommended dB, day 55dB, night 45dB	X Louder	% louder than recommended	Day or Night
1	2025-01-01 06:27:43	71	45dB	6.1	506%	Night
2	2025-01-01 13:25:22	77	55dB	4.6	359%	Day
3	2025-01-01 13:27:58	75	55dB	4.0	300%	Day
4	2025-01-01 13:31:00	77	55dB	4.3	329%	Day
5	2025-01-01 13:32:24	73	55dB	3.5	248%	Day
6	2025-01-01 13:33:56	85	55dB	8.0	700%	Day
7	2025-01-01 13:35:13	74	55dB	3.7	273%	Day
8	2025-01-01 13:36:25	80	55dB	5.3	428%	Day
9	2025-01-01 13:37:43	76	55dB	4.3	329%	Day
10	2025-01-01 13:39:15	72	55dB	3.2	225%	Day
11	2025-01-01 13:41:09	72	55dB	3.0	203%	Day
12	2025-01-01 13:42:39	87	55dB	9.2	819%	Day
13	2025-01-01 13:45:49	72	55dB	3.0	203%	Day
14	2025-01-01 13:50:05	?	55dB	?	?	Day
15	2025-01-01 13:53:11	72	55dB	3.2	225%	Day
16	2025-01-01 13:54:50	70	55dB	2.6	164%	Day
17	2025-01-01 13:56:47	82	55dB	6.1	506%	Day
18	2025-01-01 13:58:23	?	55dB	?	?	Day
19	2025-01-01 13:59:54	80	55dB	5.3	428%	Day
20	2025-01-01 14:01:40	77	55dB	4.3	329%	Day
21	2025-01-01 14:03:15	83	55dB	7.0	596%	Day
22	2025-01-01 14:05:20	72	55dB	3.2	225%	Day
23	2025-01-01 14:07:12	85	55dB	8.0	700%	Day
24	2025-01-01 14:09:18	75	55dB	3.7	273%	Day
25	2025-01-01 14:11:05	82	55dB	6.5	550%	Day
26	2025-01-01 14:17:08	?	55dB	?	?	Day
27	2025-01-01 14:18:49	71	55dB	2.8	183%	Day
28	2025-01-01 14:20:18	72	55dB	3.2	225%	Day
29	2025-01-01 14:23:32	76	55dB	4.0	300%	Day
30	2025-01-01 14:25:08	82	55dB	6.1	506%	Day
31	2025-01-01 14:34:15	73	55dB	3.5	248%	Day
32	2025-01-01 14:36:17	83	55dB	7.0	596%	Day
33	2025-01-01 14:38:56	82	55dB	6.1	506%	Day
34	2025-01-01 14:40:45	81	55dB	5.7	466%	Day
35	2025-01-01 14:42:05	73	55dB	3.5	248%	Day
36	2025-01-01 14:43:43	75	55dB	3.7	273%	Day
37	2025-01-01 14:46:13	?	55dB	?	?	Day
38	2025-01-01 14:47:50	69	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

39	2025-01-01 14:49:14	74	55dB	3.5	248%	Day
40	2025-01-01 14:50:34	71	55dB	3.0	203%	Day
41	2025-01-01 14:51:57	75	55dB	4.0	300%	Day
42	2025-01-01 14:53:49	84	55dB	7.5	646%	Day
43	2025-01-01 14:59:35	74	55dB	3.7	273%	Day
44	2025-01-01 15:02:20	71	55dB	3.0	203%	Day
45	2025-01-01 15:05:44	75	55dB	4.0	300%	Day
46	2025-01-01 15:06:49	78	55dB	4.6	359%	Day
47	2025-01-01 15:08:30	78	55dB	4.6	359%	Day
48	2025-01-01 15:10:32	75	55dB	4.0	300%	Day
49	2025-01-01 15:14:32	79	55dB	5.3	428%	Day
50	2025-01-01 15:16:52	84	55dB	7.5	646%	Day
51	2025-01-01 15:21:13	81	55dB	6.1	506%	Day
52	2025-01-01 15:23:26	75	55dB	4.0	300%	Day
53	2025-01-01 15:25:34	75	55dB	3.7	273%	Day
54	2025-01-01 15:30:39	74	55dB	3.5	248%	Day
55	2025-01-01 15:39:21	76	55dB	4.0	300%	Day
56	2025-01-01 15:41:58	74	55dB	3.5	248%	Day
57	2025-01-01 15:44:04	72	55dB	3.2	225%	Day
58	2025-01-01 15:46:05	74	55dB	3.7	273%	Day
59	2025-01-01 15:48:24	74	55dB	3.7	273%	Day
60	2025-01-01 15:50:19	75	55dB	3.7	273%	Day
61	2025-01-01 15:55:03	73	55dB	3.5	248%	Day
62	2025-01-01 15:57:11	76	55dB	4.0	300%	Day
63	2025-01-01 16:01:41	76	55dB	4.3	329%	Day
64	2025-01-01 16:04:08	71	55dB	2.8	183%	Day
65	2025-01-01 16:10:09	76	55dB	4.0	300%	Day
66	2025-01-01 16:14:51	75	55dB	4.0	300%	Day
67	2025-01-01 16:17:02	76	55dB	4.0	300%	Day
68	2025-01-01 16:30:15	76	55dB	4.0	300%	Day
69	2025-01-01 16:33:16	74	55dB	3.5	248%	Day
70	2025-01-01 16:41:10	76	55dB	4.0	300%	Day
71	2025-01-01 16:54:57	75	55dB	3.7	273%	Day
72	2025-01-01 16:57:36	74	55dB	3.7	273%	Day
73	2025-01-01 17:07:03	75	55dB	3.7	273%	Day
74	2025-01-01 17:11:08	?	55dB	?	?	Day
75	2025-01-01 17:16:45	75	55dB	4.0	300%	Day
76	2025-01-01 17:19:09	73	55dB	3.2	225%	Day
77	2025-01-01 17:23:27	73	55dB	3.5	248%	Day
78	2025-01-01 17:27:27	72	55dB	3.0	203%	Day
79	2025-01-01 17:34:05	74	55dB	3.5	248%	Day
80	2025-01-01 17:37:01	73	55dB	3.5	248%	Day
81	2025-01-01 17:39:25	75	55dB	3.7	273%	Day
82	2025-01-01 17:41:43	80	55dB	5.7	466%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

83	2025-01-01 17:44:20	?	55dB	?	?	Day
84	2025-01-01 17:46:48	76	55dB	4.3	329%	Day
85	2025-01-01 17:48:38	75	55dB	4.0	300%	Day
86	2025-01-01 17:51:04	72	55dB	3.2	225%	Day
87	2025-01-01 17:53:32	72	55dB	3.2	225%	Day
88	2025-01-01 17:55:44	78	55dB	4.6	359%	Day
89	2025-01-01 17:57:50	74	55dB	3.7	273%	Day
90	2025-01-01 18:00:45	71	55dB	3.0	203%	Day
91	2025-01-01 18:03:15	71	55dB	2.8	183%	Day
92	2025-01-01 18:05:28	74	55dB	3.5	248%	Day
93	2025-01-01 18:21:45	74	55dB	3.5	248%	Day
94	2025-01-01 18:24:06	74	55dB	3.5	248%	Day
95	2025-01-01 18:26:20	76	55dB	4.3	329%	Day
96	2025-01-01 18:28:48	70	55dB	2.8	183%	Day
97	2025-01-01 18:31:30	74	55dB	3.7	273%	Day
98	2025-01-01 18:33:36	77	55dB	4.3	329%	Day
99	2025-01-01 18:36:07	75	55dB	3.7	273%	Day
100	2025-01-01 18:38:07	?	55dB	?	?	Day
101	2025-01-01 18:40:50	73	55dB	3.2	225%	Day
102	2025-01-01 18:47:57	73	55dB	3.5	248%	Day
103	2025-01-01 18:51:43	71	55dB	3.0	203%	Day
104	2025-01-01 18:54:12	75	55dB	3.7	273%	Day
105	2025-01-01 18:56:31	75	55dB	3.7	273%	Day
106	2025-01-01 18:58:32	74	55dB	3.7	273%	Day
107	2025-01-01 19:01:06	74	45dB	7.5	646%	Night
108	2025-01-01 19:03:14	76	45dB	8.6	757%	Night
109	2025-01-01 19:06:06	74	45dB	7.0	596%	Night
110	2025-01-01 19:11:05	74	45dB	7.5	646%	Night
111	2025-01-01 19:17:30	75	45dB	8.0	700%	Night
112	2025-01-01 19:19:57	78	45dB	9.2	819%	Night
113	2025-01-01 19:26:35	75	45dB	8.0	700%	Night
114	2025-01-01 19:28:31	75	45dB	7.5	646%	Night
115	2025-01-01 19:31:05	73	45dB	6.5	550%	Night
116	2025-01-01 19:35:20	?	45dB	?	?	Night
117	2025-01-01 19:37:44	74	45dB	7.0	596%	Night
118	2025-01-01 19:39:48	74	45dB	7.0	596%	Night
119	2025-01-01 19:46:02	73	45dB	6.5	550%	Night
120	2025-01-01 19:48:01	?	45dB	?	?	Night
121	2025-01-01 19:52:33	74	45dB	7.5	646%	Night
122	2025-01-01 20:01:02	74	45dB	7.5	646%	Night
123	2025-01-01 20:04:40	74	45dB	7.0	596%	Night
124	2025-01-01 20:07:13	74	45dB	7.0	596%	Night
125	2025-01-01 20:11:15	77	45dB	8.6	757%	Night
126	2025-01-01 20:13:44	73	45dB	6.5	550%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

127	2025-01-01 20:19:40	74	45dB	7.0	596%	Night
128	2025-01-01 20:25:18	71	45dB	5.7	466%	Night
129	2025-01-01 20:30:43	74	45dB	7.5	646%	Night
130	2025-01-01 20:33:05	77	45dB	8.6	757%	Night
131	2025-01-01 20:35:31	73	45dB	7.0	596%	Night
132	2025-01-01 20:39:09	74	45dB	7.0	596%	Night
133	2025-01-01 20:42:48	73	45dB	7.0	596%	Night
134	2025-01-01 20:45:00	76	45dB	8.6	757%	Night
135	2025-01-01 20:48:43	73	45dB	6.5	550%	Night
136	2025-01-01 20:51:19	72	45dB	6.1	506%	Night
137	2025-01-01 20:54:19	72	45dB	6.5	550%	Night
138	2025-01-01 20:56:31	74	45dB	7.0	596%	Night
139	2025-01-01 21:00:05	75	45dB	7.5	646%	Night
140	2025-01-01 21:02:15	74	45dB	7.5	646%	Night
141	2025-01-01 21:04:09	72	45dB	6.1	506%	Night
142	2025-01-01 21:06:24	74	45dB	7.0	596%	Night
143	2025-01-01 21:08:35	78	45dB	9.2	819%	Night
144	2025-01-01 21:10:43	73	45dB	6.5	550%	Night
145	2025-01-01 21:13:48	?	45dB	?	?	Night
146	2025-01-01 21:18:22	69	45dB	4.9	392%	Night
147	2025-01-01 21:19:40	70	45dB	5.3	428%	Night
148	2025-01-01 21:20:55	70	45dB	5.7	466%	Night
149	2025-01-01 21:22:23	?	45dB	?	?	Night
150	2025-01-01 21:23:47	72	45dB	6.5	550%	Night
151	2025-01-01 21:25:22	?	45dB	?	?	Night
152	2025-01-01 21:26:43	71	45dB	5.7	466%	Night
153	2025-01-01 21:30:51	?	45dB	?	?	Night
154	2025-01-01 21:33:40	69	45dB	4.9	392%	Night
155	2025-01-01 21:35:06	67	45dB	4.6	359%	Night
156	2025-01-01 21:36:53	?	45dB	?	?	Night
157	2025-01-01 21:38:35	?	45dB	?	?	Night
158	2025-01-01 21:41:05	74	45dB	7.5	646%	Night
159	2025-01-01 21:43:14	?	45dB	?	?	Night
160	2025-01-01 21:57:55	?	45dB	?	?	Night
161	2025-01-01 22:04:46	67	45dB	4.3	329%	Night
162	2025-01-01 22:10:11	?	45dB	?	?	Night
163	2025-01-01 22:15:54	72	45dB	6.5	550%	Night
164	2025-01-01 22:17:37	70	45dB	5.3	428%	Night
165	2025-01-01 22:20:28	71	45dB	5.7	466%	Night
166	2025-01-01 22:23:14	?	45dB	?	?	Night
167	2025-01-01 22:25:17	71	45dB	6.1	506%	Night
168	2025-01-01 22:31:31	69	45dB	5.3	428%	Night
169	2025-01-01 22:33:15	?	45dB	?	?	Night
170	2025-01-01 22:34:30	67	45dB	4.3	329%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

171	2025-01-01 22:35:43	69	45dB	5.3	428%	Night
172	2025-01-01 22:37:31	69	45dB	4.9	392%	Night
173	2025-01-01 22:39:13	?	45dB	?	?	Night
174	2025-01-01 22:41:10	66	45dB	4.3	329%	Night
175	2025-01-01 22:42:40	68	45dB	4.6	359%	Night
176	2025-01-01 22:43:58	78	45dB	9.2	819%	Night
177	2025-01-01 22:49:03	72	45dB	6.5	550%	Night
178	2025-01-01 22:53:50	?	45dB	?	?	Night
179	2025-01-01 22:59:27	76	45dB	8.6	757%	Night
180	2025-01-01 23:07:23	73	45dB	7.0	596%	Night
181	2025-01-01 23:10:39	71	45dB	6.1	506%	Night
182	2025-01-01 23:13:06	74	45dB	7.0	596%	Night
183	2025-01-01 23:16:00	72	45dB	6.5	550%	Night
184	2025-01-01 23:17:12	71	45dB	6.1	506%	Night
185	2025-01-01 23:19:26	70	45dB	5.3	428%	Night
186	2025-01-01 23:23:22	69	45dB	5.3	428%	Night
187	2025-01-01 23:25:14	73	45dB	7.0	596%	Night
188	2025-01-01 23:27:09	71	45dB	5.7	466%	Night
189	2025-01-01 23:30:10	70	45dB	5.7	466%	Night
190	2025-01-01 23:32:15	69	45dB	4.9	392%	Night
191	2025-01-01 23:37:28	72	45dB	6.1	506%	Night
192	2025-01-01 23:40:06	69	45dB	5.3	428%	Night
193	2025-01-01 23:41:32	69	45dB	5.3	428%	Night
194	2025-01-01 23:42:58	?	45dB	?	?	Night
195	2025-01-01 23:44:41	69	45dB	5.3	428%	Night
196	2025-01-01 23:53:09	68	45dB	4.6	359%	Night
197	2025-01-01 23:55:44	71	45dB	5.7	466%	Night
198	2025-01-02 00:00:48	75	45dB	7.5	646%	Night
199	2025-01-02 00:03:05	74	45dB	7.5	646%	Night
200	2025-01-02 00:05:22	73	45dB	7.0	596%	Night
201	2025-01-02 00:10:04	72	45dB	6.5	550%	Night
202	2025-01-02 00:12:03	72	45dB	6.5	550%	Night
203	2025-01-02 00:14:26	76	45dB	8.6	757%	Night
204	2025-01-02 00:16:43	72	45dB	6.1	506%	Night
205	2025-01-02 00:19:10	72	45dB	6.1	506%	Night
206	2025-01-02 00:22:44	76	45dB	8.0	700%	Night
207	2025-01-02 00:25:16	71	45dB	6.1	506%	Night
208	2025-01-02 00:28:00	74	45dB	7.0	596%	Night
209	2025-01-02 00:31:47	67	45dB	4.3	329%	Night
210	2025-01-02 00:36:07	74	45dB	7.5	646%	Night
211	2025-01-02 00:47:52	81	45dB	12.1	1113%	Night
212	2025-01-02 00:52:48	72	45dB	6.1	506%	Night
213	2025-01-02 00:58:02	74	45dB	7.5	646%	Night
214	2025-01-02 01:00:20	74	45dB	7.0	596%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

215	2025-01-02 01:02:43	74	45dB	7.5	646%	Night
216	2025-01-02 01:05:06	74	45dB	7.0	596%	Night
217	2025-01-02 01:08:49	74	45dB	7.5	646%	Night
218	2025-01-02 01:20:30	73	45dB	6.5	550%	Night
219	2025-01-02 01:24:37	75	45dB	7.5	646%	Night
220	2025-01-02 01:46:56	74	45dB	7.0	596%	Night
221	2025-01-02 01:49:16	79	45dB	9.8	885%	Night
222	2025-01-02 01:52:46	74	45dB	7.0	596%	Night
223	2025-01-02 01:55:05	75	45dB	7.5	646%	Night
224	2025-01-02 02:50:27	72	45dB	6.5	550%	Night
225	2025-01-02 02:58:06	74	45dB	7.5	646%	Night
226	2025-01-02 03:21:32	75	45dB	7.5	646%	Night
227	2025-01-02 03:26:44	74	45dB	7.5	646%	Night
228	2025-01-02 04:32:30	74	45dB	7.0	596%	Night
229	2025-01-02 05:05:41	74	45dB	7.0	596%	Night
230	2025-01-02 05:14:37	76	45dB	8.0	700%	Night
231	2025-01-02 05:24:34	75	45dB	7.5	646%	Night
232	2025-01-02 05:28:47	75	45dB	7.5	646%	Night
233	2025-01-02 05:30:46	78	45dB	9.2	819%	Night
234	2025-01-02 05:45:56	79	45dB	10.6	956%	Night
235	2025-01-02 05:49:02	74	45dB	7.0	596%	Night
236	2025-01-02 05:51:53	74	45dB	7.0	596%	Night
237	2025-01-02 05:53:39	75	45dB	8.0	700%	Night
238	2025-01-02 05:58:25	77	45dB	9.2	819%	Night
239	2025-01-02 06:00:49	74	45dB	7.5	646%	Night
240	2025-01-02 06:06:55	82	45dB	13.0	1200%	Night
241	2025-01-02 06:09:09	73	45dB	6.5	550%	Night
242	2025-01-02 06:12:06	81	45dB	11.3	1031%	Night
243	2025-01-02 06:30:24	71	45dB	5.7	466%	Night
244	2025-01-02 06:32:16	?	45dB	?	?	Night
245	2025-01-02 06:33:53	68	45dB	4.9	392%	Night
246	2025-01-02 06:34:59	73	45dB	6.5	550%	Night
247	2025-01-02 06:36:33	73	45dB	7.0	596%	Night
248	2025-01-02 06:37:46	76	45dB	8.6	757%	Night
249	2025-01-02 06:39:08	70	45dB	5.3	428%	Night
250	2025-01-02 06:40:19	69	45dB	5.3	428%	Night
251	2025-01-02 06:41:48	77	45dB	9.2	819%	Night
252	2025-01-02 06:43:02	77	45dB	9.2	819%	Night
253	2025-01-02 06:44:05	70	45dB	5.3	428%	Night
254	2025-01-02 06:45:36	70	45dB	5.3	428%	Night
255	2025-01-02 06:47:18	79	45dB	9.8	885%	Night
256	2025-01-02 06:49:37	71	45dB	6.1	506%	Night
257	2025-01-02 06:50:57	72	45dB	6.1	506%	Night
258	2025-01-02 06:52:21	69	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

259	2025-01-02 06:53:44	78	45dB	9.8	885%	Night
260	2025-01-02 06:55:11	81	45dB	12.1	1113%	Night
261	2025-01-02 06:56:37	73	45dB	6.5	550%	Night
262	2025-01-02 06:58:02	77	45dB	9.2	819%	Night
263	2025-01-02 06:59:43	76	45dB	8.0	700%	Night
264	2025-01-02 07:01:28	77	55dB	4.6	359%	Day
265	2025-01-02 07:10:51	69	55dB	2.5	146%	Day
266	2025-01-02 07:12:37	?	55dB	?	?	Day
267	2025-01-02 07:14:38	80	55dB	5.7	466%	Day
268	2025-01-02 07:17:19	76	55dB	4.0	300%	Day
269	2025-01-02 07:19:08	80	55dB	5.3	428%	Day
270	2025-01-02 07:22:05	77	55dB	4.3	329%	Day
271	2025-01-02 07:23:52	70	55dB	2.6	164%	Day
272	2025-01-02 07:26:25	67	55dB	2.3	130%	Day
273	2025-01-02 07:28:15	?	55dB	?	?	Day
274	2025-01-02 07:33:36	76	55dB	4.3	329%	Day
275	2025-01-02 07:36:57	70	55dB	2.8	183%	Day
276	2025-01-02 07:38:49	73	55dB	3.5	248%	Day
277	2025-01-02 07:40:51	74	55dB	3.7	273%	Day
278	2025-01-02 07:42:20	75	55dB	3.7	273%	Day
279	2025-01-02 07:43:35	74	55dB	3.7	273%	Day
280	2025-01-02 07:45:06	71	55dB	2.8	183%	Day
281	2025-01-02 07:49:52	69	55dB	2.6	164%	Day
282	2025-01-02 07:53:51	70	55dB	2.8	183%	Day
283	2025-01-02 07:57:07	?	55dB	?	?	Day
284	2025-01-02 08:04:04	71	55dB	3.0	203%	Day
285	2025-01-02 08:07:01	70	55dB	2.8	183%	Day
286	2025-01-02 08:11:05	74	55dB	3.7	273%	Day
287	2025-01-02 08:14:08	80	55dB	5.7	466%	Day
288	2025-01-02 08:17:16	83	55dB	7.0	596%	Day
289	2025-01-02 08:18:53	80	55dB	5.7	466%	Day
290	2025-01-02 08:21:00	69	55dB	2.6	164%	Day
291	2025-01-02 08:30:42	72	55dB	3.0	203%	Day
292	2025-01-02 08:37:10	75	55dB	3.7	273%	Day
293	2025-01-02 08:41:17	74	55dB	3.5	248%	Day
294	2025-01-02 08:46:21	69	55dB	2.5	146%	Day
295	2025-01-02 08:49:45	82	55dB	6.5	550%	Day
296	2025-01-02 08:53:46	?	55dB	?	?	Day
297	2025-01-02 09:16:04	74	55dB	3.7	273%	Day
298	2025-01-02 09:18:27	72	55dB	3.2	225%	Day
299	2025-01-02 09:22:07	79	55dB	4.9	392%	Day
300	2025-01-02 09:24:14	76	55dB	4.3	329%	Day
301	2025-01-02 09:28:07	73	55dB	3.2	225%	Day
302	2025-01-02 09:31:46	68	55dB	2.5	146%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

303	2025-01-02 09:34:12	69	55dB	2.5	146%	Day
304	2025-01-02 09:35:34	72	55dB	3.2	225%	Day
305	2025-01-02 09:37:02	74	55dB	3.7	273%	Day
306	2025-01-02 09:38:52	66	55dB	2.1	114%	Day
307	2025-01-02 09:40:25	?	55dB	?	?	Day
308	2025-01-02 09:42:28	76	55dB	4.0	300%	Day
309	2025-01-02 09:45:42	75	55dB	4.0	300%	Day
310	2025-01-02 09:47:26	72	55dB	3.0	203%	Day
311	2025-01-02 09:55:55	?	55dB	?	?	Day
312	2025-01-02 09:58:06	80	55dB	5.3	428%	Day
313	2025-01-02 10:07:37	?	55dB	?	?	Day
314	2025-01-02 10:19:18	85	55dB	7.5	646%	Day
315	2025-01-02 10:31:03	71	55dB	2.8	183%	Day
316	2025-01-02 10:33:06	80	55dB	5.7	466%	Day
317	2025-01-02 10:34:56	?	55dB	?	?	Day
318	2025-01-02 10:37:14	82	55dB	6.5	550%	Day
319	2025-01-02 10:42:35	74	55dB	3.7	273%	Day
320	2025-01-02 10:44:21	78	55dB	4.6	359%	Day
321	2025-01-02 10:46:23	?	55dB	?	?	Day
322	2025-01-02 10:48:08	69	55dB	2.5	146%	Day
323	2025-01-02 10:49:56	67	55dB	2.3	130%	Day
324	2025-01-02 10:51:46	?	55dB	?	?	Day
325	2025-01-02 10:55:36	?	55dB	?	?	Day
326	2025-01-02 11:00:42	73	55dB	3.5	248%	Day
327	2025-01-02 11:02:42	82	55dB	6.1	506%	Day
328	2025-01-02 11:04:45	?	55dB	?	?	Day
329	2025-01-02 11:07:06	72	55dB	3.2	225%	Day
330	2025-01-02 11:08:46	85	55dB	7.5	646%	Day
331	2025-01-02 11:10:41	85	55dB	8.0	700%	Day
332	2025-01-02 11:13:52	74	55dB	3.5	248%	Day
333	2025-01-02 11:17:32	79	55dB	4.9	392%	Day
334	2025-01-02 11:19:16	77	55dB	4.3	329%	Day
335	2025-01-02 11:21:08	82	55dB	6.1	506%	Day
336	2025-01-02 11:23:00	?	55dB	?	?	Day
337	2025-01-02 11:24:43	?	55dB	?	?	Day
338	2025-01-02 11:26:24	70	55dB	2.6	164%	Day
339	2025-01-02 11:28:26	78	55dB	4.9	392%	Day
340	2025-01-02 11:30:18	?	55dB	?	?	Day
341	2025-01-02 11:32:11	?	55dB	?	?	Day
342	2025-01-02 11:34:02	72	55dB	3.0	203%	Day
343	2025-01-02 11:36:05	?	55dB	?	?	Day
344	2025-01-02 11:37:57	79	55dB	5.3	428%	Day
345	2025-01-02 11:39:31	?	55dB	?	?	Day
346	2025-01-02 11:41:30	73	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

347	2025-01-02 11:43:17	71	55dB	3.0	203%	Day
348	2025-01-02 11:45:02	82	55dB	6.5	550%	Day
349	2025-01-02 11:47:05	78	55dB	4.6	359%	Day
350	2025-01-02 11:48:50	78	55dB	4.6	359%	Day
351	2025-01-02 11:55:10	?	55dB	?	?	Day
352	2025-01-02 12:30:14	71	55dB	2.8	183%	Day
353	2025-01-02 12:32:49	?	55dB	?	?	Day
354	2025-01-02 12:38:07	?	55dB	?	?	Day
355	2025-01-02 12:40:39	79	55dB	5.3	428%	Day
356	2025-01-02 12:42:54	69	55dB	2.6	164%	Day
357	2025-01-02 12:45:02	70	55dB	2.6	164%	Day
358	2025-01-02 12:48:39	78	55dB	4.6	359%	Day
359	2025-01-02 12:54:12	82	55dB	6.5	550%	Day
360	2025-01-02 12:59:43	80	55dB	5.3	428%	Day
361	2025-01-02 13:02:30	73	55dB	3.5	248%	Day
362	2025-01-02 13:07:09	?	55dB	?	?	Day
363	2025-01-02 14:12:36	77	55dB	4.6	359%	Day
364	2025-01-02 15:16:35	82	55dB	6.1	506%	Day
365	2025-01-02 15:22:41	83	55dB	7.0	596%	Day
366	2025-01-02 15:29:21	76	55dB	4.3	329%	Day
367	2025-01-02 15:34:32	78	55dB	4.6	359%	Day
368	2025-01-02 15:36:41	83	55dB	6.5	550%	Day
369	2025-01-02 15:37:58	82	55dB	6.5	550%	Day
370	2025-01-02 15:39:43	71	55dB	3.0	203%	Day
371	2025-01-02 15:42:46	?	55dB	?	?	Day
372	2025-01-02 15:45:33	68	55dB	2.5	146%	Day
373	2025-01-02 15:46:55	80	55dB	5.7	466%	Day
374	2025-01-02 15:48:14	?	55dB	?	?	Day
375	2025-01-02 15:49:49	76	55dB	4.0	300%	Day
376	2025-01-02 15:56:33	81	55dB	5.7	466%	Day
377	2025-01-02 15:58:02	85	55dB	8.0	700%	Day
378	2025-01-02 16:01:12	?	55dB	?	?	Day
379	2025-01-02 16:02:43	?	55dB	?	?	Day
380	2025-01-02 16:07:22	75	55dB	4.0	300%	Day
381	2025-01-02 16:08:43	?	55dB	?	?	Day
382	2025-01-02 16:10:25	78	55dB	4.6	359%	Day
383	2025-01-02 16:15:17	77	55dB	4.6	359%	Day
384	2025-01-02 16:18:40	?	55dB	?	?	Day
385	2025-01-02 16:20:59	71	55dB	2.8	183%	Day
386	2025-01-02 16:22:28	77	55dB	4.6	359%	Day
387	2025-01-02 16:23:47	67	55dB	2.3	130%	Day
388	2025-01-02 16:25:01	67	55dB	2.3	130%	Day
389	2025-01-02 16:26:36	70	55dB	2.6	164%	Day
390	2025-01-02 16:28:47	73	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

391	2025-01-02 16:31:56	?	55dB	?	?	Day
392	2025-01-02 16:33:36	74	55dB	3.7	273%	Day
393	2025-01-02 16:35:03	72	55dB	3.0	203%	Day
394	2025-01-02 16:36:24	?	55dB	?	?	Day
395	2025-01-02 16:38:37	70	55dB	2.8	183%	Day
396	2025-01-02 16:40:20	81	55dB	5.7	466%	Day
397	2025-01-02 16:42:45	69	55dB	2.6	164%	Day
398	2025-01-02 16:45:08	69	55dB	2.5	146%	Day
399	2025-01-02 16:46:37	71	55dB	2.8	183%	Day
400	2025-01-02 16:48:06	77	55dB	4.3	329%	Day
401	2025-01-02 16:49:36	71	55dB	2.8	183%	Day
402	2025-01-02 16:51:56	74	55dB	3.7	273%	Day
403	2025-01-02 16:56:20	74	55dB	3.5	248%	Day
404	2025-01-02 16:57:58	76	55dB	4.3	329%	Day
405	2025-01-02 16:59:30	80	55dB	5.3	428%	Day
406	2025-01-02 17:06:44	79	55dB	5.3	428%	Day
407	2025-01-02 17:09:04	79	55dB	5.3	428%	Day
408	2025-01-02 17:10:52	?	55dB	?	?	Day
409	2025-01-02 17:14:32	78	55dB	4.6	359%	Day
410	2025-01-02 17:17:09	67	55dB	2.1	114%	Day
411	2025-01-02 17:18:44	66	55dB	2.1	114%	Day
412	2025-01-02 17:20:16	74	55dB	3.7	273%	Day
413	2025-01-02 17:21:34	85	55dB	7.5	646%	Day
414	2025-01-02 17:22:50	?	55dB	?	?	Day
415	2025-01-02 17:24:57	74	55dB	3.7	273%	Day
416	2025-01-02 17:26:40	?	55dB	?	?	Day
417	2025-01-02 17:27:56	73	55dB	3.5	248%	Day
418	2025-01-02 17:29:31	83	55dB	6.5	550%	Day
419	2025-01-02 17:31:02	78	55dB	4.9	392%	Day
420	2025-01-02 17:32:34	68	55dB	2.5	146%	Day
421	2025-01-02 17:34:08	71	55dB	2.8	183%	Day
422	2025-01-02 17:35:47	75	55dB	3.7	273%	Day
423	2025-01-02 17:37:09	69	55dB	2.6	164%	Day
424	2025-01-02 17:38:32	76	55dB	4.0	300%	Day
425	2025-01-02 17:40:47	78	55dB	4.6	359%	Day
426	2025-01-02 17:42:19	75	55dB	3.7	273%	Day
427	2025-01-02 17:44:01	69	55dB	2.5	146%	Day
428	2025-01-02 17:45:56	75	55dB	3.7	273%	Day
429	2025-01-02 17:55:30	82	55dB	6.1	506%	Day
430	2025-01-02 17:57:11	75	55dB	3.7	273%	Day
431	2025-01-02 17:58:30	?	55dB	?	?	Day
432	2025-01-02 17:59:48	?	55dB	?	?	Day
433	2025-01-02 18:02:28	72	55dB	3.0	203%	Day
434	2025-01-02 18:04:07	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

435	2025-01-02 18:07:30	71	55dB	3.0	203%	Day
436	2025-01-02 18:09:06	71	55dB	3.0	203%	Day
437	2025-01-02 18:10:50	74	55dB	3.5	248%	Day
438	2025-01-02 18:13:17	70	55dB	2.8	183%	Day
439	2025-01-02 18:17:23	?	55dB	?	?	Day
440	2025-01-02 18:19:12	67	55dB	2.3	130%	Day
441	2025-01-02 18:21:48	66	55dB	2.1	114%	Day
442	2025-01-02 18:23:17	71	55dB	3.0	203%	Day
443	2025-01-02 18:24:42	72	55dB	3.2	225%	Day
444	2025-01-02 18:26:42	75	55dB	4.0	300%	Day
445	2025-01-02 18:28:19	75	55dB	4.0	300%	Day
446	2025-01-02 18:30:44	71	55dB	2.8	183%	Day
447	2025-01-02 18:34:18	74	55dB	3.7	273%	Day
448	2025-01-02 18:35:37	76	55dB	4.0	300%	Day
449	2025-01-02 18:37:13	76	55dB	4.0	300%	Day
450	2025-01-02 18:38:37	69	55dB	2.6	164%	Day
451	2025-01-02 18:39:53	72	55dB	3.0	203%	Day
452	2025-01-02 18:41:32	78	55dB	4.9	392%	Day
453	2025-01-02 18:42:48	71	55dB	3.0	203%	Day
454	2025-01-02 18:44:16	70	55dB	2.8	183%	Day
455	2025-01-02 18:45:36	77	55dB	4.3	329%	Day
456	2025-01-02 18:46:54	80	55dB	5.7	466%	Day
457	2025-01-02 18:48:20	70	55dB	2.6	164%	Day
458	2025-01-02 18:49:53	81	55dB	6.1	506%	Day
459	2025-01-02 18:51:18	71	55dB	3.0	203%	Day
460	2025-01-02 18:52:34	80	55dB	5.3	428%	Day
461	2025-01-02 18:54:42	?	55dB	?	?	Day
462	2025-01-02 18:56:18	71	55dB	3.0	203%	Day
463	2025-01-02 18:57:46	?	55dB	?	?	Day
464	2025-01-02 18:59:08	69	55dB	2.6	164%	Day
465	2025-01-02 19:01:39	?	45dB	?	?	Night
466	2025-01-02 19:03:02	76	45dB	8.0	700%	Night
467	2025-01-02 19:05:00	73	45dB	6.5	550%	Night
468	2025-01-02 19:07:25	70	45dB	5.3	428%	Night
469	2025-01-02 19:09:26	83	45dB	13.0	1200%	Night
470	2025-01-02 19:11:42	75	45dB	7.5	646%	Night
471	2025-01-02 19:13:31	74	45dB	7.5	646%	Night
472	2025-01-02 19:15:36	?	45dB	?	?	Night
473	2025-01-02 19:17:44	73	45dB	7.0	596%	Night
474	2025-01-02 19:20:04	76	45dB	8.0	700%	Night
475	2025-01-02 19:21:52	?	45dB	?	?	Night
476	2025-01-02 19:24:17	69	45dB	4.9	392%	Night
477	2025-01-02 19:26:11	68	45dB	4.9	392%	Night
478	2025-01-02 19:27:56	73	45dB	7.0	596%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

479	2025-01-02 19:30:24	69	45dB	4.9	392%	Night
480	2025-01-02 19:32:02	67	45dB	4.3	329%	Night
481	2025-01-02 19:34:44	?	45dB	?	?	Night
482	2025-01-02 19:36:06	69	45dB	5.3	428%	Night
483	2025-01-02 19:37:32	71	45dB	5.7	466%	Night
484	2025-01-02 19:38:53	73	45dB	7.0	596%	Night
485	2025-01-02 19:40:09	?	45dB	?	?	Night
486	2025-01-02 19:41:36	73	45dB	7.0	596%	Night
487	2025-01-02 19:43:32	69	45dB	5.3	428%	Night
488	2025-01-02 19:45:02	77	45dB	8.6	757%	Night
489	2025-01-02 19:46:17	72	45dB	6.5	550%	Night
490	2025-01-02 19:47:38	78	45dB	9.2	819%	Night
491	2025-01-02 19:49:31	74	45dB	7.5	646%	Night
492	2025-01-02 19:50:50	78	45dB	9.2	819%	Night
493	2025-01-02 19:51:55	71	45dB	5.7	466%	Night
494	2025-01-02 19:53:24	?	45dB	?	?	Night
495	2025-01-02 19:55:17	78	45dB	9.2	819%	Night
496	2025-01-02 19:56:51	76	45dB	8.0	700%	Night
497	2025-01-02 19:58:19	70	45dB	5.3	428%	Night
498	2025-01-02 20:00:25	71	45dB	6.1	506%	Night
499	2025-01-02 20:02:06	73	45dB	7.0	596%	Night
500	2025-01-02 20:04:07	72	45dB	6.5	550%	Night
501	2025-01-02 20:05:44	71	45dB	6.1	506%	Night
502	2025-01-02 20:07:07	69	45dB	5.3	428%	Night
503	2025-01-02 20:08:46	74	45dB	7.5	646%	Night
504	2025-01-02 20:10:32	70	45dB	5.7	466%	Night
505	2025-01-02 20:12:34	75	45dB	8.0	700%	Night
506	2025-01-02 20:14:36	70	45dB	5.3	428%	Night
507	2025-01-02 20:16:13	66	45dB	4.3	329%	Night
508	2025-01-02 20:18:23	72	45dB	6.1	506%	Night
509	2025-01-02 20:19:48	71	45dB	6.1	506%	Night
510	2025-01-02 20:21:08	?	45dB	?	?	Night
511	2025-01-02 20:22:46	74	45dB	7.5	646%	Night
512	2025-01-02 20:25:01	69	45dB	5.3	428%	Night
513	2025-01-02 20:26:51	?	45dB	?	?	Night
514	2025-01-02 20:29:14	70	45dB	5.3	428%	Night
515	2025-01-02 20:30:38	67	45dB	4.6	359%	Night
516	2025-01-02 20:32:18	74	45dB	7.0	596%	Night
517	2025-01-02 20:34:26	70	45dB	5.7	466%	Night
518	2025-01-02 20:35:53	69	45dB	5.3	428%	Night
519	2025-01-02 20:37:27	76	45dB	8.0	700%	Night
520	2025-01-02 20:43:46	74	45dB	7.0	596%	Night
521	2025-01-02 20:45:10	?	45dB	?	?	Night
522	2025-01-02 20:46:49	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

523	2025-01-02 20:48:35	71	45dB	5.7	466%	Night
524	2025-01-02 20:51:41	73	45dB	7.0	596%	Night
525	2025-01-02 20:53:28	70	45dB	5.3	428%	Night
526	2025-01-02 20:55:03	77	45dB	9.2	819%	Night
527	2025-01-02 20:56:30	71	45dB	6.1	506%	Night
528	2025-01-02 20:58:53	71	45dB	5.7	466%	Night
529	2025-01-02 21:00:22	71	45dB	5.7	466%	Night
530	2025-01-02 21:01:40	70	45dB	5.7	466%	Night
531	2025-01-02 21:03:05	68	45dB	4.6	359%	Night
532	2025-01-02 21:04:31	78	45dB	9.8	885%	Night
533	2025-01-02 21:06:02	69	45dB	5.3	428%	Night
534	2025-01-02 21:07:49	?	45dB	?	?	Night
535	2025-01-02 21:09:19	84	45dB	13.9	1293%	Night
536	2025-01-02 21:10:52	?	45dB	?	?	Night
537	2025-01-02 21:12:17	74	45dB	7.0	596%	Night
538	2025-01-02 21:14:22	70	45dB	5.3	428%	Night
539	2025-01-02 21:15:56	75	45dB	8.0	700%	Night
540	2025-01-02 21:17:14	70	45dB	5.3	428%	Night
541	2025-01-02 21:18:30	?	45dB	?	?	Night
542	2025-01-02 21:21:02	69	45dB	5.3	428%	Night
543	2025-01-02 21:22:40	70	45dB	5.3	428%	Night
544	2025-01-02 21:24:23	?	45dB	?	?	Night
545	2025-01-02 21:31:24	85	45dB	16.0	1500%	Night
546	2025-01-02 21:33:11	68	45dB	4.9	392%	Night
547	2025-01-02 21:35:01	83	45dB	13.0	1200%	Night
548	2025-01-02 21:36:45	84	45dB	13.9	1293%	Night
549	2025-01-02 21:38:20	80	45dB	11.3	1031%	Night
550	2025-01-02 21:40:23	?	45dB	?	?	Night
551	2025-01-02 21:42:15	73	45dB	7.0	596%	Night
552	2025-01-02 21:43:39	75	45dB	7.5	646%	Night
553	2025-01-02 21:45:12	69	45dB	4.9	392%	Night
554	2025-01-02 21:47:07	71	45dB	6.1	506%	Night
555	2025-01-02 21:49:15	82	45dB	12.1	1113%	Night
556	2025-01-02 21:50:34	80	45dB	11.3	1031%	Night
557	2025-01-02 21:52:04	78	45dB	9.2	819%	Night
558	2025-01-02 21:53:37	83	45dB	13.0	1200%	Night
559	2025-01-02 21:55:10	?	45dB	?	?	Night
560	2025-01-02 21:58:08	86	45dB	16.0	1500%	Night
561	2025-01-02 22:00:04	?	45dB	?	?	Night
562	2025-01-02 22:01:50	?	45dB	?	?	Night
563	2025-01-02 22:04:38	?	45dB	?	?	Night
564	2025-01-02 22:06:22	67	45dB	4.6	359%	Night
565	2025-01-02 22:08:02	84	45dB	13.9	1293%	Night
566	2025-01-02 22:14:54	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

567	2025-01-02 22:23:35	68	45dB	4.6	359%	Night
568	2025-01-02 22:25:24	70	45dB	5.7	466%	Night
569	2025-01-02 22:28:06	?	45dB	?	?	Night
570	2025-01-02 22:29:49	?	45dB	?	?	Night
571	2025-01-02 22:31:15	70	45dB	5.3	428%	Night
572	2025-01-02 22:32:36	73	45dB	7.0	596%	Night
573	2025-01-02 22:33:55	?	45dB	?	?	Night
574	2025-01-02 22:35:28	?	45dB	?	?	Night
575	2025-01-02 22:36:49	79	45dB	10.6	956%	Night
576	2025-01-02 22:38:32	74	45dB	7.0	596%	Night
577	2025-01-02 22:40:02	68	45dB	4.6	359%	Night
578	2025-01-02 22:41:31	?	45dB	?	?	Night
579	2025-01-02 22:43:02	79	45dB	10.6	956%	Night
580	2025-01-02 22:44:33	70	45dB	5.7	466%	Night
581	2025-01-02 22:45:55	75	45dB	7.5	646%	Night
582	2025-01-02 22:48:49	74	45dB	7.5	646%	Night
583	2025-01-02 22:50:27	71	45dB	5.7	466%	Night
584	2025-01-02 22:52:15	79	45dB	10.6	956%	Night
585	2025-01-02 22:53:57	78	45dB	9.2	819%	Night
586	2025-01-02 23:08:56	82	45dB	13.0	1200%	Night
587	2025-01-02 23:16:14	75	45dB	7.5	646%	Night
588	2025-01-02 23:18:26	78	45dB	9.2	819%	Night
589	2025-01-02 23:20:14	?	45dB	?	?	Night
590	2025-01-02 23:21:56	?	45dB	?	?	Night
591	2025-01-02 23:28:33	?	45dB	?	?	Night
592	2025-01-02 23:35:26	73	45dB	6.5	550%	Night
593	2025-01-02 23:45:43	76	45dB	8.0	700%	Night
594	2025-01-02 23:48:42	71	45dB	5.7	466%	Night
595	2025-01-02 23:51:28	73	45dB	7.0	596%	Night
596	2025-01-02 23:54:42	72	45dB	6.5	550%	Night
597	2025-01-02 23:56:32	72	45dB	6.5	550%	Night
598	2025-01-02 23:58:36	78	45dB	9.8	885%	Night
599	2025-01-03 00:00:15	?	45dB	?	?	Night
600	2025-01-03 00:03:42	71	45dB	6.1	506%	Night
601	2025-01-03 00:07:23	73	45dB	7.0	596%	Night
602	2025-01-03 00:10:28	69	45dB	4.9	392%	Night
603	2025-01-03 00:12:06	70	45dB	5.3	428%	Night
604	2025-01-03 00:14:56	?	45dB	?	?	Night
605	2025-01-03 00:16:34	67	45dB	4.6	359%	Night
606	2025-01-03 00:18:02	71	45dB	5.7	466%	Night
607	2025-01-03 00:19:48	77	45dB	9.2	819%	Night
608	2025-01-03 00:24:57	73	45dB	6.5	550%	Night
609	2025-01-03 00:27:10	70	45dB	5.3	428%	Night
610	2025-01-03 00:29:21	68	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

611	2025-01-03 00:31:55	68	45dB	4.6	359%	Night
612	2025-01-03 00:34:36	78	45dB	9.2	819%	Night
613	2025-01-03 00:38:41	84	45dB	14.9	1393%	Night
614	2025-01-03 00:43:03	76	45dB	8.6	757%	Night
615	2025-01-03 06:29:36	?	45dB	?	?	Night
616	2025-01-03 06:31:22	71	45dB	5.7	466%	Night
617	2025-01-03 06:33:16	69	45dB	4.9	392%	Night
618	2025-01-03 06:34:35	70	45dB	5.3	428%	Night
619	2025-01-03 06:36:07	75	45dB	8.0	700%	Night
620	2025-01-03 06:37:43	70	45dB	5.7	466%	Night
621	2025-01-03 06:39:24	75	45dB	8.0	700%	Night
622	2025-01-03 06:41:07	70	45dB	5.3	428%	Night
623	2025-01-03 06:43:06	73	45dB	7.0	596%	Night
624	2025-01-03 06:44:44	71	45dB	5.7	466%	Night
625	2025-01-03 06:46:15	?	45dB	?	?	Night
626	2025-01-03 06:48:02	68	45dB	4.6	359%	Night
627	2025-01-03 06:50:26	72	45dB	6.5	550%	Night
628	2025-01-03 06:51:42	75	45dB	7.5	646%	Night
629	2025-01-03 06:54:20	72	45dB	6.5	550%	Night
630	2025-01-03 06:56:01	70	45dB	5.7	466%	Night
631	2025-01-03 06:57:23	?	45dB	?	?	Night
632	2025-01-03 06:59:43	?	45dB	?	?	Night
633	2025-01-03 07:02:32	68	55dB	2.5	146%	Day
634	2025-01-03 07:04:26	75	55dB	3.7	273%	Day
635	2025-01-03 07:06:25	?	55dB	?	?	Day
636	2025-01-03 07:07:43	76	55dB	4.0	300%	Day
637	2025-01-03 07:09:41	70	55dB	2.6	164%	Day
638	2025-01-03 07:14:30	68	55dB	2.3	130%	Day
639	2025-01-03 07:22:09	71	55dB	2.8	183%	Day
640	2025-01-03 07:25:15	?	55dB	?	?	Day
641	2025-01-03 07:28:19	70	55dB	2.8	183%	Day
642	2025-01-03 07:30:08	?	55dB	?	?	Day
643	2025-01-03 07:31:53	69	55dB	2.5	146%	Day
644	2025-01-03 07:33:39	74	55dB	3.7	273%	Day
645	2025-01-03 07:36:03	70	55dB	2.8	183%	Day
646	2025-01-03 07:37:40	67	55dB	2.1	114%	Day
647	2025-01-03 07:39:33	80	55dB	5.3	428%	Day
648	2025-01-03 07:41:56	69	55dB	2.6	164%	Day
649	2025-01-03 07:49:13	75	55dB	4.0	300%	Day
650	2025-01-03 07:51:43	69	55dB	2.6	164%	Day
651	2025-01-03 08:01:42	78	55dB	4.6	359%	Day
652	2025-01-03 08:04:25	73	55dB	3.2	225%	Day
653	2025-01-03 08:16:12	73	55dB	3.5	248%	Day
654	2025-01-03 08:18:40	77	55dB	4.3	329%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

655	2025-01-03 08:23:56	74	55dB	3.7	273%	Day
656	2025-01-03 08:26:32	77	55dB	4.3	329%	Day
657	2025-01-03 08:38:48	77	55dB	4.3	329%	Day
658	2025-01-03 08:42:35	79	55dB	5.3	428%	Day
659	2025-01-03 09:00:52	74	55dB	3.5	248%	Day
660	2025-01-03 09:03:47	66	55dB	2.1	114%	Day
661	2025-01-03 09:22:55	71	55dB	3.0	203%	Day
662	2025-01-03 09:25:54	71	55dB	3.0	203%	Day
663	2025-01-03 09:28:24	71	55dB	3.0	203%	Day
664	2025-01-03 09:31:23	74	55dB	3.7	273%	Day
665	2025-01-03 09:36:26	74	55dB	3.7	273%	Day
666	2025-01-03 09:41:56	78	55dB	4.9	392%	Day
667	2025-01-03 09:51:22	79	55dB	4.9	392%	Day
668	2025-01-03 09:57:12	70	55dB	2.8	183%	Day
669	2025-01-03 10:03:54	?	55dB	?	?	Day
670	2025-01-03 10:06:39	70	55dB	2.6	164%	Day
671	2025-01-03 10:08:02	74	55dB	3.7	273%	Day
672	2025-01-03 10:09:19	75	55dB	4.0	300%	Day
673	2025-01-03 10:10:56	74	55dB	3.5	248%	Day
674	2025-01-03 10:13:44	75	55dB	4.0	300%	Day
675	2025-01-03 10:18:38	?	55dB	?	?	Day
676	2025-01-03 10:25:40	?	55dB	?	?	Day
677	2025-01-03 10:30:19	70	55dB	2.6	164%	Day
678	2025-01-03 10:32:49	68	55dB	2.5	146%	Day
679	2025-01-03 10:36:06	68	55dB	2.3	130%	Day
680	2025-01-03 10:40:51	73	55dB	3.2	225%	Day
681	2025-01-03 10:42:14	73	55dB	3.2	225%	Day
682	2025-01-03 10:43:41	69	55dB	2.6	164%	Day
683	2025-01-03 10:45:01	78	55dB	4.9	392%	Day
684	2025-01-03 10:46:24	71	55dB	3.0	203%	Day
685	2025-01-03 10:48:06	74	55dB	3.7	273%	Day
686	2025-01-03 10:50:48	70	55dB	2.6	164%	Day
687	2025-01-03 10:53:49	69	55dB	2.6	164%	Day
688	2025-01-03 10:57:14	70	55dB	2.8	183%	Day
689	2025-01-03 11:02:15	?	55dB	?	?	Day
690	2025-01-03 11:03:50	?	55dB	?	?	Day
691	2025-01-03 11:06:04	?	55dB	?	?	Day
692	2025-01-03 11:09:30	71	55dB	3.0	203%	Day
693	2025-01-03 11:11:28	72	55dB	3.2	225%	Day
694	2025-01-03 11:13:05	71	55dB	2.8	183%	Day
695	2025-01-03 11:14:37	71	55dB	2.8	183%	Day
696	2025-01-03 11:18:06	?	55dB	?	?	Day
697	2025-01-03 11:19:33	68	55dB	2.5	146%	Day
698	2025-01-03 11:22:31	78	55dB	4.9	392%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

699	2025-01-03 11:24:02	72	55dB	3.0	203%	Day
700	2025-01-03 11:25:11	?	55dB	?	?	Day
701	2025-01-03 11:30:02	80	55dB	5.7	466%	Day
702	2025-01-03 11:35:38	78	55dB	4.6	359%	Day
703	2025-01-03 11:37:48	68	55dB	2.5	146%	Day
704	2025-01-03 11:39:36	78	55dB	4.9	392%	Day
705	2025-01-03 11:46:20	70	55dB	2.6	164%	Day
706	2025-01-03 11:47:49	78	55dB	4.9	392%	Day
707	2025-01-03 11:49:44	81	55dB	6.1	506%	Day
708	2025-01-03 11:51:43	81	55dB	6.1	506%	Day
709	2025-01-03 11:52:59	?	55dB	?	?	Day
710	2025-01-03 11:56:26	77	55dB	4.6	359%	Day
711	2025-01-03 11:58:48	79	55dB	4.9	392%	Day
712	2025-01-03 12:00:49	73	55dB	3.2	225%	Day
713	2025-01-03 12:02:41	70	55dB	2.8	183%	Day
714	2025-01-03 12:04:04	?	55dB	?	?	Day
715	2025-01-03 12:06:11	?	55dB	?	?	Day
716	2025-01-03 12:07:20	67	55dB	2.3	130%	Day
717	2025-01-03 12:08:53	70	55dB	2.6	164%	Day
718	2025-01-03 12:10:22	68	55dB	2.5	146%	Day
719	2025-01-03 12:11:50	70	55dB	2.8	183%	Day
720	2025-01-03 12:13:05	72	55dB	3.2	225%	Day
721	2025-01-03 12:14:32	?	55dB	?	?	Day
722	2025-01-03 12:21:32	79	55dB	4.9	392%	Day
723	2025-01-03 12:22:55	86	55dB	8.6	757%	Day
724	2025-01-03 12:24:35	74	55dB	3.5	248%	Day
725	2025-01-03 12:26:40	72	55dB	3.2	225%	Day
726	2025-01-03 12:30:24	?	55dB	?	?	Day
727	2025-01-03 12:32:33	77	55dB	4.6	359%	Day
728	2025-01-03 12:34:45	80	55dB	5.3	428%	Day
729	2025-01-03 12:38:18	68	55dB	2.5	146%	Day
730	2025-01-03 12:39:50	76	55dB	4.0	300%	Day
731	2025-01-03 12:46:19	82	55dB	6.5	550%	Day
732	2025-01-03 12:49:07	80	55dB	5.3	428%	Day
733	2025-01-03 12:51:50	70	55dB	2.8	183%	Day
734	2025-01-03 12:53:31	75	55dB	3.7	273%	Day
735	2025-01-03 12:56:55	75	55dB	4.0	300%	Day
736	2025-01-03 13:05:49	67	55dB	2.1	114%	Day
737	2025-01-03 13:07:25	70	55dB	2.6	164%	Day
738	2025-01-03 13:09:02	69	55dB	2.5	146%	Day
739	2025-01-03 13:12:17	73	55dB	3.2	225%	Day
740	2025-01-03 13:14:56	73	55dB	3.5	248%	Day
741	2025-01-03 13:16:23	75	55dB	4.0	300%	Day
742	2025-01-03 13:18:02	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

743	2025-01-03 13:20:05	72	55dB	3.0	203%	Day
744	2025-01-03 13:22:33	77	55dB	4.6	359%	Day
745	2025-01-03 13:23:57	71	55dB	3.0	203%	Day
746	2025-01-03 13:30:26	77	55dB	4.6	359%	Day
747	2025-01-03 13:32:31	80	55dB	5.3	428%	Day
748	2025-01-03 13:35:31	79	55dB	4.9	392%	Day
749	2025-01-03 13:37:43	71	55dB	2.8	183%	Day
750	2025-01-03 13:42:09	81	55dB	5.7	466%	Day
751	2025-01-03 13:43:43	74	55dB	3.7	273%	Day
752	2025-01-03 13:45:52	79	55dB	4.9	392%	Day
753	2025-01-03 13:47:16	?	55dB	?	?	Day
754	2025-01-03 13:54:05	78	55dB	4.9	392%	Day
755	2025-01-03 13:55:17	71	55dB	2.8	183%	Day
756	2025-01-03 13:56:33	75	55dB	4.0	300%	Day
757	2025-01-03 13:58:00	81	55dB	5.7	466%	Day
758	2025-01-03 14:00:25	72	55dB	3.2	225%	Day
759	2025-01-03 14:01:50	76	55dB	4.0	300%	Day
760	2025-01-03 14:04:11	77	55dB	4.3	329%	Day
761	2025-01-03 14:05:21	70	55dB	2.8	183%	Day
762	2025-01-03 14:07:27	74	55dB	3.7	273%	Day
763	2025-01-03 14:09:01	?	55dB	?	?	Day
764	2025-01-03 14:11:03	79	55dB	4.9	392%	Day
765	2025-01-03 14:15:10	83	55dB	7.0	596%	Day
766	2025-01-03 14:16:45	83	55dB	7.0	596%	Day
767	2025-01-03 14:18:58	77	55dB	4.3	329%	Day
768	2025-01-03 14:25:04	72	55dB	3.0	203%	Day
769	2025-01-03 14:29:26	79	55dB	4.9	392%	Day
770	2025-01-03 14:31:44	70	55dB	2.8	183%	Day
771	2025-01-03 14:33:23	72	55dB	3.0	203%	Day
772	2025-01-03 14:35:04	78	55dB	4.6	359%	Day
773	2025-01-03 14:37:21	71	55dB	2.8	183%	Day
774	2025-01-03 14:39:29	70	55dB	2.6	164%	Day
775	2025-01-03 14:40:55	75	55dB	4.0	300%	Day
776	2025-01-03 14:42:12	69	55dB	2.5	146%	Day
777	2025-01-03 14:43:32	?	55dB	?	?	Day
778	2025-01-03 14:45:37	69	55dB	2.5	146%	Day
779	2025-01-03 14:47:44	?	55dB	?	?	Day
780	2025-01-03 14:49:11	?	55dB	?	?	Day
781	2025-01-03 14:50:37	76	55dB	4.0	300%	Day
782	2025-01-03 14:52:28	70	55dB	2.8	183%	Day
783	2025-01-03 14:53:50	75	55dB	4.0	300%	Day
784	2025-01-03 14:54:58	?	55dB	?	?	Day
785	2025-01-03 14:57:41	72	55dB	3.0	203%	Day
786	2025-01-03 15:00:02	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

787	2025-01-03 15:01:50	78	55dB	4.6	359%	Day
788	2025-01-03 15:03:29	75	55dB	4.0	300%	Day
789	2025-01-03 15:05:37	?	55dB	?	?	Day
790	2025-01-03 15:07:02	70	55dB	2.6	164%	Day
791	2025-01-03 15:08:53	?	55dB	?	?	Day
792	2025-01-03 15:10:05	?	55dB	?	?	Day
793	2025-01-03 15:11:23	86	55dB	8.0	700%	Day
794	2025-01-03 15:12:31	72	55dB	3.0	203%	Day
795	2025-01-03 15:14:02	80	55dB	5.7	466%	Day
796	2025-01-03 15:16:21	80	55dB	5.3	428%	Day
797	2025-01-03 15:17:57	71	55dB	2.8	183%	Day
798	2025-01-03 15:21:09	71	55dB	2.8	183%	Day
799	2025-01-03 15:22:34	82	55dB	6.1	506%	Day
800	2025-01-03 15:23:57	?	55dB	?	?	Day
801	2025-01-03 15:25:28	69	55dB	2.5	146%	Day
802	2025-01-03 15:30:16	68	55dB	2.3	130%	Day
803	2025-01-03 15:33:16	66	55dB	2.1	114%	Day
804	2025-01-03 15:34:40	?	55dB	?	?	Day
805	2025-01-03 15:36:30	72	55dB	3.0	203%	Day
806	2025-01-03 15:38:23	72	55dB	3.0	203%	Day
807	2025-01-03 15:40:27	74	55dB	3.7	273%	Day
808	2025-01-03 15:41:57	76	55dB	4.3	329%	Day
809	2025-01-03 15:43:46	?	55dB	?	?	Day
810	2025-01-03 15:47:16	73	55dB	3.5	248%	Day
811	2025-01-03 15:51:10	?	55dB	?	?	Day
812	2025-01-03 15:53:19	?	55dB	?	?	Day
813	2025-01-03 15:54:58	73	55dB	3.2	225%	Day
814	2025-01-03 15:56:31	69	55dB	2.5	146%	Day
815	2025-01-03 15:57:41	69	55dB	2.5	146%	Day
816	2025-01-03 15:59:06	?	55dB	?	?	Day
817	2025-01-03 16:00:35	69	55dB	2.6	164%	Day
818	2025-01-03 16:01:53	73	55dB	3.5	248%	Day
819	2025-01-03 16:03:42	?	55dB	?	?	Day
820	2025-01-03 16:05:17	66	55dB	2.1	114%	Day
821	2025-01-03 16:06:46	81	55dB	6.1	506%	Day
822	2025-01-03 16:07:55	71	55dB	3.0	203%	Day
823	2025-01-03 16:09:15	69	55dB	2.5	146%	Day
824	2025-01-03 16:10:50	69	55dB	2.5	146%	Day
825	2025-01-03 16:13:15	?	55dB	?	?	Day
826	2025-01-03 16:16:04	?	55dB	?	?	Day
827	2025-01-03 16:17:43	69	55dB	2.6	164%	Day
828	2025-01-03 16:20:21	?	55dB	?	?	Day
829	2025-01-03 16:25:14	72	55dB	3.0	203%	Day
830	2025-01-03 16:29:36	67	55dB	2.3	130%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

831	2025-01-03 16:31:28	72	55dB	3.2	225%	Day
832	2025-01-03 16:33:03	72	55dB	3.0	203%	Day
833	2025-01-03 16:35:01	72	55dB	3.2	225%	Day
834	2025-01-03 16:43:06	71	55dB	3.0	203%	Day
835	2025-01-03 16:45:37	69	55dB	2.5	146%	Day
836	2025-01-03 16:48:54	70	55dB	2.6	164%	Day
837	2025-01-03 16:51:06	70	55dB	2.8	183%	Day
838	2025-01-03 16:53:45	?	55dB	?	?	Day
839	2025-01-03 16:55:55	71	55dB	2.8	183%	Day
840	2025-01-03 16:57:13	?	55dB	?	?	Day
841	2025-01-03 16:59:07	?	55dB	?	?	Day
842	2025-01-03 17:00:49	74	55dB	3.5	248%	Day
843	2025-01-03 17:04:32	88	55dB	9.8	885%	Day
844	2025-01-03 17:08:14	81	55dB	5.7	466%	Day
845	2025-01-03 17:11:26	75	55dB	3.7	273%	Day
846	2025-01-03 17:14:21	72	55dB	3.0	203%	Day
847	2025-01-03 17:15:46	73	55dB	3.2	225%	Day
848	2025-01-03 17:17:15	76	55dB	4.0	300%	Day
849	2025-01-03 17:18:30	85	55dB	7.5	646%	Day
850	2025-01-03 17:19:58	79	55dB	5.3	428%	Day
851	2025-01-03 17:21:49	85	55dB	7.5	646%	Day
852	2025-01-03 17:24:46	73	55dB	3.2	225%	Day
853	2025-01-03 17:26:14	78	55dB	4.9	392%	Day
854	2025-01-03 17:27:27	76	55dB	4.0	300%	Day
855	2025-01-03 17:28:56	88	55dB	9.8	885%	Day
856	2025-01-03 17:31:08	80	55dB	5.7	466%	Day
857	2025-01-03 17:35:30	?	55dB	?	?	Day
858	2025-01-03 17:37:50	81	55dB	5.7	466%	Day
859	2025-01-03 17:40:13	73	55dB	3.5	248%	Day
860	2025-01-03 17:42:56	81	55dB	6.1	506%	Day
861	2025-01-03 17:45:17	74	55dB	3.7	273%	Day
862	2025-01-03 17:48:43	72	55dB	3.2	225%	Day
863	2025-01-03 17:51:10	84	55dB	7.5	646%	Day
864	2025-01-03 17:53:17	?	55dB	?	?	Day
865	2025-01-03 17:55:37	67	55dB	2.3	130%	Day
866	2025-01-03 17:57:45	83	55dB	7.0	596%	Day
867	2025-01-03 18:00:08	?	55dB	?	?	Day
868	2025-01-03 18:04:46	74	55dB	3.5	248%	Day
869	2025-01-03 18:07:02	75	55dB	4.0	300%	Day
870	2025-01-03 18:09:34	74	55dB	3.5	248%	Day
871	2025-01-03 18:12:01	72	55dB	3.2	225%	Day
872	2025-01-03 18:14:14	73	55dB	3.5	248%	Day
873	2025-01-03 18:17:43	85	55dB	8.0	700%	Day
874	2025-01-03 18:23:16	83	55dB	7.0	596%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

875	2025-01-03 18:25:35	72	55dB	3.0	203%	Day
876	2025-01-03 18:27:41	80	55dB	5.7	466%	Day
877	2025-01-03 18:42:47	73	55dB	3.2	225%	Day
878	2025-01-03 18:49:10	?	55dB	?	?	Day
879	2025-01-03 18:53:05	?	55dB	?	?	Day
880	2025-01-03 18:55:08	?	55dB	?	?	Day
881	2025-01-03 18:57:27	81	55dB	6.1	506%	Day
882	2025-01-03 18:58:57	71	55dB	2.8	183%	Day
883	2025-01-03 19:00:15	?	45dB	?	?	Night
884	2025-01-03 19:01:39	78	45dB	9.8	885%	Night
885	2025-01-03 19:04:10	72	45dB	6.1	506%	Night
886	2025-01-03 19:05:19	71	45dB	6.1	506%	Night
887	2025-01-03 19:06:33	71	45dB	5.7	466%	Night
888	2025-01-03 19:07:51	69	45dB	5.3	428%	Night
889	2025-01-03 19:09:54	?	45dB	?	?	Night
890	2025-01-03 19:11:20	72	45dB	6.1	506%	Night
891	2025-01-03 19:12:42	75	45dB	8.0	700%	Night
892	2025-01-03 19:15:01	73	45dB	7.0	596%	Night
893	2025-01-03 19:16:22	70	45dB	5.7	466%	Night
894	2025-01-03 19:18:46	?	45dB	?	?	Night
895	2025-01-03 19:20:09	71	45dB	5.7	466%	Night
896	2025-01-03 19:21:31	72	45dB	6.5	550%	Night
897	2025-01-03 19:22:41	71	45dB	6.1	506%	Night
898	2025-01-03 19:24:11	70	45dB	5.7	466%	Night
899	2025-01-03 19:26:20	76	45dB	8.0	700%	Night
900	2025-01-03 19:27:51	76	45dB	8.0	700%	Night
901	2025-01-03 19:29:06	76	45dB	8.0	700%	Night
902	2025-01-03 19:31:47	75	45dB	7.5	646%	Night
903	2025-01-03 19:33:02	75	45dB	8.0	700%	Night
904	2025-01-03 19:34:18	78	45dB	9.2	819%	Night
905	2025-01-03 19:35:48	69	45dB	4.9	392%	Night
906	2025-01-03 19:37:01	76	45dB	8.6	757%	Night
907	2025-01-03 19:38:49	90	45dB	21.1	2011%	Night
908	2025-01-03 19:39:56	70	45dB	5.3	428%	Night
909	2025-01-03 19:41:58	82	45dB	13.0	1200%	Night
910	2025-01-03 19:43:56	70	45dB	5.7	466%	Night
911	2025-01-03 19:44:56	?	45dB	?	?	Night
912	2025-01-03 19:47:28	71	45dB	5.7	466%	Night
913	2025-01-03 19:48:46	74	45dB	7.0	596%	Night
914	2025-01-03 19:50:51	72	45dB	6.5	550%	Night
915	2025-01-03 19:52:13	72	45dB	6.5	550%	Night
916	2025-01-03 19:53:27	73	45dB	6.5	550%	Night
917	2025-01-03 19:55:16	?	45dB	?	?	Night
918	2025-01-03 19:57:26	67	45dB	4.3	329%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

919	2025-01-03 19:59:32	73	45dB	6.5	550%	Night
920	2025-01-03 20:01:18	80	45dB	11.3	1031%	Night
921	2025-01-03 21:34:40	70	45dB	5.3	428%	Night
922	2025-01-03 21:36:27	70	45dB	5.3	428%	Night
923	2025-01-03 21:38:20	71	45dB	5.7	466%	Night
924	2025-01-03 21:41:00	?	45dB	?	?	Night
925	2025-01-03 21:42:26	68	45dB	4.9	392%	Night
926	2025-01-03 21:44:41	?	45dB	?	?	Night
927	2025-01-03 21:50:16	73	45dB	7.0	596%	Night
928	2025-01-03 21:54:42	?	45dB	?	?	Night
929	2025-01-03 21:56:04	70	45dB	5.3	428%	Night
930	2025-01-03 21:57:58	?	45dB	?	?	Night
931	2025-01-03 21:59:33	?	45dB	?	?	Night
932	2025-01-03 22:00:43	?	45dB	?	?	Night
933	2025-01-03 22:02:26	68	45dB	4.6	359%	Night
934	2025-01-03 22:04:30	?	45dB	?	?	Night
935	2025-01-03 22:14:00	70	45dB	5.7	466%	Night
936	2025-01-03 22:15:27	72	45dB	6.1	506%	Night
937	2025-01-03 22:17:00	68	45dB	4.6	359%	Night
938	2025-01-03 22:18:34	80	45dB	10.6	956%	Night
939	2025-01-03 22:20:04	70	45dB	5.3	428%	Night
940	2025-01-03 22:21:49	66	45dB	4.3	329%	Night
941	2025-01-03 22:23:28	69	45dB	5.3	428%	Night
942	2025-01-03 22:25:21	69	45dB	5.3	428%	Night
943	2025-01-03 22:26:49	69	45dB	4.9	392%	Night
944	2025-01-03 22:28:30	77	45dB	8.6	757%	Night
945	2025-01-03 22:30:28	?	45dB	?	?	Night
946	2025-01-03 22:35:36	71	45dB	5.7	466%	Night
947	2025-01-03 22:39:06	72	45dB	6.1	506%	Night
948	2025-01-03 22:42:22	?	45dB	?	?	Night
949	2025-01-03 22:44:15	73	45dB	7.0	596%	Night
950	2025-01-03 22:46:02	?	45dB	?	?	Night
951	2025-01-03 22:57:10	67	45dB	4.3	329%	Night
952	2025-01-03 23:00:55	?	45dB	?	?	Night
953	2025-01-03 23:06:12	68	45dB	4.9	392%	Night
954	2025-01-03 23:11:04	73	45dB	6.5	550%	Night
955	2025-01-03 23:14:58	71	45dB	5.7	466%	Night
956	2025-01-03 23:17:04	?	45dB	?	?	Night
957	2025-01-03 23:18:55	73	45dB	7.0	596%	Night
958	2025-01-03 23:21:06	69	45dB	5.3	428%	Night
959	2025-01-03 23:22:59	?	45dB	?	?	Night
960	2025-01-03 23:27:16	71	45dB	5.7	466%	Night
961	2025-01-03 23:29:10	77	45dB	9.2	819%	Night
962	2025-01-03 23:30:57	69	45dB	4.9	392%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

963	2025-01-03 23:32:39	68	45dB	4.9	392%	Night
964	2025-01-03 23:36:12	70	45dB	5.3	428%	Night
965	2025-01-03 23:37:50	78	45dB	9.8	885%	Night
966	2025-01-03 23:39:13	?	45dB	?	?	Night
967	2025-01-03 23:40:39	?	45dB	?	?	Night
968	2025-01-03 23:41:54	?	45dB	?	?	Night
969	2025-01-03 23:43:15	75	45dB	8.0	700%	Night
970	2025-01-03 23:44:51	72	45dB	6.1	506%	Night
971	2025-01-03 23:46:18	69	45dB	5.3	428%	Night
972	2025-01-03 23:48:24	73	45dB	6.5	550%	Night
973	2025-01-03 23:49:55	72	45dB	6.5	550%	Night
974	2025-01-03 23:51:25	69	45dB	4.9	392%	Night
975	2025-01-03 23:53:40	71	45dB	6.1	506%	Night
976	2025-01-03 23:58:01	72	45dB	6.5	550%	Night
977	2025-01-04 00:00:58	73	45dB	6.5	550%	Night
978	2025-01-04 00:05:06	68	45dB	4.6	359%	Night
979	2025-01-04 00:06:33	70	45dB	5.7	466%	Night
980	2025-01-04 00:08:06	69	45dB	4.9	392%	Night
981	2025-01-04 00:09:51	71	45dB	5.7	466%	Night
982	2025-01-04 00:12:03	68	45dB	4.9	392%	Night
983	2025-01-04 00:13:18	70	45dB	5.7	466%	Night
984	2025-01-04 00:15:06	74	45dB	7.0	596%	Night
985	2025-01-04 06:29:46	69	45dB	5.3	428%	Night
986	2025-01-04 06:31:45	70	45dB	5.7	466%	Night
987	2025-01-04 06:33:39	73	45dB	7.0	596%	Night
988	2025-01-04 06:35:25	68	45dB	4.9	392%	Night
989	2025-01-04 06:37:12	69	45dB	4.9	392%	Night
990	2025-01-04 06:39:18	70	45dB	5.7	466%	Night
991	2025-01-04 06:40:49	?	45dB	?	?	Night
992	2025-01-04 06:42:30	72	45dB	6.5	550%	Night
993	2025-01-04 06:43:56	69	45dB	5.3	428%	Night
994	2025-01-04 06:45:46	73	45dB	6.5	550%	Night
995	2025-01-04 06:48:00	71	45dB	5.7	466%	Night
996	2025-01-04 06:50:16	67	45dB	4.3	329%	Night
997	2025-01-04 06:51:58	69	45dB	5.3	428%	Night
998	2025-01-04 06:53:41	69	45dB	4.9	392%	Night
999	2025-01-04 06:55:11	70	45dB	5.7	466%	Night
1000	2025-01-04 06:57:41	74	45dB	7.5	646%	Night
1001	2025-01-04 06:59:39	71	45dB	6.1	506%	Night
1002	2025-01-04 07:01:10	69	55dB	2.6	164%	Day
1003	2025-01-04 07:02:58	72	55dB	3.2	225%	Day
1004	2025-01-04 07:05:10	67	55dB	2.3	130%	Day
1005	2025-01-04 07:06:37	72	55dB	3.0	203%	Day
1006	2025-01-04 07:08:01	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1007	2025-01-04 07:09:38	70	55dB	2.8	183%	Day
1008	2025-01-04 07:11:19	69	55dB	2.5	146%	Day
1009	2025-01-04 07:12:43	72	55dB	3.2	225%	Day
1010	2025-01-04 07:14:21	69	55dB	2.6	164%	Day
1011	2025-01-04 07:16:27	?	55dB	?	?	Day
1012	2025-01-04 07:26:47	70	55dB	2.8	183%	Day
1013	2025-01-04 07:28:20	71	55dB	2.8	183%	Day
1014	2025-01-04 07:30:40	68	55dB	2.3	130%	Day
1015	2025-01-04 07:32:25	74	55dB	3.5	248%	Day
1016	2025-01-04 07:33:54	72	55dB	3.0	203%	Day
1017	2025-01-04 07:35:27	70	55dB	2.6	164%	Day
1018	2025-01-04 07:37:06	69	55dB	2.6	164%	Day
1019	2025-01-04 07:39:22	70	55dB	2.6	164%	Day
1020	2025-01-04 07:41:39	?	55dB	?	?	Day
1021	2025-01-04 07:43:14	70	55dB	2.6	164%	Day
1022	2025-01-04 07:47:22	67	55dB	2.3	130%	Day
1023	2025-01-04 07:48:56	71	55dB	3.0	203%	Day
1024	2025-01-04 07:50:43	72	55dB	3.0	203%	Day
1025	2025-01-04 07:56:50	?	55dB	?	?	Day
1026	2025-01-04 08:00:28	74	55dB	3.5	248%	Day
1027	2025-01-04 08:02:43	?	55dB	?	?	Day
1028	2025-01-04 08:04:14	?	55dB	?	?	Day
1029	2025-01-04 08:06:33	69	55dB	2.5	146%	Day
1030	2025-01-04 08:09:27	73	55dB	3.5	248%	Day
1031	2025-01-04 08:11:36	71	55dB	2.8	183%	Day
1032	2025-01-04 08:13:22	?	55dB	?	?	Day
1033	2025-01-04 08:15:13	67	55dB	2.1	114%	Day
1034	2025-01-04 08:19:21	69	55dB	2.6	164%	Day
1035	2025-01-04 08:20:52	71	55dB	2.8	183%	Day
1036	2025-01-04 08:23:26	69	55dB	2.6	164%	Day
1037	2025-01-04 08:25:06	?	55dB	?	?	Day
1038	2025-01-04 08:28:33	70	55dB	2.6	164%	Day
1039	2025-01-04 08:30:31	?	55dB	?	?	Day
1040	2025-01-04 08:34:42	72	55dB	3.2	225%	Day
1041	2025-01-04 08:40:18	72	55dB	3.0	203%	Day
1042	2025-01-04 08:46:02	?	55dB	?	?	Day
1043	2025-01-04 08:58:39	73	55dB	3.5	248%	Day
1044	2025-01-04 09:02:35	77	55dB	4.3	329%	Day
1045	2025-01-04 09:09:33	70	55dB	2.8	183%	Day
1046	2025-01-04 09:14:39	79	55dB	5.3	428%	Day
1047	2025-01-04 09:23:52	75	55dB	3.7	273%	Day
1048	2025-01-04 09:28:13	68	55dB	2.5	146%	Day
1049	2025-01-04 09:37:31	72	55dB	3.2	225%	Day
1050	2025-01-04 09:39:14	74	55dB	3.5	248%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1051	2025-01-04 09:44:20	?	55dB	?	?	Day
1052	2025-01-04 09:48:37	78	55dB	4.9	392%	Day
1053	2025-01-04 09:50:48	77	55dB	4.3	329%	Day
1054	2025-01-04 09:55:41	87	55dB	9.2	819%	Day
1055	2025-01-04 10:00:04	70	55dB	2.8	183%	Day
1056	2025-01-04 10:07:03	73	55dB	3.5	248%	Day
1057	2025-01-04 10:11:42	82	55dB	6.1	506%	Day
1058	2025-01-04 10:14:47	75	55dB	3.7	273%	Day
1059	2025-01-04 10:18:47	72	55dB	3.0	203%	Day
1060	2025-01-04 10:21:48	?	55dB	?	?	Day
1061	2025-01-04 10:32:04	72	55dB	3.0	203%	Day
1062	2025-01-04 10:36:40	?	55dB	?	?	Day
1063	2025-01-04 10:38:25	81	55dB	6.1	506%	Day
1064	2025-01-04 10:40:22	86	55dB	8.6	757%	Day
1065	2025-01-04 10:41:54	78	55dB	4.9	392%	Day
1066	2025-01-04 10:44:00	80	55dB	5.7	466%	Day
1067	2025-01-04 10:47:06	82	55dB	6.5	550%	Day
1068	2025-01-04 10:49:34	73	55dB	3.2	225%	Day
1069	2025-01-04 10:51:50	79	55dB	4.9	392%	Day
1070	2025-01-04 10:55:39	68	55dB	2.3	130%	Day
1071	2025-01-04 10:57:56	87	55dB	9.2	819%	Day
1072	2025-01-04 11:00:22	68	55dB	2.5	146%	Day
1073	2025-01-04 11:02:38	?	55dB	?	?	Day
1074	2025-01-04 11:05:36	68	55dB	2.5	146%	Day
1075	2025-01-04 11:07:31	86	55dB	8.6	757%	Day
1076	2025-01-04 11:09:19	74	55dB	3.7	273%	Day
1077	2025-01-04 11:11:17	74	55dB	3.7	273%	Day
1078	2025-01-04 11:15:20	?	55dB	?	?	Day
1079	2025-01-04 11:17:13	84	55dB	7.5	646%	Day
1080	2025-01-04 11:19:11	73	55dB	3.5	248%	Day
1081	2025-01-04 11:20:45	70	55dB	2.8	183%	Day
1082	2025-01-04 11:22:21	83	55dB	6.5	550%	Day
1083	2025-01-04 11:24:55	68	55dB	2.5	146%	Day
1084	2025-01-04 11:27:48	74	55dB	3.7	273%	Day
1085	2025-01-04 11:30:08	90	55dB	11.3	1031%	Day
1086	2025-01-04 11:32:32	75	55dB	4.0	300%	Day
1087	2025-01-04 11:37:12	82	55dB	6.5	550%	Day
1088	2025-01-04 11:39:11	89	55dB	9.8	885%	Day
1089	2025-01-04 11:41:06	88	55dB	9.8	885%	Day
1090	2025-01-04 11:44:01	85	55dB	8.0	700%	Day
1091	2025-01-04 11:46:54	77	55dB	4.3	329%	Day
1092	2025-01-04 11:52:53	84	55dB	7.0	596%	Day
1093	2025-01-04 11:56:18	84	55dB	7.5	646%	Day
1094	2025-01-04 11:57:49	81	55dB	5.7	466%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1095	2025-01-04 11:59:26	77	55dB	4.6	359%	Day
1096	2025-01-04 12:01:14	86	55dB	8.0	700%	Day
1097	2025-01-04 12:02:37	76	55dB	4.3	329%	Day
1098	2025-01-04 12:05:06	80	55dB	5.7	466%	Day
1099	2025-01-04 12:07:06	76	55dB	4.0	300%	Day
1100	2025-01-04 12:08:49	85	55dB	7.5	646%	Day
1101	2025-01-04 12:10:46	84	55dB	7.5	646%	Day
1102	2025-01-04 12:13:31	87	55dB	9.2	819%	Day
1103	2025-01-04 12:16:48	78	55dB	4.9	392%	Day
1104	2025-01-04 12:27:24	85	55dB	8.0	700%	Day
1105	2025-01-04 12:29:31	76	55dB	4.0	300%	Day
1106	2025-01-04 12:31:09	85	55dB	7.5	646%	Day
1107	2025-01-04 12:32:56	85	55dB	7.5	646%	Day
1108	2025-01-04 12:34:25	78	55dB	4.9	392%	Day
1109	2025-01-04 12:36:23	78	55dB	4.6	359%	Day
1110	2025-01-04 12:38:47	84	55dB	7.5	646%	Day
1111	2025-01-04 12:40:12	78	55dB	4.9	392%	Day
1112	2025-01-04 12:42:19	68	55dB	2.5	146%	Day
1113	2025-01-04 12:44:25	87	55dB	9.2	819%	Day
1114	2025-01-04 12:47:57	82	55dB	6.5	550%	Day
1115	2025-01-04 12:51:11	83	55dB	6.5	550%	Day
1116	2025-01-04 12:53:26	82	55dB	6.5	550%	Day
1117	2025-01-04 12:56:12	84	55dB	7.5	646%	Day
1118	2025-01-04 12:59:19	80	55dB	5.3	428%	Day
1119	2025-01-04 13:02:14	82	55dB	6.1	506%	Day
1120	2025-01-04 13:04:24	85	55dB	8.0	700%	Day
1121	2025-01-04 13:06:12	71	55dB	3.0	203%	Day
1122	2025-01-04 13:08:13	77	55dB	4.6	359%	Day
1123	2025-01-04 13:09:39	76	55dB	4.3	329%	Day
1124	2025-01-04 13:11:18	86	55dB	8.6	757%	Day
1125	2025-01-04 13:15:43	88	55dB	9.8	885%	Day
1126	2025-01-04 13:17:57	86	55dB	8.6	757%	Day
1127	2025-01-04 13:29:08	86	55dB	8.0	700%	Day
1128	2025-01-04 13:32:09	89	55dB	9.8	885%	Day
1129	2025-01-04 13:36:45	80	55dB	5.7	466%	Day
1130	2025-01-04 13:38:05	90	55dB	10.6	956%	Day
1131	2025-01-04 13:39:43	86	55dB	8.6	757%	Day
1132	2025-01-04 13:41:10	88	55dB	9.8	885%	Day
1133	2025-01-04 13:42:27	79	55dB	5.3	428%	Day
1134	2025-01-04 13:44:04	80	55dB	5.3	428%	Day
1135	2025-01-04 13:46:04	82	55dB	6.5	550%	Day
1136	2025-01-04 13:48:13	82	55dB	6.1	506%	Day
1137	2025-01-04 13:51:08	85	55dB	7.5	646%	Day
1138	2025-01-04 13:53:59	72	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1139	2025-01-04 13:55:48	80	55dB	5.7	466%	Day
1140	2025-01-04 13:57:03	85	55dB	7.5	646%	Day
1141	2025-01-04 13:58:30	86	55dB	8.6	757%	Day
1142	2025-01-04 14:00:31	90	55dB	11.3	1031%	Day
1143	2025-01-04 14:03:38	85	55dB	7.5	646%	Day
1144	2025-01-04 14:05:23	86	55dB	8.6	757%	Day
1145	2025-01-04 14:06:54	78	55dB	4.9	392%	Day
1146	2025-01-04 14:08:20	84	55dB	7.5	646%	Day
1147	2025-01-04 14:09:41	77	55dB	4.6	359%	Day
1148	2025-01-04 14:11:43	?	55dB	?	?	Day
1149	2025-01-04 14:13:40	74	55dB	3.7	273%	Day
1150	2025-01-04 14:16:13	77	55dB	4.6	359%	Day
1151	2025-01-04 14:17:28	89	55dB	9.8	885%	Day
1152	2025-01-04 14:19:05	70	55dB	2.6	164%	Day
1153	2025-01-04 14:22:00	84	55dB	7.5	646%	Day
1154	2025-01-04 14:23:43	74	55dB	3.5	248%	Day
1155	2025-01-04 14:25:48	72	55dB	3.2	225%	Day
1156	2025-01-04 14:39:54	75	55dB	3.7	273%	Day
1157	2025-01-04 14:41:16	72	55dB	3.2	225%	Day
1158	2025-01-04 14:43:08	78	55dB	4.6	359%	Day
1159	2025-01-04 14:50:21	81	55dB	6.1	506%	Day
1160	2025-01-04 14:52:11	72	55dB	3.2	225%	Day
1161	2025-01-04 14:54:01	84	55dB	7.5	646%	Day
1162	2025-01-04 14:56:02	80	55dB	5.7	466%	Day
1163	2025-01-04 14:59:01	88	55dB	9.2	819%	Day
1164	2025-01-04 15:00:26	87	55dB	9.2	819%	Day
1165	2025-01-04 15:01:58	89	55dB	9.8	885%	Day
1166	2025-01-04 15:03:19	85	55dB	8.0	700%	Day
1167	2025-01-04 15:05:30	83	55dB	6.5	550%	Day
1168	2025-01-04 15:06:56	72	55dB	3.2	225%	Day
1169	2025-01-04 15:08:14	86	55dB	8.6	757%	Day
1170	2025-01-04 15:09:48	85	55dB	7.5	646%	Day
1171	2025-01-04 15:11:55	77	55dB	4.6	359%	Day
1172	2025-01-04 15:15:41	85	55dB	7.5	646%	Day
1173	2025-01-04 15:17:18	?	55dB	?	?	Day
1174	2025-01-04 15:19:25	81	55dB	6.1	506%	Day
1175	2025-01-04 15:25:55	80	55dB	5.7	466%	Day
1176	2025-01-04 15:28:25	76	55dB	4.0	300%	Day
1177	2025-01-04 15:32:01	74	55dB	3.5	248%	Day
1178	2025-01-04 15:33:48	80	55dB	5.7	466%	Day
1179	2025-01-04 15:35:06	77	55dB	4.6	359%	Day
1180	2025-01-04 15:36:44	78	55dB	4.9	392%	Day
1181	2025-01-04 15:38:26	83	55dB	7.0	596%	Day
1182	2025-01-04 15:43:08	78	55dB	4.6	359%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1183	2025-01-04 15:44:46	80	55dB	5.7	466%	Day
1184	2025-01-04 15:47:07	84	55dB	7.5	646%	Day
1185	2025-01-04 15:48:34	80	55dB	5.7	466%	Day
1186	2025-01-04 15:49:54	77	55dB	4.3	329%	Day
1187	2025-01-04 15:54:49	76	55dB	4.0	300%	Day
1188	2025-01-04 15:58:56	79	55dB	4.9	392%	Day
1189	2025-01-04 16:03:45	?	55dB	?	?	Day
1190	2025-01-04 16:05:39	83	55dB	6.5	550%	Day
1191	2025-01-04 16:07:11	74	55dB	3.7	273%	Day
1192	2025-01-04 16:08:48	74	55dB	3.7	273%	Day
1193	2025-01-04 16:10:39	79	55dB	4.9	392%	Day
1194	2025-01-04 16:12:15	87	55dB	8.6	757%	Day
1195	2025-01-04 16:14:01	85	55dB	7.5	646%	Day
1196	2025-01-04 16:17:58	84	55dB	7.0	596%	Day
1197	2025-01-04 16:23:56	83	55dB	6.5	550%	Day
1198	2025-01-04 16:26:04	72	55dB	3.2	225%	Day
1199	2025-01-04 16:35:01	78	55dB	4.9	392%	Day
1200	2025-01-04 16:37:17	69	55dB	2.6	164%	Day
1201	2025-01-04 16:39:15	69	55dB	2.6	164%	Day
1202	2025-01-04 16:41:28	72	55dB	3.2	225%	Day
1203	2025-01-04 16:43:54	78	55dB	4.6	359%	Day
1204	2025-01-04 16:46:12	72	55dB	3.2	225%	Day
1205	2025-01-04 16:49:16	73	55dB	3.5	248%	Day
1206	2025-01-04 16:53:26	85	55dB	7.5	646%	Day
1207	2025-01-04 16:56:02	82	55dB	6.1	506%	Day
1208	2025-01-04 16:59:58	74	55dB	3.7	273%	Day
1209	2025-01-04 17:02:56	71	55dB	3.0	203%	Day
1210	2025-01-04 17:04:54	?	55dB	?	?	Day
1211	2025-01-04 17:07:52	82	55dB	6.5	550%	Day
1212	2025-01-04 17:10:44	80	55dB	5.7	466%	Day
1213	2025-01-04 17:12:33	71	55dB	2.8	183%	Day
1214	2025-01-04 17:14:23	71	55dB	2.8	183%	Day
1215	2025-01-04 17:16:07	76	55dB	4.0	300%	Day
1216	2025-01-04 17:17:43	70	55dB	2.8	183%	Day
1217	2025-01-04 17:19:38	77	55dB	4.6	359%	Day
1218	2025-01-04 17:21:18	?	55dB	?	?	Day
1219	2025-01-04 17:23:42	?	55dB	?	?	Day
1220	2025-01-04 17:25:21	83	55dB	7.0	596%	Day
1221	2025-01-04 17:26:41	83	55dB	6.5	550%	Day
1222	2025-01-04 17:27:55	73	55dB	3.5	248%	Day
1223	2025-01-04 17:29:10	80	55dB	5.7	466%	Day
1224	2025-01-04 17:30:35	76	55dB	4.0	300%	Day
1225	2025-01-04 17:32:04	79	55dB	4.9	392%	Day
1226	2025-01-04 17:34:05	75	55dB	4.0	300%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1227	2025-01-04 17:36:00	71	55dB	2.8	183%	Day
1228	2025-01-04 17:37:54	70	55dB	2.6	164%	Day
1229	2025-01-04 17:43:26	76	55dB	4.3	329%	Day
1230	2025-01-04 17:45:37	75	55dB	4.0	300%	Day
1231	2025-01-04 17:47:35	76	55dB	4.0	300%	Day
1232	2025-01-04 17:49:28	77	55dB	4.6	359%	Day
1233	2025-01-04 17:51:23	69	55dB	2.6	164%	Day
1234	2025-01-04 17:53:10	?	55dB	?	?	Day
1235	2025-01-04 17:55:15	77	55dB	4.6	359%	Day
1236	2025-01-04 17:56:58	73	55dB	3.5	248%	Day
1237	2025-01-04 17:58:43	80	55dB	5.7	466%	Day
1238	2025-01-04 18:00:53	?	55dB	?	?	Day
1239	2025-01-04 18:03:41	?	55dB	?	?	Day
1240	2025-01-04 18:05:19	?	55dB	?	?	Day
1241	2025-01-04 18:06:33	81	55dB	6.1	506%	Day
1242	2025-01-04 18:08:01	?	55dB	?	?	Day
1243	2025-01-04 18:09:38	68	55dB	2.3	130%	Day
1244	2025-01-04 18:10:56	?	55dB	?	?	Day
1245	2025-01-04 18:13:03	70	55dB	2.6	164%	Day
1246	2025-01-04 18:14:47	73	55dB	3.5	248%	Day
1247	2025-01-04 18:16:52	71	55dB	3.0	203%	Day
1248	2025-01-04 18:18:44	77	55dB	4.3	329%	Day
1249	2025-01-04 18:25:44	73	55dB	3.5	248%	Day
1250	2025-01-04 18:29:20	67	55dB	2.3	130%	Day
1251	2025-01-04 18:30:48	71	55dB	3.0	203%	Day
1252	2025-01-04 18:32:21	75	55dB	3.7	273%	Day
1253	2025-01-04 18:33:51	80	55dB	5.7	466%	Day
1254	2025-01-04 18:35:40	78	55dB	4.9	392%	Day
1255	2025-01-04 18:37:00	72	55dB	3.2	225%	Day
1256	2025-01-04 18:38:25	?	55dB	?	?	Day
1257	2025-01-04 18:39:57	75	55dB	4.0	300%	Day
1258	2025-01-04 18:41:14	71	55dB	3.0	203%	Day
1259	2025-01-04 18:43:08	77	55dB	4.3	329%	Day
1260	2025-01-04 18:45:07	72	55dB	3.0	203%	Day
1261	2025-01-04 18:48:33	?	55dB	?	?	Day
1262	2025-01-04 18:50:03	71	55dB	3.0	203%	Day
1263	2025-01-04 18:51:26	71	55dB	2.8	183%	Day
1264	2025-01-04 18:52:54	75	55dB	3.7	273%	Day
1265	2025-01-04 18:54:58	75	55dB	4.0	300%	Day
1266	2025-01-04 18:58:58	72	55dB	3.0	203%	Day
1267	2025-01-04 19:00:47	68	45dB	4.6	359%	Night
1268	2025-01-04 19:02:30	71	45dB	5.7	466%	Night
1269	2025-01-04 19:03:53	?	45dB	?	?	Night
1270	2025-01-04 19:05:34	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1271	2025-01-04 19:06:46	81	45dB	11.3	1031%	Night
1272	2025-01-04 19:08:14	82	45dB	12.1	1113%	Night
1273	2025-01-04 19:09:23	70	45dB	5.7	466%	Night
1274	2025-01-04 19:12:33	71	45dB	5.7	466%	Night
1275	2025-01-04 19:14:09	69	45dB	5.3	428%	Night
1276	2025-01-04 19:15:42	71	45dB	5.7	466%	Night
1277	2025-01-04 19:18:28	71	45dB	5.7	466%	Night
1278	2025-01-04 19:20:19	69	45dB	5.3	428%	Night
1279	2025-01-04 19:21:53	70	45dB	5.7	466%	Night
1280	2025-01-04 19:23:13	73	45dB	6.5	550%	Night
1281	2025-01-04 19:24:36	72	45dB	6.5	550%	Night
1282	2025-01-04 19:26:08	69	45dB	5.3	428%	Night
1283	2025-01-04 19:27:58	?	45dB	?	?	Night
1284	2025-01-04 19:29:31	?	45dB	?	?	Night
1285	2025-01-04 19:31:10	76	45dB	8.0	700%	Night
1286	2025-01-04 19:33:17	72	45dB	6.1	506%	Night
1287	2025-01-04 19:34:32	76	45dB	8.6	757%	Night
1288	2025-01-04 19:36:25	74	45dB	7.5	646%	Night
1289	2025-01-04 19:37:50	70	45dB	5.7	466%	Night
1290	2025-01-04 19:39:32	?	45dB	?	?	Night
1291	2025-01-04 19:41:01	72	45dB	6.1	506%	Night
1292	2025-01-04 19:43:04	75	45dB	7.5	646%	Night
1293	2025-01-04 19:44:58	75	45dB	7.5	646%	Night
1294	2025-01-04 19:49:38	70	45dB	5.7	466%	Night
1295	2025-01-04 19:51:40	73	45dB	6.5	550%	Night
1296	2025-01-04 19:53:10	?	45dB	?	?	Night
1297	2025-01-04 19:54:32	77	45dB	9.2	819%	Night
1298	2025-01-04 19:55:40	?	45dB	?	?	Night
1299	2025-01-04 19:58:34	72	45dB	6.1	506%	Night
1300	2025-01-04 19:59:55	72	45dB	6.1	506%	Night
1301	2025-01-04 20:01:12	69	45dB	5.3	428%	Night
1302	2025-01-04 20:02:42	71	45dB	5.7	466%	Night
1303	2025-01-04 20:04:06	?	45dB	?	?	Night
1304	2025-01-04 20:05:46	75	45dB	7.5	646%	Night
1305	2025-01-04 20:07:35	71	45dB	5.7	466%	Night
1306	2025-01-04 20:09:51	75	45dB	8.0	700%	Night
1307	2025-01-04 20:11:31	72	45dB	6.5	550%	Night
1308	2025-01-04 20:13:32	74	45dB	7.0	596%	Night
1309	2025-01-04 20:15:02	71	45dB	6.1	506%	Night
1310	2025-01-04 20:16:49	69	45dB	4.9	392%	Night
1311	2025-01-04 20:19:43	74	45dB	7.5	646%	Night
1312	2025-01-04 20:22:49	72	45dB	6.1	506%	Night
1313	2025-01-04 20:25:28	73	45dB	6.5	550%	Night
1314	2025-01-04 20:27:08	73	45dB	6.5	550%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1315	2025-01-04 20:31:28	69	45dB	4.9	392%	Night
1316	2025-01-04 20:40:02	70	45dB	5.3	428%	Night
1317	2025-01-04 20:41:40	69	45dB	5.3	428%	Night
1318	2025-01-04 20:43:34	69	45dB	5.3	428%	Night
1319	2025-01-04 20:46:30	75	45dB	7.5	646%	Night
1320	2025-01-04 20:48:57	77	45dB	8.6	757%	Night
1321	2025-01-04 20:50:36	73	45dB	7.0	596%	Night
1322	2025-01-04 20:52:00	79	45dB	10.6	956%	Night
1323	2025-01-04 20:53:28	69	45dB	4.9	392%	Night
1324	2025-01-04 20:54:52	77	45dB	8.6	757%	Night
1325	2025-01-04 20:56:42	?	45dB	?	?	Night
1326	2025-01-04 20:58:04	69	45dB	5.3	428%	Night
1327	2025-01-04 20:59:40	80	45dB	10.6	956%	Night
1328	2025-01-04 21:01:04	79	45dB	9.8	885%	Night
1329	2025-01-04 21:02:24	83	45dB	13.0	1200%	Night
1330	2025-01-04 21:03:58	76	45dB	8.0	700%	Night
1331	2025-01-04 21:05:37	76	45dB	8.6	757%	Night
1332	2025-01-04 21:07:31	74	45dB	7.5	646%	Night
1333	2025-01-04 21:08:51	75	45dB	7.5	646%	Night
1334	2025-01-04 21:10:33	74	45dB	7.5	646%	Night
1335	2025-01-04 21:12:22	73	45dB	7.0	596%	Night
1336	2025-01-04 21:13:55	82	45dB	12.1	1113%	Night
1337	2025-01-04 21:15:27	78	45dB	9.2	819%	Night
1338	2025-01-04 21:17:21	78	45dB	9.2	819%	Night
1339	2025-01-04 21:19:06	68	45dB	4.9	392%	Night
1340	2025-01-04 21:23:12	71	45dB	6.1	506%	Night
1341	2025-01-04 21:25:48	73	45dB	6.5	550%	Night
1342	2025-01-04 21:27:26	70	45dB	5.3	428%	Night
1343	2025-01-04 21:29:23	70	45dB	5.7	466%	Night
1344	2025-01-04 21:32:01	71	45dB	6.1	506%	Night
1345	2025-01-04 21:33:31	?	45dB	?	?	Night
1346	2025-01-04 21:34:39	73	45dB	7.0	596%	Night
1347	2025-01-04 21:36:43	75	45dB	8.0	700%	Night
1348	2025-01-04 21:38:14	70	45dB	5.3	428%	Night
1349	2025-01-04 21:39:42	70	45dB	5.3	428%	Night
1350	2025-01-04 21:40:59	76	45dB	8.6	757%	Night
1351	2025-01-04 21:42:13	72	45dB	6.5	550%	Night
1352	2025-01-04 21:43:44	71	45dB	6.1	506%	Night
1353	2025-01-04 21:47:50	74	45dB	7.0	596%	Night
1354	2025-01-04 21:49:21	?	45dB	?	?	Night
1355	2025-01-04 21:50:48	71	45dB	6.1	506%	Night
1356	2025-01-04 21:52:13	69	45dB	5.3	428%	Night
1357	2025-01-04 21:53:46	74	45dB	7.5	646%	Night
1358	2025-01-04 21:55:37	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1359	2025-01-04 21:57:08	71	45dB	6.1	506%	Night
1360	2025-01-04 22:00:49	75	45dB	7.5	646%	Night
1361	2025-01-04 22:04:32	70	45dB	5.7	466%	Night
1362	2025-01-04 22:10:30	75	45dB	8.0	700%	Night
1363	2025-01-04 22:13:18	69	45dB	4.9	392%	Night
1364	2025-01-04 22:16:55	?	45dB	?	?	Night
1365	2025-01-04 22:19:44	71	45dB	5.7	466%	Night
1366	2025-01-04 22:21:16	70	45dB	5.7	466%	Night
1367	2025-01-04 22:22:48	69	45dB	5.3	428%	Night
1368	2025-01-04 22:24:25	71	45dB	5.7	466%	Night
1369	2025-01-04 22:25:48	74	45dB	7.0	596%	Night
1370	2025-01-04 22:27:15	70	45dB	5.3	428%	Night
1371	2025-01-04 22:28:49	?	45dB	?	?	Night
1372	2025-01-04 22:30:08	?	45dB	?	?	Night
1373	2025-01-04 22:31:34	?	45dB	?	?	Night
1374	2025-01-04 22:33:06	69	45dB	5.3	428%	Night
1375	2025-01-04 22:34:50	70	45dB	5.7	466%	Night
1376	2025-01-04 22:36:39	74	45dB	7.0	596%	Night
1377	2025-01-04 22:38:08	76	45dB	8.0	700%	Night
1378	2025-01-04 22:39:45	77	45dB	9.2	819%	Night
1379	2025-01-04 22:41:23	77	45dB	8.6	757%	Night
1380	2025-01-04 22:43:03	79	45dB	9.8	885%	Night
1381	2025-01-04 22:52:02	76	45dB	8.6	757%	Night
1382	2025-01-04 22:57:42	70	45dB	5.7	466%	Night
1383	2025-01-04 23:01:54	76	45dB	8.0	700%	Night
1384	2025-01-04 23:03:59	?	45dB	?	?	Night
1385	2025-01-04 23:06:20	71	45dB	5.7	466%	Night
1386	2025-01-04 23:12:03	?	45dB	?	?	Night
1387	2025-01-04 23:14:17	73	45dB	6.5	550%	Night
1388	2025-01-04 23:16:29	74	45dB	7.0	596%	Night
1389	2025-01-04 23:18:16	?	45dB	?	?	Night
1390	2025-01-04 23:20:37	76	45dB	8.6	757%	Night
1391	2025-01-04 23:22:31	72	45dB	6.1	506%	Night
1392	2025-01-04 23:24:32	75	45dB	8.0	700%	Night
1393	2025-01-04 23:26:50	74	45dB	7.5	646%	Night
1394	2025-01-04 23:28:55	71	45dB	6.1	506%	Night
1395	2025-01-04 23:35:19	73	45dB	7.0	596%	Night
1396	2025-01-04 23:37:37	71	45dB	6.1	506%	Night
1397	2025-01-04 23:40:10	80	45dB	10.6	956%	Night
1398	2025-01-04 23:42:44	77	45dB	8.6	757%	Night
1399	2025-01-04 23:45:11	77	45dB	8.6	757%	Night
1400	2025-01-04 23:47:34	74	45dB	7.0	596%	Night
1401	2025-01-04 23:49:25	77	45dB	9.2	819%	Night
1402	2025-01-05 00:00:08	?	45dB	?	?	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1403	2025-01-05 00:01:36	82	45dB	12.1	1113%	Night
1404	2025-01-05 00:04:09	70	45dB	5.7	466%	Night
1405	2025-01-05 00:05:43	73	45dB	7.0	596%	Night
1406	2025-01-05 00:10:18	78	45dB	9.2	819%	Night
1407	2025-01-05 00:11:47	65	45dB	3.7	273%	Night
1408	2025-01-05 00:13:22	72	45dB	6.1	506%	Night
1409	2025-01-05 00:15:25	75	45dB	8.0	700%	Night
1410	2025-01-05 00:25:03	75	45dB	7.5	646%	Night
1411	2025-01-05 00:32:25	66	45dB	4.3	329%	Night
1412	2025-01-05 00:35:56	75	45dB	8.0	700%	Night
1413	2025-01-05 00:37:46	74	45dB	7.5	646%	Night
1414	2025-01-05 00:39:57	79	45dB	9.8	885%	Night
1415	2025-01-05 00:41:45	67	45dB	4.6	359%	Night
1416	2025-01-05 00:43:36	79	45dB	10.6	956%	Night
1417	2025-01-05 00:46:15	75	45dB	8.0	700%	Night
1418	2025-01-05 00:48:07	69	45dB	4.9	392%	Night
1419	2025-01-05 00:50:08	75	45dB	7.5	646%	Night
1420	2025-01-05 00:52:21	78	45dB	9.2	819%	Night
1421	2025-01-05 00:53:48	75	45dB	7.5	646%	Night
1422	2025-01-05 00:55:20	74	45dB	7.0	596%	Night
1423	2025-01-05 00:57:53	73	45dB	7.0	596%	Night
1424	2025-01-05 06:24:38	72	45dB	6.5	550%	Night
1425	2025-01-05 06:30:14	72	45dB	6.1	506%	Night
1426	2025-01-05 06:32:01	77	45dB	9.2	819%	Night
1427	2025-01-05 06:34:04	76	45dB	8.6	757%	Night
1428	2025-01-05 06:37:00	?	45dB	?	?	Night
1429	2025-01-05 06:38:26	?	45dB	?	?	Night
1430	2025-01-05 06:41:01	68	45dB	4.9	392%	Night
1431	2025-01-05 06:42:30	72	45dB	6.1	506%	Night
1432	2025-01-05 06:44:22	82	45dB	12.1	1113%	Night
1433	2025-01-05 06:49:14	74	45dB	7.0	596%	Night
1434	2025-01-05 06:51:13	70	45dB	5.3	428%	Night
1435	2025-01-05 06:53:36	71	45dB	5.7	466%	Night
1436	2025-01-05 06:55:32	70	45dB	5.3	428%	Night
1437	2025-01-05 06:56:56	79	45dB	9.8	885%	Night
1438	2025-01-05 06:58:45	71	45dB	6.1	506%	Night
1439	2025-01-05 07:01:22	70	55dB	2.8	183%	Day
1440	2025-01-05 07:03:02	82	55dB	6.5	550%	Day
1441	2025-01-05 07:04:58	76	55dB	4.3	329%	Day
1442	2025-01-05 07:06:19	75	55dB	4.0	300%	Day
1443	2025-01-05 07:08:23	77	55dB	4.3	329%	Day
1444	2025-01-05 07:09:46	?	55dB	?	?	Day
1445	2025-01-05 07:12:11	77	55dB	4.6	359%	Day
1446	2025-01-05 07:17:25	82	55dB	6.1	506%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1447	2025-01-05 07:19:43	71	55dB	3.0	203%	Day
1448	2025-01-05 07:21:05	74	55dB	3.7	273%	Day
1449	2025-01-05 07:22:50	84	55dB	7.0	596%	Day
1450	2025-01-05 07:24:35	71	55dB	3.0	203%	Day
1451	2025-01-05 07:26:41	73	55dB	3.2	225%	Day
1452	2025-01-05 07:28:01	?	55dB	?	?	Day
1453	2025-01-05 07:29:31	74	55dB	3.5	248%	Day
1454	2025-01-05 07:33:42	?	55dB	?	?	Day
1455	2025-01-05 07:40:32	?	55dB	?	?	Day
1456	2025-01-05 07:51:55	71	55dB	3.0	203%	Day
1457	2025-01-05 07:53:23	79	55dB	4.9	392%	Day
1458	2025-01-05 07:55:10	70	55dB	2.8	183%	Day
1459	2025-01-05 07:57:48	?	55dB	?	?	Day
1460	2025-01-05 08:02:14	69	55dB	2.6	164%	Day
1461	2025-01-05 08:12:50	74	55dB	3.7	273%	Day
1462	2025-01-05 08:15:40	76	55dB	4.3	329%	Day
1463	2025-01-05 08:17:25	?	55dB	?	?	Day
1464	2025-01-05 08:18:36	?	55dB	?	?	Day
1465	2025-01-05 08:20:02	?	55dB	?	?	Day
1466	2025-01-05 08:21:24	70	55dB	2.6	164%	Day
1467	2025-01-05 08:22:47	75	55dB	3.7	273%	Day
1468	2025-01-05 08:26:27	77	55dB	4.6	359%	Day
1469	2025-01-05 08:28:27	?	55dB	?	?	Day
1470	2025-01-05 08:33:31	?	55dB	?	?	Day
1471	2025-01-05 08:37:10	72	55dB	3.0	203%	Day
1472	2025-01-05 08:40:34	?	55dB	?	?	Day
1473	2025-01-05 08:47:08	79	55dB	4.9	392%	Day
1474	2025-01-05 08:50:24	76	55dB	4.0	300%	Day
1475	2025-01-05 08:52:19	?	55dB	?	?	Day
1476	2025-01-05 08:53:51	77	55dB	4.3	329%	Day
1477	2025-01-05 09:00:30	81	55dB	5.7	466%	Day
1478	2025-01-05 09:19:59	78	55dB	4.9	392%	Day
1479	2025-01-05 09:46:42	74	55dB	3.5	248%	Day
1480	2025-01-05 09:54:27	?	55dB	?	?	Day
1481	2025-01-05 09:56:01	69	55dB	2.6	164%	Day
1482	2025-01-05 09:57:20	69	55dB	2.5	146%	Day
1483	2025-01-05 09:59:02	69	55dB	2.6	164%	Day
1484	2025-01-05 10:08:41	72	55dB	3.0	203%	Day
1485	2025-01-05 10:12:10	75	55dB	3.7	273%	Day
1486	2025-01-05 10:15:43	?	55dB	?	?	Day
1487	2025-01-05 10:20:51	69	55dB	2.6	164%	Day
1488	2025-01-05 10:22:44	71	55dB	2.8	183%	Day
1489	2025-01-05 10:24:19	67	55dB	2.3	130%	Day
1490	2025-01-05 10:25:41	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1491	2025-01-05 10:27:16	82	55dB	6.1	506%	Day
1492	2025-01-05 10:28:40	76	55dB	4.0	300%	Day
1493	2025-01-05 10:31:20	70	55dB	2.8	183%	Day
1494	2025-01-05 10:35:31	71	55dB	2.8	183%	Day
1495	2025-01-05 10:40:45	76	55dB	4.3	329%	Day
1496	2025-01-05 10:45:24	69	55dB	2.6	164%	Day
1497	2025-01-05 10:48:58	81	55dB	5.7	466%	Day
1498	2025-01-05 10:55:30	69	55dB	2.5	146%	Day
1499	2025-01-05 10:57:22	70	55dB	2.8	183%	Day
1500	2025-01-05 10:58:42	74	55dB	3.5	248%	Day
1501	2025-01-05 11:00:51	75	55dB	3.7	273%	Day
1502	2025-01-05 11:02:37	76	55dB	4.3	329%	Day
1503	2025-01-05 11:04:17	70	55dB	2.6	164%	Day
1504	2025-01-05 11:05:52	71	55dB	2.8	183%	Day
1505	2025-01-05 11:07:20	75	55dB	3.7	273%	Day
1506	2025-01-05 11:10:02	73	55dB	3.2	225%	Day
1507	2025-01-05 11:11:37	?	55dB	?	?	Day
1508	2025-01-05 11:13:11	?	55dB	?	?	Day
1509	2025-01-05 11:14:43	79	55dB	5.3	428%	Day
1510	2025-01-05 11:16:14	78	55dB	4.6	359%	Day
1511	2025-01-05 11:19:09	?	55dB	?	?	Day
1512	2025-01-05 11:20:47	71	55dB	2.8	183%	Day
1513	2025-01-05 11:23:55	72	55dB	3.0	203%	Day
1514	2025-01-05 11:25:45	77	55dB	4.6	359%	Day
1515	2025-01-05 11:27:11	73	55dB	3.5	248%	Day
1516	2025-01-05 11:29:02	76	55dB	4.3	329%	Day
1517	2025-01-05 11:30:22	69	55dB	2.5	146%	Day
1518	2025-01-05 11:32:03	?	55dB	?	?	Day
1519	2025-01-05 11:33:50	76	55dB	4.0	300%	Day
1520	2025-01-05 11:35:49	68	55dB	2.3	130%	Day
1521	2025-01-05 11:37:31	73	55dB	3.5	248%	Day
1522	2025-01-05 11:39:06	75	55dB	3.7	273%	Day
1523	2025-01-05 11:40:34	82	55dB	6.5	550%	Day
1524	2025-01-05 11:42:11	76	55dB	4.0	300%	Day
1525	2025-01-05 11:45:42	?	55dB	?	?	Day
1526	2025-01-05 11:52:21	81	55dB	5.7	466%	Day
1527	2025-01-05 11:54:40	70	55dB	2.6	164%	Day
1528	2025-01-05 11:58:02	75	55dB	3.7	273%	Day
1529	2025-01-05 11:59:32	?	55dB	?	?	Day
1530	2025-01-05 12:02:44	?	55dB	?	?	Day
1531	2025-01-05 12:06:03	79	55dB	5.3	428%	Day
1532	2025-01-05 12:08:40	74	55dB	3.7	273%	Day
1533	2025-01-05 12:10:56	70	55dB	2.8	183%	Day
1534	2025-01-05 12:12:43	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1535	2025-01-05 12:14:08	71	55dB	2.8	183%	Day
1536	2025-01-05 12:19:54	69	55dB	2.6	164%	Day
1537	2025-01-05 12:24:02	?	55dB	?	?	Day
1538	2025-01-05 12:25:28	70	55dB	2.8	183%	Day
1539	2025-01-05 12:26:40	?	55dB	?	?	Day
1540	2025-01-05 12:29:28	68	55dB	2.3	130%	Day
1541	2025-01-05 12:31:02	71	55dB	2.8	183%	Day
1542	2025-01-05 12:32:31	72	55dB	3.0	203%	Day
1543	2025-01-05 12:33:56	71	55dB	2.8	183%	Day
1544	2025-01-05 12:37:27	75	55dB	4.0	300%	Day
1545	2025-01-05 12:39:14	76	55dB	4.0	300%	Day
1546	2025-01-05 12:41:34	70	55dB	2.6	164%	Day
1547	2025-01-05 12:44:45	78	55dB	4.9	392%	Day
1548	2025-01-05 12:51:44	80	55dB	5.3	428%	Day
1549	2025-01-05 12:54:41	67	55dB	2.3	130%	Day
1550	2025-01-05 12:57:45	80	55dB	5.3	428%	Day
1551	2025-01-05 13:00:11	81	55dB	5.7	466%	Day
1552	2025-01-05 13:02:48	?	55dB	?	?	Day
1553	2025-01-05 13:07:32	73	55dB	3.5	248%	Day
1554	2025-01-05 13:09:27	67	55dB	2.3	130%	Day
1555	2025-01-05 13:11:00	72	55dB	3.0	203%	Day
1556	2025-01-05 13:12:21	?	55dB	?	?	Day
1557	2025-01-05 13:13:58	76	55dB	4.0	300%	Day
1558	2025-01-05 13:15:04	71	55dB	2.8	183%	Day
1559	2025-01-05 13:17:44	79	55dB	5.3	428%	Day
1560	2025-01-05 13:19:23	75	55dB	4.0	300%	Day
1561	2025-01-05 13:21:39	71	55dB	3.0	203%	Day
1562	2025-01-05 13:27:18	74	55dB	3.5	248%	Day
1563	2025-01-05 13:29:01	73	55dB	3.5	248%	Day
1564	2025-01-05 13:32:29	?	55dB	?	?	Day
1565	2025-01-05 13:36:19	82	55dB	6.5	550%	Day
1566	2025-01-05 13:37:57	78	55dB	4.6	359%	Day
1567	2025-01-05 13:39:13	78	55dB	4.6	359%	Day
1568	2025-01-05 13:44:41	69	55dB	2.6	164%	Day
1569	2025-01-05 13:47:31	72	55dB	3.2	225%	Day
1570	2025-01-05 13:50:05	71	55dB	3.0	203%	Day
1571	2025-01-05 13:51:28	?	55dB	?	?	Day
1572	2025-01-05 13:53:22	78	55dB	4.6	359%	Day
1573	2025-01-05 13:58:03	73	55dB	3.5	248%	Day
1574	2025-01-05 14:00:01	82	55dB	6.1	506%	Day
1575	2025-01-05 14:02:11	82	55dB	6.1	506%	Day
1576	2025-01-05 14:03:36	69	55dB	2.6	164%	Day
1577	2025-01-05 14:05:11	70	55dB	2.8	183%	Day
1578	2025-01-05 14:06:34	71	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1579	2025-01-05 14:08:23	?	55dB	?	?	Day
1580	2025-01-05 14:09:47	71	55dB	2.8	183%	Day
1581	2025-01-05 14:11:37	78	55dB	4.9	392%	Day
1582	2025-01-05 14:12:58	69	55dB	2.5	146%	Day
1583	2025-01-05 14:14:17	70	55dB	2.6	164%	Day
1584	2025-01-05 14:15:43	69	55dB	2.5	146%	Day
1585	2025-01-05 14:17:41	68	55dB	2.5	146%	Day
1586	2025-01-05 14:19:04	73	55dB	3.2	225%	Day
1587	2025-01-05 14:20:42	71	55dB	3.0	203%	Day
1588	2025-01-05 14:22:00	75	55dB	4.0	300%	Day
1589	2025-01-05 14:23:24	69	55dB	2.5	146%	Day
1590	2025-01-05 14:25:46	?	55dB	?	?	Day
1591	2025-01-05 14:27:12	71	55dB	3.0	203%	Day
1592	2025-01-05 14:28:33	74	55dB	3.7	273%	Day
1593	2025-01-05 14:30:43	70	55dB	2.8	183%	Day
1594	2025-01-05 14:34:22	75	55dB	3.7	273%	Day
1595	2025-01-05 14:36:16	72	55dB	3.2	225%	Day
1596	2025-01-05 14:38:49	68	55dB	2.5	146%	Day
1597	2025-01-05 14:40:23	78	55dB	4.6	359%	Day
1598	2025-01-05 14:42:25	71	55dB	2.8	183%	Day
1599	2025-01-05 14:48:38	67	55dB	2.1	114%	Day
1600	2025-01-05 14:51:32	71	55dB	3.0	203%	Day
1601	2025-01-05 14:55:54	70	55dB	2.8	183%	Day
1602	2025-01-05 14:58:03	70	55dB	2.6	164%	Day
1603	2025-01-05 14:59:43	69	55dB	2.5	146%	Day
1604	2025-01-05 15:01:10	69	55dB	2.5	146%	Day
1605	2025-01-05 15:04:06	?	55dB	?	?	Day
1606	2025-01-05 15:06:47	72	55dB	3.0	203%	Day
1607	2025-01-05 15:08:07	68	55dB	2.5	146%	Day
1608	2025-01-05 15:10:28	72	55dB	3.2	225%	Day
1609	2025-01-05 15:12:38	71	55dB	2.8	183%	Day
1610	2025-01-05 15:14:05	70	55dB	2.8	183%	Day
1611	2025-01-05 15:15:35	68	55dB	2.5	146%	Day
1612	2025-01-05 15:17:25	67	55dB	2.3	130%	Day
1613	2025-01-05 15:18:52	68	55dB	2.5	146%	Day
1614	2025-01-05 15:19:56	70	55dB	2.8	183%	Day
1615	2025-01-05 15:21:24	72	55dB	3.2	225%	Day
1616	2025-01-05 15:24:28	68	55dB	2.3	130%	Day
1617	2025-01-05 15:28:21	?	55dB	?	?	Day
1618	2025-01-05 15:32:06	77	55dB	4.6	359%	Day
1619	2025-01-05 15:34:14	67	55dB	2.3	130%	Day
1620	2025-01-05 15:36:04	68	55dB	2.5	146%	Day
1621	2025-01-05 15:37:52	70	55dB	2.6	164%	Day
1622	2025-01-05 15:39:26	71	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1623	2025-01-05 15:40:42	70	55dB	2.6	164%	Day
1624	2025-01-05 15:42:09	?	55dB	?	?	Day
1625	2025-01-05 15:43:26	71	55dB	3.0	203%	Day
1626	2025-01-05 15:45:04	70	55dB	2.6	164%	Day
1627	2025-01-05 15:46:21	69	55dB	2.6	164%	Day
1628	2025-01-05 15:47:36	83	55dB	6.5	550%	Day
1629	2025-01-05 15:49:50	68	55dB	2.3	130%	Day
1630	2025-01-05 15:51:19	70	55dB	2.8	183%	Day
1631	2025-01-05 15:52:33	?	55dB	?	?	Day
1632	2025-01-05 15:54:04	69	55dB	2.5	146%	Day
1633	2025-01-05 15:55:40	68	55dB	2.3	130%	Day
1634	2025-01-05 15:59:21	70	55dB	2.6	164%	Day
1635	2025-01-05 16:01:26	72	55dB	3.0	203%	Day
1636	2025-01-05 16:02:56	67	55dB	2.1	114%	Day
1637	2025-01-05 16:04:35	75	55dB	3.7	273%	Day
1638	2025-01-05 16:06:34	78	55dB	4.9	392%	Day
1639	2025-01-05 16:08:13	71	55dB	3.0	203%	Day
1640	2025-01-05 16:09:38	66	55dB	2.1	114%	Day
1641	2025-01-05 16:11:09	72	55dB	3.2	225%	Day
1642	2025-01-05 16:12:41	69	55dB	2.6	164%	Day
1643	2025-01-05 16:14:00	73	55dB	3.5	248%	Day
1644	2025-01-05 16:16:19	?	55dB	?	?	Day
1645	2025-01-05 16:17:58	68	55dB	2.5	146%	Day
1646	2025-01-05 16:19:14	71	55dB	3.0	203%	Day
1647	2025-01-05 16:21:12	73	55dB	3.2	225%	Day
1648	2025-01-05 16:22:33	69	55dB	2.5	146%	Day
1649	2025-01-05 16:23:57	70	55dB	2.6	164%	Day
1650	2025-01-05 16:25:39	70	55dB	2.6	164%	Day
1651	2025-01-05 16:26:55	67	55dB	2.1	114%	Day
1652	2025-01-05 16:28:32	72	55dB	3.2	225%	Day
1653	2025-01-05 16:30:25	70	55dB	2.8	183%	Day
1654	2025-01-05 16:31:40	?	55dB	?	?	Day
1655	2025-01-05 16:34:43	73	55dB	3.2	225%	Day
1656	2025-01-05 16:36:26	73	55dB	3.5	248%	Day
1657	2025-01-05 16:38:20	70	55dB	2.8	183%	Day
1658	2025-01-05 16:39:41	68	55dB	2.5	146%	Day
1659	2025-01-05 16:41:06	70	55dB	2.6	164%	Day
1660	2025-01-05 16:43:43	70	55dB	2.8	183%	Day
1661	2025-01-05 16:45:58	70	55dB	2.8	183%	Day
1662	2025-01-05 16:47:12	73	55dB	3.2	225%	Day
1663	2025-01-05 16:49:00	75	55dB	3.7	273%	Day
1664	2025-01-05 16:50:46	73	55dB	3.5	248%	Day
1665	2025-01-05 16:52:59	73	55dB	3.2	225%	Day
1666	2025-01-05 16:54:27	73	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1667	2025-01-05 16:56:48	68	55dB	2.5	146%	Day
1668	2025-01-05 16:58:10	74	55dB	3.7	273%	Day
1669	2025-01-05 17:00:36	72	55dB	3.0	203%	Day
1670	2025-01-05 17:02:01	70	55dB	2.8	183%	Day
1671	2025-01-05 17:04:06	71	55dB	3.0	203%	Day
1672	2025-01-05 17:07:36	69	55dB	2.6	164%	Day
1673	2025-01-05 17:09:30	73	55dB	3.5	248%	Day
1674	2025-01-05 17:12:40	69	55dB	2.5	146%	Day
1675	2025-01-05 17:16:57	69	55dB	2.5	146%	Day
1676	2025-01-05 17:20:17	70	55dB	2.6	164%	Day
1677	2025-01-05 17:21:45	70	55dB	2.6	164%	Day
1678	2025-01-05 17:23:15	74	55dB	3.5	248%	Day
1679	2025-01-05 17:24:56	73	55dB	3.5	248%	Day
1680	2025-01-05 17:26:40	71	55dB	2.8	183%	Day
1681	2025-01-05 17:29:18	69	55dB	2.6	164%	Day
1682	2025-01-05 17:30:49	70	55dB	2.6	164%	Day
1683	2025-01-05 17:32:12	76	55dB	4.0	300%	Day
1684	2025-01-05 17:34:06	69	55dB	2.5	146%	Day
1685	2025-01-05 17:35:23	72	55dB	3.0	203%	Day
1686	2025-01-05 17:36:52	68	55dB	2.5	146%	Day
1687	2025-01-05 17:38:02	71	55dB	3.0	203%	Day
1688	2025-01-05 17:39:52	67	55dB	2.3	130%	Day
1689	2025-01-05 17:41:26	68	55dB	2.3	130%	Day
1690	2025-01-05 17:43:06	70	55dB	2.8	183%	Day
1691	2025-01-05 17:44:35	69	55dB	2.5	146%	Day
1692	2025-01-05 17:46:21	70	55dB	2.6	164%	Day
1693	2025-01-05 17:49:01	?	55dB	?	?	Day
1694	2025-01-05 17:50:44	73	55dB	3.2	225%	Day
1695	2025-01-05 17:52:02	68	55dB	2.5	146%	Day
1696	2025-01-05 17:53:40	70	55dB	2.6	164%	Day
1697	2025-01-05 17:56:02	76	55dB	4.0	300%	Day
1698	2025-01-05 18:01:49	?	55dB	?	?	Day
1699	2025-01-05 18:04:30	?	55dB	?	?	Day
1700	2025-01-05 18:06:46	?	55dB	?	?	Day
1701	2025-01-05 18:09:06	67	55dB	2.3	130%	Day
1702	2025-01-05 18:10:33	68	55dB	2.3	130%	Day
1703	2025-01-05 18:13:23	66	55dB	2.0	100%	Day
1704	2025-01-05 18:14:55	70	55dB	2.6	164%	Day
1705	2025-01-05 18:17:45	75	55dB	4.0	300%	Day
1706	2025-01-05 18:19:14	70	55dB	2.8	183%	Day
1707	2025-01-05 18:20:21	70	55dB	2.6	164%	Day
1708	2025-01-05 18:23:02	70	55dB	2.8	183%	Day
1709	2025-01-05 18:24:32	71	55dB	2.8	183%	Day
1710	2025-01-05 18:27:16	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1711	2025-01-05 18:30:08	68	55dB	2.5	146%	Day
1712	2025-01-05 18:31:34	?	55dB	?	?	Day
1713	2025-01-05 18:32:55	70	55dB	2.6	164%	Day
1714	2025-01-05 18:34:18	75	55dB	3.7	273%	Day
1715	2025-01-05 18:35:41	69	55dB	2.6	164%	Day
1716	2025-01-05 18:37:04	67	55dB	2.1	114%	Day
1717	2025-01-05 18:38:17	?	55dB	?	?	Day
1718	2025-01-05 18:39:37	68	55dB	2.5	146%	Day
1719	2025-01-05 18:40:48	69	55dB	2.6	164%	Day
1720	2025-01-05 18:42:18	66	55dB	2.1	114%	Day
1721	2025-01-05 18:43:39	79	55dB	5.3	428%	Day
1722	2025-01-05 18:48:01	77	55dB	4.3	329%	Day
1723	2025-01-05 18:50:06	69	55dB	2.5	146%	Day
1724	2025-01-05 18:51:34	?	55dB	?	?	Day
1725	2025-01-05 18:52:49	69	55dB	2.6	164%	Day
1726	2025-01-05 18:54:52	70	55dB	2.8	183%	Day
1727	2025-01-05 18:56:08	70	55dB	2.8	183%	Day
1728	2025-01-05 18:57:26	72	55dB	3.0	203%	Day
1729	2025-01-05 18:58:44	68	55dB	2.5	146%	Day
1730	2025-01-05 19:00:05	68	45dB	4.9	392%	Night
1731	2025-01-05 19:01:18	67	45dB	4.6	359%	Night
1732	2025-01-05 19:02:36	70	45dB	5.3	428%	Night
1733	2025-01-05 19:03:53	67	45dB	4.6	359%	Night
1734	2025-01-05 19:05:14	69	45dB	5.3	428%	Night
1735	2025-01-05 19:06:31	76	45dB	8.6	757%	Night
1736	2025-01-05 19:08:26	?	45dB	?	?	Night
1737	2025-01-05 19:11:34	72	45dB	6.1	506%	Night
1738	2025-01-05 19:13:05	72	45dB	6.5	550%	Night
1739	2025-01-05 19:15:36	?	45dB	?	?	Night
1740	2025-01-05 19:17:00	72	45dB	6.5	550%	Night
1741	2025-01-05 19:18:18	70	45dB	5.3	428%	Night
1742	2025-01-05 19:20:40	67	45dB	4.6	359%	Night
1743	2025-01-05 19:22:05	68	45dB	4.9	392%	Night
1744	2025-01-05 19:25:49	71	45dB	6.1	506%	Night
1745	2025-01-05 19:27:01	67	45dB	4.3	329%	Night
1746	2025-01-05 19:28:13	72	45dB	6.5	550%	Night
1747	2025-01-05 19:29:39	69	45dB	5.3	428%	Night
1748	2025-01-05 19:31:33	68	45dB	4.6	359%	Night
1749	2025-01-05 19:32:32	68	45dB	4.9	392%	Night
1750	2025-01-05 19:33:54	71	45dB	6.1	506%	Night
1751	2025-01-05 19:39:20	67	45dB	4.6	359%	Night
1752	2025-01-05 19:43:56	69	45dB	4.9	392%	Night
1753	2025-01-05 19:46:25	67	45dB	4.6	359%	Night
1754	2025-01-05 19:47:55	68	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1755	2025-01-05 19:49:56	?	45dB	?	?	Night
1756	2025-01-05 19:51:57	70	45dB	5.3	428%	Night
1757	2025-01-05 19:55:42	70	45dB	5.3	428%	Night
1758	2025-01-05 19:57:19	77	45dB	8.6	757%	Night
1759	2025-01-05 19:59:20	70	45dB	5.3	428%	Night
1760	2025-01-05 20:00:31	69	45dB	5.3	428%	Night
1761	2025-01-05 20:01:37	70	45dB	5.7	466%	Night
1762	2025-01-05 20:02:42	?	45dB	?	?	Night
1763	2025-01-05 20:03:49	73	45dB	6.5	550%	Night
1764	2025-01-05 20:06:05	?	45dB	?	?	Night
1765	2025-01-05 20:07:27	69	45dB	4.9	392%	Night
1766	2025-01-05 20:09:09	70	45dB	5.3	428%	Night
1767	2025-01-05 20:10:37	71	45dB	5.7	466%	Night
1768	2025-01-05 20:13:53	67	45dB	4.6	359%	Night
1769	2025-01-05 20:15:13	69	45dB	5.3	428%	Night
1770	2025-01-05 20:19:04	?	45dB	?	?	Night
1771	2025-01-05 20:20:19	?	45dB	?	?	Night
1772	2025-01-05 20:21:31	67	45dB	4.6	359%	Night
1773	2025-01-05 20:22:47	?	45dB	?	?	Night
1774	2025-01-05 20:24:28	70	45dB	5.7	466%	Night
1775	2025-01-05 20:25:50	67	45dB	4.3	329%	Night
1776	2025-01-05 20:26:56	70	45dB	5.3	428%	Night
1777	2025-01-05 20:28:11	67	45dB	4.6	359%	Night
1778	2025-01-05 20:29:26	73	45dB	6.5	550%	Night
1779	2025-01-05 20:31:25	68	45dB	4.9	392%	Night
1780	2025-01-05 20:32:41	70	45dB	5.3	428%	Night
1781	2025-01-05 20:33:57	71	45dB	6.1	506%	Night
1782	2025-01-05 20:36:12	68	45dB	4.6	359%	Night
1783	2025-01-05 20:37:21	69	45dB	5.3	428%	Night
1784	2025-01-05 20:38:45	70	45dB	5.3	428%	Night
1785	2025-01-05 20:40:05	72	45dB	6.5	550%	Night
1786	2025-01-05 20:42:18	73	45dB	7.0	596%	Night
1787	2025-01-05 20:44:25	69	45dB	4.9	392%	Night
1788	2025-01-05 20:45:53	73	45dB	7.0	596%	Night
1789	2025-01-05 20:47:46	?	45dB	?	?	Night
1790	2025-01-05 20:49:09	67	45dB	4.3	329%	Night
1791	2025-01-05 20:52:40	69	45dB	5.3	428%	Night
1792	2025-01-05 20:55:01	?	45dB	?	?	Night
1793	2025-01-05 20:57:14	70	45dB	5.3	428%	Night
1794	2025-01-05 20:59:41	70	45dB	5.3	428%	Night
1795	2025-01-05 21:01:07	68	45dB	4.9	392%	Night
1796	2025-01-05 21:02:27	72	45dB	6.5	550%	Night
1797	2025-01-05 21:04:24	?	45dB	?	?	Night
1798	2025-01-05 21:05:51	66	45dB	4.3	329%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1799	2025-01-05 21:07:06	71	45dB	6.1	506%	Night
1800	2025-01-05 21:08:13	70	45dB	5.7	466%	Night
1801	2025-01-05 21:09:31	71	45dB	6.1	506%	Night
1802	2025-01-05 21:10:38	69	45dB	4.9	392%	Night
1803	2025-01-05 21:13:02	73	45dB	6.5	550%	Night
1804	2025-01-05 21:14:56	70	45dB	5.7	466%	Night
1805	2025-01-05 21:16:07	69	45dB	4.9	392%	Night
1806	2025-01-05 21:18:48	69	45dB	5.3	428%	Night
1807	2025-01-05 21:20:01	67	45dB	4.6	359%	Night
1808	2025-01-05 21:21:11	71	45dB	5.7	466%	Night
1809	2025-01-05 21:22:20	71	45dB	6.1	506%	Night
1810	2025-01-05 21:23:23	69	45dB	5.3	428%	Night
1811	2025-01-05 21:24:44	69	45dB	5.3	428%	Night
1812	2025-01-05 21:26:05	70	45dB	5.3	428%	Night
1813	2025-01-05 21:27:50	69	45dB	5.3	428%	Night
1814	2025-01-05 21:29:00	72	45dB	6.1	506%	Night
1815	2025-01-05 21:30:57	74	45dB	7.5	646%	Night
1816	2025-01-05 21:32:09	70	45dB	5.3	428%	Night
1817	2025-01-05 21:33:14	77	45dB	9.2	819%	Night
1818	2025-01-05 21:34:26	?	45dB	?	?	Night
1819	2025-01-05 21:35:43	68	45dB	4.9	392%	Night
1820	2025-01-05 21:36:56	?	45dB	?	?	Night
1821	2025-01-05 21:38:56	?	45dB	?	?	Night
1822	2025-01-05 21:40:09	69	45dB	5.3	428%	Night
1823	2025-01-05 21:43:02	87	45dB	17.1	1615%	Night
1824	2025-01-05 21:45:49	70	45dB	5.3	428%	Night
1825	2025-01-05 21:48:07	70	45dB	5.3	428%	Night
1826	2025-01-05 21:49:53	69	45dB	4.9	392%	Night
1827	2025-01-05 21:52:16	72	45dB	6.5	550%	Night
1828	2025-01-05 22:03:11	68	45dB	4.9	392%	Night
1829	2025-01-05 22:05:32	?	45dB	?	?	Night
1830	2025-01-05 22:07:05	68	45dB	4.9	392%	Night
1831	2025-01-05 22:08:23	?	45dB	?	?	Night
1832	2025-01-05 22:10:12	75	45dB	8.0	700%	Night
1833	2025-01-05 22:12:15	?	45dB	?	?	Night
1834	2025-01-05 22:13:27	68	45dB	4.9	392%	Night
1835	2025-01-05 22:14:39	68	45dB	4.6	359%	Night
1836	2025-01-05 22:16:07	71	45dB	5.7	466%	Night
1837	2025-01-05 22:17:39	69	45dB	4.9	392%	Night
1838	2025-01-05 22:19:36	70	45dB	5.3	428%	Night
1839	2025-01-05 22:21:01	?	45dB	?	?	Night
1840	2025-01-05 22:23:31	70	45dB	5.3	428%	Night
1841	2025-01-05 22:24:57	?	45dB	?	?	Night
1842	2025-01-05 22:26:21	71	45dB	5.7	466%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1843	2025-01-05 22:27:39	70	45dB	5.7	466%	Night
1844	2025-01-05 22:29:31	74	45dB	7.0	596%	Night
1845	2025-01-05 22:32:10	70	45dB	5.3	428%	Night
1846	2025-01-05 22:33:28	69	45dB	5.3	428%	Night
1847	2025-01-05 22:34:47	79	45dB	9.8	885%	Night
1848	2025-01-05 22:38:43	71	45dB	5.7	466%	Night
1849	2025-01-05 22:41:19	68	45dB	4.6	359%	Night
1850	2025-01-05 22:44:04	71	45dB	6.1	506%	Night
1851	2025-01-05 22:49:26	?	45dB	?	?	Night
1852	2025-01-05 22:54:24	77	45dB	9.2	819%	Night
1853	2025-01-05 23:01:26	70	45dB	5.3	428%	Night
1854	2025-01-05 23:03:06	68	45dB	4.6	359%	Night
1855	2025-01-05 23:08:26	?	45dB	?	?	Night
1856	2025-01-05 23:11:04	?	45dB	?	?	Night
1857	2025-01-05 23:14:05	72	45dB	6.5	550%	Night
1858	2025-01-05 23:24:00	?	45dB	?	?	Night
1859	2025-01-05 23:25:16	69	45dB	4.9	392%	Night
1860	2025-01-05 23:27:17	?	45dB	?	?	Night
1861	2025-01-05 23:29:33	?	45dB	?	?	Night
1862	2025-01-05 23:32:27	69	45dB	5.3	428%	Night
1863	2025-01-05 23:33:42	71	45dB	6.1	506%	Night
1864	2025-01-05 23:35:59	83	45dB	13.9	1293%	Night
1865	2025-01-05 23:37:29	71	45dB	5.7	466%	Night
1866	2025-01-05 23:39:02	71	45dB	5.7	466%	Night
1867	2025-01-05 23:40:55	69	45dB	5.3	428%	Night
1868	2025-01-05 23:42:25	71	45dB	5.7	466%	Night
1869	2025-01-05 23:43:42	70	45dB	5.3	428%	Night
1870	2025-01-05 23:45:18	70	45dB	5.7	466%	Night
1871	2025-01-05 23:47:18	69	45dB	5.3	428%	Night
1872	2025-01-05 23:50:25	?	45dB	?	?	Night
1873	2025-01-05 23:53:00	74	45dB	7.0	596%	Night
1874	2025-01-05 23:54:37	71	45dB	6.1	506%	Night
1875	2025-01-06 00:00:38	69	45dB	4.9	392%	Night
1876	2025-01-06 00:03:23	71	45dB	5.7	466%	Night
1877	2025-01-06 00:05:06	70	45dB	5.3	428%	Night
1878	2025-01-06 00:06:44	70	45dB	5.7	466%	Night
1879	2025-01-06 00:09:02	70	45dB	5.7	466%	Night
1880	2025-01-06 00:11:24	67	45dB	4.6	359%	Night
1881	2025-01-06 00:12:52	70	45dB	5.3	428%	Night
1882	2025-01-06 00:14:13	72	45dB	6.1	506%	Night
1883	2025-01-06 00:15:36	70	45dB	5.3	428%	Night
1884	2025-01-06 00:17:06	71	45dB	6.1	506%	Night
1885	2025-01-06 00:18:22	69	45dB	4.9	392%	Night
1886	2025-01-06 00:20:00	72	45dB	6.1	506%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1887	2025-01-06 00:21:45	73	45dB	7.0	596%	Night
1888	2025-01-06 00:23:20	75	45dB	7.5	646%	Night
1889	2025-01-06 00:25:16	70	45dB	5.7	466%	Night
1890	2025-01-06 06:36:45	69	45dB	4.9	392%	Night
1891	2025-01-06 06:37:49	?	45dB	?	?	Night
1892	2025-01-06 06:40:12	75	45dB	8.0	700%	Night
1893	2025-01-06 06:45:22	69	45dB	5.3	428%	Night
1894	2025-01-06 06:47:02	68	45dB	4.9	392%	Night
1895	2025-01-06 06:48:10	74	45dB	7.5	646%	Night
1896	2025-01-06 06:49:42	72	45dB	6.5	550%	Night
1897	2025-01-06 06:50:48	?	45dB	?	?	Night
1898	2025-01-06 06:52:13	69	45dB	4.9	392%	Night
1899	2025-01-06 06:53:15	?	45dB	?	?	Night
1900	2025-01-06 06:55:12	74	45dB	7.0	596%	Night
1901	2025-01-06 06:57:39	72	45dB	6.5	550%	Night
1902	2025-01-06 07:00:21	76	55dB	4.3	329%	Day
1903	2025-01-06 07:01:30	?	55dB	?	?	Day
1904	2025-01-06 07:02:58	68	55dB	2.5	146%	Day
1905	2025-01-06 07:04:08	?	55dB	?	?	Day
1906	2025-01-06 07:05:14	?	55dB	?	?	Day
1907	2025-01-06 07:06:28	75	55dB	3.7	273%	Day
1908	2025-01-06 07:07:45	74	55dB	3.7	273%	Day
1909	2025-01-06 07:10:43	81	55dB	6.1	506%	Day
1910	2025-01-06 07:16:07	69	55dB	2.6	164%	Day
1911	2025-01-06 07:19:27	73	55dB	3.5	248%	Day
1912	2025-01-06 07:20:39	76	55dB	4.0	300%	Day
1913	2025-01-06 07:21:54	73	55dB	3.5	248%	Day
1914	2025-01-06 07:23:03	70	55dB	2.8	183%	Day
1915	2025-01-06 07:24:37	74	55dB	3.5	248%	Day
1916	2025-01-06 07:25:37	69	55dB	2.5	146%	Day
1917	2025-01-06 07:27:20	?	55dB	?	?	Day
1918	2025-01-06 07:31:41	73	55dB	3.2	225%	Day
1919	2025-01-06 07:33:07	68	55dB	2.3	130%	Day
1920	2025-01-06 07:35:36	71	55dB	3.0	203%	Day
1921	2025-01-06 07:37:19	72	55dB	3.2	225%	Day
1922	2025-01-06 07:38:25	67	55dB	2.3	130%	Day
1923	2025-01-06 07:39:56	69	55dB	2.6	164%	Day
1924	2025-01-06 07:41:16	?	55dB	?	?	Day
1925	2025-01-06 07:42:24	?	55dB	?	?	Day
1926	2025-01-06 07:44:12	?	55dB	?	?	Day
1927	2025-01-06 07:47:27	74	55dB	3.7	273%	Day
1928	2025-01-06 07:48:46	?	55dB	?	?	Day
1929	2025-01-06 07:50:00	74	55dB	3.5	248%	Day
1930	2025-01-06 07:51:27	77	55dB	4.6	359%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1931	2025-01-06 07:52:41	?	55dB	?	?	Day
1932	2025-01-06 07:53:54	73	55dB	3.5	248%	Day
1933	2025-01-06 07:54:57	?	55dB	?	?	Day
1934	2025-01-06 07:57:32	76	55dB	4.0	300%	Day
1935	2025-01-06 07:59:24	83	55dB	6.5	550%	Day
1936	2025-01-06 08:01:36	80	55dB	5.7	466%	Day
1937	2025-01-06 08:04:22	74	55dB	3.7	273%	Day
1938	2025-01-06 08:05:55	69	55dB	2.6	164%	Day
1939	2025-01-06 08:11:43	70	55dB	2.6	164%	Day
1940	2025-01-06 08:13:23	74	55dB	3.7	273%	Day
1941	2025-01-06 08:14:42	69	55dB	2.5	146%	Day
1942	2025-01-06 08:17:48	?	55dB	?	?	Day
1943	2025-01-06 08:21:19	71	55dB	2.8	183%	Day
1944	2025-01-06 08:23:07	?	55dB	?	?	Day
1945	2025-01-06 08:28:19	?	55dB	?	?	Day
1946	2025-01-06 08:31:01	73	55dB	3.2	225%	Day
1947	2025-01-06 08:32:27	79	55dB	4.9	392%	Day
1948	2025-01-06 08:33:43	?	55dB	?	?	Day
1949	2025-01-06 08:34:59	71	55dB	3.0	203%	Day
1950	2025-01-06 08:36:13	69	55dB	2.6	164%	Day
1951	2025-01-06 08:38:42	77	55dB	4.6	359%	Day
1952	2025-01-06 08:39:55	76	55dB	4.0	300%	Day
1953	2025-01-06 08:41:13	73	55dB	3.2	225%	Day
1954	2025-01-06 08:43:13	68	55dB	2.5	146%	Day
1955	2025-01-06 08:44:48	79	55dB	5.3	428%	Day
1956	2025-01-06 08:46:17	?	55dB	?	?	Day
1957	2025-01-06 08:48:22	70	55dB	2.8	183%	Day
1958	2025-01-06 08:49:35	74	55dB	3.7	273%	Day
1959	2025-01-06 08:51:03	?	55dB	?	?	Day
1960	2025-01-06 08:53:33	68	55dB	2.5	146%	Day
1961	2025-01-06 08:54:58	79	55dB	4.9	392%	Day
1962	2025-01-06 08:59:41	68	55dB	2.5	146%	Day
1963	2025-01-06 09:02:30	68	55dB	2.3	130%	Day
1964	2025-01-06 09:04:03	71	55dB	3.0	203%	Day
1965	2025-01-06 09:05:17	69	55dB	2.6	164%	Day
1966	2025-01-06 09:06:52	71	55dB	2.8	183%	Day
1967	2025-01-06 09:08:27	71	55dB	2.8	183%	Day
1968	2025-01-06 09:09:44	?	55dB	?	?	Day
1969	2025-01-06 09:13:25	68	55dB	2.5	146%	Day
1970	2025-01-06 09:14:42	74	55dB	3.5	248%	Day
1971	2025-01-06 09:16:14	77	55dB	4.6	359%	Day
1972	2025-01-06 09:18:32	70	55dB	2.8	183%	Day
1973	2025-01-06 09:20:00	?	55dB	?	?	Day
1974	2025-01-06 09:21:07	72	55dB	3.2	225%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

1975	2025-01-06 09:22:22	68	55dB	2.3	130%	Day
1976	2025-01-06 09:23:30	74	55dB	3.7	273%	Day
1977	2025-01-06 09:25:57	?	55dB	?	?	Day
1978	2025-01-06 09:27:25	73	55dB	3.2	225%	Day
1979	2025-01-06 09:28:40	?	55dB	?	?	Day
1980	2025-01-06 09:29:46	75	55dB	4.0	300%	Day
1981	2025-01-06 09:31:11	70	55dB	2.6	164%	Day
1982	2025-01-06 09:33:25	69	55dB	2.6	164%	Day
1983	2025-01-06 09:36:42	?	55dB	?	?	Day
1984	2025-01-06 09:37:46	?	55dB	?	?	Day
1985	2025-01-06 09:40:18	71	55dB	3.0	203%	Day
1986	2025-01-06 09:42:05	?	55dB	?	?	Day
1987	2025-01-06 09:44:08	74	55dB	3.5	248%	Day
1988	2025-01-06 09:47:18	?	55dB	?	?	Day
1989	2025-01-06 09:49:10	75	55dB	3.7	273%	Day
1990	2025-01-06 09:50:04	79	55dB	5.3	428%	Day
1991	2025-01-06 09:51:23	74	55dB	3.7	273%	Day
1992	2025-01-06 09:52:40	?	55dB	?	?	Day
1993	2025-01-06 09:53:58	70	55dB	2.6	164%	Day
1994	2025-01-06 09:56:38	75	55dB	3.7	273%	Day
1995	2025-01-06 09:57:54	75	55dB	3.7	273%	Day
1996	2025-01-06 10:00:02	76	55dB	4.3	329%	Day
1997	2025-01-06 10:00:56	?	55dB	?	?	Day
1998	2025-01-06 10:02:15	75	55dB	3.7	273%	Day
1999	2025-01-06 10:07:38	78	55dB	4.9	392%	Day
2000	2025-01-06 10:11:40	?	55dB	?	?	Day
2001	2025-01-06 10:13:33	69	55dB	2.6	164%	Day
2002	2025-01-06 10:14:44	?	55dB	?	?	Day
2003	2025-01-06 10:16:40	73	55dB	3.2	225%	Day
2004	2025-01-06 10:20:04	?	55dB	?	?	Day
2005	2025-01-06 10:21:07	?	55dB	?	?	Day
2006	2025-01-06 10:22:34	72	55dB	3.2	225%	Day
2007	2025-01-06 10:24:02	69	55dB	2.5	146%	Day
2008	2025-01-06 10:28:23	?	55dB	?	?	Day
2009	2025-01-06 10:29:41	67	55dB	2.1	114%	Day
2010	2025-01-06 10:30:53	74	55dB	3.7	273%	Day
2011	2025-01-06 10:32:10	67	55dB	2.1	114%	Day
2012	2025-01-06 10:35:51	?	55dB	?	?	Day
2013	2025-01-06 10:38:09	75	55dB	4.0	300%	Day
2014	2025-01-06 10:39:56	76	55dB	4.3	329%	Day
2015	2025-01-06 10:41:05	72	55dB	3.2	225%	Day
2016	2025-01-06 10:42:41	?	55dB	?	?	Day
2017	2025-01-06 10:46:09	67	55dB	2.1	114%	Day
2018	2025-01-06 10:47:50	70	55dB	2.8	183%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2019	2025-01-06 10:48:54	73	55dB	3.2	225%	Day
2020	2025-01-06 10:50:07	72	55dB	3.0	203%	Day
2021	2025-01-06 10:52:13	74	55dB	3.5	248%	Day
2022	2025-01-06 10:55:09	75	55dB	3.7	273%	Day
2023	2025-01-06 10:56:27	83	55dB	6.5	550%	Day
2024	2025-01-06 10:58:06	71	55dB	3.0	203%	Day
2025	2025-01-06 11:00:51	73	55dB	3.5	248%	Day
2026	2025-01-06 11:02:14	73	55dB	3.5	248%	Day
2027	2025-01-06 11:04:10	?	55dB	?	?	Day
2028	2025-01-06 11:07:22	?	55dB	?	?	Day
2029	2025-01-06 11:08:48	70	55dB	2.6	164%	Day
2030	2025-01-06 11:10:50	?	55dB	?	?	Day
2031	2025-01-06 11:12:30	68	55dB	2.3	130%	Day
2032	2025-01-06 11:13:49	74	55dB	3.5	248%	Day
2033	2025-01-06 11:16:24	?	55dB	?	?	Day
2034	2025-01-06 11:18:14	?	55dB	?	?	Day
2035	2025-01-06 11:21:38	71	55dB	2.8	183%	Day
2036	2025-01-06 11:23:01	?	55dB	?	?	Day
2037	2025-01-06 11:24:09	73	55dB	3.2	225%	Day
2038	2025-01-06 11:25:26	70	55dB	2.8	183%	Day
2039	2025-01-06 11:26:38	71	55dB	3.0	203%	Day
2040	2025-01-06 11:27:58	?	55dB	?	?	Day
2041	2025-01-06 11:29:16	76	55dB	4.3	329%	Day
2042	2025-01-06 11:33:14	74	55dB	3.5	248%	Day
2043	2025-01-06 11:40:55	82	55dB	6.5	550%	Day
2044	2025-01-06 11:43:02	?	55dB	?	?	Day
2045	2025-01-06 11:50:37	?	55dB	?	?	Day
2046	2025-01-06 11:52:08	?	55dB	?	?	Day
2047	2025-01-06 11:53:14	?	55dB	?	?	Day
2048	2025-01-06 11:55:05	77	55dB	4.6	359%	Day
2049	2025-01-06 11:57:13	?	55dB	?	?	Day
2050	2025-01-06 11:58:27	69	55dB	2.5	146%	Day
2051	2025-01-06 12:04:54	?	55dB	?	?	Day
2052	2025-01-06 12:06:21	82	55dB	6.5	550%	Day
2053	2025-01-06 12:18:52	71	55dB	3.0	203%	Day
2054	2025-01-06 12:20:42	78	55dB	4.6	359%	Day
2055	2025-01-06 12:22:51	?	55dB	?	?	Day
2056	2025-01-06 12:24:55	74	55dB	3.7	273%	Day
2057	2025-01-06 12:27:24	?	55dB	?	?	Day
2058	2025-01-06 12:34:21	71	55dB	2.8	183%	Day
2059	2025-01-06 12:35:41	70	55dB	2.6	164%	Day
2060	2025-01-06 12:37:30	71	55dB	2.8	183%	Day
2061	2025-01-06 12:43:22	76	55dB	4.3	329%	Day
2062	2025-01-06 12:44:26	78	55dB	4.9	392%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2063	2025-01-06 12:47:02	75	55dB	3.7	273%	Day
2064	2025-01-06 12:48:11	73	55dB	3.2	225%	Day
2065	2025-01-06 12:49:19	73	55dB	3.5	248%	Day
2066	2025-01-06 12:56:48	?	55dB	?	?	Day
2067	2025-01-06 13:00:46	?	55dB	?	?	Day
2068	2025-01-06 13:03:49	?	55dB	?	?	Day
2069	2025-01-06 13:05:44	?	55dB	?	?	Day
2070	2025-01-06 13:07:08	80	55dB	5.7	466%	Day
2071	2025-01-06 13:10:06	?	55dB	?	?	Day
2072	2025-01-06 13:13:13	?	55dB	?	?	Day
2073	2025-01-06 13:14:55	75	55dB	4.0	300%	Day
2074	2025-01-06 13:16:44	?	55dB	?	?	Day
2075	2025-01-06 13:18:21	?	55dB	?	?	Day
2076	2025-01-06 13:23:16	71	55dB	2.8	183%	Day
2077	2025-01-06 13:24:36	72	55dB	3.2	225%	Day
2078	2025-01-06 13:27:24	68	55dB	2.5	146%	Day
2079	2025-01-06 13:34:58	?	55dB	?	?	Day
2080	2025-01-06 13:36:30	?	55dB	?	?	Day
2081	2025-01-06 13:37:57	74	55dB	3.7	273%	Day
2082	2025-01-06 13:39:17	70	55dB	2.6	164%	Day
2083	2025-01-06 13:44:39	73	55dB	3.2	225%	Day
2084	2025-01-06 13:48:47	73	55dB	3.5	248%	Day
2085	2025-01-06 13:51:05	72	55dB	3.2	225%	Day
2086	2025-01-06 13:52:22	74	55dB	3.5	248%	Day
2087	2025-01-06 13:53:35	?	55dB	?	?	Day
2088	2025-01-06 14:00:35	76	55dB	4.3	329%	Day
2089	2025-01-06 14:07:42	73	55dB	3.5	248%	Day
2090	2025-01-06 14:09:51	?	55dB	?	?	Day
2091	2025-01-06 14:12:49	67	55dB	2.3	130%	Day
2092	2025-01-06 14:16:20	81	55dB	6.1	506%	Day
2093	2025-01-06 14:17:53	?	55dB	?	?	Day
2094	2025-01-06 14:20:43	?	55dB	?	?	Day
2095	2025-01-06 14:21:54	?	55dB	?	?	Day
2096	2025-01-06 14:23:08	69	55dB	2.6	164%	Day
2097	2025-01-06 14:24:42	72	55dB	3.2	225%	Day
2098	2025-01-06 14:26:26	?	55dB	?	?	Day
2099	2025-01-06 14:28:01	74	55dB	3.5	248%	Day
2100	2025-01-06 14:29:38	70	55dB	2.8	183%	Day
2101	2025-01-06 14:30:44	76	55dB	4.3	329%	Day
2102	2025-01-06 14:32:15	79	55dB	5.3	428%	Day
2103	2025-01-06 14:33:42	70	55dB	2.6	164%	Day
2104	2025-01-06 14:34:55	68	55dB	2.3	130%	Day
2105	2025-01-06 14:36:01	?	55dB	?	?	Day
2106	2025-01-06 14:37:10	80	55dB	5.7	466%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2107	2025-01-06 14:42:46	?	55dB	?	?	Day
2108	2025-01-06 14:44:06	72	55dB	3.2	225%	Day
2109	2025-01-06 14:45:04	70	55dB	2.6	164%	Day
2110	2025-01-06 14:48:05	67	55dB	2.3	130%	Day
2111	2025-01-06 14:52:26	71	55dB	3.0	203%	Day
2112	2025-01-06 14:53:58	84	55dB	7.0	596%	Day
2113	2025-01-06 14:56:37	72	55dB	3.0	203%	Day
2114	2025-01-06 15:00:17	69	55dB	2.5	146%	Day
2115	2025-01-06 15:02:28	?	55dB	?	?	Day
2116	2025-01-06 15:03:38	71	55dB	2.8	183%	Day
2117	2025-01-06 15:04:55	77	55dB	4.6	359%	Day
2118	2025-01-06 15:06:01	74	55dB	3.7	273%	Day
2119	2025-01-06 15:10:05	68	55dB	2.3	130%	Day
2120	2025-01-06 15:17:16	67	55dB	2.3	130%	Day
2121	2025-01-06 15:18:13	69	55dB	2.6	164%	Day
2122	2025-01-06 15:19:37	84	55dB	7.5	646%	Day
2123	2025-01-06 15:20:38	67	55dB	2.1	114%	Day
2124	2025-01-06 15:22:43	71	55dB	3.0	203%	Day
2125	2025-01-06 15:26:09	69	55dB	2.5	146%	Day
2126	2025-01-06 15:27:36	68	55dB	2.5	146%	Day
2127	2025-01-06 15:28:49	81	55dB	6.1	506%	Day
2128	2025-01-06 15:30:05	?	55dB	?	?	Day
2129	2025-01-06 15:31:56	77	55dB	4.6	359%	Day
2130	2025-01-06 15:44:25	83	55dB	7.0	596%	Day
2131	2025-01-06 15:47:32	80	55dB	5.3	428%	Day
2132	2025-01-06 15:56:25	?	55dB	?	?	Day
2133	2025-01-06 16:01:36	?	55dB	?	?	Day
2134	2025-01-06 16:03:50	73	55dB	3.5	248%	Day
2135	2025-01-06 16:08:04	?	55dB	?	?	Day
2136	2025-01-06 16:16:54	73	55dB	3.5	248%	Day
2137	2025-01-06 16:19:24	?	55dB	?	?	Day
2138	2025-01-06 16:33:15	?	55dB	?	?	Day
2139	2025-01-06 16:38:19	?	55dB	?	?	Day
2140	2025-01-06 16:40:45	?	55dB	?	?	Day
2141	2025-01-06 16:41:56	?	55dB	?	?	Day
2142	2025-01-06 16:49:08	?	55dB	?	?	Day
2143	2025-01-06 16:52:03	?	55dB	?	?	Day
2144	2025-01-06 17:26:05	?	55dB	?	?	Day
2145	2025-01-06 18:04:26	71	55dB	3.0	203%	Day
2146	2025-01-06 18:07:22	73	55dB	3.5	248%	Day
2147	2025-01-06 18:14:14	?	55dB	?	?	Day
2148	2025-01-06 18:16:38	72	55dB	3.0	203%	Day
2149	2025-01-06 18:22:16	70	55dB	2.6	164%	Day
2150	2025-01-06 18:27:20	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2151	2025-01-06 18:31:06	?	55dB	?	?	Day
2152	2025-01-06 18:36:20	?	55dB	?	?	Day
2153	2025-01-06 18:39:39	73	55dB	3.2	225%	Day
2154	2025-01-06 18:42:45	?	55dB	?	?	Day
2155	2025-01-06 18:44:00	67	55dB	2.3	130%	Day
2156	2025-01-06 18:49:26	73	55dB	3.5	248%	Day
2157	2025-01-06 18:51:02	79	55dB	5.3	428%	Day
2158	2025-01-06 18:56:27	69	55dB	2.6	164%	Day
2159	2025-01-06 19:18:05	?	45dB	?	?	Night
2160	2025-01-06 19:20:10	?	45dB	?	?	Night
2161	2025-01-06 19:27:02	?	45dB	?	?	Night
2162	2025-01-06 19:28:55	?	45dB	?	?	Night
2163	2025-01-06 19:32:39	?	45dB	?	?	Night
2164	2025-01-06 19:33:50	?	45dB	?	?	Night
2165	2025-01-06 19:36:34	?	45dB	?	?	Night
2166	2025-01-06 19:39:24	69	45dB	4.9	392%	Night
2167	2025-01-06 19:41:51	?	45dB	?	?	Night
2168	2025-01-06 19:44:13	76	45dB	8.6	757%	Night
2169	2025-01-06 19:47:02	?	45dB	?	?	Night
2170	2025-01-06 19:49:27	68	45dB	4.9	392%	Night
2171	2025-01-06 22:10:47	?	45dB	?	?	Night
2172	2025-01-06 22:34:28	?	45dB	?	?	Night
2173	2025-01-07 05:12:58	66	45dB	4.0	300%	Night
2174	2025-01-07 06:40:31	75	45dB	8.0	700%	Night
2175	2025-01-07 07:03:13	?	55dB	?	?	Day
2176	2025-01-07 07:07:36	71	55dB	3.0	203%	Day
2177	2025-01-07 07:12:32	68	55dB	2.3	130%	Day
2178	2025-01-07 07:13:57	?	55dB	?	?	Day
2179	2025-01-07 07:15:46	69	55dB	2.6	164%	Day
2180	2025-01-07 07:19:17	73	55dB	3.5	248%	Day
2181	2025-01-07 07:23:10	68	55dB	2.3	130%	Day
2182	2025-01-07 07:24:33	?	55dB	?	?	Day
2183	2025-01-07 07:25:40	68	55dB	2.5	146%	Day
2184	2025-01-07 07:26:57	73	55dB	3.2	225%	Day
2185	2025-01-07 07:28:31	70	55dB	2.6	164%	Day
2186	2025-01-07 07:36:01	?	55dB	?	?	Day
2187	2025-01-07 07:38:51	68	55dB	2.5	146%	Day
2188	2025-01-07 07:40:30	?	55dB	?	?	Day
2189	2025-01-07 07:44:07	?	55dB	?	?	Day
2190	2025-01-07 07:47:27	74	55dB	3.5	248%	Day
2191	2025-01-07 07:50:11	?	55dB	?	?	Day
2192	2025-01-07 07:51:30	73	55dB	3.2	225%	Day
2193	2025-01-07 07:55:26	73	55dB	3.2	225%	Day
2194	2025-01-07 07:56:44	71	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2195	2025-01-07 08:07:26	72	55dB	3.2	225%	Day
2196	2025-01-07 08:09:30	72	55dB	3.2	225%	Day
2197	2025-01-07 08:13:39	72	55dB	3.2	225%	Day
2198	2025-01-07 08:24:40	70	55dB	2.8	183%	Day
2199	2025-01-07 08:28:50	74	55dB	3.5	248%	Day
2200	2025-01-07 08:51:50	78	55dB	4.6	359%	Day
2201	2025-01-07 08:57:33	70	55dB	2.6	164%	Day
2202	2025-01-07 08:58:47	?	55dB	?	?	Day
2203	2025-01-07 09:00:12	70	55dB	2.8	183%	Day
2204	2025-01-07 09:01:55	?	55dB	?	?	Day
2205	2025-01-07 09:04:39	75	55dB	4.0	300%	Day
2206	2025-01-07 09:06:19	71	55dB	3.0	203%	Day
2207	2025-01-07 09:07:47	74	55dB	3.7	273%	Day
2208	2025-01-07 09:16:13	70	55dB	2.8	183%	Day
2209	2025-01-07 09:18:18	?	55dB	?	?	Day
2210	2025-01-07 09:20:51	73	55dB	3.5	248%	Day
2211	2025-01-07 09:24:31	70	55dB	2.6	164%	Day
2212	2025-01-07 09:25:34	69	55dB	2.6	164%	Day
2213	2025-01-07 09:27:28	?	55dB	?	?	Day
2214	2025-01-07 09:28:27	71	55dB	2.8	183%	Day
2215	2025-01-07 09:34:16	71	55dB	2.8	183%	Day
2216	2025-01-07 09:42:20	76	55dB	4.0	300%	Day
2217	2025-01-07 09:45:21	76	55dB	4.3	329%	Day
2218	2025-01-07 09:50:03	73	55dB	3.5	248%	Day
2219	2025-01-07 09:51:15	73	55dB	3.2	225%	Day
2220	2025-01-07 09:54:48	74	55dB	3.5	248%	Day
2221	2025-01-07 10:02:07	73	55dB	3.2	225%	Day
2222	2025-01-07 10:05:43	?	55dB	?	?	Day
2223	2025-01-07 10:09:19	69	55dB	2.5	146%	Day
2224	2025-01-07 10:11:21	71	55dB	3.0	203%	Day
2225	2025-01-07 10:12:38	71	55dB	2.8	183%	Day
2226	2025-01-07 10:14:44	?	55dB	?	?	Day
2227	2025-01-07 10:19:57	74	55dB	3.5	248%	Day
2228	2025-01-07 10:24:05	70	55dB	2.8	183%	Day
2229	2025-01-07 10:25:30	80	55dB	5.3	428%	Day
2230	2025-01-07 10:28:14	72	55dB	3.2	225%	Day
2231	2025-01-07 10:37:33	72	55dB	3.2	225%	Day
2232	2025-01-07 10:39:31	68	55dB	2.3	130%	Day
2233	2025-01-07 10:40:37	?	55dB	?	?	Day
2234	2025-01-07 10:41:38	73	55dB	3.5	248%	Day
2235	2025-01-07 10:44:49	68	55dB	2.5	146%	Day
2236	2025-01-07 10:45:58	?	55dB	?	?	Day
2237	2025-01-07 10:49:03	72	55dB	3.2	225%	Day
2238	2025-01-07 10:58:40	?	55dB	?	?	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2239	2025-01-07 11:03:03	?	55dB	?	?	Day
2240	2025-01-07 11:06:23	72	55dB	3.0	203%	Day
2241	2025-01-07 11:10:26	72	55dB	3.0	203%	Day
2242	2025-01-07 11:14:35	?	55dB	?	?	Day
2243	2025-01-07 11:16:10	72	55dB	3.0	203%	Day
2244	2025-01-07 11:17:11	?	55dB	?	?	Day
2245	2025-01-07 11:22:40	?	55dB	?	?	Day
2246	2025-01-07 11:23:42	74	55dB	3.7	273%	Day
2247	2025-01-07 11:26:45	69	55dB	2.6	164%	Day
2248	2025-01-07 11:29:28	71	55dB	2.8	183%	Day
2249	2025-01-07 11:30:44	74	55dB	3.5	248%	Day
2250	2025-01-07 11:33:02	76	55dB	4.3	329%	Day
2251	2025-01-07 11:36:13	72	55dB	3.0	203%	Day
2252	2025-01-07 11:39:22	?	55dB	?	?	Day
2253	2025-01-07 11:43:11	?	55dB	?	?	Day
2254	2025-01-07 11:45:11	?	55dB	?	?	Day
2255	2025-01-07 11:47:39	?	55dB	?	?	Day
2256	2025-01-07 11:48:38	?	55dB	?	?	Day
2257	2025-01-07 11:49:44	?	55dB	?	?	Day
2258	2025-01-07 11:51:05	74	55dB	3.7	273%	Day
2259	2025-01-07 11:56:56	71	55dB	2.8	183%	Day
2260	2025-01-07 11:58:16	68	55dB	2.3	130%	Day
2261	2025-01-07 11:59:22	?	55dB	?	?	Day
2262	2025-01-07 12:00:28	71	55dB	3.0	203%	Day
2263	2025-01-07 12:01:47	?	55dB	?	?	Day
2264	2025-01-07 12:04:46	68	55dB	2.5	146%	Day
2265	2025-01-07 12:09:40	68	55dB	2.3	130%	Day
2266	2025-01-07 12:11:00	80	55dB	5.3	428%	Day
2267	2025-01-07 12:12:10	69	55dB	2.6	164%	Day
2268	2025-01-07 12:16:52	?	55dB	?	?	Day
2269	2025-01-07 12:21:02	71	55dB	3.0	203%	Day
2270	2025-01-07 12:27:03	76	55dB	4.3	329%	Day
2271	2025-01-07 12:29:41	67	55dB	2.3	130%	Day
2272	2025-01-07 12:32:54	?	55dB	?	?	Day
2273	2025-01-07 12:36:35	68	55dB	2.5	146%	Day
2274	2025-01-07 12:38:35	71	55dB	3.0	203%	Day
2275	2025-01-07 12:46:50	70	55dB	2.8	183%	Day
2276	2025-01-07 12:48:56	73	55dB	3.5	248%	Day
2277	2025-01-07 12:49:46	?	55dB	?	?	Day
2278	2025-01-07 12:51:12	71	55dB	2.8	183%	Day
2279	2025-01-07 12:59:38	?	55dB	?	?	Day
2280	2025-01-07 13:08:51	?	55dB	?	?	Day
2281	2025-01-07 13:14:49	?	55dB	?	?	Day
2282	2025-01-07 13:16:16	72	55dB	3.0	203%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2283	2025-01-07 13:18:14	75	55dB	3.7	273%	Day
2284	2025-01-07 13:19:27	71	55dB	3.0	203%	Day
2285	2025-01-07 13:24:34	74	55dB	3.7	273%	Day
2286	2025-01-07 13:26:53	67	55dB	2.3	130%	Day
2287	2025-01-07 13:28:12	?	55dB	?	?	Day
2288	2025-01-07 13:30:14	67	55dB	2.1	114%	Day
2289	2025-01-07 13:34:52	?	55dB	?	?	Day
2290	2025-01-07 13:35:59	72	55dB	3.0	203%	Day
2291	2025-01-07 13:38:58	?	55dB	?	?	Day
2292	2025-01-07 13:46:10	?	55dB	?	?	Day
2293	2025-01-07 13:49:55	?	55dB	?	?	Day
2294	2025-01-07 13:51:02	68	55dB	2.3	130%	Day
2295	2025-01-07 13:57:18	73	55dB	3.2	225%	Day
2296	2025-01-07 14:15:18	79	55dB	4.9	392%	Day
2297	2025-01-07 14:19:41	72	55dB	3.2	225%	Day
2298	2025-01-07 14:21:06	69	55dB	2.6	164%	Day
2299	2025-01-07 14:23:07	74	55dB	3.5	248%	Day
2300	2025-01-07 14:24:34	69	55dB	2.6	164%	Day
2301	2025-01-07 14:26:02	71	55dB	2.8	183%	Day
2302	2025-01-07 14:27:16	?	55dB	?	?	Day
2303	2025-01-07 14:29:19	68	55dB	2.5	146%	Day
2304	2025-01-07 14:35:12	72	55dB	3.0	203%	Day
2305	2025-01-07 14:37:40	74	55dB	3.5	248%	Day
2306	2025-01-07 14:43:25	68	55dB	2.5	146%	Day
2307	2025-01-07 14:45:10	70	55dB	2.8	183%	Day
2308	2025-01-07 14:48:53	76	55dB	4.0	300%	Day
2309	2025-01-07 14:50:51	77	55dB	4.3	329%	Day
2310	2025-01-07 14:52:47	70	55dB	2.8	183%	Day
2311	2025-01-07 14:55:36	73	55dB	3.2	225%	Day
2312	2025-01-07 15:01:42	73	55dB	3.2	225%	Day
2313	2025-01-07 15:05:14	74	55dB	3.5	248%	Day
2314	2025-01-07 15:07:22	73	55dB	3.2	225%	Day
2315	2025-01-07 15:09:35	74	55dB	3.5	248%	Day
2316	2025-01-07 15:12:11	72	55dB	3.2	225%	Day
2317	2025-01-07 15:14:27	81	55dB	6.1	506%	Day
2318	2025-01-07 15:16:34	?	55dB	?	?	Day
2319	2025-01-07 15:19:02	74	55dB	3.7	273%	Day
2320	2025-01-07 15:21:10	74	55dB	3.7	273%	Day
2321	2025-01-07 15:26:17	72	55dB	3.2	225%	Day
2322	2025-01-07 15:29:15	74	55dB	3.7	273%	Day
2323	2025-01-07 15:31:19	74	55dB	3.5	248%	Day
2324	2025-01-07 15:35:36	72	55dB	3.2	225%	Day
2325	2025-01-07 15:38:37	82	55dB	6.5	550%	Day
2326	2025-01-07 15:40:54	90	55dB	10.6	956%	Day

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2327	2025-01-07 15:43:18	69	55dB	2.5	146%	Day
2328	2025-01-07 15:46:32	81	55dB	6.1	506%	Day
2329	2025-01-07 15:48:43	71	55dB	3.0	203%	Day
2330	2025-01-07 15:54:36	69	55dB	2.6	164%	Day
2331	2025-01-07 15:56:49	80	55dB	5.3	428%	Day
2332	2025-01-07 15:59:09	72	55dB	3.0	203%	Day
2333	2025-01-07 16:05:21	72	55dB	3.0	203%	Day
2334	2025-01-07 16:07:57	86	55dB	8.0	700%	Day
2335	2025-01-07 16:10:41	79	55dB	4.9	392%	Day
2336	2025-01-07 16:20:23	73	55dB	3.5	248%	Day
2337	2025-01-07 16:23:44	78	55dB	4.9	392%	Day
2338	2025-01-07 16:27:55	73	55dB	3.2	225%	Day
2339	2025-01-07 16:33:47	75	55dB	4.0	300%	Day
2340	2025-01-07 16:50:05	83	55dB	7.0	596%	Day
2341	2025-01-07 20:06:58	76	45dB	8.0	700%	Night
2342	2025-01-07 20:10:48	?	45dB	?	?	Night
2343	2025-01-07 20:12:11	75	45dB	7.5	646%	Night
2344	2025-01-07 20:13:26	?	45dB	?	?	Night
2345	2025-01-07 20:15:41	?	45dB	?	?	Night
2346	2025-01-07 20:17:08	79	45dB	9.8	885%	Night
2347	2025-01-07 20:21:01	?	45dB	?	?	Night
2348	2025-01-07 20:22:30	71	45dB	5.7	466%	Night
2349	2025-01-07 20:23:48	?	45dB	?	?	Night
2350	2025-01-07 20:25:12	?	45dB	?	?	Night
2351	2025-01-07 20:26:50	74	45dB	7.0	596%	Night
2352	2025-01-07 20:30:44	69	45dB	4.9	392%	Night
2353	2025-01-07 20:33:49	?	45dB	?	?	Night
2354	2025-01-07 20:35:04	67	45dB	4.3	329%	Night
2355	2025-01-07 20:36:51	70	45dB	5.7	466%	Night
2356	2025-01-07 20:38:26	71	45dB	6.1	506%	Night
2357	2025-01-07 20:39:56	71	45dB	6.1	506%	Night
2358	2025-01-07 20:42:05	?	45dB	?	?	Night
2359	2025-01-07 20:43:23	?	45dB	?	?	Night
2360	2025-01-07 20:45:39	72	45dB	6.5	550%	Night
2361	2025-01-07 20:47:50	?	45dB	?	?	Night
2362	2025-01-07 20:49:42	?	45dB	?	?	Night
2363	2025-01-07 20:50:51	71	45dB	5.7	466%	Night
2364	2025-01-07 20:52:30	77	45dB	8.6	757%	Night
2365	2025-01-07 20:54:24	72	45dB	6.5	550%	Night
2366	2025-01-07 20:56:00	72	45dB	6.5	550%	Night
2367	2025-01-07 20:57:24	?	45dB	?	?	Night
2368	2025-01-07 20:58:37	?	45dB	?	?	Night
2369	2025-01-07 21:00:03	?	45dB	?	?	Night
2370	2025-01-07 21:01:20	74	45dB	7.0	596%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2371	2025-01-07 21:02:40	72	45dB	6.5	550%	Night
2372	2025-01-07 21:04:43	?	45dB	?	?	Night
2373	2025-01-07 21:06:03	72	45dB	6.1	506%	Night
2374	2025-01-07 21:07:26	72	45dB	6.1	506%	Night
2375	2025-01-07 21:08:42	76	45dB	8.6	757%	Night
2376	2025-01-07 21:10:09	?	45dB	?	?	Night
2377	2025-01-07 21:12:36	69	45dB	5.3	428%	Night
2378	2025-01-07 21:14:41	70	45dB	5.3	428%	Night
2379	2025-01-07 21:16:13	76	45dB	8.0	700%	Night
2380	2025-01-07 21:17:36	?	45dB	?	?	Night
2381	2025-01-07 21:18:58	70	45dB	5.3	428%	Night
2382	2025-01-07 21:20:34	?	45dB	?	?	Night
2383	2025-01-07 21:21:53	69	45dB	4.9	392%	Night
2384	2025-01-07 21:23:46	70	45dB	5.7	466%	Night
2385	2025-01-07 21:26:10	?	45dB	?	?	Night
2386	2025-01-07 21:27:44	72	45dB	6.5	550%	Night
2387	2025-01-07 21:29:14	68	45dB	4.9	392%	Night
2388	2025-01-07 21:30:45	?	45dB	?	?	Night
2389	2025-01-07 21:32:20	70	45dB	5.3	428%	Night
2390	2025-01-07 21:37:06	67	45dB	4.3	329%	Night
2391	2025-01-07 21:38:52	71	45dB	5.7	466%	Night
2392	2025-01-07 21:40:51	?	45dB	?	?	Night
2393	2025-01-07 21:42:11	?	45dB	?	?	Night
2394	2025-01-07 21:43:33	?	45dB	?	?	Night
2395	2025-01-07 21:45:44	68	45dB	4.9	392%	Night
2396	2025-01-07 21:47:23	?	45dB	?	?	Night
2397	2025-01-07 21:50:37	?	45dB	?	?	Night
2398	2025-01-07 21:54:24	?	45dB	?	?	Night
2399	2025-01-07 21:55:53	?	45dB	?	?	Night
2400	2025-01-07 21:57:28	?	45dB	?	?	Night
2401	2025-01-07 21:58:56	?	45dB	?	?	Night
2402	2025-01-07 22:01:21	70	45dB	5.7	466%	Night
2403	2025-01-07 22:03:06	69	45dB	5.3	428%	Night
2404	2025-01-07 22:04:26	?	45dB	?	?	Night
2405	2025-01-07 22:05:54	?	45dB	?	?	Night
2406	2025-01-07 22:07:07	?	45dB	?	?	Night
2407	2025-01-07 22:13:53	?	45dB	?	?	Night
2408	2025-01-07 22:17:26	?	45dB	?	?	Night
2409	2025-01-07 22:19:44	77	45dB	9.2	819%	Night
2410	2025-01-07 22:23:08	71	45dB	5.7	466%	Night
2411	2025-01-07 22:29:05	77	45dB	8.6	757%	Night
2412	2025-01-07 22:30:28	70	45dB	5.7	466%	Night
2413	2025-01-07 22:36:04	?	45dB	?	?	Night
2414	2025-01-07 22:38:10	67	45dB	4.6	359%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2415	2025-01-07 22:39:34	?	45dB	?	?	Night
2416	2025-01-07 22:42:34	70	45dB	5.3	428%	Night
2417	2025-01-07 22:43:56	69	45dB	4.9	392%	Night
2418	2025-01-07 22:45:32	?	45dB	?	?	Night
2419	2025-01-07 22:48:31	71	45dB	5.7	466%	Night
2420	2025-01-07 22:50:50	78	45dB	9.2	819%	Night
2421	2025-01-07 23:06:23	?	45dB	?	?	Night
2422	2025-01-07 23:08:01	68	45dB	4.6	359%	Night
2423	2025-01-07 23:10:19	73	45dB	6.5	550%	Night
2424	2025-01-07 23:11:51	?	45dB	?	?	Night
2425	2025-01-07 23:13:48	72	45dB	6.1	506%	Night
2426	2025-01-07 23:15:31	?	45dB	?	?	Night
2427	2025-01-07 23:17:32	?	45dB	?	?	Night
2428	2025-01-07 23:20:17	?	45dB	?	?	Night
2429	2025-01-07 23:25:59	?	45dB	?	?	Night
2430	2025-01-07 23:27:18	?	45dB	?	?	Night
2431	2025-01-07 23:28:42	68	45dB	4.9	392%	Night
2432	2025-01-07 23:31:02	72	45dB	6.5	550%	Night
2433	2025-01-07 23:32:35	?	45dB	?	?	Night
2434	2025-01-07 23:34:07	75	45dB	8.0	700%	Night
2435	2025-01-07 23:36:01	?	45dB	?	?	Night
2436	2025-01-07 23:37:25	69	45dB	5.3	428%	Night
2437	2025-01-07 23:38:44	69	45dB	4.9	392%	Night
2438	2025-01-07 23:40:15	?	45dB	?	?	Night
2439	2025-01-07 23:41:41	70	45dB	5.3	428%	Night
2440	2025-01-07 23:43:30	?	45dB	?	?	Night
2441	2025-01-07 23:45:53	70	45dB	5.3	428%	Night
2442	2025-01-07 23:48:52	73	45dB	6.5	550%	Night
2443	2025-01-07 23:51:57	70	45dB	5.3	428%	Night
2444	2025-01-07 23:53:50	72	45dB	6.1	506%	Night
2445	2025-01-07 23:55:52	78	45dB	9.2	819%	Night
2446	2025-01-07 23:58:49	70	45dB	5.7	466%	Night
2447	2025-01-08 00:02:08	72	45dB	6.5	550%	Night
2448	2025-01-08 00:11:56	75	45dB	8.0	700%	Night
2449	2025-01-08 00:15:17	83	45dB	13.9	1293%	Night
2450	2025-01-08 00:23:21	72	45dB	6.5	550%	Night
2451	2025-01-08 00:25:31	74	45dB	7.0	596%	Night
2452	2025-01-08 00:27:09	70	45dB	5.7	466%	Night
2453	2025-01-08 00:29:32	67	45dB	4.6	359%	Night
2454	2025-01-08 00:33:20	75	45dB	8.0	700%	Night
2455	2025-01-08 00:35:08	70	45dB	5.7	466%	Night
2456	2025-01-08 00:37:11	77	45dB	8.6	757%	Night
2457	2025-01-08 06:31:52	?	45dB	?	?	Night
2458	2025-01-08 06:33:35	80	45dB	11.3	1031%	Night

Document Released Under the Access to Information Act by Health Canada / Document divulgué en vertu de la Loi sur l'accès à l'information par Santé Canada

2459	2025-01-08 06:34:54	68	45dB	4.9	392%	Night
2460	2025-01-08 06:36:32	?	45dB	?	?	Night
2461	2025-01-08 06:41:30	74	45dB	7.0	596%	Night
2462	2025-01-08 06:42:39	73	45dB	7.0	596%	Night
2463	2025-01-08 06:43:52	71	45dB	5.7	466%	Night
2464	2025-01-08 06:45:26	70	45dB	5.3	428%	Night
2465	2025-01-08 06:46:44	71	45dB	5.7	466%	Night
2466	2025-01-08 06:48:18	70	45dB	5.3	428%	Night
2467	2025-01-08 06:50:03	71	45dB	5.7	466%	Night
2468	2025-01-08 06:51:25	?	45dB	?	?	Night
2469	2025-01-08 06:52:42	73	45dB	7.0	596%	Night
2470	2025-01-08 06:53:46	73	45dB	7.0	596%	Night
2471	2025-01-08 06:55:24	75	45dB	7.5	646%	Night
2472	2025-01-08 06:56:43	?	45dB	?	?	Night
2473	2025-01-08 06:58:02	?	45dB	?	?	Night
2474	2025-01-08 07:00:32	70	55dB	2.6	164%	Day
2475	2025-01-08 07:02:46	69	55dB	2.6	164%	Day
2476	2025-01-08 07:03:54	?	55dB	?	?	Day
2477	2025-01-08 07:05:57	68	55dB	2.5	146%	Day
2478	2025-01-08 07:07:34	70	55dB	2.8	183%	Day
2479	2025-01-08 07:11:26	?	55dB	?	?	Day
2480	2025-01-08 07:12:45	?	55dB	?	?	Day
2481	2025-01-08 07:17:40	?	55dB	?	?	Day
2482	2025-01-08 07:20:22	?	55dB	?	?	Day
2483	2025-01-08 07:22:04	?	55dB	?	?	Day
2484	2025-01-08 07:23:27	?	55dB	?	?	Day
2485	2025-01-08 07:24:47	?	55dB	?	?	Day
2486	2025-01-08 07:30:48	?	55dB	?	?	Day
2487	2025-01-08 07:39:21	67	55dB	2.1	114%	Day
2488	2025-01-08 07:44:18	71	55dB	2.8	183%	Day
2489	2025-01-08 07:49:12	?	55dB	?	?	Day
2490	2025-01-08 07:50:31	69	55dB	2.6	164%	Day
2491	2025-01-08 07:51:40	?	55dB	?	?	Day
2492	2025-01-08 07:56:12	68	55dB	2.3	130%	Day
2493	2025-01-08 07:57:15	?	55dB	?	?	Day
2494	2025-01-08 08:00:19	68	55dB	2.5	146%	Day
2495	2025-01-08 08:02:03	72	55dB	3.2	225%	Day
2496	2025-01-08 08:05:09	?	55dB	?	?	Day
2497	2025-01-08 08:06:17	?	55dB	?	?	Day
2498	2025-01-08 08:12:37	?	55dB	?	?	Day
2499	2025-01-08 08:14:02	?	55dB	?	?	Day
2500	2025-01-08 08:17:01	?	55dB	?	?	Day
2501	2025-01-08 08:33:36	?	55dB	?	?	Day
2502	2025-01-08 08:39:03	?	55dB	?	?	Day